Technical report: Gleichlaut

Keeping the French and Italian of Switzerland's drug-reimbursement conditions in step with the German, with Apertus. Numbers never reach the model; frozen deterministic checks decide what is ready.

- **Track:** Track 2B: Gleichlaut
- **Event:** Online
- **Team:** 444
- **Review register (live):** https://gleichlaut.mi11ion.io/ · **Demo video:** https://gleichlaut.mi11ion.io/demo.mp4
- **Declared maturity:** the audit is a deployable prototype; drafting is a feasibility study running in shadow mode

1. Summary


The job. BAG maintains the 1,688 reimbursement conditions ("limitations") of the Spezialitätenliste in German, French and Italian under one identifier, as three text fields in its ePL editor, published monthly for the 9.08 million people in basic insurance (22.6% of residents name French and 7.8% Italian as a main language). In 7.5 months of 2026, 216 German texts changed (28.7 a month); BAG updated French and Italian in the same month for 208 of them. BAG's own review asks applicants to declare that "die Übersetzungen sind kongruent". Where they are not, the difference we find is a number: in the 6 Oct 2026 register, 10 limitations carry 5 independent divergences (Nemluvio every 8 weeks vs "ogni 4 settimane"; Diaphin 6% vs 12%; a French-only "≥ 62.5 kg" condition in three etanercept biosimilars; a 16 kg limit missing in French for Cresemba; a 15–30 kg tier missing or shifted in French for four Dupixent limitations). At the published prices the two Nemluvio readings differ by CHF 13,577 a year per patient, and one Amvuttra patient's stop decision is worth CHF 338,743 a year at list price (`eval/results/stakes.json`).

Two tools, one rule. *Draft*: when the German changes, Gleichlaut locks the old French/Italian outside the edit, replaces every number with a slot code that code writes back, lets Apertus rewrite the wording, and runs a frozen stack of deterministic checks that marks the draft ready or flagged and explains why in the reviewer's language. *Audit*: compares the numbers of every limitation across the three languages and lists the conditions that disagree. The model never sees a number (it wrote 0 digits in 285 calls; 3 number words it wrote were all flagged) and never judges anything.

Results: the audit. It reduces 1,688 limitations to **18 issues** to decide (27 findings). Two blind Claude annotators (a third on disagreements) confirm **12 findings that change a condition**, among them all five known divergences (the list its rules were built around, so not a recall measure), plus 5 minor ones such as typos next to numbers. On 1,000 divergences planted into clean limitations it finds **93.0%** of changed numbers and 94.0% of fields in the wrong language (77.2% [74.5, 79.7] over five fault types). Its newest checks found three divergences nobody had listed: Amvuttra's French stop rule says an NIS increase "≤ 10" points where German and Italian say "> 10", and the Italian of Beyonttra and Vyndaqel says "on deve" (for "non deve"), so a ban on combining reads as an obligation. These checks ship off by default until their precision is tuned (§6).

Results: drafting. On a pre-registered held-out set of 166 French/Italian amendments from SL changes between Jun 2025 and Feb 2026 (154 in edit patterns never seen during design; checks and resources hashed before any output existed), **the shipped Apertus 8B, on a CPU, passes the pre-registered rule**: its drafts equal BAG's published text **17.5%** of the time against 6.0% for the no-model start (**+11.4 points [4.8, 18.7]**; +6.6 [1.8, 12.0] over rules+, our strongest no-model baseline), need **33.1%** fewer token edits, and its 62 ready drafts carry **0** errors of any severe kind (Q4_K_M, for an 8 GiB box, passes too: +10.8 points [4.8, 17.5]). Apertus 70B, as Public AI served it, cuts the edits by **42.4%** [31.0, 54.1]; 39.8% of its drafts come out ready, with 0 meaning errors, stale changes or German left, its ready drafts rarely need a fix to the amendment (3 of 66), and a repeat run passes the same rule. A 70B draft costs **CHF 0.0024** at a Swiss provider's published price. The annotators behind these zeros were tested themselves: they caught all 66 planted meaning errors and all 38 written to read like part of the amendment, and flagged 5 of 17 real errors BAG had corrected (§6). In shadow mode, drafting runs on every new SL release from the live public feed and grades itself against what BAG publishes (§8). `make run` re-executes the recorded runs offline and re-derives every number.

2. Architecture



Module (`src/gleichlaut/`)	Role
`frozen/`	the research code, byte-identical and hash-checked: lock, slots, rules, prompt, drafting loop, checks, re-ask, scorer
`core.py`	executes the frozen definitions via `ast` with an injected model backend (no re-implementation)
`audit.py`	numeric congruence of DE/FR/IT across the register; `audit_item` for single drafts
`backends.py`, `certify.py`	`openai` (any `LLM_BASE_URL`, served model checked), `llamacpp` (CPU GGUF, digit mask), `cache` (hash-addressed replay); endpoint-bound certification and drift canary
`sl/`, `fed/`, `cli.py month`	ingest the monthly feed or Fedlex versions, mine German changes, draft, resume
`emit/`, `ui/`	XLIFF 1.2 and 2.1 (validated against the OASIS XSDs), FHIR R5 (checked against the CH EPL profile), review register
`replay.py`, `score.py`	`make run`: verify the freeze, re-execute recorded runs, re-score, compare

Target architecture

On-premise and air-gapped by default. The audit, the checks, the register and the XLIFF/FHIR output are Python standard library plus `lxml`. SL conditions and statutes are drafted by Apertus 8B (GGUF Q8_0 by default, 16 GiB RAM; Q4_K_M on an 8 GiB box) on CPU in process. Offices that want fewer edits add Apertus 70B on an endpoint they control: own GPUs (bf16 144.6 GB for the published multimodal checkpoint, vision and audio parts included) or a Swiss provider (Infomaniak, Swisscom, PHOENIQS, Safe Swiss Cloud and OnPrem.ai serve it from Switzerland; Infomaniak CHF 0.70 / 2.50 per million input/output tokens). No provider-specific code exists: an endpoint is admitted only by a certificate bound to its address and served model, earned by re-running the frozen 166-item suite (`make certify`); a canary detects drift.

Lane	Model, where	External services at runtime	Data sent
Audit, checks, register, XLIFF/FHIR	none	none	none
Federal statutes	Apertus 8B GGUF, CPU, in process; drafts go to review	none	none
SL conditions, default	Apertus 8B GGUF, CPU, in process (passes the pre-registered rule)	none	none
SL conditions, fewer edits	Apertus 70B on a certified, user-controlled endpoint	that endpoint only	one limitation text (DE old/new, FR or IT), numbers as slot codes; before publication this is BAG's confidential draft, hence an endpoint BAG controls

Build time only: Docker base image (pinned by digest), PyPI, the sha256-pinned GGUF. Runtime dependencies and licences (Apache-2.0 weights under the Apertus AUP): `docs/dependencies.md`, `docs/target-architecture.md`. Public AI served the evaluation only.

3. Use of Apertus

3.1 Models and builds

Use	Model / build	Where it ran for the reported numbers
SL drafting	Apertus v1.5 70B (as Public AI served it; identity inconclusive, below)	Public AI through a budget gateway; temperature 0; one user message, no system message of ours; served model logged
SL and statute drafting (default)	Apertus v1.5 8B GGUF Q8_0, sha256-pinned	4-core CPU GitHub runners via llama.cpp (R1/M2, 200.5 s per draft); greedy; digit and number-word logit mask
SL and statute drafting (8 GiB option)	Apertus v1.5 8B GGUF Q4_K_M, sha256-pinned	the same runners and decoding (R1/M1, 153.4 s per draft)
research arms (dev 120, statutes / R5, failure-mode tests)	Apertus v1.5 8B text, MLX 4-bit DWQ, third-party (`m1rkocasu/Apertus-v1.5-8B-text-MLX-4bit-DWQ`)	a laptop GPU; agrees with bf16 `swiss-ai/Apertus-v1.5-8B-DPO` (an intermediate checkpoint) on 610 of 648 decisions (Q8_0 GGUF 638, Q4_K_M 622)

We do not control which weights Public AI serves. The `apertus-v1.5-70b` name is answered by two backends (`tp2`, `fp1-nes`; the headline run did not log which, its R2 rerun used both), and `fp1-nes` gave byte-identical greedy text to the `apertus-v1.5-8b` name in 760 of 792 research cells. The research called the shared model the 70B from MMLU (84.4% on 250 questions against 70.8% for the v1 8B, which mixes version and size); the certified local v1.5 8B Q8_0 scores **78.4%** on the same questions (PREREG R19), so the identity test is **inconclusive** and the 70B rows describe "the 70B as Public AI served it" (full record and a per-backend re-score: `docs/research/served-70b.md`). Every 8B number comes from local runs, and only the 8B rows carry the digit and number-word logit mask, which Public AI's API does not offer. The 8B GGUF builds come from a third-party text-only extraction of `swiss-ai/Apertus-v1.5-8B`; llama.cpp applies the chat template embedded in the GGUF, byte-identical to the official one, which adds a default system turn and a developer turn before our user message (`docs/research/chat-template.md`). A memorisation probe (R16) found no evidence that either model had seen the held-out answers, from a probe that recalls little even of long-standing texts.

3.2 How the model is used, and which size

One prompt (Appendix A): old and new German, a code-derived list of the German changes, and the old French/Italian text, numbers as slot codes; the model returns the amended paragraph. The 70B wrote 0 digits in 285 calls; in 3 of 166 drafts it wrote a number word itself ("due", "quatre", "quattro"), and all 3 were flagged; the 8B's logit mask blocks every digit token and the number words two to twelve as whole tokens (a word split across tokens or above twelve could still appear; none did in its 166 drafts). **The 8B is compared with the 70B as Public AI served it, on the same items, in both directions.** SL conditions (pre-registered R1, same pipeline, same 166 items): both 8B GGUF builds pass the rule (Q4_K_M: flagged 63.9%, ready drafts 0 meaning errors and 3 stale or German; Q8_0: flagged 62.7%, ready drafts 0 / 0 / 0), so under R1 the SL default is the local 8B. In this pipeline, with one run per build and no bf16 8B run, quantisation mattered about as much as the step to the served 70B (which also differs in the digit mask and, possibly, the template): Q8_0 has the same exact-match rate as the 70B (no equivalence test); on edits saved (33.1% vs 42.4%) the aggregate difference [–1.3, 20.2] includes zero, though the 70B needs fewer edits on 81 items and Q8_0 on 26; Q4_K_M is clearly behind (20.9%; against the 70B [8.7, 34.9], against Q8_0 [6.0, 19.9], paired 95% CIs of the difference in edits saved). If an office certifies its own 70B endpoint and the result carries over (unverified: we do not know which model Public AI served), the 70B is worth it where editing time matters (ready drafts needing a fix: 3 of 66, against 25 of 62 for Q8_0 and 33 of 60 for Q4_K_M, mostly one insurance term). The research-phase MLX build had flagged 85.0% on dev items without the re-ask. Federal statutes (pre-registered R5, 120 paragraphs): the 70B is no better (exact 48.3% vs 50.0% for the 8B MLX build; 2 vs 0 real errors among drafts marked ready). The shipped GGUF builds on the same items (R6) reach 45.8% (Q4_K_M) and 47.5% (Q8_0) but mark 4 drafts ready that change a provision, so no size passes the rule there; statutes use the 8B on CPU, and their drafts go to review because German job titles ("EFZ") need a terminology list that only exists for the SL so far.

3.3 Where Apertus fell short, and what does that job instead

8B rows: the shipped Q8_0, re-run with the research prompts and items (PREREG R8); the MLX 4-bit number in parentheses.

Task	Result	Done instead by
Free translation of the new German (dev 120)	0% exact (0%; the locked rewrite reaches 17.5% (15.0%) on the same items); lexicon counters fire on 70 (78) of 120; blind labels of a seeded 20 find 6 (2) real flips ("il convient d'essayer" for "ist auszuprobieren"), about 21 (8) in 120, none flagged	locked rewrite of the old text
Edit only a marked span (dev 120)	span ignored in 54% (73%) of 8B windows and 81% of 70B windows	whole-paragraph rewrite + lock check
Judge DE/FR/IT equivalence (9 known Fedlex divergences)	as a yes/no answer, 8B 0 of 9 (0), 70B 0 of 9 ("they differ" in 1 and 2 of 270 answers); the 8B's log-probabilities rank the divergent language first in 3 (6) of 9, AUROC 0.77 (0.81; order-fragile on MLX only), which the API does not expose for the 70B	deterministic checks and the audit
Type numeric conditions	8B operator accuracy 39% (36%), "≥" prior; errors correlated across languages	code (slots, audit)
SL drafting with the 8B, no re-ask (dev 120)	flagged 82.5% (85.0%); 0 (1) ready drafts reverse a meaning	the shipped GGUF build with the full pipeline (passes R1)
SL terminology with the 8B GGUF (held-out 166)	29 of 60 ready drafts use "assurance obligatoire de maladie" for BAG's "…des soins"; a pipeline gap: the prompt does not supply BAG's house terms	the termbase note; supplying house terms in the prompt (R12)
SL drafting, 70B with the earlier checks (out-of-sample 242)	failed the rule: 4.1% of items with German left, unflagged	copied-from-German, terminology and vocabulary checks, then a new held-out set
Self-correction	8B greedy retry fixed 1 of 23 (0 of 26); 70B re-ask fixed 3 of 98	one re-ask, kept only if every check passes

4. Data


Source	Use	Licence
BAG ePL FHIR R5 feed, 9 usable 2026 snapshots	2026 change pool (dev 120, out-of-sample 242), backtest, audit (6 Oct)	official publication
SL XMLPublications Jun and Jul 2025 (Wayback captures)	the held-out set (166); check resources (Jun 2025 only)	official publication
Fedlex consolidated versions (SPARQL + AKN XML)	statute lane (120 FR/IT paragraphs, 26 acts)	not protected (URG Art. 5)

A change counts if at most 60% of its tokens changed (27 larger rewrites in the window go to a translator). The ePL export dropped every <…> span in the Feb–Apr and 4 May 2026 snapshots; May is excluded and affected pairs are dropped. No personal data.

5. Evaluation

Exact = equal to BAG's published text after whitespace/apostrophe normalisation. CIs: paired cluster bootstrap over German changes. Every ready non-exact draft was read in full; a seeded 20 flagged drafts estimate review load. Pass rule (pre-registered): unflagged real errors ≤ 1%, unflagged stale + untranslated ≤ 2%, exact ≥ rules + 5, flagged ≤ 70%.

Setup (FR+IT)	Set	n	Exact	Δ vs rules [95% CI]	Flagged	Ready	Ready with real / stale / untranslated	Rule
Rules only (old text + numbers)	held-out	166	6.0%					
rules+ (also copies names, deletes sentences)	held-out	166	10.8%					
Apertus 70B + checks + re-ask	**held-out**	**166**	**17.5%**	**+11.4 [4.8, 18.7]**	**60.2%**	**39.8%**	**0 / 0 / 0**	**PASS**
same, unseen edit patterns	held-out	154	15.6%	+12.3 [5.8, 20.1]	60.4%	39.6%	0 / 0 / 0	PASS
same, rerun with seed 1 (R2)	held-out	166	18.1%	+12.0 [5.4, 19.3]	58.4%	41.6%	0 / 0 / 2	PASS
Apertus 70B, earlier checks	out-of-sample	242	29.3%	+14.9 [9.9, 20.7]	61.6%	38.4%	1 / 0 / 10	FAIL
Apertus 8B GGUF Q8_0 on CPU + checks + re-ask (R1, M2; default)	**held-out**	**166**	**17.5%**	**+11.4 [4.8, 18.7]**	**62.7%**	**37.3%**	**0 / 0 / 0**	**PASS**
Apertus 8B GGUF Q4_K_M on CPU, same (R1, M1; 8 GiB option)	**held-out**	**166**	**16.9%**	**+10.8 [4.8, 17.5]**	**63.9%**	**36.1%**	**0 / 1 / 2**	**PASS**
Apertus 8B (MLX DWQ), no re-ask	dev	120	15.0%	+9.2 [3.3, 15.8]	85.0%	15.0%	1 / 0 / 0	FAIL
Statutes: 8B (MLX DWQ)	Fedlex (dev)	120	50.0%	rules 35.0%	31.7%	68.3%	0 / 4 / 4	review all
Statutes: 70B	Fedlex (dev)	120	48.3%	rules 35.0%	23.3%	76.7%	2 / 1 / 4	review all
Statutes: 8B GGUF Q4_K_M (R6)	Fedlex (dev)	120	45.8%	rules 35.0%	28.3%	71.7%	4 / 4 / 6	review all
Statutes: 8B GGUF Q8_0 (R6)	Fedlex (dev)	120	47.5%	rules 35.0%	26.7%	73.3%	4 / 3 / 6	review all



Reviewer effort. Starting from the draft instead of the old text with updated numbers, a translator makes 42.4% fewer token edits to reach BAG's published text (95% CI [31.0, 54.1]); 59.1% fewer on ready drafts; fewer on 114 of 166 items, more on 29. Of a seeded 20 flagged drafts, 13 needed no change: the checks are tuned to flag generously.

Stability. The seeded rerun reproduced 69.9% of final outputs byte-for-byte and the ready/flagged verdict with κ 0.963. Outputs at temperature 0 differ between calls, possibly because requests are routed between the two serving backends or because of batch non-determinism on one backend; either way, this is why certification re-runs the whole suite on the endpoint it certifies.

Audit. On the 6 Oct 2026 register, numeric check: 21 findings in 17 limitations; all 10 known divergent limitations and all 13 of their known values are among them; the blind majority finds 11 of the 21 real (52.4%, Wilson [32.4, 71.7]): the 10 known and the Italian typo "se mesi" (also an editorial finding); the other 10 are paraphrases such as "ab 18 Jahren" vs "adultes", or typos. Language and editorial checks (added in round 2, rules written before any label): 6 findings, all 6 confirmed: Keytruda's Italian field holds the French text since 1 Aug 2026, and five typos next to numbers ("de15 kg", "1 .4 mmol/l", "se mesi"). In total 17 of 27 findings are real (63.0%). Terminology learned from BAG's own corrections (round 3): 11 findings, 11 confirmed (four French texts naming an ACE inhibitor for angiotensin-II receptor antagonists, four ungrammatical Italian ones, three French "communiqué" where the register now says "transmis"; 4 change the meaning, 7 are wording). On MiGeL and the Analysenliste (1 Jul 2026), lists the rules were never designed on: 11 findings, 6 confirmed (54.5%), among them an Analysenliste position billable after 13 repetitions in Italian and 14 in German and French. These counts are the majority of two blind annotators (the second in reverse order) and a third where their answers differed (pre-registered R14): the two agree whether a finding is real on all 49 (κ 1.000). The first, single-annotator labels gave 16, 8 and 7 (agreement 44 of 49); they stay in the results as `first_annotation`.

Labels. Every ready non-exact draft and the flagged sample were first read in full by a research labeller who knew each draft's guard verdict; a blind annotator re-labelled them (agreement 62 of 69, κ 0.532) and a third broke all 7 disagreements. Because the first labeller was not blind, the run was relabelled fully blind under the same protocol (pre-registered R13): the two blind annotators

agree on 67 of 69 records (κ 0.892), and their majority finds 0 meaning errors, stale changes or German left among the ready drafts (3 need a small fix: one term, two spacing slips). Worklists and labels are in `eval/labels/`, so the labelling can be re-run by anyone.

Cost and scale (recorded tokens: 285 calls; 17.15 s of model time per item, sequential):

Volume	Items a month	Public AI (evaluation price)	Infomaniak 70B	Model time, sequential
1×	57	$0.16	CHF 0.14	0.3 h
10×	574	$1.59	CHF 1.36	2.7 h

At this volume a per-token Swiss endpoint costs CHF 0.14 a month; dedicated 70B hardware pays only across many lists (MiGeL and the Analysenliste carry limitation columns in the same three languages).

6. Design limits we measured

- **Ready means the amendment is right, not the whole text.** 18 ready French drafts keep an old drug-class mistranslation ("inhibiteur de l'enzyme de conversion" for angiotensin-II receptor antagonists) that BAG corrected in the same update; the checks compare an amendment with its German change by design, and the audit's numeric scope does not cover drug-class names yet.
- **Bounds counted honestly.** 0 errors in 66 ready drafts is 0 in 36 German changes and 18 edit families: 95% upper bounds 5.5% per draft, 9.6% per change, 17.6% per family. One boilerplate family supplies half of the ready drafts; without it 75.8% are flagged, which would fail the 70% flag cap of our own rule (exact gain without it: +14.4 over rules-only, +8.3 [2.3, 15.2] over rules+).
- **No check targets direction flips** (increase ↔ decrease); a single dropped word inside an edited window can pass.
- **The held-out gold overlaps the dev pool's inputs:** 22 of the 166 published 2025 texts reappear as old texts in the 2026 dev items. The vocabulary and terminology resources come from the Jun 2025 capture; the name whitelist (product, substance and ATC names, no limitation texts) from the feed current at design time.
- **The 5 divergences predate our window** (all present at the earliest capture, Jun/Jul 2025), so the backtest cannot say where they arose; the audit finds them today.
- **What the evaluation rests on.** Ten of the twelve confirmed audit findings re-confirm the census the rules were built around; beyond it, 1 of 11 number findings is confirmed. The experimental operator and negation checks find 74.5% of planted operator flips but 6 of their 31 register findings are confirmed, and an 8B log-probability filter (R18) did not raise that (2 of 13 kept). Labels are by blind Claude annotators: on 17 real errors BAG itself corrected (R17) both flagged 5 with BAG's text shown, accepting a 10-item house-wording sweep as equivalent; Apertus 70B as a second annotator did not discriminate (κ 0.000). The 70B rows describe the shared endpoint as Public AI served it (see Models and builds). On the live months the checks flagged 81.8–92.7% of drafts, so neither met the 70% flag cap of R0; house wording in the prompt brought September to 70.7% (R21).

7. Reproducibility

`make run` (Docker, CPU, `--network none` unless `LLM_BASE_URL` is set; about two minutes; `make local-run` without Docker) verifies the sha256 of the frozen code, check resources and items; re-executes the recorded 70B runs and the recorded 8B Q8_0 CPU run (R9) end-to-end from the recorded responses (every request rebuilt byte-for-byte and found by its payload hash: 285 of 285 for the headline run, 283 of 283 for the 70B rerun, 242 of 242 for dev, 294 of 294 for the 8B); re-scores every recorded run against `eval/results/`; drafts 5 statute paragraphs live if `LLM_BASE_URL` is set; writes and validates XLIFF and FHIR; builds the register. `claims.tsv` maps every number in this report to a results file; CI fails on drift. Pre-registrations: `eval/prereg/PREREG.md` (every rule, indexed at the top) with run timestamps from the gateway ledger. The first out-of-sample run failed its rule; it is reported.

Coding assistants and labellers. Code written with Claude Code agents (Anthropic) under the team's direction; labels by blind Claude annotators. Apertus is the only model at runtime, and no model judges outputs at runtime; the evaluation labels come from blind Claude annotators.

8. Integration and next steps

BAG writes limitation texts itself (KVV Art. 73) in an ePL editor with one field per language; applicants answer the "kongruent" declaration in the triennial review (the audit gives BAG its own check of it); the federal translation tool is STAR Transit (`docs/sl-process.md`). Gleichlaut maps onto each: Draft proposes the FR/IT fields when the DE field changes, Audit answers the congruence question for the whole register, and translators receive XLIFF 1.2/2.1. Shadow mode (`gleichlaut month`) runs on the public feed every month and grades itself against BAG's publication, so a pilot with the Sektion Arzneimittelaufnahmen and the ePL team needs no new process. The first shadow month (1 Sep → 1 Oct 2026, R7) ran on CPU runners under `--network none`: of 41 compared items, 32 add one new standard sentence and the no-model start gets none right; the checks flagged 82.9–92.7% of drafts, and none of the 14 drafts marked ready across the three models has an error. A second month (1 Aug → 1 Sep 2026, R10) was pre-registered before drafting with the R0 criteria: 22 of 38 items drafted, all 22 already in our dev or out-of-sample sets. Neither model meets R0: Q8_0 +4.5 points over the no-model start (fails the +5 bar), flagged 81.8% (fails the 70% cap), no ready draft with a meaning error (holds), 1 with German left (4.5%, fails); 70B 0 of 22 identical, flagged 81.8%, no meaning error, 3 stale or German (13.6%): the same three fail. House wording in the prompt (R12, pre-registered before any run): the variant v3-terms adds one block listing BAG's FR/IT wording of the terms and fixed sentences in the new German, mined only from each month's old snapshot; guards, re-ask and frozen code unchanged. Frozen → v3-terms, identical drafts: Q8_0 1 → 3 of 22 (Aug) and 3 → 8 of 41 (Sep), 70B 0 → 0 and 4 → 9; flagged: Q8_0 81.8% → 63.6% and 92.7% → 73.2%, 70B 81.8% → 68.2% and 82.9% → 80.5%. No month and model meets R0: September fails the flag cap, August Q8_0 the German-left cap (BAG's typo "GLP1-1-Analogon"), and

the August 70B gets worse (1 REAL, 2 stale, 2 German among 7 ready). As pre-registered, it is not a candidate for a held-out test; the frozen default stays. A fixed task-specific system message replacing the default persona (`Apertus 1.5 Omni`), on top of that block (R21, pre-registered, Q8_0), meets R0 on the held-out 166 (13.9% identical, +7.8; frozen 17.5%) but on neither live month (August: 1 REAL among ready; September: 70.7% flagged), so the default stays. Outside confirmation: the 6 Oct 2026 audit is frozen as 69 hashed predictions (R20), to be scored against BAG's own corrections in its next publications. Next: the mined termbase as a pre-registered check resource (it already names the term in 22 of the 25 Q8_0 ready drafts that need a fix), a direction-flip check, and a Swiss 70B endpoint certified with `make certify-endpoint`.

License

Report CC-BY-4.0. Code Apache-2.0.

Appendix A: the drafting prompt (verbatim, `frozen/s2/s2b.py`)

```
A Swiss reimbursement limitation (Spezialitätenliste, BAG) was amended in German. Apply exactly the same
amendment to the {L} version.
Change only the words that correspond to the German change. Copy every other word and punctuation mark of the
old {L} text unchanged. Use the established {L} terminology of the Spezialitätenliste. Numbers are written as
slot codes such as (A): copy the slot codes, never write digits or numbers in words.

German (old): {de_old}
German (new): {de_new}
Changes in German:
{changes}

{L} (old): {tgt_old}

Output only the amended {L} text, nothing else.
```

References

Sources for every external fact: `docs/sources.md` and `docs/sl-process.md` (BFS su-d-01.08.01.01; BAG T 7.01; KVV Art. 73; SL handbook 2025; CH EPL IG 1.0.1; OASIS XLIFF 1.2/2.1; apertus-ai.org provider list; Infomaniak price page; Apertus AUP v1.5).