PaymentsPlus Implementation Guide

Overview

This Implementation Guide supports Business Analysts in implementing PaymentsPlus, covering requirements, building, testing (UAT/PVT), lodgement and product-specific reference material.

Contents

- Initiation
- Requirements
- Building
  - PaymentsPlus Configuration
    - Create & Configure a New Buyer
    - Adding Settlement Accounts
      - Domestic (DE, BPAY, Osko, OskoFlex)
      - International (OTT & RTGS)
    - International Payments Configuration
      - Remittances
    - Adding Users
  - ICIS Configuration
    - Customer File Transmission
      - Payment Import CSV & Response
      - ISO 20022 Accounts Payable Import & Response Files
    - Downstream File Transmission - NZ OTT
- Testing
  - UAT
  - PVT
- Lodgment
  - PaymentsPlus
  - ICIS
- Additional Information
  - Payment Channel Summary
  - Tracking Payments
    - Downstream Transmission
  - ISO Terminology
  - ISO Files Overview
  - CSV Files Overview
  - Error Handling Type
  - Gopher
  - Payment File Batching Type
  - CCDB
  - Disabling accounts
  - DERPS
  - How ABA files are populated for EFT payments
  - Beneficiary bank statement reference (EndToEndId)
  - Length of EndToEndId/Payment Reference/Recipient Reference/Lodgement Reference
  - Settlement Reference Configuration
  - Qvalent Product Specialist

Initiation

- Kick off with the Project Manager to confirm the requirements listed in the Jira ticket. Gather as much project context as possible to prepare for the initial customer meetings.
- Initial customer meetings will include requirements gathering & completion of the Business Requirements Document (BRD)

Considerations

For PaymentsPlus, it is important to confirm the following requirements:

- Payment channels required (refer to the relevant Implementation Reference Guides):
  - Direct Entry
  - OSKO
  - OSKOFlex
  - BPAY
  - RTGS
  - OTT
- Preferred file formats
- Required return/reporting outputs (refer to ISO and CSV file overviews)
- Error handling approach (file-level rejection vs transaction-level validation)
- File & user authorisation. None, single or dual ?
- Whether Westpac Verify is required
- Direct Entry file type (balanced vs credits-only)
- Remittance requirements (including any custom formats)
- Settlement and funding account details
- File transmission method (iLink, manual upload, or REST API)
- Duplicate file handling logic (e.g. skip or reject duplicates)
- **For International Payments, confirm the following:**
  - Fee handling approach (e.g. sender, receiver, or shared)
  - Whether the accounts are enabled for international transactions
  - Expected maximum transaction amounts (noting country-specific limits, e.g. ACH constraints)

Requirements

- Support the customer in completing the BRD.
- Specifically confirm the following:
  - Supported file formats
  - Number and structure of payment files
  - Reporting requirements and delivery method
  - Error handling approach (file-level rejection vs transaction-level validation)
  - Remittance requirements
  - Duplicate file handling (e.g. skip or reject duplicates)
  - Group email for error notifications
  - Error handling approach (file-level rejection vs transaction-level validation)

Building

Prerequisites

- The Business Requirements Document (BRD) has been completed and formally approved by the customer.
- The associated Jira ticket has received approval from the CTG approval team.
- If lodging into production ensure you've been provided:
  - All relevant account details
  - Trace accounts if the customer requires DERPS for DE
  - BFP Customer Id (OTT & RTGS)

PaymentsPlus Configuration

Create & Configure a New Buyer

PaymentsPlus Page	Configuration
Enter Buyer Details	• Add the **buyer details.** • Click on **Next**
Confirm Details	• Confirm **buyer details** • Select **Save**
Select Authorisation Options	• Select **authorisation** methods required for **user creation** and **payment file's** • Click on **Next**
Select Facility Type	• Select **product module's** and **payment methods** required • Click on **Next**
Buyer	• Select the drop down next to **Go to Page** & select **Action items** • Select **Go**
Buyer Saved	*The Buyer Business has been created* • Click on **Buyer Code** under **Buyer Details**
Action Items	This page lists the configuration that needs to be complete • Click on each **Action item** ◦ Review the section and complete the required configuration for your implementation. *Use the information icon beside each field for additional guidance.* ◦ Press **save** • Select the drop down next to **Go to Page**, select **Action items** and press **Go** --- *Complete each section until there is nothing listed on the Action Items page.* *See **Adding Settlement Accounts** section below.*

Adding Settlement Accounts

PaymentsPlus Page	Configuration
Settlement Accounts	Select **Add Account** in the right bottom corner
Edit Account Details	Select the **Account Type** you require in the drop down & press **Select**
Domestic (DE, BPAY, Osko, OskoFlex)	
Edit Settlement Account Details	**Default Account:** Yes / No. Account used if none are specified. **Account Name, BSB & Account Number:** Enter provided details **Trace Account BSB & Account:** For Direct Entry accounts, enter a different account to activate DERPS. This will be provided by project manager. **Direct Entry User Id & User Name:** For DE only, provided by project manager. **PPS Id:** Leave blank (legacy PPS channel) **Group Account Balance Check:** Leave unticked (unless told otherwise) **Billing Code:** If billing is per account configure provided billing code **Remitter Details:** Enter customers business details. **Jira Issue:** For production only you must enter the Jira QIP for the project **Password**: Enter your account password Click **Next**
Account Details Summary	Confirm the **account** & **remitter details** are correct Click **Save** ⚠ In production this must be authorised by another user.
International (OTT & RTGS)	
Edit Settlement Account Details	**Default Account:** Yes / No. Account used if none are specified. **Account Name, BSB & Account Number:** Enter provided details **PPS Id:** Leave blank unless (legacy PPS channel) **CCDB Registration:** Select yes for RTGS & yes for OTT once the project manager has confirmed the account has been added to Westpac's "CCDB" table **Currency:** The currency that will be used to fund payments from this account **Remitter Details:** Customers business details. ⓘ Remitter Name populates the MT101 generated and sent to Westpac to process OTT & RTGS payments. **Jira Issue:** For production only you must enter the Jira QIP for the project **Password**: Enter your account password Click **Next**
Account Details Summary	Confirm the **account** & **remitter details** are correct Click **Save** ⚠ In production this must be authorised by another user.

International Payments Configuration

PaymentsPlus Page	Configuration
International	
International	**Buyer International Payments Configuration** Unless there are specific charging requirements leave all settings default except: **BFP Customer Id:** Provided by the project manager

Remittances

Remittances are emailed to payees

PaymentsPlus Page	Configuration
Buyer Preferences	**General:** Select delivery preference & time zone **Remittance Format:** Remittances can be customised with logo & content. Further customisation will require a Jira ticket and developer assigned.

Adding Users

PaymentsPlus Page	Configuration
Add a user (Within the buyer business)	
Users	Click **Create New User** in the right bottom corner
Create New User	**User Details** • Enter user details: • Login Name: Enter first name initial and last name • Full Name: Enter the Full Name (including middle names if applicable) as displayed in the identification documents submitted to Westpac to avoid delays in processing your access request. **Tasks This User Can Perform** • Tick tasks the user can perform. *This will be provided on the user form for production.* **Email Notifications** • Leave as default (on) if not specified **Identification** • Carefully enter the **Westpac Customer Number** & **DOB** provided on the user form to avoid delays. • Toggle **declaration** • **Enter your password** and click **Save and Request Access**

ICIS Configuration

Customer File Transmission

For iLink payment files only

Payment Import CSV & Response

Use	Message / File Type	Plugin	Configuration	Configuration Example
CSV payment file	CSV	CsvToPaymentImportProcessor	1. If it is a **new iLink** see Create a Customer Incoming Rule Group to set up incoming rule group. 2. In the rule group click **'Add Rule'** 3. **Action:** Execute class 4. **Processor Class:** Type then select Csv To Payment Import Processor 5. Set up the Csv To Payment Import Processor plug in to match the specifications for your client. 6. Click **Save**.	Rule Group Detail
Routing rule group for all PaymentsPlus responses	PaymentsPlus Report Message	NA	1. Create a routing rule with these parameters: a. **Source System**: Present & Pay b. **Message Type:** PaymentsPlus Report Message c. **Message FieId:** BuyerCode is *<PaymentsPlus Buyer Code>* d. **Action**: do nothing	Rule Group Detail
CSV batched receipt or returns file	PaymentsPlus Report Message	CustomReportToCSVRemittanceProcessor	1. In the rule group you created above click **'Add Rule'** 2. **Message FieId:** 'CustomReportType' is 'BatchReceipted' or 'Returns' (*Depending on if you are setting up the batched receipt or returns file)* If you need individual files per payment Instrument you can also filter by Payment Instrument ie. **Message Field:** 'PaymentInstrument' is 'WESTPAC_DIRECT_DEBIT' 3. **Action:** Execute class 4. **Processor Class:** Type then select Custom Report to CSV Remittance Processor 5. Set up the Custom Report to CSV Remittance Processor a. **Add Default Parameters** and configure to match the requirements in the Custom Report to CSV Remittance Processor specification. b. Click **Save**	Batched Receipt: Rule Group Detail Returns: Rule Group Detail

ISO 20022 Accounts Payable Import & Response Files

The below configuration covers file transmission for the ISO payment import file and 3 responses.

Use	Message / File Type	Plugin	Configuration	Configuration Example
Payment import file & **Level 1: File ack.** *Processor receives the import file and sends the Level 1: File ack back to the customers iLink*	XML	PAIN001 To PaymentsPlus Import Message (PAIN001ToPPIM)	1. If it is a **new iLink** see Create a Customer Incoming Rule Group to set up an incoming rule group. 2. In the rule group click **'Add Rule'** 3. **Message Field:** RECEIVED_FILE | is | Filename pattern (wildcards supported) You can also use xml elements in the file to filter ie Message Field: Document/CstmrCdtTrfInitn/PmtInf/DbtrAcct/Id/Othr/Id = <id> 4. Add **labels** & **Description** 5. **Action:** Execute class 6. **Processor Class:** Type then select the PAIN001 To PaymentsPlus Import Message processor a. **Add Default Parameters** and configure to match the required import specifications in the PAIN001 To PaymentsPlus Import Message specification. 7. Click **Save**	Rule Group Detail
Routing rule group for all PaymentsPlus responses	PaymentsPlus Report Message		1. Create a routing rule with these parameters: a. **Source System**: Present & Pay b. **Message Type:** PaymentsPlus Report Message c. **Message Field:** BuyerCode is *<PaymentsPlus Buyer Code>* d. **Action**: do nothing	Rule Group Detail
Level 2: Batch sent for processing	PaymentsPlus Report Message	Payments Plus Batch Status Message to PAIN.002 Short Form (PPBSMToPAIN002SF)	1. In the rule group you created above click **'Add Rule'** 2. **Message Field:** 'CustomReportType' is 'PayablesFileStatus' If you need individual files per payment Instrument you can also filter by Payment Instrument ie. **Message Field:** 'PaymentInstrument' is 'WESTPAC_DIRECT_DEBIT' 3. **Action:** Execute class 4. **Processor Class:** Type then select Payments Plus Batch Status Message to PAIN.002 5. Set up the **Payments Plus Batch Status Message to PAIN.002 short form** processor a. **Add Default Parameters** and configure to match the requirements in the Payments Plus Batch Status Message to PAIN.002 short form specification. b. Suggested Parameters i. **defaultRejectCode** = NARR ii. **ackRemoteFilename** = PAIN002_L2_<!OrigMsgId!>_<!PmtInfId!>_<!ddMMyyyyHHmmss!>_CONF.xml c. Click **Save**	Rule Group Detail
Level 3: Batch receipted	PaymentsPlus Report Message	Payments Plus Batch Receipted Message to PAIN002 Long Form (PPBRMToPAIN002LF)	1. In the rule group you created above click **'Add Rule'** 2. **Message Field:** 'CustomReportType' is 'BatchReceipted' If you need individual files per payment Instrument you can filter by Payment Instrument ie. **Message Field:** 'PaymentInstrument' is 'WESTPAC_DIRECT_DEBIT' 3. **Action:** Execute class 4. **Processor Class:** Type then select Batch Status Message to PAIN.002 Long Form long form 5. set up the **Payments Plus Batch Status Message to PAIN.002 long form** a. **Add Default Parameters** and configure to match the requirements in the Batch Status Message to PAIN.002 Long Form long form specification. b. Suggested Parameters i. **defaultRejectCode** = NARR ii. **ackRemoteFilename** = PAIN002_L3_<!OrigMsgId!>_<!PmtInfId!>_<!ddMMyyyyHHmmss!>_CONF.xml c. Click **Save**	Rule Group Detail

Downstream File Transmission - NZ OTT

For NZ OTT payments you need to configure the routing rule that maps the customer's name to the BFP identifier, as it is not yet receipted in PaymentsPlus like AU OTT/RTGS.

> As of April 26 this is still necessary but there are plans to receipt NZ OTT in payments plus also.

Use	Message / File Type	Plugin	Configuration	Example Configuration
Add your buyer remitter name to the **Westpac SAA PaymentsPlus Customer List** to get the response xml generated			• Add your buyer remitter name • Value List - Support, Production	
BFP Customer Name Mappings			• Parameter List - Support and Production • Enter: ◦ **Name**: *buyerCode_<remitter name>* ◦ **Value**: BFP Customer Id. **BFP customer code** will usually be the **buyer code** unless they have dynamic pricing in which case it will be prefixed with /PNM/ ie /PNM /ANGUSROB-SYD	

Testing

- The customer is responsible for defining the scope of testing scenarios and for confirming that the solution meets their business and functional requirements.
- Ensure the customer has been provided with the testing guide.
- Test account details are available here

UAT

In addition to the testing guide, it is recommended that:

- Inbound files and response files are reconciled to confirm successful processing
- Error scenarios are tested and correctly handled (file to transaction level)
- All supported payment channels are tested
- Users can access the PaymentsPlus portal and perform the required tasks

PVT

In addition to the testing guide, it is recommended that:

- Live inbound files and response files are reconciled to confirm successful production processing
- Error handling is verified for production scenarios (file to transaction level)
- All required payment channels are verified using live data where applicable
- Users can access the PaymentsPlus portal and perform the required tasks

Lodgment

Prerequisites

- The customer has signed off on UAT
- OTT payments have been approved by the Westpac Financial Crime Team
- Any OTT and RTGS accounts have been added to Westpac's "CCDB" table
- Billing has been established

PaymentsPlus

- Create and configure the buyer in the PaymentsPlus production environment as per previous building steps.
- Ensure billing has been established in ORMB by your Westpac PM and confirmed within PaymentsPlus. *See the PaymentsPlus section in Implementation Billing Guide on how to establish and confirm billing*

ICIS

- Configure customer file transmission rules in iCIS in the production environment & update BFP customer name mappings if its a NZ implementation. *See Moving an ICIS rule to production*

Additional Information

Payment Channel Summary

Payment Channel	Downstream Processing System	Payment Request	Payment Response	Cut off	Response Time	Returns
Direct Entry	BECS	ABA	DEEDS	6pm for same day release (There are multiple release times per day)	Released after multiple batch processing times	DERPS < 3 days
OSKO	NPP	API	API	NA - Real-time	Real-time	NA
BPAY	BPAY	CSL	CSL	5.30pm		NA
RTGS	HVCS over SWIFT	MT101	Ack file	4pm	Same day	NA
OTT	SWIFT	MT101	Ack file	Per country	Same day or next business day	NA

Tracking Payments

Downstream Transmission

Payment Channel	Outgoing	Incoming
Direct Entry	Westpac Direct Entry	Westpac Direct Entry Reports & Returns (WBCIN)
OSKO	Gopher	Gopher
BPAY	Westpac IBIS	Westpac IBIS
RTGS	Westpac BFP	Westpac BFP
OTT	Westpac BFP	Westpac BFP

ISO Terminology

- Debtor - the entity funding the payment
- Creditor - the entity receiving the payment

ISO Files Overview

- **Payment import file** (ISO pain.001.001.03) See file specification here.
- **Response files** (ISO pain.002.001.03): See file specification here.
  - **Level 1**: File acknowledgement
    - Is sent via the *PAIN001 To PaymentsPlus Import Message processor* when the file is received & validated.
  - **Level 2**: Batch sent for processing
    - Customer gets one per batch
    - Is only useful for future value dated payments
    - Can be used to check to see if there's enough funds in their account
    - Gets generated on the value date of the batch (Will be received straight away with the L1 if its today's value date)
    - Many customers opt not to receive it
    - Field 'CustomReportType' is 'PayablesFileStatus'
  - **Level 3**: Batch receipted
    - Customer gets one per batch
    - Field 'CustomReportType' is 'BatchReceipted'

CSV Files Overview

- **Australia payment import CSV** See file specification here.
- **Australia response CSV** See file specification here.
  - Batch receipt
  - Returns

Error Handling Type

Nominates the behaviors of the payment import service when an error is found with an individual payment (post file format validation in ICIS)

- If set to 'Reject Entire File' then the entire file will be rejected (no payments will be accepted)
- If set to 'Reject Individual Payment' then the service will reject the offending payment but continue processing the remaining payments



Errors detected are invalid bsb numbers, invalid Westpac account numbers, excess amounts or invalid payment channels for example.

Gopher

Gopher is a Qvalent application that centralises logic to connect to WDP (Westpac Digital Platform) to perform payments and poll for payment statuses. PaymentsPlus uses Gopher to submit OSKO and RTGS payments.

Payment File Batching Type

- Batch all immediately (default) - where the scheduled date is either today or in the past, it is processed
- Batch all on schedule - it will batch at 4pm that day, or 6pm if its uploaded between 4pm and 6pm
  - This allows the customer to review and cancel if they dont want a file to go out although anyone who wants to review and check things will have file auth turned on

CCDB

- For OTT & RTGS, accounts are added to the Westpac's "CCDB" table. Once the project manager has confirmed they has been added, you can mark it off.

Disabling accounts

- There are two approaches:
  - Via the settlement account screens - only possible if there is at least one other account of that type that can then act as the default (and sometimes even then the Disable button is missing)
  - If that's not an option, do a workflow similar to WF-9772 or WF-10206 or WF-10781

DERPS

From a customer's perspective:

  - You know you have the money
  - It's in your customer's interest to provide correct details
  - So its more likely to get no returns
  - So they can use their bank statement instead (when setting up the APCA ID, don't get DERPS, and returns will appear individually on your statement)

- Options:
  1. **DERPS** (most common) – bulk credit processing; DERPS file is ingested and used to update P+
     - The trace bsb and account number must differ from the settlement bsb and account number for the decline error messages to work
     - Support limitation
       - Only the first DERPS file containing declines per day will be processed
       - Subsequent simulated DERPS files are ignored as duplicates based on "UserFINumber + ProcessDate + TraceAccount"
       - Workaround:
         - For each apca id, set up a batch like this one & send the derps to it
         - Add the apca id here
         - This consolidates multiple simulated DERPS files into a single daily file
  2. **No DERPS** - next most common - individualised credits, P+ statuses not updated
  3. **NoDERPS/Virtual DERPS** - See Virtual DERPS

How ABA files are populated for EFT payments

- Lodgement reference
  - For CSV payment files: sourced from E record, field 5 ("Recipient Reference / Lodgement Reference")
  - For ISO payment files: sourced from `<EndToEndId>`
- Name of remitter
  - Configured per funding account under "Remitter Details" "Name"

Beneficiary bank statement reference (EndToEndId)

- EndToEndId is the only reference included on the beneficiary bank statement
- Passed as the lodgement reference (or equivalent per payment channel)
- Refer to supporting documentation for channel-specific behaviour

Length of EndToEndId/Payment Reference/Recipient Reference/Lodgement Reference

- Since we know the restrictions applied to AU and NZ payments and they're relatively static, for domestic AU and NZ payments limited it to 18 characters for AU & 12 characters for NZ
- As international banking is inconsistent between countries, and also a moving target, for international payments PaymentsPlus has been designed to accept anything (up to about 35 chars or so) and let the systems downstream either allow it, truncate it, fail it or even manually intercept and fix it (depending on the system).

Settlement Reference Configuration

ISO Plugin Configuration for tokenizeSettlementReference
Default value: `true`

Setting	Behaviour
`true`	The **Batch Entry Code** will use the **Batch Entry ID**.
`false`	The **Batch Entry Code** will use the **Batch Reference** (or Transaction Reference for credit transactions).

Applicable Payment Types

Direct Entry - ABA (Balanced Credits Only)

This setting can be useful for customers using both **PaymentsPlus** and **BankRec**, as it allows a common reference to appear on the bank statement, making reconciliation between files and transactions easier.

NZ Direct Entry - MT9

For NZ Direct Entry payments, the Batch Entry Code is generally not visible or useful to customers. As a result, it is recommended to set **tokenizeSettlementReference = false** for all New Zealand customers.

Reference Uniqueness: The settlement reference must be unique. Non-unique references can cause processing issues, resulting in payments not being correctly updated or receipted.

File Reference: The filename/file reference will use the same value provided in the `<PmtInf>/<PmtInfId>` field within the payment file.

Direct Entry (DE) Requirements

- The lodgement reference is limited to **18 characters**.
- References longer than 18 characters will be automatically truncated.
- The PaymentsPlus Direct Entry payment type must be configured as **Balanced Credits** so that a balancing debit transaction is generated.

Qvalent Product Specialist

Business Analyst	Mark Brady Ben Richards
Software Developer	Daniel Brandon