

FINAL PROJECT TEMPLATE



THREAT SUMMARY

3 hospitals were targeted using ransomware by opponents of the new legislation, and it is likely that these attacks will continue to harm all hospitals that supported this legislation.



- **Summary of Situation:** (Summarize the current threat situation)
- **Asset:** (What assets are being targeted?) Patient data and records, hospital financial system.
- **Impact:** (What part of the CIA triad is being impacted?) Confidentiality and availability.
- **Threat Actor:** (Identify potential threat actors) Opponents of the health care law decision, naive employees, Hacktivists.
- **Threat Actor Motivation:** (Share potential motivations behind the attacks) Financial motive, payment of social issues (Profits/Financial Gain),
FIN4 (The employee who interacted with the facility inadvertently caused the incident)
- **Common Threat Actor Techniques:** (Share attack methods commonly used by the threat actor) Ransomware, spearphishing, phishing emails.

VULNERABILITY SCANNING TARGETS

■ Summary of scan targets:

- Number of devices scanned: **One.**
- Device type: **Basic network scan.**
- Primary purpose of device: (describe what the devices are used for and what kind of data might be on them) demo scan or local scan.

(insert 2 screenshots from scan configuration window – one of the settings tab and one of the plugins tab)



VULNERABILITY SCAN RESULTS

■ Summary of findings:

■ Total number of actionable findings:


■ Critical: **Zero.**

■ High: **Zero.**

■ Medium: **Two.**

■ Low: **Zero.**

(insert screenshot from scan results dashboard)



REMEDICATION RECOMMENDATION

■ Fix within 7 days

Finding	Severity Rating	Recommended Fix
DNS Server spoofed request amplification DDoS.	Medium, launch a denial-of-service attack against a third-party host.	Restrict access to the DNS server from the public network.

■ Fix within 30 days

Finding	Severity Rating	Recommended Fix
DNS server recursive query cache poisoning weakness.	Medium, this allow attackers to perform cache poisoning attacks.	Restrict recursive queries to the hosts.

■ Fix within 60 days

Finding	Severity Rating	Recommended Fix
DHCP server detection.	Low, a local attacker might use DHCP to gain intimate knowledge of the connected network.	Apply filtering to keep this information out of the network and remove any options that are not in use.

PASSWORD PENETRATION TEST OUTCOME

```
5f4dcc3b5aa765d61d8327deb882cf99:password
fc5e038d38a57032085441e7fe7010b0:helloWorld
0e9b09b77fc5391bf20f68095f867ed0:ihatepasswords
098f6bcd4621d373cade4e832627b4f6:test
Approaching final keypace - workload adjusted.
```

```
C:\Users\اسم\Desktop\hashcat-6.2.6>Hashcat.exe -m 0 -a 0 hashes.txt rockyou.txt
hashcat (v6.2.6) starting

OpenCL API (OpenCL 3.0 ) - Platform #1 [Intel(R) Corporation]
=====
* Device #1: Intel(R) Iris(R) Xe Graphics, 3200/6473 MB (1618 MB allocatable), 96MCU

Minimum password length supported by kernel: 0
Maximum password length supported by kernel: 256

Hashfile 'hashes.txt' on line 6 (5f4dcc3b5aa765d61d8327deb882cf99 ): Token length exception
Hashfile 'hashes.txt' on line 7 (e10adc3949ba59abbe56e057f20f883e ): Token length exception
Hashfile 'hashes.txt' on line 8 (25d55ad283aa400af464c76d713c07ad ): Token length exception
```

■ **Methodology:** (Summarize steps taken to test password security)

1. Download the hashcat, the hashcat file, and the rockyou file.
2. Unpack the hashcat using winrar.
3. Open cmd and type:
Hashcat.exe -m 0 -a 0 hashes.txt rockyou.txt.

■ **Number of passwords tested:** (insert number) 41

■ **Number of passwords cracked:** (insert number) 4

■ **Evidence of weak passwords:** 4

(insert screenshot of cracked passwords and command used to launch attack)

■ **Recommended steps to improve passwords security:** (Summarize best practice recommendations to avoid brute force attacks in the future)

A policy must be specified, such as changing it every 90 days, with a minimum of 8 characters

INCIDENT RESPONSE PRELIMINARY ASSESSMENT

- Summarize ongoing incident:

- What do you know so far?

- Document actions or notes from the following steps of the initial incident response checklist

- Step 1: Helpdesk and end user.
- Step 2: a) -Unauthorized modification of configuration files, registers, or device settings. –Login anomalies. b) Leakage of patient data and the inability to treat him, financial loss, The operating system is damaged.
- Step 3: a) Yes sure. b) The accident exists. c) Yes. d) No. e) Virus.
- Step 4: Yes.
- Step 6: Category one to be informed of a problem and to stop their care services.

(Add another slide if needed)

INCIDENT RESPONSE RECOMMENDED ACTION

- Summarize recommendation to contain, eradicate, and recover:

- Describe the overall recommended containment, eradication, and recovery plan

- Documented actions and notes from the IR checklist

Step 7: *(Tip: Select procedures you'd recommend for this type of incident) (a,c,e) Isolate them and restore them from backups.*

- Step 8: Yes, because I will report it and create a report to the administration or lawyers.
- Step 9: (a, b, d, e).
- Step 12: (a) because we have to monitor the post-incident activities so that the actor can't do it again we use security log falcon. (e).
- (Add another slide if needed)