

Variant4

1) **Name the two main?** 1. clear; 2. Violated

2. **what forced?** 1. Lying position; 2. on the sore side

3) **define the concept?** Consistently observed combination of symptoms united by a single pathogenesis (development mechanism)

4) **immediate relatives?** 1. Parents; 2. Brothers and sisters; 3. Children.

5) **What nutritional ?** 1. Meals mainly in the afternoon; 2. Excess consumption of easily digestible carbohydrates; 3. Excess consumption of animal fats.

6) **List the method?** 1. Contact; 2. Contactless

7) **specify the clinical?** 1. Sharp weakness; 2. Noise in the ears; 3. Darkening in the eyes; 4. Shortness of breath; 5. Sharp pallor of the skin; 6. Cold, clammy sweat; 7. Decreased systolic and diastolic pressure; 8. Thready pulse.

8) **how is the respiratory?** The number of inhalations and exhalations in 1 minute is counted, observing the excursion of the chest.

9) **write the name?** 1. Left scapular line (linea scapularis sinistra); 2. Right scapular line (linea scapularis dextra); 3. Left paravertebral line (linea paravertebralis sinistra); 4. Right paravertebral line (linea paravertebralis dextra); 5. Left vertebral line (linea vertebralis sinistra); 6. Right spinal line (linea vertebralis dextra); 7. Posterior median line (linea mediana posterior).

10) **specify the factor ?** 1. Hydrostatic factor; 2. Oncotic factor; 3. Permeability of the capillary wall in places of edema; 4. Hormonal mechanisms of pressure regulation

11) **list the rule?** 1. Percussion is carried out along the ribs and intercostal spaces; 2. Percussion should be quiet.

12) **list the optimal?** 1. The room should be quiet; 2. The room should be warm; 3. The stethoscope/phonendoscope is firmly pressed against the auscultation point on the patient's body

13) **what is used as?** Conductor connecting red, yellow and green standard electrode

14) **specify the electrode?** 1. red (on the right hand); 2. Green (on the left leg)

15) **what should?** 1. Exact time of onset and description of symptoms (if any); 2. Time of sleep and wakefulness; 3. Time and degree of physical activity

16) **what condition?** 1. The study is conducted in the morning; 2. The study is carried out on an empty stomach or not earlier than 2 hours after a light breakfast.

17) **what does?** 1. Determination of the physical properties of urine; 2. Chemical research; 3. Microscopy of sediment.

18) **what can?** This may be one of the signs of a decrease in the concentration function of the kidneys during their initial (before clinical manifestation) damage.

19) **when should?** Best of all - at the peak of the fever

20) **what is examined?** 1. Organoleptic properties (color, appearance, smell, texture, presence of mucus); 2. pH; 3. Specific chemical reactions (for blood, bilirubin, etc.); 4. Microscopic examination

21) **define the term?** This is an x-ray method for examining the mammary glands.

22) **contraindication?** 1. Individual intolerance to the contrast agent; 2. Hemolytic anemia; 3. Pregnancy at any time; 4. Renal failure (decrease in GFR < 60 ml/min/1.73 m²); 5. Severe liver failure; 6. Severe bronchial asthma; 7. Mental illness.

23) **list indication?** 1. Diagnosis of coronary artery disease; 2. Assessment of myocardial viability; 3. Assessment of the LV contractility reserve.

24) **what does Doppler?** 1. Condition of vessel walls; 2. The course of the vessels; 3. Vessel lumen; 4. Hemodynamic characteristics of vessels.

25) **list the organ?** 1. Esophagus; 2. Stomach; 3. 12 duodenum

26) **in what position?** 1. Knee-elbow; 2. On the left side; 3. Knee-elbow position is preferred

27) **Define urethrocystoscopy?** This is an endoscopic examination that allows you to perform an examination and assessment of the condition of the urethra, bladder mucosa, orifices of the ureters.

28) **In order to reduce ?** 1. Careful history taking; 2 Careful preparation of the patient for the study; 3. Compliance with the research methodology; 4. Reliable visualization of the studied areas; 5. Observation of patients in the hospital after removal of large neoplasms; 6. Termination of the study when the patient's condition worsens;

29) **At what point of ?** In the middle of the distance from the navel to the pubis in the midline

30) **Where is a pleural ?** 1. In the VII or VIII intercostal space; 2. Along the posterior axillary or scapular line; 3. Along the upper edge of the underlying rib.

31) **What types of preparations ?** 1. Thin smears from bone marrow fluid; 2. Smears of crushed lumps; 3. Histological sections by concentration, fixation and inclusion of lumps.

32) **Describe the process ?** Standard sera of the ABO system of two different series of each group are applied to the plate under the appropriate designations so that two rows of three large drops (0.1 ml) are obtained in the following order from left to right: O (I), A (II), B (III). The test blood is applied one drop (0.01 ml) next to each drop of serum and the blood is mixed with serum. The progress of the reaction is monitored by gently rocking the plate for 5 minutes at room temperature.