

Variant 3

1. For what purpose do patients in a satisfactory condition go to medical institutions? (1,2,3) / 1. For a scheduled examination by a specialist; 2. For a planned procedure or operation; 3. For dispensary observation.
2. What is passive body position? The condition of the patient in which he cannot independently change the position given to him.
3. List the types of jaundice by pathogenesis? (1,2,3) 1. suprahepatic (hemolytic); 2. Hepatic (parenchymal); 3. Subhepatic (mechanical, or obstructive).
4. List the factors contributing to the occurrence of this disease. (1,2,3,4,5,6) 1. Nutrition; 2. Heredity; 3. Lifestyle; 4. Physical activity; 5. Living conditions; 6. Working conditions.
5. What values are used to estimate body mass index? (1,2) 1. Growth; 2. Weights
6. Indicate the types of body temperature depending on the thermometry data. (1,2,3,4,5,6) 1. Hypothermia; 2. Norm; 3. Subfebrile; 4. Febrile; 5. Pyretic; 6. Hyperpyretic.
7. Under what pathological conditions does a decrease in blood pressure occur. (1,2,3,4,5,6) 1. Hypotonic disease; 2. Adrenal insufficiency; 3. Vascular insufficiency (septic, anaphylactic shock, severe blood loss, dehydration, etc.); 4. Acute heart failure; 5. Dysfunction of the parathyroid glands; 6. Taking certain medications (diuretics, alpha and beta blockers, some types of antidepressants, etc.)
8. Specify the signs of Kussmaul's pathological respiration. (1,2,3) 1. Rare breathing; 2. Deep breathing; 3. Noisy breathing
9. What groups of lymph nodes differ in research technique in comparison with other groups? (1,2) 1. Submandibular; 2. Axillary
10. In what places is edema determined by palpation? (1,2,3,4,5,6,7) 1. On the feet; 2. Legs; 3. In the area of the shoulder blades; 4. On the sacrum; 5. On the sternum; 6. On the face (zygomatic area, forehead); 7. On the back of the hands
11. How is the "wave symptom" determined to detect free fluid? With the control imposition of the assistant's palm on the middle of the abdomen, light percussion blows are applied from one side of the abdominal cavity. On the opposite side, palpation sensations of the "transfer wave" are determined.
12. What is normally heard over the entire surface of the abdomen? Moderately frequent live peristaltic noises.
13. What electrode is conditionally called "positive" ("active")? The one of the two electrodes, in the presence of which there is a more positive potential, the readings of the electrocardiograph are shifted in the positive direction (the ECG line is shifted up).

14. What are the possibilities for improving ECG registration in the presence of significant hairline? (1,2) 1. Shaving hair; 2. Apply enough ECG gel

15. What should not be done to the patient during long-term Holter ECG monitoring? (1,2,3) 1. Wash in the shower or bath (there are models that allow you to take a shower subject to certain conditions); 2. Conduct MRI; 3. Perform significant physical activity that may damage the device or remove the electrodes

16. Specify the two main options for conducting electromyography. (1,2) 1. Stimulation (superficial); 2. Needle (local).

17. List requirements for blood sampling for clinical analysis (1,2,3) 1. Blood sampling is carried out in the morning; 2. Not less than 4 hours from the last meal; 3. Blood sampling is carried out from the central vein or from the fingertip.

18. How is urine collected for analysis according to the method of S. S. Zimnitsky? On the morning of the study, the patient empties the bladder into the toilet at 6:00 a.m.; then it is necessary to collect urine during the day, every three hours in a separate numbered container (6-9 hours, 9-12 hours, 12-15 hours, 15-18 hours, 18-21 hours, 21-24 (0) hours, 0-3 hours, 3-6 hours).

19. What is INR (1) and how is it calculated? (2) INR is an international normalized ratio; 2. The time it takes for a patient's blood sample to coagulate divided by the time it takes for a healthy person's blood to coagulate.

20. What preparation is required before collecting material for a general sputum analysis? Thoroughly brush your teeth the night before the exam

21. Define "r"fluoroscopy". This is an X-ray examination method in which an image of an object is obtained on a luminous (fluorescent) screen.

22. Contraindications for MRI (1,2,3): 1. The presence of electronic medical devices in the body (electronic pacemakers, electronic devices for dosing drugs, etc.). 2. The presence of metal elements in the area under study (prostheses, clips, fragments). 3. Discrepancy between the parameters of the device and the anthropometric data of the patient in the study using MRI systems with an insufficient size of the magnet gap and / or a rigid receiving coil.

23. What does the doctor evaluate when performing positron emission tomography? (1) metabolic rate

24. What is triplex vascular scanning? (1,2) 1. Study of the anatomy of blood vessels; 2. Assessment of blood flow; 3. Accurate assessment of vascular patency in color mode

25. List the manipulations performed during diagnostic FCS. (1,2) 1. Biopsy; 2. Foreign body removal

26. When performing local anesthesia, before performing fibrobronchoscopy, at the first stage, (1) is processed, an anesthetic is used (2), and the concentration of anesthetic (3) is used. At the second stage, (4,5,6,7) is processed, an anesthetic (8) is used, and the concentration of anesthetic (9) is used. 1. Zev of the larynx; 2. Lidocaine spray; 3. 10%; 4. Glottis; 5. Trachea; 6. Bifurcation of the trachea (karina); 7. Lobar bronchi; 8. Lidocaine solution; 9. 2%.

27. List the manipulations performed during diagnostic cystoscopy. (1,2,3,4) 1. Biopsy; 2. Chromocystoscopy; 3. Spectroscopy; 4. Retrograde ureteropyelography

28. After endoscopic removal of large polyps, it is necessary: (1,2,3) 1. Observation of the patient in the hospital; 2. Control of hemoglobin and blood leukocytes; 3. Control endoscopic examination if a complication is suspected

29. What is the fundamental difference between histological and cytological examination? A cytological study differs from a histological one in that it does not examine tissue, but studies cells.

30. Where is a pleural puncture performed to remove gas? (1,2,3) 1. In II or III intercostal space; 2. Along the midclavicular line; 3. Strictly perpendicular to the upper edge of the underlying rib

31. Define the term "sternal puncture". Diagnostic surgical manipulation obtaining a bone marrow sample by puncture of the sternum

32. What methods can determine the Rh factor? (1,2) 1. Anti-rhesus serum (express method); 2. Zoliclone anti-D.