

Variant1

1-What level of consciousness can a patient have in a state of moderate severity? (1,2,3)1. Clear 2. Stupor 3. Sopor

2-What costal angle is typical for each body type? (1,2,3)1. Direct - for normosthenic; 2. Dumb - for hypersthenic; 3. Acute - for asthenic.

3-List the main characteristics of pain. (1,2,3,4,5,6,7) 1. Localization; 2. Character; 3. Irradiation; 4. Intensity; 5. Rhythm and duration; 6. Conditions of occurrence; 7. Terms of termination.

4-List the factors that reflect the dynamics of the present disease. (1,2,3,4) 1. Dynamics of present symptoms; 2. The appearance of new symptoms; 3. Frequency of exacerbations; 4. The occurrence of complications of the disease

5-Specify the main symptoms of hypothalamic abdominal obesity. (1,2)1. Increased hunger; 2. Dulling the feeling of satiety with food

6-Specify the signs of exhausting fever. (1,2,3,4)1. Evening increase in body temperature up to 39-41°C; 2. Normal body temperature in the morning; 3. An increase in temperature is accompanied by chills; 4. The decrease in temperature is accompanied by sweating.

7-Describe how pulsus differens is seen on examination. (1,2)1. Unequal filling of the pulse in symmetrical areas of the same limbs; 2. Unequal pulse value in symmetrical areas of the same limbs

8-What is the importance of pulse oximetry in clinical practice? (1,2)1. Diagnosis of arterial hypoxemia; 2. Diagnosis of respiratory failure

9-List the areas of the upper and middle abdomen. (1,2,3,4,5,6)1. Left hypochondrium; 2. Epigastric; 3. Right hypochondrium; 4. Left side; 5. umbilical; 6. Right side.

10-What do you pay attention to when evaluating a skeleton? (1,2,3,4)1. On the shape of the bones; 2. For the presence of deformations; 3. For pain on palpation and effleurage; 4. For the presence of pathological

fractures

11-What tasks does percussion of the abdomen solve? (1,2)1. Identification of free, encysted fluid in the abdominal cavity; 2. Determination of the boundaries and sizes of some organs of the abdominal cavity12-Low frequency sounds

12.What sounds are best heard with a stethoscope? Low frequency sounds

13-List the actions required after recording an ECG. (1,2)

1-Disconnect the electrodes from the patient, if necessary, remove the remains of the conductive composition (gel, paste); 2. Ensure that the ECG recording contains mandatory information (name, gender and age of the patient, date and time of registration).

14-Specify the location of the green electrode for routine ECG recording...Left leg

15-How is it recommended that the patient behave during automatic BP measurement as part of ABPM? (1,2,3)1. If possible, stop or not move; 2. If possible, unbend the arm with the cuff, relax and lower it down; 3. Do not cross your legs or tense your leg muscle.

16-What are the absolute contraindications for spirometry? (1,2,3)1. Acute conditions in which the performance of forced respiratory maneuvers may pose a threat to the health and life of the patient; 2. Impossibility of productive contact with the patient (cognitive impairment, language barrier, young children); 3. Diseases and injuries of the maxillofacial region, which do not allow sealing the connection with the device tube

17-How to collect urine to assess daily proteinuria (1,2,3,4,5)? All urine is collected during the day in a clean container with a volume of 2-3 liters; 2. In this case, in the morning after sleep, you need to urinate into the toilet; 3. Then all urine is collected within 24 hours (including the morning portion the next day!); 4. In the morning, the urine collected during the day is mixed and about 100 ml is taken into a special container for collecting urine; 5. The referral documentation also indicates the total volume of urine collected.

18-List the main indicators of a biochemical blood test, which can be used to assess the state of the urinary system. (1,2,3,4)

1. Urea; 2. Creatinine; 3. Uric acid; 4. Potassium.

19-What is prothrombin time?This is the time of formation of a fibrin clot in plasma when calcium chloride and thromboplastin are added to it.

20-undigested fats on microscopy?Steatorrhea

21-Define the term radiography.This is a method of studying the internal structure of objects that are projected using X-rays onto a special film or paper.

22-What structures are examined using MRI (1,2,3,4,5):1. Cartilage; 2. Muscles; 3. Ligaments; 4. Brain and spinal cord; 5. Vessels

23-Define "radiopharmaceutical."A substance consisting of a radionuclide and a transport molecule with a high binding capacity to a tissue or a specific function of a human organ

24-Define the term "ultrasound".This is a method of non-invasive examination of the human body using ultrasonic waves, based on the piezoelectric effect.

25-List ways to cleanse the colon before FCS. (1,2)1. With the help of enemas; 2. With the help of medications

26_What is the difference between a sigmoidoscope and a fibrocolonoscope? (1,2,3)

1_ Long (short about 35-40 cm); 2. Diameter (2 times thicker); 3. Rigidity (does not bend).

27_What expansion media can be used for diagnostic cystoscopy? (1,2,3)

1-Sterile water; 2. Physiological solution; 3. A solution of 5% glucose.

28-f you suspect damage to the integrity of the wall of the organ under study, you must perform the following actions: (1,2,3)

1-Call the doctor on duty for examination; 2. Conduct a survey radiography of the abdominal organs; 3. Call a surgeon for examination to decide on the need for surgical treatment.

29-List the methods of obtaining material for histological examination. (1,2,3,4,5,6,7)

1. Excisional biopsy; 2. Incisional biopsy; 3. Punch biopsy; 4. Trepan biopsy; 5. Core (core biopsy, core biopsy, cutting biopsy); 6. Scarifying (superficial) biopsy (shaving biopsy); 7. Loop biopsy.

30-What instruments are used for pleural puncture? (1,2)

1. Trocar 2. Needle, caliber more than 1.0 mm

31-In which medical institutions can a sternal puncture be performed? (1,2)

1. In medical organizations that include a hospital; 2. In medical organizations that include a day hospital.

32-List the main complications of aparocentesis. (1,2,3,4)

1. Perforation of hollow organs; 2. Damage to the vessels of the greater omentum and the anterior abdominal wall, followed by bleeding; 3. Peritonitis; 4. Infection of the anterior abdominal wall.