List of publications - Mikko Ahro

## PhD. Thesis:

[1]

M. Ahro, *FT-IR* spectroscopy as a second generation electronic nose: food industry applications. in Turun yliopiston julkaisuja. Sarja A 1, Astronomica. Chemica. Physica. Mathematica, no. osa 280. Turku: University of Turku, 2002.

## **Peer-reviewed Journal Articles**

[2]

M. Ahro, J. Kauppinen, and I. Salomaa, 'Detection and Correction of Instrumental Line-Shape Distortions in Fourier Spectroscopy', *Applied optics*, vol. 39, pp. 6230–7, Dec. 2000, doi: 10.1364/AO.39.006230.

[3]

M. Ahro and J. Kauppinen, 'Nonlinearity of Beer's Law in Gas-Phase FT-IR Spectroscopy', *Appl Spectrosc*, vol. 55, no. 1, pp. 50–54, Jan. 2001, doi: 10.1366/0003702011951425.

[4]

M. Hakala, M. Ahro, J. Kauppinen, and H. Kallio, 'Determination of strawberry volatiles with low resolution gas phase FT–IR analyser', *Eur Food Res Technol*, vol. 212, no. 4, pp. 505–510, Mar. 2001, doi: 10.1007/s002170000273.

[5]

M. Ahro, M. Hakala, J. Sihvonen, J. Kauppinen, and H. Kallio, 'Low-Resolution Gas-Phase FT-IR Method for the Determination of the Limonene/Carvone Ratio in Supercritical CO2-Extracted Caraway Fruit Oils', *J. Agric. Food Chem.*, vol. 49, no. 7, pp. 3140–3144, Jul. 2001, doi: 10.1021/jf010013b.

[6]

M. Ahro, M. Hakala, J. Kauppinen, and H. Kallio, 'Process control of apple winemaking by low-resolution gas-phase Fourier-transform infrared spectroscopy', *Fresenius J Anal Chem*, vol. 371, no. 4, pp. 541–549, Oct. 2001, doi: 10.1007/s002160101033.

[7]

M. Ahro, M. Hakala, J. Kauppinen, and H. Kallio, 'Headspace FT-IR Analysis of Rapeseed Oil Oxidation', *Appl Spectrosc*, vol. 56, no. 2, pp. 217–222, Feb. 2002, doi: 10.1366/0003702021954476.

[8]

R. Partanen, M. Ahro, M. Hakala, H. Kallio, and P. Forssell, 'Microencapsulation of caraway extract in β-cyclodextrin and modified starches', *Eur Food Res Technol*, vol. 214, no. 3, pp. 242–247, Mar. 2002, doi: 10.1007/s00217-001-0446-1.

## **Conference Papers**

[9]

M. Sandell, M. Ahro, J. Kauppinen, and H. Kallio, 'Application of low resolution Fourier transform infrared gas analyser to analysis of strawberry volatiles: 9th Weurman Flavour Research Symposium', 1999.

[10]

H. Kallio, M. Hakala, M. Ahro, J. Kauppinen, and P. Maatta, 'Comparison of low-resolution FT-IR gas analyser and conventional methods for analysis of food volatiles: 9th Weurman Flavour Research Symposium', *FRONTIERS OF FLAVOUR SCIENCE*, pp. 164–169, 2000.

[11]

M. Hakala, M. Ahro, J. Kauppinen, and H. Kallio, 'Application of low resolution Fourier transform - infrared gas analyser to the analysis of strawberry volatiles: 9th Weurman Flavour Research Symposium', *FRONTIERS OF FLAVOUR SCIENCE*, pp. 170–173, 2000.

[12]

M. Ahro, M. Sandell, J. Kauppinen, and H. Kallio, 'Low Resolution FT-IR Analysis of Volatile Aroma Compounds of Strawberry: XXXIV annual conference of the Finnish Physical Society', 2000.

[13]

M. Ahro, J. Kauppinen, M. Sandell, and H. Kallio, 'Gas-phase FT-IR analysis of supercritical carbon dioxide extracted caraway (Carum carvi L.) fruit oils: Pittcon 2001', 2001.

[14]

M. Sandell, M. Ahro, J. Kauppinen, and H. Kallio, 'Applications of gas-phase FT-IR spectroscopy to different foodstuff volatiles: The First International Conference on Advanced Vibrational Spectroscopy', 2001.

[15]

M. Sandell, R. E. K. Partanen, M. Ahro, H. Kallio, and P. Forssell, 'Stability of microencapsulated caraway flavour extract: 10th Weurman Flavour Research Symposium', 2002.

[16]

M. Ahro and M. Haapala, 'Extractive FT-IR in CEM applications', Jul. 2002, Accessed: Oct. 25, 2024. [Online]. Available: <a href="https://www.osti.gov/etdeweb/biblio/20309992">https://www.osti.gov/etdeweb/biblio/20309992</a>

[17]

M. Hakala (Sandell), R. Partanen, M. Ahro, H. Kallio, and P. Forssell, 'Stability of microencapsulated caraway flavour extract: 10th Weurman Flavour Research Symposium', *Flavour Research at the Dawn of the Twenty-First Century*, pp. 9–14, 2003.