

Looking Glass

job: d98322e7-b530-4577-9591-464af8395166

Request

Router

ca Montreal, QC, CA (mtrl2)

Directive

bird_route_v4 — Bird Route (v4)

Target (hostname or IP)

1.0.0.1

Turnstile (required per request)

 成功!

 [隐私](#) · [帮助](#)

Run

Output

```
[exit 0]
BIRD 3.1.5+branch.pipe.fix.315.5169b557863b ready.
Table table_ibgp_v4:
0.0.0.0/0          unicast [ibgp_nycm1 13:19:13.930 from fd00::1917:1] * (100/46) [i]
  via 10.24.168.63 on tap_default
  hostentry: via 45.63.6.183 table master4
  preference: 100
  igp_metric: 46
  from: fd00::1917:1
  source: BGP
  bgp_origin: IGP
  bgp_path:
  bgp_next_hop: 45.63.6.183
  bgp_local_pref: 100
Internal route handling values: 44L 219G 0S id 264720
          unicast [ibgp_sttl1 13:19:13.930 from fd00::1253:1] (100/65) [i]
  via 10.23.66.1 on tap_sttl1
  hostentry: via 66.42.65.41 table master4
  preference: 100
```

```
igp_metric: 65
from: fd00::1253:1
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 66.42.65.41
bgp_local_pref: 100
Internal route handling values: 28L 136G 0S id 264719
    unicast [ibgp_frnk1 13:19:13.930 from fd00::4560:1] (100/94) [i]
via 10.24.42.1 on tap_frnk1
hostentry: via 45.63.117.123 table master4
preference: 100
igp_metric: 94
from: fd00::4560:1
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 45.63.117.123
bgp_local_pref: 100
Internal route handling values: 36L 196G 0S id 264718
    unicast [ibgp_frnk1 13:19:13.930 from fd00::4560:1] (100/94) [i]
via 10.24.42.1 on tap_frnk1
hostentry: via 45.63.117.123 table master4
preference: 100
igp_metric: 94
from: fd00::4560:1
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 45.63.117.123
bgp_local_pref: 100
Internal route handling values: 37L 197G 0S id 264717
    unicast [ibgp_frnk1 13:19:13.930 from fd00::4560:1] (100/152) [i]
via 10.24.42.1 on tap_frnk1
hostentry: via 64.177.66.254 table master4
preference: 100
igp_metric: 152
from: fd00::4560:1
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 64.177.66.254
bgp_local_pref: 100
bgp_originator_id: 64.177.66.254
bgp_cluster_list: 0.3.0.1
Internal route handling values: 42L 198G 0S id 264716
```

```

    unicast [ibgp_nycm1 13:19:13.930 from fd00::1917:1] (100/46) [i]
via 10.24.168.63 on tap_default
hostentry: via 45.63.6.183 table master4
preference: 100
igp_metric: 46
from: fd00::1917:1
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 45.63.6.183
bgp_local_pref: 100
Internal route handling values: 43L 220G 0S id 264715
    unicast [ibgp_sngp1 13:19:13.930 from fd00::65:1] (100/279) [i]
via 10.24.168.63 on tap_default
hostentry: via 45.76.155.167 table master4
preference: 100
igp_metric: 279
from: fd00::65:1
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 45.76.155.167
bgp_local_pref: 100
Internal route handling values: 2L 66G 0S id 264714
    unicast [ibgp_tkyo6 13:19:13.930 from fd00::81:6] (100/164) [i]
via 10.23.66.1 on tap_sttl1
hostentry: via 104.238.150.149 table master4
preference: 100
igp_metric: 164
from: fd00::81:6
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 104.238.150.149
bgp_local_pref: 100
Internal route handling values: 2L 97G 0S id 264713
    unicast [ibgp_tkyo6 13:19:13.930 from fd00::81:6] (100/164) [i]
via 10.23.66.1 on tap_sttl1
hostentry: via 104.238.150.149 table master4
preference: 100
igp_metric: 164
from: fd00::81:6
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 104.238.150.149
```

```
bgp_local_pref: 100
Internal route handling values: 41L 103G 0S id 264712
1.0.0.0/24          unicast [ibgp_nycm1 13:19:14.733 from fd00::1917:1] * (100/46) [AS13335i]
via 10.24.168.63 on tap_default
hostentry: via 45.63.6.183 table master4
preference: 100
igp_metric: 46
from: fd00::1917:1
source: BGP
bgp_origin: IGP
bgp_path: 64515 65534 20473 13335
bgp_next_hop: 45.63.6.183
bgp_local_pref: 100
bgp_aggregator: 10.34.2.204 AS13335
bgp_community: (20473,200) (20473,13335) (64515,44)
bgp_large_community: (20473, 200, 13335) (202734, 19171, 64515)
Internal route handling values: 143L 221G 0S id 26474
                        unicast [ibgp_sttl1 13:19:14.733 from fd00::1253:1] (100/65) [AS13335i]
via 10.23.66.1 on tap_sttl1
hostentry: via 66.42.65.41 table master4
preference: 100
ig
```

IGP Metric Matrix

Values show the latest IGP metric from source (row) to destination (column). Hover for statistics.

7) IL Tel-Aviv, IL (tlvv1)	JP Tokyo [CXIX], JP (tkyo10)	JP Tokyo [Jianyuelab], JP (tkyo11)	JP Tokyo, JP (tkyo6)	sg Singapore, SG (sngp1)	us Newark, NJ, US (nycm1)	us Se
—	—	—	—	—	—	—
5	153	—	—	162	235	47
—	—	—	—	—	—	—
2	58	—	—	235	234	84
5	270	—	—	50	47	200
—	265	—	—	50	44	196
5	—	—	—	294	292	143

7)	IL Tel-Aviv, IL (tlvv1)	JP Tokyo [CXIX], JP (tkyo10)	JP Tokyo [Jianyuelab], JP (tkyo11)	JP Tokyo, JP (tkyo6)	SG Singapore, SG (sngp1)	US Newark, NJ, US (nycm1)	US Se
—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—
19	291	—	—	—	72	161	
13	308	—	—	75	—	236	
16	142	—	—	161	234	—	
14	206	—	—	97	169	64	

