

Looking Glass

job: b3f567d6-c6ee-401b-8b58-a5c8cc9196f8

Request

Router

us Seattle, WA, US (sttl1)

▼

Directive

bird_route_v4 — Bird Route (v4)

▼

Target (hostname or IP)

101.52.236.0

Turnstile (required per request)

Run

Output

```
BIRD 3.1.5+detached.6479f6aa30e6 ready.
Table table_ibgp_v4:
0.0.0.0/0          unicast [kernel_v4 2026-06-30] * (1000)
  via 66.42.64.1 on enp1s0
  preference: 1000
  source: inherit
  krt_prefsrc: 66.42.65.41
  krt_source: 16
  krt_metric: 100
  Internal route handling values: 100L 28G 0S id 1
                                unicast [ibgp_frnk1 13:58:01.203 from fd00::4560:1] (100/147) [i]
  via 10.23.66.63 on tap_default
  hostentry: via 45.63.117.123 table master4
  preference: 100
  igp_metric: 147
  from: fd00::4560:1
  source: BGP
  bgp_origin: IGP
  bgp_path:
  bgp_next_hop: 45.63.117.123
```

```
bgp_local_pref: 100
Internal route handling values: 36L 161G 0S id 37885
    unicast [ibgp_frnk1 13:58:01.203 from fd00::4560:1] (100/147) [i]
via 10.23.66.63 on tap_default
hostentry: via 45.63.117.123 table master4
preference: 100
igp_metric: 147
from: fd00::4560:1
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 45.63.117.123
bgp_local_pref: 100
Internal route handling values: 37L 162G 0S id 37884
    unicast [ibgp_frnk1 13:58:01.203 from fd00::4560:1] (100/205) [i]
via 10.23.66.63 on tap_default
hostentry: via 64.177.66.254 table master4
preference: 100
igp_metric: 205
from: fd00::4560:1
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 64.177.66.254
bgp_local_pref: 100
bgp_originator_id: 64.177.66.254
bgp_cluster_list: 0.3.0.1
Internal route handling values: 42L 163G 0S id 37883
    unicast [ibgp_mtrl2 13:58:01.203 from fd00::1263:2] (100/63) [i]
via 10.23.66.63 on tap_default
hostentry: via 45.63.6.183 table master4
preference: 100
igp_metric: 63
from: fd00::1263:2
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 45.63.6.183
bgp_local_pref: 100
bgp_originator_id: 45.63.6.183
bgp_cluster_list: 0.2.0.1
Internal route handling values: 219L 192G 0S id 37882
    unicast [ibgp_mtrl2 13:58:01.203 from fd00::1263:2] (100/63) [i]
via 10.23.66.63 on tap_default
hostentry: via 45.63.6.183 table master4
preference: 100
```

```
igp_metric: 63
from: fd00::1263:2
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 45.63.6.183
bgp_local_pref: 100
bgp_originator_id: 45.63.6.183
bgp_cluster_list: 0.2.0.1
Internal route handling values: 220L 193G 0S id 37881
    unicast [ibgp_mtrl2 13:58:01.203 from fd00::1263:2] (100/173) [i]
via 10.23.66.238 on tap_default
hostentry: via 45.76.155.167 table master4
preference: 100
igp_metric: 173
from: fd00::1263:2
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 45.76.155.167
bgp_local_pref: 100
bgp_originator_id: 45.76.155.167
bgp_cluster_list: 0.2.0.1
Internal route handling values: 66L 96G 0S id 37880
    unicast [ibgp_mtrl2 13:58:01.203 from fd00::1263:2] (100/100) [i]
via 10.23.66.238 on tap_default
hostentry: via 104.238.150.149 table master4
preference: 100
igp_metric: 100
from: fd00::1263:2
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 104.238.150.149
bgp_local_pref: 100
bgp_originator_id: 104.238.150.149
bgp_cluster_list: 0.2.0.1
Internal route handling values: 97L 33G 0S id 37879
    unicast [ibgp_mtrl2 13:58:01.203 from fd00::1263:2] (100/100) [i]
via 10.23.66.238 on tap_default
hostentry: via 104.238.150.149 table master4
preference: 100
igp_metric: 100
from: fd00::1263:2
source: BGP
bgp_origin: IGP
```

```
bgp_path:
bgp_next_hop: 104.238.150.149
bgp_local_pref: 100
bgp_originator_id: 104.238.150.149
bgp_cluster_list: 0.2.0.1
Internal route handling values: 103L 34G 0S id 37876
101.52.236.0/22      unicast [ibgp_frnk1 13:58:02.601 from fd00::4560:1] * (100/158) [i]
via 10.23.66.238 on tap_default
hostentry: via 192.168.1.1 table master4
preference: 100
igp_metric: 158
from: fd00::4560:1
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 192.168.1.1
bgp_local_pref: 100
bgp_originator_id: 192.168.1.211
bgp_cluster_list: 0.3.0.1
Internal route handling values: 225L 97G 0S id 189034

[exit 0]
```

IGP Metric Matrix

Values show the latest IGP metric from source (row) to destination (column). Hover for statistics.

Source \ Destination	ca Beauharnois [CXIX], QC, CA (mtrl7)	ca Montreal, QC, CA (mtrl2)	cn Yangpu, Shanghai, CN (yngp2-211)	de Frankfurt, DE (frnk
ca Beauharnois [CXIX], QC, CA (mtrl7)	—	—	—	
ca Montreal, QC, CA (mtrl2)	—	—	267	
cn Yangpu, Shanghai, CN (yngp2-211)	—	—	—	
de Frankfurt, DE (frnk1)	—	95	174	
hk Hong Kong [ZXIX], HK, CN (hkng8)	—	216	107	1
hk Hong Kong, HK, CN (hkng7)	—	—	—	1
il Tel-Aviv, IL (tlvv1)	—	153	232	

Source \ Destination	ca Beauharnois [CXIX], QC, CA (mtrl7)	ca Montreal, QC, CA (mtrl2)	cn Yangpu, Shanghai, CN (yngp2-211)	de Frankfurt, DE (frnk
JP Tokyo [CXIX], JP (tkyo10)	—	—	—	
JP Tokyo [Jianyuelab], JP (tkyo11)	—	—	—	
JP Tokyo, JP (tkyo6)	—	167	58	2
sg Singapore, SG (sngp1)	—	241	132	2
us Newark, NJ, US (nycm1)	—	46	221	
us Seattle, WA, US (sttl1)	—	66	158	1.

