

Looking Glass

job: 84210d28-e8d0-4134-bcad-b55f1ebab7ed

Request

Router

us Seattle, WA, US (sttl1)

▼

Directive

bird\_route\_v4 — Bird Route (v4)

▼

Target (hostname or IP)

103.36.96.0

Turnstile (required per request)

  
CLOUDFLARE  
[隐私](#) • [帮助](#)

Run

Output

```
BIRD 3.1.5+detached.6479f6aa30e6 ready.
Table table_ibgp_v4:
0.0.0.0/0          unicast [kernel_v4 2026-06-30] * (1000)
  via 66.42.64.1 on enp1s0
  preference: 1000
  source: inherit
  krt_prefsrc: 66.42.65.41
  krt_source: 16
  krt_metric: 100
  Internal route handling values: 100L 28G 0S id 1
                                unicast [ibgp_frnk1 13:58:34.515 from fd00::4560:1] (100/149) [i]
  via 10.23.66.63 on tap_default
  hostentry: via 45.63.117.123 table master4
  preference: 100
  igp_metric: 149
  from: fd00::4560:1
  source: BGP
  bgp_origin: IGP
  bgp_path:
  bgp_next_hop: 45.63.117.123
```

```
bgp_local_pref: 100
Internal route handling values: 36L 161G 0S id 134287
    unicast [ibgp_frnk1 13:58:34.515 from fd00::4560:1] (100/149) [i]
via 10.23.66.63 on tap_default
hostentry: via 45.63.117.123 table master4
preference: 100
igp_metric: 149
from: fd00::4560:1
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 45.63.117.123
bgp_local_pref: 100
Internal route handling values: 37L 162G 0S id 134285
    unicast [ibgp_frnk1 13:58:33.827 from fd00::4560:1] (100/207) [i]
via 10.23.66.63 on tap_default
hostentry: via 64.177.66.254 table master4
preference: 100
igp_metric: 207
from: fd00::4560:1
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 64.177.66.254
bgp_local_pref: 100
bgp_originator_id: 64.177.66.254
bgp_cluster_list: 0.3.0.1
Internal route handling values: 42L 163G 0S id 92293
    unicast [ibgp_mtrl2 13:58:34.515 from fd00::1263:2] (100/64) [i]
via 10.23.66.63 on tap_default
hostentry: via 45.63.6.183 table master4
preference: 100
igp_metric: 64
from: fd00::1263:2
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 45.63.6.183
bgp_local_pref: 100
bgp_originator_id: 45.63.6.183
bgp_cluster_list: 0.2.0.1
Internal route handling values: 219L 192G 0S id 134283
    unicast [ibgp_mtrl2 13:58:34.515 from fd00::1263:2] (100/64) [i]
via 10.23.66.63 on tap_default
hostentry: via 45.63.6.183 table master4
preference: 100
```

```
igp_metric: 64
from: fd00::1263:2
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 45.63.6.183
bgp_local_pref: 100
bgp_originator_id: 45.63.6.183
bgp_cluster_list: 0.2.0.1
Internal route handling values: 220L 193G 0S id 134281
    unicast [ibgp_mtrl2 13:58:34.515 from fd00::1263:2] (100/172) [i]
via 10.23.66.238 on tap_default
hostentry: via 45.76.155.167 table master4
preference: 100
igp_metric: 172
from: fd00::1263:2
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 45.76.155.167
bgp_local_pref: 100
bgp_originator_id: 45.76.155.167
bgp_cluster_list: 0.2.0.1
Internal route handling values: 66L 96G 0S id 134279
    unicast [ibgp_mtrl2 13:58:34.515 from fd00::1263:2] (100/100) [i]
via 10.23.66.238 on tap_default
hostentry: via 104.238.150.149 table master4
preference: 100
igp_metric: 100
from: fd00::1263:2
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 104.238.150.149
bgp_local_pref: 100
bgp_originator_id: 104.238.150.149
bgp_cluster_list: 0.2.0.1
Internal route handling values: 97L 33G 0S id 134277
    unicast [ibgp_mtrl2 13:58:34.515 from fd00::1263:2] (100/100) [i]
via 10.23.66.238 on tap_default
hostentry: via 104.238.150.149 table master4
preference: 100
igp_metric: 100
from: fd00::1263:2
source: BGP
bgp_origin: IGP
```

```
bgp_path:
bgp_next_hop: 104.238.150.149
bgp_local_pref: 100
bgp_originator_id: 104.238.150.149
bgp_cluster_list: 0.2.0.1
Internal route handling values: 103L 34G 0S id 134275
103.36.96.0/22      unicast [ibgp_frnk1 13:58:34.478 from fd00::4560:1] * (100/158) [i]
via 10.23.66.238 on tap_default
hostentry: via 192.168.1.1 table master4
preference: 100
igp_metric: 158
from: fd00::4560:1
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 192.168.1.1
bgp_local_pref: 100
bgp_originator_id: 192.168.1.211
bgp_cluster_list: 0.3.0.1
Internal route handling values: 225L 97G 0S id 132213

[exit 0]
```

IGP Metric Matrix

Values show the latest IGP metric from source (row) to destination (column). Hover for statistics.

| Source \ Destination                  | ca Beauharnois [CXIX], QC, CA (mtrl7) | ca Montreal, QC, CA (mtrl2) | cn Yangpu, Shanghai, CN (yngp2-211) | de Frankfurt, DE (frnk |
|---------------------------------------|---------------------------------------|-----------------------------|-------------------------------------|------------------------|
| ca Beauharnois [CXIX], QC, CA (mtrl7) | —                                     | —                           | —                                   |                        |
| ca Montreal, QC, CA (mtrl2)           | —                                     | —                           | 267                                 |                        |
| cn Yangpu, Shanghai, CN (yngp2-211)   | —                                     | —                           | —                                   |                        |
| de Frankfurt, DE (frnk1)              | —                                     | 95                          | 174                                 |                        |
| hk Hong Kong [ZXIX], HK, CN (hkng8)   | —                                     | 216                         | 107                                 | 1                      |
| hk Hong Kong, HK, CN (hkng7)          | —                                     | —                           | —                                   | 1                      |
| il Tel-Aviv, IL (tlvv1)               | —                                     | 153                         | 232                                 |                        |

| Source \ Destination               | ca Beauharnois [CXIX], QC, CA (mtrI7) | ca Montreal, QC, CA (mtrI2) | cn Yangpu, Shanghai, CN (yngp2-211) | de Frankfurt, DE (frnk |
|------------------------------------|---------------------------------------|-----------------------------|-------------------------------------|------------------------|
| JP Tokyo [CXIX], JP (tkyo10)       | —                                     | —                           | —                                   |                        |
| JP Tokyo [Jianyuelab], JP (tkyo11) | —                                     | —                           | —                                   |                        |
| JP Tokyo, JP (tkyo6)               | —                                     | 167                         | 58                                  | 2                      |
| sg Singapore, SG (sngp1)           | —                                     | 241                         | 132                                 | 2                      |
| us Newark, NJ, US (nycm1)          | —                                     | 46                          | 221                                 |                        |
| us Seattle, WA, US (sttl1)         | —                                     | 66                          | 158                                 | 1.                     |

