

Looking Glass

job: ebf4db4b-5440-4bd7-b626-8fa42161f97b

Request

Router

JP Tokyo, JP (tkyo6) ▾

Directive

bird_route_v4 — Bird Route (v4) ▾

Target (hostname or IP)

40.251.227.0

Turnstile (required per request)

Run

Output

```
BIRD 3.1.5+detached.6479f6aa30e6 ready.
Table table_ibgp_v4:
0.0.0.0/0          unicast [kernel_v4 06:30:35.747] * (1000)
  via 104.238.150.1 on enp1s0
  preference: 1000
  source: inherit
  krt_source: 3
  krt_metric: 0
  Internal route handling values: 0L 2G 0S id 1
                                unicast [kernel_ibgp_v4 06:30:35.749] (1000)
  via 104.238.150.1 on enp1s0
  preference: 1000
  source: inherit
  krt_prefsrc: 104.238.150.149
  krt_source: 16
  krt_metric: 100
  Internal route handling values: 100L 41G 184S id 2
                                unicast [ibgp_mtr12 13:50:21.773 from fd00::1263:2] (100/164) [i]
  via 10.23.66.1 on tap_stt11
  hostentry: via 45.63.6.183 table master4
```

```

preference: 100
igp_metric: 164
from: fd00::1263:2
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 45.63.6.183
bgp_local_pref: 100
bgp_originator_id: 45.63.6.183
bgp_cluster_list: 0.2.0.1
Internal route handling values: 219L 111G 0S id 2699
    unicast [ibgp_mtrl2 13:50:21.773 from fd00::1263:2] (100/164) [i]
via 10.23.66.1 on tap_stt11
hostentry: via 45.63.6.183 table master4
preference: 100
igp_metric: 164
from: fd00::1263:2
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 45.63.6.183
bgp_local_pref: 100
bgp_originator_id: 45.63.6.183
bgp_cluster_list: 0.2.0.1
Internal route handling values: 220L 112G 0S id 2698
    unicast [ibgp_mtrl2 13:50:21.773 from fd00::1263:2] (100/101) [i]
via 10.23.66.1 on tap_stt11
hostentry: via 66.42.65.41 table master4
preference: 100
igp_metric: 101
from: fd00::1263:2
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 66.42.65.41
bgp_local_pref: 100
bgp_originator_id: 66.42.65.41
bgp_cluster_list: 0.2.0.1
Internal route handling values: 136L 113G 0S id 2697
    unicast [ibgp_mtrl2 13:50:21.773 from fd00::1263:2] (100/233) [i]
via 10.24.238.211 on tap_yngp2
hostentry: via 45.63.117.123 table master4
preference: 100
igp_metric: 233
from: fd00::1263:2
source: BGP
```

```
bgp_origin: IGP
bgp_path:
bgp_next_hop: 45.63.117.123
bgp_local_pref: 100
bgp_originator_id: 45.63.117.123
bgp_cluster_list: 0.2.0.1
Internal route handling values: 196L 114G 0S id 2696
    unicast [ibgp_mtrl2 13:50:21.773 from fd00::1263:2] (100/233) [i]
via 10.24.238.211 on tap_yngp2
hostentry: via 45.63.117.123 table master4
preference: 100
igp_metric: 233
from: fd00::1263:2
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 45.63.117.123
bgp_local_pref: 100
bgp_originator_id: 45.63.117.123
bgp_cluster_list: 0.2.0.1
Internal route handling values: 197L 115G 0S id 2648
    unicast [ibgp_mtrl2 13:50:21.773 from fd00::1263:2] (100/291) [i]
via 10.24.238.211 on tap_yngp2
hostentry: via 64.177.66.254 table master4
preference: 100
igp_metric: 291
from: fd00::1263:2
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 64.177.66.254
bgp_local_pref: 100
bgp_originator_id: 64.177.66.254
bgp_cluster_list: 0.2.0.1 0.3.0.1
Internal route handling values: 198L 116G 0S id 1940
    unicast [ibgp_mtrl2 13:50:21.773 from fd00::1263:2] (100/71) [i]
via 10.24.232.65 on tap_default onlink
hostentry: via 45.76.155.167 table master4
preference: 100
igp_metric: 71
from: fd00::1263:2
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 45.76.155.167
bgp_local_pref: 100
```

```
bgp_originator_id: 45.76.155.167
bgp_cluster_list: 0.2.0.1
Internal route handling values: 66L 117G 0S id 1931
40.251.227.0/24      unicast [ibgp_mtrl2 13:50:23.128 from fd00::1263:2] * (100/59) [i]
via 10.24.238.211 on tap_yngp2
hostentry: via 192.168.1.1 table master4
preference: 100
igp_metric: 59
from: fd00::1263:2
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 192.168.1.1
bgp_local_pref: 100
bgp_originator_id: 192.168.1.211
bgp_cluster_list: 0.2.0.1 0.3.0.1
Internal route handling values: 161L 225G 0S id 188767

[exit 0]
```

IGP Metric Matrix

Values show the latest IGP metric from source (row) to destination (column). Hover for statistics.

Source \ Destination	ca Beauharnois [CXIX], QC, CA (mtrl7)	ca Montreal, QC, CA (mtrl2)	cn Yangpu, Shanghai, CN (yngp2-211)	de Frankfurt, DE (frnk)
ca Beauharnois [CXIX], QC, CA (mtrl7)	—	—	—	
ca Montreal, QC, CA (mtrl2)	—	—	222	
cn Yangpu, Shanghai, CN (yngp2-211)	—	—	—	
de Frankfurt, DE (frnk1)	—	95	176	
hk Hong Kong [ZXIX], HK, CN (hkng8)	—	204	39	1
hk Hong Kong, HK, CN (hkng7)	—	197	32	1
il Tel-Aviv, IL (tlvv1)	—	154	235	
jp Tokyo [CXIX], JP (tkyo10)	—	—	—	
jp Tokyo [Jianyuelab], JP (tkyo11)	—	—	—	

Source \ Destination	ca Beauharnois [CXIX], QC, CA (mtrl7)	ca Montreal, QC, CA (mtrl2)	cn Yangpu, Shanghai, CN (yngp2-211)	de Frankfurt, DE (frnk
jp Tokyo, JP (tkyo6)	—	163	59	2
sg Singapore, SG (sngp1)	—	233	68	2
us Newark, NJ, US (nycm1)	—	47	220	
us Seattle, WA, US (sttl1)	—	65	157	1.

