

Looking Glass

job: 139cdbe6-9c1e-4264-8197-7c074d21964b

Request

Router

ca Montreal, QC, CA (mtrl2) ▾

Directive

bird_route_v4 — Bird Route (v4) ▾

Target (hostname or IP)

146.222.79.1

Turnstile (required per request)


CLOUDFLARE
[隐私](#) • [帮助](#)

Run

Output

```
[exit 0]
BIRD 3.1.5+branch.pipe.fix.315.5169b557863b ready.
Table table_ibgp_v4:
0.0.0.0/0          unicast [ibgp_nycm1 13:29:04.926 from fd00::1917:1] * (100/46) [i]
  via 10.24.168.63 on tap_default
  hostentry: via 45.63.6.183 table master4
  preference: 100
  igp_metric: 46
  from: fd00::1917:1
  source: BGP
  bgp_origin: IGP
  bgp_path:
  bgp_next_hop: 45.63.6.183
  bgp_local_pref: 100
  Internal route handling values: 44L 219G 0S id 52334
                                unicast [ibgp_sttl1 13:29:04.926 from fd00::1253:1] (100/64) [i]
  via 10.23.66.1 on tap_sttl1
  hostentry: via 66.42.65.41 table master4
  preference: 100
```

```
igp_metric: 64
from: fd00::1253:1
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 66.42.65.41
bgp_local_pref: 100
Internal route handling values: 28L 136G 0S id 52333
    unicast [ibgp_frnk1 13:29:04.926 from fd00::4560:1] (100/95) [i]
via 10.24.42.1 on tap_frnk1
hostentry: via 45.63.117.123 table master4
preference: 100
igp_metric: 95
from: fd00::4560:1
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 45.63.117.123
bgp_local_pref: 100
Internal route handling values: 36L 196G 0S id 52332
    unicast [ibgp_frnk1 13:29:04.926 from fd00::4560:1] (100/95) [i]
via 10.24.42.1 on tap_frnk1
hostentry: via 45.63.117.123 table master4
preference: 100
igp_metric: 95
from: fd00::4560:1
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 45.63.117.123
bgp_local_pref: 100
Internal route handling values: 37L 197G 0S id 52331
    unicast [ibgp_frnk1 13:29:04.926 from fd00::4560:1] (100/153) [i]
via 10.24.42.1 on tap_frnk1
hostentry: via 64.177.66.254 table master4
preference: 100
igp_metric: 153
from: fd00::4560:1
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 64.177.66.254
bgp_local_pref: 100
bgp_originator_id: 64.177.66.254
bgp_cluster_list: 0.3.0.1
Internal route handling values: 42L 198G 0S id 52330
```

```

    unicast [ibgp_nycm1 13:29:04.926 from fd00::1917:1] (100/46) [i]
via 10.24.168.63 on tap_default
hostentry: via 45.63.6.183 table master4
preference: 100
igp_metric: 46
from: fd00::1917:1
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 45.63.6.183
bgp_local_pref: 100
Internal route handling values: 43L 220G 0S id 52329
    unicast [ibgp_sngp1 13:29:04.926 from fd00::65:1] (100/284) [i]
via 10.24.168.63 on tap_default
hostentry: via 45.76.155.167 table master4
preference: 100
igp_metric: 284
from: fd00::65:1
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 45.76.155.167
bgp_local_pref: 100
Internal route handling values: 2L 66G 0S id 52328
    unicast [ibgp_tkyo6 13:29:04.926 from fd00::81:6] (100/167) [i]
via 10.23.66.1 on tap_sttl1
hostentry: via 104.238.150.149 table master4
preference: 100
igp_metric: 167
from: fd00::81:6
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 104.238.150.149
bgp_local_pref: 100
Internal route handling values: 2L 97G 0S id 52327
    unicast [ibgp_tkyo6 13:29:04.926 from fd00::81:6] (100/167) [i]
via 10.23.66.1 on tap_sttl1
hostentry: via 104.238.150.149 table master4
preference: 100
igp_metric: 167
from: fd00::81:6
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 104.238.150.149
```

```
bgp_local_pref: 100
Internal route handling values: 41L 103G 0S id 52326
146.222.79.0/24      unicast [ibgp_frnk1 13:29:00.959 from fd00::4560:1] * (100/223) [i]
via 10.23.66.1 on tap_sttl1
hostentry: via 192.168.1.1 table master4
preference: 100
igp_metric: 223
from: fd00::4560:1
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 192.168.1.1
bgp_local_pref: 100
bgp_originator_id: 192.168.1.211
bgp_cluster_list: 0.3.0.1
Internal route handling values: 225L 161G 0S id 50876
```

IGP Metric Matrix

Values show the latest IGP metric from source (row) to destination (column). Hover for statistics.

Source \ Destination	ca Beauharnois [CXIX], QC, CA (mtrl7)	ca Montreal, QC, CA (mtrl2)	cn Yangpu, Shanghai, CN (yngp2-211)	de Frankfurt, DE (frnk
ca Beauharnois [CXIX], QC, CA (mtrl7)	—	—	—	
ca Montreal, QC, CA (mtrl2)	—	—	223	
cn Yangpu, Shanghai, CN (yngp2-211)	—	—	—	
de Frankfurt, DE (frnk1)	—	95	174	
hk Hong Kong [ZXIX], HK, CN (hkng8)	—	215	38	1
hk Hong Kong, HK, CN (hkng7)	—	—	33	1
il Tel-Aviv, IL (tlvv1)	—	153	232	
jp Tokyo [CXIX], JP (tkyo10)	—	—	—	
jp Tokyo [Jianyuelab], JP (tkyo11)	—	—	—	
jp Tokyo, JP (tkyo6)	—	168	59	2

Source \ Destination	ca Beauharnois [CXIX], QC, CA (mtrl7)	ca Montreal, QC, CA (mtrl2)	cn Yangpu, Shanghai, CN (yngp2-211)	de Frankfurt, DE (frnk
sg Singapore, SG (sngp1)	—	240	74	2
us Newark, NJ, US (nycm1)	—	46	226	
us Seattle, WA, US (sttl1)	—	65	162	1.

