

Looking Glass

job: 88f27663-9eaa-4ef0-9cde-7bd5f628c4fa

Request

Router

ca Montreal, QC, CA (mtrl2)

Directive

bird_route_v4 — Bird Route (v4)

Target (hostname or IP)

175.45.176.1

Turnstile (required per request)

CLOUDFLARE
隐私 · 帮助

Run

Output

```
BIRD 3.1.5+branch.pipe.fix.315.5169b557863b ready.
Table table_ibgp_v4:
0.0.0.0/0          unicast [ibgp_nycm1 13:29:58.605 from fd00::1917:1] * (100/46) [i]
  via 10.24.168.63 on tap_default
  hostentry: via 45.63.6.183 table master4
  preference: 100
  igp_metric: 46
  from: fd00::1917:1
  source: BGP
  bgp_origin: IGP
  bgp_path:
  bgp_next_hop: 45.63.6.183
  bgp_local_pref: 100
  Internal route handling values: 44L 219G 0S id 39998
                                unicast [ibgp_sttl1 13:29:58.605 from fd00::1253:1] (100/64) [i]
  via 10.23.66.1 on tap_sttl1
  hostentry: via 66.42.65.41 table master4
  preference: 100
  igp_metric: 64
  from: fd00::1253:1
```

```
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 66.42.65.41
bgp_local_pref: 100
Internal route handling values: 28L 136G 0S id 39997
    unicast [ibgp_frnk1 13:29:58.605 from fd00::4560:1] (100/95) [i]
via 10.24.42.1 on tap_frnk1
hostentry: via 45.63.117.123 table master4
preference: 100
igp_metric: 95
from: fd00::4560:1
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 45.63.117.123
bgp_local_pref: 100
Internal route handling values: 36L 196G 0S id 39996
    unicast [ibgp_frnk1 13:29:58.605 from fd00::4560:1] (100/95) [i]
via 10.24.42.1 on tap_frnk1
hostentry: via 45.63.117.123 table master4
preference: 100
igp_metric: 95
from: fd00::4560:1
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 45.63.117.123
bgp_local_pref: 100
Internal route handling values: 37L 197G 0S id 39995
    unicast [ibgp_frnk1 13:29:58.605 from fd00::4560:1] (100/153) [i]
via 10.24.42.1 on tap_frnk1
hostentry: via 64.177.66.254 table master4
preference: 100
igp_metric: 153
from: fd00::4560:1
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 64.177.66.254
bgp_local_pref: 100
bgp_originator_id: 64.177.66.254
bgp_cluster_list: 0.3.0.1
Internal route handling values: 42L 198G 0S id 39994
    unicast [ibgp_nycm1 13:29:58.605 from fd00::1917:1] (100/46) [i]
via 10.24.168.63 on tap_default
```

```
hostentry: via 45.63.6.183 table master4
preference: 100
igp_metric: 46
from: fd00::1917:1
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 45.63.6.183
bgp_local_pref: 100
Internal route handling values: 43L 220G 0S id 39993
    unicast [ibgp_sngp1 13:29:58.605 from fd00::65:1] (100/282) [i]
via 10.24.168.63 on tap_default
hostentry: via 45.76.155.167 table master4
preference: 100
igp_metric: 282
from: fd00::65:1
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 45.76.155.167
bgp_local_pref: 100
Internal route handling values: 2L 66G 0S id 39992
    unicast [ibgp_tkyo6 13:29:58.605 from fd00::81:6] (100/164) [i]
via 10.23.66.1 on tap_sttl1
hostentry: via 104.238.150.149 table master4
preference: 100
igp_metric: 164
from: fd00::81:6
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 104.238.150.149
bgp_local_pref: 100
Internal route handling values: 2L 97G 0S id 39991
    unicast [ibgp_tkyo6 13:29:58.605 from fd00::81:6] (100/164) [i]
via 10.23.66.1 on tap_sttl1
hostentry: via 104.238.150.149 table master4
preference: 100
igp_metric: 164
from: fd00::81:6
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 104.238.150.149
bgp_local_pref: 100
Internal route handling values: 41L 103G 0S id 39990
```

```
175.45.176.0/24      unicast [ibgp_frnk1 13:29:58.556 from fd00::4560:1] * (100/224) [i]
  via 10.23.66.1 on tap_stt11
  hostentry: via 192.168.1.1 table master4
  preference: 100
  igp_metric: 224
  from: fd00::4560:1
  source: BGP
  bgp_origin: IGP
  bgp_path:
  bgp_next_hop: 192.168.1.1
  bgp_local_pref: 100
  bgp_originator_id: 192.168.1.211
  bgp_cluster_list: 0.3.0.1
  Internal route handling values: 225L 161G 0S id 154004

[exit 0]
```

IGP Metric Matrix

Values show the latest IGP metric from source (row) to destination (column). Hover for statistics.

Source \ Destination	ca Beauharnois [CXIX], QC, CA (mtrl7)	ca Montreal, QC, CA (mtrl2)	cn Yangpu, Shanghai, CN (yngp2-211)	de Frankfurt, DE (frnk
ca Beauharnois [CXIX], QC, CA (mtrl7)	—	—	—	
ca Montreal, QC, CA (mtrl2)	—	—	224	
cn Yangpu, Shanghai, CN (yngp2-211)	—	—	—	
de Frankfurt, DE (frnk1)	—	95	176	
hk Hong Kong [ZXIX], HK, CN (hkng8)	—	217	110	2
hk Hong Kong, HK, CN (hkng7)	—	—	—	1
il Tel-Aviv, IL (tlvv1)	—	154	235	
jp Tokyo [CXIX], JP (tkyo10)	—	—	—	
jp Tokyo [Jianyuelab], JP (tkyo11)	—	—	—	
jp Tokyo, JP (tkyo6)	—	165	59	2

Source \ Destination	ca Beauharnois [CXIX], QC, CA (mtrl7)	ca Montreal, QC, CA (mtrl2)	cn Yangpu, Shanghai, CN (yngp2-211)	de Frankfurt, DE (frnk
sg Singapore, SG (sngp1)	—	237	132	2
us Newark, NJ, US (nycm1)	—	46	224	
us Seattle, WA, US (sttl1)	—	64	160	1.

