

Looking Glass

job: 8a21ae6d-f7a1-4fc8-a096-16fd8e2c68aa

Request

Router

JP Tokyo, JP (tkyo6)

Directive

bird_route_v4 — Bird Route (v4)

Target (hostname or IP)

182.174.0.1

Turnstile (required per request)



Run

Output

```
BIRD 3.1.5+detached.6479f6aa30e6 ready.
Table table_ibgp_v4:
0.0.0.0/0          unicast [kernel_v4 06:30:35.747] * (1000)
  via 104.238.150.1 on enp1s0
  preference: 1000
  source: inherit
  krt_source: 3
  krt_metric: 0
  Internal route handling values: 0L 2G 0S id 1
                                unicast [kernel_ibgp_v4 06:30:35.749] (1000)
  via 104.238.150.1 on enp1s0
  preference: 1000
  source: inherit
  krt_prefsrc: 104.238.150.149
  krt_source: 16
  krt_metric: 100
  Internal route handling values: 100L 41G 168S id 2
                                unicast [ibgp_mtr12 13:33:50.016 from fd00::1263:2] (100/161) [i]
  via 10.23.66.1 on tap_stt11
  hostentry: via 45.63.6.183 table master4
```

```

preference: 100
igp_metric: 161
from: fd00::1263:2
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 45.63.6.183
bgp_local_pref: 100
bgp_originator_id: 45.63.6.183
bgp_cluster_list: 0.2.0.1
Internal route handling values: 219L 111G 0S id 11409
    unicast [ibgp_mtrl2 13:33:50.016 from fd00::1263:2] (100/161) [i]
via 10.23.66.1 on tap_stt11
hostentry: via 45.63.6.183 table master4
preference: 100
igp_metric: 161
from: fd00::1263:2
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 45.63.6.183
bgp_local_pref: 100
bgp_originator_id: 45.63.6.183
bgp_cluster_list: 0.2.0.1
Internal route handling values: 220L 112G 0S id 11408
    unicast [ibgp_mtrl2 13:33:50.016 from fd00::1263:2] (100/97) [i]
via 10.23.66.1 on tap_stt11
hostentry: via 66.42.65.41 table master4
preference: 100
igp_metric: 97
from: fd00::1263:2
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 66.42.65.41
bgp_local_pref: 100
bgp_originator_id: 66.42.65.41
bgp_cluster_list: 0.2.0.1
Internal route handling values: 136L 113G 0S id 11407
    unicast [ibgp_mtrl2 13:33:50.016 from fd00::1263:2] (100/245) [i]
via 10.24.238.211 on tap_yngp2
hostentry: via 45.63.117.123 table master4
preference: 100
igp_metric: 245
from: fd00::1263:2
source: BGP
```

```
bgp_origin: IGP
bgp_path:
bgp_next_hop: 45.63.117.123
bgp_local_pref: 100
bgp_originator_id: 45.63.117.123
bgp_cluster_list: 0.2.0.1
Internal route handling values: 196L 114G 0S id 11406
    unicast [ibgp_mtrl2 13:33:50.016 from fd00::1263:2] (100/245) [i]
via 10.24.238.211 on tap_yngp2
hostentry: via 45.63.117.123 table master4
preference: 100
igp_metric: 245
from: fd00::1263:2
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 45.63.117.123
bgp_local_pref: 100
bgp_originator_id: 45.63.117.123
bgp_cluster_list: 0.2.0.1
Internal route handling values: 197L 115G 0S id 11405
    unicast [ibgp_mtrl2 13:33:50.016 from fd00::1263:2] (100/303) [i]
via 10.24.238.211 on tap_yngp2
hostentry: via 64.177.66.254 table master4
preference: 100
igp_metric: 303
from: fd00::1263:2
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 64.177.66.254
bgp_local_pref: 100
bgp_originator_id: 64.177.66.254
bgp_cluster_list: 0.2.0.1 0.3.0.1
Internal route handling values: 198L 116G 0S id 11404
    unicast [ibgp_mtrl2 13:33:50.016 from fd00::1263:2] (100/73) [i]
via 10.24.232.65 on tap_default onlink
hostentry: via 45.76.155.167 table master4
preference: 100
igp_metric: 73
from: fd00::1263:2
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 45.76.155.167
bgp_local_pref: 100
```

```
bgp_originator_id: 45.76.155.167
bgp_cluster_list: 0.2.0.1
Internal route handling values: 66L 117G 0S id 11403
182.174.0.0/15      unicast [ibgp_mtrl2 13:33:48.734 from fd00::1263:2] * (100/70) [i]
via 10.24.238.211 on tap_yngp2
hostentry: via 192.168.1.1 table master4
preference: 100
igp_metric: 70
from: fd00::1263:2
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 192.168.1.1
bgp_local_pref: 100
bgp_originator_id: 192.168.1.211
bgp_cluster_list: 0.2.0.1 0.3.0.1
Internal route handling values: 161L 225G 0S id 194018

[exit 0]
```

IGP Metric Matrix

Values show the latest IGP metric from source (row) to destination (column). Hover for statistics.

Source \ Destination	ca Beauharnois [CXIX], QC, CA (mtrl7)	ca Montreal, QC, CA (mtrl2)	cn Yangpu, Shanghai, CN (yngp2-211)	de Frankfurt, DE (frnk)
ca Beauharnois [CXIX], QC, CA (mtrl7)	—	—	—	
ca Montreal, QC, CA (mtrl2)	—	—	225	
cn Yangpu, Shanghai, CN (yngp2-211)	—	—	—	
de Frankfurt, DE (frnk1)	—	96	175	
hk Hong Kong [ZXIX], HK, CN (hkng8)	—	218	111	2
hk Hong Kong, HK, CN (hkng7)	—	—	291	1
il Tel-Aviv, IL (tlvv1)	—	155	237	
jp Tokyo [CXIX], JP (tkyo10)	—	—	—	
jp Tokyo [Jianyuelab], JP (tkyo11)	—	—	—	

Source \ Destination	ca Beauharnois [CXIX], QC, CA (mtrl7)	ca Montreal, QC, CA (mtrl2)	cn Yangpu, Shanghai, CN (yngp2-211)	de Frankfurt, DE (frnk
jp Tokyo, JP (tkyo6)	—	165	75	2.
sg Singapore, SG (sngp1)	—	239	132	3
us Newark, NJ, US (nycm1)	—	47	222	
us Seattle, WA, US (sttl1)	—	66	170	1.

