

Looking Glass

job: 8e2434ab-7d22-455c-b5aa-1b54ba8a5b7b

Request

Router

ca Montreal, QC, CA (mtrl2)

Directive

bird_route_v4 — Bird Route (v4)

Target (hostname or IP)

125.110.64.1

Turnstile (required per request)

 成功!


隐私 · 帮助

Run

Output

```
[exit 0]
BIRD 3.1.5+branch.pipe.fix.315.5169b557863b ready.
Table table_ibgp_v4:
0.0.0.0/0          unicast [ibgp_nycm1 13:08:29.776 from fd00::1917:1] * (100/47) [i]
  via 10.24.168.63 on tap_default
  hostentry: via 45.63.6.183 table master4
  preference: 100
  igp_metric: 47
  from: fd00::1917:1
  source: BGP
  bgp_origin: IGP
  bgp_path:
  bgp_next_hop: 45.63.6.183
  bgp_local_pref: 100
Internal route handling values: 44L 219G 0S id 70860
          unicast [ibgp_sttl1 13:08:29.776 from fd00::1253:1] (100/64) [i]
  via 10.23.66.1 on tap_sttl1
  hostentry: via 66.42.65.41 table master4
  preference: 100
```

```
igp_metric: 64
from: fd00::1253:1
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 66.42.65.41
bgp_local_pref: 100
Internal route handling values: 28L 136G 0S id 70859
    unicast [ibgp_frnk1 13:08:29.776 from fd00::4560:1] (100/95) [i]
via 10.24.42.1 on tap_frnk1
hostentry: via 45.63.117.123 table master4
preference: 100
igp_metric: 95
from: fd00::4560:1
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 45.63.117.123
bgp_local_pref: 100
Internal route handling values: 36L 196G 0S id 70858
    unicast [ibgp_frnk1 13:08:29.776 from fd00::4560:1] (100/95) [i]
via 10.24.42.1 on tap_frnk1
hostentry: via 45.63.117.123 table master4
preference: 100
igp_metric: 95
from: fd00::4560:1
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 45.63.117.123
bgp_local_pref: 100
Internal route handling values: 37L 197G 0S id 70857
    unicast [ibgp_frnk1 13:08:29.776 from fd00::4560:1] (100/153) [i]
via 10.24.42.1 on tap_frnk1
hostentry: via 64.177.66.254 table master4
preference: 100
igp_metric: 153
from: fd00::4560:1
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 64.177.66.254
bgp_local_pref: 100
bgp_originator_id: 64.177.66.254
bgp_cluster_list: 0.3.0.1
Internal route handling values: 42L 198G 0S id 70856
```

```
unicast [ibgp_nycm1 13:08:29.776 from fd00::1917:1] (100/47) [i]
via 10.24.168.63 on tap_default
hostentry: via 45.63.6.183 table master4
preference: 100
igp_metric: 47
from: fd00::1917:1
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 45.63.6.183
bgp_local_pref: 100
Internal route handling values: 43L 220G 0S id 70855
unicast [ibgp_sngp1 13:08:29.776 from fd00::65:1] (100/234) [i]
via 10.23.66.1 on tap_sttl1
hostentry: via 45.76.155.167 table master4
preference: 100
igp_metric: 234
from: fd00::65:1
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 45.76.155.167
bgp_local_pref: 100
Internal route handling values: 2L 66G 0S id 70854
unicast [ibgp_tkyo6 13:08:29.776 from fd00::81:6] (100/163) [i]
via 10.23.66.1 on tap_sttl1
hostentry: via 104.238.150.149 table master4
preference: 100
igp_metric: 163
from: fd00::81:6
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 104.238.150.149
bgp_local_pref: 100
Internal route handling values: 2L 97G 0S id 70853
unicast [ibgp_tkyo6 13:08:29.776 from fd00::81:6] (100/163) [i]
via 10.23.66.1 on tap_sttl1
hostentry: via 104.238.150.149 table master4
preference: 100
igp_metric: 163
from: fd00::81:6
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 104.238.150.149
```

```
bgp_local_pref: 100
Internal route handling values: 41L 103G 0S id 70852
125.104.0.0/13      unicast [ibgp_frnk1 13:08:29.773 from fd00::4560:1] * (100/221) [i]
via 10.23.66.1 on tap_sttl1
hostentry: via 192.168.1.1 table master4
preference: 100
igp_metric: 221
from: fd00::4560:1
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 192.168.1.1
bgp_local_pref: 100
bgp_originator_id: 192.168.1.211
bgp_cluster_list: 0.3.0.1
Internal route handling values: 225L 161G 0S id 69101
```

IGP Metric Matrix

Values show the latest IGP metric from source (row) to destination (column). Hover for statistics.

vn1)	JP Tokyo [CXIX], JP (tkyo10)	JP Tokyo [Jianyuelab], JP (tkyo11)	JP Tokyo, JP (tkyo6)	sg Singapore, SG (sngp1)	us Newark, NJ, US (nycm1)	us Seattle, WA, US (sttl1)
—	—	—	—	—	—	—
152	—	—	163	236	47	64
—	—	—	—	—	—	—
58	—	—	234	233	84	147
253	—	—	49	48	201	139
248	—	—	50	43	196	134
—	—	—	293	293	143	207
—	—	—	—	—	—	—
—	—	—	—	—	—	—
292	—	—	—	72	167	105

lv1)	JP Tokyo [CXIX], JP (tkyo10)	JP Tokyo [Jianyuelab], JP (tkyo11)	JP Tokyo, JP (tkyo6)	SG Singapore, SG (sngp1)	us Newark, NJ, US (nycm1)	us Seattle, WA, US (sttl1)
291	—	—	74	—	239	177
142	—	—	162	235	—	63
204	—	—	99	171	62	—

