

Looking Glass

job: de2f9782-a9b4-40eb-9d20-17db7822acdd

Request

Router

sg Singapore, SG (sngp1) ▾

Directive

bird_route_v4 — Bird Route (v4) ▾

Target (hostname or IP)

49.4.128.0

Turnstile (required per request)

正在验证...



CLOUDFLARE

隐私 · 帮助

Run

Output

```
BIRD 3.1.5+detached.6479f6aa30e6 ready.
Table table_ibgp_v4:
0.0.0.0/0          unicast [kernel_v4 2026-06-30] * (1000)
  via 45.76.154.1 on enp1s0
  preference: 1000
  source: inherit
  krt_source: 3
  krt_metric: 0
  Internal route handling values: 0L 2G 0S id 1
                                unicast [ibgp_mtr12 13:52:21.726 from fd00::1263:2] (100/236) [i]
  via 10.24.238.1 on tap_tkyo6
  hostentry: via 45.63.6.183 table master4
  preference: 100
  igp_metric: 236
  from: fd00::1263:2
  source: BGP
  bgp_origin: IGP
  bgp_path:
  bgp_next_hop: 45.63.6.183
  bgp_local_pref: 100
```

```
bgp_originator_id: 45.63.6.183
bgp_cluster_list: 0.2.0.1
Internal route handling values: 219L 176G 0S id 13876
    unicast [ibgp_mtrl2 13:52:21.726 from fd00::1263:2] (100/236) [i]
via 10.24.238.1 on tap_tkyo6
hostentry: via 45.63.6.183 table master4
preference: 100
igp_metric: 236
from: fd00::1263:2
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 45.63.6.183
bgp_local_pref: 100
bgp_originator_id: 45.63.6.183
bgp_cluster_list: 0.2.0.1
Internal route handling values: 220L 177G 0S id 13875
    unicast [ibgp_mtrl2 13:52:21.726 from fd00::1263:2] (100/174) [i]
via 10.24.238.1 on tap_tkyo6
hostentry: via 66.42.65.41 table master4
preference: 100
igp_metric: 174
from: fd00::1263:2
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 66.42.65.41
bgp_local_pref: 100
bgp_originator_id: 66.42.65.41
bgp_cluster_list: 0.2.0.1
Internal route handling values: 136L 178G 0S id 13874
    unicast [ibgp_mtrl2 13:52:21.726 from fd00::1263:2] (100/250) [i]
via 10.24.179.1 on tap_hkng7
hostentry: via 45.63.117.123 table master4
preference: 100
igp_metric: 250
from: fd00::1263:2
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 45.63.117.123
bgp_local_pref: 100
bgp_originator_id: 45.63.117.123
bgp_cluster_list: 0.2.0.1
Internal route handling values: 196L 181G 0S id 13873
    unicast [ibgp_mtrl2 13:52:21.726 from fd00::1263:2] (100/250) [i]
```

```
via 10.24.179.1 on tap_hkng7
hostentry: via 45.63.117.123 table master4
preference: 100
igp_metric: 250
from: fd00::1263:2
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 45.63.117.123
bgp_local_pref: 100
bgp_originator_id: 45.63.117.123
bgp_cluster_list: 0.2.0.1
Internal route handling values: 197L 182G 0S id 13872
    unicast [ibgp_mtrl2 13:52:21.726 from fd00::1263:2] (100/366) [i]
via 10.24.238.1 on tap_tkyo6
hostentry: via 64.177.66.254 table master4
preference: 100
igp_metric: 366
from: fd00::1263:2
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 64.177.66.254
bgp_local_pref: 100
bgp_originator_id: 64.177.66.254
bgp_cluster_list: 0.2.0.1 0.3.0.1
Internal route handling values: 198L 183G 0S id 13868
    unicast [ibgp_mtrl2 13:52:21.726 from fd00::1263:2] (100/74) [i]
via 10.24.238.1 on tap_tkyo6
hostentry: via 104.238.150.149 table master4
preference: 100
igp_metric: 74
from: fd00::1263:2
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 104.238.150.149
bgp_local_pref: 100
bgp_originator_id: 104.238.150.149
bgp_cluster_list: 0.2.0.1
Internal route handling values: 97L 64G 0S id 13867
    unicast [ibgp_mtrl2 13:52:21.726 from fd00::1263:2] (100/74) [i]
via 10.24.238.1 on tap_tkyo6
hostentry: via 104.238.150.149 table master4
preference: 100
igp_metric: 74
```

```
from: fd00::1263:2
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 104.238.150.149
bgp_local_pref: 100
bgp_originator_id: 104.238.150.149
bgp_cluster_list: 0.2.0.1
Internal route handling values: 103L 65G 0S id 13568
49.4.128.0/22          unicast [ibgp_mtrl2 13:52:23.422 from fd00::1263:2] * (100/133) [i]
via 10.24.238.1 on tap_tkyo6
hostentry: via 192.168.1.1 table master4
preference: 100
igp_metric: 133
from: fd00::1263:2
source: BGP
bgp_origin: IGP
bgp_path:
bgp_next_hop: 192.168.1.1
bgp_local_pref: 100
bgp_originator_id: 192.168.1.211
bgp_cluster_list: 0.2.0.1 0.3.0.1
Internal route handling values: 161L 97G 0S id 101449

[exit 0]
```

IGP Metric Matrix

Values show the latest IGP metric from source (row) to destination (column). Hover for statistics.

Source \ Destination	ca Beauharnois [CXIX], QC, CA (mtrl7)	ca Montreal, QC, CA (mtrl2)	cn Yangpu, Shanghai, CN (yngp2-211)	de Frankfurt, DE (frnk)
ca Beauharnois [CXIX], QC, CA (mtrl7)	—	—	—	
ca Montreal, QC, CA (mtrl2)	—	—	223	
cn Yangpu, Shanghai, CN (yngp2-211)	—	—	—	
de Frankfurt, DE (frnk1)	—	95	174	
hk Hong Kong [ZXIX], HK, CN (hkng8)	—	215	108	1

Source \ Destination	ca Beauharnois [CXIX], QC, CA (mtrl7)	ca Montreal, QC, CA (mtrl2)	cn Yangpu, Shanghai, CN (yngp2-211)	de Frankfurt, DE (frnk
hk Hong Kong, HK, CN (hkng7)	—	—	—	1
il Tel-Aviv, IL (tlvv1)	—	152	232	
jp Tokyo [CXIX], JP (tkyo10)	—	—	—	
jp Tokyo [Jianyuelab], JP (tkyo11)	—	—	—	
jp Tokyo, JP (tkyo6)	—	166	58	2
sg Singapore, SG (sngp1)	—	239	132	2
us Newark, NJ, US (nycm1)	—	47	222	
us Seattle, WA, US (sttl1)	—	65	159	1.

