

Filling the Information Gap of House Owners and Technologies: A Design Case Study of a recommender for home energy system

In partial fulfilment of the requirement for the degree of

MASTER OF SCIENCE

in

Human Computer Interaction

by

Yanwei Miao

(1627738)

Under the supervision of

Prof. Dr. Gunnar Stevens

Dr. Songmin Yu

May 2023

ABSTRACT

The transition to clean energy and energy-efficient technologies is crucial for reducing carbon emissions and mitigating climate change. However, households lack the sufficient knowledge and guidance on these technologies, including the potential benefits that can be obtained through their adoption. This study aims to fill the information gap and support decision-making on the adoption of clean energy and energy technologies for house owners. Design Case Studies will be used as the research framework.

Contents

List of Figures	vi
List of Tables	vii
1 Introduction	1
1.1 Background	1
1.1.1 Mitigating climate change through energy transition . .	2
1.1.2 Households in energy transition	3
1.1.3 Technologies for home energy system	3
1.2 Opportunity	4
1.3 Research questions and aims	4
2 Methodology	6

3	Pre-study	7
3.1	Motivators for investment decisions	7
3.2	Social practices	8
3.3	Research-based models	8
3.3.1	PVGIS online tool	9
3.3.2	FLEX models	11
4	Design	12
4.1	Design concept	13
4.2	Input to the system	13
4.2.1	Household profiles	13
4.2.2	Decision trees for asking questions	15
4.3	Output to the system	17
4.3.1	Recommendations	17
4.3.2	Explainability	18
4.3.3	Investments	20
4.4	Interactions	21
4.4.1	Interfaces	21
4.4.2	Data visualisation	21

Appendices	23
A Input of the FLEX-Operation model	23
Bibliography	27

List of Figures

3.1	Screen of PVGIS online tool	10
3.2	Model structure for individual households	11
4.1	Household profile	14

List of Tables

4.1	Survey questions	17
4.2	Investment costs of different technologies	20
A.1	Input data of the FLEX-Operation model	26

Notations and Abbreviations

CO₂ Carbon dioxide. [2](#)

EU European Union. [2](#), [3](#), [29](#)

GHG Greenhouse gas. [1](#)

HP Heat pump. [10](#), [20](#)

PV Photovoltaic. [10](#), [12](#), [14](#), [16](#), [20](#), [25](#)

RS Recommender systems. [8](#)

SEMS Smart energy management system. [20](#)

Chapter 1

Introduction

1.1 Background

Human-induced climate change is causing dangerous and widespread disruption in nature, thereby affecting billions of lives globally [19]. To tackle climate change and its negative impacts, two main strategies are addressed: climate change mitigation and adaptation.

- **Climate change mitigation** refers to the actions taken to reduce or prevent greenhouse gas (GHG) emissions and ultimately stabilize the concentration of these gases in the atmosphere to limit global warming and its adverse effects [26]. This goal entails a range of related projects, spanning farming, land use, peatland management, renewable energies, and energy efficiency. Integrated projects that implement climate change mitigation strategies and action plans at regional or national levels are also pertinent [10]. Notably, to curb carbon dioxide (CO₂)

emissions in the energy system, two main approaches are pursued: *(1) reducing energy consumption on the demand side through efficiency improvement and behavioral changes and (2) transitioning to renewable energy sources on the supply side.*

- **Climate change adaptation** encompasses measures to manage the adverse impacts of climate change, such as natural disasters, changes in precipitation patterns, and rising sea levels, among others [26], which includes projects relating to urban adaptation and land-use planning, infrastructure resilience, sustainable water management in drought-prone areas, flood and coastal management, as well as the resilience of the agricultural, forestry, and tourism sectors [10].

The work in this thesis belongs to the category of climate change mitigation.

1.1.1 Mitigating climate change through energy transition

The Paris Agreement, a historic international agreement, sets long-term goals to substantially reduce global emissions and limit the global temperature increase to 2 degrees Celsius in this century [28]. To achieve this ambitious goal, the world is facing an unprecedented imperative to a rapid transition in the energy sector. The European Union (EU)’s ”Energy 2020. A strategy for competitive, sustainable and secure energy” and ”Energy Roadmap 2050” are key strategy papers guiding energy developments in the EU [22], aiming to lead in global climate action and achieve net-zero emissions by 2050 through a socially-fair and cost-efficient transition [9].

1.1.2 Households in energy transition

Households are a crucial component of the energy transition, as they are responsible for a significant proportion of final energy consumption in the EU, as highlighted by Eurostat’s 2023 report. In fact, in 2020, the residential sector accounted for 27.4% of total final energy consumption or 18.7% of gross inland energy consumption in the EU [11]. Therefore, reducing energy consumption in households through energy-efficient building construction and renovations, as well as digitalisation and smart demand-side management, can have a significant impact on achieving the EU’s energy and climate targets [17]. This underscores the importance of developing and implementing effective policies and strategies to promote energy efficiency and renewable energy use in households to facilitate the energy transition.

1.1.3 Technologies for home energy system

Technologies for home energy systems have rapidly advanced in recent years, with a growing focus on energy efficiency and renewable energy sources. Smart home technologies, such as energy management systems, allow households to optimise their energy consumption and reduce waste. Moreover, rooftop solar panels and home battery storage systems enable households to generate and store their own renewable energy, reducing dependence on the grid and lowering electricity bills. In addition, the integration of electric vehicles with home energy systems can further reduce household carbon emissions and provide a source of backup power. These technologies have the potential to significantly transform the way households consume and generate energy, contributing to a more sustainable and resilient energy system.

1.2 Opportunity

Despite the growing availability and accessibility of home energy technologies, there remains a significant information gap regarding their effective utilisation. A survey conducted by Palmer et al. [24] identified a lack of knowledge and guidance among homeowners, preventing them from maximising the benefits of these investments in terms of reducing future energy expenses. Therefore, there is an opportunity in exploring effective ways to educate and inform house owners on home energy technologies.

1.3 Research questions and aims

The following research question was raised initially to guide the study:

- **What practice can effectively bridge the information gap for house owners in the adoption of renewable energy and energy-efficient technologies?**

As the research progresses, the second question was raised:

- **How to develop effective explanations that build trust for a recommender in supporting households making sustainable decisions?**

The aim of this study is to address the information gap and support house owners in their decision-making process regarding the adoption of clean energy and energy-efficient technologies.

This thesis seeks to contribute to the HCI community by offering insights into the design and development of personalised and professional home energy system recommendations and their effectiveness in promoting the adoption of those technologies. Overall, the findings of this thesis hopefully can inform the development of future HCI interventions to address environmental challenges.

Chapter 2

Methodology

The study uses Design Case Studies [\[30\]](#) as the research framework.

Chapter 3

Pre-study

3.1 Motivators for investment decisions

A comprehensive survey conducted by Palmer et al. [24] in the United States revealed various motivating factors that influence homeowners in their decision to investments in improving energy efficiency. Notably, saving money on utility bills (72%) emerged as the primary motivator, closely followed by the low costs associated with improvements (66%). These findings suggest that homeowners prioritise the financial aspects of energy efficiency when making investment decisions. Surprisingly, preferences related to environmental sustainability (“Green”) and the potential increase in property values do not appear to significantly influence their decisions.

3.2 Social practices

Currently, homeowners have limited avenues to access information about home energy systems. Presently, individuals seeking such information typically have two options. One is visiting the official websites of specific technology providers or physically visiting nearby stores that specialise in the sale of one or various energy technologies. However, this necessitates a prerequisite understanding of the particular energy technology. Moreover, the information obtained through this approach may be restricted to the specific technology being explored, thus failing to offer a holistic perspective on the overall energy system, as energy technologies often function collaboratively. An alternative approach is through professional home energy assessments, commonly known as home energy audits. These assessments are conducted by experts who visit the house and perform a comprehensive inspection. Following the assessment, these professionals provide recommendations regarding house renovations, and in some cases, advice on suitable energy technologies to optimise energy efficiency.

3.3 Research-based models

Several research-based models furnish evidence to aid homeowners in making informed decisions regarding home energy systems.

3.3.1 PVGIS online tool

PVGIS [8] is a web-based application by the European Commission’s Joint Research Centre, that enables users to access comprehensive data regarding solar radiation and the energy production of PV systems. This service encompasses a wide range of geographical regions, including Europe, Africa, substantial portions of Asia, and America. Which can be of a great help to house owners when deciding an investment in a PV system.

As shown in the Figure 3.1, the interactive tool allows users to navigate through the map and obtain information regarding performance of grid-connected PV based on the selected location. The visualisation of monthly energy output provides a clear and descriptive representation of the energy generated by a PV system throughout a year. Additionally, the outcome offers highly precise and specialised data, including detailed parameters such as yearly in-plane irradiation and year-to-year variability as well. While this information is highly valuable for researchers, it may pose comprehension challenges for homeowners lacking expertise in the field, thereby hindering their learning process. Furthermore, the data provided is only PV related, lacking the connection to the specific circumstances of individual households.




Figure 3.1: Screen of PVGIS online tool

3.3.2 FLEX models

The FLEX models [31], developed under the newTRENDS project¹ by the Fraunhofer Institute for Systems and Innovation Research, are capable of calculating the energy demand of buildings at an hourly resolution. These models were developed to offer evidence-based information to decision-makers in industry, government, and civil society.

The models take various factors into account, including weather condition, household behaviours and energy technologies, as illustrated in Figure 3.2. Consequently, it offers a comprehensive evaluation of the energy consumption of a representative building. Moreover, the tool can be used to predict energy bills, enabling comparisons of energy expenses associated with different technology adoptions.




Figure 3.2: Model structure for individual households

¹<https://newtrends2020.eu/>

Chapter 4

Design

In order to bridge the information gap regarding home energy systems, this study aims to provide households with knowledge of available technologies in the market. Based on the findings from pre-study, the study proposes a home energy system recommender to present households with a tailored selection of technologies that better fit their unique home situations to address the potential issue of information overload. For instance, by learning the location of the house, in order to estimate the amount of sunlight it is likely to receive over the course of a year, to evaluate whether installing a [PV](#) system would be a viable and effective way for the household. The learning theory suggests that individuals learn new knowledge by connecting it with existing knowledge and experiences, as this helps to create a framework for understanding and retention of the new information. Therefore, by focusing on personalised recommendations, the study hypothesises that households may be more receptive to learning about home energy technologies. Additionally, with the intention of nudging house owners towards making informed decisions.

4.1 Design concept

The design concept of the home energy system recommender involves the utilisation of personalised recommendations based on the unique situations of households. By gaining a deep understanding of the household's energy demands and supply dynamics, the recommender can offer tailored recommendations to optimise energy efficiency and costs. Through this approach, the recommender not only provides guidance on these technologies but also educates the house owners on the potential benefits of transitioning to more sustainable energy sources. To ensure the effectiveness of the recommendations, clear and concise explanations are provided to enable users to make informed decisions.

4.2 Input to the system

4.2.1 Household profiles

The concept of household profile has been developed to gain insights into the energy demand and supply dynamics of households. To ensure the accuracy of this profile, various factors that may impact the household's energy consumption must be taken into consideration, as shown in Figure 4.1, including *the external environment, building materials, energy consumption behaviors, and the current home energy system*. By creating such a profile, a comprehensive understanding of the household's situation can be attained, enabling the offering of more tailored and effective recommendations.




Figure 4.1: Household profile

Input data by FLEX models

In order to accurately anticipate household's energy costs, the FLEX-Operation model takes a set of variables into account, and they can be divided into following 15 categories: *behaviour profile, battery, behaviour, boiler, building, energy price, heating element, hot water tank, PV, region, space cooling technology, space heating tank, vehicle, energy price, region weather*. Furthermore, the specific data required by the FLEX-Operation model within each category can be found in Appendix A.

4.2.2 Decision trees for asking questions

A total of 14 questions, see Table 4.1, were raised to collect all the relevant information necessary for the household profile analysis. In order to optimise the user experience, a decision tree approach was employed, allowing users to navigate through the questionnaire without the need to answer all the questions.

Category	Question	Note
External environment	Where is the house located?	Understanding the location of the house can provide valuable insight into its environmental factors, such as the amount of sunlight it receives.
House condition	When was the house built?	Knowing the year a house was built can provide insight into its construction materials, such as the composition of the walls.
	Has the house ever been renovated before?	Renovations can include upgrading insulation, replacing windows with energy-efficient ones, installing high-efficiency HVAC systems, sealing air leaks, etc.

	What have been renovated in the house?	
Energy use	<p>How many people are living in the house?</p> <p>How often does each adult work from home?</p> <p>Is there any air conditioner in the house?</p> <p>What type of heating energy is used in the house?</p>	
Home energy system	<p>Is there a photovoltaic (PV) system in the House?</p> <p>What is the size of the PV system?</p> <p>Is there a battery system in the house?</p> <p>What is the capacity of the battery?</p>	<p>A PV system is a system that uses solar panels to convert sunlight into electricity for use in a building.</p> <p>The average size of a PV system is 5 kilowatt-peak.</p> <p>A home battery system is a device that stores energy produced by solar panels or other sources to be used later when needed.</p> <p>The average capacity of a home battery system is around 7 kilowatt-hours.</p>

	Is there a smart energy management system in the house?	
--	---	--

Table 4.1: Survey questions

4.3 Output to the system

4.3.1 Recommendations

An effective home energy system should prioritize minimizing energy waste, reducing dependence on non-renewable fossil fuels, and lowering overall energy costs. Our recommendations are aligned with these fundamental principles and aim to promote sustainable energy practices while also reducing household energy expenditures.

The objectives of the recommendation system are multi-fold. Firstly, the system aims to support homeowners in making informed decisions regarding investments in home energy systems. Additionally, the system intends to encourage behavior change among homeowners by promoting the utilization of renewable energy sources. Finally, the recommendation system seeks to continuously refine and improve the accuracy of its predictive model, ensuring that the recommendations provided are up-to-date and effective. By providing users with tailored recommendations, the system aims to facilitate

the adoption of energy technologies, ultimately leading to reduced energy demand and associated costs.

As noted by Karen Palmer et al. [24], financial considerations are of primary importance to homeowners when making decisions about energy investments. In line with this understanding, the recommendation system places a strong emphasis on providing transparent cost estimates for energy bills as well as recommended home energy system configurations. Additionally, the system seeks to encourage behavior change by providing information and education on climate change and renewable energy sources, aimed at increasing user awareness and understanding of the benefits of sustainable energy practices. To facilitate ongoing improvement and refinement of the recommendation system, a feedback survey button will be incorporated, allowing users to provide both short-term and long-term feedback on the system’s performance and recommendations.

4.3.2 Explainability

In order to provide more comprehensive and understandable recommendations, we have chosen to explain our recommendations from multiple perspectives beyond just cost estimates. Specifically, we have identified 4 key objectives, including *trust*, *effectiveness*, *education*, and *debugging*, as key aspects to incorporate into our explanations. *Trust*, we build trust with our users by using reliable data sources and providing transparent services. *Effectiveness*, we strive to enhance the effectiveness of our service by offering recommendations that could actually benefit users economically. *Education*, we seek to educate our users on the importance of environmental protection by sharing relevant knowledge and insights. *De-bugging*, we value user feedback as an

important tool for identifying and resolving any issues or bugs in our system, allowing us to continuously improve and refine our service. The reasons for offering such explanations are to familiarise users with these technologies, establish accountability in the decision-making process, and encourage a shift towards environmentally conscious behaviour. By incorporating these concepts into our explanations, we aim to provide recommendations that are transparent, trustworthy, understandable, and user-centred.

Our recommendation system employs a three-level explainability framework to enhance user understanding of the recommended home energy system configurations. At the first level, the system provides an explanation in terms of the expected energy bill for the household. At the second level, the system offers a behavioural explanation of energy consumption patterns and the factors driving them. Finally, at the third level, the system aims to increase users' awareness and understanding of renewable energy and environmental protection.

Furthermore, the explanation is divided into three layers. At the first layer, users are provided with a comprehensive summary of their current energy consumption patterns. At the second layer, users are introduced to the various functionalities and benefits of the recommended energy technologies, including cost-saving potential and environmental impact. Finally, at the last layer, users are presented with simulated energy demand and supply data, allowing them to see the potential energy savings that could result from adopting the recommended configurations.

Through the implementation of a comprehensive approach to explainability, our objective is to offer users an overview of energy technologies, enabling them to gain insight into their energy consumption patterns and to recognize

the advantages of shifting towards more sustainable energy systems.

4.3.3 Investments

Technology	Cost (€)			
	Lowest	Highest	Installation	Maintenance
PV system	1957.68/kWp	2231.76/kWp	included	0
Battery system	790.80/kW h	2520.00/kW h	included	0
SEMS	/	1516,11	379,03	0
HP	432.15/kW	2370.31/kW	included	0
Hot water tank	1	1	1	0
Space heating tank	1	1	1	0
Air conditioner	1	1	1	0
Basement renovation	132.12/m ²	157.64/m ²	included	0
Roof renovation	40.95/m ²	409.38/m ²	included	0
Wall renovation	67.57/m ²	408.93/m ²	included	0
Window renovation	364.63/m ²	958.92/m ²	included	0

Table 4.2: Investment costs of different technologies

4.4 Interactions

4.4.1 Interfaces

To facilitate user understanding of the recommended home energy system configurations and associated costs, our recommendation system will employ a visual and natural language explanation interface. Specifically, an interactive visualization tool will be implemented to enable users to explore and compare different energy system configurations in terms of energy consumption patterns and costs. Additionally, natural language explanations will be provided to further enhance user understanding and engagement with the recommended configurations.

4.4.2 Data visualisation

Appendices

Appendix A

Input of the FLEX-Operation model

Category	Data
Behaviour profile	id_hour, people_at_home_profile_1, hot_water_demand_profile_1, appliance_electricity_demand_profile_1, vehicle_at_home_profile_1, vehicle_distance_profile_1.
Battery	ID_Battery, capacity, capacity_unit, charge_efficiency, charge_power_max, charge_power_max_unit, discharge_efficiency, discharge_power_max, discharge_power_max_unit.
Continued on next page	

Table A.1 – continued from previous page

Category	Data
Behaviour	ID_Behavior, id_people_at_home_profile, target_temperature_at_home_max, target_temperature_at_home_min, target_temperature_not_at_home_max, target_temperature_not_at_home_min, shading_solar_reduction_rate, shading_threshold_temperature, temperature_unit, id_hot_water_demand_profile, hot_water_demand_annual, hot_water_demand_unit, id_appliance_electricity_demand_profile, appliance_electricity_demand_annual, appliance_electricity_demand_unit, id_vehicle_at_home_profile, id_vehicle_distance_profile.
Boiler	ID_Boiler, type, power_max, power_max_unit, carnot_efficiency_factor.
Building	ID_Building, type, construction_period_start, construction_period_end, person_num, Af, Hop, Htr_w, Hve, CM_factor, Am_factor, internal_gains, effective_window_area_west_east, effective_window_area_south, effective_window_area_north, grid_power_max, supply_temperature.
Energy price	ID_EnergyPrice, id_electricity, id_electricity_feed_in, id_gases, price_unit.
Heating element	ID_HeatingElement, power, power_unit, efficiency.
Continued on next page	

Table A.1 – continued from previous page

Category	Data
Hot water tank	ID_HotWaterTank, size, size_unit, surface_area, surface_area_unit, loss, loss_unit, temperature_start, temperature_max, temperature_min, temperature_surrounding, temperature_unit.
PV	ID_PV, size, size_unit.
Region	ID_Region, code, year, norm_outside_temperature.
Space cooling technology	ID_SpaceCoolingTechnology, efficiency, power, power_unit.
Space heating tank	ID_SpaceHeatingTank, size, size_unit, surface_area, surface_area_unit, loss, loss_unit, temperature_start, temperature_max, temperature_min, temperature_surrounding, temperature_unit.
Vehicle	ID_Vehicle, type, capacity, capacity_unit, consumption_rate, consumption_rate_unit, charge_efficiency, charge_power_max, charge_power_max_unit, discharge_efficiency, discharge_power_max, discharge_power_max_unit, charge_bidirectional.
Energy price	Region, year, id_hour, electricity_1, electricity_2, electricity_feed_in_1, gases_1.
Continued on next page	

Table A.1 – continued from previous page

Category	Data
Region weather	region, year, id_hour, pv_generation, pv_generation_unit, temperature, temperature_unit, radiation_south, radiation_east, radiation_west, radiation_north, radiation_unit.

Table A.1: Input data of the FLEX-Operation model

Bibliography

- [1] “Home Energy Solutions.” <https://energizect.com/energy-evaluations/HES>. Accessed: 2023-05-15.
- [2] “Professional Home Energy Assessments.” <https://www.energy.gov/energysaver/professional-home-energy-assessments>. Accessed: 2023-05-15.
- [3] “Beyond Algorithms: An HCI Perspective on Recommender Systems.”. 2001.
- [4] Ameli, Nadia and Nicola Brandt. “Determinants of households’ investment in energy efficiency and renewables: evidence from the OECD survey on household environmental behaviour and attitudes,” *Environmental Research Letters*, 10(4):044015 (apr 2015).
- [5] Anderson, Allison. “Climate Change Education for Mitigation and Adaptation,” *Journal of Education for Sustainable Development*, 6(2):191–206 (2012).
- [6] Bertram, Christoph, et al. “Energy system developments and investments in the decisive decade for the Paris Agreement goals,” *Environmental Research Letters*, 16(7):074020 (jun 2021).

- [7] Brugger, Heike, et al. “Energy Efficiency Vision 2050: How will new societal trends influence future energy demand in the European countries?,” *Energy Policy*, 152:112216 (2021).
- [8] European Commission, “PHOTOVOLTAIC GEOGRAPHICAL INFORMATION SYSTEM.” https://re.jrc.ec.europa.eu/pvg_tools/en/. Accessed: 2023-05-16.
- [9] European Commission, “A Clean Planet for All. A European Long-Term Strategic Vision for a Prosperous, Modern, Competitive and Climate Neutral Economy,” 2018.
- [10] European Commission, “Climate change mitigation and adaptation,” 2021.
- [11] Eurostat, “Energy consumption in households.” https://ec.europa.eu/eurostat/statistics-explained/index.php?title=Energy_consumption_in_households, 2023.
- [12] Federal Office for Economic Affairs and Export Control, “Energy.” <https://www.bafa.de/EN/Energy/energy.html>, 2023.
- [13] Fernando, Martins, et al. “The Role of Electrification in the Decarbonization of the Energy Sector in Portugal,” *Energies*, 15(5) (2022).
- [14] Fraunhofer ISI, “NewTRENDS: New trends in energy demand modeling,” 2023.
- [15] GERRING, JOHN. “What Is a Case Study and What Is It Good for?,” *American Political Science Review*, 98(2):341–354 (2004).
- [16] Gunning, David and David Aha. “DARPA’s Explainable Artificial Intelligence (XAI) Program,” *AI Magazine*, 40(2):44–58 (Jun. 2019).

- [17] IEA, “The Critical Role of Buildings.” <https://www.iea.org/reports/the-critical-role-of-buildings>, 2019.
- [18] IEA, “Key World Energy Statistics.” <https://www.iea.org/reports/key-world-energy-statistics-2021>, 2021.
- [19] IPCC, “Climate change: a threat to human wellbeing and health of the planet. Taking action now can secure our future.” <https://www.ipcc.ch/2022/02/28/pr-wgii-ar6/>, 2022.
- [20] Kelly, Jack and William Knottenbelt. “The UK-DALE dataset, domestic appliance-level electricity demand and whole-house demand from five UK homes,” *Scientific Data*, 2(150007) (2015).
- [21] Lacal Arantegui, Roberto and Arnulf Jäger-Waldau. “Photovoltaics and wind status in the European Union after the Paris Agreement,” *Renewable and Sustainable Energy Reviews*, 81:2460–2471 (2018).
- [22] Langsdorf, Susanne. “EU Energy Policy: from the ECSC to the Energy Roadmap 2050,” *Green European Foundation: Brussels, Belgium* (2011).
- [23] Nicola, Armaroli and Balzani Vincenzo. “The Future of Energy Supply: Challenges and Opportunities,” *Angewandte Chemie International Edition*, 46(1-2):52–66 (2007).
- [24] Palmer, Karen, et al. “Assessing the energy-efficiency information gap: results from a survey of home energy auditors,” *Energy Efficiency*, 6 (2013).
- [25] Pecan Street Inc, “Better tech, better decisions, a better world we’re making it happen..” <https://www.pecanstreet.org/>, 2023.

- [26] Ruth, Matthias. *Handbook of Climate Change Mitigation and Adaptation* (2 Edition). Springer Nature, 2017. Foreword.
- [27] Sioshansi, Fereidoon. *Consumers, Prosumers, Prosumagers: How Service Innovations will Disrupt the Utility Business Model*. Elsevier Inc., 2019.
- [28] UNFCCC. “Paris Agreement.” *Paris Climate Change Conference*. 2015.
- [29] World Wildlife Fund, “What’s the difference between climate change mitigation and adaptation?.” <https://www.worldwildlife.org/stories/what-s-the-difference-between-climate-change-mitigation-and-adaptation>, 2023.
- [30] Wulf, Volker, et al. “Engaging with practices: Design case studies as a research framework in CSCW.”. 505–512. 03 2011.
- [31] Yu, Songmin, et al., “Modeling of prosumagers and energy communities in energy demand models. (newTRENDS - Deliverable No. D5.2).” <https://newtrends2020.eu/publications/>, 2022.