



Continuum Mobile

Live iOS QA Report

Real backend verification, simulator walkthrough, adaptive UI review, and evidence screenshots.

Date	2026-05-29
Device	iPhone 16 Plus Simulator, iOS 18.5
Backend	ASCP host daemon 127.0.0.1:8765; admin 127.0.0.1:8767
Build	Flutter debug, live mode, WebSocket ASCP transport

Executive Summary

The app was tested against the real local ASCP daemon. Pairing completed through manual code entry, host approval, iOS credential confirmation, and trusted-shell navigation. Home, Sessions, live session detail, WebSocket input, Approvals, Inspect, and Settings were exercised with screenshot evidence.

The adaptive UI pass removed the disconnected white/dark split by applying Continuum dark surface, elevated surface, border, accent, success, and muted text tokens consistently across the shell, session list, and live detail screens.

Agent Routing

Role	Tool / model	Outcome
Orchestrator / QA reviewer	Codex	Reviewed outputs, verified tests, drove simulator and report.
Adaptive UI implementation	Kiro CLI, deepseek-3.2	Dark adaptive shell, session list, session detail styling.
QA matrix planning	Blackbox CLI default route	Generated matrix after explicit external model ids were rejected locally.

Test Matrix

ID	Area	Action	Result
ENV-01	Backend	Confirmed daemon listeners on 8765 and 8767; created full-scope pairing session.	PASS
PAIR-01	Pairing	Entered manual code, verified claim, approved on host, entered simulator passcode.	PASS
PAIR-02	Retry	Reproduced stale input after failed pairing; fixed and covered with widget test.	PASS
DASH-01	Home	Confirmed connected shell, active session count, recent sessions, trusted devices.	PASS
SESS-01	Sessions	Opened live sessions list from backend data.	PASS
LIVE-01	Detail	Opened live ASCP session detail feed.	PASS
LIVE-02	WebSocket input	Sent hello from simulator after fix; observed bubble and live events.	PASS
APPR-01	Approvals	Opened approvals queue; confirmed empty state.	PASS
INSP-01	Inspect	Relaunched with actual active session id; artifact metadata loaded.	PASS
SET-01	Settings	Opened settings and trusted devices from daemon admin data.	PASS
VIS-01	Theme	Checked cohesive dark surfaces, readable text, visible controls.	PASS

Defects Fixed During QA


Manual pairing retry retained stale text after a failed attempt, causing subsequent entries to append into hidden previous input. The retry action now clears the manual text controller and unfocuses the field before returning to idle. A focused widget test covers this path.

The first Inspect run used a placeholder active session id and showed an unable-to-load state. Relaunching with the actual live session id loaded artifact metadata successfully. This is a live-mode configuration requirement.


Verification Commands

flutter test test/widget/pairing_screen_test.dart	PASS
flutter test	PASS
flutter analyze	PASS


Evidence Screenshots




Pairing start: cohesive dark first-run shell.




Manual pairing code entry using real daemon pair code.




Waiting for host approval after successful claim.




Device paired after approval and iOS credential confirmation.




Connected Home dashboard with active sessions and trusted devices.




Live Sessions list loaded from backend data.




Live session detail after sending input over WebSocket.



Approvals empty state.



Inspect tab loading artifact metadata for active session.



Settings and trusted devices list from daemon admin data.

