Canvas P19 — Slots, Lock, Rail Return, Device Lab

Branch feat/canvas-p3 · Flutter 3.47.2 · Release bundle, 1440×900 · Slots demo (scaffold appBar/body + locked badge) + Wander (rail sidebar, natural fill) · Zero page errors

Track	What landed	Tests
AA — render	Height-nature audit (pins exact, paint natural); generic slot injection (slot wins, flow skips); deepest-wins click + drill-o	+20
BB — builders	kNodeSlots (16 kinds, kit evidence); scaffold appBar/body/footer + 13 content slots; art capped 200px + 48px glyph	+23
CC — rail	icon rail + classic palette byte-restored; Library pills + disclosure removed; Forge topbar/header/inspector kept	921 recorded
DD — model/UI	slotNodes + locked fields; setSlotChild/setNodeLocked + guards; inspector slots + lock; layers lock + slot chips; code	core 299 / app 983
EE — devices	device_preview 3.0 (Flutter ≥3.47 OK); opt-in --dart-define=DEVICE_PREVIEW=true; DevTools-driven; release zero-	+8

Repo health: analyze clean both packages; app 991 pass, core 299 pass. Contracts: slotNodes (slot→node) vs legacy responsive slots (kept independent); locked is editor-only, export ignores it. Center-align wrapper fixed to topLeft for tight slot ancestors.

1 · Slots + lock (dark): appBar/body assigned, no flow duplicates

Scaffold hosts slotted widgets; slot children leave the flow; locked badge renders but never selects. Rail sidebar restored on the left.



```
# Slots demo

appBar/body slots + locked badge

Target: 390x844 logical pixels, Android and iOS,
ThemeMode.system.

Palette (clean-slate, dark):
- background: #020617
- foreground: #F8FAFC
- primary: #94A3B8
- muted: #1E293B

Theme:
- shape: rounded (radius 0.625rem, shadcn
preset)
- mode: dark
- motion: standard

Screens:

## /slots (Slots)
- scaffold "Shop" at (0, 0)
- basic "Cart (2)" at (0, 0)
- basic "Items" (content 2 in cart) at (0, 0)
- badge "Locked" at (0, 0)

Behavior:
- No navigation actions.

Style notes:
- badge: use Badge with label and variant from
props.
- basic: use the basic component with props
from above.
```

2 · Slots (light) + 3 · Wander with rail (dark)

Light: slotted scaffold crisp on supabase; locked badge follows preset. Wander: 40px avatar, full-bleed natural cards, spread nav — nothing stretched, nothing ballooned.



```
# Slots demo

light matrix variant

Target: 390x844 logical pixels, Android and iOS,
ThemeMode.system.

Palette (supabase, light):
- background: #FFFFFF
- foreground: #020617
- primary: #334155
- muted: #F1F5F9

Theme:
- shape: rounded (radius 0.625rem, shadcn
preset)
- mode: light
- motion: standard

Screens:

## /slots (Slots)
- scaffold "Shop" at (0, 0)
- basic "Cart (2)" at (0, 0)
- basic "Items" (content 2 in cart) at (0, 0)
- badge "Locked" at (0, 0)

Behavior:
- No navigation actions.

Style notes:
- badge: use Badge with label and variant from
props.
- basic: use the basic component with props
from above.
```



```
# Wander demo

Wander travel-app demo: Home (hero + stats +
Explore CTA), Search (destination rows), Saved
(trip cards), bottom-tab wired.

Target: 390x844 logical pixels, Android and iOS,
ThemeMode.system.

Palette (clean-slate, dark):
- background: #020617
- foreground: #F8FAFC
- primary: #94A3B8
- muted: #1E293B

Theme:
- shape: rounded (radius 0.625rem, shadcn
preset)
- mode: dark
- motion: standard

Screens:

## /home (Home)
- avatar "avatar" (initials WD, size 40) at (0, 0)
- basic "Wander" (content Near and far,
showLeading false, showTrailing false, subtitle
Explore) at (0, 48)
- card_image "Kyoto in autumn" (subtitle 4.9
rating · 2.3k saves) at (0, 96)
- input "Search destinations" (disabled false,
initialValue , obscure false, readOnly true) at (0,
144)
- row (gap 8)
  - badge "12 trips" (variant primary)
```

Device lab + what remains

Run: flutter run -d chrome --dart-define=DEVICE_PREVIEW=true, then DevTools → Device Preview tab (framed devices, locale, text-scale, dark mode, screenshots, custom JSON devices). In-canvas per-screen devices + preview presets stay for everyday work. Remaining: 54-kind refusal catalog (by design), radius/padding/surface prop follow-up, layers range affordances polish, auth vaults, backend collections, animations engine, publish pipeline.