
Canvas P11 — User Journey: Building a Login Page Start to Finish

Branch feat/canvas-p3 · Flutter 3.47.2 · Release bundle, 1440×900 · Scripted journey: tool/seed_login_journey.dart (4 progressive docs, self-validating) · Single-file export: 0 errors · Bundle: 0 errors/0 warnings


Step 1 — Empty canvas

One Login screen (phone, surface), zero nodes. Drop-target prompt; prompt panel narrates the step and shows an empty screen list. clean-slate dark.




Step 2 — Scaffold + welcome card

Dropped scaffold (app bar "Login" + body) and card ("Welcome back" / "Sign in to continue"). Prompt panel enumerates both nodes with positions; style notes + rules sections describe the export contract.




Step 3 — Inputs + button, second screen

Email + Password fields and a primary Sign-in button on Login; Home screen with "You are signed in." basic. Not yet wired (Behavior: no navigation actions) — exactly the state a user reaches before assigning taps.



Step 4 — Wired + themed

Sign-in → Home (slide), Back to Login → Login (fade). Components run supabase/light while the chrome stays clean-slate/dark — the split, live. Export of this doc: single-file 0 errors (6 pre-existing unused-parameter warnings), zero unknown markers, tap comments emitted; bundle 0/0.



Exported code (step 4, excerpt)

```
// generated by shadcn canvas — DO NOT EDIT.
// pubspec: gap, data_widget
// screens: Login, Home
import 'dart:async'; ... (closure imports incl. shadow alias)
class CanvasScreen_Login extends StatelessWidget {
  ...
  SizedBox(height: 320,
    child: Scaffold(headers: [AppBar(title: Text('Login'))], ...)),
  Card(... Text('Welcome back') ... Text('Sign in to continue') ...),
  ... // inputs, primary Sign in button, Home screen, tap comments
```

Findings for the next loop

J1 — Single-file taps are comment-only (`// taps -> s2`, no GestureDetector wiring; bundle navigates). Wire like bundle.
J2 — Scaffold app-bar contrast under light presets reads washed in step 4; verify token path.
J3 — SHELL_BUILD print in main.dart spams the console; remove the debug line.
J4 — Duplicate imports in single-file header (cupertino ×2, material ×3) — covered by ignore_for_file but should dedupe.
Repo health: analyze clean both packages; app 572 pass, core 126 pass.