

## AGENDA

---

- Proj2 Follow Up
- Interaction + animation
- Proj3 Checkin
- Working on Proj3
- Proj3 rubric + PR template

- Proj2 Follow Up
  - fonts
  - alt text
  - "brittle" layouts

## FONTS

---



[HTTPS://CDPN.IO/PEN/YWQOBV](https://cdpn.io/pen/ywqobv)

alt TEXT

---

- Why do we write it?



[HTTPS://CDPN.IO/PEN/LAXNBP](https://cdpn.io/pen/laxnbp)

## `alt` TEXT

---

- Why do we write it?
- OK to be blank, but *not* OK for it to be missing
  - if blank, *must* include HTML comment about why

WHAT MAKES A LAYOUT "BRITTLE"?

---

**Not this**



## WHAT MAKES A LAYOUT "BRITTLE"?

---

### **But this**

EASILY DAMAGED OR DESTROYED

FRAGILE

BREAKING READILY

## WHAT MAKES A LAYOUT "BRITTLE"?

**Let's explore:**



[HTTPS://CDPN.IO/PEN/B3C8CC66D0067CA5124F8285963374F1](https://cdpn.io/pen/B3C8CC66D0067CA5124F8285963374F1)



## INTERACTION + ANIMATION

---

**pseudo**

FAKE, NOT GENIUIINE

**pseudoclass**

**pseudoelement**

## PSEUDOCCLASS

---

`a:link`

`a:visited`

`a:hover`

`a:active`

## PSEUDOCCLASS

---



[HTTPS://CDPN.IO/PEN/PYBJWL](https://cdpn.io/pen/pybjwl)

## PSEUDOELEMENT

---

`li::before`

`div::after`

## PSEUDOELEMENT

---



[HTTPS://CDPN.IO/PEN/VPMLYG](https://cdpn.io/pen/vpmlYG)

transition

---



[HTTPS://CDPN.IO/PEN/EMJRPW](https://cdpn.io/pen/emjrpw)

## transition-property

- which property should be affected

## transition-duration

- how long should transition last
- provide value in s or ms



## transition-timing-function

- speed and style of transition
- use the keywords: ease, ease-in, ease-out, ease-in-out, linear
- optional! default is ease

## transition-delay

- when should transition start *relative* to the trigger (e.g.,hover)
- optional! default is zero

## transition SHORTHAND

```
transition: [property] [duration]  
[timing-function] [delay];
```

💡 brackets are just for display -- do not include them in your code!

*must* include property and duration:

```
transition: all 1s;
```

## 2 REMINDERS ABOUT transition

1. Not all properties can be transitioned
2. Use the shorthand if you want
  - *must* include property and duration
  - other properties are optional
3. Skip vendor prefixes

[HTTPS://CANIUSE.COM/#FEAT=CSS-TRANSITIONS](https://caniuse.com/#feat=css-transitions)

TRYING OUT transition

---

[HTTPS://CDPN.IO/PEN/XBEQLM](https://cdpn.io/pen/xbeqlm)

## TRANSFORM

---



[HTTPS://CDPN.IO/PEN/XBNVZP](https://cdpn.io/pen/xbnvzp)

TRYING OUT transform

---

[HTTPS://CDPN.IO/PEN/NJVNQG](https://cdpn.io/pen/njvnqg)

## PROJ3 CHECKIN

---

- content/timelines
- media queries, responsive design



## ANIMATE ON SCROLL

---



[HTTPS://CDPN.IO/PEN/RRGJVK](https://cdpn.io/pen/rrgjvk)

## ANIMATE ON SCROLL

---

**Customize your animations!**



[HTTPS://CDPN.IO/PEN/EMZZED](https://cdpn.io/pen/emzzed)

## USING AOS IN YOUR PROJECTS

---

Add the following links to your head:

### 1. Library JS file:

```
<script  
src="https://unpkg.com/aos@2.3.0/dist/aos.js">
```

### 2. Library CSS file:

```
<link rel="stylesheet"  
href="https://unpkg.com/aos@2.3.0/dist/aos.css">
```

## USING AOS IN YOUR PROJECTS

---

Add the JS and CSS links *before* your custom stylesheet!

Docs and more info here:

<http://michalsnik.github.io/aos/>

## PROJECT 3

---

- Rubric
- PR template