Лабораторная работа №5

Настройка рабочей среды с помощью pass и chezmoi

Студент: Туйишиме Тьерри
Группа: НКАбд-05-25
Факультет физико-математических и естественных наук
РУДН

Цель работы

Настройка рабочей среды с помощью менеджера паролей pass и системы управления конфигурациями chezmoi.

Установка Pass

```
Micaca@Micaca:~$ sudo dnf install pass pass-otp
[sudo] password for Micaca:
Updating and loading repositories:
Repositories loaded.
Package                    Arch    Version                    Repository          Size
Installing:
 pass                      noarch  1.7.4-17.fc43              fedora         129.0 KiB
 pass-otp                  noarch  1.2.0-18.fc43              fedora          59.1 KiB
Installing dependencies:
 liboath                   x86_64  2.6.12-3.fc43              fedora          89.7 KiB
 oathtool                  x86_64  2.6.12-3.fc43              fedora          85.9 KiB
 qrencode                  x86_64  4.1.1-11.fc43              fedora          37.6 KiB

Transaction Summary:
 Installing:         5 packages

Total size of inbound packages is 205 KiB. Need to download 205 KiB.
After this operation, 401 KiB extra will be used (install 401 KiB, remove 0 B).
Is this ok [y/N]:
```

Рис. 1: Установка pass и pass-otp

Установка gopass

```
Micaca@Micaca:~$ sudo dnf install gopass
Updating and loading repositories:
Repositories loaded.
Package                    Arch    Version                    Repository          Size
Installing:
 gopass                    x86_64  1.16.1-1.fc43              updates         21.9 MiB
Installing dependencies:
 fish                      x86_64  4.2.0-2.fc43               updates         39.3 MiB
 ncurses-term              noarch  6.5-7.20250614.fc43        fedora           1.8 MiB

Transaction Summary:
 Installing:         3 packages

Total size of inbound packages is 18 MiB. Need to download 18 MiB.
After this operation, 63 MiB extra will be used (install 63 MiB, remove 0 B).
Is this ok [y/N]:
```

Рис. 2: Установка gopass

Создание GPG ключа

```
Micaca@Micaca:~$ gpg --list-secret-keys
gpg: directory '/home/Micaca/.gnupg' crea
gpg: /home/Micaca/.gnupg/trustdb.gpg: tru
Micaca@Micaca:~$ gpg --full-generate-key
gpg (GnuPG) 2.4.9; Copyright (C) 2025 g10
This is free software: you are free to ch
There is NO WARRANTY, to the extent permi

Please select what kind of key you want:
   (1) RSA and RSA
   (2) DSA and Elgamal
   (3) DSA (sign only)
   (4) RSA (sign only)
   (9) ECC (sign and encrypt) *default*
  (10) ECC (sign only)
```

Рис. 3: Создание ключа GPG

Созданные ключи

```
Micaca@Micaca:~$ gpg --list-secret-keys
gpg: directory '/home/Micaca/.gnupg' created
gpg: /home/Micaca/.gnupg/trustdb.gpg: trustdb created
Micaca@Micaca:~$ gpg --full-generate-key
gpg (GnuPG) 2.4.9; Copyright (C) 2025 g10 Code GmbH
This is free software: you are free to change and redistribute it.
There is NO WARRANTY, to the extent permitted by law.

Please select what kind of key you want:
   (1) RSA and RSA
   (2) DSA and Elgamal
```

Рис. 4: Созданные ключи

Инициализация хранилища

```
public and secret key created and signed.

pub   rsa4096 2026-03-14 [SC]
      A2475C8EEA502EF30DE29ACD6D5562561C2B5964
uid                      Туйишиме Тьерри <1132255025@rudn.ru>
sub   rsa4096 2026-03-14 [E]

Micaca@Micaca:~$
```

Рис. 5: Инициализация хранилища

Статус синхронизации

```
Micaca@Micaca:~$ pass init 1132255025@rudn.ru
mkdir: created directory '/home/Micaca/.password-store/'
Password store initialized for 1132255025@rudn.ru
Micaca@Micaca:~$ pass git init
hint: Using 'master' as the name for the initial branch. This default branch name
```

Рис. 6: Просмотр статуса синхронизации

Настройка browserpass

```
Micaca@Micaca:~$ cd ~/.password-store
Micaca@Micaca:~/.password-store$ git status
On branch master
nothing to commit, working tree clean
Micaca@Micaca:~/.password-store$
```

Рис. 7: Добавлен плагин browserpass

Включение репозитория Copr

Рис. 8: Включение репозитория Copr

Установка browserpass-native

```
Micaca@Micaca:~/.password-store$ sudo dnf copr enable maximbaz/browserpass
[sudo] password for Micaca:
 https://copr.fedorainfracloud.org/api_3/rp 100% | 484.0   B/s | 564.0   B |  00m01s
Enabling a Copr repository. Please note that this repository is not part
of the main distribution, and quality may vary.
```

Рис. 9: Установка browserpass-native

Добавление пароля

```
Micaca@Micaca:~/.password-store$ sudo dnf install browserpass
Updating and loading repositories:
 Copr repo for browserpass owned by maximba 100% |  58.0   B/s |   1.5 KiB |  00m27s
Repositories loaded.
```

Рис. 10: Добавление пароля

Подтверждение пароля

```
Micaca@Micaca:~/.password-store$ pass insert BrowserPass/Passwords.txt
mkdir: created directory '/home/Micaca/.password-store/BrowserPass'
Enter password for BrowserPass/Passwords.txt:
Retype password for BrowserPass/Passwords.txt:
[master 1cbf772] Add given password for BrowserPass/Passwords.txt to store.
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 BrowserPass/Passwords.txt.gpg
Micaca@Micaca:~/.password-store$
```

Рис. 11: Подтверждение пароля

Замена пароля

```
Micaca@Micaca:~/.password-store$ pass generate --in-place BrowserPass/Passwords.txt
[master 0f12a7a] Replace generated password for BrowserPass/Passwords.txt.
 1 file changed, 0 insertions(+), 0 deletions(-)
The generated password for BrowserPass/Passwords.txt is:
03y2cQUc1s#El1[eUB@y`_"E>
Micaca@Micaca:~/.password-store$
```

Рис. 12: Замена пароля

Установка дополнительного ПО

```
Micaca@Micaca:~/.password-store$ sudo dnf -y install dunst fontawesome-fonts powerli
ne-fonts fuzzel swaylock kitty waybar swaybg wl-clipboard mpv grim slurp
Updating and loading repositories:
Repositories loaded.
Package "wl-clipboard-2.2.1-5.fc43.x86_64" is already installed.

Package                    Arch    Version                  Repository        Size
Installing:
 dunst                     x86_64  1.13.1-1.fc43            updates      355.6 KiB
 fontawesome4-fonts        noarch  1:4.7.0-25.fc43          fedora       296.6 KiB
 fuzzel                    x86_64  1.14.0-1.fc43            updates      324.2 KiB
 grim                      x86_64  1.5.0-2.fc43             fedora        49.5 KiB
 kitty                     x86_64  0.43.1-3.fc43            updates       13.8 MiB
 mpv                       x86_64  0.40.0-3.fc43            fedora         4.4 MiB
```

Рис. 13: Установка дополнительного ПО

Установка шрифтов Iosevka

```
Micaca@Micaca:~/.password-store$ sudo dnf copr enable peterwu/iosevka
 https://copr.fedorainfracloud.org/api_3/rp 100% | 370.0   B/s | 434.0   B |  00m01s
Enabling a Copr repository. Please note that this repository is not part
of the main distribution, and quality may vary.

The Fedora Project does not exercise any power over the contents of
this repository beyond the rules outlined in the Copr FAQ at
<https://docs.pagure.org/copr.copr/user_documentation.html#what-i-can-build-in-copr>
,
and packages are not held to any quality or security level.

Please do not file bug reports about these packages in Fedora
Bugzilla. In case of problems, contact the owner of this repository.
Is this ok [y/N]: y
Micaca@Micaca:~/.password-store$
```

```
Micaca@Micaca:~/.password-store$ dnf search iosevka
Updating and loading repositories:
 Copr repo for iosevka owned by peterwu     100% | 506.0   B/s |  21.6 KiB |  00m44s
Repositories loaded.
Matched fields: name (exact)
 iosevka.src    Slender typeface for code, from code.
Matched fields: name
 iosevka-aile.src       Slender typeface for code, from code.
```

```
Micaca@Micaca:~/.password-store$ sudo dnf install iosevka-fonts
Updating and loading repositories:
 Copr repo for iosevka 100% [==================] |   0.0   B/s |  20.3 KiB |  00m00s
```

Рис. 14-16: Установка шрифтов iosevka

Установка chezmoi

```
Micaca@Micaca:~/.password-store$ sh -c "$(wget -qO- chezmoi.io/get)"
info found chezmoi version 2.70.0 for latest/linux/amd64
info found glibc version 2.42
info installed bin/chezmoi
Micaca@Micaca:~/.password-store$
```

Рис. 17: Установка chezmoi

Создание репозитория dotfiles

```
Micaca@Micaca:~/.password-store$ gh repo create dotfiles --template="yamadharma/dotf
iles-template" --public
✓ Created repository micacathierry/dotfiles on github.com
  https://github.com/micacathierry/dotfiles
Micaca@Micaca:~/.password-store$
```

Рис. 18: Создание репозитория

Инициализация chezmoi

```
Micaca@Micaca:~/.password-store$ chezmoi init https://github.com/micacathierry/dotfi
les.git
bash: chezmoi: command not found...
Install package 'chezmoi' to provide command 'chezmoi'? [N/y] y


 * Waiting in queue...

 * Loading list of packages....
The following packages have to be installed:
 chezmoi_2.69.4-1.fc43.x86_64  Manage your dotfiles across multiple diverse machines
Proceed with changes? [N/y] y


 * Waiting in queue...
 * Waiting for authentication...
 * Waiting in queue...
 * Downloading packages...
 * Requesting data...
```

Рис. 19: Инициализация chezmoi

Проверка изменений

```
+# _fpp() {
+#   tmux capture-pane -J -S - -E - -b "fpp-$1" -t "$1"
+#   tmux split-window -c "$2" "'$TMUX_PROGRAM' ${TMUX_SOCKET:+-S "$TMUX_SOCKET"} sh
ow-buffer -b 'fpp-$1' | fpp || true; '$TMUX_PROGRAM' ${TMUX_SOCKET:+-S "$TMUX_SOCKET
"} delete-buffer -b 'fpp-$1'"
+# }
+#
+# "$@"
diff --git a/.config/tmux/tmux.conf.local b/.config/tmux/tmux.conf.local
new file mode 100644
index 0000000000000000000000000000000000000000..7a898f3b4111935ae7eea690aa0985aab29a
b2d1
--- /dev/null
+++ b/.config/tmux/tmux.conf.local
@@ -0,0 +1,476 @@
+# : << EOF
```

Рис. 20: Проверка изменений

Применение изменений

```
Micaca@Micaca:~$ sh -c "$(wget -qO- chezmoi.io/get)"
info found chezmoi version 2.70.0 for latest/linux/amd64
info found glibc version 2.42
info installed bin/chezmoi
Micaca@Micaca:~$
```

Рис. 21: Применение изменений

Использование на другой машине

```
Micaca@Micaca:~$ chezmoi init https://github.com/micacathierry/dotfiles.git
Micaca@Micaca:~$
```

Рис. 22: Установка chezmoi на другой машине

Инициализация на другой машине

```
#   case "$_uname_s" in
#     *CYGWIN*|*MSYS*)
#       # prevent Cygwin and MSYS2 from cd-ing into home directory when evaluating /etc/pro
ile
#       tmux setenv -g CHERE_INVOKING 1
#       ;;
#   esac
#
#   _apply_tmux_256color
#   _apply_24b&
#   _apply_theme&
#   _apply_bindings&
#   wait
#
#   _apply_plugins
#   _apply_important
#
#   # shellcheck disable=SC2046
#   tmux setenv -gu tmux_conf_dummy $(printenv | grep -E -o '^tmux_conf_[^=]+' | awk '{prin
f "; setenv -gu %s", $0}')
# }
#
```

Рис. 23: Инициализация на другой машине

Проверка на второй машине

```
+
+=====================================================================
+
+Creative Commons is not a party to its public
+licenses. Notwithstanding, Creative Commons may elect to apply one of
+its public licenses to material it publishes and in those instances
+will be considered the “Licensor.” The text of the Creative Commons
+public licenses is dedicated to the public domain under the CC0 Public
+Domain Dedication. Except for the limited purpose of indicating that
+material is shared under a Creative Commons public license or as
+otherwise permitted by the Creative Commons policies published at
+creativecommons.org/policies, Creative Commons does not authorize the
+use of the trademark "Creative Commons" or any other trademark or logo
+of Creative Commons without its prior written consent including,
+without limitation, in connection with any unauthorized modifications
+to any of its public licenses or any other arrangements,
+understandings, or agreements concerning use of licensed material. For
+the avoidance of doubt, this paragraph does not form part of the
+public licenses.
+
+Creative Commons may be contacted at creativecommons.org.
+
Micaca@Micaca:~$
```

Рис. 24: Проверка на второй машине

Применение на второй машине

```
Micaca@Micaca:~$ chezmoi update -v
Already up to date.
Micaca@Micaca:~$
```

Рис. 25: Применение на второй машине

Обновление chezmoi

```
Micaca@Micaca:~$ chezmoi update
Already up to date.
Micaca@Micaca:~$
```

Рис. 26: Обновление chezmoi

Обновление на основной машине



Рис. 27: Обновление chezmoi

Извлечение изменений

```
Micaca@Micaca:~$ cd ~/.config/chezmoi/
Micaca@Micaca:~/.config/chezmoi$ ls
chezmoistate.boltdb  chezmoi.toml
Micaca@Micaca:~/.config/chezmoi$
```

Рис. 28: Извлечение изменений

Применение изменений после обновления

```
Micaca@Micaca:~/.config/chezmoi$ cat ~/.config/chezmoi/chezmoi.toml
[data]
    email = "1132255025@rudn.ru"

[git]
    autoCommit = true
    autoPush = true
Micaca@Micaca:~/.config/chezmoi$
```

Рис. 29: Применение изменений после обновления

Выводы

- Настроен менеджер паролей pass с GPG шифрованием
- Интегрирован pass с браузером через browserpass
- Установлена и настроена система управления конфигурациями chezmoi
- Освоена синхронизация конфигураций между несколькими машинами

Спасибо за внимание!