# NEW TOOLS FOR PROTEOME-WIDE CROSS-LINKING MASS SPECTROMETRY



### PhD Pre-Defense – Micha J. Birklbauer

27th February 2025

Supervised by FH-Prof. PD DI Dr. Stephan Winkler







in close cooperation with



# **PROTEOMICS**

- □ Proteins are the core components of life
- They are integral to controlling cellular function and state
- □ Ultimately they determine the characteristics of any organism
- ☐ Proteomics is the study of all proteins

# **MOTIVATION**

- □ Research of native protein structures and their interactions is crucial for understanding diseases and pathological processes (vital for drug development)
- □ In this regard Cross-Linking Mass Spectrometry (XLMS) has become the tool of choice





Figure 1



# **CROSS-LINKING MASS SPECTROMETRY**



## **MY RESEARCH:**

- Identification of crosslinks from MS2-MS3 acquisition workflows
- Identification of crosslinks from non-cleavable reagents

\*Figure adopted from Piersimoni et al., Chemical Reviews, 2021



# **MS2-MS3-BASED CROSSLINK IDENTIFICATION**




Figure 3\*

### **MOTIVATION**


- ☐ One of the most common workflows
- □ Software exist, but limited in sensitivity and specificity (crucial for biological application)

### **PROBLEM**

☐ Algorithm of high sensitivity and specificity needed

### **CHALLENGES**

- ☐ Incorrect precursor isolation (1)
- ☐ Incorrect C12 assignment from isotope distribution (2)
- Matching and combining MS2 and MS3 information



(2)

Figure 5

<sup>\*</sup>Figure adopted from Matzinger et al., Journal of Proteome Research, 2021



# MS2-MS3-BASED CROSSLINK IDENTIFICATION

### INCORRECT PRECURSOR ISOLATION

- ☐ Verify precursor ion by comparison to MS2 spectrum
- ☐ If MS3 spectrum originates from non-crosslinked precursor → discard spectrum





Figure 6



### **INCORRECT C12 ASSIGNMENT**

☐ Re-calculate C12 mass from MS2 spectrum based on known rules for isotope distributions

### MATCHING AND COMBINING MS2 / MS3

- Match via precursor and product ion mass considering mass tolerance and retention time frame
- ☐ Combination via novel scoring function

$$Score(peptide) = \max(scores_{peptide}) * (1 + \frac{p}{100})^{n-1}$$

Where:

scores<sub>peptide</sub> is a list of all scores of that peptide p is a user-defined boost parameter (default 20) n is the number of unique scan numbers that peptide has been identified in



# MS2-MS3-BASED CROSSLINK IDENTIFICATION

☐ Algorithms implemented in MS Annika 2.0 [1]






Figure 8, 9, 10

[1] **M. J. Birklbauer,** M. Matzinger, F. Müller, K. Mechtler, and V. Dorfer, "MS Annika 2.0 Identifies Cross-Linked Peptides in MS2-MS3-Based Workflows at High Sensitivity and Specificity", *Journal of Proteome Research*, vol. 22, no. 9, pp. 3009-3021, Aug. 2023





# **NON-CLEAVABLE CROSSLINK IDENTIFICATION**



- ☐ Non-cleavable crosslinkers are the most common crosslinker reagent
- ☐ Limited software support for data analysis, especially for complex samples

### **PROBLEM**

■ An efficient algorithm for proteome-wide searches is needed

### **CHALLENGES**

- ☐ Reduction of search space
- ☐ Efficient search algorithm for considering potentially millions of peptide candidates and tackling the *n*-squared problem

\*Figure adopted from Matzinger et al., Journal of Proteome Research, 2021



# NON-CLEAVABLE CROSSLINK IDENTIFICATION

### REDUCTION OF SEARCH SPACE


□ Divide and conquer approach: identify one of the two cross-linked peptides first, the second peptide can then be more easily inferred


### **EFFICIENT SEARCH ALGORITHM**


- ☐ Encode peptides and spectra as sparse vectors
- ☐ Fast scoring by matrix multiplication

# **Peptide Encoding**

# Mass Spectrum Encoding








Micha J. Birklbauer

# **NON-CLEAVABLE CROSSLINK IDENTIFICATION**

☐ Algorithms implemented in MS Annika 3.0 [2]



[2] M. J. Birklbauer, F. Müller, S. S. Geetha, M. Matzinger, K. Mechtler, and V. Dorfer, "Proteome-wide Non-Cleavable Crosslink Identification with MS Annika 3.0 Reveals the Structure of the C. elegans Box C/D Complex", Communications Chemistry, vol. 7, no. 1, Dec. 2024



# NEDG-01330 inter-crosslinks intra-crosslinks nol-56

AlphaLink2 ipTM score: 0.721

of the *C. elegans*Box C/D RNP
complex

Database size: ~26 000 proteins

**Improved structure** 

MŚ Annika CPU
 MS Annika GPU

# RESEARCH PROGRESS

### **Cross-linking Publications (Published or in Preparation)**

- M. J. Birklbauer, M. Matzinger, F. Müller, K. Mechtler, and V. Dorfer, "MS Annika 2.0 Identifies Cross-Linked Peptides in MS2-MS3-Based Workflows at High Sensitivity and Specificity", *Journal of Proteome Research*, vol. 22, no. 9, pp. 3009-3021, Aug. 2023
- M. J. Birklbauer, F. Müller, S. S. Geetha, M. Matzinger, K. Mechtler, and V. Dorfer, "Proteome-wide Non-Cleavable Crosslink Identification with MS Annika 3.0 Reveals the Structure of the C. elegans Box C/D Complex", Communications Chemistry, vol. 7, no. 1, Dec. 2024
- F. Müller, B. R. Brutiu, I. Saridakis, T. Leischner, M. Birklbauer, M. Matzinger, T. Lendl, S. Shaaban, V. Dorfer, N. Maulide, and K. Mechtler, "A Journey Towards Developing a New Cleavable Crosslinker Reagent for In-Cell Crosslinking", in review at Communications Chemistry
- M. J. Birklbauer, F. Müller, M. Matzinger, K. Mechtler, and V. Dorfer, "Unified Down-Stream Analysis of Crosslink Results with pyXLMS", is a planned journal article to be submitted in 2025 to *Bioinformatics*
- F. Müller, **M. J. Birklbauer**, D. Hollenstein, V. Dorfer, and K. Mechtler, "Optimized Crosslink Quantification using Data-Independent Acquisition", is a planned journal article to be submitted in 2025 to *Nature Communications*

### Other Publications (Published or in Preparation)

A. Grimaud, M. J. Birklbauer, L. Levitsky, L. Buur, V. Gorshkov, Z. Udvardy, C. Lennartsson, and V. Schwämmle, "Making Sense of Internal lons" is a planned journal article to be submitted in 2025 to the *Journal of Proteome Research* 

### **Software**

21/03/2022

MS Annika is a cross-linking search engine capable of identifying crosslinks from both cleavable and noncleavable reagents, and with support for a variety of acquisition workflows including multi-stage tandem acquisition. MS Annika is available at <a href="https://github.com/hgb-bin-proteomics/MSAnnika">https://github.com/hgb-bin-proteomics/MSAnnika</a>

### **Conference Contributions**

21/00/2022	1 OSICI AL THE EUDIO WILLOW CONTOOL
13/09/2022	Talk at APRMS 2022
15/01/2023	Talk and poster at the EuBIC-MS Developers Meeting
27/09/2023	Poster at APRMS 2023
15/01/2024	Co-Organizer and poster at the EuBIC-MS Winter
	School
25/09/2024	Talk and "Best Presentation" winner at APRMS 2024

Poster at the FuBIC-MS Winter School

