24 V power IN

5 V Power in
(for LED strips)

Close to use internal +5 V

SPI outs
(for LED strips)

Populate R47 and R48 if LED strip
requires 5 V data input. Switch GPIO
to Open collector then

Onboard PWM Power channels

Row In

Warning, configure as Open drain output!

Housings_DIP:DIP-20_W7.62mm_LongPads

Onboard Power channels

Onboard Power channels

Column Out
drive only one of the outputs low
Init: keep Ser_In and RCK low, pulse SRCK 8 times
Enable Drain0: keep Ser_in and RCK high, pulse SRCK, pulse Ser_in and RCK
... from now on, keep Ser_in and RCK low ...
Enable Drain1: pulse SRCK, pulse Ser_in and RCK

Main Pinball controller for Fan-Tas-Tic
* TI TIVA C brain
* 4 Solenoid drivers with PWM control
* 8 Solenoid drivers (On / Off only)
* 8 x 8 Switch Matrix
* 4 x I2C Bus for extension

Sheet: /
File: fan_tas_tic.sch

Title:

Size: A3	Date:	**Rev:**
KiCad E.D.A. kicad 4.0.1-2.201512121406+6195~ubuntu14.04.1-stable	Id: 1/14	

Warning, configure PB0 and PB1 as open drain output with external pullup



Table 2-3. J1 Connector[1]

J1 Pin	GPIO	Analog Function / GPIO AMSEL	On-board Function	Tiva C Series MCU Pin	GPIOPCTL Register Setting										
					1	2	3	4	5	6	7	8	9	14	15
1.01	3.3 V														
1.02	PB5	AIN11	–	57	–	SSI2Fss	–	M0PWM3	–	–	T1CCP1	CAN0Tx	–	–	–
1.03	PB0	USB0ID	–	45	U1Rx	–	–	–	–	–	T2CCP0	–	–	–	–
1.04	PB1	USB0VBUS	–	46	U1Tx	–	–	–	–	–	T2CCP1	–	–	–	–
1.05	PE4	AIN9	–	59	U5Rx	–	I2C2SCL	M0PWM4	M1PWM2	–	–	CAN0Rx	–	–	–
1.06	PE5	AIN8	–	60	U5Tx	–	I2C2SDA	M0PWM5	M1PWM3	–	–	CAN0Tx	–	–	–
1.07	PB4	AIN10	–	58	–	SSI2Clk	–	M0PWM2	–	–	T1CCP0	CAN0Rx	–	–	–
1.08	PA5	–	–	22	–	SSI0Tx	–	–	–	–	–	–	–	–	–
1.09	PA6	–	–	23	–	–	I2C1SCL	–	M1PWM2	–	–	–	–	–	–
1.10	PA7	–	–	24	–	–	I2C1SDA	–	M1PWM3	–	–	–	–	–	–

(1) Shaded cells indicate configuration for compatibility with the MSP430 LaunchPad.

Table 2-4. J2 Connector[1]

J2 Pin	GPIO	Analog Function / GPIO AMSEL	On-board Function	Tiva C Series MCU Pin	GPIOPCTL Register Setting										
					1	2	3	4	5	6	7	8	9	14	15
2.01	GND														
2.02	PB2	–	–	47	–	–	I2C0SCL	–	–	–	T3CCP0	–	–	–	–
2.03	PE0	AIN3	–	9	U7Rx	–	–	–	–	–	–	–	–	–	–
2.04	PF0	–	USR_SW2/ WAKE (R1)	28	U1RTS	SSI1Rx	CAN0Rx	–	M1PWM4	PhA0	T0CCP0	NMI	C0o	–	–
2.05	RESET														
2.06	PB7	–	–	4	–	SSI2Tx	–	M0PWM1	–	–	T0CCP1	–	–	–	–
	PD1	AIN6	Connected for MSP430 Compatibility (R10)	62	SSI3Fss	SSI1Fss	I2C3SDA	M0PWM7	M1PWM1	–	WT2CCP1	–	–	–	–
2.07	PB6	–	–	1	–	SSI2Rx	–	M0PWM0	–	–	T0CCP0	–	–	–	–
	PD0	AIN7	Connected for MSP430 Compatibility (R9)	61	SSI3Clk	SSI1Clk	I2C3SCL	M0PWM6	M1PWM0	–	WT2CCP0	–	–	–	–
2.08	PA4	–	–	21	–	SSI0Rx	–	–	–	–	–	–	–	–	–
2.09	PA3	–	–	20	–	SSI0Fss	–	–	–	–	–	–	–	–	–
2.10	PA2	–	–	19	–	SSI0Clk	–	–	–	–	–	–	–	–	–

(1) Shaded cells indicate configuration for compatibility with the MSP430 LaunchPad.

Table 2-5. J3 Connector[1]

J3 Pin	GPIO	Analog Function / GPIO AMSEL	On-board Function	Tiva C Series MCU Pin	GPIOPCTL Register Setting										
					1	2	3	4	5	6	7	8	9	14	15
3.01	5.0 V														
3.02	GND														
3.03	PD0	AIN7	–	61	SSI3Clk	SSI1Clk	I2C3SCL	M0PWM6	M1PWM0	–	WT2CCP0	–	–	–	–
	PB6	–	Connected for MSP430 Compatibility (R9)	1	–	SSI2Rx	–	M0PWM0		–	T0CCP0	–	–	–	–
3.04	PD1	AIN6	–	92	SSI3Fss	SSI1Fss	I2C3SDA	M0PWM7	M1PWM1	–	WT2CCP1	–	–	–	–
	PB7	–	Connected for MSP430 Compatibility (R10)	4	–	SSI2Tx	–	M0PWM1	–	–	T0CCP1	–	–	–	–
3.05	PD2	AIN5		63	SSI3Rx	SSI1Rx	–	M0FAULT0	–	–	WT3CCP0	USB0EPEN			
3.06	PD3	AIN4	–	64	SSI3Tx	SSI1Tx	–	–	–	–	WT3CCP1	USB0PFLT	–	–	–
3.07	PE1	AIN2	–	8	U7Tx	–	–	–	–	–		–	–	–	–
3.08	PE2	AIN1	–	7	–	–	–	–	–	–	–	–	–	–	–
3.09	PE3	AIN0	–	6	–	–	–	–	–	–	–	–	–	–	–
3.10	PF1	–	–	29	U1CTS	SSI1Tx	–	–	M1PWM5	–	T0CCP1	–	C1o	TRD1	–

(1) Shaded cells indicate configuration for compatibility with the MSP430 LaunchPad.

Table 2-6. J4 Connector

J4 Pin	GPIO	Analog Function / GPIO AMSEL	On-board Function	Tiva C Series MCU Pin	GPIOPCTL Register Setting										
					1	2	3	4	5	6	7	8	9	14	15
4.01	PF2	–	Blue LED (R11)	30	–	SSI1Clk	–	M0FAULT0	M1PWM6	–	T1CCP0	–	–	–	TRD0
4.02	PF3	–	Green LED (R12)	31	–	SSI1Fss	CAN0Tx	–	M1PWM7	–	T1CCP1	–	–	–	TRCLK
4.03	PB3	–	–	48	–	–	I2C0SDA	–	–	–	T3CCP1	–	–	–	–
4.04	PC4	C1–	–	16	U4Rx	U1Rx	–	M0PWM6	–	IDX1	WT0CCP0	U1RTS	–	–	–
4.05	PC5	C1+	–	15	U4Tx	U1Tx	–	M0PWM7	–	PhA1	WT0CCP1	U1CTS	–	–	–
4.06	PC6	C0+	–	14	U3Rx	–	–	–	–	PhB1	WT1CCP0	USB0EPEN	–	–	–
4.07	PC7	C0–	–	13	U3Tx	–	–	–	–	–	WT1CCP1	USB0PFLT	–	–	–
4.08	PD6	–	–	53	U2Rx	–	–	–	–	PhA0	WT5CCP0	–	–	–	–
4.09	PD7	–	–	10	U2Tx	–	–	–	–	PhB0	WT5CCP1	NMI	–	–	–
4.10	PF4	–	USR_SW 1 (R13)	5	–	–	–	–	M1FAULT0	IDX0	T2CCP0	USB0EPEN	–	–	–



po_{0-3}_pwm = M0PWM{0-3}

Sheet: /TiviaBoard/
File: tiviaBoard.sch

Title:

Size: A4 | Date: | **Rev:**

KiCad E.D.A. kicad 4.0.1-2.201512121406+6195~38ubuntu14.04.1-stable | Id: 2/14



Sheet: /powerChannel4/
File: powerChannel.sch

Title:

Size: A4 | Date: | **Rev:**

KiCad E.D.A. kicad 4.0.1-2.201512121406+6195~38ubuntu14.04.1-stable | Id: 3/14



Sheet: /powerChannel5/		
File: powerChannel.sch		
Title:		
Size: A4	Date:	**Rev:**
KiCad E.D.A. kicad 4.0.1-2.201512121406+6195~38ubuntu14.04.1-stable	Id: 4/14	



Sheet: /powerChannel6/
File: powerChannel.sch

Title:

Size: A4 | Date: | **Rev:**

KiCad E.D.A. kicad 4.0.1-2.201512121406+619538ubuntu14.04.1-stableId: 5/14



Sheet: /powerChannel7/
File: powerChannel.sch

Title:

Size: A4 | Date: | **Rev:**

KiCad E.D.A. kicad 4.0.1-2.201512121406+6195~38ubuntu14.04.1-stable | Id: 6/14



Sheet: /powerChannel8/
File: powerChannel.sch

Title:

Size: A4 | Date: | **Rev:**

KiCad E.D.A. kicad 4.0.1-2.201512121406+619538ubuntu14.04.1-stableId: 7/14



Sheet: /powerChannel9/
File: powerChannel.sch

Title:

Size: A4 | Date: | **Rev:**

KiCad E.D.A. kicad 4.0.1-2.201512121406+619538ubuntu14.04.1-stableId: 8/14



Sheet: /powerChannel10/
File: powerChannel.sch

Title:

Size: A4 | Date: | **Rev:**

KiCad E.D.A. kicad 4.0.1-2.201512121406+619538ubuntu14.04.1-stableId: 9/14



Sheet: /powerChannel11/
File: powerChannel.sch

Title:

Size: A4 | Date: | **Rev:**

KiCad E.D.A. kicad 4.0.1-2.201512121406+619538ubuntu14.04.1-stableId: 10/14



Sheet: /I2C_LEVEL_SHIFT0/
File: I2C_LEVEL_SHIFT.sch

Title:

Size: A4 | Date: | **Rev:**

KiCad E.D.A. kicad 4.0.1-2.201512121406+619538ubuntu14.04.1-stableId: 11/14



Sheet: /I2C_LEVEL_SHIFT1/		
File: I2C_LEVEL_SHIFT.sch		
Title:		
Size: A4	Date:	**Rev:**
KiCad E.D.A. kicad 4.0.1-2.201512121406+619538ubuntu14.04.1-stable	Id: 12/14	



Sheet: /I2C_LEVEL_SHIFT2/
File: I2C_LEVEL_SHIFT.sch

Title:

Size: A4 | Date: | **Rev:**

KiCad E.D.A. kicad 4.0.1-2.201512121406+619538ubuntu14.04.1-stableId: 13/14



Sheet: /I2C_LEVEL_SHIFT3/
File: I2C_LEVEL_SHIFT.sch

Title:

Size: A4 | Date: | **Rev:**

KiCad E.D.A. kicad 4.0.1-2.201512121406+619538ubuntu14.04.1-stableId: 14/14