

Charge Code updates

Thursday, January 13, 2022 3:58 PM

TE/PCTS Updates -

- **From 9/1 and forward**, please allocate all time to project below:
 - USPS Ship EMS Fraud
- See table below for TE charge code/PCTS task you can use **from 9/1 and going forward**.

Project	TE Charge Code	PCTS Project
USPS Ship Application Development	22774.0007.001.001.001	4724:EXP:FY26:USPS:SHIP:Fraud 713

Mailer Review / Pricing Connections

Wednesday, July 22, 2026 11:50 AM

Please see below for PPC access information (use your Ace ID):

Openshift

You have been set up as a user in Openshift for the requested projects. You can access the Openshift cluster(s) at:

- UI
 - NonProd: <https://console-openshift-console.apps.rosa.shipe2-np.dced.p3.openshiftapps.com>
 - PreProd: <https://console-openshift-console.apps.rosa.shipe2-pp.584u.p3.openshiftapps.com>
 - Beta: <https://console-openshift-console.apps.rosa.shipe2-beta.kchn.p3.openshiftapps.com>
 - Prod:
 - ROSA west-1: <https://console-openshift-console.apps.shipw1.ce6j.p1.openshiftapps.com>
 - ROSA east-2: <https://console-openshift-console.apps.rosa.shipe2.lt09.p3.openshiftapps.com>
- API
 - NonProd: <https://api.shipe2-np.dced.p3.openshiftapps.com:443>
 - PreProd: <https://api.shipe2-pp.584u.p3.openshiftapps.com:443>
 - Beta: <https://api.shipe2-beta.kchn.p3.openshiftapps.com:443>
 - Prod:
 - ROSA west-1: <https://api.shipw1.ce6j.p1.openshiftapps.com:6443>
 - ROSA east-2: <https://api.shipe2.lt09.p3.openshiftapps.com:443>

Databases:

You have been granted access to the requested databases. For all databases, your user has been set up with the default password of **UspsDefault1234#**, and you should be prompted on your first login to change that password.



Username: **DB_A** (in the case of **PostgreSQL (Manifest)** and **Redshift (Reporting)**, this will be **CEID** lowercase, and the password will be emailed to you separately)

There is a self-service password reset for all PPC databases located here: <https://jenkins-aws.usps.gov/job/SelfService/job/DBResetSelfService/>

The connection information to the databases is as follows:

The connection information to the databases is as follows:

- PPC Mailer Review [MySQL on RDS]:
 - Dev
 - JDBC Url: jdbc:mysql://ppcmailerreview-dev1-use2-aurora-mysql-cluster.cluster-ro-

c4pbfxzrxcc.us-east-2.rds.amazonaws.com:2015/ppcmailerreview

Dev2

JDBC Url: jdbc:mysql://ppcmailerreview-dev2-use2-aurora-mysql-cluster.cluster-ro-c4pbfxzrxcc.us-east-2.rds.amazonaws.com:2015/ppcmailerreview2

Sit

JDBC Url: jdbc:mysql://ppcmailerreview-sit1-use2-aurora-mysql-cluster.cluster-ro-c4pbfxzrxcc.us-east-2.rds.amazonaws.com:2015/ppcmailerreview

Sit2

JDBC Url: jdbc:mysql://ppcmailerreview-sit2-use2-aurora-mysql-cluster.cluster-ro-c4pbfxzrxcc.us-east-2.rds.amazonaws.com:2015/ppcmailerreview2

Cat

JDBC Url: jdbc:mysql://ppcmailerreview-cat1-use2-aurora-mysql-cluster.cluster-ro-c58aeeic63c1.us-east-2.rds.amazonaws.com:2015/ppcmailerreview

Cat2

JDBC Url: jdbc:mysql://ppcmailerreview-cat2-use2-aurora-mysql-cluster.cluster-ro-c58aeeic63c1.us-east-2.rds.amazonaws.com:2015/ppcmailerreview

Prod

JDBC Url: jdbc:mysql://ppcmailerreview-prod-aurora-cluster.cluster-ro-c5ldfca1ixz9.us-west-1.rds.amazonaws.com:2015/ppcmailerreview

- PPC Pricing [Oracle on RDS]; TNS Entries:

ppcpricing-dev = (DESCRIPTION=(ADDRESS=(PROTOCOL=tcp)(HOST=ppcpricing-dev1-use2-oracle-ee-instance.c4pbfxzrxcc.us-east-2.rds.amazonaws.com)(PORT=2015))
(CONNECT_DATA=(SID=ORCL)))

ppcpricing-dev2 = (DESCRIPTION=(ADDRESS=(PROTOCOL=tcp)(HOST=ppcpricing-dev2-use2-oracle-ee-instance.c4pbfxzrxcc.us-east-2.rds.amazonaws.com)(PORT=2015))
(CONNECT_DATA=(SID=ORCL)))

ppcpricing-sit = (DESCRIPTION=(ADDRESS=(PROTOCOL=tcp)(HOST=ppcpricing-sit1-use2-oracle-ee-instance.c4pbfxzrxcc.us-east-2.rds.amazonaws.com)(PORT=2015))
(CONNECT_DATA=(SID=ORCL)))

ppcpricing-sit2 = (DESCRIPTION=(ADDRESS=(PROTOCOL=tcp)(HOST=ppcpricing-sit2-use2-oracle-ee-instance.c4pbfxzrxcc.us-east-2.rds.amazonaws.com)(PORT=2015))
(CONNECT_DATA=(SID=ORCL)))

ppcpricing-cat = (DESCRIPTION=(ADDRESS=(PROTOCOL=tcp)(HOST=ppcpricing-cat1-use2-oracle-ee-instance.c58aeeic63c1.us-east-2.rds.amazonaws.com)(PORT=2015))
(CONNECT_DATA=(SID=ORCL)))

ppcpricing-cat2 = (DESCRIPTION=(ADDRESS=(PROTOCOL=tcp)(HOST=ppcpricing-cat2-use2-oracle-ee-instance.c58aeeic63c1.us-east-2.rds.amazonaws.com)(PORT=2015))
(CONNECT_DATA=(SID=ORCL)))

ppcpricing-beta = (DESCRIPTION=(ADDRESS=(PROTOCOL=tcp)(HOST=ppcpricing-beta-use2-oracle-ee-replica.ct8yy6iospop.us-east-2.rds.amazonaws.com)(PORT=2015))
(CONNECT_DATA=(SID=ORCL)))

ppcpricing-tem = (DESCRIPTION=(ADDRESS=(PROTOCOL=tcp)(HOST=ppcpricing-tem-use2-oracle-ee-replica.ct8yy6iospop.us-east-2.rds.amazonaws.com)(PORT=2015))
(CONNECT_DATA=(SID=ORCL)))

ppcpricing-prod = (DESCRIPTION=(ADDRESS=(PROTOCOL=tcp)(HOST=orcl-ppcpricing-prod-replica.c5ldfca1ixz9.us-west-1.rds.amazonaws.com)(PORT=2015))
(CONNECT_DATA=(SID=ORCL)))

General

Monday, October 1, 2018 8:59 AM

Yesterday

- Dev2 Manifest Tech Debt Testing Complete
- V1 Tracking: B-1067476 - R30

Todo

Impediments

- SIT2 Manifest Tech Debt Testing

Risks

- N/A

ETE Testing Contacts

[Integrated System Contacts.docx](#)

Tracking hours:

[Package Platform - Documents - Agile - All Documents](#)

[PROD Validations R28.0.1.0.xlsx](#)

Testing Guide Locations

<https://afsdefense.sharepoint.us/sites/PackagePlatform/Shared%20Documents/Forms/AllItems.aspx?csf=1&web=1&e=oBRetp&TeamsCID=d42d14af%2D796d%2D48f0%2Da885%2D1140a699f643&CID=30e32b5e%2Dbe56%2D4e89%2D81d9%2D0b92e4dc0a9a&FolderCTID=0x012000207795DA43BBE0438C6562AB6D0C8647&id=%2Fsites%2FPackagePlatform%2FShared%20Documents%2F06%2E%20SIT%2F01%2E%20Reference%20Material%2FTesting%20Guides>

[Weekly Productivity Report](#)

[Sit Tracker R 21](#)

Useful info:

Change Password AFS Site:

go.accenturefederal.com/password

T&E time: <https://cp.accenturefederal.com/cpweb/cploginform.htm?1629961083>

zScaler Password: B/TuHKM<j&()Q#BN^y70P(*

Devsub:

#DEVdm852XXXXXX

#DEVdm852670241

Finance Number:

670241

proxy.usps.gov

New sharepoint

<https://afsdef07ense.sharepoint.us/sites/PackagePlatform/Shared%20Documents/Forms/AllItems.aspx>

<https://portal.accenturefederal.com>

Account Management Distro / Contact:

Dev_PPC_Acct_Mgmt_Payment@usps.gov

TQ: <https://in.accenture.com/technologyquotient/>

jonathan.g.wilson is managing director

lauren.m.jokl is Project Manager

Distro to send PTO too -

PP.TESTS.VATS

<PP.TESTS.VATS@afs.com

>

Documentation

Friday, July 17, 2026 2:47 PM

Manifest Documentation:

[Documents > 09. Manifest Service > Documentation](#)

[USPS Ship Manifest Functionality.docx](#)

[Manifest Flow Companion Sheet.xlsx](#)

[Manifest SSF Flow 11-21-2025 v2.vsd](#)

[Testing Guide Template.docx](#)

Testing Guide Locations

<https://afsdefense.sharepoint.us/sites/PackagePlatform/Shared%20Documents/Forms/AllItems.aspx?csf=1&web=1&e=oBRetp&TeamsCID=d42d14af%2D796d%2D48f0%2Da885%2D1140a699f643&CID=30e32b5e%2Dbe56%2D4e89%2D81d9%2D0b92e4dc0a9a&FolderCTID=0x012000207795DA43BBE0438C6562AB6D0C8647&id=%2Fsites%2FPackagePlatform%2FShared%20Documents%2F06%2E%20SIT%2F01%2E%20Reference%20Material%2FTesting%20Guides>

Unplanned Time Tracking

Wednesday, September 9, 2026 11:33 AM

[USPS Ship TCO Questions.xlsx](#)

[B-1067476 Squad 1 & 2 Team - Support Requests - R30 Cycle | Digital.ai Agility](#)
9/24/2026 - Daria - Prod Beta

[B-1099537 Squad 1 & 2 Team- Support Request - R31Cylce | Digital.ai Agility](#)

Java Fix

Friday, August 28, 2026 12:08 PM

JAVA mapping issues with Company Portal.

Due to the change to Company Portal and requiring Java to be installed via the portal (external installs may be removed at any time by AFS). A new PATH may need to be added to fix the issue.

1) Install Java from Company Portal (best off the VPN due to file size and you may need to retry a few times if download fails)

2) To add to PATH

Start Menu > Type Environment Variable (Edit the System Environment Variable)

System Properties Dialog
Advanced > Environment Variables

Environment Variable Dialog
Under User Variables > Click Path > Edit...


Edit environment variable dialog
New > Paste C:\Program Files\Java\latest\jre-1.8\bin > OK

OK on Environment Variable Dialog
OK on System Properties Dialog

Close all PowerShell and Command Prompt Windows.

Open fresh Command Prompt or Powershell

Type java and press enter. This should verify Java is now properly mapped.



```
C:\Windows\System32\cmd.exe X Windows PowerShell X + v
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Install the latest PowerShell for new features and improvements! https://aka.ms/PSWindows

PS C:\Users\d-juan.rider.mireles> java
Usage: java [-options] class [args...]
        (to execute a class)
or java [-options] -jar jarfile [args...]
        (to execute a jar file)
where options include:
    -d32          use a 32-bit data model if available
    -d64          use a 64-bit data model if available
    -server       to select the "server" VM
                  The default VM is server.

    -cp <class search path of directories and zip/jar files>
    -classpath <class search path of directories and zip/jar files>
                  A ; separated list of directories, JAR archives,
                  and ZIP archives to search for class files.
    -D<name>=<value>
                  set a system property
    -verbose:[class|gc|jni]
                  enable verbose output
```

```
and ZIP archives to search for class files.  
-D<name>=<value>    set a system property  
-verbose:[class|gc|jni] enable verbose output  
-version            print product version and exit  
-version:<value>    Warning: this feature is deprecated and will be removed  
                    in a future release.
```


EEB

Thursday, August 27, 2026 10:08 AM

I think Eric Nixon ran into a similar issue recently he wasn't seeing this topic in the GUI pkgplfm-fraud-dev-emas-unused-labels and this was Gerry's recommendation:
the gui is configured to only read topics with "dev2", "sit2" etc in the topic name
you can add a new block to the kafkaenvs file with "dev" and the gui should then show that topic
I don't use the GUI, but I see the mirrored EEB topics are listed if I just the nonprod topics:
kafka-topics.bat --bootstrap-server kafka-path2.apps.ship-np.aws.use2.usps.gov:443 --command-config nonprod.properties --list

```
C:\devtools\kafka\bin\windows>kafka-topics.bat --bootstrap-server
EEB.MANIFEST.SHIPPINGPARTNER
EEB.MANIFEST.SHIPPINGPARTNER.EMS.STATUS
EEB.MANIFEST.SHIPPINGPARTNER.EMS.STATUS.REJECTED
EEB.MANIFEST.SHIPPINGPARTNER.EMS.VALIDATION
EEB.MANIFEST.SHIPPINGPARTNER.EMS.VALIDATION.REJECTED
EEB.MANIFEST.SHIPPINGPARTNER.REJECTED
EEB.MANIFEST.SHIPPINGSERVICE
EEB.MANIFEST.SHIPPINGSERVICE.EMS.STATUS
EEB.MANIFEST.SHIPPINGSERVICE.EMS.STATUS.REJECTED
EEB.MANIFEST.SHIPPINGSERVICE.EMS.VALIDATION
EEB.MANIFEST.SHIPPINGSERVICE.EMS.VALIDATION.REJECTED
EEB.MANIFEST.SHIPPINGSERVICE.REJECTED
EEB.OPERATIONS.MYPO.OVERLABELING.AMAZON
EEB.REFERENCE.FAST.CUSTOMER.REDIRECT
IV.PPC.OPERATION.PACKAGESCAN
```

From <<https://gov.teams.microsoft.us/v2/>>

Prod Issue -Temporary Emas Account Start Date Update

Monday, July 20, 2026 11:24 AM

Story Name: Temporary Emas Account Start Date Update

Description:

As a USPS Manager, I want the Start Date of the EMAS Accounts to match the related MID's Start Date instead of the setting the Start Date to when the data was received . This will ensure that packages are correctly marked as enrolled based on date.

AC:

Manifest will set the Start_Date field of the emas entry in emas-intl-alms-barcd-rng Redis cache to the related MID's Start_Date in the account_profile_outbound Redis cache. The start_date of the emas-intl-alms-barcd-rng entry will match the MID's Start_Date of the account_profile_outbound cache.

Friday, June 26, 2026 12:29 PM

Ssf_raw Pkg

pic	class_of_mail	rate_indicator	destination_rate_indicator	processing_category
9225090112084683359537		S2	PR D	3

Manifest Flow

Monday, November 17, 2025

1:57 PM

Key Points:

- Flow document that shows each decision point that a package can encounter
 - Destinations of each path
- Each step in the follow will be numbered
 - A companion Excel will explain each step

Moving Files to the processing folder

Monday, November 17, 2025 12:24 PM

I made the copies of the 1M package spefs (so from the manifest-1-pod) you could do the following commands:
first go to the completed spef folder:
`cd /opt/data/completed/spef`

```
cd /opt/data/completed/ptr  
mv 1million_11-17-2025_v* /opt/data/inbound/ptr
```

then move the files to the inbound folder
`mv 20251117111111000_spef_*
/opt/data/inbound/spef/`

```
-rw-r--r-- 1 100011000000 root 802 Oct 25 12:50 20251107112010701_51772_spef_2mats_10-20-  
-rw-r--r-- 1 100011000000 root 67938796 Nov 3 10:50 20251103195640142_20251103_1353_mats_tra  
-rw-r--r-- 1 100011000000 root 8620000002 Nov 7 17:35 20251117111111000_spef_1.connatId  
-rw-r--r-- 1 100011000000 root 8620000002 Nov 17 18:15 20251117111111000_spef_2.connatId  
-rw-r--r-- 1 100011000000 root 8620000002 Nov 17 18:15 20251117111111000_spef_3.connatId  
-rw-r--r-- 1 100011000000 root 8620000002 Nov 17 18:15 20251117111111000_spef_4.connatId  
-rw-r--r-- 1 100011000000 root 8620000002 Nov 17 18:15 20251117111111000_spef_5.connatId  
-rw-r--r-- 1 100011000000 root 8620000002 Nov 17 18:16 20251117111111000_spef_6.connatId  
-rw-r--r-- 1 100011000000 root 8620000002 Nov 17 18:16 20251117111111000_spef_7.connatId  
-rw-r--r-- 1 100011000000 root 8620000002 Nov 17 18:16 20251117111111000_spef_8.connatId  
-rw-r--r-- 1 100011000000 root 8620000002 Nov 17 18:16 20251117111111000_spef_9.connatId  
-rw-r--r-- 1 100011000000 root 8620000002 Nov 17 18:17 20251117111111000_spef_0.connatId  
ls-l-ls mv 20251117111111000_spef_**C
```

It should be similar with the ssf files. and you could use manifest-1-enrollment to access any of the directories (spef/ssf/nmats)

Working

Tuesday, September 9, 2025

12:40 PM

Monday, February 3, 2025 1:51 PM

```
"MID_PROF_NAME": "3710301003092040427",
"END_DATE": null,
"CRID": "20587777",
"EPS_ACCT_NUMBER": "1000062583",
"MID": "900666415",
"PROD_GRP_NAME": "Outbound",
"MASTER_MID": "900666414",
"PROD_WFLWL_NAME": "Live",
"LAST_UPDA_DATE": "[date(1714187249000)]",
"MID_USER_CRID": "1000529261",
"PROD_WFLWL_CODE": "1004",
"MID_OWNER_CRID": "20587777",
"START_DATE": "[date(1714176000000)]",
"PROD_WFLWL_TYPE": "L",
"POX_FLG": "N",
"PAYMENT_TYPE": "E",
"PERMIT_NO": "",
"PERMIT_TYPE": "",
"PERMIT_FINANCE_NO": "",
"AGENCY_CODE": "",
"AGENCY_COST_CODE": "",
"LEGACY_EXTRACT": "N",
"POSTAGE_EXT_FORMAT": "",
"FILE_VERSION": "",
"DESTINATION_FORMAT": "",
"UPDLAD_TIME": "2025-10-06T19:21:05.636489+00:00"
```

```
"MID_PROF_SEQ": "3979101267642040817",
"END_DATE": null,
"CRID": "20627889",
"EPS_ACCT_NUMBER": "1000086312",
"MID": "900070565",
"PROD_GRP_NAME": "Outbound",
"MASTER_MID": "900070565",
"PROD_WKFLW_NAME": "Live",
"LAST_UPDATE_DATE": "/Date(1723863240000)/",
"MID_OWNER_CRID": "20627889",
"PROD_WKFLW_CODE": "L004",
"MID_OWNER_CRID": "20627889",
"START_DATE": "/Date(1723852800000)/",
"PROD_WKFLW_TYPE": "L",
"POX_FLG": "N",
"PAYMENT_TYPE": "E",
"PERMIT_NO": "",
"PERMIT_TYPE": "",
"PERMIT_FINANCE_NO": "",
"AGENCY_CODE": "",
"AGENCY_COST_CODE": "",
"LEGACY_EXTRACT": "N",
"POSTAGE_EXT_FORMAT": "",
"FILE_VERSION": "",
"DESTINATION_FORMAT": "",
"UPLOAD_TIME": "2025-10-06T19:21:05.636489+00:00"
```

```
"EPS_ACT_NUMBER": "100028864", "PROD_1661801": "PROD_1661801", "PROD_GRP_NAME": "Outboard",
  "MASTER_MID": "901116766", "PROD_WKFLW_NAME": "Live", "LAST_UPDATE_DATE":
    "/Date1761748557000/", "MID_USER_CODE": "95177619", "PROD_WKFLW_CODE": "0004",
  "MID_OWNER_CODE": "95177619", "START_DATE": "/Date1761696000000/", "PROD_WKFLW_TYPE":
    "L", "PDG_FLG": "1", "PAYMENT_TYPE": "E", "PERMIT_NO": "", "PERMIT_TYPE":
    "PERMIT_FINANCE_NO": "", "AGENCY_CODE": "", "AGENCY_COST_CODE": "", "LEGACY_EXTRACT": "N",
    "POSTAGE_EXCT_FORMAT": "", "FILE_VERSION": "", "DESTINATION_FORMAT": "", "UPLOAD_TIME":
    "2026-02-24T18:21:04.877486+00:00"]
```

Enrollments:

- USPS Mail Entry (CRID 8974561) should be Ship Live (eVS Parallel)
- Ashton Potter (CRID 22167266) should be Ship Pilot (eVS Parallel)
- Note that they are NOT eVS Live, they'd be Ship Pilot and eVS Parallel

Scenario

3. H1 MID is USPS Mail Entry (CRID 8974561)
- D1 MID is Ashton Potter (CRID 22167266)

```
Dev2 international
{
  "CRID": "Z0534564",
  "MASTER_MID": "900027281",
  "MID": "900027281",
  "ALMS_ID": "0",
  "BARCODE_RANGE_PREFIX": "EZ",
  "BARCODE_LOWER_RANGE": "10210557",
  "BARCODE_UPPER_RANGE": "10210557",
  "PREFIX_BARCODE_LOWER_RANGE": "EZ10210557",
  "PREFIX_BARCODE_UPPER_RANGE": "EZ10210557",
  "MAIL_CLASS": "IE",
  "SERVICE_DESC": "",
  "EPS_ACCT_NUMBER": "1000001401",
  "PROD_GRP_NAME": "Outbound",
  "PROD_WKFLW_NAME": "Live",
  "PROD_WKFLW_CODE": "L004",
  "PROD_WKFLW_TYPE": "L",
  "START_DATE": "2020-03-02",
  "END_DATE": "",
  "MID_OWNER_CRID": "Z0534564",
  "SPPostage": "N",
  "UPLOAD_TIME": "2026-02-04T19:15:04.962651+00:00"
}
```

```
"MID_PROJ_SEQ": "335833177467220240904",
"END_DATE": null,
"CRIID": "20400372",
"EPS_ACCT_NUMBER": "1000001869",
"MID": "900027955",
"PROD_GRP_NAME": "Outbound",
"MASTER_MID": "900008036",
"PROD_WKFLW_NAME": "Live",
"LAST_UPDATE_DATE": "/Date(1725435403000)/",
"MDL_USER_CRIID": null,
"PROD_WKFLW_CODE": "L004",
"MDL_OWNER_CRIID": "20400372",
"START_DATE": "/Date(1725408000000)/",
"PROD_WKFLW_TYPE": "L",
"POX_FLG": "I",
"PAYMENT_TYPE": "E",
"PERMIT_NO": "",
"PERMIT_TYPE": "",
"PERMIT_FINANCE_NO": "",
"AGENCY_CODE": "",
"AGENCY_COST_CODE": "",
"LEGACY_EXTRACT": "N",
"POSTAGE_EXT_FORMAT": "",
"FILE_VERSION": "",
"DESTINATION_FORMAT": "",
"UPLOAD_TIME": "2025-10-06T20:21:19.12574+00:00"
```

```
Dev2 returns:
'976417202-218':['MID_PROD_SEQ':33571677674343865204080','EPS_ACCT_NUMBER':
'1000046901','PROD_WKFLW_SEQ':'L','END_DATE':null,'MID_CLASS_DESC':'USPS Ground
Advantage Return','CRID':'2436355','TYPE':'CLASS','FR':null,'TIM':'18','976417202-
PROD_PROD_GRP_NAME':'Network Returns','MASTER_MID':null,'PROD_WKFLW_NAME':'Returns
Manifest Attributes (Live)','MID_USER_CRID':null,'PROD_WKFLW_SEQ':'1008',
'MID_OWNER_CRID':'2436355','START_DATE':/Date(1720352000000)/,'DEFAULT_POSTAGE':
'4.5','PDX_FLG':1,'PAYMENT_TYPE':'E','PERMIT_NO':null,'PERMIT_TIME':
'PERMIT_FINANCE_01','AGENCY_COST':null,'AGENCY_COST_CODE':null,'UPLOAD_TIME':
'2025-11-24T15:31:04.512954+00:00']
```

```

Outbound Omsv desc
["MID","PROF_SEQ","34777492156082050501","END_DATE":null,"CRID":"","15160402",
"EPG_CD","AGENCY_CD_NUMBER":"","MID":"","302190358","PROD_GRP_NAME":"Outbound","MASTER_MID":
"969033681","PROD_GRP_NAME_VL","LAST_UPLOAD_DATE":"Date[1474717937800]","
"PROD_GRP_SEQ","15160402","PROD_GRP_SEQ","1004","MID_OVDOM","15160402",
"START_DATE":"Date[1746057600000]","PROD_WKFLW_TYPR":"","1","POD_XFLG":"","1",
"PAYMENT_TYPR":"","0","PERMIT_NO":"","225","PERMIT_TYPR":"","0I","PERMIT_FINANCE_NO":"","661204",
"AGENCY_CD":"","189","AGENCY_COST_CODE":"","00000","LEGACY_EXTRACT":"","N",
"AGENCY_COST_CODE":"","00000","FILE_VERSION":"","","DESTINATION_FORMAT":"","","UPLOAD_TIME":
"2015-12-24T17:21:39.191359+0000"]

```

From <https://jenkins-aws.usps.gov/job/PPCSelfService/job/ReadRedisCache/7685/consoleText>

```
"MID","PROF_SEQ":"5403801474320250913","END_DATE":null,"CUID":"20429125",
"EPS_ACD_NUMBER":"","MID":"90048001","PROF_GRP_NAME":"Outbound","MASTER_MID":
"900021940","PROF_WKFLW_NAME":"Live","LAST_UPDATE_DATE":"/Date(1749811651000)/",
"MID_USER_CRID":null,"PROF_WKFLW_CODE":"L004","MID_OWNER_CRID":"20429125",
"START_DATE":"/Date(1757721600000)/","PROF_WKFLW_TYPE":"L","PDX_FLOG_L":
"PAYMENT_TYPE":"O","PERMIT_NO":"41","PERMIT_TYPE":"O","PERMIT_FINANCE_NO":"661204",
"AGENCY_CODE":"025","AGENCY_COST_CODE":"66100","LEGACY_AGENCY_CODE":
"POSTAGE_EXT_FORMAT":"","FILE_VERSION":"","DESTINATION_FORMAT":"","UPLOAD_TIME":
"2025-10-21T18:21:06+227108+00:00")
```

```
9004800125: [{"MID_PROF_SEQ": "543614747432051121", "END_DATE": "/Date(1763856000000)/", "PRD_WKFLW_CODE": "L004", "MID_OWNER_CRID": "20429125", "MID_OVR_CRID": "20429125", "TFS_ACCT_NUMBER": "9999999999", "MID": "9004800125", "PRD_GRP_NAME": "Outbound", "MASTER_MID": "100090", "PRD_WKFLW_NAME": "Pilot", "LAST_UPDATE_DATE": "/Date(1763797590000)/", "MID_USER_CRID": null, "PRD_WKFLW_CODE": "P002", "PRD_WKFLW_TYPE": "L", "PDX_FLG": "I", "PAYMENT_TYPE": "O", "PERMIT_NUM": "18", "PERMIT_FINANCE_NUM": "9999922", "AGENCY_CODE": "999", "AGENCY_COST_CODE": "99999", "LEGACY_EXTRACT": "N", "POSTAGE_EXT_FORMAT": "", "FILE_VERSION": "", "DESTINATION_FORMAT": "", "UPLOAD_TIME": "2026-01-02T17:21:04.820232+00:00"}]

9004802025: [{"MID_PROF_SEQ": "5468831476652060115", "END_DATE": "/Date(1769644800000)/", "PRD_WKFLW_CODE": "L004", "MID_OWNER_CRID": "20429125", "TFS_ACCT_NUMBER": "", "MID": "9004802025", "PRD_GRP_NAME": "Outbound", "MASTER_MID": "100090", "PRD_WKFLW_NAME": "New Date", "LAST_UPDATE_DATE": "/Date(1768402072000)/", "MID_USER_CRID": null, "PRD_WKFLW_CODE": "L004", "MID_OWNER_CRID": "20429125", "START_DATE": "/Date(1768435200000)/", "PRD_WKFLW_TYPE": "L", "PDX_FLG": "I", "PAYMENT_TYPE": "O", "PERMIT_NUM": "18", "PERMIT_FINANCE_NUM": "9999999999", "AGENCY_CODE": "009", "AGENCY_COST_CODE": "12345", "LEGACY_EXTRACT": "N", "POSTAGE_EXT_FORMAT": "", "FILE_VERSION": "", "DESTINATION_FORMAT": "", "UPLOAD_TIME": "2026-08-05T13:21:05.960192+00:00"}]
```

From <https://jenkins-aws.usps.gov/job/PPCSelfService/job/ReadRedisCache/8123/consoleText>

```
{
  "CRID": "20537266",
  "MASTER_MID": "900619595",
  "MID": "900619595",
  "ALMS_ID": "0",
  "BARCODE_RANGE_PREFIX": "CA",
  "BARCODE_LOWER_RANGE": "00143326",
  "BARCODE_UPPER_RANGE": "00143326",
  "PREFIX_BARCODE_LOWER_RANGE": "CA00143326",
  "PREFIX_BARCODE_UPPER_RANGE": "CA00143326",
  "MAIL_CLASS": "CP",
  "SERVICE_DESC": "CN",
  "EPS_ACCT_NUMBER": "1000014429",
  "PROP_CDN_NAME": "YouTube"
}
```

```
"MID_PROF_SEQ": "37970710572698620240522",
"EPS_ACCT_NUMBER": "1000074118",
"PROD_WKFLW_TYPE": "L",
"END_DATE": null,
"MAIL_CLASS_DESC": "Priority Mail Express Return",
"CRID": "20600535",
"MAIL_CLASS": "ER",
"STC": "798",
"MID": "900061021".
```

```
UPPER_RANGE": "00143326",
"PREFIX_BARCODE_LOWER_RANGE": "CA00143326",
"PREFIX_BARCODE_UPPER_RANGE": "CA00143326",
"MAIL_CLASS": "CP",
"SERVICE_DESC": "",
"EPS_ACCT_NUMBER": "1000014429",
"PROD_GRP_NAME": "Outbound",
"PROD_WRKFLW_NAME": "Live",
"PROD_WRKFLW_CODE": "L004",
"PROD_WRKFLW_TYPE": "L",
"START_DATE": "2024-08-09",
"END_DATE": "",
"MID_OWNER_CRID": "20537266",
"isPCPostage": "N",
"UPLOAD_TIME": "2026-02-09T17:15:04.773845+00:00"
}
}
```

```
"PROD_WRKFLW_TYPE": "L",
"END_DATE": null,
"MAIL_CLASS_DESC": "Priority Mail Express Return",
"CRID": "20600535",
"MAIL_CLASS": "ER",
"STC": "798",
"MID": "900061021",
"PROD_GRP_NAME": "Network Returns",
"MASTER_MID": "900061022",
"PROD_WRKFLW_NAME": "Returns - Manifest Attributes (Live)",
"MID_USER_CRID": "1000541937",
"PROD_WRKFLW_CODE": "L008",
"MID_OWNER_CRID": "20600535",
"START_DATE": "/Date(1716336000000)/",
"DEFAULT_POSTAGE": "22.8",
"PDX_FLG": "N",
"PAYMENT_TYPE": "E",
"PERMIT_NO": "",
"PERMIT_TYPE": "",
"PERMIT_FINANCE_NO": "",
"AGENCY_CODE": "",
"AGENCY_COST_CODE": "",
"UPLOAD_TIME": "2025-12-04T14:31:05.236878+00:00"
}
```

Dev 2 outbound

```
[
{
"PROD_WRKFLW_CODE": "L004",
"PROD_WRKFLW_TYPE": "L",
"START_DATE": "2024-08-09",
"END_DATE": "",
"MID_OWNER_CRID": "20537266",
"isPCPostage": "N",
"UPLOAD_TIME": "2026-02-09T17:15:04.773845+00:00"
}
}
```

SIT1 Outbound MID

```
'909852679': [{"MID_PROF_SEQ": "2605626023520240514", "END_DATE": null, "CRID": "25617470",
"EPS_ACCT_NUMBER": "9999999999", "MID": "909852679", "PROD_GRP_NAME": "Outbound",
"MASTER_MID": "902370354", "PROD_WRKFLW_NAME": "Pilot", "LAST_UPDATE_DATE":
"/Date(1715705788000)/", "MID_USER_CRID": null, "PROD_WRKFLW_CODE": "P002",
"MID_OWNER_CRID": "25617470", "START_DATE": "/Date(1715644800000)/", "PROD_WRKFLW_TYPE":
"P", "PDX_FLG": "N", "PAYMENT_TYPE": "E", "PERMIT_NO": "", "PERMIT_TYPE": "",
"PERMIT_FINANCE_NO": "", "AGENCY_CODE": "", "AGENCY_COST_CODE": "", "LEGACY_EXTRACT": "",
"POSTAGE_EXT_FORMAT": "", "FILE_VERSION": "", "DESTINATION_FORMAT": "", "UPLOAD_TIME":
"2025-12-09T17:21:04.145903+00:00"}]
```

Sit2 International APV

```
CA-00156285-00156285: [{"CRID": "20537266", "MASTER_MID": "900619595", "MID":
"900619595", "ALMS_ID": "0", "BARCODE_RANGE_PREFIX": "CA",
"BARCODE_LOWER_RANGE": "00156285", "BARCODE_UPPER_RANGE": "00156285",
"PREFIX_BARCODE_LOWER_RANGE": "CA00156285", "PREFIX_BARCODE_UPPER_RANGE":
"CA00156285", "MAIL_CLASS": "CP", "SERVICE_DESC": "", "EPS_ACCT_NUMBER":
"1000014429", "PROD_GRP_NAME": "Outbound", "PROD_WRKFLW_NAME": "Live",
"PROD_WRKFLW_CODE": "L004", "PROD_WRKFLW_TYPE": "L", "START_DATE":
"2024-08-09", "END_DATE": "", "MID_OWNER_CRID": "20537266", "isPCPostage": "Y",
"UPLOAD_TIME": "2026-02-20T19:15:07.370467+00:00"}]
```

Sit2 International

```
'LS-00009755-00009755': [{"CRID": "20537266", "MASTER_MID": "900619595", "MID": "900619595",
"ALMS_ID": "0", "BARCODE_RANGE_PREFIX": "LS", "BARCODE_LOWER_RANGE": "00009755",
"BARCODE_UPPER_RANGE": "00009755", "PREFIX_BARCODE_LOWER_RANGE": "LS00009755",
"PREFIX_BARCODE_UPPER_RANGE": "LS00009755", "MAIL_CLASS": "LC", "SERVICE_DESC": "",
"EPS_ACCT_NUMBER": "1000014429", "PROD_GRP_NAME": "Outbound", "PROD_WRKFLW_NAME":
"Live", "PROD_WRKFLW_CODE": "L004", "PROD_WRKFLW_TYPE": "L", "START_DATE": "2024-08-09",
"END_DATE": "", "MID_OWNER_CRID": "20537266", "isPCPostage": "N", "UPLOAD_TIME":
"2025-12-17T15:15:05.363330+00:00"}]
```


FMB Mids

Tuesday, September 8, 2026 1:57 PM

NOT FMB - Outbound

```
{
  "MID_PROF_SEQ": "40680415695320250224",
  "END_DATE": null,
  "CRID": "20635363",
  "EPS_ACCT_NUMBER": "1000090848",
  "MID": "909846951",
  "PROD_GRP_NAME": "Outbound",
  "MASTER_MID": "900078106",
  "PROD_WRKFLW_NAME": "Live",
  "LAST_UPDATE_DATE": "/Date(1740415442000)/",
  "MID_USER_CRID": null,
  "PROD_WRKFLW_CODE": "L004",
  "MID_OWNER_CRID": "20635363",
  "START_DATE": "/Date(1740355200000)/",
  "PROD_WRKFLW_TYPE": "L",
  "PDX_FLG": "I",
  "PAYMENT_TYPE": "E",
  "PERMIT_NO": "",
  "PERMIT_TYPE": "",
  "PERMIT_FINANCE_NO": "",
  "AGENCY_CODE": "",
  "AGENCY_COST_CODE": "",
  "LEGACY_EXTRACT": "N",
  "POSTAGE_EXT_FORMAT": "",
  "FILE_VERSION": "",
  "DESTINATION_FORMAT": "",
  "FMB": "N",
  "UPLOAD_TIME": "2026-09-08T18:21:05.054329+00:00"
}
```

FMB - Outbound

```
{
  "MID_PROF_SEQ": "55751914747620261101",
  "END_DATE": null,
  "CRID": "20429125",
  "EPS_ACCT_NUMBER": "",
  "MID": "900480016",
  "PROD_GRP_NAME": "Outbound",
  "MASTER_MID": "100033",
  "PROD_WRKFLW_NAME": "Live",
  "LAST_UPDATE_DATE": "/Date(1784553370000)/",
  "MID_USER_CRID": null,
  "PROD_WRKFLW_CODE": "L004",
  "MID_OWNER_CRID": "20429125",
  "START_DATE": "/Date(1793491200000)/",
  "PROD_WRKFLW_TYPE": "L",
  "PDX_FLG": "I",
  "PAYMENT_TYPE": "O",
  "PERMIT_NO": "18",
  "PERMIT_TYPE": "OI",
  "PERMIT_FINANCE_NO": "661204",
  "AGENCY_CODE": "009",
  "AGENCY_COST_CODE": "12345",
  "LEGACY_EXTRACT": "N",
  "POSTAGE_EXT_FORMAT": "",
  "FILE_VERSION": "",
  "DESTINATION_FORMAT": "",
  "FMB": "Y",
  "UPLOAD_TIME": "2026-09-08T18:21:05.054329+00:00"
}
```

NOT FMB - Returns

```
{
  "MID_PROF_SEQ": "37970710572698620240522",
  "EPS_ACCT_NUMBER": "1000074118",
  "PROD_WRKFLW_TYPE": "L",
  "END_DATE": null,
  "MAIL_CLASS_DESC": "Priority Mail Express Return",
  "CRID": "20600535",
  "MAIL_CLASS": "ER",
  "STC": "798",
  "MID": "900061021",
  "PROD_GRP_NAME": "Network Returns",
  "MASTER_MID": "900061022",
  "PROD_WRKFLW_NAME": "Returns - Manifest Attributes (Live)",
  "MID_USER_CRID": "1000541937",
  "PROD_WRKFLW_CODE": "L008",
  "MID_OWNER_CRID": "20600535",
  "START_DATE": "/Date(1716336000000)/",
  "DEFAULT_POSTAGE": "22.8",
  "PDX_FLG": "N",
  "PAYMENT_TYPE": "E"
}
```

FMB - Returns

```
{
  "MID_PROF_SEQ": "412382148452220250414",
  "EPS_ACCT_NUMBER": "",
  "PROD_WRKFLW_TYPE": "L",
  "END_DATE": null,
  "MAIL_CLASS_DESC": "Parcel Return Service Full Network",
  "CRID": "20429125",
  "MAIL_CLASS": "FN",
  "STC": "018",
  "MID": "901001229",
  "PROD_GRP_NAME": "Network Returns",
  "MASTER_MID": "900058987",
  "PROD_WRKFLW_NAME": "Returns - Manifest Attributes (Live)",
  "MID_USER_CRID": null,
  "PROD_WRKFLW_CODE": "L008",
  "MID_OWNER_CRID": "20429125",
  "START_DATE": "/Date(1744588800000)/",
  "DEFAULT_POSTAGE": "6.5",
  "PDX_FLG": "I",
  "PAYMENT_TYPE": "O"
}
```

```
"START_DATE": "/Date(1716336000000)/",
"DEFAULT_POSTAGE": "22.8",
"PDX_FLG": "N",
"PAYMENT_TYPE": "E",
"PERMIT_NO": "",
"PERMIT_TYPE": "",
"PERMIT_FINANCE_NO": "",
"AGENCY_CODE": "",
"AGENCY_COST_CODE": "",
"FMB": "N",
"UPLOAD_TIME": "2026-09-08T18:31:05.143432+00:00"
}
```

```
"START_DATE": "/Date(1744588800000)/",
"DEFAULT_POSTAGE": "6.5",
"PDX_FLG": "I",
"PAYMENT_TYPE": "O",
"PERMIT_NO": "902000",
"PERMIT_TYPE": "OR",
"PERMIT_FINANCE_NO": "661204",
"AGENCY_CODE": "146",
"AGENCY_COST_CODE": "00000",
"FMB": "Y",
"UPLOAD_TIME": "2026-09-08T18:31:05.143432+00:00"
}
```

901001229:018

International

Wednesday, May 20, 2026 10:16 AM

EA:79000001:80000000
CD:01111121:01111123
82:5500101:5500125
82:22002201:22002301
82:10005601:10005700
EA:91750001:91760001
UW:00001100:00001125
UB:05500051:05500100
82:33008801:33008701
CJ:50000000:51000000
HE:01111110:01111120
EO:80000000:80000050
EA:80000051:80000100
83:9999701:9999999
82:5000000:5000050
82:5500051:5500100
UB:00001000:00001020
CB:01111124:01111134
UW:00001041:00001050
UW:00001000:00001020
UA:00001041:00001099
LJ:85000000:86000000

'LS:00000355:00000355': '{ "CRID": "20559085", "MASTER_MID":
"900639894", "MID": "900639894", "ALMS_ID": "0",
"BARCODE_RANGE_PREFIX": "LS", "BARCODE_LOWER_RANGE": "00000355",
"BARCODE_UPPER_RANGE": "00000355",
"PREFIX_BARCODE_LOWER_RANGE": "LS00000355",
"PREFIX_BARCODE_UPPER_RANGE": "LS00000355", "MAIL_CLASS": "LC",
"SERVICE_DESC": "", "EPS_ACCT_NUMBER": "1000013459",
"PROD_GRP_NAME": "Outbound", "PROD_WRKFLW_NAME": "Live",
"PROD_WRKFLW_CODE": "L004", "PROD_WRKFLW_TYPE": "L", "START_DATE":

"2026-06-09", "END_DATE": "", "MID_OWNER_CRID": "20559085",
"isPCPostage": "N", "UPLOAD_TIME": "2026-06-10T18:15:05.595625+00:00"}

From <<https://jenkins-aws.usps.gov/job/PPCSelfService/job/ReadRedisCache/9056/consoleText>>

04-16 Mlds

Thursday, April 16, 2026

11:04 AM

```
[
  {
    "CRID": "20537266",
    "MASTER_MID": "900619595",
    "MID": "900619595",
    "ALMS_ID": "0",
    "BARCODE_RANGE_PREFIX": "LS",
    "BARCODE_LOWER_RANGE": "00011290",
    "BARCODE_UPPER_RANGE": "00011290",
    "PREFIX_BARCODE_LOWER_RANGE": "LS00011290",
    "PREFIX_BARCODE_UPPER_RANGE": "LS00011290",
    "MAIL_CLASS": "LC",
    "SERVICE_DESC": "",
    "EPS_ACCT_NUMBER": "1000014429",
    "PROD_GRP_NAME": "Outbound",
    "PROD_WRKFLW_NAME": "Live",
    "PROD_WRKFLW_CODE": "L004",
    "PROD_WRKFLW_TYPE": "L",
    "START_DATE": "2024-08-09",
    "END_DATE": "",
    "MID_OWNER_CRID": "20537266",
    "isPCPostage": "N",
    "UPLOAD_TIME": "2026-04-16T15:15:18.963514+00:00"
  }
]
```

ETE MIDs

Friday, January 16, 2026 2:47 PM

SIT2 Outbound Live

```
{
  "MID_PROF_SEQ": "37103010030920240427",
  "END_DATE": null,
  "CRID": "20587777",
  "EPS_ACCT_NUMBER": "1000062583",
  "MID": "900666415",
  "PROD_GRP_NAME": "Outbound",
  "MASTER_MID": "900666414",
  "PROD_WRKFLW_NAME": "Live",
  "LAST_UPDATE_DATE": "/Date(1714187249000)/",
  "MID_USER_CRID": "1000529261",
  "PROD_WRKFLW_CODE": "L004",
  "MID_OWNER_CRID": "20587777",
  "START_DATE": "/Date(1714176000000)/",
  "PROD_WRKFLW_TYPE": "L",
  "PDX_FLG": "N",
  "PAYMENT_TYPE": "E",
  "PERMIT_NO": "",
  "PERMIT_TYPE": "",
  "PERMIT_FINANCE_NO": "",
  "AGENCY_CODE": "",
  "AGENCY_COST_CODE": "",
  "LEGACY_EXTRACT": "N",
  "POSTAGE_EXT_FORMAT": "",
  "FILE_VERSION": "",
  "DESTINATION_FORMAT": "",
  "UPLOAD_TIME": "2026-01-16T20:21:05.661627+00:00"
}
```

SIT2 APV

MID: 912345678

SIT2 Returns Live:

```
[
{
  "MID_PROF_SEQ": "37970710572698620240522",
  "EPS_ACCT_NUMBER": "1000074118",
  "PROD_WRKFLW_TYPE": "L",
  "END_DATE": null,
  "MAIL_CLASS_DESC": "Priority Mail Express Return",
  "CRID": "20600535",
  "MAIL_CLASS": "ER",
  "STC": "798",
  "MID": "900061021",
  "PROD_GRP_NAME": "Network Returns",
  "MASTER_MID": "900061022",
```

```

"PROD_WRKFLW_NAME": "Returns - Manifest Attributes (Live)",
"MID_USER_CRID": "1000541937",
"PROD_WRKFLW_CODE": "L008",
"MID_OWNER_CRID": "20600535",
"START_DATE": "/Date(1716336000000)/",
"DEFAULT_POSTAGE": "22.8",
"PDX_FLG": "N",
"PAYMENT_TYPE": "E",
"PERMIT_NO": "",
"PERMIT_TYPE": "",
"PERMIT_FINANCE_NO": "",
"AGENCY_CODE": "",
"AGENCY_COST_CODE": "",
"UPLOAD_TIME": "2026-01-16T20:31:04.451907+00:00"
}
]

```

SIT2 International

```

{
  "CRID": "20537266",
  "MASTER_MID": "900619595",
  "MID": "900619595",
  "ALMS_ID": "0",
  "BARCODE_RANGE_PREFIX": "CA",
  "BARCODE_LOWER_RANGE": "00143326",
  "BARCODE_UPPER_RANGE": "00143326",
  "PREFIX_BARCODE_LOWER_RANGE": "CA00143326",
  "PREFIX_BARCODE_UPPER_RANGE": "CA00143326",
  "MAIL_CLASS": "CP",
  "SERVICE_DESC": "",
  "EPS_ACCT_NUMBER": "1000014429",
  "PROD_GRP_NAME": "Outbound",
  "PROD_WRKFLW_NAME": "Live",
  "PROD_WRKFLW_CODE": "L004",
  "PROD_WRKFLW_TYPE": "L",
  "START_DATE": "2024-08-09",
  "END_DATE": "",
  "MID_OWNER_CRID": "20537266",
  "isPCPostage": "N",
  "UPLOAD_TIME": "2026-01-16T20:15:05.655544+00:00"
}
]

```

```

{
  "CRID": "20537266",
  "MASTER_MID": "900619595",
  "MID": "900619595",
  "ALMS_ID": "0",
  "BARCODE_RANGE_PREFIX": "CA",
  "BARCODE_LOWER_RANGE": "00137973",
  "BARCODE_UPPER_RANGE": "00137973",
  "PREFIX_BARCODE_LOWER_RANGE": "CA00137973",
  "PREFIX_BARCODE_UPPER_RANGE": "CA00137973",
  "MAIL_CLASS": "CP",
  "SERVICE_DESC": "",
  "EPS_ACCT_NUMBER": "1000014429",
  "PROD_GRP_NAME": "Outbound",
  "PROD_WRKFLW_NAME": "Live",
  "PROD_WRKFLW_CODE": "L004",
  "PROD_WRKFLW_TYPE": "L",
  "START_DATE": "2024-08-09",
  "END_DATE": "",
  "MID_OWNER_CRID": "20537266",
  "isPCPostage": "N",
  "UPLOAD_TIME": "2026-01-21T20:15:05.745794+00:00"
}

```

The permit_eps_acct key is formed “crid:permit_number:permit_type:finance_num_value”

1. Crid value is queried from account_profile_outbound using the mid from the tracking number.
2. Permit_number value is grabbed from the payment_account_number
3. Permit_type is OI or PI or MR
4. Finance_num_value is grabbed using the post_office_of_account_zip_code value to query the

active_zip_finance_number cache.

Example Package scenario.

1. The mid used is 901057902, which has the crid "94818004"
2. The permit number is 552
3. post_office_of_account_zip_code is of 20066 which pulls the value '105000' from the active_zip_finance_number cache.

The resulting key formed for querying the permit_eps_acct cache is 94818004:552:PI:105000.

Which does not exist.

Method of Payment: 01 for permit / 08 for EPS

-PermitEpsAcctNum
-PermitFinanceNum
-setPermitNum
-PermitType

SIT2 Outbound Live - Permit Omas - 1





```
{"MID_PROF_SEQ": "54038014747320250913",  
"END_DATE": null, "CRID": "20429125",  
"EPS_ACCT_NUMBER": "", "MID": "900480013",  
"PROD_GRP_NAME": "Outbound", "MASTER_MID":  
"900021940", "PROD_WRKFLW_NAME": "Live",  
"LAST_UPDATE_DATE": "/Date(1749811651000)/",  
"MID_USER_CRID": null, "PROD_WRKFLW_CODE": "L004",  
"MID_OWNER_CRID": "20429125", "START_DATE":  
"/Date(1757721600000)/", "PROD_WRKFLW_TYPE": "L",  
"PDX_FLG": "I", "PAYMENT_TYPE": "O", "PERMIT_NO": "41",  
"PERMIT_TYPE": "OI", "PERMIT_FINANCE_NO": "661204",  
"AGENCY_CODE": "025", "AGENCY_COST_CODE": "66100",  
"LEGACY_EXTRACT": "N", "POSTAGE_EXT_FORMAT": "",  
"FILE_VERSION": "", "DESTINATION_FORMAT": "",  
"UPLOAD_TIME": "2025-10-21T18:21:06.227108+00:00"}
```

SIT2 Returns OMAS

```
900480429:600': [{"MID_PROF_SEQ": "41238314788988420250414", "EPS_ACCT_NUMBER": "",  
"PROD_WRKFLW_TYPE": "L", "END_DATE": null, "MAIL_CLASS_DESC": "USPS Ground Advantage  
Return", "CRID": "20429125", "MAIL_CLASS": "FR", "STC": "600", "MID": "900480429",  
"PROD_GRP_NAME": "Network Returns", "MASTER_MID": "900058987", "PROD_WRKFLW_NAME":  
"Returns - Manifest Attributes (Live)", "MID_USER_CRID": null, "PROD_WRKFLW_CODE": "L008",  
"MID_OWNER_CRID": "20429125", "START_DATE": "/Date(1744588800000)/", "DEFAULT_POSTAGE":  
"5.5", "PDX_FLG": "I", "PAYMENT_TYPE": "O", "PERMIT_NO": "902000", "PERMIT_TYPE": "OR",  
"PERMIT_FINANCE_NO": "661204", "AGENCY_CODE": "146", "AGENCY_COST_CODE": "00000",  
"UPLOAD_TIME": "2026-01-16T21:31:04.500156+00:00"}]
```


Job Aid - Creating a Outbound Manifest Package

Monday, October 7, 2024 11:41 AM



Reference

Friday, November 18, 2022 8:43 AM

C1 Record

Thursday, July 23, 2026 9:31 AM

Container Record 1 - SSF V2.0 Layout				
Record Position	Field Name	Format (Size)	Description	Example
1	Container Record ID	Alphanumeric(2)	A 2-character system constant that identifies a header record.	C1
2	Container ID	Alphanumeric(34)	Barcode on container.	222010127123456789912345
3	Container Type	Alphanumeric(2)	Describes type of container for Container ID 1.	SK
4	Electronic File Number	Alphanumeric(34)	Unique number assigned to identify the electronic file	9275012345678912345678
5	Destination ZIP Code	Numeric(5)	Destination 5-digit ZIP Code	22201

Container Record 1 - SSF V1.7 Layout				
Record Position	Field Name	Format (Size)	Description	Example
001-002	Container Record ID	Alphanumeric(2)	A 2-character system constant that identifies a header record.	C1
003-036	Container ID	Alphanumeric(34)	Barcode on container.	222010127123456789912345
037-038	Container Type	Alphanumeric(2)	Describes type of container for Container ID 1.	SK
039-072	Electronic File Number	Alphanumeric(34)	Unique number assigned to identify the electronic file	9275012345678912345678
073-077	Destination ZIP Code	Numeric(5)	Destination 5-digit ZIP Code	22201
078-100	Filler	Alphanumeric(22)	Filler for future use. Spaces are required.	

SKU

Wednesday, October 13, 2021 3:12 PM

STC Mail Class,

SSF Mail Class,

Destination Rate Indicator,

(*), (destination country code)

Rate Indicator,

D5 RI, (* since we are not parsing D5 now)

Processing Category,

Postal Routing Barcode, (* if blank)

Discount Type, (* if blank)

Surcharge Type, (* if blank)

Domestic Zone

(*) international zone and

(*) 4-digit class of mail from ICR

Pricing Date,

Weight In Pounds Flag;

(ex: PS|PS|S|*|DN|*|3|0|*|*|1|*|*|06/23/2019|N)
'PS|PS|B|*|R2|*|5|0|*|*|0|*|*|04/26/2026|N

<https://postcalc.usps.com/DomesticZoneChart>

https://www.structnet.com/instructions/zip_min_max_by_state.html

Domestic Zone Look up

Zone 1 - 78245/78245

Zone 2 - 78245/ 78001

Zone 3 - 78245/77259

Zone 4 - 78245/71259

Zone 5 - 78245/61259

Zone 6 - 10259/ 56763

Zone 7 - 78245/10259

Zone 8 - 10259/99950

Zone 9 - 78245/96939

Zone 10 - 78245/ 99501(AK)? Or 96701(HI)

Mail Class	Processing Category	Rate Indicator	Destination Rate Indicator	Zone	Parcel Routing Barcode
PS	3	5D	B	0	0, 1

Query to find the SKU in the Database:

```
SELECT tracking_num, class_of_mail, destination_rate_indicator,  
rate_indicator, processing_category, postal_routing_barcode,  
discount_type, surcharge_type, domestic_zone, date_of_mailing  
FROM ppcmanifestdb2.ssf_package  
WHERE file_name = '20230614120320000_sit2_returns651  
_v1.manifest_1686762325'
```

No result returned from redis lookup. ssf_key:

|N", "rootException": "com.usps.akka.cluster.exception.AkkaClusterDataException"}

Kafka End points

Wednesday, April 24, 2024 10:09 AM

APV
EVS
Filetype-b-output
Filetype-icr-output
Packages
Packages-Intl
Packages-hdlm
PFS
PotentialSamples
Spof-Packages
Unmanifested
Unpriced-packages
Unused-labels-output

Raw Manifest Fraud

Tuesday, February 27, 2024 1:40 PM

Publish raw manifest SSF data to Fraud topic

pkgplfm-manifest-dev2-parsed-ssf-pkg
pkgplfm-manifest-dev2-parsed-spef-pkg

Third Party Billing

Thursday, February 1, 2024 1:07 PM

ETE Tracking Sheet

Crid and payment account number from D1 record to look up in the new cache

Create D8 record
It will have the payer's info in it

Method of payment needs to be 20 -24

Flow
Query the TPB cache
If valid
Publish payers crid in the D8 record
Role Field is set to "01"

Payment Account Number From Manifest D1 - Will be the Payer EPA
EPS Account Number from Account Management will be the Third Party.

Mail Owner Crid from the outbound cache is the Payer Crid in the TPB cache

The D8 will be the Payer information
If the D8 is present then the role value has to be '01'

Update 2-29
So in the manifest we send out the mailOwnerCustomerRegistrationID_CRID should be the shipper crid and the payerCRID should be the third party crid
The SHIPPER CRID is the Owner CRID

ETE Scenarios
If there are multiple types of entries in the TPB cache we will need one scenario for each
If not just one would work
ICD:



ICD_Packa
gePlatfor...

```
20479054:1000001869
{
  "PAYER_CRID": "20479054",
  "PAYER_EPA": "1000001869",
  "START_DATE": "/Date(1707239254000)/",
  "END_DATE": null,
  "UPLOAD_TIME": "2024-02-12T19:12:06.135370+00:00"
}
```

```
Dev2
'901001449': [{"MID_PROF_SEQ": "27986217828320200725", "END_DATE": null, "CRID": "20480644",
  "EPS_ACCT_NUMBER": "1000001417", "MID": "901001449", "PROD_GRP_NAME": "Outbound",
  "MASTER_MID": "900059048", "PROD_WKFLW_NAME": "Live", "LAST_UPDATE_DATE":
    "/Date(1595715203000)/", "MID_USER_CRID": null, "PROD_WKFLW_CODE": "L004",
    "MID_OWNER_CRID": "20480644", "START_DATE": "/Date(1595635200000)/", "PROD_WKFLW_TYPE":
    "L", "PDX_FLG": "N", "PAYMENT_TYPE": "E", "PERMIT_NO": "", "PERMIT_TYPE": "",
    "PERMIT_FINANCE_NO": "", "AGENCY_CODE": "", "AGENCY_COST_CODE": "", "UPLOAD_TIME":
    "2023-08-15T18:42:17.355400+00:00"}]
```

```
'109': [{"mailActionCode": "FC", "extraServiceCode1": "921", "extraServiceCode2": "985",
  "extraServiceCode3": "", "extraServiceCode4": "", "extraServiceCode5": "", "startDate": "20230709",
  "endDate": "20240120"}
```

5x2

```
109: [{"MA_PROD_GRP_WKFLW_STC_VW_UK": "3-2-968", "STC_DESC": "USPS Ground Advantage
Over 15oz Signature Confirmation Hold for Pickup", "STC_START_DATE": "/Date(1687478400000)/",
"STC": "109", "PROD_WKFLW_TYPE": "P", "PROD_GRP_DESC": "Outbound Desc", "PROD_GRP_NAME":
"Outbound", "PROD_WKFLW_NAME": "Pilot", "PROD_WKFLW_CODE": "PROD2", "STC_END_DATE":
null, "MAIL_CLASS": "FC", "PFS_FLG": null, "UPLOAD_TIME": "2024-02-15T15:42:07.510969+00:00"}
```

From <https://jenkins-aws.usps.gov/job/PPCSelfService/job/ReadRedisCache/3781/consoleText>

MID_USER_CRID": "20478674

```
CAT2
[94806157:1000000881: [{"PAYER_CRID": "94806157", "PAYER_EPA": "1000000881", "START_DATE":
  "/Date(1709759702000)/", "END_DATE": null, "UPLOAD_TIME": "2024-03-15T18:01:05.516889+00:00"}]]

901056490: [{"MID_PROF_SEQ": "50560420190410", "END_DATE": null, "CRID": "94806157",
  "EPS_ACCT_NUMBER": "1000000881", "MID": "901056490", "PROD_GRP_NAME": "Outbound",
  "MASTER_MID": "901056490", "PROD_WKFLW_NAME": "Live", "LAST_UPDATE_DATE":
    "/Date(1555534288000)/", "MID_USER_CRID": null, "PROD_WKFLW_CODE": "L004",
    "MID_OWNER_CRID": "94806157", "START_DATE": "/Date(1554854400000)/", "PROD_WKFLW_TYPE":
    "L", "PDX_FLG": "N", "PAYMENT_TYPE": "E", "PERMIT_NO": "", "PERMIT_TYPE": "",
    "PERMIT_FINANCE_NO": "", "AGENCY_CODE": "", "AGENCY_COST_CODE": "", "LEGACY_EXTRACT": "",
    "POSTAGE_EXT_FORMAT": "", "FILE_VERSION": "", "DESTINATION_FORMAT": "", "UPLOAD_TIME":
    "2024-03-15T18:50:09.322946+00:00"}]
```

From <https://jenkins-aws.usps.gov/job/PPCSelfService/job/ReadRedisCache/3889/consoleText>

Snip from Account Management ICD

4.16 CRID TPB Authorizations (View)

The view below provides the Payer CRID information of for a Shipper CRID and authorized third party EPS Account Number.

- The key is the Shipper CRID and authorized third party EPS Account Number.
- Only data where Shipper and Payer CRIDs are both enrolled in Outbound Live.
- The value is a String in JSON like format. Note this String may not adhere with actual JSON rules.

MA_TP_B_AUTHORIZE_KV

Column Name	Data Type	NULL	DESCRIPTION
CRID_EPS_KEY	VARCHAR2 (30 Byte)	N	Key - Shipper CRID:Authorized third party EPA (Payer EPA)
CRID_DATA_VALUE	VARCHAR2 (200 Byte)	N	+String Value: JSON like format. + Payer CRID, Payer EPA, Start Date, End Date

Redis Cache: crid_tpb_authorize

Sample Data:

CRID_EPS_KEY	CRID_DATA_VALUE
4862974:1000010020	[{"PAYER_CRID": "9999999015", "PAYER_EPA": "1000010020", "START_DATE": "/Date(1588896000000)/", "END_DATE": null}]

D8 Role Value Table

RoleName	RoleCode	Description
PAYER	01	Payer of the Postage
SHIPPER	02	Party entering package into the mailstream
RATE_HOLDER	03	Owner of the Contracted Postage Rates
LABEL_OWNER	04	Party supplying Label MIDs used for generating tracking numbers printed on physical label
PLATFORM	05	Platform used
MAIL_OWNER	06	Party who owns the package contents

Owner/Payer CRID	Shipper CRID	Owner/Payer EPA	TPB Auth effective Date	NSA
20479054	20478674	1000001869	2/16/2024	
(Trans Train)	(Chantilly Arts)	(Active EPA)		CRID EPS
20479054	20478674	1000001347	2/16/2024	payerCRID 20479054 1000001869
(Trans Train)	(Chantilly Arts)	(Inactive EPA)		shipperCRID 20478674 1000008841
20524519		100008431		
(Text Kernel)		(Active EPA)		

SIT2 ETE:

MID_OWNER_CRID": "20478674

```
[{"MID_PROF_SEQ": "3601239378920240217", "END_DATE": null, "CRID": "20478674",
  "EPS_ACCT_NUMBER": "1000008841", "MID": "900059030", "PROD_GRP_NAME": "Outbound",
  "MASTER_MID": "900024019", "PROD_WKFLW_NAME": "Live", "LAST_UPDATE_DATE":
    "/Date(1708087615000)/", "MID_USER_CRID": null, "PROD_WKFLW_CODE": "L004",
    "MID_OWNER_CRID": "20478674", "START_DATE": "/Date(1708128000000)/", "PROD_WKFLW_TYPE":
    "L", "PDX_FLG": "N", "PAYMENT_TYPE": "E", "PERMIT_NO": "", "PERMIT_TYPE": "",
    "PERMIT_FINANCE_NO": "", "AGENCY_CODE": "", "AGENCY_COST_CODE": "", "LEGACY_EXTRACT": "Y",
    "POSTAGE_EXT_FORMAT": "C", "FILE_VERSION": "v2.0", "DESTINATION_FORMAT": "SFTP",
    "UPLOAD_TIME": "2024-02-29T15:14:06.230008+00:00"}]
```

```
"roles": [
  {
    "roleName": "PAYER",
    "CRID": "94884366",
    "MID": "900619595",
    "manifestMID": "900619595",
    "accountType": "EES",
    "accountNumber": "1000014294"
  },
  {
    "roleName": "LABEL_OWNER",
    "CRID": "20537266",
    "MID": "900619595",
    "manifestMID": "900619595",
    "accountType": "EPS",
    "accountNumber": "1000014294"
  }
]
```

IMPB AQ - SPEF

Monday, March 25, 2024 12:50 PM

AQ is Address quality

If the address is not valid we manifest will throw this error.

This is SPEF functionality

IMPB BQ Errors

Monday, March 25, 2024 1:17 PM

How to trigger:

Outbound

Non-Emas

"It should have the same tracking number, but a different efn or destination zip, or weight"

PIE Testing

Monday, March 25, 2024 10:23 AM

RA

- pie.error.code.**ra**=Y Return Address fields are not populated. Address, City, State, Zip code

ST

- pie.error.code.**st**=Y Mail Class was auto-corrected.

AE

- pie.error.code.**ae**=Y Ancillary Service Endorsement is not populated.

ES

- pie.error.code.**es**=Y Extra Service Code was auto-corrected.
- "pieErrorCode": "ES",
"nonComplianceDescription": "Extra Service Code was auto-corrected. Original value: [940, 957] | New value: [940, 921]",

CI

- pie.error.code.**ci**=Y Customer Information fields are not populated. (Recipient Name Destination, Delivery Address, Recipient Email Address, Recipient SMS Number)
- "pieErrorCode": "CI",
- "nonComplianceDescription": "Customer Information fields are not populated. Missing values: [Recipient Email Address, Recipient SMS Number]",

BF

- pie.error.code.**bf**=Y Mail Owner Mailer ID is not enrolled.

PT

- pie.error.code.**pt**=Y Processing Category is not populated.

NS

- pie.error.code.**ns**=Y Container Information is not populated. (Container Id1 and container Type1, if Container Id2 or 3 present then Container Type 2-3 must be present)

DI

- pie.error.code.**di**=Y Dimension fields not populated. (Length, Height, Width)

pie.error.filter.filetype=1
pie.error.filter.mailclasses=PM,FC,PS,EX
pie.error.filter.program=Outbound

Data format for other teams

Friday, October 20, 2023 2:12 PM

[2:12 PM] Negrón, Norman

Scenario	PIC	Manifest Package ID	Quote ID	Description
1	92193900619740447862830981	41e0eaf5cfbb6dd2e7ed822381706f8f	17193770	Priced Outbound Postage Type 1
2	92193900619740388606592058	2d816ff739fea36a06600fe6b920e247	17193772	Priced Outbound Postage Type 3
3	92193900619740238477657922	7926d22d5b174668a5554a6cdded29b9	17193773	Priced No Business Name
4	92193900619740868125222686	e9433ce398e5a29b009ebff84ebd74e8	17193774	Priced No Address Info

Scenario	PIC	Manifest Package ID	Quote ID	Description
1	9300110944102574547231	4ffae3fd2628bd87d8e49a1f0d3e6160	11503590414	Priced Outbound Postage Type 1

Software

Tuesday, October 30, 2018 12:49 PM

Software That we will be using :

- Kafka 11.0.1
- Openshift
- Redis
- Gluster
- Gitlab
- Maven
- Java 8
- Update JDK 1.4.1
- Lean FT for automated testing

Software Installed:

- JDK 8 u191
- Eclipse Java 2018
- Node.js 8.12.0

Aris

Tuesday, July 14, 2026 10:01 AM

ARIS Link: <https://aris.usps.gov/>

AWS

Tuesday, November 12, 2019 12:54 PM

<https://jenkins-aws.usps.gov>

- Password reset for AWS & Reset DB (Database) password
- Cat 2 Database AWSRds19!6j7ikmFP
- Cat 1 AWSRds19!8kfCxiq5
- PROD 2 -

Pass-CAT - Same as Ace ID

CAT Link for AWS

CAT Account ID or Alias - usps-paymod

US East New Rosa Cluster AWS Path

[ppc-nonprod-us-east-2-jobs - S3 bucket | S3 | us-east-2](#)

US East Rosa CAT AWS - Pre Prod Role

<https://us-east-2.console.aws.amazon.com/s3/buckets/ppc-preprod-us-east-2-jobs?region=us-east-2&prefix=aft/env/mcat/ppcmanifest/aft/inbound/&showversions=false>

- <https://s3.console.aws.amazon.com/s3/buckets/ps-aws-shared-nonprod-us-west-1?prefix=sharedaftgwy%2Fenv%2Fdev%2Fppcmanifest%2Faft%2Finbound%2Fptr%2F®ion=us-west-1#>

Redis CAT Look up

<https://jenkins-aws.usps.gov/job/PPCSelfService/job/NonProd/job/ReadRedisCache/>

S3 Location:

The S3 locations are (for future topics, just replace the topic name in the end of the URL):

- Cat2: https://s3.console.aws.amazon.com/s3/buckets/ps-aws-shared-nonprod-us-west-1/sharedkafka/env/cat2/ppc/test_harness/IV.PPC.OPERATION.PACKAGESCAN/?region=us-west-1&tab=overview
- Cat1: https://s3.console.aws.amazon.com/s3/buckets/ps-aws-shared-nonprod-us-west-1/sharedkafka/env/cat1/ppc/test_harness/IV.PPC.OPERATION.PACKAGESCAN/?region=us-west-1&tab=overview

AWS Role

Switch role info:

- NONPROD
 - Account: 777471442198
 - Role: ppc-nonprod-role-support
 - Display Name is arbitrary (e.g. ppc-nonprod)

OpenShift - Config Maps

Thursday, December 6, 2018 1:19 PM

New Rosa Openshift: <https://console-openshift-console.apps.rosa.shipe2-np.dced.p3.openshiftapps.com/k8s/ns/ppcmanifest-dev2/pods>

Rosa CAT / CAT2 / MCAT Openshift: <https://console-openshift-console.apps.rosa.shipe2-np.584u.p3.openshiftapps.com/k8s/ns/ppcmanifest-mcat/apps~v1~Deployment>

Prod rosa: <https://console-openshift-console.apps.shipw1.ce6j.p1.openshiftapps.com/k8s/ns/ppcscans-prod/apps~v1~Deployment>

Login using ACE ID & Password
set HTTPS_PROXY=56.192.106.27:443
Link to Openshift console:
<https://console-openshift-console.apps.rosa.shipe2-np.dced.p3.openshiftapps.com>
Dev/SIT: <https://console.apps.nonprod.aws.usps.gov>
Cat: <https://console.apps.preprod.aws.usps.gov>

Config Maps

- Left side Panel
 - Workloads
 - Config Maps
 - Click on the map you want
 - Click Yaml
 - Change the value
 - Click Save

Restart Pods


- Check what pods your config map effect
 - Link to excel sheet with pods and what config maps effect them

Dev

- Left side Panel / Workloads / Deployments
 - Click on pod you have to rescale
 - On the main page (Details)
 - Click the down arrow (to go to 0 - Scale down)
 - Click the up arrow (to go to 1 - Scaled up)
 - Repeat for all the pods your change effected.

SIT

- Use the Windows OC client
 - Change to location of oc -
 - cd C:\oc
 - Log into the OpenShift client
 - Oc login <https://api.shipe2-np.dced.p3.openshiftapps.com:443>
 - ACE ID & Password
 - Set environment -
 - oc project ppcmanifest-dev1
 - oc project ppcmanifest-dev2
 - oc project ppcmanifest-sit1
 - oc project ppcmanifest-sit2
 - oc project ppcmanifest-rel
 - Scale everything at once
 - for /F "usebackq delims=" %A in ('oc get deployment -o name') do oc scale %A --replicas=0
 - for /F "usebackq delims=" %A in ('oc get deployment -o name') do oc scale %A --replicas=1
 - Scale individual pods - Get pod name
 - oc get deployment -o name
 - Scale Down Pod
 - oc scale [pod name] --replicas=0
 - oc scale deployment.apps/package-1-enrollment --replicas=0
 - oc scale deployment.apps/manifest-2-filescoring --replicas=0
 - oc scale deployment.apps/package-0-clean --replicas=0
 - oc scale deployment.apps/manifest-1-enrollment --replicas=0
 - oc scale <deployment pod name> --replicas=1
 - Ex.: oc scale deployment.apps/manifest-1-enrollment --replicas=1
 - Oc get po - to check that everything restarted



Config Map	Description
package-5-validations-consumer	PIE: error codes, file type, mail classes, program Domestic Zone api
package-7-eps-consumer	priced manifest destination topic Permit: type, programs
manifest-properties-config	Number of days for: efn duplicates, tracking num duplicates, pic duplicate, package duplicate, unused labes, impb compliance, corrections Percentage of: same efn and tracking duplicate, diff efn duplicate tracking redis cache names whether to process apv date of mailing range
manifest-pricing-config	sku map start dates
manifest-reference-config	unpriced workflows acceptable field values: example valid processing category codes, valid esc, valid mail class
rules-engine-config	rules engine
nmats-reference-data	meter exceptions mail class exclusion

Pod to rescale	manifest-properties-config	manifest-pricing-config	manifest-reference-config	rules-engine-config	nmats-reference-data	package-5-validations-consumer	package-7-eps-consumer
manifest-1-enrollment	Y						
manifest-2-filescoring	Y						
manifest-3-ssfparsing							
nmats-filetyp							
nmats-icr					Y		
package-0-clean	Y						
package-1-enrollment	Y		Y				
package-2-impblookup	Y						
package-3-ssfplookup	Y						
package-4-comparison							
package-5-validations	Y		Y			Y	
package-6-pkgrules	Y	Y	Y	Y			
package-7-eps							Y

oc login -u j00ng0 <https://api.shipe2-np.dced.p3.openshiftapps.com:443>

Quest dia

11121

Feb11 ,21

Kafka

Thursday, January 10, 2019 3:02 PM

Kafka Gui Command

Cd C:\Users\michael.p.johnston\OneDrive - Accenture Federal Services\Manifest Service\Testing\File Creators
\ManifestCreator
Java -jar kafka-gui-20210225.jar

Version 2.11

cd C:\kafka_2.11-0.11.0.2\kafka_2.11-0.11.0.2\bin\windows

Kafka.aphche.org/downloads

15 and last 3

Kafka

Start 1 command on windows:

•

-----Prod-----

kafka-console-consumer.bat --bootstrap-server 56.37.3.182:9092 --topic pkgplfm-manifest-prod-potentialSamples

-----DEV2 New Broker-----

kafka-dev.aws.usps.gov

- kafka-console-consumer.bat --bootstrap-server kafka-dev.aws.usps.gov:9092 --from-beginning --topic pkgplfm-manifest-dev2-file-feedback
- kafka-console-consumer.bat --bootstrap-server kafka-dev.aws.usps.gov:9092 --from-beginning --topic pkgplfm-manifest-dev2-manifest-validation-output - Check
- kafka-console-consumer.bat --bootstrap-server kafka-dev.aws.usps.gov:9092 --from-beginning --topic pkgplfm-manifest-dev2-packages a > kafka_Results_dev2_Packages_02082021_v1.csv
- kafka-console-consumer.bat --bootstrap-server kafka-dev.aws.usps.gov:9092 --from-beginning --topic pkgplfm-manifest-dev2-raw-packages - Check
- kafka-console-consumer.bat --bootstrap-server kafka-dev.aws.usps.gov:9092 --from-beginning --topic pkgplfm-manifest-dev2-enrolled-files - Check
- kafka-console-consumer.bat --bootstrap-server kafka-dev.aws.usps.gov:9092 --from-beginning --topic pkgplfm-manifest-dev1-nmats-feedback
- kafka-console-consumer.bat --bootstrap-server kafka-dev.aws.usps.gov:9092 --from-beginning --topic pkgplfm-manifest-dev2-filetype-icr-output
- kafka-console-consumer.bat --bootstrap-server kafka-dev.aws.usps.gov:9092 --from-beginning --topic pkgplfm-manifest-dev2-nmats-rejection
- kafka-console-consumer.bat --bootstrap-server kafka-dev.aws.usps.gov:9092 --from-beginning --topic pkgplfm-manifest-dev2-raw-packages
- kafka-console-consumer.bat --bootstrap-server kafka-dev.aws.usps.gov:9092 --from-beginning --topic pkgplfm-manifest-dev2-unused-labels-output
- kafka-console-consumer.bat --bootstrap-server kafka-dev.aws.usps.gov:9092 --from-beginning --topic pkgplfm-manifest-dev2-spef-package
- kafka-console-consumer.bat --bootstrap-server kafka-dev.aws.usps.gov:9092 --from-beginning --topic pkgplfm-manifest-dev2-unmanifested a > kafka_Results_dev2_unmanifested_02082021_v1.csv
- kafka-console-consumer.bat --bootstrap-server kafka-dev.aws.usps.gov:9092 --from-beginning --topic pkgplfm-manifest-dev2-unpriced-packages a > kafka_Results_dev2_Unpriced_01222021.csv
- kafka-console-consumer.bat --bootstrap-server kafka-dev.aws.usps.gov:9092 --from-beginning --topic pkgplfm-manifest-dev2-pewHeader
- kafka-console-consumer.bat --bootstrap-server kafka-dev.aws.usps.gov:9092 --from-beginning --topic pkgplfm-manifest-dev2-internal-filescoring
- kafka-console-consumer.bat --bootstrap-server kafka-dev.aws.usps.gov:9092 --from-beginning --topic pkgplfm-manifest-dev2-error
- kafka-console-consumer.bat --bootstrap-server kafka-dev.aws.usps.gov:9092 --from-beginning --topic pkgplfm-presort-minimum-output

pkgplfm-manifest-sit2-

-----SIT2-----

kafka-console-consumer.bat --bootstrap-server kafka-dev.aws.usps.gov:9092 --from-beginning --topic pkgplfm-manifest-sit2-file-feedback
kafka-console-consumer.bat --bootstrap-server kafka-dev.aws.usps.gov:9092 --from-beginning --topic pkgplfm-manifest-sit1-spef-raw-package
kafka-console-consumer.bat --bootstrap-server kafka-dev.aws.usps.gov:9092 --from-beginning --topic pkgplfm-manifest-sit2-spef-package
kafka-console-consumer.bat --bootstrap-server kafka-dev.aws.usps.gov:9092 --from-beginning --topic

Places to check

DB

- ☒ Manifest - here
- ☒ Validation - NOT Here
- ☒ Package_error - NOT here
- ☒ Package - NOT here

Kafka

- ☐ Package - NOT Here
- ☐ Validation - NOT here

pkgplfm-manifest-sit2-apv
pkgplfm-manifest-sit2-corrections-comparison-output
pkgplfm-manifest-sit2-enrolled-files
pkgplfm-manifest-sit2-file-feedback
pkgplfm-manifest-sit2-filetype-b-output
pkgplfm-manifest-cat1-filetype-icr-output
pkgplfm-manifest-sit2-manifest-package-error-output
pkgplfm-manifest-sit2-manifest-subscription-input
pkgplfm-manifest-sit2-manifest-validation-output
pkgplfm-manifest-sit2-nmats-subscription-input
pkgplfm-manifest-sit2-package-tracking-output
pkgplfm-manifest-sit2-packages
pkgplfm-manifest-sit2-presort-minimum-output
pkgplfm-manifest-sit2-raw-packages
pkgplfm-manifest-sit2-unmanifested
pkgplfm-manifest-sit2-unpriced-packages
pkgplfm-manifest-sit2-unused-labels-output
pkgplfm-manifest-sit2-valid-header-records
pkgplfm-manifest-sit2-package-tracking-output
pkgplfm-manifest-dev2-efn-metrics
pkgplfm-manifest-dev2-internal-filescoring

packages-performance-testing

```

pkgplfm-manifest-sit2-spef-validation-output
kafka-console-consumer.bat --bootstrap-server kafka-dev.aws.usps.gov:9092 --from-beginning --topic
pkgplfm-manifest-sit1-filetype-icr-output
kafka-console-consumer.bat --bootstrap-server kafka-dev.aws.usps.gov:9092 --from-beginning --topic
pkgplfm-manifest-sit1-raw-packages
kafka-console-consumer.bat --bootstrap-server kafka-dev.aws.usps.gov:9092 --from-beginning --topic
pkgplfm-manifest-sit2-file-feedback
kafka-console-consumer.bat --bootstrap-server kafka-dev.aws.usps.gov:9092 --from-beginning --topic
pkgplfm-manifest-sit2-packages a > kafka_Results_sit2_packages_03032021.csv
kafka-console-consumer.bat --bootstrap-server kafka-dev.aws.usps.gov:9092 --from-beginning --topic pkgplfm-pricing-
sit2-priced-Manifest
kafka-console-consumer.bat --bootstrap-server kafka-dev.aws.usps.gov:9092 --from-beginning --topic pkgplfm-
manifest-sit2-unmanifested
kafka-console-consumer.bat --bootstrap-server kafka-dev.aws.usps.gov:9092 --from-beginning --topic pkgplfm-
manifest-sit2-ignored-ssf-package
kafka-console-consumer.bat --bootstrap-server kafka-dev.aws.usps.gov:9092 --from-beginning --topic
pkgplfm-manifest-sit2-pewHeader
kafka-console-consumer.bat --bootstrap-server kafka-dev.aws.usps.gov:9092 --from-beginning --topic
pkgplfm-manifest-sit2-unpriced-packages a > kafka_Results_sit2_unpricedpackages_2_04212021.csv

kafka-console-consumer.bat --bootstrap-server kafka-dev.aws.usps.gov:9092 --from-beginning --topic
pkgplfm-manifest-sit2-manifest-package-error-output a > kafka_Results_sit2_manifest-package-error-
output_04212021.csv

```

```

-----REL-----
kafka-console-consumer.bat --bootstrap-server kafka-dev.aws.usps.gov:9092 --from-beginning --topic
pkgplfm-manifest-rel-spef-raw-package
kafka-console-consumer.bat --bootstrap-server kafka-dev.aws.usps.gov:9092 --from-beginning --topic
pkgplfm-manifest-rel-spef-package
kafka-console-consumer.bat --bootstrap-server kafka-dev.aws.usps.gov:9092 --from-beginning --topic
pkgplfm-manifest-rel-spef-validation-output
kafka-console-consumer.bat --bootstrap-server kafka-dev.aws.usps.gov:9092 --from-beginning --topic
pkgplfm-manifest-rel-filetype-icr-output
kafka-console-consumer.bat --bootstrap-server kafka-dev.aws.usps.gov:9092 --from-beginning --topic
pkgplfm-manifest-rel-nmats-rejection
kafka-console-consumer.bat --bootstrap-server kafka-dev.aws.usps.gov:9092 --from-beginning --topic
pkgplfm-manifest-rel-filetype-b-output
kafka-console-consumer.bat --bootstrap-server kafka-dev.aws.usps.gov:9092 --from-beginning --topic
pkgplfm-manifest-rel-nmats-feedback

kafka-console-consumer.bat --bootstrap-server kafka-dev.aws.usps.gov:9092 --from-beginning --topic
pkgplfm-manifest-rel-file-feedback
kafka-console-consumer.bat --bootstrap-server kafka-dev.aws.usps.gov:9092 --from-beginning --topic
pkgplfm-manifest-rel-packages

```

pkgplfm-pricing-sit2-pricedManifest

pkgplfm-manifest-sit2-unused-labels-output

SIT Commands

- kafka-console-consumer.bat --bootstrap-server kafkabrokerdev.aws.usps.gov:9092 --from-beginning --topic **pkgplfm-manifest-sit2-packages** a > kafka_Results_SIT_Packages_4132020.csv
- kafka-console-consumer.bat --bootstrap-server kafkabrokerdev.aws.usps.gov:9092 --from-beginning --topic **pkgplfm-manifest-sit2-packages-performance-testing** a > kafka_Results_SIT_Packages_120519.csv
- kafka-console-consumer.bat --bootstrap-server kafkabrokerdev.aws.usps.gov:9092 --from-beginning --topic **pkgplfm-manifest-sit2-manifest-validation-output** a > kafka_Results_Validation_03182020.csv
- kafka-console-consumer.bat --bootstrap-server kafkabrokerdev.aws.usps.gov:9092 --from-beginning --topic pkgplfm-manifest-sit2-package-tracking-output
- kafka-console-consumer.bat --bootstrap-server kafkabrokerdev.aws.usps.gov:9092 --from-beginning --topic pkgplfm-manifest-sit2-unmanifested > kafka_validation_050619.csv
- kafka-console-consumer.bat --bootstrap-server kafkabrokerdev.aws.usps.gov:9092 --from-beginning --topic **pkgplfm-manifest-sit1-raw-packages** > kafka_package_051019.csv
- kafka-console-consumer.bat --bootstrap-server kafkabrokerdev.aws.usps.gov:9092 --from-beginning --topic **pkgplfm-manifest-sit2-pricingDestTopic-output**
- kafka-console-consumer.bat --bootstrap-server kafkabrokerdev.aws.usps.gov:9092 --from-beginning --topic **pkgplfm-manifest-sit2-apv**
- kafka-console-consumer.bat --bootstrap-server kafkabrokerdev.aws.usps.gov:9092 --from-beginning --topic **pkgplfm-manifest-sit2-unused-labels-output**
- kafka-console-consumer.bat --bootstrap-server kafkabrokerdev.aws.usps.gov:9092 --from-beginning --topic **pkgplfm-manifest-sit2-valid-header-records** > kafka_header_valid_SIT1_051019.csv
- kafka-console-consumer.bat --bootstrap-server kafkabrokerdev.aws.usps.gov:9092 --from-beginning --topic **pkgplfm-manifest-sit2-raw-packages** > kafka_raw_package_SIT1_051319.csv
- kafka-console-consumer.bat --bootstrap-server kafkabrokerdev.aws.usps.gov:9092 --from-beginning --topic

- pkgplfm-manifest-sit1-unpriced-packages > kafka_UnPriced_SIT2.csv
- kafka-console-consumer.bat --bootstrap-server kafkabrokerdev-aws.usps.gov:9092 --from-beginning --topic **pkgplfm-manifest-sit2-unpriced-packages** a > kafka_Results_SIT_Unpriced.csv
- kafka-console-consumer.bat --bootstrap-server kafkabrokerdev-aws.usps.gov:9092 --from-beginning --topic **pkgplfm-manifest-sit2-corrections-comparison-output**

CAT

- kafka-console-consumer.bat --bootstrap-server kafka-cat.aws.usps.gov:9092 --from-beginning --topic pkgplfm-manifest-cat2-spef-package a > kafka_spef_Output_Cat2_03232020.csv
- kafka-console-consumer.bat --bootstrap-server kafkabrokerscat-aws.usps.gov:9092 --from-beginning --topic **pkgplfm-manifest-cat2-manifest-package-error-output**
- kafka-console-consumer.bat --bootstrap-server kafkabrokerscat-aws.usps.gov:9092 --from-beginning --topic **pkgplfm-manifest-cat2-manifest-subscription-input**
- kafka-console-consumer.bat --bootstrap-server kafkabrokerscat-aws.usps.gov:9092 --from-beginning --topic **pkgplfm-manifest-cat1-manifest-validation-output**
- kafka-console-consumer.bat --bootstrap-server kafkabrokerscat-aws.usps.gov:9092 --from-beginning --topic **pkgplfm-manifest-cat2-package-tracking-output**
- kafka-console-consumer.bat --bootstrap-server kafka-cat.aws.usps.gov:9092 --from-beginning --topic **pkgplfm-manifest-cat2-file-feedback**
- kafka-console-consumer.bat --bootstrap-server kafkabrokerscat-aws.usps.gov:9092 --from-beginning --topic **pkgplfm-manifest-cat2-packages-output**
- kafka-console-consumer.bat --bootstrap-server kafkabrokerscat-aws.usps.gov:9092 --from-beginning --topic **pkgplfm-manifest-cat2-raw-packages**
- kafka-console-consumer.bat --bootstrap-server kafkabrokerscat-aws.usps.gov:9092 --from-beginning --topic **pkgplfm-manifest-cat2-unmanifested**
- kafka-console-consumer.bat --bootstrap-server kafkabrokerscat-aws.usps.gov:9092 --from-beginning --topic **pkgplfm-manifest-cat2-unpriced-packages**
- kafka-console-consumer.bat --bootstrap-server kafkabrokerscat-aws.usps.gov:9092 --from-beginning --topic **pkgplfm-manifest-cat2-valid-header-records**
- kafka-console-consumer.bat --bootstrap-server kafkabrokerscat-aws.usps.gov:9092 --from-beginning --topic **pkgplfm-pricing-cat2-priced-Manifest**
- kafka-console-consumer.bat --bootstrap-server kafka-cat.aws.usps.gov:9092 --from-beginning --topic **pkgplfm-manifest-cat1-file-feedback**
- kafka-console-consumer.bat --bootstrap-server kafkabrokerscat-aws.usps.gov:9092 --from-beginning --topic **pkgplfm-manifest-cat2-filetype-icr-output**
-
- kafka-console-consumer.bat --bootstrap-server kafka-cat.aws.usps.gov:9092 --from-beginning --topic **pkgplfm-manifest-cat1-filetype-icr-output**
- kafka-console-consumer.bat --bootstrap-server kafka-cat.aws.usps.gov:9092 --from-beginning --topic **pkgplfm-manifest-cat1-filetype-b-output**
- kafka-console-consumer.bat --bootstrap-server kafka-cat.aws.usps.gov:9092 --from-beginning --topic **pkgplfm-manifest-cat1-nmats-rejection**

kafka-console-consumer.bat --bootstrap-server kafka-cat.aws.usps.gov:9092 --from-beginning --topic **pkgplfm-manifest-cat1-spef_package**

kafka-console-consumer.bat --bootstrap-server kafka-cat.aws.usps.gov:9092 --from-beginning --topic **pkgplfm-manifest-cat2-file-feedback**

kafka-console-consumer.bat --bootstrap-server kafka-cat.aws.usps.gov:9092 --from-beginning --topic **pkgplfm-manifest-cat2-packages**
kafka-console-consumer.bat --bootstrap-server kafka-cat.aws.usps.gov:9092 --from-beginning --topic **pkgplfm-manifest-rel-packages**

kafka-console-consumer.bat --bootstrap-server kafkabrokerscat-aws.usps.gov:9092 --from-beginning --topic **pkgplfm-manifest-cat1-spef-package**

New Pipeline (Dev):

- kafka-console-consumer.bat --bootstrap-server kafkabrokerdev-aws.usps.gov:9092 --from-beginning --topic **pkgplfm-manifest-dev2-raw-packages**
- kafka-console-consumer.bat --bootstrap-server kafkabrokerdev-aws.usps.gov:9092 --from-beginning --topic **pkgplfm-manifest-dev2-manifest-subscription-input**
- kafka-console-consumer.bat --bootstrap-server kafkabrokerdev-aws.usps.gov:9092 --from-beginning --topic **pkgplfm-manifest-dev2-file-feedback**

New Pipeline (SIT2):

- kafka-console-consumer.bat --bootstrap-server kafkabrokerdev-aws.usps.gov:9092 --from-beginning --topic **pkgplfm-manifest-sit2-raw-packages**
- kafka-console-consumer.bat --bootstrap-server kafkabrokerdev-aws.usps.gov:9092 --from-beginning --topic **pkgplfm-manifest-sit2-manifest-subscription-in**
- kafka-console-consumer.bat --bootstrap-server kafkabrokerdev-aws.usps.gov:9092 --from-beginning --topic **pkgplfm-manifest-sit2-file-feedback**
- kafka-console-consumer.bat --bootstrap-server kafkabrokerdev-aws.usps.gov:9092 --from-beginning --topic **pkgplfm-manifest-sit2-unsupported-workflows**
- kafka-console-consumer.bat --bootstrap-server kafkabrokerdev-aws.usps.gov:9092 --from-beginning --topic **pkgplfm-manifest-sit2-filetype-b-output**
- kafka-console-consumer.bat --bootstrap-server kafkabrokerdev-aws.usps.gov:9092 --from-beginning --topic **pkgplfm-manifest-sit2-filetype-icr-output** > kafka_ICR_Output_SIT2.csv

kafka-console-consumer.bat --bootstrap-server kafkabrokerdev-aws.usps.gov:9092 --from-beginning --topic **pkgplfm-manifest-dev2-manifest-validation-output**
kafka-console-consumer.bat --bootstrap-server kafkabrokerdev-aws.usps.gov:9092 --from-beginning --topic **pkgplfm-manifest-dev2-manifest-package-error-output** a > kafka_Results.csv

- kafka-console-consumer.bat --bootstrap-server kafkabrokerdev-aws.usps.gov:9092 --from-beginning --topic pkgplfm-manifest-sit2-filetype-icr-output a > Kafka_ICR_PP_OLD.csv
- kafka-console-consumer.bat --bootstrap-server kafkabrokerdev-aws.usps.gov:9092 --from-beginning --topic pkgplfm-manifest-cat2-nmats-feedback a > Kafka_ICR_Exclusion_TSLC.csv
- kafka-console-consumer.bat --bootstrap-server kafkabrokerdev-aws.usps.gov:9092 --from-beginning --topic pkgplfm-manifest-sit2-nmats-rejection
- kafka-console-consumer.bat --bootstrap-server kafkabrokerdev-aws.usps.gov:9092 --from-beginning --topic pkgplfm-manifest-sit2-unused-labels-output

SIT

kafka-console-consumer.bat --bootstrap-server kafkabrokerdev-aws.usps.gov:9092 --from-beginning --topic pkgplfm-manifest-sit2-file-feedback
kafka-console-consumer.bat --bootstrap-server kafkabrokerdev-aws.usps.gov:9092 --from-beginning --topic pkgplfm-manifest-sit2-nmats-feedback
kafka-console-consumer.bat --bootstrap-server kafkabrokerdev-aws.usps.gov:9092 --from-beginning --topic pkgplfm-manifest-sit2-nmats-rejection
kafka-console-consumer.bat --bootstrap-server kafkabrokerdev-aws.usps.gov:9092 --from-beginning --topic pkgplfm-manifest-sit2-apv

pkgplfm-manifest-sit2-apv

pkgplfm-manifest-sit2-file-feedback

pkgplfm-manifest-sit2-packages-performance-testing

pkgplfm-manifest-sit2-nmats-feedback

pkgplfm-manifest-sit2-nmats-rejection

ICR:

kafka-console-consumer.bat --bootstrap-server kafkabrokerdev-aws.usps.gov:9092 --from-beginning --topic pkgplfm-manifest-cat2-filetype-icr-output-performance-testing

kafka-console-consumer.bat --bootstrap-server kafkabrokerdev-aws.usps.gov:9092 --from-beginning --topic pkgplfm-manifest-cat2-filetype-b-output

Topics in dev1:

Subscription: pkgplfm-manifest-dev1-manifest-subscription-input

Enrolled files: pkgplfm-manifest-dev1-enrolled-files

Raw packages (end of second pipeline): pkgplfm-manifest-dev1-raw-packages

pkgplfm-manifest-sit2-filetype-b-output

pkgplfm-manifest-[env]-filetype-icr-output

PRICING TOPIC:

pkgplfm-pricing-\${ENV}-pricedManifest

kafka-console-consumer.bat --bootstrap-server kafkabrokerdev-aws.usps.gov:9092 --from-beginning --topic pkgplfm-pricing-sit2-pricedManifest a > kafka_Results_Pricing_091919.csv

kafka-console-consumer.bat --bootstrap-server kafkabrokerdev-aws.usps.gov:9092 --from-beginning --topic pkgplfm-pricing-sit2-pricedManifest

Subscription:

kafka-console-consumer.bat --bootstrap-server kafkabrokerdev-aws.usps.gov:9092 --from-beginning --topic pkgplfm-manifest-dev2-manifest-subscription-input

PRODUCER:

kafka-console-producer.bat --broker-list kafkabrokerdev-aws.usps.gov:9092 --topic pkgplfm-manifest-sit2-packages < ETE11_Bonund_Printed_JSON.txt

Replay:

- ok, to replay a file use the following kafka topic
kafka-console-producer.bat --broker-list kafkabrokerdev-aws.usps.gov:9092 --topic pkgplfm-manifest-sit2-manifest-subscription-input

- once you get the ">", you can type:
{"type":"FSPOLLEVENT","name":"/opt/data/inbound/SIT_ETE_2
_Scans_Verify_V20.manifest.raw","operation":"REPLAY","created":"2019-04-18T13:04:13Z"}

To replay a file use the following kafka topic

- kafka-console-producer.bat --broker-list kafkabrokerdev-aws.usps.gov:9092 --topic pkgplfm-manifest-sit1-manifest-subscription-input
 - once you get the ">", you can type:
 - {"type":"FSPOLLEVENT","name":"/opt/data/inbound/SIT_ETE_3_Scans_Verify_V17.manifest.raw","operation":"REPLAY","created":"2019-05-17T13:28:10Z"}
 - but replace efn9Mid_v5 with your file name

kafka-console-producer.bat --broker-list kafkabrokerdev-aws.usps.gov:9092 --topic pkgplfm-manifest-sit2-manifest-subscription-input

- Open an excel sheet
- Drag Kafka_Results.csv file into excel sheet
- Profit

- kafka-console-consumer.bat --bootstrap-server kafkabrokerdev-aws.usps.gov:9092 --from-beginning --topic pkgplfm-manifest-dev2-manifest-validation-output

kafka-console-consumer.bat --bootstrap-server kafkabrokerdev-aws.usps.gov:9092 --from-beginning --topic pkgplfm-manifest-dev2-manifest-validation-output

zookeeper-server-start.bat

C:\Users\michael.p.johnston\Downloads\kafka_2.12-2.1.0\config\zookeeper.properties
kafka-server-start.bat "C:\Users\michael.p.johnston\Downloads\kafka_2.12-2.1.0\config\server.properties"

kafka-server-start.bat "C:\kafka_2.12-2.1.0\config\server.properties"

- <https://medium.com/@shaaslam/installing-apache-kafka-on-windows-495f6f2fd3e8>
 - For VM
 - kafka-server-start.sh ../config/server.properties

Kafka - Stimzi

Wednesday, September 22, 2021 8:49 AM

Java -jar kafka-gui-20220428.jar

Cd C:\kafka_2.12-3.4.0\bin\windows

javaw -jar kafka-gui-app-windows-2.0-SNAPSHOT-jdk11-20231013.jar

javaw -jar kafka-gui-20220527.jar

Verison 2.11

New Kafka Path: kafka-path2.apps.ship-np.aws.use2.usps.gov:443

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.ship-np.aws.use2.usps.gov:443 --consumer.config nonprod.properties --topic emas-shared-international-payment --from-beginning --sit.properties

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.ship-np.aws.use2.usps.gov:443 --from-beginning --topic emas-shared-international-payment --consumer.config **sit.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.ship-np.aws.use2.usps.gov:443 --from-beginning --topic pkgplfm-emas-shared-international-payment --consumer.config **sit.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.ship-np.aws.use2.usps.gov:443 --from-beginning --topic pkgplfm-pricing-sit2-priced-Manifest --consumer.config **sit.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.ship-np.aws.use2.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-sit2-packages** --consumer.config **sit.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.ship-np.aws.use2.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-sit2-packages** --consumer.config **sit.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.ship-np.aws.use2.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-cat2-packages** --consumer.config manifest-cat-kafka-client.properties

---Dev2--

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.ship-np.aws.use2.usps.gov:443 --from-beginning --topic pkgplfm-manifest-dev2-file-feedback --consumer.config **manifest-nonprod-kafka-client.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --from-beginning --topic pkgplfm-manifest-dev2-nmats-feedback --consumer.config **manifest-nonprod-kafka-client.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-dev2-packages** --consumer.config **sit.properties** a > kafka_Results_dev2_Packages_01312022_v1.csv

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --from-beginning --topic

pkgplfm-manifest-dev2-spef-package --consumer.config **manifest-nonprod-kafka-client.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-dev2-filetype-icr-output** --consumer.config **manifest-nonprod-kafka-client.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-dev2-filetype-b-output** --consumer.config **manifest-nonprod-kafka-client.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-dev2-internal-filescoring** --consumer.config **manifest-kafka-client.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-dev2-presort-minimum-output** --consumer.config **manifest-kafka-client.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-dev2-nmats-feedback** --consumer.config **manifest-kafka-client.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-dev2-spef-package** --consumer.config **manifest-nonprod-kafka-client.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-dev2-apv** --consumer.config **manifest-nonprod-kafka-client.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-dev2-unpriced-packages** --consumer.config **manifest-nonprod-kafka-client.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-dev2-d6-record** --consumer.config **manifest-nonprod-kafka-client.properties** a > kafka_Results_dev2_d6_01132022_v1.csv

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-dev2-d7-record** --consumer.config **manifest-nonprod-kafka-client.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --consumer.config **manifest-nonprod-kafka-client.properties** --topic **pkgplfm-manifest-dev2-manifest-validation-output** --from-beginning

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --consumer.config **manifest-nonprod-kafka-client.properties** --topic **pkgplfm-manifest-dev2-corrections-intl-comparison-output** --from-beginning

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-dev2-packages-intl** --consumer.config **manifest-nonprod-kafka-client.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-fraud-dev2-mids-processed** --consumer.config **manifest-nonprod-kafka-client.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-verification-dev2-unmanifestedWarnings** --consumer.config **manifest-nonprod-kafka-client.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-verification-dev2-potentiallyfradulent** --consumer.config **manifest-nonprod-kafka-client.properties**

-----dev1-----

kafka-console-consumer.bat --bootstrap-server kafka-path1.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-dev1-file-feedback** --consumer.config sit.properties

kafka-console-consumer.bat --bootstrap-server kafka-path1.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-dev1-filetype-b-output** --consumer.config **sit.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path1.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-dev1-filetype-icr-output** --consumer.config **sit.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path1.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-dev1-packages** --consumer.config **sit.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path1.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-dev1-packages-intl** --consumer.config sit.properties

kafka-console-consumer.bat --bootstrap-server kafka-path1.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-dev1-file-feedback** --consumer.config sit.properties

kafka-console-consumer.bat --bootstrap-server kafka-path1.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-dev1-filetype-icr-output** --consumer.config **sit.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path1.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-dev1-filetype-b-output** --consumer.config **sit.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path1.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-dev1-apv** --consumer.config **sit.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path1.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-dev1-unpriced-packages** --consumer.config **sit.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path1.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-dev1-spef-package** --consumer.config **sit.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path1.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-dev1-evs** --consumer.config **sit.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path1.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-dev1-unmanifested** --consumer.config **sit.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path1.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-dev1-ignored-ssf-package** --consumer.config **sit.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path1.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-dev1-package-tracking-output** --consumer.config **sit.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path1.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-dev1-hdlm-ssf-package** --consumer.config sit.properties a > kafka_Results_dev2_Packages_01312022

-----sit1-----

kafka-console-consumer.bat --bootstrap-server kafka-path1.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-sit1-filetype-icr-output** --consumer.config **sit.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path1.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-sit1-unpriced-packages** --consumer.config **sit.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path1.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-sit1-file-feedback** --consumer.config **sit.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path1.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-sit1-file-feedback** --consumer.config **sit.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path1.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-sit1-packages** --consumer.config **sit.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path1.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-sit1-ignored-ssf-package** --consumer.config **sit.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path1.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-sit1-apv** --consumer.config **sit.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path1.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-sit1-apv** --consumer.config **sit.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path1.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-sit2-packages-intl** --consumer.config **sit.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path1.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-pricing-sit1-priced-Manifest** --consumer.config **sit.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path1.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-pricing-sit1-priced-manifest-intl** --consumer.config **sit.properties**

-----Fraud sit2-----

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --consumer.config **sit.properties** --topic **pkgplfm-fraud-sit2-mids-processed** --partition 1 --from-beginning

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --consumer.config **sit.properties** --topic **pkgplfm-fraud-sit2-mids-processed** --partition 2 --from-beginning

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --consumer.config **sit.properties** --topic **pkgplfm-fraud-sit2-mids-processed** --partition 3 --from-beginning

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --consumer.config

sit.properties --topic pkgplfm-fraud-sit2-mids-processed --partition 4 --from-beginning

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --consumer.config sit.properties --topic pkgplfm-fraud-sit2-mids-processed --partition 5 --from-beginning

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --consumer.config sit.properties --topic pkgplfm-fraud-sit2-mids-processed --partition 6 --from-beginning

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --consumer.config sit.properties --topic pkgplfm-fraud-sit2-mids-processed --partition 7 --from-beginning

kafka-consumer-groups.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --command-config sit.properties --describe --group fraud-mids-processed-consumer-group-sit2

-----sit2-----

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --from-beginning --topic pkgplfm-manifest-sit2-performance --consumer.config **sit.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --from-beginning --topic pkgplfm-manifest-sit2-performance-2 --consumer.config **sit.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.ship-np.aws.use2.usps.gov:443 --from-beginning --topic pkgplfm-**manifest-sit2-file-feedback** --consumer.config **sit.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --from-beginning --topic pkgplfm-**manifest-sit2-nmats-feedback** --consumer.config **manifest-nonprod-kafka-client.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.ship-np.aws.use2.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-sit2-packages** --consumer.config **manifest-nonprod-kafka-client.properties**
a > Kafka_SIT2Packages_060624.csv

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.ship-np.aws.use2.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-sit2-ignored-ssf-package** --consumer.config **manifest-nonprod-kafka-client.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --from-beginning --topic pkgplfm-pricing-sit2-priced-manifest --consumer.config **sit.properties** a > Kafka_PricedPackages_052722.csv

Standard validaiton output

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --from-beginning --topic pkgplfm-manifest-sit2-manifest-validation-output --consumer.config **manifest-nonprod-kafka-client.properties**

Rejected Validation results

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --from-beginning --topic pkgplfm-manifest-sit2-manifest-package-error-output --consumer.config **manifest-nonprod-kafka-client.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-sit2-filetype-icr-output** --consumer.config **sit.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-sit2-filetype-b-output** --consumer.config **manifest-nonprod-kafka-client.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --from-beginning --topic pkgplfm-manifest-dev2-internal-filescoring --consumer.config **manifest-nonprod-kafka-client.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-dev2-presort-minimum-output** --consumer.config **manifest-nonprod-kafka-client.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-sit2-nmats-feedback** --consumer.config **manifest-nonprod-kafka-client.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-sit2-nmats-rejection** --consumer.config **manifest-nonprod-kafka-client.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-sit2-unpriced-packages** --consumer.config **sit.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-sit2-apv** --consumer.config **manifest-nonprod-kafka-client.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --from-beginning --topic pkgplfm-pricing-sit2-priced-Manifest --consumer.config **sit.properties** a > Kafka_PricedManifest_060622.csv

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --from-beginning --topic pkgplfm-manifest-sit2-d6-record --consumer.config **manifest-nonprod-kafka-client.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --from-beginning --topic pkgplfm-manifest-sit2-d7-record --consumer.config **manifest-nonprod-kafka-client.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-sit2-packages-intl** --consumer.config **manifest-nonprod-kafka-client.properties** a > kafka_Results_sit2_IntlPackages_02142022_v3.csv

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --from-beginning --topic pkgplfm-manifest-sit2-pewHeader --consumer.config **manifest-nonprod-kafka-client.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --from-beginning --topic pkgplfm-manifest-sit2-unusedLabelDataResponse --consumer.config **sit.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --from-beginning --topic pkgplfm-verification-sit2-masterElementsRequest --consumer.config **sit.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --from-beginning --topic pkgplfm-verification-sit2-int-packageIdCombination --consumer.config **sit.properties**

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --from-beginning --topic pkgplfm-verification-sit2-paymentRelease-SP --consumer.config sit.properties a > kafka_Results_sit2_PaymentRelease_03152024_v1.csv

---Rel---

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-rel-packages** --consumer.config sit.properties

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-rel-packages** --consumer.config sit.properties

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-rel-packages-intl** --consumer.config manifest-nonprod-kafka-client.properties

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-rel-filetype-icr-output** --consumer.config sit.properties

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-rel-filetype-b-output** --consumer.config sit.properties

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-rel-nmats-rejection** --consumer.config manifest-nonprod-kafka-client.properties

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-rel-file-feedback** --consumer.config sit.properties

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-rel-unpriced-packages** --consumer.config sit.properties

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-rel-apv** --consumer.config sit.properties

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-rel-evs** --consumer.config sit.properties

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-rel-spef-package** --consumer.config sit.properties

-----cat1-----

kafka-console-consumer.bat --bootstrap-server kafka-path1.apps.preprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-cat1-filetype-icr-output** --consumer.config manifest-cat-kafka-client.properties

kafka-console-consumer.bat --bootstrap-server kafka-path1.apps.preprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-cat1-filetype-b-output** --consumer.config manifest-cat-kafka-client.properties

kafka-console-consumer.bat --bootstrap-server kafka-path1.apps.preprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-cat1-nmats-rejection** --consumer.config manifest-cat-kafka-client.properties

kafka-console-consumer.bat --bootstrap-server kafka-path1.apps.preprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-cat1-file-feedback** --consumer.config manifest-cat-kafka-client.properties

kafka-console-consumer.bat --bootstrap-server kafka-path1.apps.preprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-cat1-packages** --consumer.config manifest-cat-kafka-client.properties

kafka-console-consumer.bat --bootstrap-server kafka-path1.apps.preprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-cat1-apv** --consumer.config manifest-cat-kafka-client.properties

kafka-console-consumer.bat --bootstrap-server kafka-path1.apps.preprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-cat1-pfs** --consumer.config manifest-cat-kafka-client.properties

-----cat2-----

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.preprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-fraud-cat2-mid-status** --consumer.config manifest-cat-kafka-client.properties

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.preprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-cat2-file-feedback** --consumer.config cat.properties
a > kafka_Results_fileFeedback_01192022_v1.csv

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.preprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-cat2-file-feedback** --consumer.config manifest-cat-kafka-client.properties

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.preprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-cat2-apv** --consumer.config manifest-cat-kafka-client.properties

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.preprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-cat2-evs** --consumer.config manifest-cat-kafka-client.properties

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.preprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-cat2-unmanifested** --consumer.config manifest-cat-kafka-client.properties

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.preprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-cat2-unpriced-packages** --consumer.config manifest-cat-kafka-client.properties

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.preprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-cat2-spef-package** --consumer.config manifest-cat-kafka-client.properties

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.preprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-cat2-packages** --consumer.config manifest-cat-kafka-client.properties a > kafka_Results_cat2_Packages_080172022_v1.csv

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.preprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-cat2-filetype-icr-output** --consumer.config manifest-cat-kafka-client.properties

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.preprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-cat2-filetype-b-output** --consumer.config manifest-cat-kafka-client.properties

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.preprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-pricing-cat2-priced-Manifest** --consumer.config manifest-cat-kafka-client.properties

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.preprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-pricing-cat2-manifestPewFailures** --consumer.config manifest-cat-kafka-client.properties

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.preprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-pricing-cat2-priced-Manifest** --consumer.config manifest-cat-kafka-client.properties

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.preprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-cat2-nmats-rejection** --consumer.config manifest-cat-kafka-client.properties

---prod2--

Java -jar kafka-gui-20220128.jar

kafka-console-consumer.bat --bootstrap-server bootstrap.kafka.prod.aws.usps.gov:443 --from-beginning --topic pkgplfm-manifest-prod-packages --consumer.config prod.properties a > Kafka_packages_07-31-25.csv

kafka-console-consumer.bat --bootstrap-server bootstrap.kafka.prod.aws.usps.gov:443 --from-beginning --topic pkgplfm-manifest-prod-packages --consumer.config manifest-prod-kafka-client.properties a > Kafka_packages_11-01-23.csv

kafka-console-consumer.bat --bootstrap-server bootstrap.kafka.prod.aws.usps.gov:443 --from-beginning --topic pkgplfm-manifest-prod-apv --consumer.config manifest-prod-kafka-client.properties a > Kafka_APV_packages_01-09-23.csv

kafka-console-consumer.bat --bootstrap-server bootstrap.kafka.prod.aws.usps.gov:443 --from-beginning --topic pkgplfm-manifest-prod-**unpriced-packages** --consumer.config manifest-prod-kafka-client.properties a > Kafka_PRS_packages_01-09-23.csv

kafka-console-consumer.bat --bootstrap-server bootstrap.kafka.prod.aws.usps.gov:443 --from-beginning --topic pkgplfm-manifest-prod-**unused-labels-output** --consumer.config manifest-prod-kafka-client.properties a > Kafka_Unused_packages_01-09-23.csv

kafka-console-consumer.bat --bootstrap-server bootstrap.kafka.prod.aws.usps.gov:443 --from-beginning --topic pkgplfm-manifest-prod-packages-intl --consumer.config manifest-prod-kafka-client.properties

kafka-console-consumer.bat --bootstrap-server bootstrap.kafka.prod.aws.usps.gov:443 --from-beginning --topic pkgplfm-manifest-prod-apv --consumer.config manifest-prod-kafka-client.properties

kafka-console-consumer.bat --bootstrap-server bootstrap.kafka.prod.aws.usps.gov:443 --from-beginning --topic pkgplfm-manifest-prod-filetype-icr-output --consumer.config manifest-prod-kafka-client.properties

kafka-console-consumer.bat --bootstrap-server bootstrap.kafka.prod.aws.usps.gov:443 --from-beginning --topic pkgplfm-manifest-prod-unmanifested --consumer.config manifest-prod-kafka-client.properties

kafka-console-consumer.bat --bootstrap-server bootstrap.kafka.prod.aws.usps.gov:443 --from-beginning --topic pkgplfm-manifest-prod-filetype-b-output --consumer.config manifest-prod-kafka-client.properties

kafka-console-consumer.bat --bootstrap-server bootstrap.kafka.prod.aws.usps.gov:443 --from-beginning --topic pkgplfm-manifest-prod-unpriced-packages --consumer.config manifest-prod-kafka-client.properties

kafka-console-consumer.bat --bootstrap-server bootstrap.kafka.prod.aws.usps.gov:443 --from-beginning --topic pkgplfm-manifest-prod-pewHeader --consumer.config sit.properties

kafka-console-consumer.bat --bootstrap-server bootstrap.kafka.prod.aws.usps.gov:443 --from-beginning --topic pkgplfm-manifest-prod-packages --consumer.config sit.properties

kafka-console-consumer.bat --bootstrap-server bootstrap.kafka.prod.aws.usps.gov:443 --from-beginning --topic pkgplfm-manifest-prod-packages --consumer.config manifest-prod-kafka-client.properties

kafka-console-consumer.bat --bootstrap-server bootstrap.kafka.prod.aws.usps.gov:443 --from-beginning --topic pkgplfm-

manifest-prod-potentialSamples --consumer.config manifest-prod-kafka-client.properties a > Kafka_potentialSamples_123021.csv

pkgplfm-pew-beta-pewError

pkgplfm-pew-beta-int-pewFileTrigger

kafka-console-consumer.bat --bootstrap-server bootstrap.kafka.prod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-mailerreview-prod-unusedLabelDataRequest** --consumer.config prod.properties

kafka-console-consumer.bat --bootstrap-server bootstrap.kafka.prod.aws.usps.gov:443 --from-beginning --topic pkgplfm-manifest-prod-unusedLabelDataResponse --consumer.config prod.properties

kafka-console-consumer.bat --bootstrap-server bootstrap.kafka.prod.aws.usps.gov:443 --from-beginning --topic pkgplfm-manifest-prod-spef-address-validation --consumer.config prod.properties

kafka-console-consumer.bat --bootstrap-server bootstrap.kafka.prod.aws.usps.gov:443 --from-beginning --topic pkgplfm-manifest-prod-pewHeader --consumer.config prod.properties

kafka-console-consumer.bat --bootstrap-server bootstrap.kafka.prod.aws.usps.gov:443 --from-beginning --topic pkgplfm-manifest-prod-unused-labels-output --consumer.config prod.properties

kafka-console-consumer.bat --bootstrap-server bootstrap.kafka.prod.aws.usps.gov:443 --from-beginning --topic pkgplfm-manifest-prod-spef-package --consumer.config prod.properties

kafka-console-consumer.bat --bootstrap-server bootstrap.kafka.prod.aws.usps.gov:443 --from-beginning --topic pkgplfm-manifest-prod-pewHeader --consumer.config prod.properties

kafka-console-consumer.bat --bootstrap-server bootstrap.kafka.prod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-prod-evs** --consumer.config prod.properties

kafka-console-consumer.bat --bootstrap-server bootstrap.kafka.prod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-pricing-prod-manifestPewFailures** --consumer.config prod.properties

kafka-console-consumer.bat --bootstrap-server bootstrap.kafka.prod.aws.usps.gov:443 --from-beginning --topic pkgplfm-pew-beta-int-pewFileTrigger --consumer.config teams-kafka-client-prod.properties

kafka-console-consumer.bat --bootstrap-server bootstrap.kafka.prod.aws.usps.gov:443 --from-beginning --topic pkgplfm-manifest-beta-packages --consumer.config teams-kafka-client-prod.properties

kafka-console-consumer.bat --bootstrap-server bootstrap.kafka.prod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-pricing-prod-priced-Manifest** --consumer.config teams-kafka-client-prod.properties a > Kafka_priced_031622.csv

kafka-console-consumer.bat --bootstrap-server bootstrap.kafka.prod.aws.usps.gov:443 --from-beginning --topic pkgplfm-verification-dev2-unmanifestedWarnings --consumer.config teams-kafka-client-prod.properties

kafka-console-consumer.bat --bootstrap-server bootstrap.kafka.prod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-pricing-prod-priced-manifest-intl** --consumer.config teams-kafka-client-prod.properties a > Kafka_priced_intl_031622.csv

kafka-console-consumer.bat --bootstrap-server bootstrap.kafka.prod.aws.usps.gov:443 --from-beginning --topic pkgplfm-manifest-prod-packages --consumer.config teams-kafka-client-prod.properties a > Prod_Packages_062322.csv

kafka-console-consumer.bat --bootstrap-server bootstrap.kafka.prod.aws.usps.gov:443 --from-beginning --topic pkgplfm-**manifest-prod-packages-intl** --consumer.config teams-kafka-client-prod.properties a > Prod_Packages_intl_v4_042922.csv

kafka-console-consumer.bat --bootstrap-server bootstrap.kafka.prod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-pricing-prod-priced-Manifest** --consumer.config teams-kafka-client-prod.properties

kafka-console-consumer.bat --bootstrap-server bootstrap.kafka.prod.aws.usps.gov:443 --from-beginning --topic pkgplfm-manifest-prod-apv --consumer.config teams-kafka-client-prod.properties

kafka-console-consumer.bat --bootstrap-server bootstrap.kafka.prod.aws.usps.gov:443 --from-beginning --topic pkgplfm-manifest-prod-**filetype-icr-output** --consumer.config teams-kafka-client-prod.properties

kafka-console-consumer.bat --bootstrap-server bootstrap.kafka.prod.aws.usps.gov:443 --from-beginning --topic pkgplfm-manifest-prod-**filetype-b-output** --consumer.config teams-kafka-client-prod.properties

----- 06-27-23 fruad-----

kafka-console-consumer.bat --bootstrap-server bootstrap.kafka.prod.aws.usps.gov:443 --from-beginning --topic pkgplfm-fraud-prod-impb-details --consumer.config manifest-prod-kafka-client.properties

kafka-console-consumer.bat --bootstrap-server bootstrap.kafka.prod.aws.usps.gov:443 --from-beginning --topic pkgplfm-fraud-prod-interceptedPackage --consumer.config manifest-prod-kafka-client.properties

Reset Kafka Offsets

Wednesday, February 25, 2026 3:49 PM

```
kafka-consumer-groups.bat --bootstrap-server kafka-path2.apps.ship-np.aws.use2.usps.gov:443 --  
command-config sit.properties --group manifest-subscription-consumer-group-sit2 --topic pkgplfm-  
manifest-sit2-internal-filescoring --reset-offsets --to-latest --execute
```

```
kafka-consumer-groups.bat --bootstrap-server kafka-path2.apps.ship-np.aws.use2.usps.gov:443 --  
command-config sit.properties --group manifest-package-builder-sit2 --topic pkgplfm-manifest-sit2-  
enrolled-files --reset-offsets --to-latest --execute
```

```
kafka-consumer-groups.bat --bootstrap-server kafka-path2.apps.ship-np.aws.use2.usps.gov:443 --  
command-config sit.properties --group package-field-parser-consumer-group-sit2 --topic pkgplfm-  
manifest-sit2-raw-packages --reset-offsets --to-latest --execute
```

Stimzi Gui

Tuesday, February 8, 2022 11:00 AM

Put the gui jar in the windows folder of the kafka

Create 3 new properties files. (These have to be the names below)
sit.properties' cat.properties prod.properties

Writing to Kafka

Tuesday, March 2, 2021 9:48 AM

```
cd C:\kafka_2.11-0.11.0.2\kafka_2.11-0.11.0.2\bin\windows
```

```
kafka-console-producer.bat --broker-list kafka-dev.aws.usps.gov:9092 --topic pkgplfm-manifest-sit2-database-spef-validations
```

One way to hit the error topic is to write a bad json to an internal topic that we read from. We are supposed to be able to handle bad json messages by logging them in the error topic and continuing to process valid json messages. Here's a list of some internal topics:

SSF Internal

pkgplfm-manifest-sit2-internal-filescoring
pkgplfm-manifest-sit2-enrolled-files
pkgplfm-manifest-sit2-rawefnmetrics
pkgplfm-manifest-sit2-raw-packages
pkgplfm-manifest-sit2-pkgcomp-enrollment
pkgplfm-manifest-sit2-pkgcomp-impblookup
pkgplfm-manifest-sit2-pkgcomp-filetype4
pkgplfm-manifest-sit2-pkgcomp-correction
pkgplfm-manifest-sit2-pkgcomp-compare
pkgplfm-manifest-sit2-pkgvalid
pkgplfm-manifest-sit2-pkgrule
pkgplfm-manifest-sit2-pkgeps

SPEF Internal

pkgplfm-manifest-sit2-internal-spef-class-validation
pkgplfm-manifest-sit2-database-spef
pkgplfm-manifest-sit2-database-spef-validations

In case you don't know, here's a command to write to one of the topics:

```
kafka-console-producer.bat --broker-list kafka-dev.aws.usps.gov:9092 --topic pkgplfm-manifest-dev2-internal-filescoring
```

You should be able to enter any invalid string. e.g. "invalid" or something similar to the json that gets written to that topic but missing a required field or with an extra field.

If you need more clarification let me know.

Writing to Kafka - Stimizi

Friday, September 24, 2021 10:46 AM

-----Writing to Kafka Stimizi-----

kafka-console-producer.bat --broker-list kafka-path2.apps.ship-np.aws.use2.usps.gov:443 --topic emas-shared-international-payment --producer.config sit.properties

kafka-console-producer.bat --broker-list kafka-path2.apps.ship-np.aws.use2.usps.gov:443 --topic EEB.MANIFEST.SHIPPINGSERVICE --producer.config sit.properties

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.ship-np.aws.use2.usps.gov:443 --from-beginning --topic emas-shared-international-payment --consumer.config sit.properties

kafka-console-producer.bat --broker-list kafka-path2.apps.nonprod.aws.usps.gov:443 --topic **pkgplfm-manifest-sit2-ignored-ssf-package** --producer.config manifest-nonprod-kafka-client.properties

kafka-console-producer.bat --broker-list kafka-path2.apps.nonprod.aws.usps.gov:443 --topic **pkgplfm-manifest-sit2-packages-intl** --producer.config manifest-nonprod-kafka-client.properties

kafka-console-producer.bat --broker-list kafka-path2.apps.nonprod.aws.usps.gov:443 --topic pkgplfm-manifest-sit2-manifest-validation-output --producer.config manifest-nonprod-kafka-client.properties

kafka-console-producer.bat --broker-list kafka-path2.apps.nonprod.aws.usps.gov:443 --topic **pkgplfm-verification-dev2-unmanifestedWarning** --producer.config sit.properties

kafka-console-producer.bat --broker-list kafka-path1.apps.nonprod.aws.usps.gov:443 --topic **pkgplfm-manifest-sit1-raw-packages** --producer.config sit.properties

kafka-console-producer.bat --broker-list kafka-path2.apps.nonprod.aws.usps.gov:443 --topic **pkgplfm-manifest-sit2-packages** --producer.config manifest-nonprod-kafka-client.properties

manifest-nonprod-kafka-client.properties

{"fileName":"TestWritingToKafka_MPJ_v1","ssfVersion":"020","fileCreateTs":1632316874836,"firstEnrolledHeaderLineNum":1,"masterEFN":"92750901017874897428307947","manifestID":"fd098a1493f9a54af210d30d9699cf5a","transmissionDate":"20210922","manifestSubmissionDate":"2021-09-22T13:16:07Z"}

pkgplfm-manifest-sit2-manifest-validation-output

Mongo DB

Friday, February 12, 2021 8:35 AM

Use Mongo Compass

C:\Mongo\mongodb-compass-1.31.2-win32-x64

Online GUI version - Use Edge for the Browser

[Organization Access Manager](#) | [Cloud: MongoDB Cloud \(usps.gov\)](#)

PrePROD PPCVerify - Path 2 -> MangoDB2 -> The Data Tab

Have to have oc open and port forwarding on to use this

Oc location: C:\oc

- Login:
 - oc login <https://api.nonprod.aws.usps.gov:6443>
- Use this command to port-forward
 - oc port-forward svc/mongodb2 27017:27017 -n ppcverify-infra

MangoDB connection info (Fill in connection fields individually)

- Under the Hostname tab, input the values below:
 - Hostname – leave blank
 - Port – 27017
 - Leave SRV Record unchecked
 - Authentication – Username / Password
 - Username – ppcpdev
 - Password - 9AHcK56ARK!zeH%t

Example Filter

```
{'_id.efn': '92750901061478629705262860'}
```

PROD

```
"AccessKey": {
  "UserName": "michael.p.johnston",
  "AccessKeyId": "AKIAY4EFNFKB7X4JT5TQ",
  "Status": "Active",
  "SecretAccessKey": "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",
  "CreateDate": "2023-08-01T23:29:05+00:00"
}
```

Some of you just received an email, on the postal side, with AWS PROD access keys. I am setting up your individual users today for PROD Mongo access and will remove the db_tester once you have verified access.

You will use your PROD AWS access keys to login to Mongo now. Take note, you will NOT use the temporary keys you get with MFA. You will use your “permanent” key and secret key that you either received today or you have been using to get your MFA’d keys.

Here’s an example:

```
mongosh "mongodb+srv://<ACCESS KEY ID>:<SECRET KEY ID>@ppc-prod-pl-0.lpfv9.mongodbgov.net/verify-prod?authSource=%24external&authMechanism=MONGODB-AWS"
```

Swap out the key info and you must keep the options shown above.

Note: If you have special chars in your secret key, you will be better off leaving the password out of your connection string and then entering it at the subsequent prompt. I verified that works.

```
mongodb+srv://AKIAY4EFNFKB7X4JT5TQ:@ppc-prod-pl-0.lpfv9.mongodbgov.net/verify-prod?authSource=%24external&authMechanism=MONGODB-AWS
```

Monitoring Mongo DB

Wednesday, February 12, 2025 10:15 AM

```
mongodb+srv://ppcmonitoringsit:yoSNcHJd2zlg2ell@ppc-path2-  
pl-0.rkgzq.mongodbgov.net/monitoring-sit?retryWrites=true&w=majority
```

Squirrel SQL

Thursday, December 27, 2018 10:59 AM

- Install client from
 - <https://sourceforge.net/projects/squirrel-sql/>
 -
- Include all the optional plugins
- Once installed open and go to drivers
 - Scroll down to PostgreSQL and double click
 - Click the tab for Extra Class Path and click Add
 - Choose the path to the attached PostgreSQL.jar
- Go to the Aliases tab on the left
 - Click the plus button
 - Name the Alisa "Dev DB"
 - Select PostgreSQL for the Driver.
 - Use the following information for the rest of the fields.



Database Views:

- ssf_package_detail1_view
- ssf_package_error_detail1_view
- ssf_package_header_view
- ssf_package_error_header_view

Database Tables:

- Ssf_package
- Validation_result
- ssf_package_d2_record_error

New Dev Connection

the new sit2/rel database that use postgresql 14.3 were created. The new database usernames and passwords are the same, but they have a new url (it adds a "2" after the first "sit"):

New Rel (10/06/2022):


jdbc:postgresql://ppcmanifest-sit2-aurora-postgresql-cluster.cluster-cnofyn5tdy8c.us-west-1.rds.amazonaws.com:2015/ppcmanifestrel

DEV Connection URL: jdbc:postgresql://ppcmanifest-dev-aurora-postgresql-cluster.cluster-cnofyn5tdy8c.us-west-1.rds.amazonaws.com:2015/ppcmanifestdev

- jdbc:postgresql://ppcmanifest-dev-aurora-postgresql-cluster.cluster-cnofyn5tdy8c.us-west-1.rds.amazonaws.com:2015/ppcmanifestdev2

Dev username: manifestadmin
Password: lk2023knv348723dgji74sU

SIT2 ppcmani s023k86c jdbc:postgresql://ppcm
festdb2 wolkiw2 anifest-sit2-aurora-
3dddcwe2 postgresql-
cluster.cluster-
cnofyn5tdy8c.us-
west-1.rds.amazonaws.c
om:2015/ppcmanifestsit
2



DEV2

username=ppcmanifestdb2
password=lk20hhwrocgtgil70803
database=ppcmanifestdev2
jdbc-url=jdbc:postgresql://ppcmanifest-dev2-use2-aurora-postgresql-cluster.cluster-c4pbfxrxccc.us-east-2.rds.amazonaws.com:2015/ppcmanifestdev2

From <<https://gov.teams.microsoft.us/v2/>>

SIT Connection DB2:

URL:
Sit2:
URL: jdbc:postgresql://ppcmanifest-sit2-use2-aurora-postgresql-cluster.cluster-c4pbfxrxccc.us-east-2.rds.amazonaws.com:2015/ppcmanifestsit2
User: ppcmanifestdb2
Password: s023k86cwo1khiw23dddcwe2

SIT Connection DB 1:

URL: jdbc:postgresql://ppcmanifest-sit2-use2-aurora-postgresql-cluster.cluster-c4pbfxrxccc.us-east-1.rds.amazonaws.com:2015/ppcmanifestsit
Username: ppcmanifestdb
Password: so23k86cwo1khiw23dddcwe

PROD

jdbc:postgresql://ppcmanifest-prod-aurora-postgresql-cluster.cluster-ro-c5ldfca1ixz9.us-west-1.rds.amazonaws.com:2015/ppcmanifestprod
Username: aceid
Password:

REL Connection DB info:

dbname: ppcmanifestddrel
username: ppcmanifestddrel
pswd: MAN2cweiu7923hiw23dddc5
URL: jdbc:postgresql://ppcmanifest-rel-aurora-postgresql-cluster.cluster-cnofyn5tdy8c.us-west-1.rds.amazonaws.com:2015/ppcmanifestrel

select * from ssf_package_d2_record;

select * from ssf_package_d2_record_error;

Tem Connection info:

jdbc:postgresql://ppcmanifest-tem-aurora-postgresql-cluster.cluster-ro-c5ldfca1ixz9.us-west-1.rds.amazonaws.com:2015/ppcmanifesttem
ACE ID
Request a Password

jdbc:postgresql://ppcscans-dev-aurora-cluster.cluster-cnofyn5tdy8c.us-west-1.rds.amazonaws.com:2015/ppcscandb2

CAT DB Password Reset- CR

- Incident ticket or service request in ServiceNow.
- Include AceID and project/environment (eg cat, cat2)
- ServiceNow assignment group is SDS PPC DevOps Support

Current Cat2:: Usps@AWS1#Jr6t0yYM
Current Cat1: Usps@AWS1#b8nmNaOU

Mongodb
Dev 2 Scans
Server Host: ppcscans-dev-aurora-cluster.cluster-cnofyn5tdy8c.us-west-1.rds.amazonaws.com
Port: 2015

Database: ppccsadb2
Username: ppccsadb2
Password: lk23309vikesrfbuatasUOA2
Server Time Zone: Auto-detect
Local Client: N/A

SIT 2 Scans
Server Host: ppccscans-sit2-aurora-cluster.cluster-cnofyn5tdy8c.us-west-1.rds.amazonaws.com
Port: 2015
Database: ppccsadb2
Username: ppccsadb2
Password: lwoeno2u39283bht2cy3A2
Server Time Zone: Auto-detect
Local Client: N/A

Server

Connect by ☒ Host ☐ URL

URL: jdbc:postgresql://ppcmanifest-beta-use2-aurora-postgresql-cluster.cluster-ct8yy6iospop.us-east-2.rds.amazonaws.com:2015/ppcmanifest

Host: ppcmanifest-beta-use2-aurora-postgresql-cluster.cluster-ct8yy6iospop.us-east-2.rds.amazonaws.com

Port: 2015

Database: ppcmanifestbeta

Authentication: Database Native

Username: db_x1mcc0

Password:

☒ Save password

Advanced

Session role: Local Client: PostgreSQL Binaries

jdbc:postgresql://ppcmanifest-beta-use2-aurora-postgresql-cluster.cluster-ct8yy6iospop.us-east-2.rds.amazonaws.com:2015/ppcmanifestbeta

Manifest db connection info ^

New Rosa Dev
jdbc:postgresql://ppcmanifest-dev1-use2-aurora-postgresql-cluster.cluster-c4pbfzrxxcc.us-east-2.rds.amazonaws.com:2015/ppcmanifestdev

Password: lk20hhwroctgj174sU
Username: ppcmanifestdb

New Rosa Rel

JDBC Url:jdbc:postgresql://ppcmanifest-sit2-use2-aurora-postgresql-cluster.cluster-c4pbfzrxxcc.us-east-2.rds.amazonaws.com:2015/ppcmanifestrel
Username:ppcmanifestddrel

New rosa cat2
url: jdbc:postgresql://ppcmanifest-cat2-use2-aurora-postgresql-cluster.cluster-ro-c58aeic63c1.us-east-2.rds.amazonaws.com:2015/ppcmanifestcat2

SIT1
jdbc:postgresql://ppcmanifest-sit1-use2-aurora-postgresql-cluster.cluster-c4pbfzrxxcc.us-east-2.rds.amazonaws.com:2015/ppcmanifestsit

Browser based

Wednesday, October 9, 2024

11:02 AM

Terminal pod

Old Openshft Commands

Thursday, June 11, 2020 3:24 PM

3.9 oc login <https://openshiftdev-aws.usps.gov:8443>

REL

```
oc rsync sync_files/ $(oc get po -n ppcmanifest-rel | grep manifest-01-enrollment | awk '{print $1}'): /opt/data/inbound/ptr --no-perms=true
```

```
oc rsync sync_files/ $(oc get po -n ppcmanifest-rel | grep nmats-icr-parser | awk '{print $1}'): /opt/data/inbound/nmats --no-perms=true
```

To install CLI 4.4:

Open Internet Browser of choice on the VM

Go to <https://console.apps.nonprod.aws.usps.gov>

After logging in - click on the ? in the upper right corner next to your name, select "Command Line Tools" and on the following page download the oc client for your operating system. (Linux)

Once downloaded open a terminal and run the following commands:

- Cd /home/victor/Downloads
- tar -xvf oc.tar
- sudo cp oc /usr/local/bin/
- sudo -s (Pass is VMfromVM)
- oc login api.nonprod.aws.usps.gov:6443 (Final command, this is to log in using the new client. If it works, then you have set it up correctly!)

To login:

3.9 oc-3 login <https://openshiftdev-aws.usps.gov:8443>

4.4 oc login api.nonprod.aws.usps.gov:6443

to change environments:

```
oc project ppcmanifest-dev1
```

```
oc project ppcmanifest-dev2
```

```
oc project ppcmanifest-sit1
```

```
oc project ppcmanifest-sit2
```

```
cd openshift-origin-client-tools-v3.9.0-191fece-linux-64bit/
```

-----New Pipe Line-----

To sync ssf files in dev1 (sync_files is the name of the folder where you keep your files):

```
oc rsync sync_files/ $(oc get po -n ppcmanifest-sit1 | grep manifest-01-enrollment | awk '{print $1}'): /opt/data/inbound/ptr --no-perms=true
```

```
oc rsync sync_files/ $(oc get po -n ppcmanifest-dev2 | grep nmats-icr-parser | awk '{print $1}'): /opt/data/inbound/nmats --no-perms=true
```

```
oc rsync sync_files/ $(oc get po -n ppcmanifest-sit1 | grep nmats-icr-parser | awk '{print $1}'): /opt/data/inbound/nmats --no-perms=true
```

-----SIT-----

ptr:

```
oc rsync sync_files/ $(oc get po -n ppcmanifest-sit2 | grep manifest-01-enrollment | awk '{print $1}'): /opt/data/inbound/ptr --no-perms=true
```

```
oc rsync sync_files/ $(oc get po -n ppcmanifest-sit1 | grep manifest-01-enrollment | awk '{print $1}'): /opt/data/inbound/ptr --no-perms=true
```

nmats:

```
oc rsync sync_files/ $(oc get po -n ppcmanifest-sit2 | grep nmats-icr-parser | awk '{print $1}'): /opt/data/inbound/nmats --no-perms=true
```

-----Possible NMATs Commands-----

```
oc rsync sync_files/ $(oc get po -n ppcmanifest-sit2 | grep akka-filetypeb-processor | awk '{print $1}'): /opt/data/inbound/nmats --no-perms=true -c source
```

```
oc rsync sync_files/ $(oc get po -n ppcmanifest-sit1 | grep akka-enrollmentchk-processor-2-ghnvb | awk '{print $1}'): /opt/data/inbound/nmats --no-perms=true -c source
```

```
oc rsync sync_files/ $(oc get po -n ppcmanifest-sit2 | grep akka-icr-processor-2-mhlmg | awk '{print $1}'): /opt/data/inbound/nmats --no-perms=true -c source
```

```
akka-enrollmentchk-processor-2-ghnvb  
akka-icr-processor-2-mhlmg
```

```
opt/data/completed/nmats
```

-----SPEF - yeah don't actually use these. Use the ssf commands-----

```
oc rsync sync_files/ $(oc get po -n ppcmanifest-dev2 | grep spef-processor-3 | awk '{print $1}'): /opt/data/inbound/ptr --no-perms=true -c source
```

```
oc rsync sync_files/ $(oc get po -n ppcmanifest-sit2 | grep spef-processor-3 | awk '{print $1}'): /opt/data/inbound/ptr --no-perms=true -c source
```

Redis Insight

Friday, May 5, 2023 10:04 AM

<https://redis.com/redis-enterprise/redis-insight/>

These are the openshift urls for all the passwords and login info for the redis dbs and more. Log into these to get the info for the connections.

path2 nonprod:

<https://console.apps.nonprod.aws.usps.gov/k8s/ns/ppcmanifest-dev2/secrets/redis-data-master>

path1 nonprod:

<https://console.apps.nonprod.aws.usps.gov/k8s/ns/ppcmanifest-dev1/secrets/redis-data-master>

When connecting to the redis db:

- Leave the Username Blank
- Select Use TLS and select "No CA Certificate"

Redis DBs:

Dev1= db1

dev2 = 2

Sit1 = 11

sit2 = 12

New Rosa Dev2

database=2

password=Qgf2kGKjAkP89Vsc

port=2015

ssl=Y

url=master.ppc-nonprod-us-east-2-path2-redis.ozdanh.use2.cache.amazonaws.com

When connecting to the redis db:

- Leave the Username Blank
- Select Use TLS and select "No CA Certificate"

Redis Cache

Tuesday, April 2, 2019 7:52 AM

To run

- cd C:\Python_Script
 - Run script using python(3)
 - python ./redis_sit2.py

Redis Cache Pull

- 2 db for dev
 - Account-profile-formanifest
 - Changing as of 4/23 to account-profile
- 12 db for sit
 - Account-profile

901078568:160

Check a specific MID

- result = r.hget('account-profile-formanifest', '901107892:617')
 - Returns 'None' if it is not in the cache.

Until Cygwin first

Search for python in Cygwin

901107289:612

```
[{"MID_PROF_SEQ": "718924", "UPLOAD_TIME": "2018-12-07T20:15:07.754007+00:00", "EPS_ACCT_NUMBER": "9999999999", "END_DATE": null, "MAIL_CLASS_DESC": "Priority Mail Return Service", "CRID": "4994238", "MAIL_CLASS": "MR", "STC": "612", "MID": "901107289", "PROD_GRP_NAME": "Network Returns", "PROD_WRKFLW_NAME": "Price on Scans, No Manifest", "OWNER_CRID": "20429125", "USER_CRID": null, "START_DATE": "/Date(1534896000000)/", "DEFAULT_POSTAGE": "7.4"}]
```

201114:612

```
[{"MID_PROF_SEQ": "718924", "UPLOAD_TIME": "2018-12-07T20:15:07.754007+00:00", "EPS_ACCT_NUMBER": "9999999999", "END_DATE": null, "MAIL_CLASS_DESC": "Priority Mail Return Service", "CRID": "4994238", "MAIL_CLASS": "MR", "STC": "612", "MID": "201114", "PROD_GRP_NAME": "Network Returns", "PROD_WRKFLW_NAME": "Price on Scans, No Manifest", "OWNER_CRID": "20429125", "USER_CRID": null, "START_DATE": "/Date(1534896000000)/", "DEFAULT_POSTAGE": "7.4"}]
```

```
$ python ./redis_dev2.py
```

```
[{"MID_PROF_SEQ": "714405", "UPLOAD_TIME": "2019-04-15T16:28:36.681070+00:00", "EPS_ACCT_NUMBER": "9999999999", "END_DATE": null, "MAIL_CLASS_DESC": "Priority Mail Return Service", "CRID": "4994238", "MAIL_CLASS": "MR", "STC": "019", "MID": "909816467", "PROD_GRP_NAME": "Network Returns", "PROD_WRKFLW_NAME": "Price on Scans, No Manifest", "OWNER_CRID": "4994238", "USER_CRID": null, "START_DATE": "/Date(1534896000000)/", "DEFAULT_POSTAGE": "7.4"}]
```

Redis- Clear Persistence

Saturday, September 7, 2019 12:26 PM

- Bulk Operations-
 - Delete keys with filter
 - Key Pattern : manifest-*
 - Show affected Keys
 - ◆ Delete Keys

RDS - VM

Tuesday, October 30, 2018 2:40 PM

IP Address for RDS: 56.76.62.184
User Name: Devsub\j00ng0
Password: Current Dev Sub-

```
oc rsync sync_files/ $(oc get po -n ppcmanifest-dev2 | grep mantis-manifest-02-enrollmentcheck |  
awk '{print $1}'): /opt/data/inbound/spef --no-perms=true
```

Devsub:
#DEVdm507XXXXXX
#DEVdm507670241
Finance Number:
670241

Default password for VM
SekiroHardMode1234!

Reset Devsub:
<http://devsubmainmenu.usa>
dce.usps.gov:85/

Ubuntu-VM
Michael
UbuntuVM

VM from VM
Victor
VMfromVM

```
VBoxManage.exe modifymedium "C:\Users\michael.p.johnston\VirtualBox VMs\Ubuntu  
18\Ubuntu 18.vdi" --resize 40999
```

Check for Unenrollment Errors through the command line

```
oc get po // to list all the pods  
oc logs myrtle-manifest-02-enrollmentchk-11-t60nj | grep WARN // to see the  
warning messages for the enrollment pods
```


myrtle-pkgcomp-02-enrollment-4-p17qp

Moving a large file:
send the file to inbound, no ptr
oc get po
oc rsh myrtle-manifest-02-enrollmentchk-1-fxz0l *Put in enrollment check name here*
cd /opt/data/inbound
ls
mv (filename) ptr/

VM Script

I made a script that runs the file creation script and then runs the new files into openshift.
It finishes by removing the newly created files so that "sync_files" is ready for the next run

Yeah, I put the file creation and this script into the openshift folder



run_files

[1:42 PM] Mancha, Victor
then you open a terminal and just run "python3 run_files.py"

[1:43 PM] Mancha, Victor
You will still have to edit both scripts regarding how many packages, the version, the environment (its using sit2 right now), etc, etc. I'm thinking of ways I can improve it already. I'll have a version 2.0 by Monday lol

Jumpbox for Redis

Thursday, December 27, 2018 11:20 AM

Delete Jaime's certs

Create config folder in Cygwin

Host

Port 6380

Password PPCD3vRed!s#2018

Db = 3 (testing)

C:\cygwin64\home\michael.p.johnston

56.207.109.64 - jumpbox URL

Frist jump is unix password

56.83.55.112 - sbroker?

56.37.24.8 - PPC Bastion

- Run redis_connect script
- Run python script to get response
 - The mid stc combo is define in the script
 - If the prod_group_name is 'network returns' & the end_date is null then they are enrolled

In redis_connect

Change eid to me

In config file

Change User is my Ace id

ALM

Monday, April 8, 2019 5:12 PM

ALM:

<https://alm1.usps.gov/qcbin/>

Manually Upload Test Scripts into ALM:

- Testing Tab
 - Test Plan
 - Go to Release
 - ◻ Then Sub release folder
 - ◆ SIT
 - ◇ Manifest Service
- Click New Test in the bar
 - Fill out pop up
 - Title
 - No description
- Click "Steps Tab"
 - Enter steps manually

Add in for Excel:

- Subject line -Is the directory of where it is place
 - Make sure it is exact!
- Description - is the Title/ Name
- Type - is always manual
- Click on the "Upload Add In tab"
 - Log in as you would for ALM
- Mapping
 - Each column must be mapped to a field in ALM

Git Lab

Monday, October 29, 2018 1:04 PM

Download: <https://git-scm.com/download/win>

URL for Package Platform Gitlab:

<https://gitlab-aws.usps.gov/PackagePlatform/manifest>

My local Git install:


C:\Program Files\Git

Local Repo:

C:\git_Project

Commands to run for first run:

```
git config --global user.name "first.name last.name"
git config --global user.email "<other name (ex. <firstInitial>.<lastName>) >"
git config --global http.sslverify false
git config --global http.proxy http://56.192.106.27:8080
git config --global https.proxy "56.192.106.27:8080"
git config --global https.proxy "56.192.106.27:8080"
git config --global NO.PROXY "169.254.169.254"
```



Example of working Upstream and local:

```
poorja.krishnan@FSP3F0: ~/PackagePlatform/workspace/manifest (validationsBranch)
$ git remote -v
origin https://FSP3F0@gitlab-aws.usps.gov/FSP3F0/manifest.git (fetch)
origin https://FSP3F0@gitlab-aws.usps.gov/FSP3F0/manifest.git (push)
upstream https://FSP3F0@gitlab-aws.usps.gov/PackagePlatform/manifest.git (fetch)
upstream https://FSP3F0@gitlab-aws.usps.gov/PackagePlatform/manifest.git (push)

poorja.krishnan@FSP3F0: ~/PackagePlatform/workspace/manifest (validationsBranch)
$
```

Setup Git:

- Change to directory you want
 - Git init
 - Git remote add upstream <https://ACEID@gitlab-aws.usps.gov/PackagePlatform/manifest.git>
 - Git remote -v (This is to verify)
 - Git remote add origin <https://ACEID@gitlab-aws.usps.gov/ACEID/manifest.git>
 - Git remote -v (This is to verify)

To create a local repo after you have set up the fork online:

- Change to the directory you previously did the Git init command in
 - Git clone <https://ACEID@gitlab-aws.usps.gov/ACEID/manifest.git>

Updates your local repo with changes to the base code. This will not override any local changes. You local changes will not be uploaded yet.

- Git pull upstream develop

Git checkout -v

Git status

This shows what is not checked in

Also shows what is currently being checked in before commit

Git add 'project.name'

Git commit -m ""message""

VM

Friday, May 1, 2020 2:23 PM

C:\VM

<https://afs365.sharepoint.com/sites/PackagePlatform/SitePages/Home.aspx?RootFolder=%2Fsites%2FPackagePlatform%2FShared%20Documents%2F09%2E%20Manifest%20Service%2FNew%20Joiners%20Guide&FolderCTID=0x0120000BA0AB19CA2C374DB3191132A8103008&View=%7BC8CCF6C4%2D0E13%2D4897%2D9F7D%2D0B56B79768A2%7D#InplviewHash4a36546d-e258-42ad-97bb-8d58ad7a9328=>

VPN

Monday, November 2, 2020 8:45 AM

bpvpn.usps.gov

<https://vpnclient.usps.gov/>

IE Lan setting

proxy.usps.gov

Bulk Pic updates

Friday, August 11, 2023 10:32 AM

[10:31 AM] Mireles II, Juan

For future reference:

- Change .manifest file type to .csv type (can be done by renaming file)
- Open file in Excel
- Given it is a .csv file, the CSV formatter should prompt
- Hit Next
- Use the last option under delimiters and put a pipe | in the box
- Next
- Change each column type to TEXT to prevent EFNs/PICs or large numbers from formatting to scientific numbers (like 2.75+E7)
- Finish, this should generate what we use as the base excel book for data.

like 1

[10:31 AM] Mireles II, Juan

NOTE: Would be best to remove H1 record and add it back manually since it does not have the same number of columns.

Verify

Wednesday, July 22, 2026 11:54 AM

Reset Kafka topic to new message

Need Group ID and the topic name the actor reads from

This info is in the config map - Kafaksrc

The actor must be scaled down

Will show the partitions

Scale actor back up

```
kafka-consumer-groups.bat --bootstrap-server kafka-path2.apps.ship-  
np.aws.use2.usps.gov:443 --group verify-sit2-pricingrequest-matched-2b --reset-  
offsets --to-latest --topic pkgplfm-verification-sit2-int-bypassScanResponse --execute --  
command-config sit.properties
```

Notes:

- Ebay and Pal both have 3 messages
 - Does the order of messages matter
 - Order doesn't matter as long as it is within the timeframe
 - Example:
 - ◻ If scan comes in first - Aug 1st
 - ◻ If the ICR comes in within 24hrs - It will match
 - ◆ ICR is based on Hours not days
 - ◻ If FileTypeB
- PricingRepsonse will be for EZ Returns for response messages
- Census
 - Takes the assessed postage, subtracted the manifested postage
 - Mailer Claimed an amount in the manifest
 - The ICR comes in and the Assied
 - The Census is the Differences
 - ◻ Postive number is the customer owes money (shortpaid)
 - ◻ Negative Number the USPS owes money (overpaid)
- ICRs and FileTypeBs match on
 - VendorID (FileTypeB) / ProviderID (ICR)
 - ModelID
 - Serial Number
- Root Cause is only for
 - APV
 - Outbound

Average Weights

Monday, August 10, 2026 2:44 PM

Outbound Average Weight/ Average Pricing

Flow

- When Verify get's the MasterElementsResponse
 - It goes into the Sampling Database
 - Sampling produce PaymentRelease-SP

Monthly Average Table

Based on Mail ID, CRID, MailClass

75%-100% trusted scans to get One Month Average

MasterElements Response message

We need to run a cronjob for this

Sampling Average Weight

To test this:

- Sampling Service must be scaled up
- Take MasterElementsResponse Messages - 50 Records
 - Update the
 - PICs - Each needs to be unique
 - ScansGroupingID - Each needs to be unique
 - TrustWorthyIndicator - True
 - ◻ All are true so it will give us 100% Trusted Scan
 - pricingScanCompletionDateTime - Within the last 30 days
 - ◻ If it is within 30 days, it will produce a 1 month average
 - ◻ If it is over 30 days it produces a 3 month average
 - Event Date Time - Same Date as pricing ScanCompletionDateTime
- Run them into the MasterElementsResponse Topic
 - They should be there
- Check Sampling Database
 - Average_weight_data table search by PSGIDLike "%**%"
 - Trusted Column
 - Cronjob looks at this column
 - 1 is trusted
 - 0 is not trusted
 - Weights
 - Cronjob looks at this column
- Update Variables for Sampling Service - CronJob Sampleingmonthly_avg
 - Lookback period 120 days - average over this any days
 - Monthly Threshold Number - 25 - Looking for number of records within the Lookback period
 - Our data need to have more that the threshold
- Run Sampling Service - CronJob Sampleingmonthly_avg
 - Check Logs for
 - Check verify table: monthly_average_weight - Search by CRID/MID
 - The batch of scans should have one entry
 - ◻ pricingScanCompletionDateTime - Within the last 30 days

- ☐ If it is within 30 days, it will produce a 1 month average
 - ☐ If it is over 30 days it produces a 3 month average
- The 1 month Average is what we are looking for to complete the scenario
 - Scan Rate within the Percentages
 - If the number is 0 it was outside the range
 - 1 Month Average
 - Average Amount column is the average weight of all the packages

Unmanifested Scans

Monday, August 10, 2026 12:09 PM

Under Domestic Outbound (live) - pricing rate logic

ICD

Appendix A Pricing Weight Logic

Goal:

Look for the Pricing Logic # in the masterElementsResponse topic

- Unmanifested -untrusted scan w/commercial 05
 - First Create Scan & unmanifest fee Response with GUI
 - Unmanifested Live
 - Set TrustworthIndicator to False
 - Pricing weight logic set within the last month date of the 8th (last month)
 - Run in attribute Scan
 - Check DB - Scan table for the scan. Search by PIC
 - Check DB - Potential_unmatched search by PIC
 - Check Monodb - Potential unmatched warning collection search by packageScanGroupingID
 - Config map check - edit unmanifestedFeeRequest earliest Days if needed - needs to hit the 8th of the current month if possible (or last month if it is not yet the 8th)
 - Run job
 - Check MasterElementsRequest
 - Look for PricingWeightLogic (main verify block)

Then it goes through the Matching Logic

----- 04 Untrusted-----

- Generate Unmanifested scan
 - Update TrustworthIndicator to false
- Manually update the Monthly_average_weight table
 - What to update?
 - MID from Scans
 - Mailer_ID
 - Change the date if need - First of 2 months ago
 - Created_date_time
 - Averged_month
 - Update the Mail Class to match the Scan
 - Mail Class name
 - Mail Class Code
 - Search Table to verify updates
 - Run unmanifestedRatio Conjob
 - Check log
 - Check MasterElementsRequest

-----03 Trusted-----

Unmanifested Trusted scan with commercial

Generate Data Unmanifested Live

Run in attribute scan

Check Scan table

Check Potential_unmatched table

Run unmanifest job

Look for the CRID

Where it is sending it - UnmanifestedFeeRequest

Check masterElementsRequest for PricingWeightLogic of 03

-----06 contract-----

- First run in unmanifested Fee Response json (to that topic) -unmanifestedPriceType field: should be contract
 - This is based on MID -masterMID
 - UpdateCRID
 - Update the Month - Date of 2 months ago
 - Program: outbound
 -
- Check Verify unmanifestedFee Release topic
- Check Unmanifested Monthly assessment DB Table
 - The Rates come from this table
 - Needs to say contract
- Need a average weight on the table- Monthly Average Weight Table
 - Update the data directly on the table - This should match the unmanifested Fee Response
 - Update Mailer_Id with the MasterMID you created
 - MailClass
 - Average Month
- Then take the generated scanned and edit it
 - **TrustWorthyIndicator should be true**
 - Update MailerID to match
 - Update the CRID to Match
 - Update Master MID to Match
 - Update PIC to Unique
 - Update PackageScanGroupingID to Unique
- Run the Scan in - Attribute topic
 - Check SCAN table search by PIC
 - Check Potential_unmatched table search by PIC
- Run unmanifest Job
 - Check logs for CRID used
- Check MasterElements Request topic
 - Look for the Pricing Weight Logic value of 06

-----07 contract-----

- First run in unmanifested Fee Response json (to that topic) -unmanifestedPriceType field: should be contract
 - This is based on MID -masterMID

- UpdateCRID
 - Update the Month - Date of 2 months ago
 - Program: outbound
- Check Verify unmanifestedFee Release topic
- Check Unmanifested Monthly assessment DB Table
 - The Rates come from this table
 - Needs to say contract
- Need a average weight on the table- Monthly Average Weight Table
 - Update the data directly on the table - This should match the unmanifested Fee Response
 - Update Mailer_Id with the MasterMID you created
 - MailClass
 - Average Month
- Then take the generated scanned and edit it
 - TrustWorthyIndicator should be false
 - Update MailerID to match
 - Update the CRID to Match
 - Update Master MID to Match
 - Update PIC to Unique
 - Update PackageScanGroupingID to Unique
- Run the Scan in - Attribute topic
 - Check SCAN table search by PIC
 - Check Potential_unmatched table search by PIC
- Run unmanifested Job
 - Check logs for CRID used
- Check MasterElements Request topic
 - Look for the Pricing Weight Logic value of 07

Cronjobs -

Friday, August 7, 2026 2:21 PM

To Regression test the cronjobs

- Run them and see if they break

Unmanifested Cronjob

- Unmanratio job
- Update configs based on date
 - earilystRunDate 1 - (default is 8)
- This job runs an assessment
 - Creates unmanifested Fee Request
 - Goes to pricing
 - Has a raio for the fee for the mailer to pay based on the unmanifested records
- GUI Create Unmanifested Live
 - Attribute Scan -
 - EarilstScanDate time are in the last month
 - PricingScanDate time are in the last month
 - To have the cronjob work:
 - Check Scans table (search by pic)
 - Needs to be on this table
 - Check potenital_unmatched table (search by pic)
 - Needs to be on this table
 - Check PotinationUnmatchedWarning Collection (packages_scan_grouping_Id)
 - Needs to be here
 - Check UnmainifestedWarning Topic
 - Needs to be here
 - Payment Service processes on the assessment date
- **Run the cronjob**
 - Pipelines
 - unmanratio
 - What happens when the job is run?
 - Based on the 8th of the following month
 - When any unmanifested package come through
 - Entries will be made in the unmanifestRaioCalcuations Collection
 - Search by CRID
 - Groups by CRID, mailer id, month, year
 - Check then Sends out UnmanifesdFeeRequest (topic)
 - Then goes to UnmanifestedFeeResponse Topic
 - Sends back to verify
 - Check unmanifestedFeeRelease topic
 - ◇ If over a dollar it will be set to true
 - Check the potential_unmatched table
 - The Scan should be removed

- Doesn't not get removed from the collection
- Goes through the matching flow
 - Should be on the matched_pricing_scan table-
Search by package_scan_grouping_id
 - Sends out request
 - ◆ masterElementsRequest Topic - search by PIC
 - Check the masterElementsResponse topic
(Outbound)
 - Check endpoint topic
 - ◆ Check PaymentRelease-SP
 - ◇ Always goes here due to SP if it is a dollar or more (Positive or neg)
 - ◇ Look at JSON
 - ▶ Root Cause: Unmanifested
 - ◆ If Delta is less than a dollar
 - ◇ Check the nonpayment topic
 - ◆ If outbound Pilot Check pilotRelease
 - ◇ Will go here regardless of delta

Unmatch Scans Daily

- For returns
- Config map: ***

Unmanifested Ratio

- Outbound
- APV
- International

Unmanifested Ratio Duplicates

- Duplicates

Inject files for misshipped

- MDF File Job
- NSA MDF Job

Purge Job

- After an amount of time this will delete records
 - Retention

Packaging Root Cause

Friday, August 7, 2026 2:08 PM

Use the GUI

- Put one of the Piece_packageing_barcode_UPC values from the UPC Barcode table in the attribute scan
- Run in ICR
 - Look up the ICR table to confirm
- Run in Attribute scan
 - Look up the scan table to confirm
- Does it match?
 - Matched_pricing_scan table (verify)
- Then check masterElements request
 - Get pic
- Then check the MasterElementsRequest topic
- Check masterElementsResponse topic
- Check the APVRepricedPackage topic
 - Look for the root Cause

Notes:

Package Root Cause Assesses warning codes

Will be on the attributeScan

piecePackingBarcodeUPC - Comes from Scans service

Also on UPCBarcode table

- In the ScansWiegth Block
 - If the TrustWorthyIndicator to true it gets checked against the scan and if it is not within ** it is rejected.
 - Set it to false to get the Packaging Root Cause
- Scans dimension block
 - TrustworthyIndicator set to false if you do not want the dims and weights checked against the scan.
 - Set it to false to get the Packaging Root Cause

Root Causes

Friday, August 7, 2026

11:01 AM

Dimensional Click N Ship Root Cause

- Use the GUI to generate the data
- Run in messages to their topics
 - APV First
 - Check Manifest collection in Verify mongodb
 - Look up by PIC
 - ◆ Make sure it is there
 - ClickNShip- Attribute Scans
- Goes through the same matching process
 - Goes to the Master Element Topic
 - Then Response PC Postage Topic
 - Look for Warnings
 - Codes and Descriptions are accurate
 - APV RePriced Package topic
 - Look for Postage Block
 - Check Difference
 - Assessed Warning Block
 - RootCause Reason
 - Should Be Dimensional

Notes:

- Pricing has set up codes based on for dimensional
 - Weight
 - Dimension
 - Pricing will assess Warning
 - There will be a block on the response
 - Then when it gets back the verify the Root Cause will be flagged

Overpaid APV

Friday, August 7, 2026 10:49 AM

Overpaid APV regression:

- Use the GUI to generate the messages
- Order does matter when running these messages in
 - Scan First
 - ICR Second
 - FileTypeB Third
 - Ebay and Paypal will have all three
- Did the message process?
 - Check SCANS table by PIC
 - Check ICR Table by PIC
 - FileB - by Confirmation_number (PIC value)
- Did it match?
 - Check matched_pricing_Scan table
 - Package Scan Grouping ID
- Check APV Reprice Package
 - This is the last place verify will post to for this process
 - ESAS reads from this topic
 - Check for the postage block for a positive number in the difference
 - Should be a negative census (Difference Field - Postage Block)
- Done

ShortPaid APV

Friday, August 7, 2026 10:19 AM

APV goes through the same flow as outbound

Verify Regresion GUI

- Shortpaid scenario - APV
 - APV tab
 - Shortpiad Stamps
 - It will generate an Attribute Scan and ICR
 - Write them to the listed topics
 - Check Database - Confirm it wrote to the Database
 - Verify Database
 - SCAN table search by PIC
 - ICR table search by PIC
 - Did it match? (all workflows)
 - Matched_pricing_scan - Search by package_scan_grouping_id
 - If there, then it matches
 - Manifest Package ID might not be populated based on workflow
 - Check Response Message
 - MasterElementsResponcePcPostage (This is where APV will go)
 - Search by Package_scan_grouping_id
 - Did it not work?
 - Check the Pods -Did it match?
 - ◆ Check Matched 1 process Matched actor
 - Rescale
 - ◆ SkipScan
 - ◆ Matched 1 Process matched package
 - Check APV Reprice Package
 - This is the last place verify will post to for this process
 - ESAS reads from this topic
 - Check for the asseced block for a postive number in the difference
- Done

Matching Verify Date Rules

- If you ingest the manfiest first it has 120 days to match
- If a scan comes in first it has 10 days to match
 - Use the same date unless you are testing a spefic flow
- The GUI automatically uses the current date
- The Dates that matter- These are the fields that are used in the matching flow
 - Scans
 - PricingScamCompleteionDateTime
 - EarlistScanDateTim
 - ICR
 - DateOfMailingTime (Could be date of creation)

Overlabel / Relabel

Wednesday, August 5, 2026 3:03 PM

MongoDB - Verify SIT2/Verify-sit
Colleciton - Manfiest

Manifests no longer save to the SQL database only Mongo
Scans go to SQL Database

In Verify Database - Scan table

Did the overlabel work?
What to check to see if it matches
 Matched_pricing_Scan table
 Look by/ Match on - Package group ID or Manifest id

Verify-pricedOverlabelFeeWarning Topic:
 Payment and Reporting Read from this TOPIC
 Included info from the Redis cache (overlabel-fee-map) and Relabel Block
 Redis Cache look up by Mail Class
 Includes overlabel fee rate
 Includes the relabel block here
 pricingScanCompleteDate time is coming from AttributeScan

Also Posts to Verify Master Elements Request
 Then Pricing Reads from it
 Pricing posts to Master Elements Reponse
 Relabel Block is here

Then goes back to VERIFY
 Posts to PaymentRelease-SP (Shortpaid) (Outbound packages go here)
 This is also sent to Data and Reporting and Payment
 Relabel Block here

For ETE Testing give json from these topics
 Verify- PaymentRelease-SP
 Verify-pricedOverlabelFeeWarning

Postage Delta
 Total Postage - Manifested Postage = Short paid, what the customer owes
 Anything over a \$1 will Trigger SP & OP

Misshipped CNS - Root Cause

Tuesday, August 4, 2026 11:22 AM

GUI

- Misshipped only applies to APV and Outbound
- Click the option you need and generate the data
 - Run the data into their topics
 - APV Topic
 - ***
 - Check SCAN table to make sure it processed
 - Check Mongo DB Collection - Manifest (Search by pic)
 - Finally check the matched_pricing_scan table to see if the package_scan_grouping_id matches between the two
- Check MasterElementRequest
 - Is it there? Good Proceed
- Check MasterElementsResponsePC Postage
 - Is it there? Good Proceed
- Check ApvRepricedPackage
 - Root Cause should be misshipped
- Check the misshipped collections for an entry
 - Search by packageScanGroupingID?
 - Every misshipped root cause event should be there
- Also on the misshipped-trigger topic
 - Misshipped = true

Misshipped overview

- Mailers can have reduce rates if they follow the rules
 - Based on where they drop their package off at (DDU , Destination Rate Indicator is what the mailer uses to claim)
 - Processing Category matters as well
 - Verify uses this value for a lookup
 - Destination Zip Code on the Manifest and the Origin Zip on the Scan needs to match
 - If not it is a misship
 - Mail goes to a certain area or zone
 - If the mailer drops the package outside of their zone

Notes:

- In the ScansWeight Block
 - If the TrustworthyIndicator to true it gets checked against the scan and if it is not within ** it is rejected
- Scans dimension block
 - TrustworthyIndicator set to false if you do not want the dims and weights checked against the scan.

Scans

Monday, July 13, 2026 2:04 PM

-  [Scans Testing Wiki.docx](#)
-  [Scan GUI with Scored Scales 2.0.html](#)

First Returns JSON

Run into source-iv topic

Then scored scale scans (scored scan) JSON

Post Scored scan

Hits IND_Scans, Pricing_Scans

AttributeScan topic - this is the topic that pushes data downstream

1. Source Scans - iv-source topic
2. Scored Scan - scoredScales topic
3. Populates
 - a. IND San
 - b. Pricing Scans
 - i. Event Code not 01 - may not populate this table.
 - c. AttributeScan

[Recap: Scan Data Generation Monday, July 13 | Meeting | Microsoft Teams](#)

From <<https://gov.teams.microsoft.us/v2/>>

R29 Scan Scenarios/ Testing

Wednesday, July 29, 2026 2:43 PM

Amazon Relabel print

1. If the label is damage
2. MyPo prints off the label and sends to EEB
3. EEB then sends data to Scans
4. Scans holds the scan until the package is delivered
 - a. Then Scans adds info into attribute scan for verify
5. Verify takes that info to search a pricing cache for fee amount
 - a. Verify then sends the data down to payment and reporting

Outbound Live is the only thing it should work for

Delayed Pricing Job in Scans

1. Mailer drops package off at a center
 - a. We do not get a scan for the package
 - i. Check existing scans that don't have a delivery and send to verify
2. Exclude Amazon Relabel

Scenario 2:

Story the Amazon Relabel on Relabel_reprints

Once delivery scan is received

- Outbound Mind
- STC 001
- Replay button for Message from EEB
- Copy barcode to use for delivery something
- Posting reprint message from EEB to testing topic


Look up the tracking id (BCD) in the message

Table to message fields:

SCANS parses out PIC Mail id, App ID and STC

Source_id Evid

Event Datetime



Scans loca

Amazon id is amazon bcd

Timezone offset is timezone offset

Action_taken - actn

Facility Zip is the Fac block Zip

Relabel_json has the full JSON

-----Next Step

Use same tracking number

01

Returns JSON

Post Source iv-source topic

Should hit the IND Scans table

Does the Package Scan grouping ID match the value from the relabel_reprints table

Check attributeScans Topic for result

Look for Relabel block

Make sure the values match

TrackingId

ActionTaken

AmazonScanID is

Send in Delivery Scan

Does the PSGID match the others?

Checks the same IND_Scans table

Notes:

Package_scan_grouping_Id is the unique id in Scans

IND_Scans is like the sfv_pkg table

Each PIC will have package_scan_group_id (PSGID)

Could be multiple scans for a single pic

https://afsdfeen.se.sharepoint.us/_x:/r/sites/Pack agePlatform/ layouts/15/Doc.aspx?sourcedoc=%7B79E6C75B-D483-4F21-9C07-3EF545D112EB%7D&file=Amazon%20Overlabel%20Scenarios%20-%20Scans%20Service.xlsx&action=default&mobilizedirect=true

Amazon Overlabel Scenario Steps

2	1- Amazon Relabel	Outbound	Live	1- Amazon relabel is held
	Received			2- Attribute Scan is released after the Delivery event with relabel details
	2- Delivery Event			
	Received			

Steps:

1. Run in outbound live package - hits priced-manifest
2. run in amazon-relabel json to amazon-relabel topic
3. Run in source scan
4. Run in scored scan
5. Check attributeScans for relabel block

Scan Event Codes - All in Pub 199
Non Delivery / Acceptant Scans- 03
Scan event 10 for in route
07 when it hits the delivery center
01 is delivered

When the 01 Dleivery scan is obtained looks at all the scans for the PIC and chose the most "Trusted" one.

Trust Status

Which weight and dims to choose?

1 is true

Multiple are trusted

Check the weight score

Higher Wins

Check Dim score

The Weight Score and Dim Score can be from different scans

Machines Processing E (MPE)

Machine types

These are the machines that scans the packages

Pass - Is not trusted

Trust elige some only for Weight or Dims

Trust eligible goes to source Scans

Once Wight Score or Dim score obtained

Then goes to IND Scans

When the attribute scan goes out, Some info is also written to the princg_scans table

In the Attribute Scan

Scan Weight block

TrustworthyIndicator False

Defaults to Manifested dims

Easy Scan Id is the unique id for each indivual scan

Duplicates Scans

Six Different scan event codes

Duplicate Scan button in GUI

2 arrival at unit

2 in route

2 delivery

3 for og and 3 for Dup

Order only matters for the delivery scans

Duplicates ignore all relabel - Block should be null

Matched Scans - APV

Wednesday, July 22, 2026 11:28 AM

Manifest processes APV package and posts to APV topic
Create the Returns JSON and run it into the iv-source topic

- PIC matches APV
- Source ID 30
- Event Code 01
- MPE Type - Pass

Post Returns Scored Scan to the scoredScales topic

Then Scans should populate ind_scans, pricing_scans and the attributeScans topic.

Verify consumes the message from the attributesScans topic

Verify Posts message to the MasterElementsRequest Topic

Then matches on pic

Writes to verify's masterelementsrequest topic

IV Scan GUI w/ Scored Scales

Easy Returns Id:	random 16-digit	Pic:	234657852934401619493
Impb:	auto-generated if blank	Mailer ID:	912345678
STC:	829	Channel App Id:	94
Source Id:	30	MPE Type:	PASS
Tracking Data Site:	78108	Length:	5
Width:	5	Height:	5
Weight:	5	Event Code:	01
Cap UPC1:		Easy Returns Src:	IMVIS-REG
Induction Station Num:	4	MPE Id:	003
JSON Count:	2	Service Indicator:	EZ
Serial Number:	random 8-digit	Check Digit:	1
Packaging Ind:	(6 for packageless)	Sort Area:	(5)
Scale Error Code:	(scale error code)	HAZMAT Indicator:	(Y/N)

From <<https://gov.teams.microsoft.us/v2/>>

Goes through Scans and Verify for a Matched Scan for APV

Different Matching role

Source IDs: 03 / 30

01 is delivery scan

APV doesn't need to be trusted

Dims do not need to match manifest to scan

Run into scan-env-iv-source - wiki APV- matched scan

Posts to attributes scan

Verify consume from attributes scans

Then matches on pic

Writes to verify's masterelementsrequest topic

Verify has manifest and scan import actors - writes to table

Sends to matching pipeline

Looks for the matching manifest & icrs

IV Scan GUI w/ Scored Scales

Easy Returns Id:	random 16-digit	Pic:	948293091234567803815
Impb:	auto-generated if blank	Mailer ID:	912345678
STC:	829	Channel App Id:	94
Source Id:	30	MPE Type:	PASS
Tracking Data Site:	78108	Length:	5
Width:	5	Height:	5
Weight:	5	Event Code:	01
Cap UPC1:		Easy Returns Src:	IMVIS-REG
Induction Station Num:	4	MPE Id:	003
JSON Count:	2	Service Indicator:	EZ
Serial Number:	random 8-digit	Check Digit:	1
Packaging Ind:	(6 for packageless)	Sort Area:	(5)
Scale Error Code:	(scale error code)	HAZMAT Indicator:	(Y/N)

Return JSON

Return Multiple JSONs

Return Duplicate JSONs

Scans Tips

Thursday, July 16, 2026 10:06 AM

The single scan save actors exist to process any messages that fail in the batch save actor.

Scans DB

Monday, July 13, 2026 3:53 PM

SIT2

jdbc:mysql://ppcscans-sit2-use2-aurora-mysql-cluster.cluster-ro-c4pbfzrxxcc.us-east-2.rds.amazonaws.com:2015/ppcscandb2

User Name: ppcscandb2

Password: lwoeno2u39283bht2cy3A2

PROD

jdbc:mysql://ppcscans-prod-aurora-cluster.cluster-ro-c5ldfca1ixz9.us-west-1.rds.amazonaws.com

YOU SHOULD QUERY THE RO INSTANCE

Server Host RW: ppcscans-prod-aurora-cluster.cluster-c5ldfca1ixz9.us-west-1.rds.amazonaws.com

Server Host RO: ppcscans-prod-aurora-cluster.cluster-ro-c5ldfca1ixz9.us-west-1.rds.amazonaws.com

Port: 2015

Database: ppcscandb

Username: ACE ID

Password: ACE ID password

Scans DB Queries

Monday, July 13, 2026 4:03 PM

```
SELECT PIC,IMPB, MACHINE_TYPE, DEVICE_ID, SCAN_EVENT_CODE, CREATE_DATETIME, PROGRAM  
FROM IND_SCANS_OUTBOUND  
WHERE pic = '92128909854457112123371969';
```

```
SELECT PIC,IMPB, MACHINE_TYPE, DEVICE_ID, SCAN_EVENT_CODE, CREATE_DATETIME, PROGRAM  
FROM SOURCE_SCANS  
WHERE CREATE_DATETIME >= '2023-09-29 00:00:00'
```

```
SELECT pic, impb, package_scan_grouping_id, earliest_scan_datetime,  
pricing_scan_complete_datetime, program  
FROM PRICING_SCAN_OUTBOUND  
WHERE pic = '92128909854457112123371969';
```

Fraud

Friday, March 10, 2023 10:47 AM

<https://afsdefense.sharepoint.us/sites/PackagePlatform/Shared%20Documents/Forms/AllItems.aspx?id=%2Fsites%2FPackagePlatform%2FShared%20Documents%2F Agile%2FR30%2FRAID%20696%20EMS%20Fraud&viewid=dd0ef3d1%2Df7b3%2D4943%2D8795%2D0037142b6225&TeamsCID=f93f0974%2Da174%2D400d%2D99b6%2Dc3a3a2f71472> - R30 Stories

V1 Fraud stories

[Storyboard | Digital.ai Agility](#)

Fraud Look Up - Mongo DB

Friday, June 13, 2025 1:58 PM

Looking up data for Pete in the Fraud Mongo DB collection in Prod.

Query the mongo db collection then export results but using the Export Data Button then export as CSV

Example Query:

```
{ "request.pic": { $in: [
  "9205590391793900050145",
  "9200190390910600176922",
  "9200190391325200473002" ] } }

{ "request.pic": { $in: [
  "9334610597204440298303" ] } }

{ "_id.pic": { $in: [
  "9334610597204440298303" ] } }

{ "electronicFileNumber": "92750900008035150934887456", "mailerId": "900008035",
  "serialNumber": "15093488745", "efnReceiptDate": "20251209", "efnReceiptTime": "15
  2010", "entryFacilityZIPCode": "30000", "mailingDate": "20251209", "recordCount": 2, "r
  ecordCountD1": 1, "recordCountD2": 0, "fileVersionNum": "020", "fileName": "20251209
  152010630_Dev2_perfect_12-9-2025_v1.manifest_
  1765315210", "validHeader": true, "failureMessage": null, "headerLineNumber": 1, "crid
  ": "20400372", "program": "Outbound", "workflow": "Live", "isAPIVendor": false }
```

Collection to view for intercepted pics

pkpglfrm-pricing-[env]-manifestPewFailures

92750900008035150934887456

[fraud-prod.fraudInterceptApiTracking](#)

Whitelist/blacklist collection: fraudInterceptMidList

STC white list is in Jenkins
420900069300110597204384018799

```
{ "request.pic": { $in: [
  "9400150899562008333711",
  "9400150899561008403882",
  "9400150899562008336576",
  "9400150899562008336828",
  "9400150899561008405893",
  "9400150899561008406555",
  "9400150899562008338372",
  "9400150899563017821916",
  "9405550899561000839118",
  "9400150899561008411474",
  "9400150899561008406296",
  "9400150899561008402762",
  "9400150899561008402762",
  "9400150899561008403424" ] } }

{ "request.pic": { $in: [
  "9405536208315322056320",
  "9405536208315316775343" ] } }

{ "_id.pic": { $in: [
  "9400150899562008333711",
  "9400150899561008403882",
  "9400150899562008336576",
  "9400150899562008336828",
  "9400150899561008405893",
  "9400150899561008406555",
  "9400150899562008338372",
  "9400150899563017821916",
  "9405550899561000839118",
  "9400150899561008411474",
  "9400150899561008406296",
  "9400150899561008402762",
  "9400150899561008402762",
  "9400150899561008403424" ] } }

{ "_id.pic": { $in: [
  "9405536208315322056320",
  "9405536208315316775343" ] } }

{
  "_id.pic": {
    $in: [
      "9200190150971783894595",
      "9200190150971783894618",
      "9200190150971783894649",
      "9200190150971783894663",
      "9200190150971783894694",
      "9200190118754205137517",
      "9200190118754205137524",
      "9200190118754205137548",
      "9200190118754205137562",
      "9200190118754205137579",
      "9200190118754205137586",
      "9200190150971721686879"
    ]
  }
}

{
  "request.pic": {
    $in: [
      "9200190150971783894595",
      "9200190150971783894618",
      "9200190150971783894649",
      "9200190150971783894663",
      "9200190150971783894694",
      "9200190118754205137517",
      "9200190118754205137524",
      "9200190118754205137548",
      "9200190118754205137562",
      "9200190118754205137579",
      "9200190118754205137586",
      "9200190150971721686879"
    ]
  }
}

{ "_id.efn": { $in: [
  "92750900061021531720258100" ] } }

{ requestDatetime : { $gte: ISODate("2025-06-20T00:00:00.000+00:00") } }
```

```
{
  "_id.mailerId": { "$in": ["901509717", "901187542"] },
  "requestDatetime": { "$gte": ISODate("2025-06-20T00:00:00.000Z") }
}
```

Example of multiple conditions in one filter

```
db.fraudInterceptApiTracking.countDocuments
({ "api": "interceptPic", "request.mailerId": { "$in": ["901509717", "901187542"] }, "createDatetime"
: { "$gte": ISODate("2025-06-20"), "$lt": ISODate("2025-07-10") } })
```


Fraud OneNote Link

Tuesday, April 8, 2025 10:31 AM

https://afsdefense.sharepoint.us/:o:/r/sites/PackagePlatform/_layouts/15/Doc.aspx?sourcedoc=%7B9D7F64B5-3950-494D-A96A-81B48A75653E%7D&file=USPS%20SHIP%20Documentation%20Center&action=edit&mobileredirect=true&wdorigin=Sharepoint

Fraud GUI

Tuesday, March 11, 2025 11:30 AM

Dev2 SITE: Ppcfraud-dev2.apps.nonprod.aws.usps.gov/fraudweb/

Impbs
STCs
Whitelist
Blacklist

2 actors have to be scaled up -

- Fraud-[]-listops
- Fraud-[]-listopsgui

If you get an "application is not available error", check the pods in openshift

Manage STC Whitelist

You can read the caches from jenkins - these are where items get added to

Ppc-fraud:intercept:stc:whitelist

Document check - checking something to do with the processing of files

The Health Check matches the Monodb manifestHealthCheckStatus collection

MID Update tab -

- Related to the FraudInterceptMidList mongodb collection
- Can change the status through the GUI
- You can update up to 1000 mids at the same time
- All changes to the MID also writes to the fraud-[]-mid-status-update topic

Impb Update tab

- Related Mongoddb colleciton - FraudIntereceptPlcList
- Fraud-[]-Impb-status-update topic
- Also updates the fraud-[]-barcode-status topic
- Limit 1000 pics to update at one time

Zip list will be coming

Whitelist / blacklist

Tuesday, January 21, 2025 8:55 AM

105442 - Whitelist
902671403 - Whitelist
109355 - whitelist
109441 - not in fraudInterceptMidList
104262 - whitelist
902848479 - whitelist
105440 - whitelist
110322 - whitelist
699300 - whitelist
205498 - Disabled
200882 - not in fraudInterceptMidList

[8:51 AM] Johnston, Michael P.
Hey there, can you send me the prod fraud whitelist/blacklist api link please?

[8:53 AM] Hibdon, Jillian
mongodb+srv://AKIAY4EFNFKBZCGYKQ4X:qM4jqM4UzyBTcoUeDgUukau1d7jwBFUdwa16K
2gt@ppcfraud-prod-pl-0-lb.lpfv9.mongodbgov.net/verify-prod?authSource=%
24external&authMechanism=MONGODB-AWS

Whitelist/blacklist collection: fraudInterceptMidList

Filter format:
{ "_id.mid": '200882' }

Fraud sampling report

Friday, March 10, 2023 1:33 PM

<https://teams.microsoft.com/>

<https://glikpostal-cat.usps.gov/hub/stream/587ecec-bf642-4b30-bf2a-307722862070>

Right side upload data?

Mept-cat

Right click fraud sampling

Another Fraud report

Wednesday, March 15, 2023 9:42 AM

Mongodb

Fraud Prod Connect

Manifest - prod

Impb record

Filter

{createTime: {\$gt: ISODate('2023-03-06T00:00:00.000Z')}}}

Export collection

UNCHECK ALL FIELD BOXES (I know it doesn't sound right but trust me)

Fraud Smoke

Thursday, March 16, 2023 10:23 AM

The Fraud APIs and then these two topics

- mid-status will have total volume per mid
- mid-location-status will have the total volume per mid & zip code

[12:24 PM] Soliz, Gerardo

The only other thing i know of for fraud is the fraud mailer identification

[12:24 PM] Soliz, Gerardo

[masterElementsRequest-evs](#)
[masterElementsRequest](#)
[masterElementsRequest-hdlm](#)

[12:40 PM] Soliz, Gerardo

So fraud service identifies fraudulent mailers by mailers with 100% unmanifested volume. The volume comes from verify service. The 3 files i sent over have data for each of the 3 topics

[12:41 PM] Soliz, Gerardo

When fraud service consumes these messages, they will get written to the pkgStatus collection in mongo

[12:42 PM] Soliz, Gerardo

Data in that collection will get picked up by the fraudmidbylocation cron job. The job will calculate the mailers unmanifested ratios and send the information to downstream services on the mid-status and mid0location-status topics

[12:43 PM] Soliz, Gerardo

mid-status will have total volume per mid
mid-location-status will have the total volumer per mid & zip code

Fraud API

Monday, June 27, 2022 2:47 PM

These API pull invalid info from these Redis Caches.

Fraud APIs

<https://ppcfraud-dev1.apps.nonprod.aws.usps.gov/mids>
{"fraudulentMids":["123456","123456789"]}

This API now uses midStatus mongo collect rather than a redis cache

[1:45 PM] Lopez, Daria

<https://ppcfraud-cat1.apps.preprod.aws.usps.gov/mids>

CAT2

<https://ppcfraud-cat2.apps.preprod.aws.usps.gov/imis>

<https://ppcfraud-dev1.apps.nonprod.aws.usps.gov/imis>

- Imis are unique values that are added to each package
- Trev has a sheet to generate imis
- There are 30~ different constructs
- Ibi & imi are the same thing
- We might decode them eventually?

Sit2

<https://ppcfraud-sit2.apps.nonprod.aws.usps.gov/mids>

{"fraudulentMids":["123456","123456789"]}

<https://ppcfraud-sit2.apps.nonprod.aws.usps.gov/imis>

```
{"fraudulentImis":["djA5MDESEgAAD0Y2BQAUHgDMijQBKACaAxQeNwAAAAAADAQ0ls1liQDAAAHg8ECAAQVMVoCHGndE6HfnKG8wgZ5+sUSIOEezGjVW/vYsLUgWyVj9W64oFXIU9xv4/w9YWrr5/Z2TNlbW8N5PgEDbFDaOvKr8=","djA5MDESEgAAD0Y2BQAUHg7MijQBKACaAxQeNwAcAAAAADAQ0ls1liQDAAAHg8ECAAQVMVoCHGndE6HfnKG8wgZ5+sUSIOEezGjVW/vYsLUgWyVj9W64oFXIU9xv4/w9YWrr5/Z2TNlbW8N5PgEDbFDaOvKr8="]}
```

for testing, we should be able to add more values to these redis keys:
"fraud-mids" (list of mids) "fraud-imis" (list of imis)

Redis DBs:

Dev1= db1

dev2 = 2

sit2 = 12?

Third API -

- <https://ppcfraud-dev2.apps.nonprod.aws.usps.gov/fraudulent-samples>
- Supports Post & Put
- Sample:
{"impb":"420974111111","imi":"kdjvkjvkqwqk","extrafield":"test"}
- List Scenarios
 - Good Mid
 - Bad Mid

- None of the fields are present
- Use Postman
 - Post
 - Body/Raw/ Select Json
 - Paste in JSON


```
{
    "imi": "test2",
    "impb": "947501212345678944701848469689",
    "scanDateTime":
    "2022-06-13T07:00:00.059-04:00",
    "address": "Address",
    "city": "City",
    "state": "State",
    "postalCode": "Postal",
    "latitude": "Latitude",
    "longitude": "Longitude",
    "clerkId": "ClerkID",
    "deviceId": "DeviceID",
    "sampleId": "SampleID",
    "containerId": "containerID",
    "reasonCode": "0"
  }
```

- Storing data in a kafka topic
- Main Topic: pkgplfm-fraud-dev2-impb-details
- kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --from-beginning --topic pkgplfm-fraud-rel-impb-details --consumer.config **sit.properties**
-
- Then save the data from the Kafka topic to mongo db
- For mongodb Error topics
 - Business logic error topic: pkgplfm-fraud-dev2-impb-details-error
 - System Errors: pkgplfm-fraud-dev2-error
- Scenarios
 - 0 – Non Fraudulent Sample -
 - Good Message (Happy Path)
 - 1 – Bad MID
 - Fraudulent MID (Mid is in the Fraudulent MID list in Fraud Service)
 - 2 – Duplicate IMI
 - 3 – Stale Mailing Date
 - Date of before the range
 - Date of After the Range
 - Edge cases for the range on either side

Fields

- ScanDateTime is required and must be unique
- Impb is required and must be unique
- All other values are optional?

Data in Sit2 cache

Outbound

'901017873': '{"MID_PROF_SEQ": "1999245298020201231",


```

"END_DATE": null, "CRID": "20480644", "EPS_ACCT_NUMBER":
"1000001435", "MID": "901017873", "PROD_GRP_NAME":
"Outbound", "MASTER_MID": "900059048",
"PROD_WRKFLW_NAME": "Live", "LAST_UPDATE_DATE":
"/Date(1609339175000)/", "MID_USER_CRID": null,
"PROD_WRKFLW_CODE": "L004", "MID_OWNER_CRID":
"20480644", "START_DATE": "/Date(1609372800000)/",
"PROD_WRKFLW_TYPE": "L", "UPLOAD_TIME":
"2022-07-05T16:11:13.289972+00:00"}, {"MID_PROF_SEQ":
"1927775298020200715", "END_DATE":
"/Date(1609286400000)/", "CRID": "20480644",
"EPS_ACCT_NUMBER": "1000001417", "MID": "901017873",
"PROD_GRP_NAME": "Outbound", "MASTER_MID":
"900059048", "PROD_WRKFLW_NAME": "Live",
"LAST_UPDATE_DATE": "/Date(1609339175000)/",
"MID_USER_CRID": null, "PROD_WRKFLW_CODE": "L004",
"MID_OWNER_CRID": "20480644", "START_DATE":
"/Date(1594771200000)/", "PROD_WRKFLW_TYPE": "L",
"UPLOAD_TIME": "2022-07-05T16:11:13.289972+00:00"}}
'902623669': [{"MID_PROF_SEQ": "1937092855020200508",
"END_DATE": null, "CRID": "6177502", "EPS_ACCT_NUMBER":
"9999999999", "MID": "902623669", "PROD_GRP_NAME":
"Outbound", "MASTER_MID": "901065420",
"PROD_WRKFLW_NAME": "Pilot", "LAST_UPDATE_DATE":
"/Date(1608220954000)/", "MID_USER_CRID": "6177502",
"PROD_WRKFLW_CODE": "P002", "MID_OWNER_CRID":
"6177502", "START_DATE": "/Date(1588896000000)/",
"PROD_WRKFLW_TYPE": "P", "UPLOAD_TIME":
"2022-07-05T16:11:13.289972+00:00"}]
'902623668': [{"MID_PROF_SEQ": "1937092854920200508",
"END_DATE": null, "CRID": "6177502", "EPS_ACCT_NUMBER":
"9999999999", "MID": "902623668", "PROD_GRP_NAME":
"Outbound", "MASTER_MID": "901065420",
"PROD_WRKFLW_NAME": "Pilot", "LAST_UPDATE_DATE":
"/Date(1608220954000)/", "MID_USER_CRID": "6177502",
"PROD_WRKFLW_CODE": "P002", "MID_OWNER_CRID":
"6177502", "START_DATE": "/Date(1588896000000)/",
"PROD_WRKFLW_TYPE": "P", "UPLOAD_TIME":
"2022-07-05T16:11:13.289972+00:00"}]
'902623667': [{"MID_PROF_SEQ": "1937092854820200508",
"END_DATE": null, "CRID": "6177502", "EPS_ACCT_NUMBER":
"9999999999", "MID": "902623667", "PROD_GRP_NAME":
"Outbound", "MASTER_MID": "901065420",
"PROD_WRKFLW_NAME": "Pilot", "LAST_UPDATE_DATE":
"/Date(1608220954000)/", "MID_USER_CRID": "6177502",
"PROD_WRKFLW_CODE": "P002", "MID_OWNER_CRID":
"6177502", "START_DATE": "/Date(1588896000000)/",
"PROD_WRKFLW_TYPE": "P", "UPLOAD_TIME":
"2022-07-05T16:11:13.289972+00:00"}]
Returns
'931487606:824': [{"MID_PROF_SEQ":
"182046110461720200430", "EPS_ACCT_NUMBER":
"9999999999", "PROD_WRKFLW_TYPE": "L", "END_DATE":
null, "MAIL_CLASS_DESC": "First-Class Package Service Return",
"CRID": "4994238", "MAIL_CLASS": "FR", "STC": "824", "MID":
"931487606", "PROD_GRP_NAME": "Network Returns",
"MASTER_MID": null, "PROD_WRKFLW_NAME": "Price &
Charge on Scans, No Manifest", "MID_USER_CRID": null,
"PROD_WRKFLW_CODE": "L003", "MID_OWNER_CRID":

```

"4994238", "START_DATE": "/Date(1588204800000)/"
'931487606:824': '{"MID_PROF_SEQ":
"182046110461720200430", "EPS_ACCT_NUMBER":
"9999999999", "PROD_WRKFLW_TYPE": "L", "END_DATE":
null, "MAIL_CLASS_DESC": "First-Class Package Service Return",
"CRID": "4994238", "MAIL_CLASS": "FR", "STC": "824", "MID":
"931487606", "PROD_GRP_NAME": "Network Returns",
"MASTER_MID": null, "PROD_WRKFLW_NAME": "Price &
Charge on Scans, No Manifest", "MID_USER_CRID": null,
"PROD_WRKFLW_CODE": "L003", "MID_OWNER_CRID":
"4994238", "START_DATE": "/Date(1588204800000)/"
'100032:598': '{"MID_PROF_SEQ": "20075457679920220412",
"EPS_ACCT_NUMBER": "1000009013",
"PROD_WRKFLW_TYPE": "L", "END_DATE": null,
"MAIL_CLASS_DESC": "Ground Return Service", "CRID":
"20429137", "MAIL_CLASS": "GR", "STC": "598", "MID":
"100032", "PROD_GRP_NAME": "Network Returns",
"MASTER_MID": "900021943", "PROD_WRKFLW_NAME":
"Returns - Manifest Attributes (Live)", "MID_USER_CRID": null,
"PROD_WRKFLW_CODE": "L008", "MID_OWNER_CRID":
"20429137", "START_DATE": "/Date(1649721600000)/",
"DEFAULT_POSTAGE": "5", "UPLOAD_TIME":
"2022-07-05T16:00:14.785194+00:00"}'
'206379:597': '{"MID_PROF_SEQ": "1709758164820200430",
"EPS_ACCT_NUMBER": "1000001520",
"PROD_WRKFLW_TYPE": "L", "END_DATE": null,
"MAIL_CLASS_DESC": "First-Class Package Service Return",
"CRID": "23479607", "MAIL_CLASS": "FR", "STC": "597", "MID":
"206379", "PROD_GRP_NAME": "Network Returns",
"MASTER_MID": null, "PROD_WRKFLW_NAME": "Price &
Charge on Scans, No Manifest", "MID_USER_CRID": null,
"PROD_WRKFLW_CODE": "L003", "MID_OWNER_CRID":
"23479607", "START_DATE": "/Date(1588204800000)/",
"DEFAULT_POSTAGE": "5.53", "UPLOAD_TIME":
"2022-07-05T16:00:14.785194+00:00"}'
APV
123456
213456789

imis
KsA5NdESEgAaD0Y2BQAUHgDMijQBKACaAxQeNwAAAAAAD
AQ0ls1IiQDAAAHg8ECAAQVMVoCHGndE6HfnKG8wgZ5
+sUSIOEezGjVW/vYsLUgWyVj9W64oFXIU9xv4/w9YWtr5/Z2TNI
bW8N5PgEDbFDaOvKr8=
djA5MDESEgAAD0Y2BQAUHgDMijQBKACaAxQeNwAAAAAAD
AQ0ls1IiQDAAAHg8ECAAQVMVoCHGndE6HfnKG8wgZ5
+sUSIOEezGjVW/vYsLUgWyVj9W64oFXIU9xv4/w9YWtr5/Z2TNI
bW8N5PgEDbFDaOvKr8=
AsA5NdESEgAaD0Y2BQAUHgDMijQBKACaAxQeNwAAAAAAD
AQ0ls1IiQDAAAHg8ECAAQVMVoCHGndE6HfnKG8wgZ5
+sUSIOEezGjVW/vYsLUgWyVj9W64oFXIU9xv4/w9YWtr5/Z2TNI
bW8N5PgEDbFDaOvKr8=
BsA5NdESEgAAD0Y2BQAUHgDMijQBKACaAxQeNwAAAAAAD
AQ0ls1IiQDAAAHg8ECAAQVMVoCHGndE6HfnKG8wgZ5
+sUSIOEezGjVW/vYsLUgWyVj9W64oFXIU9xv4/w9YWtr5/Z2TNI
bW8N5PgEDbFDaOvKr8=
CsA5MDESEgAAD0Y2BQAUHgDMijQBKACaAxQeNwAAAAAAD
AQ0ls1IiQDAAAHg8ECAAQVMVoCHGndE6HfnKG8wgZ5
+sUSIOEezGjVW/vYsLUgWyVj9W64oFXIU9xv4/w9YWtr5/Z2TNI

bW8N5PgEDbFDaOvKr8=

Enterprise Manifest Service

Monday, April 27, 2026 11:36 AM

Sharepoint location:

<https://afsdefense.sharepoint.us/sites/PackagePlatform/Shared%20Documents/Forms/AllItems.aspx?id=%2Fsites%2FPackagePlatform%2FShared%20Documents%2F09%2E%20Manifest%20Service%2F01%2E%20Requirements%2FManifest%20EMS%20%E2%86%92%20EEB%2F03%20Operations%2F02%20Action%20Items>

User Stories for basic file formats

Where is the line between EMS validations and Manifest Validations

The data coming in can not be trusted

Action Items



Going through the EMS stories and the ICD



Are there any stories in the EMS sheet missing that need to be there



Are there any stories in the EMS sheet that don't make sense.



Questions Tracker for all of EMS

- EMS will send EEB the package
- Then EEB will send a
 - package message
 - File stat message
- EEB will aggregate
 - EMS will map the json from the package message to the ssf_raw-Pkg tabl

EMS does the file level logic

- They send their messages to EEB then EEB sends to Legacy Manifest

Two interfaces?

- Between EMS and EEB
- EEB and Legacy

My testing ideas sounds like I am trying to test EMS and EEB

Focus on what EEB send Legacy Manifest.

The messages on the EEB Package Messages -

Legacy Manifest will

Kafka Message Examples

Thursday, May 28, 2026 12:54 PM

package message:

```
{
  "cstms": {
    ...
  },
  "destn": {
    ...
  },
  "dlvry": {
    ...
  },
  "eltrncFile": {
    "nbr": {
      "mlrld": "901000391",
      "nbr": "9275090100039108856511",
      "serNbr": "0885651"
    },
    "sfweVend": {
      "code": "8290",
      "version": "020"
    },
    "type": "EFN",
    "ver": "020"
  },
  "mailg": {
    ...
  },
  "nonIncidentalEnclo": {},
  "orgn": {},
  "payment": {},
  "shpg": {},
  "vldtn": [
    {
      "alerts": {
        "code": "",
        "msg": "",
        "fileName": "file.manifest",
        "fileRecCnt": 3,
        "lineNbr": 1
      }
    }
  ],
  "appln": {}
}
```

file stat message:

```
{
  "c1Cnt": 0,
  "createDtm": {
    "dtm": "04-20-2026 17:17:49.598",
    "dtmUtc": "04-20-2026 17:17:49.598"
  },
  "d1Cnt": 2,
  "d2Cnt": 2,
  "d3Cnt": 0,
  "d4Cnt": 0,
  "d5Cnt": 0,
  "eltrncFile": {
    "nbr": {
      "mlrld": "901000391",
      "nbr": "9275090100039108856511",
      "serNbr": "0885651"
    },
    "sfweVend": {
      "code": "8290",
      "version": "020"
    },
    "type": "EFN",
    "ver": "020"
  },
  "fileName": "",
  "fileSts": "status",
  "g1Cnt": 0,
  "g2Cnt": 0,
  "h1Cnt": 1,
  "mlrld": "901000391",
  "rcvdDtm": {
    "dtm": "04-20-2026 17:17:49.598",
    "dtmUtc": "04-20-2026 17:17:49.598"
  },
  "appln": {
    ....
  }
}
```

Accomplishments for FY 25

Monday, October 7, 2024 4:19 PM

Number of Stories Complete: 24

Dev testing

Sit testing

Tslc

Documentation

Regression testing

Prod Check outs

Functional analyst & quality engineer

56 stories completed that included

Dev & SIT testing, TSLC, and

Documnetation.

Releases Supported:

16 releases supported

- 14.0.0.0
- 14.0.1.0
- 14.0.2.0
- 14.0.3.0
- 14.0.3.2
- 15.0
- 15.0.0.1
- 15.0.0.2
- 15.0.1.3
- 15.0.2.0

Documents Created and Upload status:

- ✓ How to Create an Enrolled Outbound Package From Template - Mail Class FC
- ✓ Process Document - Scaling Environments Via OC Client
- ✓ Process Document - EFN Generator
- ✓ Process Document - Openshift View a Pod's Folders
- ✓ B-897941 - 14.0.1.0 -Tech Req - Additional performance fixes to reset SPEF timestamp when picking up and processing files so they do not get prematurely reset for repeated processing
- ✓ B-897940 - 14.0.1.0- Header Mid vs Detail Mid Charging Discrepancies

V1 ID	Points
B-888667	
B-887437	
B-887438	
B-893599	
Defect: D-93943	
ALM Item =2539	
B-897941	
B-897940	
B-905459	
B-905645	
B-905659	
B-905660	
B-907620	
B-907624	
B-892636	
B-916312	
B-916324	
B-924779	
B-925163	
B-925263	
B-932157	
B-925255	

(50+ stories completed that included Dev & SIT testing, TSLC, and Documentation.

I have supported 16 releases -including regression testing and Prod Verifications. I have meet and exceeded the expectations for a career level 10 resource.)

I am a Quality Engineer Senior analyst for our client. Help me draft my self reflection for my annual performance review. Highlight these accomplishments (50+ stories completed that included Dev & SIT testing, TSLC, and Documentation.

I have supported 16 releases -including regression testing and Prod Verifications. I have meet and exceeded the expectations for a career level 10 resource.). Keep draft to 10 sentences or less with a professional tone.

AFS Performance Achievement Timeline			
Q1	Q2	Q3	Q4
September October November	December January February	March April May	June July August
Set quarterly priorities; document in PA Tool . Meet with supervisor, at minimum, once a month for check-in conversations .			
Actions to Take: - Meet with supervisor & People Lead to review role expectations, responsibilities, and priorities Things to Know: Late Sept: Performance Decisions Released Nov: December Performance Cycle Promotions announced; Compensation decisions are released & bonuses are paid out in November (if applicable)	Things to Know: Dec 1st: Dec Cycle promotions effective (if applicable); New salary effective (if applicable) Jan: Equity recipients can view their awards in MyHoldings	Things to Know: June Performance Cycle Decisions are made	Actions to Take: Jun: Complete Self-Reflections in the PA Tool & share with your Supervisor and People Lead Things to Know: Jun: June Performance Cycle Promotions announced & effective Jul 6-24: Talent Discussions take place for all AFS Aug: Talent Lead finalization process - By Aug 31: Feedback submitted for all people in the PA tool
Copyright © 2025 Accenture Federal Services. All rights reserved. Proprietary and Confidential. Internal Use Only. Do not reproduce or distribute further.			

2026 Accomplishments

Tuesday, June 2, 2026 9:47 AM

In FY26, I have supported 17 releases as a functional tester and Subject Matter Expert for my service. From major releases to production fixes, I performed well. I've improved at collaborating across teams and I've improved my documentation. I have been flexible with all the originations changes and I have trained new team members.

During FY26, I supported 17 releases as both a functional tester and a Subject Matter Expert for my service area. This work spanned major releases as well as time-sensitive production fixes, and I consistently delivered high-quality results. My contributions strengthened release readiness, ensured smooth deployments, and supported overall service reliability.

I made meaningful progress in several areas this year. I improved cross-team collaboration by proactively engaging with partners across the delivery lifecycle, including during End-to-End testing efforts, which strengthened communication flow and enhanced issue resolution. I also strengthened the quality and clarity of my documentation, helping streamline knowledge transfer and support ongoing team efficiency. Additionally, I remained flexible and adaptable throughout organizational changes, stepping in where needed and helping maintain continuity. I also supported the onboarding of new team members by sharing knowledge and guiding them through key processes.

Overall, I am proud of the impact I made this year, and I am committed to continuing to learn, grow, and contribute meaningfully in the year ahead.

Python Tools

Tuesday, February 18, 2025 9:09 AM

C:\Users\d-michael.p.johnston\OneDrive - afs.com\Manifest Service\Python Tools

Cd C:\Users\d-michael.p.johnston\OneDrive - afs.com\Manifest Service\Python Tools

Python hello_world.py

C:\Program Files\Python312

Pip install pandas

pip install openpyxl

STC Mail Class,

SSF Mail Class,

Destination Rate Indicator,

(*), (destination country code)

Rate Indicator,

D5 RI, (* since we are not parsing D5 now)

Processing Category,

Postal Routing Barcode, (* if blank)

Discount Type, (* if blank)

Surcharge Type, (* if blank)

Domestic Zone

(*) international zone and

(*) 4-digit class of mail from ICR

Pricing Date,

Weight In Pounds Flag;

(ex: PS|PS|S|*|DN|*|3|0|*|1|*|06/23/2019|N)

EX|EX|N|*|PA|*|1|1|*|1|*|01/21/2024|N

901562543

193

Validate Data

Monday, April 7, 2025 12:11 PM

To automate the validation of data originating from SQL databases and JSON messages on Kafka topics, you can follow these steps:

1. **Understand the Requirements**

- Identify the data sources:
 - SQL databases (e.g., MySQL, PostgreSQL, etc.).
 - Kafka topics containing JSON messages.
- Define the validation criteria:
 - Schema validation (e.g., JSON structure, field types).
 - Data integrity (e.g., matching data between SQL and Kafka).
 - Business rules (e.g., specific field values, relationships between fields).

2. **Set Up the Environment**

- **Database Access**:
 - Use a library like ``pyodbc``, ``psycopg2``, or ``SQLAlchemy`` to connect to the SQL database.
- **Kafka Access**:
 - Use a Kafka client library like ``confluent-kafka-python`` or ``kafka-python`` to consume messages from Kafka topics.
- **Testing Framework**:
 - Use a testing framework like ``pytest`` to structure and automate the tests.

3. **Automate Data Extraction**

- **From SQL Databases**:
 - Write SQL queries to extract the required data.
 - Fetch the data using a database client library.
- **From Kafka Topics**:
 - Consume messages from the Kafka topic using a Kafka client.
 - Deserialize the JSON messages.

4. **Automate Data Validation**

- **Schema Validation**:
 - Use a library like ``jsonschema`` to validate the structure of JSON messages.
- **Data Comparison**:
 - Compare the data from the SQL database with the data in Kafka messages.
 - Ensure that the data matches based on predefined rules (e.g., primary keys, timestamps).
- **Business Rule Validation**:
 - Write custom validation logic to check for specific business rules.

5. **Log Results**

- Log validation results (e.g., pass/fail, mismatched records) to a file or monitoring system.
- Use assertions in the testing framework to fail tests if validation criteria are not met.

6. **Integrate with CI/CD**

- Integrate the automated tests into a CI/CD pipeline (e.g., Jenkins, GitHub Actions).
- Run the tests automatically on schedule or after deployments.

Example Python Script for Validation

```
```python
import json
import psycopg2
from kafka import KafkaConsumer
from jsonschema import validate, ValidationError

Database connection
def fetch_data_from_db(query, connection_params):
 conn = psycopg2.connect(**connection_params)
 cursor = conn.cursor()
 cursor.execute(query)
 rows = cursor.fetchall()
 conn.close()
 return rows

Kafka consumer
def fetch_data_from_kafka(topic, kafka_config):
 consumer = KafkaConsumer(topic, **kafka_config)
 messages = []
 for message in consumer:
 messages.append(json.loads(message.value))
 if len(messages) >= 10: # Fetch 10 messages for testing
 break
 consumer.close()
 return messages

Schema validation
def validate_json_schema(data, schema):
 try:
 validate(instance=data, schema=schema)
 return True
 except ValidationError as e:
 print(f"Schema validation error: {e}")
 return False

Data comparison
def compare_data(db_data, kafka_data):
 mismatches = []
 for db_row, kafka_message in zip(db_data, kafka_data):
 if db_row != kafka_message:
 mismatches.append((db_row, kafka_message))
```

```

return mismatches

Example usage
if __name__ == "__main__":
 # Database connection parameters
 db_params = {
 "dbname": "testdb",
 "user": "testuser",
 "password": "testpass",
 "host": "localhost",
 "port": 5432,
 }
 query = "SELECT id, name, value FROM test_table"

 # Kafka configuration
 kafka_config = {
 "bootstrap_servers": "localhost:9092",
 "group_id": "test-group",
 "auto_offset_reset": "earliest",
 }
 topic = "test-topic"

 # JSON schema
 schema = {
 "type": "object",
 "properties": {
 "id": {"type": "integer"},
 "name": {"type": "string"},
 "value": {"type": "number"},
 },
 "required": ["id", "name", "value"],
 }

 # Fetch data
 db_data = fetch_data_from_db(query, db_params)
 kafka_data = fetch_data_from_kafka(topic, kafka_config)

 # Validate Kafka messages
 for message in kafka_data:
 if not validate_json_schema(message, schema):
 print(f"Invalid message: {message}")

 # Compare data
 mismatches = compare_data(db_data, kafka_data)
 if mismatches:
 print("Data mismatches found:")
 for db_row, kafka_message in mismatches:
 print(f"DB: {db_row}, Kafka: {kafka_message}")
 else:
 print("Data validation passed.")
...

```

### ### Steps in the Script:

#### 1. **Fetch Data**:

- Extract data from the SQL database using a query.
- Consume JSON messages from the Kafka topic.

#### 2. **Validate Schema**:

- Use `jsonschema` to validate the structure of Kafka messages.

#### 3. **Compare Data**:

- Compare the data from the database and Kafka messages for consistency.

#### 4. **Log Results**:

- Print mismatches or validation errors to the console.

---

### ### Tools and Libraries:

#### - **Database Access**:

- `psycopg2` (PostgreSQL), `pyodbc` (SQL Server), or `SQLAlchemy`.

#### - **Kafka Access**:

- `kafka-python` or `confluent-kafka-python`.

#### - **Schema Validation**:

- `jsonschema` for JSON validation.

#### - **Testing Framework**:

- `pytest` for test automation.

---

### ### CI/CD Integration:

- Add the script to your CI/CD pipeline.
- Run the script as part of automated testing after deployments or on a schedule.

Let me know if you need further assistance!

If the tool cannot connect directly to the database or Kafka, you can load the data using exported files. Here are alternative approaches:

---

### ### 1. **Export Data from the Database**

#### - **Export Format**:

- Export the database data to a file format such as CSV, JSON, or Excel.

#### - **How to Export**:

- Use database tools or scripts to export the data:

- For PostgreSQL: Use `COPY` or `pg\_dump` to export data to a CSV or JSON file.
- For MySQL: Use `SELECT INTO OUTFILE` or tools like MySQL Workbench.
- For SQL Server: Use SQL Server Management Studio (SSMS) to export data to a file.
- **\*\*Load the Exported File\*\***:
- Use Python libraries like `pandas` to load the exported file for validation.

---

### ### 2. **\*\*Export Kafka Messages\*\***

- **\*\*Export Format\*\***:
- Export Kafka messages to a JSON file.
- **\*\*How to Export\*\***:
- Use a Kafka consumer script to read messages and write them to a file.
- Alternatively, use tools like `kcat` (formerly `kafkacat`) to dump Kafka messages to a file:
 

```
```bash
kcat -b localhost:9092 -t test-topic -o beginning -e > kafka_messages.json
```
```
- **\*\*Load the Exported File\*\***:
- Use Python to read the JSON file for validation.

---

### ### 3. **\*\*Automated Workflow\*\***

- **\*\*Step 1\*\***: Export data from the database to a file (e.g., `db\_data.csv` or `db\_data.json`).
- **\*\*Step 2\*\***: Export Kafka messages to a file (e.g., `kafka\_messages.json`).
- **\*\*Step 3\*\***: Use Python to load and validate the exported files.

---

### ### Example Python Script for File-Based Validation

```
```python
import pandas as pd
import json
from jsonschema import validate, ValidationError

# Load database data from a CSV file
def load_db_data(file_path):
    return pd.read_csv(file_path)

# Load Kafka messages from a JSON file
def load_kafka_data(file_path):
    with open(file_path, 'r') as file:
        return json.load(file)

# Validate JSON schema
def validate_json_schema(data, schema):
    try:
        validate(instance=data, schema=schema)
        return True
    except ValidationError as e:
        print(f"Schema validation error: {e}")
        return False
```
```

```

Compare data
def compare_data(db_data, kafka_data):
 mismatches = []
 for _, db_row in db_data.iterrows():
 db_row_dict = db_row.to_dict()
 matching_kafka_message = next((msg for msg in kafka_data if msg["id"] == db_row_dict["id"]),
None)
 if not matching_kafka_message or db_row_dict != matching_kafka_message:
 mismatches.append((db_row_dict, matching_kafka_message))
 return mismatches

Example usage
if __name__ == "__main__":
 # File paths
 db_file = "db_data.csv"
 kafka_file = "kafka_messages.json"

 # JSON schema
 schema = {
 "type": "object",
 "properties": {
 "id": {"type": "integer"},
 "name": {"type": "string"},
 "value": {"type": "number"},
 },
 "required": ["id", "name", "value"],
 }

 # Load data
 db_data = load_db_data(db_file)
 kafka_data = load_kafka_data(kafka_file)

 # Validate Kafka messages
 for message in kafka_data:
 if not validate_json_schema(message, schema):
 print(f"Invalid message: {message}")

 # Compare data
 mismatches = compare_data(db_data, kafka_data)
 if mismatches:
 print("Data mismatches found:")
 for db_row, kafka_message in mismatches:
 print(f"DB: {db_row}, Kafka: {kafka_message}")
 else:
 print("Data validation passed.")
...

```

### Steps in the Script:

1. **\*\*Load Database Data\*\***:
  - Use `pandas` to load the exported database data from a CSV file.
2. **\*\*Load Kafka Messages\*\***:

- Use `json` to load the exported Kafka messages from a JSON file.
3. **\*\*Validate Schema\*\***:
    - Use `jsonschema` to validate the structure of Kafka messages.
  4. **\*\*Compare Data\*\***:
    - Compare the database rows with Kafka messages based on a unique identifier (e.g., `id`).

---

#### ### Tools for Exporting Data:

1. **\*\*Database Exports\*\***:
  - Use database tools or scripts to export data to CSV or JSON.
  - Example PostgreSQL command to export to CSV:

```
```sql
COPY (SELECT * FROM test_table) TO '/path/to/db_data.csv' CSV HEADER;
```
```
2. **\*\*Kafka Exports\*\***:
  - Use `kcat` or a custom Kafka consumer script to export messages to a JSON file.

---

#### ### Advantages of File-Based Validation:

- **\*\*Decoupled\*\***: No direct connection to the database or Kafka is required.
- **\*\*Reusable\*\***: Exported files can be reused for multiple test runs.
- **\*\*Portable\*\***: Files can be shared across environments for validation.

Let me know if you need further assistance!



# Mid Finder

Thursday, April 3, 2025 12:11 PM

PROD\_WRKFLW\_NAME

PROD\_GRP\_NAME"

PRS-Traditional

# Manifest Generator

Monday, March 10, 2025 11:41 AM

What I want it to do

- Generate a .manifest file

What are the requirements:

- format
  - Fields
  - Values
  - Delimiters
- Take in a sku
  - EX|EX|N|\*|PA|\*|1|1|\*|\*|1|\*|\*|01/21/2024|N

# Regression Generator

Wednesday, March 26, 2025 9:21 AM

I want to be able to pass it a MID and have it output a file. This would be for multiple workflows.

# Manifest Knowledge

Wednesday, October 28, 2020 10:13 AM

File name can be 100 characters long

# Remove Pricing Zone API Check

Thursday, April 23, 2026 3:49 PM

Manifest will stop calling the Pricing Zone API  
Instead Manifest will pass 0 or 1 in the domestic zone field  
0 is for unzoned products  
1 is for zoned products  
Manifest will autocorrect the domestic zone field?

Remove Pricing Zone API Check

## Description

As a USPS Manager I want the Manifest Service to stop calling Pricing's Zone API.

AC

Domestic Zone Autocorrection Functionality Updated:

1. Manifest will no longer call the Pricing Zone API for domestic zone look ups
  - a. As result, the PEW message for having an incorrect Domestic Zone will be removed
2. Manifest will substitute a 0 or 1 in the domestic zone field for the SKU look up

The permit\_eps\_acct key is formed "crid:permit\_number:permit\_type:finance\_num\_value"

- 1. CrId value is queried from account\_profile\_outbound using the mid from the tracking number.
- 2. Permit\_number value is grabbed from the payment\_account\_number
- 3. Permit\_type is OI or PI or MR
- 4. Finance\_num\_value is grabbed using the post\_office\_of\_account\_zip\_code value to query the active\_zip\_finance\_number cache.

Example Package scenario.

- 1. The mid used is 901057902, which has the crid "94818004"
- 2. The permit number it 552
- 3. post\_office\_of\_account\_zip\_code is of 20066 which pulls the value '105000' from the active\_zip\_finance\_number cache.

The resulting key formed for querying the permit\_eps\_acct cache is 94818004:552:PI:105000.

PFSC are outbound but with STCs 315, 128 or 722 with only and their mail class will autocorrect to PM or EX

```
{
 "MID_PROF_SEQ": "54788313475020260129",
 "END_DATE": null,
}
```

```
CrId: 22225411
Permit Number: 99
Permit Type: PI
"PERMIT_FINANCE_NO": "661204",
```

```
Dev2 Permit PI
(3:9999-OI:661204:
{"EPS_ACCT_NUMBER":"9999999999","AGENCY_CODE":"","AGENCY_COST_CODE":""})
```

```
{3:323-OI:661204:
{"EPS_ACCT_NUMBER":"","AGENCY_CODE":"010","AGENCY_COST_CODE":"5678
9"}
```

```
Dev2 Omas Outbound MID
"000020719":{"MID_PROF_SEQ":"352002678689720260501","END_DATE":null,"CRID":"3",
"EPS_ACCT_NUMBER":"9999999999","MID":"900020719","PROD_GRP_NAME":"Outbound",
"MASTER_MID":"104070","PROD_WRKFLW_NAME":"Pilot","LAST_UPDATE_DATE":
"/Date(1763731846000)/","MID_USER_CRID":null,"PROD_WRKFLW_CODE":"P02",
"MID_OWNER_CRID":"3","START_DATE":"/Date(177593600000)/","PROD_WRKFLW_TYPE":"P",
"PDX_FLG":"I","PAYMENT_TYPE":"O","PERMIT_NO":"9999","PERMIT_TYPE":"OI",
"PERMIT_FINANCE_NO":"999922","AGENCY_CODE":"999","AGENCY_COST_CODE":"99999",
"LEGACY_EXTRACT":"N","POSTAGE_EXT_FORMAT":"","FILE_VERSION":"","DESTINATION_FORMAT":
"", "FMB":"N","UPLOAD_TIME":"2026-04-28T18:21:05.047504+00:00"]}
```

```
20559099:17-OI:661204
{
 "EPS_ACCT_NUMBER":"","
 "AGENCY_CODE":"274",
 "AGENCY_COST_CODE":"00000"
}
```

"crid:permit\_number:permit\_type:finance\_num\_value"

```
Dev2 Permit PI
(20400372:99-PI:661204:
{"EPS_ACCT_NUMBER":"1000001869","AGENCY_CODE":"","AGENCY_COST_CODE":""})
```

```
Dev2 MID Outbound Live-2
{
 "MID_PROF_SEQ":"335833177467220240904",
 "END_DATE": null,
 "CRID":"20400372",
 "EPS_ACCT_NUMBER":"1000001869",
 "MID":"900027955",
 "PROD_GRP_NAME":"Outbound",
 "MASTER_MID":"900008036",
 "PROD_WRKFLW_NAME":"Live",
 "LAST_UPDATE_DATE":"/Date(1725435403000)/",
 "MID_USER_CRID":null,
 "PROD_WRKFLW_CODE":"L004",
 "MID_OWNER_CRID":"20400372",
 "START_DATE":"/Date(1725408000000)/",
 "PROD_WRKFLW_TYPE":"L",
 "PDX_FLG":"I",
 "PAYMENT_TYPE":"E",
 "PERMIT_NO":"","
 "PERMIT_TYPE":"","
 "PERMIT_FINANCE_NO":"","
 "AGENCY_CODE":"","
 "AGENCY_COST_CODE":"","
 "LEGACY_EXTRACT":"N",
 "POSTAGE_EXT_FORMAT":"","
 "FILE_VERSION":"","
 "DESTINATION_FORMAT":"","
 "UPLOAD_TIME":"2025-10-06T20:21:19.125724+00:00"
```

```
CrId: 20632176
Permit Number: 45
Permit Type: PI
"PERMIT_FINANCE_NO":"518586
```

```
"CRID":"20559097",
"EPS_ACCT_NUMBER":"","
"MID":"900639857",
"PROD_GRP_NAME":"Outbound",
"MASTER_MID":"900076654",
"PROD_WRKFLW_NAME":"Live",
"LAST_UPDATE_DATE":"/Date(1769694509000)/",
"MID_USER_CRID":null,
"PROD_WRKFLW_CODE":"L004",
"MID_OWNER_CRID":"20559097",
"START_DATE":"/Date(1769644800000)/",
"PROD_WRKFLW_TYPE":"L",
"PDX_FLG":"I",
"PAYMENT_TYPE":"O",
"PERMIT_NO":"99",
"PERMIT_TYPE":"OI",
"PERMIT_FINANCE_NO":"661204",
"AGENCY_CODE":"008",
"LEGACY_EXTRACT":"N",
"POSTAGE_EXT_FORMAT":"","
"FILE_VERSION":"","
"DESTINATION_FORMAT":"","
```

Permit EPS Account  
20559097:99-OI:661204

```
20632176:45-PI:518586:
{"EPS_ACCT_NUMBER":"1000089152","AGENCY_CODE":"","AGENCY_
COST_CODE":""}
```

```
20632176:45-PI:518586
"00076226":{"MID_PROF_SEQ":"39897714184320241001","END_DATE":null,"CRID":"20632176",
"EPS_ACCT_NUMBER":"1000089153","MID":"900076226","PROD_GRP_NAME":"Outbound",
"MASTER_MID":"900074538","PROD_WRKFLW_NAME":"Live","LAST_UPDATE_DATE":
"/Date(1726682356000)/","MID_USER_CRID":"20632176","PROD_WRKFLW_CODE":"L004",
"MID_OWNER_CRID":"20632176","START_DATE":"/Date(1727740800000)/","PROD_WRKFLW_TYPE":
"L","PDX_FLG":"N","PAYMENT_TYPE":"E","PERMIT_NO":"","PERMIT_TYPE":"","
"PERMIT_FINANCE_NO":"","AGENCY_CODE":"","AGENCY_COST_CODE":"","LEGACY_EXTRACT":"N",
"POSTAGE_EXT_FORMAT":"","FILE_VERSION":"","DESTINATION_FORMAT":"","FMB":"N",
"UPLOAD_TIME":"2026-03-19T21:21:04.581428+00:00"}
```

From: <https://perkins.aws.usps.gov/job/OpzCellService/job/HeadRedicache/3111/console?top>

Permit-EPS Account not found, key used: 20559097:99-OI:105000

# G1 G2

Friday, September 5, 2025 8:31 AM

```
• {
 "manifest": {

 },
 "manifest": {

 },
 "internationalCustomsInformation": {
 [G1]
 "contentDetails":{ [
 [G2]
]
 }
}
"pewDetailRecord": {

},
"customerVisibility": {

},
"originalValues": {

},
"pricingDestTopic": "pkgplfm-pricing-prod-priced-Manifest",
"version": "1.0.2"
}
}
```

## Pricing dependent fields

### G1 Record

- Sum of Duties
- Sum of Taxes
- DDP Related Fees
- Sum of Duties, Taxes, and Fees
- Sum of Duties, Taxes, Fees, and Postage Paid
- DDP Service Provider
- Currency Indicator
- Currency Conversion Rate at Time of Trans

### G2 Record

- Customs Category Article
- Customs Description
- Duty Data
- Tax Sum Data
- Total Value Data Element

# poho

Friday, April 4, 2025 2:22 PM

3 criteria

Package coming from CNS or EMAS (Software Vendor Code 8290) - APV?

Manifested postage amount of 0.00

One of the new 3 ESC

New flag in Package JSON - For PoHo Local

Destination Rate indicator of D

Outbound or APV workflows:

EMAS is Mostly outbound

CNS is APV

APV Part is still up for debate.

The local post office is going to start storing items to then sell.

Manifest PoHo Story: if a CNS and EMAS mailing has a manifested postage of 0 and has an ESC in the PoHo list, flag it as PoHoLocal

2 separate mailings - One to the Post Office -> Then one to the customer

Second leg is will be outbound

Something with Ground Advantage?

ESC 502 is the for Local Post -

Remove the post host local flag - The flag will be removed

## ### Acceptance Criteria for Story: Post Host New ESC Code

### #### \*\*General Requirements\*\*

#### 1. \*\*ESC Code Processing\*\*:

- The USPS Ship Manifest Service must process the following new ESC codes for Post Host:
  - `498`: PO Box Locker – Stocking Fee
  - `500`: PO Box Locker – Self-Service Pickup Fee
  - `501`: PO Box Locker – Clerk-Assisted Pickup Fee
  - `502`: PO Box Locker – Local Delivery Fee
- The `497` code (PO Box Locker – Storage Fee) must **not** be implemented as part of this release and should be deferred for future implementation.



2. **\*\*Flagging Post Host Local\*\***:

- If a CNS or EMAS mailing has:
  - A **\*\*manifested postage of \$0\*\***, and
  - An ESC code from the Post Host list (`498`, `500`, `501`, `502`),
- Then the mailing must be flagged as **\*\*Post Host Local\*\***.

---

**#### \*\*Functional Criteria\*\***

2. **\*\*Post Host Local Flagging\*\***:

- The system must correctly flag mailings as **\*\*Post Host Local\*\*** if the conditions are met:
  - Manifested postage is `\$0`.
  - ESC code is one of the valid Post Host ESC codes (`498`, `500`, `501`, `502`).

3. **\*\*Error Handling\*\***:

- If a mailing does not meet the criteria for flagging as **\*\*Post Host Local\*\***, it must not be flagged, and no errors should occur.
- If invalid ESC codes are provided, the system must reject the mailing with a clear error message.

---

---

**#### \*\*Testing Criteria\*\***

1. **\*\*Positive Test Cases\*\***:

- Verify that mailings with ESC codes `498`, `500`, `501`, and `502` are processed correctly.
- Verify that mailings with `\$0` postage and valid ESC codes are flagged as **\*\*Post Host Local\*\***.

2. **\*\*Negative Test Cases\*\***:

- Verify that the `497` code is not processed and results in an error or rejection.
- Verify that mailings with invalid ESC codes are rejected with appropriate error messages.
- Verify that mailings with non-zero postage are not flagged as **\*\*Post Host Local\*\***, even if they have valid ESC codes.

3. **\*\*Boundary Test Cases\*\***:

- Verify behavior when processing a large number of mailings with the new ESC codes.
- Verify behavior when no ESC code is provided.

---

**#### \*\*Deferred Criteria\*\***

- The implementation of the `497` code (PO Box Locker – Storage Fee) is deferred and will not be included in this release.

# EVS Vs Pilot Change

Monday, January 6, 2025 11:05 AM

Pilot packages are enrolled in USPS SHIP but are not charged.  
Live Packages are enrolled in USPS SHIP and are charged.

EVS Packages are enrolled in EVS and charged by EVS.

Scenario:

MID in the Header Record's EFN is EVS

MID in the Detail Record 1's Tracking Number's is Pilot

Expectation: (What we want to happen)

We expect the package to go to two places.

1. The package will hit the pkg-evs topic
2. The Package will populate the packages topic

Actual:

Right now, this scenario is populating the evs topic but not the packages topic

-----

Scenarios

| # | EFN MID | Tracking Number MID | Marked As | Endpoint Topics |
|---|---------|---------------------|-----------|-----------------|
| 1 | EVS     | Pilot               | EVS       | -evs, -packages |
| 2 | EVS     | Live                | EVS       | -packages       |
| 3 | Pilot   | EVS                 | Pilot     | -packages       |
| 4 | Pilot   | Live                | Pilot     | -packages       |
| 5 | Live    | EVS                 | Live      | -packages       |
| 6 | Live    | Pilot               | Live      | -packages       |

if tracking number mid is in eVS-mid cache, mark it as eVS

if tracking number mid is in outbound and efn mid is outbound, mark as outbound

the below are my thoughts, so they may change

if tracking number mid is in outbound(live) and efn mid is in evs-mid , mark package as evs (this is the problem scenario)

if tracking number mid is unenrolled, check efn mid and determine outbound or evs based on the cache the mid is in.

EVS wins

# New Replay Actor

Tuesday, July 1, 2025 10:59 AM

Support needs to replay some files because there was a duplicate check issue when having more than one manifest-1-enrollment pod up. so we are going to add a pod that checks for duplicates in the `ssf_raw_pkg` table (so it will bypass the regular duplicate check like files with the ".replay" extension). If the package is found in the `ssf_raw_pkg` table, then we shouldn't process it. Also, I want to add a configurable file extension to identify the files that will take this duplicate check route (probably ".dbDupCheck" extension). We plan for the fix to go in this week. I will try to have the code ready in rel by tomorrow morning.

## New Pod - Replay Actor

- Checks for duplicates in `ssf_raw_pkg`
  - If found, don't process the files

## Configurable File Extension

- File this extension will be routed to this new pod
- .dbDupCheck

## Logic

1. If a file with the extension .dbDupCheck comes in it should:
  - a. Extension can be anywhere in the filename
  - b. Go to the new pod (package-12-dup-check)
  - c. Bypass the default duplication checks
  - d. Be compared against the `ssf_raw_pkg` table for matching
    - i. If matched, reject file
    - ii. The PIC and Tracking\_num is checked
2. Existing Duplication logic should not be effected

## Notes:

- i. What happens if a file has both .replay and .dbDupCheck?
  1. Acts like if the .replay isn't there. This is due to the .dbDupCheck already using different duplication logic.

## Scenarios

1. Default Duplication Check
  - a. Exact same file (same EFN & PICs)
    - i. Duplicate File is rejected
  - b. Different EFN Same PICs
    - i. File is rejected
  - c. Different EFN - 10% same pics
    - i. File is accepted
2. Replay file
  - a. Exact same file from 1.a. with the extension of .replay
    - i. File skips the duplication checks
    - ii. File hits `ssf_pkg` table and `ssf_packages` topic
3. New extension of .dbDupCheck
  - a. Unique file with .dbDupCheck

- i. File is processed
  - b. Exact same file from 1.a. with the extension of .dbDupCheck
    - i. File is rejected
  - c. Extension placements
    - i. .dbDupCheck\_filename.manifest
    - ii. Filename\_name.manifest.dbDupCheck
    - iii. Filename\_.dbDupCheck.manifest
- 4. Invalid extensions
  - a. .manifest.dbDup
    - i. File is rejected
  - b. .manifest.re
    - i. File is rejected

# Destination Facility Type

Monday, June 2, 2025

9:54 AM

shortDescription: Dest Facility Type in D1 invalid; must be set A, B, S, D, F

8. Must include the Destination Facility Type Code in the D1 Record as follows:

A = Distribution Area Distribution Center (DADC)

B = Regional Processing and Distribution Center (DNDC/RPDC)

D = Sorting & Distribution Center (DDU/S&DC)

F = Destination Auxiliary Service Facility (ASF)

S = Local Processing Center/Regional Processing and Distribution Center (DSCF/LPC/RPDC)

# Destination Rate Indicators

Tuesday, June 3, 2025 9:13 AM

**Table G-4 Destination Rate Indicator Codes**

(File Version 2.0 Detail Record 1 Positions: 38; File Version 1.6 or higher Detail Record 1 Positions: 375)

| Destination Rate Indicator Code | Destination Rate Indicator Name                | Possible Mail Classes or Subclasses                    |
|---------------------------------|------------------------------------------------|--------------------------------------------------------|
| N                               | None                                           | EX, FC, PM, BB, BL, BS, SA, S2, RP, MR, CP, IE, LC, PG |
| A                               | Destination Area Distribution Center (DADC)    | EX, PM, RP                                             |
| B                               | Destination Network Distribution Center (DNDC) | EX, PM, BB, PS, SA, S2, RP                             |
| D                               | Destination Delivery Unit (DDU)                | EX, PM, BB, PS, SA, S2, RP                             |
| F                               | Destination Auxiliary Service Facility (DASF)  | EX, PM                                                 |
| H                               | Destination Hub (DHUB)                         | PS                                                     |
| I                               | International Service Center (ISC)             | CP, IE, LC, PG                                         |
| S                               | Destination Sectional Center Facility (DSCF)   | EX, PM, BB, PS, SA, S2, RP                             |

From <<https://teams.microsoft.com/v2/>>

From <<https://teams.microsoft.com/v2/>>

Monday, April 7, 2025 3:39 PM

autocorrects MC to PS and RI to SP if MC=S2/SA and PC=3 and weight >= 1 lb  
autocorrects MC to PS and RI to SP and PC to 5 if MC=S2/SA and PC=4 and weight >= 1 lb

so yellow part is weight|MC|RI|PC|DR

STC Mail Class,  
SSF Mail Class,  
Destination Rate Indicator,  
(\*), (destination country code)  
Rate Indicator,  
D5 RI, (\* since we are not parsing D5 now)  
Processing Category,  
Postal Routing Barcode, (\* if blank)  
Discount Type, (\* if blank)  
Surcharge Type, (\* if blank)  
Domestic Zone  
(\* international zone and  
(\* 4-digit class of mail from ICR  
Pricing Date,  
Weight In Pounds Flag;  
  
(ex) PS|PS|PS|DN|I|0|I|1|1|1|06/23/2019|N|  
PS|PS|B|I|5D|\*|5|0|\*|\*|0|\*|\*|07/13/2025|N|

**Acceptance Criteria**  
1. The Pricing Service will remap the following sets of rate ingredients from Parcel Select  
Ground/Cubic/Oversized/Dimensional Returns to USPS  
Ground Advantage Returns on or after the July 2023 Price Change.

| Current Mapping                                   |            |                     |                      |                                        |       |                        | Remapped July                                             |            |                     |                      |                                        |       |                        |
|---------------------------------------------------|------------|---------------------|----------------------|----------------------------------------|-------|------------------------|-----------------------------------------------------------|------------|---------------------|----------------------|----------------------------------------|-------|------------------------|
|                                                   | Mail Class | Processing Category | Destination Rate Ind | Rate Ind                               | Zone  | Parcel Routing Barcode | Post Price Description                                    | Mail Class | Processing Category | Destination Rate Ind | Rate Ind                               | Zone  | Parcel Routing Barcode |
| Pre Price Description                             |            |                     |                      |                                        |       |                        |                                                           |            |                     |                      |                                        |       |                        |
| Ground Return Service                             | GR         | 3,5,R               | N                    | SP                                     | 01-09 | 0,1                    | USPS Ground Advantage Returns                             | FR         | 3,5                 | N                    | SP                                     | 01-09 | 0,1                    |
| Ground Return Service Dimensional Rectangular     | GR         | 3,5,R               | N                    | DR                                     | 01-09 | 0,1                    | USPS Ground Advantage Returns Dimensional Rectangular     | FR         | 3,5                 | N                    | DR                                     | 01-09 | 0,1                    |
| Ground Return Service Dimensional Non Rectangular | GR         | 3,5,S,T,R           | N                    | DN                                     | 01-09 | 0,1                    | USPS Ground Advantage Returns Dimensional Non Rectangular | FR         | 3,5,S,T             | N                    | DN                                     | 01-09 | 0,1                    |
| Ground Return Service Oversized                   | GR         | 5,R                 | N                    | OS                                     | 01-09 | 0,1                    | USPS Ground Advantage Returns Oversized                   | FR         | 5                   | N                    | OS                                     | 01-09 | 0,1                    |
| Ground Return Service Cubic                       | GR         | 3,5,R               | N                    | CP                                     | 01-09 | 0,1                    | USPS Ground Advantage Returns Cubic                       | FR         | 3,5                 | N                    | CP                                     | 01-09 | 0,1                    |
| Ground Return Service Cubic Soft Pack             | GR         | 3,5,R               | N                    | P5, P6, P7, P8, P9, Q6, Q7, Q8, Q9, Q0 | 01-09 | 0,1                    | USPS Ground Advantage Returns Cubic Soft Pack             | FR         | 3,5                 | N                    | P5, P6, P7, P8, P9, Q6, Q7, Q8, Q9, Q0 | 01-09 | 0,1                    |

# New TPB/Permit

Monday, December 16, 2024 2:32 PM

Adding method of payments to tpb

20

21

22



# Hazmat STCs

Wednesday, February 19, 2025

8:51 AM

760 "STC\_DESC": "Priority Mail Express Signature Waived - Hazardous Materials",  
116 "STC\_DESC": "Priority Mail USPS Tracking - Hazardous Materials",  
184 "STC\_DESC": "USPS Ground Advantage Up to 15.999oz USPS Tracking Hazardous Materials",  
395 "STC\_DESC": "Parcel Select USPS Tracking - Hazardous Materials",  
785 "STC\_DESC": "Parcel Select USPS Tracking - Hazardous Materials",  
362 "STC\_DESC": "USPS Ground Advantage Over 15.999oz USPS Tracking Hazardous Materials",  
STC 646: "STC\_DESC": "Parcel Select: Signature Confirmation Hazardous Materials"

```
900659549': [{"MID_PROF_SEQ": "3652459686220240404", "END_DATE": null, "CRID": "20580657",
"EPS_ACCT_NUMBER": "1000055226", "MID": "900659549", "PROD_GRP_NAME": "Outbound",
"MASTER_MID": "900659549", "PROD_WRKFLW_NAME": "Live", "LAST_UPDATE_DATE":
"/Date(1712252223000)/", "MID_USER_CRID": "1000521834", "PROD_WRKFLW_CODE": "L004",
"MID_OWNER_CRID": "20580657", "START_DATE": "/Date(1712188800000)/",
"PROD_WRKFLW_TYPE": "L", "PDX_FLG": "N", "PAYMENT_TYPE": "E", "PERMIT_NO": "",
"PERMIT_TYPE": "", "PERMIT_FINANCE_NO": "", "AGENCY_CODE": "", "AGENCY_COST_CODE": "",
"LEGACY_EXTRACT": "N", "POSTAGE_EXT_FORMAT": "", "FILE_VERSION": "",
"DESTINATION_FORMAT": "", "UPLOAD_TIME": "2025-02-06T19:21:04.570236+00:00"}]
[
 {
 "MA_PROD_GRP_WRKFLW_STC_VW_UK": "3-2-931",
 "STC_DESC": "USPS Ground Advantage Over 15.999oz USPS Tracking Hazardous Materials",
 "STC_START_DATE": "/Date(1686787200000)/",
 "STC": "362",
 "PROD_WRKFLW_TYPE": "P",
 "PROD_GRP_DESC": "Outbound Desc",
 "PROD_GRP_NAME": "Outbound",
 "PROD_WRKFLW_NAME": "Pilot",
 "PROD_WRKFLW_CODE": "P002",
 "STC_END_DATE": null,
 "MAIL_CLASS": "FC",
 "PFS_FLG": null,
 "UPLOAD_TIME": "2025-01-31T03:10:07.936932+00:00"
 },
]
```

# Release 15

Wednesday, November 20, 2024

1:04 PM

Stories:

[https://afsdefense.sharepoint.us/:x:/r/sites/PackagePlatform/\\_layouts/15/Doc.aspx?sourcedoc=%7B9D501424-0A6C-4EF7-BD60-6B9421186160%7D&file=R15.0.0.0%20BNS%20V1%20stories.xlsb&wdLOR=c5C923445-F2AE-47BB-A0BE-543A302506C6&action=default&mobileredirect=true](https://afsdefense.sharepoint.us/:x:/r/sites/PackagePlatform/_layouts/15/Doc.aspx?sourcedoc=%7B9D501424-0A6C-4EF7-BD60-6B9421186160%7D&file=R15.0.0.0%20BNS%20V1%20stories.xlsb&wdLOR=c5C923445-F2AE-47BB-A0BE-543A302506C6&action=default&mobileredirect=true)

Please add your test scenarios and data here: [R15 Test Scenarios and Data](#)

[Tracker](#)

```
'900040477': '{"MID_PROF_SEQ": "24321453036020190515", "END_DATE": null, "CRID": "22179972", "EPS_ACCT_NUMBER": "1000001430", "MID": "900040477", "PROD_GRP_NAME": "Outbound", "MASTER_MID": "900058735", "PROD_WRKFLW_NAME": "Live", "LAST_UPDATE_DATE": "/Date(1559064838000)/", "MID_USER_CRID": null, "PROD_WRKFLW_CODE": "L004", "MID_OWNER_CRID": "22179972", "START_DATE": "/Date(1557878400000)/", "PROD_WRKFLW_TYPE": "L", "PDX_FLG": "N", "PAYMENT_TYPE": "E", "PERMIT_NO": "", "PERMIT_TYPE": "", "PERMIT_FINANCE_NO": "", "AGENCY_CODE": "", "AGENCY_COST_CODE": "", "LEGACY_EXTRACT": "", "POSTAGE_EXT_FORMAT": "", "FILE_VERSION": "", "DESTINATION_FORMAT": "", "UPLOAD_TIME": "2024-12-06T15:52:04.811819+00:00"}'
```

From <<https://jenkins-aws.usps.gov/job/PPCSelfService/job/ReadRedisCache/5013/consoleText>>

Sit2 outbound

```
[{ "MID_PROF_SEQ": "39960013207020241016", "END_DATE": null, "CRID": "20632839", "EPS_ACCT_NUMBER": "1000089492", "MID": "900075153", "PROD_GRP_NAME": "Outbound", "MASTER_MID": "900075151", "PROD_WRKFLW_NAME": "Live", "LAST_UPDATE_DATE": "/Date(1729072234000)/", "MID_USER_CRID": "20632839", "PROD_WRKFLW_CODE": "L004", "MID_OWNER_CRID": "20632839", "START_DATE": "/Date(1729036800000)/", "PROD_WRKFLW_TYPE": "L", "PDX_FLG": "N", "PAYMENT_TYPE": "E", "PERMIT_NO": "", "PERMIT_TYPE": "", "PERMIT_FINANCE_NO": "", "AGENCY_CODE": "", "AGENCY_COST_CODE": "", "LEGACY_EXTRACT": "N", "POSTAGE_EXT_FORMAT": "", "FILE_VERSION": "", "DESTINATION_FORMAT": "", "UPLOAD_TIME": "2024-12-13T14:25:05.535150+00:00" }]
```

Sit2 outbound - 12-17-24

```
[{
 {
 "MID_PROF_SEQ": "39992414068620241101",
 "END_DATE": null,
 "CRID": "20429125",
 "EPS_ACCT_NUMBER": "1000001470",
 "MID": "900480751",
 "PROD_GRP_NAME": "Outbound",
 "MASTER_MID": "100091",
 "PROD_WRKFLW_NAME": "Live",
 "LAST_UPDATE_DATE": "/Date(1730985785000)/",
 "MID_USER_CRID": null,
 "PROD_WRKFLW_CODE": "L004",
 "MID_OWNER_CRID": "20429125",
```

```

"START_DATE": "/Date(1730419200000)/",
"PROD_WRKFLW_TYPE": "L",
"PDX_FLG": "N",
"PAYMENT_TYPE": "E",
"PERMIT_NO": "",
"PERMIT_TYPE": "",
"PERMIT_FINANCE_NO": "",
"AGENCY_CODE": "",
"AGENCY_COST_CODE": "",
"LEGACY_EXTRACT": "N",
"POSTAGE_EXT_FORMAT": "",
"FILE_VERSION": "",
"DESTINATION_FORMAT": "",
"UPLOAD_TIME": "2024-12-17T15:20:05.597492+00:00"
}
]

```

Sit2 returns MR

```

[
{
 "MID_PROF_SEQ": "375286102899320240509",
 "EPS_ACCT_NUMBER": "1000068090",
 "PROD_WRKFLW_TYPE": "L",
 "END_DATE": null,
 "MAIL_CLASS_DESC": "Priority Mail Return",
 "CRID": "20594198",
 "MAIL_CLASS": "MR",
 "STC": "019",
 "MID": "900672206",
 "PROD_GRP_NAME": "Network Returns",
 "MASTER_MID": "900672207",
 "PROD_WRKFLW_NAME": "Returns - Manifest Attributes (Live)",
 "MID_USER_CRID": "1000535678",
 "PROD_WRKFLW_CODE": "L008",
 "MID_OWNER_CRID": "20594198",
 "START_DATE": "/Date(1715212800000)/",
 "DEFAULT_POSTAGE": "9.75",
 "PDX_FLG": "N",
 "PAYMENT_TYPE": "E",
 "PERMIT_NO": "",
 "PERMIT_TYPE": "",
 "PERMIT_FINANCE_NO": "",
 "AGENCY_CODE": "",
 "AGENCY_COST_CODE": "",
 "UPLOAD_TIME": "2024-12-13T15:29:40.905891+00:00"
}
]

```

Sit2 evs

```

[
{
 "MID": "999913667",

```

```
"MASTER_MID": "899490",
"UPLOAD_TIME": "2024-12-13T16:03:39.551220+00:00"
}
]
```

Sit2 prs

```
{
 "MID_PROF_SEQ": "39764414018520240819",
 "END_DATE": null,
 "CRID": "20429125",
 "EPS_ACCT_NUMBER": "1000046901",
 "MID": "900480250",
 "PROD_GRP_NAME": "PRS-Traditional",
 "MASTER_MID": "005021933",
 "PROD_WRKFLW_NAME": "Live",
 "LAST_UPDATE_DATE": "/Date(1723754332000)/",
 "MID_USER_CRID": null,
 "PROD_WRKFLW_CODE": "L010",
 "MID_OWNER_CRID": "20429125",
 "START_DATE": "/Date(1724025600000)/",
 "PROD_WRKFLW_TYPE": "L",
 "PDX_FLG": "I",
 "UPLOAD_TIME": "2024-12-17T17:02:25.572436+00:00"
}
```

Sit2 omas outbound

```
'900639896': [{"MID_PROF_SEQ": "39982013476720241101", "END_DATE": null, "CRID": "20559098",
"EPS_ACCT_NUMBER": "", "MID": "900639896", "PROD_GRP_NAME": "Outbound", "MASTER_MID":
"900639858", "PROD_WRKFLW_NAME": "Live", "LAST_UPDATE_DATE": "/Date(1730300114000)/",
"MID_USER_CRID": "20559098", "PROD_WRKFLW_CODE": "L004", "MID_OWNER_CRID": "20559098",
"START_DATE": "/Date(1730419200000)/", "PROD_WRKFLW_TYPE": "L", "PDX_FLG": "I",
"PAYMENT_TYPE": "O", "PERMIT_NO": "58", "PERMIT_TYPE": "OI", "PERMIT_FINANCE_NO": "661204",
"AGENCY_CODE": "250", "AGENCY_COST_CODE": "00000", "LEGACY_EXTRACT": "N",
"POSTAGE_EXT_FORMAT": "", "FILE_VERSION": "", "DESTINATION_FORMAT": "", "UPLOAD_TIME":
"2025-02-19T18:21:05.297289+00:00"}]
```

From <<https://jenkins-aws.usps.gov/job/PPCSelfService/job/ReadRedisCache/5578/consoleText>>

From <<https://jenkins-aws.usps.gov/job/PPCSelfService/job/ReadRedisCache/5156/consoleText>>

Sit2 omas returns

```
'900639857:839': [{"MID_PROF_SEQ": "36028913475098920240227", "EPS_ACCT_NUMBER": "",
"PROD_WRKFLW_TYPE": "L", "END_DATE": null, "MAIL_CLASS_DESC": "Priority Mail Express Return",
"CRID": "20559097", "MAIL_CLASS": "ER", "STC": "839", "MID": "900639857", "PROD_GRP_NAME":
"Network Returns", "MASTER_MID": null, "PROD_WRKFLW_NAME": "Returns - Manifest Attributes
(Live)", "MID_USER_CRID": null, "PROD_WRKFLW_CODE": "L008", "MID_OWNER_CRID": "20559097",
"START_DATE": "/Date(1708992000000)/", "DEFAULT_POSTAGE": "22.8", "PDX_FLG": "I",
"PAYMENT_TYPE": "O", "PERMIT_NO": "902000", "PERMIT_TYPE": "OR", "PERMIT_FINANCE_NO":
"661204", "AGENCY_CODE": "146", "AGENCY_COST_CODE": "00000", "UPLOAD_TIME":
"2024-12-30T17:37:18.670047+00:00"
}
```

From <<https://jenkins-aws.usps.gov/job/PPCSelfService/job/ReadRedisCache/5157/consoleText>>

# Release 14.1

Thursday, October 3, 2024 10:43 AM

[https://afsdefense.sharepoint.us/sites/PackagePlatform/Shared%20Documents/06.%20SIT/Release%202014.0.0.0/R14.0\\_SIT\\_Execution\\_Tracker.xlsx?web=1](https://afsdefense.sharepoint.us/sites/PackagePlatform/Shared%20Documents/06.%20SIT/Release%202014.0.0.0/R14.0_SIT_Execution_Tracker.xlsx?web=1)

[PEW error-warning codes Requested Changes.xlsx](#)

|                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|-----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SIT2<br>Outbound<br>and MID | [ { "MID_PROF_SEQ": "39960013207020241016", "END_DATE": null, "CRID": "20632839", "EPS_ACCT_NUMBER": "1000089492", "MID": "900075153", "PROD_GRP_NAME": "Outbound", "MASTER_MID": "900075151", "PROD_WRKFLW_NAME": "Live", "LAST_UPDATE_DATE": "/Date(1729072234000)/", "MID_USER_CRID": "20632839", "PROD_WRKFLW_CODE": "L004", "MID_OWNER_CRID": "20632839", "START_DATE": "/Date(1729036800000)/", "PROD_WRKFLW_TYPE": "L", "PDX_FLG": "N", "PAYMENT_TYPE": "E", "PERMIT_NO": "", "PERMIT_TYPE": "", "PERMIT_FINANCE_NO": "", "AGENCY_CODE": "", "AGENCY_COST_CODE": "", "LEGACY_EXTRACT": "N", "POSTAGE_EXT_FORMAT": "", "FILE_VERSION": "", "DESTINATION_FORMAT": "", "UPLOAD_TIME": "2024-10-21T14:58:05.089455+00:00" } ] |
| SIT2 PRS                    | {<br>"MID_PROF_SEQ": "2758717844720230308",<br>"END_DATE": null,<br>"CRID": "20524518",<br>"EPS_ACCT_NUMBER": "1000012957",<br>"MID": "900060156",<br>"PROD_GRP_NAME": "PRS-Traditional",<br>"MASTER_MID": "900618787",<br>"PROD_WRKFLW_NAME": "Live",<br>"LAST_UPDATE_DATE": "/Date(1678219285000)/",<br>"MID_USER_CRID": "20429125",<br>"PROD_WRKFLW_CODE": "L010",<br>"MID_OWNER_CRID": "20524518",<br>"START_DATE": "/Date(1678233600000)/",<br>"PROD_WRKFLW_TYPE": "L",<br>"PDX_FLG": "Y",<br>"UPLOAD_TIME": "2024-10-22T16:01:58.827236+00:00"<br>}<br>]                                                                                                                                                                   |
| Omas<br>returns             | , '900639857:837': [{ "MID_PROF_SEQ": "3602899407998720240227", "EPS_ACCT_NUMBER": "", "PROD_WRKFLW_TYPE": "L", "END_DATE": null, "MAIL_CLASS_DESC": "Priority Mail Express Return", "CRID": "20559097", "MAIL_CLASS": "ER", "STC": "837", "MID": "900639857", "PROD_GRP_NAME": "Network Returns", "MASTER_MID": null, "PROD_WRKFLW_NAME": "Returns - Manifest Attributes (Live)", "MID_USER_CRID": null, "PROD_WRKFLW_CODE": "L008", "MID_OWNER_CRID": "20559097", "START_DATE": "/Date(1708992000000)/", "DEFAULT_POSTAGE": "22.8", "PDX_FLG": "I", "PAYMENT_TYPE": "O", "PERMIT_NO": "902000", "PERMIT_TYPE": "OR", "PERMIT                                                                                                   |

900687360:600- sit2 returns

# 14.1 CI

Monday, October 28, 2024 8:42 AM

D-95412

item ID 2568

EFN enrollment check not handling files with large volume of Mids in one EFN.

|           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|-----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 900075153 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| 900480751 | <pre>"MID_PROF_SEQ": "39889313025920240917", "END_DATE": null, "CRID": "20429125", "EPS_ACCT_NUMBER": "", "MID": "900480751", "PROD_GRP_NAME": "Outbound", "MASTER_MID": "050021939", "PROD_WRKFLW_NAME": "Live", "LAST_UPDATE_DATE": "/Date(1727175273000)/", "MID_USER_CRID": null, "PROD_WRKFLW_CODE": "L004", "MID_OWNER_CRID": "20429125", "START_DATE": "/Date(1726531200000)/", "PROD_WRKFLW_TYPE": "L", "PDX_FLG": "I", "PAYMENT_TYPE": "O", "PERMIT_NO": "41", "PERMIT_TYPE": "OI", "PERMIT_FINANCE_NO": "661204", "AGENCY_CODE": "025", "AGENCY_COST_CODE": "66100", "LEGACY_EXTRACT": "N", "POSTAGE_EXT_FORMAT": "", "FILE_VERSION": "", "DESTINATION_FORMAT": "", "UPLOAD_TIME": "2024-10-28T13:42:04.453627+00:00" }</pre> |
| 900685949 | <pre>[ { "MID_PROF_SEQ": "39047511247620240715", "END_DATE": null, "CRID": "20618208", "EPS_ACCT_NUMBER": "1000078660", "MID": "900685949", "PROD_GRP_NAME": "Outbound", "MASTER_MID": "900685948", "PROD_WRKFLW_NAME": "Live", "LAST_UPDATE_DATE": "/Date(1721036122000)/", "MID_USER_CRID": "1000559759", "PROD_WRKFLW_CODE": "L004", "MID_OWNER_CRID": "20618208", "START_DATE": "/Date(1721001600000)/",</pre>                                                                                                                                                                                                                                                                                                                      |



|           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|-----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | <pre> "PROD_WRKFLW_TYPE": "L", "PDX_FLG": "N", "PAYMENT_TYPE": "E", "PERMIT_NO": "", "PERMIT_TYPE": "", "PERMIT_FINANCE_NO": "", "AGENCY_CODE": "", "AGENCY_COST_CODE": "", "LEGACY_EXTRACT": "N", "POSTAGE_EXT_FORMAT": "", "FILE_VERSION": "", "DESTINATION_FORMAT": "", "UPLOAD_TIME": "2024-10-28T13:42:04.453627+00:00" } ] </pre>                                                                                                                                                                                                                                                                                                                                                                                                 |
| 900677302 | <pre> "MID_PROF_SEQ": "38405810896420240611", "END_DATE": null, "CRID": "20608478", "EPS_ACCT_NUMBER": "1000081839", "MID": "900677302", "PROD_GRP_NAME": "Outbound", "MASTER_MID": "900677302", "PROD_WRKFLW_NAME": "Live", "LAST_UPDATE_DATE": "/Date(1718094902000)/", "MID_USER_CRID": "1000549815", "PROD_WRKFLW_CODE": "L004", "MID_OWNER_CRID": "20608478", "START_DATE": "/Date(1718064000000)/", "PROD_WRKFLW_TYPE": "L", "PDX_FLG": "N", "PAYMENT_TYPE": "E", "PERMIT_NO": "", "PERMIT_TYPE": "", "PERMIT_FINANCE_NO": "", "AGENCY_CODE": "", "AGENCY_COST_CODE": "", "LEGACY_EXTRACT": "N", "POSTAGE_EXT_FORMAT": "", "FILE_VERSION": "", "DESTINATION_FORMAT": "", "UPLOAD_TIME": "2024-10-28T13:42:04.453627+00:00" </pre> |
| 900683472 | <pre> "MID_PROF_SEQ": "38871811141320240708", "END_DATE": null, "CRID": "20615448", "EPS_ACCT_NUMBER": "1000076425", "MID": "900683472", "PROD_GRP_NAME": "Outbound", "MASTER_MID": "900683472", "PROD_WRKFLW_NAME": "Live", "LAST_UPDATE_DATE": "/Date(1720424959000)/", "MID_USER_CRID": "1000556953", </pre>                                                                                                                                                                                                                                                                                                                                                                                                                         |

|             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|             | "PROD_WRKFLW_CODE": "L004",<br>"MID_OWNER_CRID": "20615448",<br>"START_DATE": "/Date(1720396800000)/",<br>"PROD_WRKFLW_TYPE": "L",<br>"PDX_FLG": "N",<br>"PAYMENT_TYPE": "E",<br>"PERMIT_NO": "",<br>"PERMIT_TYPE": "",<br>"PERMIT_FINANCE_NO": "",<br>"AGENCY_CODE": "",<br>"AGENCY_COST_CODE": "",<br>"LEGACY_EXTRACT": "N",<br>"POSTAGE_EXT_FORMAT": "",<br>"FILE_VERSION": "",<br>"DESTINATION_FORMAT": "",<br>"UPLOAD_TIME": "2024-10-28T13:42:04.453627+00:00"                                                                                                                                                                                                                                                                                                                                  |
| 900689560 { | "MID_PROF_SEQ": "39228911345620240725",<br>"END_DATE": null,<br>"CRID": "20622032",<br>"EPS_ACCT_NUMBER": "1000081786",<br>"MID": "900689560",<br>"PROD_GRP_NAME": "Outbound",<br>"MASTER_MID": "900689560",<br>"PROD_WRKFLW_NAME": "Live",<br>"LAST_UPDATE_DATE": "/Date(1721894530000)/",<br>"MID_USER_CRID": "1000563727",<br>"PROD_WRKFLW_CODE": "L004",<br>"MID_OWNER_CRID": "20622032",<br>"START_DATE": "/Date(1721865600000)/",<br>"PROD_WRKFLW_TYPE": "L",<br>"PDX_FLG": "N",<br>"PAYMENT_TYPE": "E",<br>"PERMIT_NO": "",<br>"PERMIT_TYPE": "",<br>"PERMIT_FINANCE_NO": "",<br>"AGENCY_CODE": "",<br>"AGENCY_COST_CODE": "",<br>"LEGACY_EXTRACT": "N",<br>"POSTAGE_EXT_FORMAT": "",<br>"FILE_VERSION": "",<br>"DESTINATION_FORMAT": "",<br>"UPLOAD_TIME": "2024-10-28T13:42:04.453627+00:00" |
| 900660333   | "MID_PROF_SEQ": "3659539720420240411",<br>"END_DATE": null,<br>"CRID": "20581433",<br>"EPS_ACCT_NUMBER": "1000056037",<br>"MID": "900660333",<br>"PROD_GRP_NAME": "Outbound",<br>"MASTER_MID": "900660333",<br>"PROD_WRKFLW_NAME": "Live",                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |

|           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|-----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | <pre> "LAST_UPDATE_DATE": "/Date(1712839008000)/", "MID_USER_CRID": "1000522659", "PROD_WRKFLW_CODE": "L004", "MID_OWNER_CRID": "20581433", "START_DATE": "/Date(1712793600000)/", "PROD_WRKFLW_TYPE": "L", "PDX_FLG": "N", "PAYMENT_TYPE": "E", "PERMIT_NO": "", "PERMIT_TYPE": "", "PERMIT_FINANCE_NO": "", "AGENCY_CODE": "", "AGENCY_COST_CODE": "", "LEGACY_EXTRACT": "N", "POSTAGE_EXT_FORMAT": "", "FILE_VERSION": "", "DESTINATION_FORMAT": "", "UPLOAD_TIME": "2024-10-28T13:42:04.453627+00:00" } </pre>                                                                                                                                                                                                                                                                       |
| 900480705 | <pre> {   "MID_PROF_SEQ": "39889313021320240917",   "END_DATE": null,   "CRID": "20429125",   "EPS_ACCT_NUMBER": "",   "MID": "900480705",   "PROD_GRP_NAME": "Outbound",   "MASTER_MID": "050021939",   "PROD_WRKFLW_NAME": "Live",   "LAST_UPDATE_DATE": "/Date(1727175273000)/",   "MID_USER_CRID": null,   "PROD_WRKFLW_CODE": "L004",   "MID_OWNER_CRID": "20429125",   "START_DATE": "/Date(1726531200000)/",   "PROD_WRKFLW_TYPE": "L",   "PDX_FLG": "I",   "PAYMENT_TYPE": "O",   "PERMIT_NO": "41",   "PERMIT_TYPE": "OI",   "PERMIT_FINANCE_NO": "661204",   "AGENCY_CODE": "025",   "AGENCY_COST_CODE": "66100",   "LEGACY_EXTRACT": "N",   "POSTAGE_EXT_FORMAT": "",   "FILE_VERSION": "",   "DESTINATION_FORMAT": "",   "UPLOAD_TIME": "2024-10-28T13:42:04.453627+0 </pre> |
| 900067319 | <pre> "MID_PROF_SEQ": "39437211879920240802", "END_DATE": null, "CRID": "20624628", "EPS_ACCT_NUMBER": "1000084000", "MID": "900067319", "PROD_GRP_NAME": "Outbound", </pre>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |

|           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|-----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | "MASTER_MID": "900067319",<br>"PROD_WRKFLW_NAME": "Live",<br>"LAST_UPDATE_DATE": "/Date(1722567310000)/",<br>"MID_USER_CRID": null,<br>"PROD_WRKFLW_CODE": "L004",<br>"MID_OWNER_CRID": "20624628",<br>"START_DATE": "/Date(1722556800000)/",<br>"PROD_WRKFLW_TYPE": "L",<br>"PDX_FLG": "N",<br>"PAYMENT_TYPE": "E",<br>"PERMIT_NO": "",<br>"PERMIT_TYPE": "",<br>"PERMIT_FINANCE_NO": "",<br>"AGENCY_CODE": "",<br>"AGENCY_COST_CODE": "",<br>"LEGACY_EXTRACT": "N",<br>"POSTAGE_EXT_FORMAT": "",<br>"FILE_VERSION": "",<br>"DESTINATION_FORMAT": "",<br>"UPLOAD_TIME": "2024-10-28T13:42:04.453627+00:00"                                                                                                                                                                                                |
| 900062523 | {<br>"Mid_Prof_Seq": "38085410646520240524",<br>"End_Date": null,<br>"CRID": "20602068",<br>"EPS_ACCT_NUMBER": "1000075622",<br>"Mid": "900062523",<br>"PROD_GRP_NAME": "Outbound",<br>"MASTER_MID": "900062522",<br>"PROD_WRKFLW_NAME": "Live",<br>"LAST_UPDATE_DATE": "/Date(1716535555000)/",<br>"MID_USER_CRID": "1000543465",<br>"PROD_WRKFLW_CODE": "L004",<br>"MID_OWNER_CRID": "20602068",<br>"START_DATE": "/Date(1716508800000)/",<br>"PROD_WRKFLW_TYPE": "L",<br>"PDX_FLG": "N",<br>"PAYMENT_TYPE": "E",<br>"PERMIT_NO": "",<br>"PERMIT_TYPE": "",<br>"PERMIT_FINANCE_NO": "",<br>"AGENCY_CODE": "",<br>"AGENCY_COST_CODE": "",<br>"LEGACY_EXTRACT": "N",<br>"POSTAGE_EXT_FORMAT": "",<br>"FILE_VERSION": "",<br>"DESTINATION_FORMAT": "",<br>"UPLOAD_TIME": "2024-10-28T13:42:04.453627+00:00" |
| 900674698 | {<br>"Mid_Prof_Seq": "38309810811420240603",<br>"End_Date": null,<br>"CRID": "20605779",<br>"EPS_ACCT_NUMBER": "1000079251",                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |

"MID": "900674698",  
"PROD\_GRP\_NAME": "Outbound",  
"MASTER\_MID": "900674697",  
"PROD\_WRKFLW\_NAME": "Live",  
"LAST\_UPDATE\_DATE": "/Date(1717383514000)/",  
"MID\_USER\_CRID": "1000547150",  
"PROD\_WRKFLW\_CODE": "L004",  
"MID\_OWNER\_CRID": "20605779",  
"START\_DATE": "/Date(1717372800000)/",  
"PROD\_WRKFLW\_TYPE": "L",  
"PDX\_FLG": "N",  
"PAYMENT\_TYPE": "E",  
"PERMIT\_NO": "",  
"PERMIT\_TYPE": "",  
"PERMIT\_FINANCE\_NO": "",  
"AGENCY\_CODE": "",  
"AGENCY\_COST\_CODE": "",  
"LEGACY\_EXTRACT": "N",  
"POSTAGE\_EXT\_FORMAT": "",  
"FILE\_VERSION": "",  
"DESTINATION\_FORMAT": "",  
"UPLOAD\_TIME": "2024-10-28T13:42:04.453627+00:00"

# Secondary Timestamp when processing

Wednesday, October 9, 2024 11:35 AM

spef-2-file-parser-866fddbfc-d-j7pjl

```
sh-4.4$ ls
akka boot etc lib lost+found mnt proc run srv tmp var
bin dev home lib64 media opt root sbin sys usr
sh-4.4$ cd /opt/data/processing/ptr/spef/parsing
sh-4.4$ ls
20240916143511228_ShippingPartnerEventFile_20240916-193126.consolid_1726515707.consolid.952Ec986_1727869945_1
727879173_1728405310543.process
20240916143511228_ShippingPartnerEventFile_20240916-193126.consolid_1726515707.consolid.952Ec986_1727869945_1
727881115_1728405310469.process
20240918122011295_ShippingPartnerEventFile_20240918-171611.consolid_1726680313.consolid.B8Fbe89C_1727868179_1
727879230_1728405310470.process
20240918122011295_ShippingPartnerEventFile_20240918-171611.consolid_1726680313.consolid.B8Fbe89C_1727868179_1
727881371_1728405310542.process
sh-4.4$ █
```

ls -lrt

**CM** spef-2-file-parser-filesrcDetails YAML

```
255 # If configured, and the source has akka.log.auditing.enabled=y, then all
256 events will be writted to this kafka topic
257
258 akka.auditing.kafka.bootstrap=ppc-path2-kafka-bootstrap.ppc-strimzi-path2.svc.cluster.l
259
260 akka.auditing.kafka.topicname=pkgplfm-manifest-dev2-fileaudit
261
262
263 ##-----
264
265 ## Custom Properties
266
267 ##-----
268
269
270 ## Custom Props
271
272 akka.source.directory.file.parallelism=8
273
274 akka.source.file.log.line-events=N
275
276 akka.source.file.feedback.kafka.name=feedback
277
278 akka.source.file.feedback.kafka.bootstrap=ppc-path2-kafka-bootstrap.ppc-strimzi-path2.s
279
280 akka.source.file.feedback.kafka.topicname=pkgplfm-manifest-dev2-spef-feedback
281
282 akka.source.directory.file.lock.sec=1000000
283
284 ## EOF
285
```

```
Custom Props

akka.source.directory.file.parallelism=8

akka.source.file.log.line-events=N

akka.source.file.feedback.kafka.name=feedback

akka.source.file.feedback.kafka.bootstrap=ppc-path2-kafka-bootstrap.ppc-strimzi-path2.svc.cluster.local:9092

akka.source.file.feedback.kafka.topicname=pkgplfm-manifest-dev2-spef-feedback

akka.source.directory.file.lock.sec=100

EOF
```

⚙ Administrator ▾

Home >

Operators >

Workloads ▾

Pods

Deployments

DeploymentConfigs

StatefulSets

Secrets

ConfigMaps

Project: ppcmanifest-dev2 ▾

[Deployments](#) > Deployment details

## spgef-2-file-parser

[Details](#) Metrics YAML ReplicaSets Pods Environment

### Deployment details



Name  
.....  
spgef-2-file-parser



# Detail VS Header MID

Thursday, October 3, 2024 10:44 AM

Update enrollment logic - if mid from tracking is unenrolled look to Mid in EFN to determine in EFN and use that to populate EPS acct number - **Do we need to do this for returns? No per Jason.**

Considerations:

- Outbound Only

Scenario

1. Same Mid in both EFN and Tracking Number - Enrolled
2. Same Mid in both EFN and Tracking Number - Unerolled
3. Enrolled Mid in Tracking Number - Different Enrolled Mid in EFN
4. Unenrolled MID in Tracking Number - Enrolled Mid in EFN
5. Enrolled MID in Tracking Number - Unenrolled MID in EFN

Dev2 MID 1 - Enrolled

```
[
{
 "MID_PROF_SEQ": "331475731259820231011",
 "END_DATE": null,
 "CRID": "2728316",
 "EPS_ACCT_NUMBER": "9999999999",
 "MID": "905205001",
 "PROD_GRP_NAME": "Outbound",
 "MASTER_MID": "902481425",
 "PROD_WRKFLW_NAME": "Pilot",
 "LAST_UPDATE_DATE": "/Date(1697045973000)/",
 "MID_USER_CRID": null,
 "PROD_WRKFLW_CODE": "P002",
 "MID_OWNER_CRID": "2728316",
 "START_DATE": "/Date(1696982400000)/",
 "PROD_WRKFLW_TYPE": "P",
 "PDX_FLG": "N",
 "PAYMENT_TYPE": "E",
 "PERMIT_NO": "",
 "PERMIT_TYPE": "",
 "PERMIT_FINANCE_NO": "",
 "AGENCY_CODE": "",
 "AGENCY_COST_CODE": "",
 "LEGACY_EXTRACT": "",
 "POSTAGE_EXT_FORMAT": "",
 "FILE_VERSION": "",
 "DESTINATION_FORMAT": "",
 "UPLOAD_TIME": "2024-10-03T16:39:05.776393+00:00"
}
]
```

Dev2 Mid 2 - Enrolled

```
{
 "MID_PROF_SEQ": "331717730074720230530",
 "END_DATE": null,
 "CRID": "22252089",
 "EPS_ACCT_NUMBER": "1000013394",
 "MID": "900065009",
 "PROD_GRP_NAME": "Outbound",
 "MASTER_MID": "900065009",
 "PROD_WRKFLW_NAME": "Live",
 "LAST_UPDATE_DATE": "/Date(1684146407000)/",
 "MID_USER_CRID": null,
 "PROD_WRKFLW_CODE": "L004",
 "MID_OWNER_CRID": "22252089",
 "START_DATE": "/Date(1685404800000)/",
 "PROD_WRKFLW_TYPE": "L",
 "PDX_FLG": "N",
 "PAYMENT_TYPE": "E",
 "PERMIT_NO": "",
 "PERMIT_TYPE": "",
 "PERMIT_FINANCE_NO": "",
 "AGENCY_CODE": "",
 "AGENCY_COST_CODE": "",
 "LEGACY_EXTRACT": "",
 "POSTAGE_EXT_FORMAT": "",
 "FILE_VERSION": "",
 "DESTINATION_FORMAT": "",
 "UPLOAD_TIME": "2024-10-03T16:39:05.776393+00:00"
},
```

Dev2 Mid 3 - Not Enrolled

```
[
{
 "MID_PROF_SEQ": "279819630003620200611",
 "END_DATE": "/Date(1634256000000)/",
```

```
"CRID": "123",
"EPS_ACCT_NUMBER": "1000001417",
"MID": "900042137",
"PROD_GRP_NAME": "Outbound",
"MASTER_MID": "901013721",
"PROD_WRKFLW_NAME": "Live",
"LAST_UPDATE_DATE": "/Date(1634280922000)/",
"MID_USER_CRID": "789",
"PROD_WRKFLW_CODE": "L004",
"MID_OWNER_CRID": "123",
"START_DATE": "/Date(1591833600000)/",
"PROD_WRKFLW_TYPE": "L",
"PDX_FLG": "N",
"PAYMENT_TYPE": "E",
"PERMIT_NO": "",
"PERMIT_TYPE": "",
"PERMIT_FINANCE_NO": "",
"AGENCY_CODE": "",
"AGENCY_COST_CODE": "",
"LEGACY_EXTRACT": "",
"POSTAGE_EXT_FORMAT": "",
"FILE_VERSION": "",
"DESTINATION_FORMAT": "",
"UPLOAD_TIME": "2024-10-03T16:39:05.776393+00:00"
}
]
```

# How to break a file

Thursday, October 3, 2024 10:47 AM

## General SSFs-

- 
- Too few Fields
- File Format issues
  - Empty lines?
  - Trash characters between lines?
  - Mixing File Formats
  - Not using H1, D1, D2, D3 or D8
  - Wrong order of records -
    - D1
      - ☐ No header
      - ☐ Before a Header
    - D2
      - ☐ No Header
      - ☐ No D1
      - ☐ Before D1
    - D3
      - ☐ No header
      - ☐ No D1
      - ☐ Before D1
      - ☐ Before D2
    - D8
      - ☐ No header
      - ☐ No D1
      - ☐ Before D1
      - ☐ Before D3
      - ☐ Before D2

## SSF 2.0

Wrong Delimiter - |

## SSF 1.7 & 1.6

Wrong Delimiter - "Space"

## SPEF - All Versions

- Too many Fields
- Too few Fields
- Wrong Delimiter - "Space"
- File Format issues
  - EH by Itself
  - ED by Itself
  - ED before EH

## FileTypeB & ICR

- Wrong Delimiter - "Space"
- Too many Fields
- Too few Fields

- Wrong Record Type
  - Not DT

# Prod spef fix

Tuesday, October 1, 2024 11:40 AM

Dev 2 Outbound: 905205001

# Release 14

Wednesday, September 4, 2024 12:32 PM

[https://afsdefense.sharepoint.us/sites/PackagePlatform/Shared%20Documents/06.%20SIT/Release%202014.0.0.0/R14.0\\_SIT\\_Execution\\_Tracker.xlsx?web=1](https://afsdefense.sharepoint.us/sites/PackagePlatform/Shared%20Documents/06.%20SIT/Release%202014.0.0.0/R14.0_SIT_Execution_Tracker.xlsx?web=1)

Dev 2 Outbound: 905205001

900032469

```
'900040477': '{"MID_PROF_SEQ": "24321453036020190515", "END_DATE": null, "CRID": "22179972", "EPS_ACCT_NUMBER": "1000001430", "MID": "900040477", "PROD_GRP_NAME": "Outbound", "MASTER_MID": "900058735", "PROD_WRKFLW_NAME": "Live", "LAST_UPDATE_DATE": "/Date(1559064838000)/", "MID_USER_CRID": null, "PROD_WRKFLW_CODE": "L004", "MID_OWNER_CRID": "22179972", "START_DATE": "/Date(1557878400000)/", "PROD_WRKFLW_TYPE": "L", "PDX_FLG": "N", "PAYMENT_TYPE": "E", "PERMIT_NO": "", "PERMIT_TYPE": "", "PERMIT_FINANCE_NO": "", "AGENCY_CODE": "", "AGENCY_COST_CODE": "", "LEGACY_EXTRACT": "", "POSTAGE_EXT_FORMAT": "", "FILE_VERSION": "", "DESTINATION_FORMAT": "", "UPLOAD_TIME": "2024-09-10T14:39:05.473689+00:00"}'
```

From <<https://jenkins-aws.usps.gov/job/PPCSelfService/job/ReadRedisCache/4643/consoleText>>

Returns:

```
'976417202:217': '{"MID_PROF_SEQ": "335717677434385820240808", "EPS_ACCT_NUMBER": "1000046901", "PROD_WRKFLW_TYPE": "L", "END_DATE": null, "MAIL_CLASS_DESC": "USPS Ground Advantage Return", "CRID": "2436355", "MAIL_CLASS": "FR", "STC": "217", "MID": "976417202", "PROD_GRP_NAME": "Network Returns", "MASTER_MID": null, "PROD_WRKFLW_NAME": "Returns - Manifest Attributes (Live)", "MID_USER_CRID": null, "PROD_WRKFLW_CODE": "L008", "MID_OWNER_CRID": "2436355", "START_DATE": "/Date(1723075200000)/", "DEFAULT_POSTAGE": "4.5", "PDX_FLG": "I", "PAYMENT_TYPE": "E", "PERMIT_NO": "", "PERMIT_TYPE": "", "PERMIT_FINANCE_NO": "", "AGENCY_CODE": "", "AGENCY_COST_CODE": "", "UPLOAD_TIME": "2024-09-10T15:00:06.517463+00:00"}'
```

From <<https://jenkins-aws.usps.gov/job/PPCSelfService/job/ReadRedisCache/4644/consoleText>>

Sit2 outbound

```
[
{
 "MID_PROF_SEQ": "39047511247620240715",
 "END_DATE": null,
 "CRID": "20618208",
 "EPS_ACCT_NUMBER": "1000078660",
 "MID": "900685949",
 "PROD_GRP_NAME": "Outbound",
 "MASTER_MID": "900685948",
 "PROD_WRKFLW_NAME": "Live",
 "LAST_UPDATE_DATE": "/Date(1721036122000)/",
```

```
"MID_USER_CRID": "1000559759",
"PROD_WRKFLW_CODE": "L004",
"MID_OWNER_CRID": "20618208",
"START_DATE": "/Date(1721001600000)/",
"PROD_WRKFLW_TYPE": "L",
"PDX_FLG": "N",
"PAYMENT_TYPE": "E",
"PERMIT_NO": "",
"PERMIT_TYPE": "",
"PERMIT_FINANCE_NO": "",
"AGENCY_CODE": "",
"AGENCY_COST_CODE": "",
"LEGACY_EXTRACT": "N",
"POSTAGE_EXT_FORMAT": "",
"FILE_VERSION": "",
"DESTINATION_FORMAT": "",
"UPLOAD_TIME": "2024-09-11T15:06:05.216929+00:00"
}
```

Sit2 returns 900687360:600

Sit2 Omas:  
901001117

Omas returns:  
'900639857:837

From <<https://jenkins-aws.usps.gov/job/PPCSelfService/job/ReadRedisCache/4654/consoleText>>

# SPEF Record Length

Monday, September 23, 2024 12:45 PM

We need one more tech debt story for the next release: When we get an spéf detail record that starts with the correct record id (ED) but is an incorrect length we try to parse it and get a `StringIndexOutOfBoundsException`. So we need better handling of this exception so that the pod does not stop processing.



# Secondary Tracking Number

Monday, September 9, 2024 11:37 AM

Field 75 - Original Tracking Number

This field will be parsed out and put on the pkgplfm-manifest-dev2-parsed-ssf-pkg topic  
pic/tracking number/mid

Manifest Original Tracking Number Field -> pkgplfm-manifest-dev2-parsed-ssf-pkg -> ssfRecord Collection  
Scan -> interceptValidationStatus Table - Package PIC & Original Pic

- ☒ Outbound 2.0
- ☒ Returns 2.0
- ☒ APV 2.0
- ☐ Scans no manifest table update

oh, it's the original tracking number  
fraud saves: pic, tracking number and mid, so the part of manifest is to extract the pic and mid from this field  
the topic that goes to fraud is pkgplfm-manifest-dev2-parsed-ssf-pkg

[11:40 AM] Lopez, Daria  
and the other part is:

[11:43 AM] Lopez, Daria  
every time we get a scan it gets saved to the interceptValidationStatus and it also checks to see if we have received  
spef/ssf/ or icr files. But sometimes the manifest files (ssf/spef/icr) get processed after the scan event, so when we  
get a manifest we also update this table if the pic exists. This is also part of the code that was updated. So please  
also check if there's a scan event without an ssf that it gets updated for both the package pic and the original pic.

# R 13.0

Wednesday, May 1, 2024 12:49 PM

[https://afsdefense.sharepoint.us/:x:/r/sites/PackagePlatform/\\_layouts/15/Doc.aspx?sourcedoc=%7B17F7E8AC-DB61-4E54-B04E-B72C74A70825%7D&file=R13.0 SIT Execution Tracker.xlsx&action=default&mobileredirect=true](https://afsdefense.sharepoint.us/:x:/r/sites/PackagePlatform/_layouts/15/Doc.aspx?sourcedoc=%7B17F7E8AC-DB61-4E54-B04E-B72C74A70825%7D&file=R13.0 SIT Execution Tracker.xlsx&action=default&mobileredirect=true)

Dev2 outbound 900002666

for release 13.0.0.0 there will be a small update to the Zone API in the pricing service to add a new, optional parameter called "weight". for USPS Ground Advantage we need this weight in pounds in order to get the correct zone

Sit2 outbound 900631316  
Returns: 900650591:018  
Omas returns: '900639856:018':  
900673771:600  
Evs: 999913667

Zone API

[10:19 AM] Lopez, Daria  
not sure if you are interested, but for now I turned on the debug messages for the pod that calls the zone api, so that I could see my request and the response they send:  
DEBUG 2024-05-10 15:17:10,084 - request: 'X-Request-ID=19eb44a3b782c1071f0c16fc2d4d36f6' "<http://wildfly-dev2-zoneapi.ppcpricing-dev2.svc.cluster.local:8080/Zones?mailClass=PM&originZIP=78245&destinationZIP=10259&weight=2.0000&mailingDate=2024-05-01>"  
515DEBUG 2024-05-10 15:17:10,226 - zone api response:  
{\"originZip\":\"78245\",\"destinationZip\":\"10259\",\"zone\":\"07\",\"exceptionInd\":\"N\",\"militaryExceptionInd\":\"N\",\"requestId\":\"19eb44a3b782c1071f0c16fc2d4d36f6\"}

[10:20 AM] Johnston, Michael P.  
That is super useful. Where do I view those messages? I'm thinking an openshift log?

[10:22 AM] Lopez, Daria  
yes, in openshift logs. for the package-8b-zone-autocorrection consumer. The request id is the package id, so you can look for that to search the request and response. Right now the page is the following, but it changes every time the pod is rescaled:  
[package-8b-zone-autocorrection-6754d6d44-7fnfd · Details · Red Hat OpenShift \(usps.gov\)](https://console.apps.nonprod.aws.usps.gov/k8s/ns/ppcmanifest-dev2/pods/package-8b-zone-autocorrection-6754d6d44-7fnfd/Details)

DEBUG 2024-05-10 15:30:30,994 - request: 'X-Request-ID=454a7a487c2bf702d341070785ca3682' "<http://wildfly-dev2-zoneapi.ppcpricing-dev2.svc.cluster.local:8080/Zones?mailClass=FC&originZIP=30000&destinationZIP=00570&weight=2.0000&mailingDate=2024-05-26>"  
903DEBUG 2024-05-10 15:30:31,026 - zone api response:  
{\"originZip\":\"30000\",\"destinationZip\":\"00570\",\"zone\":\"05\",\"exceptionInd\":\"N\",\"militaryExceptionInd\":\"N\",\"requestId\":\"454a7a487c2bf702d341070785ca3682\"}  
904INF

From <<https://console.apps.nonprod.aws.usps.gov/k8s/ns/ppcmanifest-dev2/pods/package-8b-zone-autocorrection-6754d6d44-7fnfd/logs?container=consumer>>

request: 'X-Request-ID=f2b6d2e39952370d52b8fef07a32c211' "<http://wildfly-dev2-zoneapi.ppcpricing-dev2.svc.cluster.local:8080/Zones?mailClass=FC&originZIP=30000&destinationZIP=00570&weight=2.0000&mailingDate=2024-05-26>"  
1209DEBUG 2024-05-10 15:40:28,881 - zone api response:  
{\"originZip\":\"30000\",\"destinationZip\":\"00570\",\"zone\":\"05\",\"exceptionInd\":\"N\",\"militaryExceptionInd\":\"N\",\"requestId\":\"f2b6d2e39952370d52b8fef07a32c211\"}  
1210INFO 2024-05-10 15:40:28,881 - ZONEAPI lookup response returned

From <<https://console.apps.nonprod.aws.usps.gov/k8s/ns/ppcmanifest-dev2/pods/package-8b-zone-autocorrection-6754d6d44-7fnfd/logs?container=consumer>>

```
900619133': '{\"MID_PROF_SEQ\":
\"3601219397020240301\", \"END_DATE\": null, \"CRID\":
\"20524519\", \"EPS_ACCT_NUMBER\": \"1000008431\",
\"MID\": \"900619133\", \"PROD_GRP_NAME\":
\"Outbound\", \"MASTER_MID\": \"900618791\",
\"PROD_WRKFLW_NAME\": \"Live\",
\"LAST_UPDATE_DATE\": \"/Date(1708086828000)/\",
\"MID_USER_CRID\": \"20524520\",
\"PROD_WRKFLW_CODE\": \"L004\",
\"MID_OWNER_CRID\": \"20524519\", \"START_DATE\":
\"/Date(1709251200000)/\", \"PROD_WRKFLW_TYPE\":
\"L\", \"PDX_FLG\": \"I\", \"PAYMENT_TYPE\": \"E\",
\"PERMIT_NO\": \"\", \"PERMIT_TYPE\": \"\",
\"PERMIT_FINANCE_NO\": \"\", \"AGENCY_CODE\": \"\",
\"AGENCY_COST_CODE\": \"\", \"LEGACY_EXTRACT\": \"Y\",
\"POSTAGE_EXT_FORMAT\": \"C\", \"FILE_VERSION\":
\"v2.0\", \"DESTINATION_FORMAT\": \"SFTP\",
\"UPLOAD_TIME\": \"2024-06-12T13:24:06.232873+
00:00\"}]}
```

'20524519:223:PI:661204':

# International Enrollment Update

Tuesday, May 21, 2024

3:59 PM

Dev2

```
[
 {
 "CRID": "44565419",
 "MASTER_MID": "105607",
 "MID": "105607",
 "ALMS_ID": "29066",
 "BARCODE_RANGE_PREFIX": "CB",
 "BARCODE_LOWER_RANGE": "13959597",
 "BARCODE_UPPER_RANGE": "15459598",
 "PREFIX_BARCODE_LOWER_RANGE": "CB13959597",
 "PREFIX_BARCODE_UPPER_RANGE": "CB15459598",
 "MAIL_CLASS": "CP",
 "SERVICE_DESC": "PRIORITY MAIL INTERNATIONAL",
 "EPS_ACCT_NUMBER": "1000082485",
 "PROD_GRP_NAME": "Outbound",
 "PROD_WRKFLW_NAME": "Live",
 "PROD_WRKFLW_CODE": "L004",
 "PROD_WRKFLW_TYPE": "L",
 "START_DATE": "2024-04-13",
 "END_DATE": "",
 "MID_OWNER_CRID": "44565409",
 "UPLOAD_TIME": "2024-04-19T16:15:09.569446+00:00"
 }
]
```

Sit2

Real Key

```
{
 "CRID": "20524523",
 "MASTER_MID": "900618947",
 "MID": "900060161",
 "ALMS_ID": "5309",
 "BARCODE_RANGE_PREFIX": "CJ",
 "BARCODE_LOWER_RANGE": "50000000",
 "BARCODE_UPPER_RANGE": "51000000",
 "PREFIX_BARCODE_LOWER_RANGE": "CJ50000000",
 "PREFIX_BARCODE_UPPER_RANGE": "CJ51000000",
 "MAIL_CLASS": "CP",
 "SERVICE_DESC": "INTERNATIONAL PARCELS",
}
```

```
"EPS_ACCT_NUMBER": "1000008841",
"PROD_GRP_NAME": "Outbound",
"PROD_WRKFLW_NAME": "Live",
"PROD_WRKFLW_CODE": "L004",
"PROD_WRKFLW_TYPE": "L",
"START_DATE": "2023-04-01",
"END_DATE": "",
"MID_OWNER_CRID": "20524523",
"UPLOAD_TIME": "2024-05-22T18:15:07.071472+00:00"
},
```

#### New Key

```
{
 "CRID": "20524599",
 "MASTER_MID": "900618947",
 "MID": "900060161",
 "ALMS_ID": "5309",
 "BARCODE_RANGE_PREFIX": "CJ",
 "BARCODE_LOWER_RANGE": "30000000",
 "BARCODE_UPPER_RANGE": "41000000",
 "PREFIX_BARCODE_LOWER_RANGE": "CJ30000000",
 "PREFIX_BARCODE_UPPER_RANGE": "CJ41000000",
 "MAIL_CLASS": "CP",
 "SERVICE_DESC": "INTERNATIONAL PARCELS",
 "EPS_ACCT_NUMBER": "1000008841",
 "PROD_GRP_NAME": "Outbound",
 "PROD_WRKFLW_NAME": "Live",
 "PROD_WRKFLW_CODE": "L004",
 "PROD_WRKFLW_TYPE": "L",
 "START_DATE": "2023-04-01",
 "END_DATE": "",
 "MID_OWNER_CRID": "20524523",
 "UPLOAD_TIME": "2024-05-22T18:15:07.071472+00:00"
}
```

# FC - USPS Ground Advantage - Add Zone 10 -

B-812656

Wednesday, May 1, 2024 12:43 PM

<https://about.usps.com/postal-bulletin/2007/html/pb22218/kit1010.html#:~:text=Letters,piece%20postcard%20rate%20is%20%240.26.>

As a USPS Business Owner, I want the Manifest Service to ingest the new FC rate ingredients to support the USPS Ground Advantage.

**GIVEN:** July 2024 Price Change Release

**WHEN:** Manifest is updated

**THEN:** The following rate ingredients will be updated

## USPS Ground Advantage

| Mail Class | Processing Category | Destination Rate Indicator | Rate Indicator | Zone    | Parcel Routing Barcode | Discount and Surcharge      | Discount or Surcharge       | Rate (including Barcoding or Machinability Surcharges) |
|------------|---------------------|----------------------------|----------------|---------|------------------------|-----------------------------|-----------------------------|--------------------------------------------------------|
| 3          | 36                  | 38                         | 37             | 39      | 66                     | D: 59<br>S: 57              | D:60<br>S:58                | 2.0 file version detail record 1                       |
| 037-038    | 372                 | 375                        | 373-374        | 376-377 | 500                    | D: 470 -471<br>S: 461 - 462 | D: 472 -478<br>S: 463 - 469 | 1.6/1.7 file version detail record 1                   |
| FC         | 3                   | N                          | SP             | 01-10   | 0,1                    |                             |                             | Machinable Single-Piece                                |
| FC         | 3                   | N                          | DR             | 01-10   | 0,1                    |                             |                             | Machinable Dimensional Rectangular                     |
| FC         | 3                   | N                          | DN             | 01-10   | 0,1                    |                             |                             | Machinable Dimensional Non-Rectangular                 |
| FC         | 3,5                 | N                          | CP             | 01-10   | 0,1                    |                             |                             | Cubic Tier Non-Soft Pack                               |
| FC         | 3,5                 | N                          | P5             | 01-10   | 0,1                    |                             |                             | Cubic Tier Soft Pack Tier 1 (.10)                      |
| FC         | 3,5                 | N                          | P6             | 01-10   | 0,1                    |                             |                             | Cubic Tier Soft Pack Tier 2 (.20)                      |
| FC         | 3,5                 | N                          | P7             | 01-10   | 0,1                    |                             |                             | Cubic Tier Soft Pack Tier 3 (.30)                      |
| FC         | 3,5                 | N                          | P8             | 01-10   | 0,1                    |                             |                             | Cubic Tier Soft Pack Tier 4 (.40)                      |
| FC         | 3,5                 | N                          | P9             | 01-10   | 0,1                    |                             |                             | Cubic Tier Soft Pack Tier 5 (.50)                      |
| FC         | 3,5                 | N                          | Q6             | 01-10   | 0,1                    |                             |                             | Cubic Tier Soft Pack Tier 6 (.60)                      |
| FC         | 3,5                 | N                          | Q7             | 01-10   | 0,1                    |                             |                             | Cubic Tier Soft Pack Tier 7 (.70)                      |
| FC         | 3,5                 | N                          | Q8             | 01-10   | 0,1                    |                             |                             | Cubic Tier Soft Pack Tier 8 (.80)                      |
| FC         | 3,5                 | N                          | Q9             | 01-10   | 0,1                    |                             |                             | Cubic Tier Soft Pack Tier 9 (.90)                      |
| FC         | 3,5                 | N                          | Q0             | 01-10   | 0,1                    |                             |                             | Cubic Tier Soft Pack Tier 10 (1.00)                    |
| FC         | 5                   | N                          | DR             | 01-10   | 0,1                    |                             |                             | Nonmachinable Dimensional Rectangular                  |
| FC         | 5                   | N                          | DN             | 01-10   | 0,1                    |                             |                             | Nonmachinable Dimensional Nonrectangular               |
| FC         | 5                   | N                          | SP             | 01-10   | 0,1                    |                             |                             | Nonmachinable Single-Piece                             |

|    |   |   |    |       |      |  |  |                            |
|----|---|---|----|-------|------|--|--|----------------------------|
| FC | 5 | N | OS | 01-10 | 0, 1 |  |  | Nonmachinable<br>Oversized |
|----|---|---|----|-------|------|--|--|----------------------------|

# EX- Priority Mail Express - Add Zone 10 - B-812655

Wednesday, May 1, 2024 12:46 PM

As a USPS Business Owner, I want the Manifest Service to ingest the new EX rate ingredients to support Priority Mail Express.

**GIVEN:** July 2024 Price Change

Release

**WHEN:** Manifest is updated

**THEN:** The following rate ingredients will be updated

## Priority Mail Express

| Mail Class                                                                                                                            | Processing Category | Destination Rate Indicator | Rate Indicator | Zone    | Parcel Routing Barcode | Rate (including Barcoding or Machinability Surcharge s) |
|---------------------------------------------------------------------------------------------------------------------------------------|---------------------|----------------------------|----------------|---------|------------------------|---------------------------------------------------------|
|                                                                                                                                       | 3                   | 36                         | 38             | 37      | 39                     | 66                                                      |
|                                                                                                                                       |                     |                            |                |         |                        |                                                         |
|                                                                                                                                       |                     |                            |                |         |                        | 2.0 file version detail record 1                        |
| 037-038                                                                                                                               | 372                 | 375                        | 373-374        | 376-377 | 500                    | 1.6/1.7 file version detail record 1                    |
| Length, Height, and Width required for all Priority Mail Express packages with dimensions > 1 cubic ft or claiming dimensional rates. |                     |                            |                |         |                        |                                                         |
|                                                                                                                                       |                     |                            |                |         |                        |                                                         |
|                                                                                                                                       |                     |                            |                |         |                        |                                                         |
| EX                                                                                                                                    | 2                   | N                          | E4             | 0       | 0,1                    | Flat Rate Envelope                                      |
| EX                                                                                                                                    | 2                   | N                          | E6             | 0       | 0, 1                   | Legal Flat                                              |

|    |  |   |   |    |        |      |                                                        |
|----|--|---|---|----|--------|------|--------------------------------------------------------|
|    |  |   |   |    |        |      | Rate<br>Envelope                                       |
| EX |  | 2 | N | PA | 10-Jan | 0, 1 | Single-<br>Piece Flat                                  |
| EX |  | 3 | N | DR | 10-Jan | 0, 1 | Machinable<br>Dimensional<br>Rectangular               |
| EX |  | 3 | N | DN | 10-Jan | 0, 1 | Machinable<br>Dimensional<br>Nonrectang<br>ular        |
| EX |  | 3 | N | FP | 0      | 0, 1 | Machinable<br>Padded Flat<br>Rate<br>Envelope          |
| EX |  | 3 | N | PA | 10-Jan | 0, 1 | Machinable<br>Single-<br>Piece                         |
| EX |  | 5 | N | DR | 10-Jan | 0, 1 | Nonmachin<br>able<br>Dimensional<br>Rectangular        |
| EX |  | 5 | N | DN | 10-Jan | 0, 1 | Nonmachin<br>able<br>Dimensional<br>Nonrectang<br>ular |
| EX |  | 5 | N | E4 | 0      | 0, 1 | Nonmachin<br>able Flat<br>Rate<br>Envelope             |
| EX |  | 5 | N | FP | 0      | 0, 1 | Nonmachin<br>able<br>Padded Flat<br>Rate<br>Envelope   |
| EX |  | 5 | N | PA | 10-Jan | 0, 1 | Nonmachin<br>able Single-<br>Piece                     |

Priority Mail Express Open & Distribute (PMEOD)

| Mail<br>Class | Processin<br>g Category | Destination<br>Rate<br>Indicator | Rate<br>Indicator | Zone | Parcel<br>Routing<br>Barcode | Rate (including<br>Barcoding or<br>Machinability |
|---------------|-------------------------|----------------------------------|-------------------|------|------------------------------|--------------------------------------------------|
|---------------|-------------------------|----------------------------------|-------------------|------|------------------------------|--------------------------------------------------|



|         |     |     |         |             |      |                                         |
|---------|-----|-----|---------|-------------|------|-----------------------------------------|
|         |     |     |         |             |      | <b>Surcharges)</b>                      |
| 3       | 36  | 38  | 37      | 39          | 66   |                                         |
|         |     |     |         |             |      |                                         |
|         |     |     |         |             |      | 2.0 file version detail<br>record 1     |
| 037-038 | 372 | 375 | 373-374 | 376-37<br>7 | 500  | 1.6/1.7 file version<br>detail record 1 |
| EX      | O   | A   | PA      | 10-Jan      | 0,1  | ADC Destination                         |
| EX      | O   | B   | PA      | 10-Jan      | 0, 1 | NDC Destination                         |
| EX      | O   | D   | PA      | 10-Jan      | 0, 1 | DDU Destination                         |
| EX      | O   | F   | PA      | 10-Jan      | 0, 1 | ASF Destination                         |
| EX      | O   | S   | PA      | 10-Jan      | 0, 1 | SCF Destination                         |

# PM - USPS Ship - Manifest - Priority Mail - Add Zone 10

Wednesday, May 1, 2024 12:50 PM

As a USPS Business Owner, I want the Manifest Service to ingest the new PM rate ingredients to support Priority Mail.

| Mail Class                                                                                                                          | Processing Category | Destination Rate Indicator | Rate Indicator | Zone    | Parcel Routing Barcode | Rate (including Barcoding or Machinability Surcharges) |
|-------------------------------------------------------------------------------------------------------------------------------------|---------------------|----------------------------|----------------|---------|------------------------|--------------------------------------------------------|
|                                                                                                                                     | 3                   | 36                         | 38             | 37      | 39                     | 66                                                     |
|                                                                                                                                     |                     |                            |                |         |                        |                                                        |
|                                                                                                                                     |                     |                            |                |         |                        | 2.0 file version detail record 1                       |
| 037-038                                                                                                                             | 372                 | 375                        | 373-374        | 376-377 | 500                    | 1.6/1.7 file version detail record 1                   |
| Length, Height, and Width required for all Priority Mail packages with dimensions > 1 cubic ft or claiming dimensional/cubic rates. |                     |                            |                |         |                        |                                                        |
| PM                                                                                                                                  | 1                   | N                          | SP             | 10-Jan  | 0,1                    | Single-Piece Letter                                    |
| PM                                                                                                                                  | 2                   | N                          | FA             | 0       | 0, 1                   | Legal Flat Rate Envelope                               |
| PM                                                                                                                                  | 2                   | N                          | FE             | 0       | 0, 1                   | Flat Rate Envelope                                     |
| PM                                                                                                                                  | 2                   | N                          | FP             | 0       | 0, 1                   | Padded Flat Rate Envelope                              |
| PM                                                                                                                                  | 2                   | N                          | SP             | 10-Jan  | 0, 1                   | Single-Piece Flat                                      |
| PM                                                                                                                                  | 3                   | N                          | DR             | 10-Jan  | 0, 1                   | Machinable Dimensional Rectangular                     |
| PM                                                                                                                                  | 3                   | N                          | DN             | 10-Jan  | 0, 1                   | Machinable                                             |

|    |  |     |   |    |        |        |                                                     |
|----|--|-----|---|----|--------|--------|-----------------------------------------------------|
|    |  |     |   |    |        |        | Dimensional<br>Nonrectangul<br>ar                   |
| PM |  | 3   | N | SP | 10-Jan | 0, 1   | Machinable<br>Single-Piece                          |
| PM |  | 3,5 | N | CP | 10-Jan | 0, 1   | Cubic Tier<br>Non-Soft<br>Pack                      |
| PM |  | 3,5 | N | P5 | 10-Jan | 0, 1   | Cubic Tier<br>Soft Pack Tier<br>1 (.10)             |
| PM |  | 3,5 | N | P6 | 10-Jan | 0, 1   | Cubic Tier<br>Soft Pack Tier<br>2 (.20)             |
| PM |  | 3,5 | N | P7 | 10-Jan | 0, 1   | Cubic Tier<br>Soft Pack Tier<br>3 (.30)             |
| PM |  | 3,5 | N | P8 | 10-Jan | 0, 1   | Cubic Tier<br>Soft Pack Tier<br>4 (.40)             |
| PM |  | 3,5 | N | P9 | 10-Jan | 0, 1   | Cubic Tier<br>Soft Pack Tier<br>5 (.50)             |
| PM |  | 5   | N | DR | 10-Jan | 0, 1   | Nonmachinabl<br>e Dimensional<br>Rectangular        |
| PM |  | 5   | N | DN | 10-Jan | 0, 1   | Nonmachinabl<br>e Dimensional<br>Nonrectangul<br>ar |
| PM |  | 5   | N | FB |        | 0 0, 1 | Medium Flat<br>Rate Box                             |
| PM |  | 5   | N | FE |        | 0 0, 1 | Nonmachinabl<br>e Flat Rate<br>Envelope             |
| PM |  | 5   | N | FP |        | 0 0, 1 | Nonmachinabl<br>e Padded Flat<br>Rate<br>Envelope   |
| PM |  | 5   | N | FS |        | 0 0, 1 | Small Flat<br>Rate Box                              |
| PM |  | 5   | N | PL |        | 0 0, 1 | Large Flat<br>Rate Box                              |
| PM |  | 5   | N | PM |        | 0 0, 1 | Large Flat<br>Rate Box<br>APO/FPO/DP<br>O           |

|    |  |     |    |        |      |                            |
|----|--|-----|----|--------|------|----------------------------|
| PM |  | 5 N | SP | 10-Jan | 0, 1 | Nonmachinable Single-Piece |
|----|--|-----|----|--------|------|----------------------------|

#### Priority Mail Open and Distribute (PMOD)

| Mail Class | Processing Category | Destination Rate Indicator | Rate Indicator | Zone    | Parcel Routing Barcode | Rate (including Barcoding or Machinability Surcharges) |
|------------|---------------------|----------------------------|----------------|---------|------------------------|--------------------------------------------------------|
| 3          | 36                  | 38                         | 37             | 39      | 66                     | 2.0 file version detail record 1                       |
| 037-038    | 372                 | 375                        | 373-374        | 376-377 | 500                    | 1.6/1.7 file version detail record 1                   |
| PM         | O                   | A                          | SP             | 01-10   | 0,1                    | ADC destination                                        |
| PM         | O                   | B                          | SP             | 01-10   | 0, 1                   | NDC destination                                        |
| PM         | O                   | D                          | SP             | 01-10   | 0, 1                   | DDU destination                                        |
| PM         | O                   | F                          | SP             | 01-10   | 0, 1                   | ASF destination                                        |
| PM         | O                   | S                          | SP             | 01-10   | 0, 1                   | SCF destination                                        |

#### Priority Mail Open and Distribute (PMOD) Containers

| Mail Class | Processing Category | Destination Rate Indicator | Rate Indicator | Zone    | Parcel Routing Barcode | Rate (including Barcoding or Machinability Surcharges) |
|------------|---------------------|----------------------------|----------------|---------|------------------------|--------------------------------------------------------|
| 3          | 36                  | 38                         | 37             | 39      | 66                     | 2.0 file version detail record 1                       |
| 037-038    | 372                 | 375                        | 373-374        | 376-377 | 500                    | 1.6/1.7 file version detail record 1                   |
| PM         | O                   | A                          | O1             | 01-10   | 0,1                    | Full Tray Box - ADC                                    |
| PM         | O                   | B                          | O1             | 01-10   | 0, 1                   | Full Tray Box - NDC                                    |
| PM         | O                   | D                          | O1             | 01-10   | 0, 1                   | Full Tray Box - DDU                                    |
| PM         | O                   | F                          | O1             | 01-10   | 0, 1                   | Full Tray Box - ASF                                    |
| PM         | O                   | S                          | O1             | 01-10   | 0, 1                   | Full Tray Box - SCF                                    |
| PM         | O                   | A                          | O2             | 01-10   | 0, 1                   | Half Tray Box - ADC                                    |
| PM         | O                   | B                          | O2             | 01-10   | 0, 1                   | Half Tray Box - NDC                                    |
| PM         | O                   | D                          | O2             | 01-10   | 0, 1                   | Half Tray Box - DDU                                    |
| PM         | O                   | F                          | O2             | 01-10   | 0, 1                   | Half Tray Box - ASF                                    |
| PM         | O                   | S                          | O2             | 01-10   | 0, 1                   | Half Tray Box - SCF                                    |
| PM         | O                   | A                          | O3             | 01-10   | 0, 1                   | EMM Tray Box - ADC                                     |
| PM         | O                   | B                          | O3             | 01-10   | 0, 1                   | EMM Tray Box - NDC                                     |

|    |   |   |    |       |      |                         |
|----|---|---|----|-------|------|-------------------------|
| PM | O | D | O3 | 01-10 | 0, 1 | EMM Tray Box - DDU      |
| PM | O | F | O3 | 01-10 | 0, 1 | EMM Tray Box - ASF      |
| PM | O | S | O3 | 01-10 | 0, 1 | EMM Tray Box - SCF      |
| PM | O | A | O4 | 01-10 | 0, 1 | Flat Tub Tray Box - ADC |
| PM | O | B | O4 | 01-10 | 0, 1 | Flat Tub Tray Box - NDC |
| PM | O | D | O4 | 01-10 | 0, 1 | Flat Tub Tray Box - DDU |
| PM | O | F | O4 | 01-10 | 0, 1 | Flat Tub Tray Box - ASF |
| PM | O | S | O4 | 01-10 | 0, 1 | Flat Tub Tray Box - SCF |

# Package Definitions

Thursday, May 2, 2024 1:07 PM

## Machinable Single-Piece

To be “machinable” and eligible for “presort” prices, letters and cards must have an accurate address and be able to be processed on Postal Service equipment. Machinable mailpieces must meet specific standards, including size, shape, and weight.

Maximum weight: First-Class Mail, machinable letters and USPS Marketing Mail machinable letters: 3.5 ounces, Periodicals letters: 3.5 ounces.

Machinable letters must not meet any of the nonmachinable characteristics ([201.2.0](#)).

Dimensions:

- Minimum: 5 inches long, 3-1/2 inches high, and 0.007 inch thick. For letter-size pieces 0.009 inch thick if more than 4-1/4 inches high or 6 inches long, or both.
- Maximum for First-Class Mail card prices: 9 inches long, 6 inches high, and 0.016 inch thick.
- Maximum for letters and other cards: 11-1/2 inches long, 6-1/8 inches high, and 1/4 inch thick.
- Rectangular, with four square corners and parallel opposite sides. Letter-size, card-type mailpieces made of cardstock may have finished corners that do not exceed a radius of 1/8 inch.

From <<https://pe.usps.com/text/qsg300/q201.htm>>

<https://www.easypost.com/cubic-pricing>

## OverSized:

The oversized price is used on parcels of the mail classes listed below that are greater than 108 inches, but not more than 130 inches, in combined length and girth. Weight is not a factor as long as it does not exceed 70 pounds (no package can exceed 70 pounds).

From <[https://www.google.com/search?q=nonmachinable+oversized+usps&rlz=1C1GCEA\\_enUS1068US1068&oq=nonmachinable+oversized+usps&gs\\_lcrp=EgZjaHJvbWUyBggAEEUYOTIHCAEQIRigATIHCAIQIRigATIHCAQIRigATIHCAQQIRigATIHCAUQIRifBTIHCAQYQIRifBdIBCDYzODZqMGO3qAllsAIB&sourceid=chrome&ie=UTF-8](https://www.google.com/search?q=nonmachinable+oversized+usps&rlz=1C1GCEA_enUS1068US1068&oq=nonmachinable+oversized+usps&gs_lcrp=EgZjaHJvbWUyBggAEEUYOTIHCAEQIRigATIHCAIQIRigATIHCAQIRigATIHCAQQIRigATIHCAUQIRifBTIHCAQYQIRifBdIBCDYzODZqMGO3qAllsAIB&sourceid=chrome&ie=UTF-8)>

# R 12.0.1

Tuesday, April 2, 2024 2:21 PM

[https://afsdefense.sharepoint.us/:x:/r/sites/PackagePlatform/\\_layouts/15/Doc.aspx?sourcedoc=%7B17F7E8AC-DB61-4E54-B04E-B72C74A70825%7D&file=R13.0\\_SIT\\_Execution\\_Tracker.xlsx&action=default&mobileredirect=true](https://afsdefense.sharepoint.us/:x:/r/sites/PackagePlatform/_layouts/15/Doc.aspx?sourcedoc=%7B17F7E8AC-DB61-4E54-B04E-B72C74A70825%7D&file=R13.0_SIT_Execution_Tracker.xlsx&action=default&mobileredirect=true)

"Update ICR parse" and "Update File Type B parser"

Okay, so regression for nmats plus checking to see if we can scale more than one pod

```
901547046:822': '{"MID_PROF_SEQ": "79074871771520220927", "EPS_ACCT_NUMBER": "1000008434", "PROD_WRKFLW_TYPE": "L", "END_DATE": "/Date(1664323200000)/", "MAIL_CLASS_DESC": "Ground Return Service", "CRID": "150856", "MAIL_CLASS": "GR", "STC": "822", "MID": "901547046", "PROD_GRP_NAME": "Network Returns", "MASTER_MID": null, "PROD_WRKFLW_NAME": "Returns - Manifest Attributes (Live)", "MID_USER_CRID": "150856", "PROD_WRKFLW_CODE": "L008", "MID_OWNER_CRID": "150856", "START_DATE": "/Date(1664236800000)/", "DEFAULT_POSTAGE": "7.02", "PDX_FLG": "N", "PAYMENT_TYPE": "E", "PERMIT_NO": "", "PERMIT_TYPE": "", "PERMIT_FINANCE_NO": "", "AGENCY_CODE": "", "AGENCY_COST_CODE": "", "UPLOAD_TIME": "2024-04-02T18:00:05.658412+00:00"}'
```

From <<https://jenkins-aws.usps.gov/job/PPCSelfService/job/ReadRedisCache/4042/consoleText>>

```
901547046:399': '{"MID_PROF_SEQ": "790748717783420220927", "EPS_ACCT_NUMBER": "1000008434", "PROD_WRKFLW_TYPE": "L", "END_DATE": "/Date(1664323200000)/", "MAIL_CLASS_DESC": "Ground Return Service", "CRID": "150856", "MAIL_CLASS": "GR", "STC": "399", "MID": "901547046", "PROD_GRP_NAME": "Network Returns", "MASTER_MID": null, "PROD_WRKFLW_NAME": "Returns - Manifest Attributes (Live)", "MID_USER_CRID": "150856", "PROD_WRKFLW_CODE": "L008", "MID_OWNER_CRID": "150856", "START_DATE": "/Date(1664236800000)/", "DEFAULT_POSTAGE": "7.02", "PDX_FLG": "N", "PAYMENT_TYPE": "E", "PERMIT_NO": "", "PERMIT_TYPE": "", "PERMIT_FINANCE_NO": "", "AGENCY_CODE": "", "AGENCY_COST_CODE": "", "UPLOAD_TIME": "2024-04-02T18:00:05.658412+00:00"}'
```

From <<https://jenkins-aws.usps.gov/job/PPCSelfService/job/ReadRedisCache/4042/consoleText>>

# Mail Owner CRID Autocorrection

Monday, April 15, 2024 11:16 AM

```
{'900064610': '{{"MID_PROF_SEQ": "331808932288420240215", "END_DATE": null, "CRID": "2", "EPS_ACCT_NUMBER": "1000046900", "MID": "900064610", "PROD_GRP_NAME": "Outbound", "MASTER_MID": "000002", "PROD_WRKFLW_NAME": "Live", "LAST_UPDATE_DATE": "/Date(1708009049000)/", "MID_USER_CRID": "1", "PROD_WRKFLW_CODE": "L004", "MID_OWNER_CRID": "2", "START_DATE": "/Date(1707955200000)/", "PROD_WRKFLW_TYPE": "L", "PDX_FLG": "I", "PAYMENT_TYPE": "E", "PERMIT_NO": "", "PERMIT_TYPE": "", "PERMIT_FINANCE_NO": "", "AGENCY_CODE": "", "AGENCY_COST_CODE": "", "LEGACY_EXTRACT": "N", "POSTAGE_EXT_FORMAT": "", "FILE_VERSION": "", "DESTINATION_FORMAT": "", "UPLOAD_TIME": "2024-04-15T16:15:07.536121+00:00"}}
```

Query for testing:

```
SELECT file_name, pic, mail_owner_customer_registration_id_crid FROM ppcmanifestdb2.ssf_pkg WHERE file_name = '20240415112521319_dev2_Valid_mailOwnerCrid_v1.manifest_1713198321';
```

From <<https://jenkins-aws.usps.gov/job/PPCSelfService/job/ReadRedisCache/4107/consoleText>>

Sit2

```
{'MID_PROF_SEQ': "3601239378920240217", "END_DATE": null, "CRID": "20478674", "EPS_ACCT_NUMBER": "1000008841", "MID": "900059030", "PROD_GRP_NAME": "Outbound", "MASTER_MID": "900024019", "PROD_WRKFLW_NAME": "Live", "LAST_UPDATE_DATE": "/Date(1708087615000)/", "MID_USER_CRID": null, "PROD_WRKFLW_CODE": "L004", "MID_OWNER_CRID": "20478674", "START_DATE": "/Date(1708128000000)/", "PROD_WRKFLW_TYPE": "L", "PDX_FLG": "N", "PAYMENT_TYPE": "E", "PERMIT_NO": "", "PERMIT_TYPE": "", "PERMIT_FINANCE_NO": "", "AGENCY_CODE": "", "AGENCY_COST_CODE": "", "LEGACY_EXTRACT": "Y", "POSTAGE_EXT_FORMAT": "C", "FILE_VERSION": "v2.0", "DESTINATION_FORMAT": "SFTP", "UPLOAD_TIME": "2024-02-29T15:14:06.230008+00:00"}'}
```



# Fraud

Tuesday, April 9, 2024

12:58 PM

R12

Thursday, January 4, 2024 11:49 AM

[Tracker](#)

[Story Excel](#)

Please upload your R12 test cases for review to [Test Cases](#)  
As you complete Local and ETE testing and gather TSLC for R12, please Upload it to [TSLC](#)

Corrections Performance Update:  
Reference story:  
B-487278 Accept Correction Files for Rejected Manifests  
B-309451 Compare to Previous Manifest v2.0

Unused Label Performance Update:  
Reference story:  
B-339146 Accept Unused Labels for a Configurable Time Period  
B-309452 Corrections File Updates - Unused Labels

Dev2 outbound  
'901001449': '{"MID\_PROF\_SEQ": "279862917828320200725", "END\_DATE": null, "CRID": "20480644", "EPS\_ACCT\_NUMBER": "1000001417", "MID": "901001449", "PROD\_GRP\_NAME": "Outbound", "MASTER\_MID": "900059048", "PROD\_WRKFLW\_NAME": "Live", "LAST\_UPDATE\_DATE": "/Date(1595715203000)/", "MID\_USER\_CRID": null, "PROD\_WRKFLW\_CODE": "L004", "MID\_OWNER\_CRID": "20480644", "START\_DATE": "/Date(1595635200000)/", "PROD\_WRKFLW\_TYPE": "L", "PDX\_FLG": "N", "PAYMENT\_TYPE": "E", "PERMIT\_NO": "", "PERMIT\_TYPE": "", "PERMIT\_FINANCE\_NO": "", "AGENCY\_CODE": "", "AGENCY\_COST\_CODE": "", "UPLOAD\_TIME": "2023-08-15T18:42:17.355400+00:00"}'

dEV2 omas outbound  
900038997: '{"MID\_PROF\_SEQ": "331408231218020230829", "END\_DATE": null, "CRID": "20551958", "EPS\_ACCT\_NUMBER": "", "MID": "900038997", "PROD\_GRP\_NAME": "Outbound", "MASTER\_MID": "900633762", "PROD\_WRKFLW\_NAME": "Pilot", "LAST\_UPDATE\_DATE": "/Date(1693319026000)/", "MID\_USER\_CRID": null, "PROD\_WRKFLW\_CODE": "P002", "MID\_OWNER\_CRID": "20551958", "START\_DATE": "/Date(1693267200000)/", "PROD\_WRKFLW\_TYPE": "P", "PDX\_FLG": "I", "PAYMENT\_TYPE": "O", "PERMIT\_NO": "9999", "PERMIT\_TYPE": "OI", "PERMIT\_FINANCE\_NO": "999922", "AGENCY\_CODE": "999", "AGENCY\_COST\_CODE": "99999", "LEGACY\_EXTRACT": "N", "POSTAGE\_EXT\_FORMAT": "", "FILE\_VERSION": "", "DESTINATION\_FORMAT": "", "UPLOAD\_TIME": "2024-03-21T20:53:05.346447+00:00"

From <<https://jenkins-aws.usps.gov/job/PPCSelfService/job/ReadRedisCache/3953/consoleText>>

# EFN 757

Thursday, January 11, 2024 11:19 AM

EFNs can now have a STC of 757 for commercial mailers. Previously it had to be 750. This doesn't effect any other functionality.

# R 10.1

Tuesday, October 10, 2023 1:21 PM

[https://afs365.sharepoint.com/:x:/r/sites/PackagePlatform/\\_layouts/15/Doc.aspx?sourcedoc=%7B8E3B500E-5807-47E2-8B6D-AC881A2DCDE8%7D&file=R11.0\\_SIT\\_Execution\\_Tracker.xlsx&action=default&mobileredirect=true&DefaultItemOpen=1&clickparams=eyJBcHBOYW11IjoiVG9VhbXMtRGVza3RvcCIsIkFwcFZlcnNpb24iOiIyNy8yMzA5MDEzMjlyOSIsIkhhc0ZlZGVyYXRlZFVzZXliOmZhbnHNlQ%3D%3D](https://afs365.sharepoint.com/:x:/r/sites/PackagePlatform/_layouts/15/Doc.aspx?sourcedoc=%7B8E3B500E-5807-47E2-8B6D-AC881A2DCDE8%7D&file=R11.0_SIT_Execution_Tracker.xlsx&action=default&mobileredirect=true&DefaultItemOpen=1&clickparams=eyJBcHBOYW11IjoiVG9VhbXMtRGVza3RvcCIsIkFwcFZlcnNpb24iOiIyNy8yMzA5MDEzMjlyOSIsIkhhc0ZlZGVyYXRlZFVzZXliOmZhbnHNlQ%3D%3D)

# EPS Split

Thursday, November 30, 2023

11:20 AM

We split the logic from the eps pod (the pod that checks the permit cache) into two pods. So if you could test the packages that call the cache to make sure they are still working:

- omas
- method of payment =01 for outbound/prs
- D8 records.

```
{"MID_PROF_SEQ": "331133530050220230901", "END_DATE": null, "CRID": "20534291",
"EPS_ACCT_NUMBER": "", "MID": "900065049", "PROD_GRP_NAME": "Outbound", "MASTER_MID":
"900027124", "PROD_WRKFLW_NAME": "Live", "LAST_UPDATE_DATE": "/Date(1691391157000)/",
"MID_USER_CRID": null, "PROD_WRKFLW_CODE": "L004", "MID_OWNER_CRID": "20534291",
"START_DATE": "/Date(1693526400000)/", "PROD_WRKFLW_TYPE": "L", "PDX_FLG": "I",
"PAYMENT_TYPE": "O", "PERMIT_NO": "124", "PERMIT_TYPE": "OI", "PERMIT_FINANCE_NO": "010300",
"AGENCY_CODE": "076", "AGENCY_COST_CODE": "00000", "UPLOAD_TIME":
"2023-08-15T18:42:17.355400+00:00"}},
```

# Partition Management Job

Monday, November 20, 2023 1:13 PM

Change the months to make it work

Actions -> start

It drops and recreated tables according to the config map

Each db table has to be made for each month. This job does that and gets rid of the older tables (configurable currently 6 months)

Look for concurrent command.

Look for Alter Table..... concurrently

Look for attach commad

You can downlond the log file to parse through

Config map to update

[spring-dev2-partitionmgmt · Details · Red Hat OpenShift \(usps.gov\)](#)

Pipeline to run it

[cronjob-partitionmgmt · Details · Red Hat OpenShift \(usps.gov\)](#)

To see what is running

<https://console.apps.nonprod.aws.usps.gov/k8s/ns/ppcmanifest-dev2/core~v1~Pod>

Sort by status or time to view them

Click on it and go to the logs to see concurent

End Merchant Visibility

Monday, October 2, 2023 11:01 AM

"Track Hours for this" - lol

Gather more information on shippers in order to gain a larger market share.

Mainly the target is Amazon bc people can ship through amazon.

We want people to ship with and through usps

Ways to identify ePostage

- Postage Type 3
  - The mailer claims the merchants unique MID
  - Postage Type D1 - Field Position 31
  - User Crd is sent as well from enrollment cache
- Postage Type 1
  - Merchant ID is from the customer (Not usps info)
  - Located in the D1 Customer Reference 2 field
  - Have to have a d3 record with
    - Sender Business Name
    - Business Address
      - Including zip
  - Only process D3 when postage type is 1
- Master Mid stuff
  - Look at master mid for additional info

Testing Scenarios:

- Postage Type 1
- Postage Type 3
- Postage Type Config set to all
- Test with and without D2s
- (non)Matching D1 & D3 tracking numbers
- None of this can reject a package
- Error Codes

- 115643 First Name Missing
- 115743 Last Name Missing
- 115843 Business Name Missing
- 115943 Address Information missing
- 116043 City missing
- 116143 State missing
- 116243 Zip Code missing
- 116343 Zip 4 missing
- 116443 Phone Number Missing (Only can trigger if the D2 Sender Email address is also null)

Validation Clarifications:

Pochetti, Marc E.  
what are we doing if they have a first and last name but no business name?

we'll send everything we got from the necessary fields and log a "warning" that the business name wasn't provided and include business name as null

Lopez, Daria  
Young, Marcus T. for validations, can we just check if they give us a value?

Yeah and lets trim leading/trailing space

D3

SELECT \*  
FROM ppcmanifestdb2.ssf\_raw\_pkg\_d3  
WHERE manifest\_id = '6e39a5af29b573f7d5b4d56fd33cc8d2';

Dev2 Mid

'  
'902493205': {'MID\_PROF\_SEQ': '314292128460620230501', 'END\_DATE': null, 'CRID': '4994238',  
"EPS\_ACCT\_NUMBER": "9999999999", "MID": "902493205", "PROD\_GRP\_NAME": "Outbound",  
"MASTER\_MID": "901000432", "PROD\_WKFLW\_NAME": "Pilot", "LAST\_UPDATE\_DATE":  
"/Date(1682950577000)/", "MID\_USER\_CRID": "23159411", "PROD\_WKFLW\_CODE": "P002",  
"MID\_OWNER\_CRID": "4994238", "START\_DATE": "/Date(1682899200000)/",

Sit2 mid - outbound

'900627580': {'MID\_PROF\_SEQ': '2834446263420230502', 'END\_DATE': null, 'CRID': '20546786',  
"EPS\_ACCT\_NUMBER": "1000030289", "MID": "900627580", "PROD\_GRP\_NAME": "Outbound",  
"MASTER\_MID": "900627580", "PROD\_WKFLW\_NAME": "Live", "LAST\_UPDATE\_DATE":  
"/Date(1683041567000)/", "MID\_USER\_CRID": "1000480113", "PROD\_WKFLW\_CODE": "L004",  
"MID\_OWNER\_CRID": "20546786", "START\_DATE": "/Date(1682985600000)/", "PROD\_WKFLW\_TYPE":  
"L", "PDX\_FLG": "I", "PAYMENT\_TYPE": "E", "PERMIT\_NO": "", "PERMIT\_TYPE": "",  
"PERMIT\_FINANCE\_NO": "", "AGENCY\_CODE": "", "AGENCY\_COST\_CODE": "", "LEGACY\_EXTRACT": "",  
"POSTAGE\_EXT\_FORMAT": "", "FILE\_VERSION": "", "DESTINATION\_FORMAT": "", "UPLOAD\_TIME":  
"2023-10-13T14:27:06.388183+00:00"]]

From <<https://jenkins-aws.usps.gov/job/PPCSelfService/job/ReadRedisCache/3237/consoleText>>

900619740

ETE data

| Edt | Program      | Program Workflow                     | CRID     | Company Name   | Master MID | MID       | EPS Account | Mail Class | Default Postage(\$) | Start Date | End Date |
|-----|--------------|--------------------------------------|----------|----------------|------------|-----------|-------------|------------|---------------------|------------|----------|
|     | USPS Returns | Returns - Manifest Attributes (Live) | 20537674 | COFFEE EXPO #1 | 900619740  | 900619740 | 1000014667  | FR         | 5.50                | 10-16-2023 |          |
|     | Outbound     | Live                                 | 20537674 | COFFEE EXPO #1 | 900619740  | 900619740 | 1000014667  | N/A        | N/A                 | 10-16-2023 |          |
|     | USPS Returns | Returns - Manifest Attributes (Live) | 20537674 | COFFEE EXPO #1 | 900619740  | 900619740 | 1000014667  | ER         | 22.80               | 10-16-2023 |          |
|     | USPS Returns | Returns - Manifest Attributes (Live) | 20537674 | COFFEE EXPO #1 | 900619740  | 900619740 | 1000014667  | FN         | 6.50                | 10-16-2023 |          |
|     | USPS Returns | Returns - Manifest Attributes (Live) | 20537674 | COFFEE EXPO #1 | 900619740  | 900619740 | 1000014667  | MH         | 9.75                | 10-16-2023 |          |
|     | USPS Returns | Returns - Manifest Attributes (Live) | 20537674 | COFFEE EXPO #1 | 900619740  | 100096    | 1000014667  | FN         | 6.50                | 10-16-2023 |          |

More info:

<https://postalpro.usps.com/pub205>

Section T.6 Reporting Shipper Information to USPS  
T.a SSF v2.0 ePostage Sender Information

<https://postalpro.usps.com/pub199>

-general definitions  
-D3 definitions

## System Solution Detail

ePostage Provider data submission options for merchant visibility:

- Unique MID:** ePostage vendor provides a flag that the **merchant's unique MID** is in the IMpb. This option is not being used by top ePostage vendors. Cust ref ID is identical to the package MID. Except when it not a MID.
- Merchant ID:** ePostage vendor provides SSF D1 Postage Type of '1' to indicate that the **merchant ID** is being provided in the D1 Customer Reference 2 field. ePostage vendor must also provide a D3 record with the sender name and address. The merchant ID is an ePostage identifier – it is a value unique to the ePostage vendor.
- When the ePostage provider **gives a label to a marketplace** who provides it to a **merchant**, all three parties must be included in the SSF file. The marketplace via unique MID inside an IMpb and the end customers via Merchant ID. The Merchant ID in this case could be a 3<sup>rd</sup> party retailer selling products on the marketplace. *Today USPS only has 2 layers of by/for not 3, so we lose 1 when transmitted to CDM, and that's expected.*

eVS

- eVS will save the MID in the barcode. has logic to handle this scenario therefore no work is needed..if postage type is 3 and the MID is not valid, use the package MID. *Add an ePostage indicator to the existing CDM feed.*
- eVS By/For rules will be updated. eVS will perform an internal lookup (company name, Address) and call eReg add company API to create CRIDs for merchant ID. eVS makes 1 call per file. cache is on address in manifest not standardized address, character for character. Cache refresh every 24 hours. When in doubt call add company. An Indicator for ePostage passing data to CDM.
- No different than #2. need to know who is the by & for.

Ship

- If postage type 3, provide the package MID/CRID(existing logic) with an *indicator for ePostage transactions in the existing CDM feed.*
- Ship will check cache (address, company name) for unique company/address combination and if not found will call eReg add company API (address, company name) to create CRIDs for merchant ID when they don't exist. cache is on address submitted in the manifest not the standardized address, character for character.) Cache refresh every 24 hours. When in doubt call add company. Add an indicator for ePostage passing info to CDM.
- No different than #2. need to know who is the by & for.

CDM

CDAS: CDAS does ETL for eVS to CDM this must stay in place for now as all transmissions use this

| Record Type | Element Position | Field Name                  | Format (Size) | Content Rules                                                                                                                                                                                                                                                |
|-------------|------------------|-----------------------------|---------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| D1          | 31               | Postage Type                | AN(1)         | Required – ePostage Maker ID Reg 1 = sender information is provided D2/D3 of the SSF 3 = sender is identified by child MID                                                                                                                                   |
| D1          | FR               | Customer Reference Number 2 | AN(30)        | Required - Conditional<br>When Postage Type is "1"<br>Provide the unique merchant ID assigned by the ePostage label provider to the authorized sender.<br>When Postage Type is "3"<br>- Provide the eVS child MID assigned to this ePostage shipper location |

| A            | B                                 | C           | D           |
|--------------|-----------------------------------|-------------|-------------|
| Postage Type | ePostage Provider                 | Marketplace | Merchant    |
| 1            | Master MID from EFN               | N/A         | Package MID |
| 1            | Master MID from EFN / Package MID |             | Merchant ID |
| 1            | Master MID                        |             |             |
| 1            | CRID associated to Master         |             |             |
| 1            | Package MID                       |             |             |
| 1            | Owner CRID associated to Package  |             |             |
| 1            | User CRID associated to Package   |             |             |
| 1            | Merchant ID                       |             |             |
| 1            | Merchant CRID                     |             |             |
| 1            |                                   |             |             |

New Work for System/Team

"postageType": "3"



# PFSC

Thursday, October 5, 2023 1:46 PM

The Manifest service will:

1. Auto-correct Outbound packages manifested as PFS to Priority Mail or Priority Mail Express
- If Program is NOT PFS and PFS STC ('128', '315' or '722') is included in the manifest, auto-correct to PM or EX

The Manifest service will:

1. Consume PFS Customer Profile information from Account Management:

-MID  
-CRID  
-EPS Account  
-Program

The Manifest service will:

1. Consume manifests for shippers enrolled in PFS
2. PFS packages are identified as follows:

-Program PFS  
-STC '128', '315' or '722'  
-Mail Class 'PM' or 'EX'

The Manifest service will:

1. Publish PFS packages for pricing
- When the Program is PFS and STC is populated with a configurable list of values initially set to '128', '315' or '722' and the Mail Class is set to a configurable list of values initially set to 'PM' or 'EX', publish packages for pricing

NOTE: Validation

# Pricing Remap

Thursday, June 22, 2023 3:38 PM

stc 022 is associated with FR starting on 7/9, so it got corrected to FR. Then before calling the sku-map we have configMap values that updates the first stc's in the sku-map key, So if the stc is 022 then we use GR for the first value and if the mail class is FR then we use FC for the second value. I'm not sure if these configMap values will have to be updated:

#STC Mail Class mapping for sku-map

020=FR

597=FR

600=FR

821=FR

824=FR

827=FR

019=MR

596=MR

599=MR

820=MR

823=MR

826=MR

022=GR

598=GR

601=GR

822=GR - pre 7/8

825=GR

828=GR

017=FN

018=FN

024=FN

#Temporary fix to map returned mail classes to be able to find Pricing sku-map keys

FR=FC

MR=PM

GR=PS

FN=RP

'900623851:017'

## Remap workbook

PROD\_WRKFLW\_NAME": "Price on Scans, No Manifest",

[2:28 PM] Lopez, Daria

Johnston, Michael P. Is it fine if I update the start date for **902911013:022** to start earlier? We are not using the mail class from this data. We are just making sure it's enrolled. We are using the mail class from the stc-map, and that one says stc 022 is GR before 7/9.

# More Emas stuff

Thursday, January 26, 2023 9:51 AM

All CNS is APV

Edits:

- Removed one d2 pipe

**PM Flat Rate Envelope Retail - 4209002431059405830109355000014555**

Postage Type (this should already be populated from EMAS, needs to be R)

Mail Class: PM

Destination Rate Ind:N

Processing Category: 2

Zone:00

Rate Indicator: FE

Parcel Routing Barcode: 0 or 1

**PS Ground Commercial - 4207413308289461230109355000058713**

Postage Type: (this should already be populated from EMAS, needs to be P)

Mail Class: PS

Destination Rate Ind:N

Processing Category: 3 or 5

Zone:needs a zone so depends on what they populated 01-09

Rate Indicator: SP

Parcel Routing Barcode: 0 or 1

Update-

Parcel Select Ground 9461230109355000058713 - \$28.83 Commercial (PSG 20 lb, 30 x 10 x 10 box), Print and Deliver requested

Add a third ESC of 881 \$4.00 amount

Add a Fee to ESC 415, \$1.25 will be the fee

MID Updated to 123456789

Construction Code Updated to N10 (For speed of generation)

-----  
**FC Retail - 9400130109355000014681**

Postage Type: R

Mail Class: FC

Destination Rate Ind:N

Processing Category: 3 or 5

Zone: needs a zone so depends on what they populated 01-09

Rate Indicator: SP

Parcel Routing Barcode: 0 or 1

**FC Returns Commercial - 9402030109355000000296**

Postage Type: P  
Mail Class: FR  
Destination Rate Ind:N  
Processing Category: 3, 5, or R  
Zone: needs a zone so depends on what they populated 01-09  
Rate Indicator: SP  
Parcel Routing Barcode: 0 or 1

Edits To FC Commercial

Added Postage Type of P - The field was Null  
Changed the Domestic Zone value to 01 - It was 00  
Mail Class is auto corrected to FR based on the STC

**MR Returns Commercial - 9401930109355000001310 (PM Returns)**

Postage Type: P  
Mail Class: MR  
Destination Rate Ind:N  
Processing Category: 1,2,5,3,or R  
Zone:needs a zone so depends on what they populated 01-09  
Rate Indicator: SP  
Parcel Routing Barcode: 0 or 1

Edits:

Added Postage Type Value of P  
Updated Domestic Zone to 08  
Mail Class changed to MR to match STC and Scenario

**GR Returns Commercial - Ground Returns 9402230109355000000733**

Postage Type: P  
Mail Class: GR  
Destination Rate Ind:N  
Processing Category: 3, 5 or R  
Zone:needs a zone so depends on what they populated 01-09  
Rate Indicator: SP  
Parcel Routing Barcode: 0 or 1

Added Postage Type Value of P  
Updated Domestic Zone to 06  
Mail Class Changed to GR from RP to match STC and Scenario

# Mail Class Remappings

Wednesday, June 14, 2023 5:49 PM

| Condition                                                                                                                                | Result                                                              |
|------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------|
| mailingDate >= 7/9/2023<br>AND Mail Class = PS<br>AND Destination Rate Ind = N                                                           | Mail Class = FC                                                     |
| mailingDate >= 7/9/2023<br>AND Mail Class = GR<br>AND Destination Rate Ind = N                                                           | Mail Class = FR                                                     |
| mailingDate >= 7/9/2023<br>AND Mail Class = LW<br>AND Destination Rate Ind = N<br>AND Rate Ind = BB or DC<br>AND Processing Category = 3 | Mail Class = FC<br>AND Rate Ind = SP                                |
| mailingDate >= 7/9/2023<br>AND Mail Class = LW<br>AND Destination Rate Ind = N<br>AND Rate Ind = BB or DC<br>AND Processing Category = 4 | Mail Class = FC<br>AND Rate Ind = SP<br>AND Processing Category = 5 |

Dev2

| STC | Mail Class |
|-----|------------|
| 651 | PS         |
| 598 | GR         |
| 902 | LW         |

'104074:828':

900617662:828

900630566:388

from the product-workflow-stc we only use the program (not the mail class). We get the mail class from the stc-map, which has GR.

# OMAS

Friday, July 14, 2023 1:31 PM

OMAS is all programs-

- Outbound
- Returns (no prs)

Info for omas is in the outbound & return caches now. It was added on

Step 1.

Identify OMAS package -

- Based on MID

If Method of Payment is 03 and not omas MID - Process as normal non-omas package

If Method of Payment is not 03 but the package is omas - autocorrect method of payment and process as omas

Put in the OMAS Flag in the Package JSON

Omas Permit Type:

OR - returns

OI - Outbound

Omas is indicated with Payment type "O"

yes, then we also need regression testing for method of payment 1 (outbound and prs) and D8 records since the cache will be updated

## OMAS stories ready

**B-746937** -Charge back code for SSF or auto-correct for default agency cost code from manifested OMAS.

**B-746938** -Truncate SSF Chargeback Code from 6 to 5 Digits

-based on our discussions we are taking the last 5 digits when the value in the SSF has 6 digits

**B-746939** -Pass 3 or 5 digit. Agency Code to downstream Services

## Pending OMAS story:

**B-746936** Treat Method 3 as a Permit Type OI

## Note:

Since the account management cache is not ready yet, we set up a mock redis cache in DEV2 with the structure specified in the ICD. These are the caches and the MIDs:

Let us know if you need other MIDS and different OMAS data so we can update them – thanks.

account-profile-returns-test

900636989:517

```
[{"MID_PROF_SEQ": "3417168130286420230712", "EPS_ACCT_NUMBER": "1000036654",
"PROD_WRKFLW_TYPE": "L", "END_DATE": null, "MAIL_CLASS_DESC": "Priority Mail Return Service",
"CRID": "20556766", "MAIL_CLASS": "MR", "STC": "517", "MID": "900636989", "PROD_GRP_NAME":
```

"Network Returns", "MASTER\_MID": "900636990", "PROD\_WRKFLW\_NAME": "Returns - Manifest Attributes (Live)", "MID\_USER\_CRID": "1000496482", "PROD\_WRKFLW\_CODE": "L008", "MID\_OWNER\_CRID": "20556766", "START\_DATE": "/Date(1689120000000)/", "DEFAULT\_POSTAGE": "9.75", "PDX\_FLG": "I", "UPLOAD\_TIME": "2023-07-20T13:30:06.977368+00:00", "PAYMENT\_TYPE": "O", "PERMIT\_NO": "2", "PERMIT\_TYPE": "OI", "PERMIT\_FINANCE\_NO": "661204", "AGENCY\_CODE": "051", "AGENCY\_COST\_CODE": "00002"]}]

account-profile-prs-test  
900021939

[{"MID\_PROF\_SEQ": "2771798050620230413", "END\_DATE": null, "CRID": "20429125", "EPS\_ACCT\_NUMBER": "1000008841", "MID": "900021939", "PROD\_GRP\_NAME": "PRS-Traditional", "MASTER\_MID": "900021940", "PROD\_WRKFLW\_NAME": "Live", "LAST\_UPDATE\_DATE": "/Date(1681381892000)/", "MID\_USER\_CRID": "20479054", "PROD\_WRKFLW\_CODE": "L010", "MID\_OWNER\_CRID": "20429125", "START\_DATE": "/Date(1681344000000)/", "PROD\_WRKFLW\_TYPE": "L", "PDX\_FLG": "I", "UPLOAD\_TIME": "2023-07-14T19:01:06.377874+00:00", "PAYMENT\_TYPE": "O", "PERMIT\_NO": "2", "PERMIT\_TYPE": "OI", "PERMIT\_FINANCE\_NO": "661204", "AGENCY\_CODE": "051", "AGENCY\_COST\_CODE": "00002"}]

-----  
Outbound Omas dev2

'900065049': [{"MID\_PROF\_SEQ": "331130130031620230802", "END\_DATE": "/Date(1690934400000)/", "CRID": "20534291", "EPS\_ACCT\_NUMBER": "", "MID": "900065049", "PROD\_GRP\_NAME": "Outbound", "MASTER\_MID": "900027124", "PROD\_WRKFLW\_NAME": "Pilot", "LAST\_UPDATE\_DATE": "/Date(1690892395000)/", "MID\_USER\_CRID": null, "PROD\_WRKFLW\_CODE": "P002", "MID\_OWNER\_CRID": "20534291", "START\_DATE": "/Date(1690934400000)/", "PROD\_WRKFLW\_TYPE": "P", "PDX\_FLG": "I", "PAYMENT\_TYPE": "O", "PERMIT\_NO": "9999", "PERMIT\_TYPE": "OI", "FINANCE\_NO": "999922", "AGENCY\_CODE": "999", "AGENCY\_COST\_CODE": "99999", "UPLOAD\_TIME": "2023-08-01T20:04:51.352130+00:00"}, {"MID\_PROF\_SEQ": "331130230031620230803", "END\_DATE": null, "CRID": "20534291", "EPS\_ACCT\_NUMBER": "", "MID": "900065049", "PROD\_GRP\_NAME": "Outbound", "MASTER\_MID": "900027124", "PROD\_WRKFLW\_NAME": "Pilot", "LAST\_UPDATE\_DATE": "/Date(1690893052000)/", "MID\_USER\_CRID": null, "PROD\_WRKFLW\_CODE": "P002", "MID\_OWNER\_CRID": "20534291", "START\_DATE": "/Date(1691020800000)/", "PROD\_WRKFLW\_TYPE": "P", "PDX\_FLG": "I", "PAYMENT\_TYPE": "O", "PERMIT\_NO": "9999", "PERMIT\_TYPE": "OI", "FINANCE\_NO": "999922", "AGENCY\_CODE": "999", "AGENCY\_COST\_CODE": "99999", "UPLOAD\_TIME": "2023-08-01T20:04:51.352130+00:00"}]

'900065049': [{"MID\_PROF\_SEQ": "331130130031620230802", "END\_DATE": "/Date(1690934400000)/", "CRID": "20534291", "EPS\_ACCT\_NUMBER": "", "MID": "900065049", "PROD\_GRP\_NAME": "Outbound", "MASTER\_MID": "900027124", "PROD\_WRKFLW\_NAME": "Pilot", "LAST\_UPDATE\_DATE": "/Date(1690892395000)/", "MID\_USER\_CRID": null, "PROD\_WRKFLW\_CODE": "P002", "MID\_OWNER\_CRID": "20534291", "START\_DATE": "/Date(1690934400000)/", "PROD\_WRKFLW\_TYPE": "P", "PDX\_FLG": "I", "PAYMENT\_TYPE": "O", "PERMIT\_NO": "9999", "PERMIT\_TYPE": "OI", "FINANCE\_NO": "999922", "AGENCY\_CODE": "999", "AGENCY\_COST\_CODE": "99999", "UPLOAD\_TIME": "2023-08-01T20:04:51.352130+00:00"}, {"MID\_PROF\_SEQ": "331130230031620230803", "END\_DATE": null, "CRID": "20534291", "EPS\_ACCT\_NUMBER": "", "MID": "900065049", "PROD\_GRP\_NAME": "Outbound", "MASTER\_MID": "900027124", "PROD\_WRKFLW\_NAME": "Pilot", "LAST\_UPDATE\_DATE": "/Date(1690893052000)/", "MID\_USER\_CRID": null, "PROD\_WRKFLW\_CODE": "P002", "MID\_OWNER\_CRID": "20534291",

"START\_DATE": "/Date(1691020800000)/", "PROD\_WRKFLW\_TYPE": "P", "PDX\_FLG": "I",  
"PAYMENT\_TYPE": "O", "PERMIT\_NO": "9999", "PERMIT\_TYPE": "OI", "FINANCE\_NO": "999922",  
"AGENCY\_CODE": "999", "AGENCY\_COST\_CODE": "99999", "UPLOAD\_TIME":  
"2023-08-01T20:04:51.352130+00:00"]}]

Pervious

20534291:20534291:OI:105000

Current Key

20534291:9999:OI:105000

Target

20534291:15:OI:661204':

'20534291:15:OI:661204':

'{"EPS\_ACCT\_NUMBER":"","AGENCY\_CODE":"205","AGENCY\_COST\_CODE":"30005"}'

Returns Omas Dev2

'900065049:837': [{"MID\_PROF\_SEQ": "331131130041796320230803", "EPS\_ACCT\_NUMBER": "",  
"PROD\_WRKFLW\_TYPE": "P", "END\_DATE": null, "MAIL\_CLASS\_DESC": "Priority Mail Express Returns",  
"CRID": "20534291", "MAIL\_CLASS": "ER", "STC": "837", "MID": "900065049", "PROD\_GRP\_NAME":  
"Network Returns", "MASTER\_MID": null, "PROD\_WRKFLW\_NAME": "Returns - Manifest Attributes  
(Pilot)", "MID\_USER\_CRID": null, "PROD\_WRKFLW\_CODE": "P007", "MID\_OWNER\_CRID": "20534291",  
"START\_DATE": "/Date(1691020800000)/", "DEFAULT\_POSTAGE": "22.8", "PDX\_FLG": "I",  
"PAYMENT\_TYPE": "O", "PERMIT\_NO": "9999", "PERMIT\_TYPE": "OR", "FINANCE\_NO": "999922",  
"AGENCY\_CODE": "999", "AGENCY\_COST\_CODE": "99999", "UPLOAD\_TIME":  
"2023-08-03T20:00:04.713531+00:00"}]

Pervious

Current Key

20534291:1000036654:OR:105000

Target

'20534291:21:OR:661204':

'{"EPS\_ACCT\_NUMBER":"","AGENCY\_CODE":"211","AGENCY\_COST\_CODE":"30011"}'

he permit\_eps\_acct key is formed "crid:permit\_number:permit\_type:finance\_num\_value"

1. Crid value is queried from account\_profile\_outbound using the mid from the tracking number.
2. Permit\_number value is grabbed from the payment\_account\_number
3. Permit\_type as of now is always PI
4. Finance\_num\_value is grabbed using the post\_office\_of\_account\_zip\_code value to query the active\_zip\_finance\_number cache.
  - a. if the value is not found we are using a default value: 661204

Sit2 Outbound-----

900018134': [{"MID\_PROF\_SEQ": "3499678579220230811", "END\_DATE": null, "CRID": "3",  
"EPS\_ACCT\_NUMBER": "", "MID": "900018134", "PROD\_GRP\_NAME": "Outbound", "MASTER\_MID":  
"900018134", "PROD\_WRKFLW\_NAME": "Live", "LAST\_UPDATE\_DATE": "/Date(1691680762000)/",



"MID\_USER\_CRID": "4", "PROD\_WRKFLW\_CODE": "L004", "MID\_OWNER\_CRID": "3", "START\_DATE":  
"/Date(1691712000000)/", "PROD\_WRKFLW\_TYPE": "L", "PDX\_FLG": "I", "PAYMENT\_TYPE": "O",  
"PERMIT\_NO": "16", "PERMIT\_TYPE": "OI", "PERMIT\_FINANCE\_NO": "661204", "AGENCY\_CODE": "206",  
"AGENCY\_COST\_CODE": "30006", "UPLOAD\_TIME": "2023-08-11T13:27:06.164963+00:00"]}]'

```
1 MID_PROF_SEQ: 3501888593620230815
END_DATE: /Date(1692403200000)/
CRID: 20559098
EPS_ACCT_NUMBER:
MID: 900639858
PROD_GRP_NAME: Outbound
MASTER_MID: 900639858
PROD_WRKFLW_NAME: Pilot
LAST_UPDATE_DATE: /Date(1692122967000)/
MID_USER_CRID: 20559098
PROD_WRKFLW_CODE: P002
MID_OWNER_CRID: 20559098
START_DATE: /Date(1692057000000)/
PROD_WRKFLW_TYPE: F
PDX_FLG:
PAYMENT_TYPE: O
PERMIT_NO: 9999
PERMIT_TYPE: OI
PERMIT_FINANCE_NO: 999922
AGENCY_CODE: 999
AGENCY_COST_CODE: 9999
UPLOAD_TIME: 2023-08-10T14:42:06.601630+00:00
```

sit2 returns-----

'900639858:218': '[{"MID\_PROF\_SEQ": "3499638579088920230812", "EPS\_ACCT\_NUMBER": "",  
"PROD\_WRKFLW\_TYPE": "L", "END\_DATE": null, "MAIL\_CLASS\_DESC": "USPS Ground Advantage  
Returns", "CRID": "20559098", "MAIL\_CLASS": "FR", "STC": "218", "MID": "900639858",  
"PROD\_GRP\_NAME": "Network Returns", "MASTER\_MID": null, "PROD\_WRKFLW\_NAME": "Returns -  
Manifest Attributes (Live)", "MID\_USER\_CRID": null, "PROD\_WRKFLW\_CODE": "L008",  
"MID\_OWNER\_CRID": "20559098", "START\_DATE": "/Date(1691798400000)/", "DEFAULT\_POSTAGE":  
"5.5", "PDX\_FLG": "N", "PAYMENT\_TYPE": "O", "PERMIT\_NO": "19", "PERMIT\_TYPE": "OR",  
"PERMIT\_FINANCE\_NO": "661204", "AGENCY\_CODE": "209", "AGENCY\_COST\_CODE": "30009",  
"UPLOAD\_TIME": "2023-08-11T13:30:06.643019+00:00"}]

'900024239:839': '[{"MID\_PROF\_SEQ": "3501988596198920230816", "EPS\_ACCT\_NUMBER": "",  
"PROD\_WRKFLW\_TYPE": "L", "END\_DATE": null, "MAIL\_CLASS\_DESC": "Priority Mail Express Returns",  
"CRID": "20479054", "MAIL\_CLASS": "ER", "STC": "839", "MID": "900024239", "PROD\_GRP\_NAME":  
"Network Returns", "MASTER\_MID": null, "PROD\_WRKFLW\_NAME": "Returns - Manifest Attributes  
(Live)", "MID\_USER\_CRID": null, "PROD\_WRKFLW\_CODE": "L008", "MID\_OWNER\_CRID": "20479054",  
"START\_DATE": "/Date(1692144000000)/", "DEFAULT\_POSTAGE": "22.8", "PDX\_FLG": "I",  
"PAYMENT\_TYPE": "O", "PERMIT\_NO": "12", "PERMIT\_TYPE": "OR", "PERMIT\_FINANCE\_NO": "661204",  
"AGENCY\_CODE": "202", "AGENCY\_COST\_CODE": "30002", "UPLOAD\_TIME":  
"2023-08-16T20:00:06.448767+00:00"}]

# Omas Permit Table

Monday, August 21, 2023 2:20 PM

[Thursday 1:51 PM] Lopez, Daria

Negron, Norman Johnston, Michael P. we added the omas fields (agency code, agency cost code, agency code default, and agency cost code default) to the permit-eps-acct table in dev2/sit2. Can you test this to make sure it's working properly?

[Thursday 1:51 PM] Johnston, Michael P.

How does this table work? Does it just save the info from non-rejected packages?

[Thursday 1:53 PM] Lopez, Daria

yes, it saves the permit info for non rejected omas packages and outbound packages that had a permit (method of payment 1)  
like 1

add the following nullable OMAS fields to the permit\_eps\_acct table:

- agcy\_code (3)
- agcy\_cost\_code (5)
- agcy\_code\_dflt (3)
- agcy\_cost\_code\_dflt (5)

# PEW Warning Story

Tuesday, May 23, 2023 11:06 AM

When processing SSF files Manifest will do the following for outbound packages:

1. if the service type code and mail class is PS or LW and the destination rate indicator is **B, S** or **D**, then the package is using the correct destination rate indicator and no warning is flagged.
2. if the service type code and mail class is PS or LW and the destination rate indicator is **NOT B, S** or **D**, then the item is using the incorrect destination rate indicator and a new PEW warning should be flagged. The warning will be "DESTN RATE IND REQUIRES DIFFERENT SERVICE TYPE CODE" and a new error code needs to be created.
3. Program check for Outbound should be configurable.
4. Only do this warning for packages with mailing date of XX/XX/XXXX or after. Packages with prior mailing date will not receive this error. The date will be configurable.

## Test Considerations:

-We set the default date to be '20230709' in case we don't specify a date in the package-8-autocorrections-consumer config map.

-Let's also test the scenario where we specify a different date. For this, you need to add the following entry to the package-8-autocorrections-consumer config map.

"dri.impb.compliance.start.date", "20230709" - this is the default value if none was specified so you don't need to add it unless you want to change the date

```
dri.impb.compliance.start.date=yyyyMMdd
```

```
'PS|PS|B|*|SP|*|3|0|*|*|4|*|*|10/02/2022|N'
PS|PS|B|*|SP|*|3|1|*|*|5|*|*|07/10/2022|N'
```

```
LW|LW|B|*|DF|*|3|0|*|*|0|*|*|10/02/2022|N
LW|LW|N|*|BB|*|3|0|*|*|0|*|*|10/02/2022|N
```

```
PS|PS|H|*|DN|*|3|0|*|*|0|*|*|07/09/2023|N"
```

```
'745': '{ "mailClassCode": "LW", "extraServiceCode1": "930", "extraServiceCode2": "920",
"extraServiceCode3": "", "extraServiceCode4": "", "extraServiceCode5": "", "startDate": "20230709",
"endDate": null }'
```

```
{'900627580': '{ "MID_PROF_SEQ": "2834446263420230502", "END_DATE": null, "CRID":
"20546786", "EPS_ACCT_NUMBER": "1000030289", "MID": "900627580", "PROD_GRP_NAME":
"Outbound", "MASTER_MID": "900627580", "PROD_WRKFLW_NAME": "Live",
"LAST_UPDATE_DATE": "/Date(1683041567000)/", "MID_USER_CRID": "1000480113",
```

"PROD\_WRKFLW\_CODE": "L004", "MID\_OWNER\_CRID": "20546786", "START\_DATE":  
"/Date(1682985600000)/", "PROD\_WRKFLW\_TYPE": "L", "PDX\_FLG": "I", "PAYMENT\_TYPE": "E",  
"PERMIT\_NO": "", "PERMIT\_TYPE": "", "FINANCE\_NO": "", "AGENCY\_CODE": "",  
"AGENCY\_COST\_CODE": "", "UPLOAD\_TIME": "2023-08-04T18:07:07.003659+00:00"]}]'

'902': '[{"MA\_PROD\_GRP\_WRKFLW\_STC\_VW\_UK": "3-2-687", "STC\_DESC": "Parcel Select  
Lightweight SBP", "STC\_START\_DATE": "/Date(1564617600000)/", "STC": "902",  
"PROD\_WRKFLW\_TYPE": "P", "PROD\_GRP\_DESC": "Outbound Desc", "PROD\_GRP\_NAME":  
"Outbound", "PROD\_WRKFLW\_NAME": "Pilot", "PROD\_WRKFLW\_CODE": "P002",  
"STC\_END\_DATE": null, "MAIL\_CLASS": "LW", "PFS\_FLG": null, "UPLOAD\_TIME":  
"2023-08-07T13:10:05.343768+00:00"}], [{"MA\_PROD\_GRP\_WRKFLW\_STC\_VW\_UK": "3-4-687",  
"STC\_DESC": "Parcel Select Lightweight SBP", "STC\_START\_DATE": "/Date(1564617600000)/",  
"STC": "902", "PROD\_WRKFLW\_TYPE": "L", "PROD\_GRP\_DESC": "Outbound Desc",  
"PROD\_GRP\_NAME": "Outbound", "PROD\_WRKFLW\_NAME": "Live", "PROD\_WRKFLW\_CODE":  
"L004", "STC\_END\_DATE": null, "MAIL\_CLASS": "LW", "PFS\_FLG": null, "UPLOAD\_TIME":  
"2023-08-07T13:10:05.343768+00:00"}]]'

# Omas Data

Thursday, August 17, 2023 12:37 PM

```
'900021949:399': '{"MID_PROF_SEQ": "3598399165788820231114", "EPS_ACCT_NUMBER": "", "PROD_WRKFLW_TYPE": "P", "END_DATE": null, "MAIL_CLASS_DESC": "USPS Ground Advantage Returns", "CRID": "20429137", "MAIL_CLASS": "FR", "STC": "399", "MID": "900021949", "PROD_GRP_NAME": "Network Returns", "MASTER_MID": "900021949", "PROD_WRKFLW_NAME": "Returns - Manifest Attributes (Pilot)", "MID_USER_CRID": "20429137", "PROD_WRKFLW_CODE": "P007", "MID_OWNER_CRID": "20429137", "START_DATE": "/Date(1699920000000)/", "DEFAULT_POSTAGE": "5.5", "PDX_FLG": "I", "PAYMENT_TYPE": "O", "PERMIT_NO": "9999", "PERMIT_TYPE": "OR", "PERMIT_FINANCE_NO": "999922", "AGENCY_CODE": "999", "AGENCY_COST_CODE": "99999", "UPLOAD_TIME": "2024-03-21T18:00:05.447083+00:00"}'
```

From <<https://jenkins-aws.usps.gov/job/PPCSelfService/job/ReadRedisCache/3949/consoleText>>

## Sit2 Omas Returns

```
'900639849:517': '{"MID_PROF_SEQ": "4082998619486420250311", "EPS_ACCT_NUMBER": "", "PROD_WRKFLW_TYPE": "L", "END_DATE": "/Date(1742169600000)/", "MAIL_CLASS_DESC": "Priority Mail Return", "CRID": "20559085", "MAIL_CLASS": "MR", "STC": "517", "MID": "900639849", "PROD_GRP_NAME": "Network Returns", "MASTER_MID": null, "PROD_WRKFLW_NAME": "Returns - Manifest Attributes (Live)", "MID_USER_CRID": null, "PROD_WRKFLW_CODE": "L008", "MID_OWNER_CRID": "20559085", "START_DATE": "/Date(1741651200000)/", "DEFAULT_POSTAGE": "9.75", "PDX_FLG": "I", "PAYMENT_TYPE": "O", "PERMIT_NO": "914000", "PERMIT_TYPE": "OR", "PERMIT_FINANCE_NO": "661204", "AGENCY_CODE": "93", "AGENCY_COST_CODE": "10011", "UPLOAD_TIME": "2025-07-30T15:31:05.714041+00:00"}, {"MID_PROF_SEQ": "4085508619486420250318", "EPS_ACCT_NUMBER": "", "PROD_WRKFLW_TYPE": "L", "END_DATE": null, "MAIL_CLASS_DESC": "Priority Mail Return", "CRID": "20559085", "MAIL_CLASS": "MR", "STC": "517", "MID": "900639849", "PROD_GRP_NAME": "Network Returns", "MASTER_MID": null, "PROD_WRKFLW_NAME": "Returns - Manifest Attributes (Live)", "MID_USER_CRID": null, "PROD_WRKFLW_CODE": "L008", "MID_OWNER_CRID": "20559085", "START_DATE": "/Date(1742256000000)/", "DEFAULT_POSTAGE": "9.75", "PDX_FLG": "Y", "PAYMENT_TYPE": "O", "PERMIT_NO": "914000", "PERMIT_TYPE": "OR", "PERMIT_FINANCE_NO": "661204", "AGENCY_CODE": "93", "AGENCY_COST_CODE": "10011", "UPLOAD_TIME": "2025-07-30T15:31:05.714041+00:00"}'
```

From <<https://jenkins-aws.usps.gov/job/PPCSelfService/job/ReadRedisCache/6977/consoleText>>

## sit2 omas outbound

```
900480148': '{"MID_PROF_SEQ": "54116614760820250725", "END_DATE": null, "CRID": "20429125", "EPS_ACCT_NUMBER": "", "MID": "900480148", "PROD_GRP_NAME": "Outbound", "MASTER_MID": "100033", "PROD_WRKFLW_NAME": "Live", "LAST_UPDATE_DATE": "/Date(1753437084000)/", "MID_USER_CRID": null, "PROD_WRKFLW_CODE": "L004", "MID_OWNER_CRID": "20429125", "START_DATE": "/Date(1753401600000)/", "PROD_WRKFLW_TYPE": "L", "PDX_FLG": "I", "PAYMENT_TYPE": "O", "PERMIT_NO": "18", "PERMIT_TYPE": "OI", "PERMIT_FINANCE_NO": "661204", "AGENCY_CODE": "009", "AGENCY_COST_CODE": "12345", "LEGACY_EXTRACT": "N", "POSTAGE_EXT_FORMAT": "", "FILE_VERSION": "", "DESTINATION_FORMAT": "", "UPLOAD_TIME": "2025-07-30T16:21:06.948220+00:00"}'
```

From <<https://jenkins-aws.usps.gov/job/PPCSelfService/job/ReadRedisCache/6979/consoleText>>

## Ez Returns

```
'900024239:837': [{"MID_PROF_SEQ": "3501988596198720230816", "EPS_ACCT_NUMBER": "", "PROD_WRKFLW_TYPE": "L", "END_DATE": null, "MAIL_CLASS_DESC": "Priority Mail Express Returns", "CRID": "20479054", "MAIL_CLASS": "ER", "STC": "837", "MID": "900024239", "PROD_GRP_NAME": "Network Returns", "MASTER_MID": null, "PROD_WRKFLW_NAME": "Price & Charge on Scans, No Manifest", "MID_USER_CRID": null, "PROD_WRKFLW_CODE": "L003", "MID_OWNER_CRID": "20479054", "START_DATE": "/Date(1692144000000)/", "DEFAULT_POSTAGE": "22.8", "PDX_FLG": "I", "PAYMENT_TYPE": "O", "PERMIT_NO": "12", "PERMIT_TYPE": "OR", "PERMIT_FINANCE_NO": "661204", "AGENCY_CODE": "202", "AGENCY_COST_CODE": "30002", "UPLOAD_TIME": "2023-08-17T14:00:08.457412+00:00"}]
```

```
'900024239:837': [{"MID_PROF_SEQ": "3501988596198720230816", "EPS_ACCT_NUMBER": "", "PROD_WRKFLW_TYPE": "L", "END_DATE": null, "MAIL_CLASS_DESC": "Priority Mail Express Returns", "CRID": "20479054", "MAIL_CLASS": "ER", "STC": "837", "MID": "900024239", "PROD_GRP_NAME": "Network Returns", "MASTER_MID": null, "PROD_WRKFLW_NAME": "Price & Charge on Scans, No Manifest", "MID_USER_CRID": null, "PROD_WRKFLW_CODE": "L008", "MID_OWNER_CRID": "20479054", "START_DATE": "/Date(1692144000000)/", "DEFAULT_POSTAGE": "22.8", "PDX_FLG": "I", "PAYMENT_TYPE": "O", "PERMIT_NO": "12", "PERMIT_TYPE": "OR", "PERMIT_FINANCE_NO": "661204", "AGENCY_CODE": "202", "AGENCY_COST_CODE": "30002", "UPLOAD_TIME": "2023-08-17T14:00:08.457412+00:00"}]
```

```
'900639849:517': [{"MID_PROF_SEQ": "3503708619486420230823", "EPS_ACCT_NUMBER": "", "PROD_WRKFLW_TYPE": "L", "END_DATE": null, "MAIL_CLASS_DESC": "Priority Mail Return Service", "CRID": "20559085", "MAIL_CLASS": "MR", "STC": "517", "MID": "900639849", "PROD_GRP_NAME": "Network Returns", "MASTER_MID": "900639849", "PROD_WRKFLW_NAME": "Returns - Manifest Attributes (Live)", "MID_USER_CRID": null, "PROD_WRKFLW_CODE": "L008", "MID_OWNER_CRID": "20559085", "START_DATE": "/Date(1692748800000)/", "DEFAULT_POSTAGE": "9.75", "PDX_FLG": "I", "PAYMENT_TYPE": "O", "PERMIT_NO": "914000", "PERMIT_TYPE": "OR", "PERMIT_FINANCE_NO": "661204", "AGENCY_CODE": "93", "AGENCY_COST_CODE": "10011", "UPLOAD_TIME": "2023-09-08T16:30:06.163104+00:00"}]
```

From <<https://jenkins-aws.usps.gov/job/PPCSelfService/job/ReadRedisCache/2976/consoleText>>

# New Enrollment

Tuesday, November 8, 2022 11:53 AM

[11/3 1:44 PM] Johnston, Michael P.

So how do you tell if the package is unenrolled now?

[11/3 1:44 PM] Lopez, Daria

it didn't have a program/workflow in the ssf\_package\_error table

If the start and end date for enrollment are the same then it is not valid

Use GMT date for epoch time converter

```
SELECT tracking_num, program
FROM ppcmanifestdb.ssf_package_error
WHERE file_name = '20221108114611000_D8_eMAS_API_11082022_v3.manifest_1667929840';
```

# Presort Minimum

Tuesday, March 14, 2023 1:06 PM

[12:39 PM] Tello, Jaime F.

there has to be packages with yesterday's mail date in the SSF Package table with specific mail classes - you can check the config map to see what classes we need. Then just run the Presort minimum job and check the topic

presort mail classes: BS, BL, BB, LW, PS, S2, SA

[1:04 PM] Johnston, Michael P.

[1:06 PM] Lopez, Daria

Run this cronjob

<https://console.apps.nonprod.aws.usps.gov/k8s/ns/ppcmanifest-dev2/tekton.dev~v1beta1~Pipeline/cronjob-presortmin>



# Partially Parsed SSF Packages Tech Req Story

Tuesday, June 6, 2023 9:08 AM

## Partially Parsed SSF Packages Tech Req Story:

### A/C

- Partially parsed records will go to HDLM and IGNORED topics.
- If a record cannot be partially parsed it will go to the IGNORED topic.
- Partially parsed records will have the PEW message populated with the following values:  
efn, pic, mailer id, serial number, headerline number

[manifest-properties-config](#) - this is where it actually is - process.wrong.number.fields=Y

### Fields that are required

- for a version 020 header you we require the first 3 fields (id, efn, file type)
- for a version 016 and 017 header we require the first 77 characters
- for the detail record we require the first 5 fields ( but mainly id, tracking number and barcode construct code)

ETE

From HDLM ->

The HDLM topic is used for matching records not to send to Pricing/Payment, but for Fraud purposes

# PFS

Friday, January 13, 2023 8:33 AM

## Questions:

- How does the Autocorrection story now work?
- The manifest topic in the story does not match what is in dev1.

PFS is determined by stc

correct - before testing please verify the redis cache has the PFS\_FLG set to C or L on the product-workflow-stc cache

PFS are outbound but with STCs 315, 128 or 722 with only and their mail class will autocorrect to PM or EX

Program type: PFS

We have:

pfs.flags: C,L

you can try any of these 2 STCs: 128 or 722

```
'128': '{"MA_PROD_GRP_WRKFLW_STC_VW_UK": "3-2-107", "STC_DESC": "Priority Mail Premium Forwarding Service - Commercial", "STC_START_DATE": "/Date(1578355200000)/", "STC": "128", "PROD_WRKFLW_TYPE": "P", "PROD_GRP_DESC": "Outbound Desc", "PROD_GRP_NAME": "Outbound", "PROD_WRKFLW_NAME": "Pilot", "PROD_WRKFLW_CODE": "P002", "STC_END_DATE": null, "MAIL_CLASS": "PM", "PFS_FLG": "C", "UPLOAD_TIME": "2023-01-13T17:01:06.280291+00:00"}'
```

```
'315': '{"MA_PROD_GRP_WRKFLW_STC_VW_UK": "3-2-196", "STC_DESC": "Priority Mail Premium Forwarding Service - Local", "STC_START_DATE": "/Date(1578355200000)/", "STC": "315", "PROD_WRKFLW_TYPE": "P", "PROD_GRP_DESC": "Outbound Desc", "PROD_GRP_NAME": "Outbound", "PROD_WRKFLW_NAME": "Pilot", "PROD_WRKFLW_CODE": "P002", "STC_END_DATE": null, "MAIL_CLASS": "PM", "PFS_FLG": "L", "UPLOAD_TIME": "2023-01-13T18:31:06.697135+00:00"}'
```

```
'722': '{"MA_PROD_GRP_WRKFLW_STC_VW_UK": "3-2-478", "STC_DESC": "Priority Mail Express Premium Forwarding Service - Commercial", "STC_START_DATE": "/Date(1578355200000)/", "STC": "722", "PROD_WRKFLW_TYPE": "P", "PROD_GRP_DESC": "Outbound Desc", "PROD_GRP_NAME": "Outbound", "PROD_WRKFLW_NAME": "Pilot", "PROD_WRKFLW_CODE": "P002", "STC_END_DATE": null, "MAIL_CLASS": "EX", "PFS_FLG": "C", "UPLOAD_TIME": "2023-01-13T17:01:06.280291+00:00"}'
```

-----  
The Manifest service will:

1. Consume manifests for shippers enrolled in PFS
2. PFS packages are identified as follows:
  - Program PFS
  - STC '128', '315', or '722'
  - Mail Class 'PM' or 'EX'

-----  
The Manifest service will:

1. Publish PFS packages to Verify Service
  - When the Program is PFS and STC is populated with a configurable list of values initially set to '128', '315', or '722' and the Mail Class is set to a configurable list of values initially set to 'PM' or 'EX', publish packages to Verify service.

NOTE: Validations and auto-corrections will not be performed

topicName: pkgplfm-manifest-\$(ENV)-pfs

-----  
Outbound

Full Process Scenarios

- Endpoint topic: pkgplfm-manifest-\$(ENV)-pfs
  - STC 128
    - Pilot & Live
  - STC 315
    - Pilot & Live
  - STC 722
    - Pilot & Live

Rejected Scenarios

'315':

```
'{"MA_PROD_GRP_WRKFLW_STC_VW_UK": "3-2-196", "STC_DESC": "Priority Mail Premium Forwarding Service - Local", "STC_START_DATE": "/Date(1551312000000)/", "STC": "315", "PROD_WRKFLW_TYPE": "P", "PROD_GRP_DESC": "Outbound Desc", "PROD_GRP_NAME": "Outbound", "PROD_WRKFLW_NAME": "Pilot", "PROD_WRKFLW_CODE": "P002", "STC_END_DATE": null, "MAIL_CLASS": "PM", "PFS_FLG": "L", "UPLOAD_TIME": "2023-11-27T17:07:05.570985+00:00"},
```

- Endpoint topic: pkgplfm-manifest- $\{ENV\}$ -ssf-package-ignored
  - STC 128
    - Pilot & Live
  - STC 315
    - Pilot & Live
  - STC 722
    - Pilot & Live

Regression test returns

# Manifest API

Wednesday, April 5, 2023 1:19 PM

Is a pic present

<http://manifest-pic-api-ppcmanifest-dev2.apps.nonprod.aws.usps.gov/manifested?pic=1>

# New CNS Field

Thursday, February 16, 2023 2:26 PM

it will be in the manifest block and it is called: pcPostageVendor

right now, we only have values for 03 and 30 sourceId:

cnsSourceIdVendorCodeMapping:

30 : C2

03 : CS

the values are configurable, so we could just add more

What is the expected outcome for non apv packages?

- the field should not show up in the json message

# CNS

Wednesday, November 16, 2022 10:39 AM

## Normal Returns

Returns - Manifest Attributes

Sit1 - 902911022:822

From what I understand I need to use a APV MID & returns STC with . Then they should hit the APV topic.

```
'201303:190': [{"MID_PROF_SEQ": "785322325083020200918", "EPS_ACCT_NUMBER": "9999999999", "PROD_WRKFLW_TYPE": "P", "END_DATE": null, "MAIL_CLASS_DESC": "First-Class Package Service Return", "CRID": "7900448", "MAIL_CLASS": "FR", "STC": "190", "MID": "201303", "PROD_GRP_NAME": "Network Returns", "MASTER_MID": null, "PROD_WRKFLW_NAME": "Returns - Manifest Attributes (Pilot)", "MID_USER_CRID": null, "PROD_WRKFLW_CODE": "P007", "MID_OWNER_CRID": "7900448", "START_DATE": "/Date(1600387200000)/", "DEFAULT_POSTAGE": "4.6", "UPLOAD_TIME": "2022-11-16T16:00:11.523784+00:00"}]
```

6 digit mids required sourceIds:

```
("01", "03", "05", "08", "09", "10", "11", "12", "17", "19", "21", "24", "26", "28", "30", "32", "34", "36", "38", "40", "42", "44", "46", "48", "50", "52", "54", "56", "58", "60", "62", "64", "66", "68", "70", "72", "74", "76", "78", "80", "82", "84", "86", "88", "90", "92", "94", "96", "98")
```

9 digit mids required source Id list:

```
("02", "04", "06", "07", "13", "14", "15", "16", "18", "20", "22", "23", "25", "27", "29", "31", "33", "35", "37", "39", "41", "43", "45", "47", "49", "51", "53", "55", "57", "59", "61", "63", "65", "67", "69", "71", "73", "75", "77", "79", "81", "83", "85", "87", "89", "91", "93", "95", "97", "99")
```

CNS Return mids have to have a 6 digit mid

Sit1

202307:600

# PRS ETE

Tuesday, December 6, 2022 10:06 AM

Hey does anyone know which payment/pricing topics PRS packages go to?

- masterElemetsResponsePRS for pricing
- verification-{env}-paymentRelease-PRS for payment

```
'900058985': '{"MID_PROF_SEQ": "2093935865920221211", "END_DATE": null, "CRID": "20429125",
"EPS_ACCT_NUMBER": "9999999999", "MID": "900058985", "PROD_GRP_NAME": "PRS-Traditional", "MASTER_MID":
"900021939", "PROD_WRKFLW_NAME": "PRS - Pilot", "LAST_UPDATE_DATE": "/Date(1669985951000)/",
"MID_USER_CRID": "20479960", "PROD_WRKFLW_CODE": "P009", "MID_OWNER_CRID": "20429125",
"START_DATE": "/Date(1670716800000)/", "PROD_WRKFLW_TYPE": "P", "PDX_FLG": "N", "UPLOAD_TIME":
"2022-12-06T16:01:05.041044+00:00"}
```

```
{"MID_PROF_SEQ": "2093705865220221122", "END_DATE": "/Date(1669075200000)/", "CRID": "20429125",
"EPS_ACCT_NUMBER": "1000001396", "MID": "900021933", "PROD_GRP_NAME": "PRS-Traditional", "MASTER_MID":
"900021939", "PROD_WRKFLW_NAME": "PRS - Live", "LAST_UPDATE_DATE": "/Date(1669064330000)/",
"MID_USER_CRID": null, "PROD_WRKFLW_CODE": "L010", "MID_OWNER_CRID": "20429125", "START_DATE":
"/Date(1669075200000)/", "PROD_WRKFLW_TYPE": "L", "PDX_FLG": "Y", "UPLOAD_TIME":
"2022-12-06T16:01:05.041044+00:00"}
```

```
"MID_PROF_SEQ": "2092335865220221026", "END_DATE": "/Date(1668988800000)/", "CRID": "20429125",
"EPS_ACCT_NUMBER": "1000001396", "MID": "900021933", "PROD_GRP_NAME": "PRS-Traditional", "MASTER_MID":
"900021939", "PROD_WRKFLW_NAME": "PRS - Live", "LAST_UPDATE_DATE": "/Date(1669045813000)/",
"MID_USER_CRID": null, "PROD_WRKFLW_CODE": "L010", "MID_OWNER_CRID": "20429125", "START_DATE":
"/Date(1666742400000)/", "PROD_WRKFLW_TYPE": "L", "PDX_FLG": "N", "UPLOAD_TIME":
"2022-12-06T16:01:05.041044+00:00"
```

```
'859': '{"MA_PROD_GRP_WRKFLW_STC_VW_UK": "7-9-872", "STC_DESC": "PRS: HAZMAT - Division 6.2 Hazardous
Materials", "STC_START_DATE": "/Date(1668470400000)/", "STC": "859", "PROD_WRKFLW_TYPE": "P",
"PROD_GRP_DESC": "Parcel Return Service", "PROD_GRP_NAME": "PRS-Traditional", "PROD_WRKFLW_NAME":
"PRS - Pilot", "PROD_WRKFLW_CODE": "P009", "STC_END_DATE": null, "MAIL_CLASS": "RP", "UPLOAD_TIME":
"2022-12-06T16:07:04.604011+00:00"}
```

# D8 ETE

Wednesday, November 2, 2022 10:24 AM

You have to have at least a d8 record with role 03 and a d8 record with role 05 in the same request for the rate spread to be calculated and platform block to be populated. This request only has role of 05

To get the permitEpsAcctNum to populate, use a method of payment of 08

Dev2

```
'901001606': '{"MID_PROF_SEQ": "279862917844020200725", "END_DATE": null, "CRID": "20480644",
"EPS_ACCT_NUMBER": "1000001417", "MID": "901001606", "PROD_GRP_NAME": "Outbound", "MASTER_MID":
"900059048", "PROD_WRKFLW_NAME": "Live", "LAST_UPDATE_DATE": "/Date(1595715203000)/", "MID_USER_CRID":
null, "PROD_WRKFLW_CODE": "L004", "MID_OWNER_CRID": "20480644", "START_DATE": "/Date(1595635200000)/",
"PROD_WRKFLW_TYPE": "L", "PDX_FLG": "N", "UPLOAD_TIME": "2022-11-29T16:01:05.050900+00:00"}'
```

20480644:151:PI:661204 - 1000009999

PICs

Package ids

Sit2 -  
20479637:176:PI:661204'

```
'900618761': '{"MID_PROF_SEQ": "2005705604120210721", "END_DATE": null, "CRID": "20479637",
"EPS_ACCT_NUMBER": "1000008755", "MID": "900618761", "PROD_GRP_NAME": "Outbound", "MASTER_MID":
"900025664", "PROD_WRKFLW_NAME": "Live", "LAST_UPDATE_DATE": "/Date(1626873818000)/", "MID_USER_CRID":
null, "PROD_WRKFLW_CODE": "L004", "MID_OWNER_CRID": "20479637", "START_DATE": "/Date(1626825600000)/",
"PROD_WRKFLW_TYPE": "L", "PDX_FLG": "N", "UPLOAD_TIME": "2022-11-29T17:34:05.585483+00:00"}'
```

Permit Number  
EPS Account Number  
Mail Class  
Sit2 d8s

Send mid & permit number to fatima

{'20429125:151:PI:661204'

crid : permit\_number : permit\_type : finance\_num

Non-international  
'900021933': '{"MID\_PROF\_SEQ": "2202025690420221013", "END\_DATE": null, "CRID": "20429125",  
"EPS\_ACCT\_NUMBER": "1000008434", "MID": "900021933", "PROD\_GRP\_NAME": "Outbound", "MASTER\_MID":  
"100094", "PROD\_WRKFLW\_NAME": "Live", "LAST\_UPDATE\_DATE": "/Date(1665660992000)/", "MID\_USER\_CRID": null,  
"PROD\_WRKFLW\_CODE": "L004", "MID\_OWNER\_CRID": "20429125", "START\_DATE": "/Date(1665619200000)/",  
"PROD\_WRKFLW\_TYPE": "L", "UPLOAD\_TIME": "2022-11-02T17:49:06.355210+00:00"}'

permitNum": "151",  
"permitType": "PI",  
"permitFinanceNum": "661204",  
"permitEpsAcctNum": "1000001470",

Method of Payment:01 - Permit  
MID: 900021933  
Permit Number: 151  
Payment Account Number: 151  
Permit EPS Account Number: 1000001470  
EPS Account Number: 1000008434  
Mail Class: FC  
Manifest Package ID: a902935e831d5c41757fa2527fff11dd  
PIC: 92193900021933804118204023

EPS

```
900619585': '{"MID_PROF_SEQ": "2201835680020221004", "END_DATE": null, "CRID": "20537225",
"EPS_ACCT_NUMBER": "1000014418", "MID": "900619585", "PROD_GRP_NAME": "Outbound", "MASTER_MID":
```

'20524519:223:PI:661204':  
'{"EPS\_ACCT\_NUMBER": "10000013  
95", "AGENCY\_CODE": "", "AGENCY\_  
COST\_CODE": ""

```
'900619133': '{"MID_PROF_SEQ":
"2007387670820220301",
"END_DATE": null, "CRID":
"20524519",
"EPS_ACCT_NUMBER":
"1000008439", "MID":
"900619133",
"PROD_GRP_NAME": "Outbound",
"MASTER_MID": "900618791",
"PROD_WRKFLW_NAME": "Live",
"LAST_UPDATE_DATE":
"/Date(1644923093000)/",
"MID_USER_CRID": "20524520",
"PROD_WRKFLW_CODE": "L004",
"MID_OWNER_CRID": "20524519",
"START_DATE":
"/Date(1646092800000)/",
"PROD_WRKFLW_TYPE": "L",
"PDX_FLG": "N",
"PAYMENT_TYPE": "E",
"PERMIT_NO": "", "PERMIT_TYPE":
"", "PERMIT_FINANCE_NO": "",
"AGENCY_CODE": "",
"AGENCY_COST_CODE": "",
"LEGACY_EXTRACT": "",
"POSTAGE_EXT_FORMAT": "",
"FILE_VERSION": "",
"DESTINATION_FORMAT": "",
"UPLOAD_TIME":
"2023-11-17T14:29:04.722509+
00:00"},
```



"900619585", "PROD\_WRKFLW\_NAME": "Live", "LAST\_UPDATE\_DATE": "/Date(1664883437000)/", "MID\_USER\_CRID":  
"1000468686", "PROD\_WRKFLW\_CODE": "L004", "MID\_OWNER\_CRID": "20537225", "START\_DATE":  
"/Date(1664841600000)/", "PROD\_WRKFLW\_TYPE": "L", "UPLOAD\_TIME": "2022-11-02T19:39:07.252092+00:00"}

Method of Payment: 08 - EPS  
EPS Account Number: 1000014418  
MID: 900619585  
Mail Class: FC

International  
{ "CRID": "20429125", "MASTER\_MID": "100094", "MID": "100034", "ALMS\_ID": "5359", "BARCODE\_RANGE\_PREFIX":  
"EA", "BARCODE\_LOWER\_RANGE": "91750001", "BARCODE\_UPPER\_RANGE": "91760001",  
"PREFIX\_BARCODE\_LOWER\_RANGE": "EA91750001", "PREFIX\_BARCODE\_UPPER\_RANGE": "EA91760001",  
"MAIL\_CLASS": "IE", "SERVICE\_DESC": "EXPRESS MAIL", "EPS\_ACCT\_NUMBER": "1000008434", "PROD\_GRP\_NAME":  
"Outbound", "PROD\_WRKFLW\_NAME": "Live", "PROD\_WRKFLW\_CODE": "L004", "PROD\_WRKFLW\_TYPE": "L",  
"START\_DATE": "2022-10-13", "END\_DATE": "", "MID\_OWNER\_CRID": "20429125", "UPLOAD\_TIME":  
"2022-11-02T18:15:08.996709+00:00" }

EPS Account Number: 1000008434  
Payment Account Number: 9999999999  
MID: 100034  
Mail Class: IE

# Hazmat

Friday, November 18, 2022 8:34 AM

## Impedement

676 - blocked by the file type 3 rule

362 - Blocked, not in the stc-workflow cache

## Dev2

```
760: '{ "mailClassCode": "EX", "extraServiceCode1": "920", "extraServiceCode2": "857", "extraServiceCode3": "",
"extraServiceCode4": "", "extraServiceCode5": "" }
'EX|EX|N|*|DN|*|5|0|*|*|3|*|*|01/09/2022|N'
```

```
'116': '{ "mailClassCode": "PM", "extraServiceCode1": "920", "extraServiceCode2": "857", "extraServiceCode3": "",
"extraServiceCode4": "", "extraServiceCode5": "" }'
'PM|PM|N|*|DN|*|5|0|*|*|7|*|*|10/02/2022|N'
```

```
'184': '{ "mailClassCode": "FC", "extraServiceCode1": "920", "extraServiceCode2": "857", "extraServiceCode3": "",
"extraServiceCode4": "", "extraServiceCode5": "" }'
```

```
'395': '{ "mailClassCode": "PS", "extraServiceCode1": "920", "extraServiceCode2": "857", "extraServiceCode3": "",
"extraServiceCode4": "", "extraServiceCode5": "" }'
```

```
'785': '{ "mailClassCode": "LW", "extraServiceCode1": "920", "extraServiceCode2": "857", "extraServiceCode3": "",
"extraServiceCode4": "", "extraServiceCode5": "" }'
'LW|LW|N|*|DC|*|3|0|*|*|0|*|*|10/02/2022|N'
```

```
'362': '{ "mailClassCode": "BP", "extraServiceCode1": "920", "extraServiceCode2": "857", "extraServiceCode3": "",
"extraServiceCode4": "", "extraServiceCode5": "" }'
'BP|BP|N|*|DN|*|5|0|*|*|9|*|*|01/09/2022|N'
```

## 385

```
RP|RP|N|*|DR|*|5|0|*|*|8|*|*|07/10/2022|N'
```

# 5.0 KT

Thursday, June 9, 2022 8:44 AM

- Stories:
- Duplicate ESCs B-635488
- New Rate Indicators - B-625754
  - P5
  - P6
  - P7
  - P8
  - Q0
  - Q6
  - Q7
  - Q8
  - Q9
- APV/outboud/International Barcode Mid Field in JSON
- APV/International International Flag Field in JSON
- Fraud Service
  - Mid Status Topic
  - Mids-processed Topic

# Prod DB

Thursday, June 23, 2022 2:51 PM

```
SELECT *
FROM ppcmanifestdb2.ssf_package
WHERE rate_indicator = 'P5'
AND created;
```

```
SELECT PIC, rate_indicator
FROM ppcmanifestdb.ssf_package
WHERE rate_indicator = 'CP'
ORDER BY created_time DESC
limit 3;
```

```
SELECT pic, created_time
FROM ppcmanifestdb.ssf_package
WHERE pic like '%422%'
AND destination_rate_indicator = 'D'
ORDER BY created_time DESC
limit 3;
```

# Potential Samples

Tuesday, May 10, 2022 4:20 PM

```
sampling.dri: D
sampling.mail.class: PS,LW,BB
```

# Verify Unmanifested - Fraud

Monday, April 4, 2022 11:05 AM

## Fraud -

Write messages to the mids-processed

Verify-potentiallyFraudulent -> fraud-Mids-Processed -> fraud-Mid-Status

Only send out to mid-status if

- Bad (Status: I)
- Bad -> Good (Status: A)

```
{"unmanifestedType":"Warning","stc":"626","packageScanGroupingId":"5aea2cd5-57d8-4001-unwa-2e67b99bcf02","pic":"9402008901057902127711","productWorkflow":"Live","eventDateTime":"2019-12-24T13:33:01Z","scanLocationZip":"22082","midOwnerCrid":"94818004","midUserCrid":null,"epsAccountNumber":"1234567890","createDateTime":null,"mailerId":"999999999"}
```

```
kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --consumer.config sit.properties file --topic pkgplfm-fraud-dev2-mids-processed --partition 1--from-beginning
```

## Status A Start

1. New Mid
  - a. that hasn't been used yet
  - b. status of A
  - c. Expiration Date of 01/01/2022
2. Duplicate
  - a. Same mid as step 1
  - b. status of A
  - c. Expiration Date of 01/01/2022
3. Earlier Date
  - a. Same mid as step 1
  - b. status of A
  - c. Expiration Date of 01/01/2021
4. Later Date - 1 Month Later
  - a. Same mid as step 1
  - b. status of A
  - c. Expiration Date of 01/01/2023
5. Later Date - 1 Day Later (The date is updated)
  - a. Same mid as step 1
  - b. status of A
  - c. Expiration Date of 01/01/2023
6. Same mid again but w/ status of I
  - a. Same mid as step 1

- b. status of I
- c. Expiration Date of 01/01/2022

Status I Start

1. New Mid
  - a. that hasn't been used yet
  - b. status of I
  - c. Expiration Date of 01/01/2022
2. Duplicate
  - a. Same mid as step 1
  - b. status of I
  - c. Expiration Date of 01/01/2022
3. Earlier Date
  - a. Same mid as step 1
  - b. status of I
  - c. Expiration Date of 01/01/2021
4. Later Date
  - a. Same mid as step 1
  - b. status of A
  - c. Expiration Date of 01/01/2023
5. Same mid again but w/ status of A
  - a. Same mid as step 1
  - b. status of A
  - c. Expiration Date of 01/01/2022

# Corrections Fields

Wednesday, April 6, 2022 10:42 AM

Outbound  
Rate Indicator?

International  
Forgein Postal Code



# Rel Int

Wednesday, March 9, 2022 11:27 AM

```
{"CRID": "20429125", "MASTER_MID": "900021939", "MID": "000600", "ALMS_ID": "2", "BARCODE_RANGE_PREFIX":
"82", "BARCODE_LOWER_RANGE": "5000000", "BARCODE_UPPER_RANGE": "5000050",
"PREFIX_BARCODE_LOWER_RANGE": "825000000", "PREFIX_BARCODE_UPPER_RANGE": "825000050",
"MAIL_CLASS": "PG", "SERVICE_DESC": "GLOBAL EXPRESS GUARANTEED", "EPS_ACCT_NUMBER": "1000008431",
"PROD_GRP_NAME": "Outbound", "PROD_WRKFLW_NAME": "Live", "PROD_WRKFLW_CODE": "L004",
"PROD_WRKFLW_TYPE": "L", "START_DATE": "2021-11-19", "END_DATE": "2021-11-30", "MID_OWNER_CRID":
"20429125", "UPLOAD_TIME": "2022-03-09T15:15:12.271801+00:00"}
```

# R4 KT

Tuesday, March 8, 2022 8:08 AM

[https://afs365-my.sharepoint.com/:p/g/personal/sheree\\_a\\_tamaklo\\_accenturefederal\\_com/ESnjVM6Tt6RJht9\\_FgxMYFkBJarU88rFXwLZ8HG\\_f5yYPQ?email=michael.p.johnston%40accenturefederal.com&e=4%3Aq5oHF5&at=9&CID=8E37197F-B495-4E80-99DA-A96FEC9D16A2&wdLOR=c2197846E-EEFF-4F35-B26B-28C8776422D8](https://afs365-my.sharepoint.com/:p/g/personal/sheree_a_tamaklo_accenturefederal_com/ESnjVM6Tt6RJht9_FgxMYFkBJarU88rFXwLZ8HG_f5yYPQ?email=michael.p.johnston%40accenturefederal.com&e=4%3Aq5oHF5&at=9&CID=8E37197F-B495-4E80-99DA-A96FEC9D16A2&wdLOR=c2197846E-EEFF-4F35-B26B-28C8776422D8)

## International

- Outbound
  - 1.6
  - 1.7
  - 2.0
- New Mail Classes
  - PG
    - The first two digits of the Tracking Number represent the Mail Class. '82' or '83' = 'PG' Global Express Guaranteed
- International Tracking Numbers Support
  - Number is formatted as follows for 'CP', 'IE', and 'LC' Mail Classes:
    - Component 1 - 2: Service Type Indicator: 2
    - Component 3 - 10: Package Sequence Number: 8
    - Component 11: Check Digit: 1
    - Component 12 - 13: Country Code: 2
  - PG Mail Classes
    - "82" or "83" Channel Application Identifier - 2 digits
    - Serial # - 7 digits
    - MOD 10 Check Digit - 1 digit
- New Bar Code Construct - International
  - G01 - Global Express Guaranteed (PG Mail Class)
  - I01 - CP, IE, LC Mail classes
- Tracking Number Uniqueness - International
- Process Corrections for International
  - Works the same way as domestic

## Field Validations

- D2 Delivery Zip
  - Needs to be spaces or zeros for international packages
- D2 Delivery Zip+4
  - Needs to be spaces or zeros for international packages

## Tech Reqs

- ESC Fee Block
- New non-standard ESCs
  - These are allowed ESC irrespective of Mail Class
  - 881
  - 882
  - 883

# International Enrollment

Thursday, February 3, 2022 12:08 PM

2) Validate the construction of an International Tracking Number is formatted as follows for 'CP', 'IE', and 'LC' Mail Classes:

Component 1 - 2: Service Type Indicator: 2

Component 3 - 10: Package Sequence Number: 8

Component 11: Check Digit: 1

Component 12 - 13: Country Code: 2

-The maximum length of an International Tracking Number for 'CP', 'IE', and 'LC' Mail Classes is 13 characters

Barcode Construction Code for international packages can be either "I01" for Mail Classes 'CP', 'IE', and 'LC' or "G01" for Mail Class 'PG'.

EA 12345678 5US

EA 22000002 \*US

22000001

23000000

Dev2

```
{20525656=[{"CRID": "20525656", "MASTER_MID": "900617662", "MID": "900617662", "ALMS_ID": "132", "BARCODE_RANGE_PREFIX": "EA", "BARCODE_LOWER_RANGE": "22000001", "BARCODE_UPPER_RANGE": "23000000", "PREFIX_BARCODE_LOWER_RANGE": "EA22000001", "PREFIX_BARCODE_UPPER_RANGE": "EA23000000", "MAIL_CLASS": "IE", "SERVICE_DESC": "EXPRESS MAIL", "STATUS_CODE": "A", "ALMS_START_DATE": "2011-05-12", "ALMS_END_DATE": "", "UPLOAD_TIME": "2022-01-31T21:30:03.758783+00:00"}]}
```

Sit2

EA

```
{"CRID": "20429125", "MASTER_MID": "900021939", "MID": "100034", "ALMS_ID": "5359", "BARCODE_RANGE_PREFIX": "EA", "BARCODE_LOWER_RANGE": "91750001", "BARCODE_UPPER_RANGE": "91760001", "PREFIX_BARCODE_LOWER_RANGE": "EA91750001", "PREFIX_BARCODE_UPPER_RANGE": "EA91760001", "MAIL_CLASS": "IE", "SERVICE_DESC": "EXPRESS MAIL", "PROD_GRP_NAME": "Outbound", "PROD_WRKFLW_NAME": "Pilot", "PROD_WRKFLW_CODE": "P002", "PROD_WRKFLW_TYPE": "P", "START_DATE": "2022-01-29", "END_DATE": "", "MID_OWNER_CRID": "20429125", "UPLOAD_TIME": "2022-02-07T14:15:10.384839+00:00"},
```

LC

```
{"CRID": "20524519", "MASTER_MID": "900618791", "MID": "900060157", "ALMS_ID": "5308", "BARCODE_RANGE_PREFIX": "LJ", "BARCODE_LOWER_RANGE": "85000000", "BARCODE_UPPER_RANGE": "86000000", "PREFIX_BARCODE_LOWER_RANGE": "LJ85000000", "PREFIX_BARCODE_UPPER_RANGE": "LJ86000000", "MAIL_CLASS": "LC", "SERVICE_DESC": "FIRST CLASS INTERNATIONAL AND CUSTOMS FORM 2976", "PROD_GRP_NAME": "Outbound", "PROD_WRKFLW_NAME": "Pilot", "PROD_WRKFLW_CODE": "P002", "PROD_WRKFLW_TYPE": "P", "START_DATE": "2021-12-01", "END_DATE": "", "MID_OWNER_CRID": "20524519", "UPLOAD_TIME": "2022-02-07T15:15:08.917158+00:00"},
```

PG

```
{"CRID": "20429125", "MASTER_MID": "900021939", "MID": "000600", "ALMS_ID": "2",
"BARCODE_RANGE_PREFIX": "82", "BARCODE_LOWER_RANGE": "5000000",
"BARCODE_UPPER_RANGE": "5000050", "PREFIX_BARCODE_LOWER_RANGE": "825000000",
"PREFIX_BARCODE_UPPER_RANGE": "825000050", "MAIL_CLASS": "PG", "SERVICE_DESC": "GLOBAL
EXPRESS GUARANTEED", "PROD_GRP_NAME": "Outbound", "PROD_WRKFLW_NAME": "Pilot",
"PROD_WRKFLW_CODE": "P002", "PROD_WRKFLW_TYPE": "P", "START_DATE": "2022-01-29",
"END_DATE": "", "MID_OWNER_CRID": "20429125", "UPLOAD_TIME":
"2022-02-07T14:15:10.384839+00:00"},
```

IE

```
{
 "CRID": "20429125",
 "MASTER_MID": "900021939",
 "MID": "100033",
 "ALMS_ID": "301",
 "BARCODE_RANGE_PREFIX": "EO",
 "BARCODE_LOWER_RANGE": "80000000",
 "BARCODE_UPPER_RANGE": "80000050",
 "PREFIX_BARCODE_LOWER_RANGE": "EO80000000",
 "PREFIX_BARCODE_UPPER_RANGE": "EO80000050",
 "MAIL_CLASS": "IE",
 "SERVICE_DESC": "EXPRESS MAIL",
 "EPS_ACCT_NUMBER": "1000008434",
 "PROD_GRP_NAME": "Outbound",
 "PROD_WRKFLW_NAME": "Live",
 "PROD_WRKFLW_CODE": "L004",
 "PROD_WRKFLW_TYPE": "L",
 "START_DATE": "2022-02-14",
 "END_DATE": "2022-02-14",
 "MID_OWNER_CRID": "20429125",
 "UPLOAD_TIME": "2022-02-15T15:15:06.469375+00:00"
}
```

PG

```
{
 "CRID": "20429125",
 "MASTER_MID": "900021933",
 "MID": "100033",
 "ALMS_ID": "5608",
 "BARCODE_RANGE_PREFIX": "82",
 "BARCODE_LOWER_RANGE": "5500051",
 "BARCODE_UPPER_RANGE": "5500100",
 "PREFIX_BARCODE_LOWER_RANGE": "825500051",
 "PREFIX_BARCODE_UPPER_RANGE": "825500100",
 "MAIL_CLASS": "PG",
 "SERVICE_DESC": "GLOBAL EXPRESS GUARANTEED",
 "EPS_ACCT_NUMBER": "1000008434",
 "PROD_GRP_NAME": "Outbound",
 "PROD_WRKFLW_NAME": "Live",
 "PROD_WRKFLW_CODE": "L004",
 "PROD_WRKFLW_TYPE": "L",
```

```
"START_DATE": "2022-02-15",
"END_DATE": "",
"MID_OWNER_CRID": "20429125",
"UPLOAD_TIME": "2022-02-15T15:15:06.469375+00:00"
}
```

REL

```
{'20429125': [{"CRID": "20429125", "MASTER_MID": "900021939", "ALMS_MID": "100033",
"EPS_ACCT_NUMBER": "1000008431", "ALMS_ID": "5358", "BARCODE_RANGE_PREFIX": "EA",
"BARCODE_LOWER_RANGE": "91700001", "BARCODE_UPPER_RANGE": "91750000",
"PREFIX_BARCODE_LOWER_RANGE": "EA91700001", "PREFIX_BARCODE_UPPER_RANGE":
"EA91750000", "MAIL_CLASS": "IE", "SERVICE_DESC": "EXPRESS MAIL", "ALMS_CREATED_DATE":
"31-AUG-21", "UPLOAD_TIME": "2022-02-23T14:15:12.330555+00:00"}],
```

Cat

```
{"CRID": "94828702", "MASTER_MID": "901097593", "MID": "901097593", "ALMS_ID": "2907",
"BARCODE_RANGE_PREFIX": "EA", "BARCODE_LOWER_RANGE": "91701055",
"BARCODE_UPPER_RANGE": "91701106", "PREFIX_BARCODE_LOWER_RANGE": "EA91701055",
"PREFIX_BARCODE_UPPER_RANGE": "EA91701106", "MAIL_CLASS": "IE", "SERVICE_DESC":
"EXPRESS MAIL", "EPS_ACCT_NUMBER": "1000005429", "PROD_GRP_NAME": "Outbound",
"PROD_WRKFLW_NAME": "Live", "PROD_WRKFLW_CODE": "L004", "PROD_WRKFLW_TYPE": "L",
"START_DATE": "2022-01-01", "END_DATE": "", "MID_OWNER_CRID": "94828702",
"UPLOAD_TIME": "2022-02-24T21:15:07.436146+00:00"},
```

# Inter Redis Cache

Wednesday, January 26, 2022 3:28 PM

Verify format in ICD matches redis cache

-----  
Section 4.13 of the icd

-----  
Are you using REDIS or is a different technology going to be used?

We are using REDIS.

- What is the format of the data?

We are in the process of updating ICD and will provide it once completed.

- How do we access it? What data is needed to query it?

DEV application properties in spring project:

redis.ssl=Y

redis.url=master.ppc-dev-redis.cache.amazonaws.com

redis.port=2015

redis.password=PPCD3vRed!s#2018

redis.database=2

redis.database.alms.entrykey=intl-alms-barcd-rng



ICD\_Packag  
ePlatform...

# SPEF Enrollment

Friday, October 1, 2021 2:03 PM

Use the same Account-mangement-outbound redis cache for MID & STC

Change file format to UNIX

NotePad++

- Edit Menu
  - EOL Conversion
    - Unix

'909871896:712

'909871896'

901001606:017

For windows uncomment the following line:

CM: spef-2-file-parser-filesrc - this line is commented out: #akka.source.file.record.delimiter=\r\n

```
SELECT *
FROM ppcmanifestdb2.manifest
ORDER BY created_time DESC;
```

```
SELECT *
FROM ppcmanifestdb2.manifest_spef
ORDER BY created_time DESC;
```

```
SELECT *
FROM ppcmanifestdb2.spef_validation_result
ORDER BY created_time DESC;
```

```
SELECT *
FROM ppcmanifestdb2.spef_pkg
ORDER BY created_time DESC;
```


# Smoke Test Cron

Monday, October 25, 2021 9:52 AM

File Alert

Presort minimum

kafka-console-consumer.bat --bootstrap-server kafka-path2.apps.nonprod.aws.usps.gov:443 --from-beginning --topic **pkgplfm-manifest-dev2-presort-minimum-output** --consumer.config **manifest-kafka-client.properties**



file.alert.nmats.past.days: 5

daria.lopez@accenturefederal.com,  
jaime.f.tello@accenturefederal.com,



# Purge Job

Friday, October 8, 2021 9:46 AM

URL <https://console.apps.prod.aws.usps.gov/k8s/ns/ppcmanifest-prod/cronjobs>

They run in all the environments

They start at 23:00 UTC

Pipeline section

To start a job

Actions (top right)

Start

- DB Purge Cron Jobs
- End of the name is DB-purge-other
- 10 currently
- Separated by tables
- Jobs can take around a day to run
  - The long runs are
    - Ssf\_raw
    - Ssf\_rejected
    - Ssf\_d2\_raw
- We can keep 2 months of data (depends on the table)
- Click the name of the job
  - Click on pod
    - Click the actual pod
      - Click on logs
        - ◆ Look for when the job ended
        - ◆ Look for the date it used and how many records were deleted

More info

Config-map

Each job has it's own config map

The number in the first file where it has the table name

If failed

- It will have a stack trace and be long
- Short and pretty means it passed

# APV/PC Postage

Monday, March 22, 2021 11:47 AM

PC Postage is APV

End point topic?

# D6 & D7

Tuesday, January 11, 2022 8:54 AM

## 1. SEAM Integration (D6/D7) Test Considerations

- We ARE parsing D6/D7 records for Intl
- We are only process D6 for SSF 2.0 (this could change)
- D6 has no dependency on D1s – a d1 can be present or not
- D6 must have a header present – but we are not validating the header  
Except for version number of the first package
- D7 must have a D6
- D6 can be without a D7.
- D6 and D7 records will be sent to the pkgplfm-manifest-dev2-d6-record and pkgplfm-manifest-dev2-d7-record topics respectively.
- If D6 record cannot be parsed we will not parse the D7 record
- The Total Record Count in the Pew Header should not include D6 and D7 counts

The Manifest Service should parse the D7 record using the following file layout:

| Record Position | Field Name                       | Format (Size)     |
|-----------------|----------------------------------|-------------------|
| 1               | Electronic File Detail Record ID | Alphanumeric (2)  |
| 2               | Tracking Number                  | Alphanumeric (30) |
| 3               | Item Number                      | Alphanumeric (40) |
| 4               | Lot Number                       | Alphanumeric(40)  |
| 5               | Serial Number                    | Alphanumeric (40) |

Question Tracker: [R4.0 Questions Tracker v1](#)

The Manifest Service should parse the D6 record using the following file layout:

| Record Position | Field Name                       | Format (Size)                             |
|-----------------|----------------------------------|-------------------------------------------|
| 1               | Electronic File Detail Record ID | Alphanumeric (2)                          |
| 2               | Tracking Number                  | Alphanumeric (30)                         |
| 3               | Supplier/ Trading Partner ID     | Alphanumeric (30)                         |
| 4               | Shipped Date                     | Numeric (8)                               |
| 5               | Ship to Location                 | Alphanumeric (30)                         |
| 6               | Item Number                      | Alphanumeric (40)                         |
| 7               | Item Description                 | Alphanumeric (240)                        |
| 8               | Quantity Shipped                 | Numeric(3)                                |
| 9               | Lot Controlled                   | Alphanumeric(1)                           |
| 10              | Lot Number                       | Alphanumeric(30)                          |
| 11              | Lot Expiration Date              | Numeric(8)                                |
| 12              | Item Price                       | Numeric(7)<br><br>Defined as:<br>99999v99 |
| 13              | Dimension UOM                    | Numeric(1)                                |
| 14              | Length                           | Numeric(5)<br><br>Defined as:<br>999v99   |
| 15              | Width                            | Numeric(5)<br><br>Defined as:<br>999v99   |
| 16              | Height                           | Numeric(5)                                |

| Record Position | Field Name                       | Format (Size)          |                                                    |
|-----------------|----------------------------------|------------------------|----------------------------------------------------|
| 1               | Electronic File Detail Record ID | Alphanumeric (2)       | if no D7 do not parse                              |
| 2               | Tracking Number                  | Alphanumeric (30) 34?? | it could be 34 characters or less, Do not validate |

all other fields not listed here (d6/d7) will be truncated to max length

|    |                 |                                             |
|----|-----------------|---------------------------------------------|
|    |                 | Defined as:<br>999v99                       |
| 17 | Weight UOM      | Numeric(1)                                  |
| 18 | Weight          | Numeric(9)<br><br>Defined as:<br>99999v9999 |
| 19 | Serialized Item | Alphanumeric(1)                             |

|                                  |                           |                                                                         |
|----------------------------------|---------------------------|-------------------------------------------------------------------------|
| Electronic File Detail Record ID | Alphanumeric (2)          | if no D6 do not parse.                                                  |
| Tracking Number                  | Alphanumeric (30)<br>34?? | it could be 34 characters or less, Do not validate.                     |
| Shipped Date                     | Numeric (8)               | do not default it for now and pass it as a string to the json response. |
| Quantity Shipped                 | Numeric(3)                | pass it as a number - if error default it to zero. Left padding.        |
| Lot Expiration Date              | Numeric(8)                | do not default it for now and pass it as a string to the json response  |
| Item Price                       | 99999v99                  | pass it as a number - if error default it to zero. Left padding.        |
| Dimension UOM                    | Numeric(1)                | pass it as a number - if error default it to zero. Left padding.        |
| Length                           | 999v99                    | pass it as a number - if error default it to zero. Left padding.        |
| Width                            | 999v99                    | pass it as a number - if error default it to zero. Left padding.        |
| Height                           | 999v99                    | pass it as a number - if error default it to zero. Left padding.        |
| Weight UOM                       | Numeric(1)                | pass it as a number - if error default it to zero. Left padding.        |
| Weight                           | 99999v9999                | pass it as a number - if error default it to zero. Left padding.        |

all other fields not listed here (d6/d7) will be truncated to max length

# Duplicate Logic

Thursday, March 18, 2021 12:35 PM

Here's my notes to remember duplicate EFN and incorrectSubmissions:

Incorrect submission: different EFN 100% same pic

Duplicate EFN: same efn, if more than 10% of pics are the same only process unique pics

Duplication logic is based on created time

# International

Friday, February 12, 2021 12:51 PM

# Returns/PRS

Thursday, October 8, 2020 2:16 PM

PRS is returns

It has it's own entries in the cache

Prs-traditional

PROD\_WRKFLW\_NAME": "Returns - Manifest Attributes (Live)"

How do you hit the unpriced package:

a valid network returns package. More details: stc is network returns and your mid: stc is found in account-profile-network cache

900058985:018

Good endpoint topic for returns is the Unpriced topic

# Manifest flow

Monday, September 28, 2020 9:05 AM

AFT -> Manifest -> DB/Kafka Output

AFT (PTR in PROD) -> Enrollment Check (File Feedback Kafka Topic) -> Auto Corrections & Validations (Validation Table & Topic) -> File Publish (Package Kafka topic)

1. S3
2. -> Manifest Service Enrollment Check
3. (Passes) hits the service (Packages get ids)
4. Auto Corrections happen to package
5. Validations Happen to package
6. Package published for down stream use (kafka)



# SKU

Friday, December 6, 2019 11:50 AM

- Manifest construct an SKU key based on the following fields (file attached) and verify the SKU key is valid in Pricing:

STC Mail Class,  
SSF Mail Class,  
Destination Rate Indicator,  
(\*), (destination country code)  
Rate Indicator,  
D5 RI, (\* since we are not parsing D5 now)  
Processing Category,  
Postal Routing Barcode, (\* if blank)  
Discount Type, (\* if blank)  
Surcharge Type, (\* if blank)  
Domestic Zone  
(\*) international zone and  
(\*) 4-digit class of mail from ICR  
Pricing Date,  
Weight In Pounds Flag;

(ex: PS|PS|S|\*|DN|\*|3|0|\*|\*|1|\*|\*|06/23/2019|N)

(ex: PS|PS|S|\*|DN|\*|3|0|\*|\*|1|\*|\*|06/23/2019|N)

| STC Mail Class | SSF Mail Class | Destination Rate Indicator | D5 RI (*) | Processing Category | Postal Routing Barcode (* if blank) | Discount Type (* if blank) | Surcharge type (* if blank) | Domestic Zone | International Zone(*) | ICR Mail Class (*) | Pricing date | Weight in pound Flag |
|----------------|----------------|----------------------------|-----------|---------------------|-------------------------------------|----------------------------|-----------------------------|---------------|-----------------------|--------------------|--------------|----------------------|
|                |                |                            |           |                     |                                     |                            |                             |               |                       |                    |              |                      |

# Set Secondary and Primary Address in SSF

Tuesday, April 21, 2026 10:00 AM

## Set Secondary and Primary Delivery Address in SSF V2.0

Example:  
Primary is the street address  
Secondary is apartment number

Delivery Address in the ssf is both Primary and secondary in the SSF  
We Currently combine less values and pass back

- The Ask:
- Pass along the secondary Address field (Previously was a filler)
  - Separate out primary and secondary addresses in manifest Json
    - Currently we get both primary and secondary in the same ssf field value. We will need to separate them out

V1 ID: B-1057747 - v2.0  
V1 ID: B-1057749 - v1.7

## Set Secondary and Primary Delivery Address in SSF V2.0

Description:  
As a USPS Manager I want the Manifest Service to pass the Primary Delivery Address and Secondary Delivery Address values as separate fields to downstream systems.

- Acceptance Criteria:
- Take the D1 Field Delivery Address (Position 78 in SSF V2.0) and compare it to the D2 Field Secondary Delivery Address (Position 3 in SSF V2.0)
    - Remove matching text from the Delivery Address and save the result as Primary Delivery Address in the package's JSON (New field)
    - Save the value from D2 Secondary Delivery Address as Secondary Delivery Address in the packages' JSON (Field Name Updated from 'filler')
    - Still Save the value from the Destination Delivery Address to Delivery Address in the packages' JSON
  - Rename the D2 Filler Field to Secondary Delivery Address
  - This applies to all packages
  - This logic does not support SSF version 1.6

- V1.7  
Acceptance Criteria:
- Take the D1 Field Destination Delivery Address (Position 627-674 in SSF V1.7) and compare it to the D2 Field Secondary Delivery Address (Position 037-132 in SSF V1.7)
    - Remove matching text from the Delivery Address and save the result as Primary Delivery Address in the package's JSON (New field)
    - Save the value from D2 Secondary Delivery Address as Secondary Delivery Address in the packages' JSON (Field Name Updated from 'filler')
    - Still Save the value from the Destination Delivery Address to Delivery Address in the packages' JSON
  - Rename the D2 Filler Field to Secondary Delivery Address
  - This applies to all packages
  - This logic does not support SSF version 1.6

| SSF               | Value                              | Message           | Value                              |
|-------------------|------------------------------------|-------------------|------------------------------------|
| Delivery Address  | Apt 2C 123 PPC Lane San Antonio TX | Delivery Address  | Apt 2C 123 PPC Lane San Antonio TX |
| Secondary Address | Apt 2C                             | Primary Address   | 123 PPC Lane San Antonio TX        |
|                   |                                    | Secondary Address | Apt 2C                             |

# Workflows

Tuesday, September 10, 2019 9:06 AM

Unpriced Product Workflow Values:

- Price Postage, Insurance on Manifest attributes, Validate with Scans & Samples # P005
- Price Postage, Insurance & Charge on Manifest attributes, Validate with Scans & Samples # L006
- Returns - Manifest Attributes (Pilot) # P007
- Returns - Manifest Attributes (Live) # L008

# Permit Support

Friday, August 21, 2020 3:52 PM

The permit\_eps\_acct key is formed "crid:permit\_number:permit\_type:finance\_num\_value"

1. Crid value is queried from account\_profile\_outbound using the mid from the tracking number.
2. Permit\_number value is grabbed from the payment\_account\_number
3. Permit\_type is OI or PI or MR
4. Finance\_num\_value is grabbed using the post\_office\_of\_account\_zip\_code value to query the active\_zip\_finance\_number cache.

Example Package scenario.

1. The mid used is 901057902, which has the crid "94818004"
2. The permit number is 552
3. post\_office\_of\_account\_zip\_code is of 20066 which pulls the value '105000' from the active\_zip\_finance\_number cache.

The resulting key formed for querying the permit\_eps\_acct cache is 94818004:552:PI:105000.  
Which does not exist.

Method of Payment: 01 for permit / 08 for EPS

-PermitEpsAcctNum  
-PermitFinanceNum  
-setPermitNum  
-PermitType

20429125:163:PI:999924': '1000001395'

'20429125:2319:PI:661204'

900058981': '{("MID\_PROF\_SEQ": "1932781914120201118", "END\_DATE": "/Date(1607472000000)/", "CRID": "20429125", "EPS\_ACCT\_NUMBER": "1000001395", "MID": "900058981", "PROD\_GRP\_NAME": "Domestic Outbound", "MASTER\_MID": "100086", "PROD\_WRKFLW\_NAME": "Live", "LAST\_UPDATE\_DATE": "/Date(1605543858000)/", "MID\_USER\_CRID": null, "PROD\_WRKFLW\_CODE": "L004", "MID\_OWNER\_CRID": "20429125", "START\_DATE": "/Date(1605657600000)/", "PROD\_WRKFLW\_TYPE": "L", "UPLOAD\_TIME": "2020-11-25T20:48:03.436874+00:00")}'

20479054:62:PI:511656': '1000001395'

Crid: 94827365  
Payment Account Number: 1000003989  
Permit Type: PI  
Finance Number: 661204

Crid: 20429125

'20524519:223:PI:661204':  
{("EPS\_ACCT\_NUMBER": "1000001395", "AGENCY\_CODE": "", "AGENCY\_COST\_CODE": "")}'

'900618791': '{("MID\_PROF\_SEQ": "36012113051320240301", "END\_DATE": null, "CRID": "20524519", "EPS\_ACCT\_NUMBER": "1000008431", "MID": "900618791", "PROD\_GRP\_NAME": "Outbound", "MASTER\_MID": "900618791", "PROD\_WRKFLW\_NAME": "Live", "LAST\_UPDATE\_DATE": "/Date(1708086828000)/", "MID\_USER\_CRID": "20524519", "PROD\_WRKFLW\_CODE": "L004", "MID\_OWNER\_CRID": "20524519", "START\_DATE": "/Date(1709251200000)/", "PROD\_WRKFLW\_TYPE": "L", "PDX\_FLG": "I", "PAYMENT\_TYPE": "E", "PERMIT\_NO": "", "PERMIT\_TYPE": "", "PERMIT\_FINANCE\_NO": "", "AGENCY\_CODE": "", "AGENCY\_COST\_CODE": "", "LEGACY\_EXTRACT": "Y", "POSTAGE\_EXT\_FORMAT": "C", "FILE\_VERSION": "v2.0", "DESTINATION\_FORMAT": "SFTP", "UPLOAD\_TIME": "2025-01-23T16:07:05.123114+00:00")}'

# PEW

Thursday, May 4, 2023 11:58 AM

Pew is another section on the end of the package JSON

A pew section will be added for each validation

Most likely for everything (outbound & returns)

Check each field of the PEW json

Only for outbound, PRS and intl

# PEW Service Notes

Friday, March 13, 2026 2:17 PM

Pew is a Manifest Quality check service

Tells the mailers what their packages errors are

If a manifest fails it should write to PEW

This allows Mailers to correct and submit corrections files

PEW is EFN based

Manifest counts how many H1s and D1s -> this number goes to PEW

- EFN
- CRID
- Number of records

This get saved to the Pew Status Colleciton in MongoDB

In progress in Manifest

- Ignored - ignored topic - Can Not be corrected
- Failure in Rate Indgredants - Unmanifested topic - Can be corrected

PEW ingests from

- Ignored topic
- Unmanifested

Stores in the

PewRecord Collection

**Go back to which prining topics PEW reads from**

Manifest-PEW-failures -

Priced-manifest

Priced-manifest-intl

What publishes the PEW file?

File is publishes to the pew-notification-release topic

All packages are accounted for

Consumed by payment service

This is used to trigger payment

PEW flat file is published to S3

Data & Reporting has access to this

Topics PEW Reads from:

Outbound

Emas has it's own PRS file topic

Messages are

PRS is going to change to Process the Manfiest first - PEW with read from PricedManifestPRS

How to test this:

Submit a PRS file

Check the following values

Record counts

CRID

The File is aggregated on a CRID level

All packages under a CRID Level using the EFN Crid

Scenario 1

All PRS packages are accepted

Scenario 2

Ignored

Unmanifested

Priced

Scenario 3

Completely ignored

Scenario 4

Completely unmanifested

Scenario 5

Do not ingest package after a reprice

How to do this?

Injest a scan into verify that matches the manifest

Should goes through the pricing repriced pipeline

Does PEW read from this topic: masterElementsRepsonsePRS

MongoDB

Once a file has been published it's data is moved to the archieve collections

Topics PEW Consumes From

pricing-env-ManifestPewFailures

pricing-env-priced-Manifest

pricing-env-priced-manifest-intl

pricing-env-priced-Manifest-PRS

manifest-env-ignored-ssf-package

manifest-env-unmanifested

manifest-\$(ENV)-unpriced-packages

manifest-\$(ENV)-unused-labels-output

manifest-\$(ENV)-pewHeader

PEW Writes to these topics:

pkgplfm-pew-dev2-mongo-detail

PEW writes to these mongoDB collections

pewStatus

pewStatusArchive

pewRecord

pewRecordArchive

pewMonitoring

Pew Generates flat files are that posted here

<https://us-east-2.console.aws.amazon.com/s3/buckets/ppc-nonprod-us-east-2-data?prefix=ppcpew/&region=us-east-2>

Differen

record collection has each D1 and H1 record error and warnings,

while status is tracking the number of D1 and D2 records under a efn

aggregation to see when all records under a efn have been received and to publish flat

file uses the Status collection

if you want to see the PEW error and warnings for a particular record.. you will look to the record collection

-----

Why do we have achieve tables

Cron Job

The cron job runs a 8 hour cycle

If an efn never get's complete (not all accounted for)

Sends out notifications for incomplete files

PEW will wait for a week for those missing packages

If found PEW will publish another Flat file

Manually Drop messages to test the cron job

Where are we posting these messages?

-----

PEW goes by line number

-----

E2E Does Payment charge the PRS packages

# PEW Regression

Thursday, April 2, 2026 10:56 AM

| Scenarios                                   | Description                                                                                                                                                                                                                                                                                                                               |
|---------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PEW Partial EFN's                           | Check if the Cronjob: unmatchedpew is generating flat files and posting them to S3<br><a href="https://us-east-2.console.aws.amazon.com/s3/buckets/ppc-nonprod-us-east-2-data?prefix=ppcpew/&amp;region=us-east-2">https://us-east-2.console.aws.amazon.com/s3/buckets/ppc-nonprod-us-east-2-data?prefix=ppcpew/&amp;region=us-east-2</a> |
| Priced packages                             | Check PewRecord & PewStatus for messages from: pkgplfm-pricing-sit2-priced-Manifest                                                                                                                                                                                                                                                       |
| ignored packages                            | Check Pew Record for messages from: pkgplfm-manifest-sit2-ignored-ssf-package"                                                                                                                                                                                                                                                            |
| rejected manifests                          | Check PewRecord & PewStatus for messages from: pkgplfm-manifest-sit2-unmanifested"                                                                                                                                                                                                                                                        |
| pricing failure                             | pkgplfm-pricing-sit2-manifestPewFailures                                                                                                                                                                                                                                                                                                  |
| mixed (priced/ignored/unmanifested/pfailure | Manifest File uploaded then look in PewRecord                                                                                                                                                                                                                                                                                             |
| PRS                                         | Check PewRecord and PewStatus for messages from: pkgplfm-pricing-sit2-priced-Manifest-PRS                                                                                                                                                                                                                                                 |
| International                               | Check Pew Record for messages from: Priced-manifest-intl                                                                                                                                                                                                                                                                                  |
| Generate PEW for G1/G2                      | Check Pew Record for messages from: Priced-manifest-intl - Submit a international package with G1 & G2 records then find it in Pew Record collection                                                                                                                                                                                      |

{ "meta.topic": { \$in: [ "pkgplfm-pricing-sit2-priced-Manifest" ] } }

pewRecord Collections Consumes From

- pkgplfm-pricing-sit2-priced-Manifest

{ "\_id.efn": { \$in: [ "92750900061021683026539176" ] } }

## Mongodb Pew Record Queries

```
{ "meta.topic": { $in: ["pkgplfm-pricing-sit2-priced-Manifest"] } }

{ "meta.topic": { $in: ["pkgplfm-pricing-sit2-priced-manifest-intl"] } }

{ "meta.topic": { $in: ["pkgplfm-manifest-sit2-unpriced-packages"] } }

{ "meta.topic": { $in: ["pkgplfm-pricing-sit2-priced-Manifest-PRS"] } }

{ "meta.topic": { $in: ["pkgplfm-manifest-sit2-pewHeader"] } }

{ "meta.topic": { $in: ["pkgplfm-pricing-sit2-priced-Manifest-intl"] } }

{ "meta.topic": { $in: ["pkgplfm-manifest-sit2-unused-labels-output"] } }

{ "meta.topic": { $in: ["pkgplfm-manifest-sit2-unmanifested"] } }

{ "meta.topic": { $in: ["pkgplfm-manifest-sit2-ignored-ssf-package"] } }

{ "meta.topic": { $in: ["pkgplfm-pricing-sit2-manifestPewFailures"] } }
```

pricing-sit2-ManifestPewFailures  
pricing-env-priced-Manifest  
pricing-env-priced-manifest-intl  
pricing-env-priced-Manifest-PRS  
manifest-env-ignored-ssf-package  
manifest-env-unmanifested  
manifest-\$(ENV)-unpriced-packages  
manifest-\$(ENV)-unused-labels-output  
manifest-\$(ENV)-pewHeader

## Mixed File Queries - PewRecord Collection

```
{ "_id.efn": { $in: ["92750900062348895008943951"] } }

{ "_id.efn": { $in: ["92750900480751581910972869"] } }

{ "_id.efn": { $in: ["92750900480751581910972869"] } }
```



# PEW Prod Checkout

Tuesday, April 14, 2026 10:46 AM

|       |                  |
|-------|------------------|
| Mongo | Pew Line Object  |
| Mongo | PewStatusArchive |
| Mongo | PewRecordArchive |
| Mongo | PewStatus        |
| Mongo | PewRecord        |

```
{
 "meta.create_time": {
 $gte: ISODate("2026-04-07T15:39:00Z"),
 $lt: ISODate("2026-04-07T15:40:00Z")
 }
}

{"meta.created_time": -1}
```

Type a query: { field: 'value' } or [Generate query](#) ⚡

Explain

Reset

Find

</>

Options ▾

Project

{ field: 0 }

Sort

{"\_insertedTS": -1}

Collation

{ locale: 'simple' }

Index Hint

{ field: -1 }

Max Time MS

600000

Skip

1000

Limit

10

pew...

pewStatus

pewStatusArchive

+

PROD - All

>

verify-prod

>

pewStatus

>\_ Open MongoDB shell

Documents 7.8M Aggregations Schema Indexes 5 Validation

Type a query: { field: 'value' } or [Generate query](#) ⚡

Explain

Reset

Find

</>

Options ▾

Project

{ field: 0 }

Sort

{"sent": -1}

Collation

{ locale: 'simple' }

Index Hint

{ field: -1 }

Max Time MS

600000

Skip

0

Limit

10

pewRecord

pewStatus

pewRecordArchive

pewStatusArchive

+

PROD - All

>

verify-prod

>

pewRecordArchive

>\_ Open MongoDB shell

Documents 9M Aggregations Schema Indexes 8 Validation

Type a query: { field: 'value' } or [Generate query](#) ⚡

Explain

Reset

Find

</>

Options ▾

Project

{ field: 0 }

Sort

{"\_insertedTS": -1}

Collation

{ locale: 'simple' }

Index Hint

{ field: -1 }

Max Time MS

600000

Skip

0

Limit

10

pewRecordpewStatuspewRecordArchivepewStatusArchive+

PROD - All > verify-prod > pewStatusArchive

>\_ Open MongoDB shell

Documents2.7MAggregationsSchemaIndexes5Validation

🔍

Type a query: { field: 'value' } or [Generate query](#)

Explain

Reset

Find

</>

Options ▾

Project

{ field: 0 }

Sort

{"sent": -1}

Collation

{ locale: 'simple' }

Index Hint

{ field: -1 }

Max Time MS

600000

Skip

0

Limit

10

#### Pew Line Object

if you notice on the pewStatus collection, there is a line object

when you submit a file, eg a efn with 10 records, the line object matches and updates the line number each D1 is in the actual file.

this was introduced as a way to see which exact package is missing when we are looking for a missing package, holding up a Pew file.

# PEW JSON

Thursday, April 2, 2026 11:19 AM

|                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|---------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Unused Label Output topic | <pre> {"manifest":{"manifestPricingIngredients":{"mailerId":"900061021","postalRoutingBarcode":"0","dateTimeOfMailing":"2026-03-18T23:59:00Z","classOfMail":"FR","mailOwnerMailerId":"900059048","program":"Network Returns","productWorkflow":"Returns - Manifest Attributes (Live)","duplicateIndicator":null,"destinationRateIndicator":"N","destinationCountryPriceGroup":null,"rateIndicator":"SP","d5RateIndicator":null,"processingCategory":"5","surchargeType":"","discountType":"","domesticZone":"05","foreignZone":null,"weight":2.0000,"costCenter":"0000","dimensions":{"length":10.00,"width":10.00,"height":10.00,"dimensionalWeight":1.00},"extraServices":{"valueOfArticle":0.00,"codAmountDueSender":206.00,"extraServiceCodes":[{"extraServiceCode":"452"},{"extraServiceCode":"931"},{"extraServiceCode":"981"}]},"nonIncidentalEnclosure":{"nonIncidentalClass":"","nonIncidentalRateIndicator":"","nonIncidentalProcessingCategory":"","nonIncidentalWeight":0.0000},"manifest":{"fileName":"20260318103330124_B-1040501-SIT2_scenario5_03-18-2026_v1.manifest_1773848010","originalFileName":"B-1040501-SIT2_scenario5_03-18-2026_v1.manifest","fileLocation":"Deprecated","manifestSubmissionDate":"2026-03-18T15:33:30Z","masterEFN":"92750900061021683026539176","childEFN":"92750900061021683026539176","lineNum":"2","createdTime":"2026-03-18T10:33:30Z","electronicFileNumber":"92750900061021683026539176","electronicFileType":"4","entryFacilityType":"A","entryFacilityZIPCode":"30000","entryFacilityZIP4":"1111","directEntryOriginCountryCode":"CN","shipmentFeeCode":"PKF","extraFeeForShipment":0.00,"containerizationIndicator":"01","uspsElectronicFileVersionNumber":"020","transactionID":"201901065176","softwareVendorCode":"0000","softwareVendorProductVersionNumber":"2.0","fileRecordCount":"000000003","pic":"92600900061021030108694403","trackingNumber":"92600900061021030108694403","routingZip":"","routingZip4":"","serviceTypeCode":"600","barcodeConstructCode":"C10","destinationZIPCode":"00570","destinationZIP4":"9648","destinationFacilityType":"","destinationCountryCode":"","foreignPostalCode":"","carrierRoute":"C009","logisticsManagerMailerID":"222222","containerID1":"11111111111111111111","containerType1":"SK","containerID2":"22222222222222222222","containerType2":"PT","containerID3":"3333333333333333","containerType3":"BL","mailOwnerCustomerRegistrationID_CRID":"20600535","customerReferenceNumber1":"47T7G7VBKN8WDVUTA724","fastReservationNumber":"FAST11111111","fastScheduledInductionDate":"","fastScheduledInductionTime":"000000","paymentAccountNumber":"1000001435","methodOfPayment":"08","postOfficeofAccountZIPCode":"20260","meterSerialNumber":"4444444444","chargebackCode":"123456","postage":14.880,"postageType":"P","customizedShippingServicesContracts_CSSC_Number":"AB123","customizedShippingServicesContractsProductID":"ABC111111111111","unitOfMeasureCode":"1","extraServiceFees":[{"extraServiceCode":"452","extraServiceFee":0.00},{"extraServiceCode":"931","extraServiceFee":0.00},{"extraServiceCode":"981","extraServiceFee":0.00}],"handlingCharge":0.00,"surchargeAmount":0.000,"discountAmount":0.000,"nonIncidentalEnclosurePostage":0.000,"openandDistributeContentsIndicator":"EF","poBoxIndicator":"N","waiverOfSignatureCarrierRelease":"Y","deliveryOptionIndicator":"1","destinationDeliveryPoint":"02","mailerId":"900061021","removalIndicator":"Y","trackingIndicator":"01","originalLabelTrackingNumberBarcodeConstructCode":"C04","originalTrackingNumber":"94111111111111111111111111111112","originalPic":null,"customerReferenceNumber2":"47T7G7VBKN8WDVUTA724","recipientNameDestination":"JOHN DOE","deliveryAddress":"123 MAIN </pre> |
|---------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

ST","ancillaryServiceEndorsement":"A","addressServiceParticipantCode":"000000001",  
,"keyLine":"abc","returnAddress":"2502 Big Dam Swamp  
Dr","returnAddressCity":"Andrews","returnAddressState":"SC","returnAddressZIPCode  
":"29510","logisticsMailingFacilityCRID":"555555","activeFinanceNum":"661204","epsA  
cctNum":"1000074118","uniqueEFN":false,"uniqueTrackingNum":true,"manifestPacka  
geID":"7c11ff6d012264b0e597fbb2bbb207ee","isD2Present":false,"d2Valid":false,"d2  
TrackingNumber":null,"filler":null,"cityName":null,"state":null,"deliveryZIPCode":null,"de  
liveryZIP4":null,"recipientEmailAddress":null,"recipientSmsNumber":null,"senderName  
":null,"senderEmailAddress":null,"senderSmsNumber":null,"manifestID":"f98ce3f1c670  
9cd361701ddb2ab33615","h1RecordID":"H1","d1RecordID":"D1","d2RecordID":null,"p  
ermitNum":null,"permitType":null,"permitFinanceNum":null,"permitEpsAcctNum":null,"u  
spsConnect":null,"h1LineNum":1,"d1LineNum":2,"d2LineNum":0,"barcodeMid":"90006  
1021","isIntl":false,"isApiManifest":false,"isApvReturns":false,"isOmas":false,"omas":n  
ull,"d8Present":false,"d8Records":null,"payerCRID":"20600535","isThirdParty":false,"c  
onsolidatorFlag":false,"isFMBAAuthorizedCrid":false,"d2Present":false},"impbComplianc  
e":{"nonComplianceErrors":[{"nonComplianceReasonCode":"1535","nonComplianceD  
escription":"Invalid Payment Account  
Number","verificationPerformed":"MQ","transmissionDate":"20260318"}]},"packageInc  
entiveElements":{"pieErrors":null},"pewDetailRecord":{"efn":"92750900061021683026  
539176","pic":"92600900061021030108694403","mailerId":"900061021","serialNumbe  
r":"68302653917","headerLineNumber":1,"softwareVendorCode":"0000","softwareVen  
dor":"","pewErrors":[{"errorTypeCode":"W","record":"D1","field":"Service Type  
Code","errorCode":"111001","shortDescription":"Service Type Code in D1  
autocorrected to match stc from tracking  
number","lineNum":"2"},{"errorTypeCode":"W","record":"D1","field":"Class Of  
Mail","errorCode":"100701","shortDescription":"Autocorrected Class of  
Mail","lineNum":"2"},{"errorTypeCode":"W","record":"H1","field":"Mailer  
Id","errorCode":"107219","shortDescription":"MID in HR invalid; must match MID in  
EFN","lineNum":"1"},{"errorTypeCode":"W","record":"H1","field":"Mailer  
Id","errorCode":"107201","shortDescription":"MID in HR autocorrected to match MID  
from EFN","lineNum":"1"},{"errorTypeCode":"W","record":"D1","field":"Extra Service  
Codes","errorCode":"105201","shortDescription":"Autocorrected Extra Service  
Codes","lineNum":"2"}]},"customerVisibility":{"barcodeMid":"900061021","barcodeOwn  
erCRID":"20600535","barcodeUserCRID":"1000541937","efnMid":"900061021","valid  
ationFailures":null,"SenderInfo":null,"originalValues":{"manifestPricingIngredients":{"cl  
assOfMail":"FC","destinationRateIndicator":"N","rateIndicator":"SP","processingCatego  
ry":"5","domesticZone":"05"},"manifest":{"mailOwnerCustomerRegistrationID\_CRID":"2  
0480644"},"version":"1.0.2"}}

|                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|--------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Unpriced-<br>packages<br>topic | {"manifest":{"manifestPricingIngredients":{"mailerId":"900061021","postalRouting<br>Barcode":"0","dateTimeOfMailing":"2026-03-18T23:59:00Z","classOfMail":"FR","<br>mailOwnerMailerId":"900059048","program":"Network<br>Returns","productWorkflow":"Returns - Manifest Attributes<br>(Live)","duplicateIndicator":null,"destinationRateIndicator":"N","destinationCountr<br>yPriceGroup":null,"rateIndicator":"SP","d5RateIndicator":null,"processingCategor<br>y":"5","surchargeType":"","discountType":"","domesticZone":"05","foreignZone":n<br>ull,"weight":2.0000,"costCenter":"0000","dimensions":{"length":10.00,"width":10.0<br>0,"height":10.00,"dimensionalWeight":1.00},"extraServices":{"valueOfArticle":0.00<br>,"codAmountDueSender":206.00,"extraServiceCodes":[{"extraServiceCode":"452<br>"},{"extraServiceCode":"931"},{"extraServiceCode":"981"}]},"nonIncidentalEnclos<br>ure":{"nonIncidentalClass":"","nonIncidentalRateIndicator":"","nonIncidentalProce<br>ssingCategory":"","nonIncidentalWeight":0.0000},"manifest":{"fileName":"202603 |
|--------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

```
18102509087_B-1040501-SIT2_scenario4_03-18-2026_v1.manifest_
1773847509","originalFileName":"B-1040501-SIT2_scenario4_03-18-2026
_v1.manifest","fileLocation":"Deprecated","manifestSubmissionDate":"2026-03-1
8T15:25:09Z","masterEFN":"92750900061021683026539176","childEFN":"9275
0900061021683026539176","lineNum":"2","createdTime":"2026-03-18T10:25:09
Z","electronicFileNumber":"92750900061021683026539176","electronicFileType
":"1","entryFacilityType":"A","entryFacilityZIPCode":"30000","entryFacilityZIP4":"1
111","directEntryOriginCountryCode":"CN","shipmentFeeCode":"PKF","extraFee
ForShipment":0.00,"containerizationIndicator":"01","uspsElectronicFileVersionNu
mber":"020","transactionID":"201901065176","softwareVendorCode":"0000","soft
wareVendorProductVersionNumber":"2.0","fileRecordCount":"000000003","pic":"
92600900061021030108694403","trackingNumber":"9260090006102103010869
4403","routingZip":"","routingZip4":"","serviceTypeCode":"600","barcodeConstruc
tCode":"C10","destinationZIPCode":"00570","destinationZIP4":"9648","destinatio
nFacilityType":"","destinationCountryCode":"","foreignPostalCode":"","carrierRout
e":"C009","logisticsManagerMailerID":"222222","containerID1":"111111111111111
1111111111","containerType1":"SK","containerID2":"222222222222222222222222
22","containerType2":"PT","containerID3":"3333333333333333","containerType3":
"BL","mailOwnerCustomerRegistrationID_CRID":"20600535","customerReferenc
eNumber1":"47T7G7VBKN8WDVUTA724","fastReservationNumber":"FAST11111
1111","fastScheduledInductionDate":"","fastScheduledInductionTime":"000000","
paymentAccountNumber":"1000001417","methodOfPayment":"08","postOfficeof
AccountZIPCode":"20260","meterSerialNumber":"4444444444","chargebackCod
e":"123456","postage":14.880,"postageType":"P","customizedShippingServicesC
ontracts_CSSC_Number":"AB123","customizedShippingServicesContractsProdu
ctID":"ABC1111111111","unitOfMeasureCode":"1","extraServiceFees":[{"extraS
erviceCode":"452","extraServiceFee":0.00},{"extraServiceCode":"931","extraServ
iceFee":0.00},{"extraServiceCode":"981","extraServiceFee":0.00}],{"handlingChar
ge":0.00,"surchargeAmount":0.000,"discountAmount":0.000,"nonIncidentalEnclos
urePostage":0.000,"openandDistributeContentsIndicator":"EF","poBoxIndicator":
"N","waiverOfSignatureCarrierRelease":"Y","deliveryOptionIndicator":"1","destinati
onDeliveryPoint":"02","mailerId":"900061021","removalIndicator":"","trackingIndic
ator":"01","originalLabelTrackingNumberBarcodeConstructCode":"C04","originalT
rackingNumber":"94111111111111111111111111111112","originalPic":null,"customer
ReferenceNumber2":"47T7G7VBKN8WDVUTA724","recipientNameDestination":
"JOHN DOE","deliveryAddress":"123 MAIN
ST","ancillaryServiceEndorsement":"A","addressServiceParticipantCode":"00000
0001","keyLine":"abc","returnAddress":"2502 Big Dam Swamp
Dr","returnAddressCity":"Andrews","returnAddressState":"SC","returnAddressZIP
Code":"29510","logisticsMailingFacilityCRID":"555555","activeFinanceNum":"661
204","epsAcctNum":"1000074118","uniqueEFN":false,"uniqueTrackingNum":true,
"manifestPackageID":"5d01c547a54e894b1a2fd7d8718861c1","isD2Present":fal
se,"d2Valid":false,"d2TrackingNumber":null,"filler":null,"cityName":null,"state":null
,"deliveryZIPCode":null,"deliveryZIP4":null,"recipientEmailAddress":null,"recipient
SmsNumber":null,"senderName":null,"senderEmailAddress":null,"senderSmsNu
mber":null,"manifestID":"4fcb83547c3689af0e8b23c2eb929f11","h1RecordID":"H
1","d1RecordID":"D1","d2RecordID":null,"permitNum":null,"permitType":null,"per
mitFinanceNum":null,"permitEpsAcctNum":null,"uspsConnect":null,"h1LineNum":
1,"d1LineNum":2,"d2LineNum":0,"barcodeMid":"900061021","isIntl":false,"isApiM
anifest":false,"isApvReturns":false,"isOmas":false,"omas":null,"d8Present":false,"
d8Records":null,"payerCRID":"20600535","isThirdParty":false,"consolidatorFlag":
false,"isFMBAuthorizedCrid":false,"d2Present":false},"impbCompliance":{"nonCo
mplianceErrors":{"nonComplianceReasonCode":"1535","nonComplianceDescrip
```

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | <p>tion":"Invalid Payment Account Number","verificationPerformed":"MQ","transmissionDate":"20260318"}},{"packageIncentiveElements":{"pieErrors":null,"pewDetailRecord":{"efn":"92750900061021683026539176","pic":"92600900061021030108694403","mailerId":"900061021","serialNumber":"68302653917","headerLineNumber":1,"softwareVendorCode":"0000","softwareVendor":"","pewErrors":[{"errorTypeCode":"W","record":"H1","field":"Mailer Id","errorCode":"107219","shortDescription":"MID in HR invalid; must match MID in EFN","lineNum":"1"},{"errorTypeCode":"W","record":"H1","field":"Mailer Id","errorCode":"107201","shortDescription":"MID in HR autocorrected to match MID from EFN","lineNum":"1"},{"errorTypeCode":"W","record":"D1","field":"Extra Service Codes","errorCode":"105201","shortDescription":"Autocorrected Extra Service Codes","lineNum":"2"}]},{"customerVisibility":{"barcodeMID":"900061021","barcodeOwnerCRID":"20600535","barcodeUserCRID":"1000541937","efnMID":"900061021","validationFailures":null,"SenderInfo":null},"originalValues":{"manifestPricingIngredients":{"classOfMail":"FR","destinationRateIndicator":"N","rateIndicator":"SP","processingCategory":"5","domesticZone":"05"},"manifest":{"mailOwnerCustomerRegistrationID_CRID":"20480644"},"pricingDestTopic":"","version":"1.0.2"}}</p> |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Manifest-env-unmanifested topic | <p>{"pricingDestTopic":null,"id":"a43eb9def84ae00012128fc66778b2f9","manifestPricingIngredients":{"mailerId":null,"postalRoutingBarcode":"0","dateTimeOfMailing":"20260318235900","classOfMail":"RP","mailOwnerMailerId":"900059048","program":null,"productWorkflow":null,"duplicateIndicator":null,"destinationRateIndicator":"X","destinationCountryPriceGroup":null,"rateIndicator":"X","d5RateIndicator":null,"processingCategory":"X","surchargeType":"","discountType":"","domesticZone":"X","foreignZone":null,"weight":"000020000","costCenter":null,"dimensions":{"length":"01000","width":"01000","height":"01000","dimensionalWeight":"000100"},"extraServices":{"valueOfArticle":"00000000","codAmountDueSender":"020600","extraServiceCode1stService":"940","extraServiceCode2ndService":"957","extraServiceCode3rdService":"","extraServiceCode4thService":"","extraServiceCode5thService":"","extraServiceCodes":[{"extraServiceCode":"940"},{"extraServiceCode":"957"},{"extraServiceCode":""}, {"extraServiceCode":""}, {"extraServiceCode":""}], "nonIncidentalEnclosure":{"nonIncidentalClass":"","nonIncidentalRateIndicator":"","nonIncidentalProcessingCategory":"","nonIncidentalWeight":""}}, "manifest":{"createdTimeDBFormat":null,"extraServiceFee1stService":"000000","extraServiceFee2ndService":"000000","extraServiceFee3rdService":"000000","extraServiceFee4thService":"000000","extraServiceFee5thService":"000000","originalMid":null,"programGroup":null,"cns":false,"fileName":"20260318101557945_B-1040501-SIT2_scenario3_03-18-2026_v6.manifest.replay_1773846957","originalFileName":null,"fileLocation":"Deprecated","manifestSubmissionDate":"2026-03-18T15:15:57Z","masterEFN":"92750900619173771746988666","childEFN":"92750900619173771746988666","lineNum":"2","createdTime":"2026-03-18T10:15:58Z","electronicFileNumber":"92750900619173771746988666","electronicFileType":"1","entryFacilityType":"A","entryFacilityZIPCode":"30000","entryFacilityZIP4":"1111","directEntryOriginCountryCode":"CN","shipmentFeeCode":"PKF","extraFeeForShipment":"000000","containerizationIndicator":"01","uspsElectronicFileVersionNumber":"020","transactionID":"201901065176","softwareVendorCode":"0000","softwareVendorProductVersionNumber":"2.0","fileRecord</p> |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|



Count": "000000003", "pic": null, "trackingNumber": "92672900619173406958256443", "routingZip": null, "routingZip4": null, "serviceTypeCode": "672", "barcodeConstructCode": "X", "destinationZIPCode": "X", "destinationZIP4": "X", "destinationFacilityType": "", "destinationCountryCode": "", "foreignPostalCode": "", "carrierRoute": "C009", "logisticsManagerMailerID": "222222", "containerID1": "11111111111111111111111111111111", "containerType1": "SK", "containerID2": "22222222222222222222222222222222", "containerType2": "PT", "containerID3": "33333333333333333333333333333333", "containerType3": "BL", "mailOwnerCustomerRegistrationID\_CRID": "20480644", "customerReferenceNumber1": "47T7G7VBKN8WDVUTA724", "fastReservationNumber": "FAST111111111", "fastScheduledInductionDate": "00000000", "fastScheduledInductionTime": "000000", "paymentAccountNumber": "1000001417", "methodOfPayment": "08", "postOfficeofAccountZIPCode": "20260", "meterSerialNumber": "4444444444", "chargebackCode": "123456", "postage": "0014880", "postageType": "P", "customizedShippingServicesContracts\_CSSC\_Number": "AB123", "customizedShippingServicesContractsProductID": "ABC11111111111111", "unitOfMeasureCode": "1", "extraServiceFees": null, "handlingCharge": "0000", "surchargeAmount": "0000000", "discountAmount": "0000000", "nonIncidentalEnclosurePostage": "", "openandDistributeContentsIndicator": "EF", "poBoxIndicator": "N", "waiverOfSignatureCarrierRelease": "Y", "deliveryOptionIndicator": "1", "destinationDeliveryPoint": "02", "mailerId": "900018437", "removeallIndicator": "", "trackingIndicator": "01", "originalLabelTrackingNumberBarcodeConstructCode": "C04", "originalTrackingNumber": "94111111111111111111111111111111", "originalPic": null, "customerReferenceNumber2": "47T7G7VBKN8WDVUTA724", "recipientNameDestination": "JOHN DOE", "deliveryAddress": "123 MAIN ST", "ancillaryServiceEndorsement": "A", "addressServiceParticipantCode": "000000001", "keyLine": "abc", "returnAddress": "2502 Big Dam Swamp Dr", "returnAddressCity": "Andrews", "returnAddressState": "SC", "returnAddressZIPCode": "29510", "logisticsMailingFacilityCRID": "555555", "activeFinanceNum": null, "epsAcctNum": null, "uniqueEFN": false, "uniqueTrackingNum": true, "manifestPackageID": "a43eb9def84ae00012128fc66778b2f9", "isD2Present": false, "d2Valid": false, "d2TrackingNumber": null, "filler": null, "cityName": null, "state": null, "deliveryZIPCode": null, "deliveryZIP4": null, "recipientEmailAddress": null, "recipientSmsNumber": null, "senderName": null, "senderEmailAddress": null, "senderSmsNumber": null, "manifestID": "bb47cc164931f4508e387f51fe841c49", "h1RecordID": "H1", "d1RecordID": "D1", "d2RecordID": null, "permitNum": null, "permitType": null, "permitFinanceNum": null, "permitEpsAcctNum": null, "uspsConnect": null, "h1LineNum": 1, "d1LineNum": 2, "d2LineNum": 0, "barcodeMid": null, "isIntl": false, "isApiManifest": false, "isApvReturns": false, "isOmas": false, "omas": null, "d8Present": false, "d8Records": null, "payerCRID": null, "isThirdParty": false, "consolidatorFlag": false, "isFMBAuthorizedCrid": false, "d2Present": false}, "impbCompliance": null, "pewDetailRecord": {"efn": "92750900619173771746988666", "mailerId": "900619173", "serialNumber": "77174698866", "headerLineNumber": 1, "softwareVendorCode": "0000", "softwareVendor": "", "pewErrors": [{"errorTypeCode": "E", "record": "D1", "field": "Barcode Construct Code", "errorCode": "100319", "shortDescription": "Barcode Construct in D1 invalid; must be set to proper code", "lineNum": "2"}, {"errorTypeCode": "E", "record": "D1", "field": "Tracking Number", "errorCode": "111952", "shortDescription": "Tracking Num in D1 invalid must have commercial or online barcode construct code", "lineNum": "2"}]}, "originalValues": {"manifestPricingIngredients": {"cla





|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | 1111","unitOfMeasureCode":"1","extraServiceFees":null,"handlingCharge":"0000","surchargeAmount":"0000000","discountAmount":"0000000","nonIncidentalEnclosurePostage":"","openandDistributeContentsIndicator":"EF","poBoxIndicator":"N","waiverOfSignatureCarrierRelease":"Y","deliveryOptionIndicator":"0","destinationDeliveryPoint":"02","mailerId":"900008035","removalIndicator":"","trackingIndicator":"01","originalLabelTrackingNumberBarcodeConstructCode":"C04","originalTrackingNumber":"94111111111111111111111111111112","originalPic":null,"customerReferenceNumber2":"47T7G7VBKN8WDVUTA724","recipientNameDestination":"JOHN DOE","deliveryAddress":"123 MAIN ST","ancillaryServiceEndorsement":"A","addressServiceParticipantCode":"000000001","keyLine":"abc","returnAddress":"2502 Big Dam Swamp Dr","returnAddressCity":"Andrews","returnAddressState":"SC","returnAddressZIPCode":"29510","logisticsMailingFacilityCRID":"55555","activeFinanceNum":null,"epsAcctNum":null,"uniqueEFN":false,"uniqueTrackingNum":true,"manifestPackageID":"6888bd07c3f413747a389e946e6174eb","isD2Present":false,"d2Valid":false,"d2TrackingNumber":null,"filler":null,"cityName":null,"state":null,"deliveryZIPCode":null,"deliveryZIP4":null,"recipientEmailAddress":null,"recipientSmsNumber":null,"senderName":null,"senderEmailAddress":null,"senderSmsNumber":null,"manifestID":"0e75fc239f108986c107e05768468467","h1RecordID":"H1","d1RecordID":"D1","d2RecordID":null,"permitNum":null,"permitType":null,"permitFinanceNum":null,"permitEpsAcctNum":null,"uspsConnect":null,"h1LineNum":1,"d1LineNum":2,"d2LineNum":0,"barcodeMid":null,"isIntl":false,"isApiManifest":false,"isApvReturns":false,"isOmas":false,"omas":null,"d8Present":false,"d8Records":null,"payerCRID":null,"isThirdParty":false,"consolidatorFlag":false,"isFMBAuthorizedCrid":false,"d2Present":false},"impbCompliance":null,"pewDetailRecord":{"efn":"92750900008035116778514736","pic":"92672900008035217538126178","mailerId":"900008035","serialNumber":"11677851473","headerLineNumber":1,"softwareVendorCode":"0000","softwareVendor":"","pewErrors":[{"errorTypeCode":"W","record":"H1","field":"MailerId","errorCode":"107219","shortDescription":"MID in HR invalid; must match MID in EFN","lineNum":"1"}],"errorTypeCode":"W","record":"H1","field":"MailerId","errorCode":"107201","shortDescription":"MID in HR autocorrected to match MID from EFN","lineNum":"1"}},{"originalValues":{"manifestPricingIngredients":{"classOfMail":"RP","destinationRateIndicator":"P","rateIndicator":"SP","processingCategory":"5","domesticZone":"00"},"manifest":{"mailOwnerCustomerRegistrationID_CRID":"20480644"}}} |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| manifestpewfailures<br>topic | {"failedPricing":{"pic":"92134900068098126305893952","manifestPackageID":"EJ7EAZ1A3BH4PTXEIONDY8U5WFA8ZOL","failedPricing":"Rate not found from rate lookup"},"manifest":{"manifestPricingIngredients":{"mailerId":"900068098"},"postalRoutingBarcode":"1","dateTimeOfMailing":"2026-04-01T15:30:00Z","classOfMail":"PM","mailOwnerMailerId":"900059048","program":"Outbound","productWorkflow":"Live","duplicateIndicator":null,"destinationRateIndicator":"N","destinationCountryPriceGroup":null,"rateIndicator":"FE","d5RateIndicator":null,"processingCategory":"2","surchargeType":"","discountType":"","domesticZone":"00","foreignZone":null,"weight":2.0,"costCenter":"0000"," |
|------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

dimensions":{"length":10.0,"width":10.0,"height":10.0,"dimensionalWeight":1.0},"extraServices":{"valueOfArticle":0.0,"codAmountDueSender":6.0,"extraServiceCodes":{"extraServiceCode":"0"},"nonIncidentalEnclosure":{"nonIncidentalClass":"","nonIncidentalRateIndicator":"","nonIncidentalProcessingCategory":"","nonIncidentalWeight":0.0},"manifest":{"fileName":"20260312095650286\_FMB\_FS\_03-1-2026\_v1.manifest\_1773327410","originalFileName":"FMB\_FS\_03-12-2026\_v1.manifest","fileLocation":"Deprecated","manifestSubmissionDate":"2026-04-01T15:30:00Z","masterEFN":"92750900027955582957309091","childEFN":"92750900027955472505852943","lineNum":"8","createdTime":"2026-04-01T15:30:00Z","electronicFileNumber":"92750900027955472505852943","electronicFileType":"1","entryFacilityType":"","entryFacilityZIPCode":"78238","entryFacilityZIP4":"1111","directEntryOriginCountryCode":"CN","shipmentFeeCode":"PKF","extraFeeForShipment":0.0,"containerizationIndicator":"01","uspsElectronicFileVersionNumber":"020","transactionID":"201901065176","softwareVendorCode":"8290","softwareVendorProductVersionNumber":"2.0","fileRecordCount":"000000003","pic":"92134900068098126305893952","trackingNumber":"92134900068098126305893952","routingZip":"","routingZip4":"","serviceTypeCode":"134","barcodeConstructCode":"C10","destinationZIPCode":"30304","destinationZIP4":"9648","destinationFacilityType":"","destinationCountryCode":"","foreignPostalCode":"","carrierRoute":"C009","logisticsManagerMailerID":"222222","containerID1":"11111111111111111111","containerType1":"SK","containerID2":"22222222222222222222","containerType2":"PT","containerID3":"3333333333333333","containerType3":"BL","mailOwnerCustomerRegistrationID\_CRID":"204003720","customerReferenceNumber1":"47T7G7VBKN8WDVUTA724","fastReservationNumber":"FAST11111111","fastScheduledInductionDate":"","fastScheduledInductionTime":"000000","paymentAccountNumber":"1000014667","methodOfPayment":"08","postOfficeofAccountZIPCode":"20260","meterSerialNumber":"4444444444","chargebackCode":"123456","postage":14.88,"postageType":"1","customizedShippingServicesContracts\_CSSC\_Number":"AB123","customizedShippingServicesContractsProductID":"ABC1111111111","unitOfMeasureCode":"1","extraServiceFees":{"extraServiceCode":"365","extraServiceFee":0.0},"handlingCharge":0.0,"surchargeAmount":0.0,"discountAmount":0.0,"nonIncidentalEnclosurePostage":0.0,"openandDistributeContentsIndicator":"EF","poBoxIndicator":"N","waiverOfSignatureCarrierRelease":"Y","deliveryOptionIndicator":"1","destinationDeliveryPoint":"02","mailerId":"900068098","removalIndicator":"","trackingIndicator":"01","originalLabelTrackingNumberBarcodeConstructCode":"C04","originalTrackingNumber":"94111111111111111111111111111112","originalPic":null,"customerReferenceNumber2":"47T7G7VBKN8WDVUTA724","recipientNameDestination":"JOHN DOE","deliveryAddress":"123 MAIN ST","ancillaryServiceEndorsement":"A","addressServiceParticipantCode":"00000001","keyLine":"abc","returnAddress":"2502 Big Dam Swamp Dr","returnAddressCity":"Andrews","returnAddressState":"SC","returnAddressZIPCode":"29510","logisticsMailingFacilityCRID":"555555","activeFinanceNum":"661204","epsAcctNum":"1000001869","uniqueEFN":false,"uniqueTrackingNum":true,"manifestPackageID":"EJ7EAZ1A3BH4PTXJEIONDY8U5WFA8ZOL","isD2Present":false,"d2Valid":false,"d2TrackingNumber":null,"filler":null,"cityName":null,"state":null,"deliveryZIPCode":null,"deliveryZIP4":null,"recipientEmailAddress":null,"recipientSmsNumber":null,"senderName":null,"senderEmailAddress":null,"senderSmsNumber":null,"manifestID":"380aa8b36dbf1bbaf648749a4a2c86fe","h1RecordID":"H1","d1RecordID":"D1","d2RecordID"

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | <pre> ":null,"permitNum":null,"permitType":null,"permitFinanceNum":null,"permit EpsAcctNum":null,"uspsConnect":null,"h1LineNum":7,"d1LineNum":8,"d2Lin eNum":0,"barcodeMid":"900027955","isIntl":false,"isApiManifest":true,"isAp vReturns":false,"isOmas":false,"omas":null,"d8Present":true,"d8Records":[{" d8RecordID":"D8","trackingNumber":"92134900068098126305893952","rol e":"07","crid":"20479637","mailOwnerMID":"900618761","manifestMID":"9 00618761","paymentAccountNumber":"176","permitNumber":"176","permi tZip":null,"permitEpsAcctNum":null,"d8LineNum":9}], "payerCRID":"204796 37","isThirdParty":false,"consolidatorFlag":false,"isFMBAuthorizedCrid":true, "d2Present":false}, {"impbCompliance":{"nonComplianceErrors":{"nonCompli anceReasonCode":"1535","nonComplianceDescription":"Invalid Payment Account Number","verificationPerformed":"MQ","transmissionDate":"20260312"}}, {" packageIncentiveElements":{"pieErrors":{"pieErrorCode":"BF","nonComplia nceDescription":"Mail Owner Mailer ID is not enrolled. Original value: 900059048","verificationPerformed":"PIE"}, {"pieErrorCode":"CI","nonCompli anceDescription":"Customer Information fields are not populated. Missing values: [Recipient Email Address, Recipient SMS Number]","verificationPerformed":"PIE"}, {"pieErrorCode":"ES","nonComplia nceDescription":"Extra Service Code was auto-corrected. Original value: []   New value: [365]","verificationPerformed":"PIE"}}, {"pewDetailRecord":{"efn":"92750900 027955472505852943","pic":"92134900068098126305893952","mailerId":" 900068098","serialNumber":"47250585294","headerLineNumber":7,"softwa reVendorCode":"8290","softwareVendor":"API","pewErrors":[]}, {"customerVi sibility":{"barcodeMid":"900068098","barcodeOwnerCRID":"20400372","bar codeUserCRID":null,"efnMID":"900068098","validationFailures":null,"Sender Info":null}, {"originalValues":{"manifestPricingIngredients":{"classOfMail":"DM ","destinationRateIndicator":"N","rateIndicator":"SP","processingCategory":" 5","domesticZone":"00"}, {"manifest":{"mailOwnerCustomerRegistrationID_C RID":"20480644"}}, {"pricingDestTopic":"pkgplfm-pricing-sit2-priced- Manifest","version":"1.0.2"} </pre> |
|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Pricied-manifest-intl | <pre> {"pricing":{"postage":{"quotelId":35253953,"baseSku":{"sku":"IFXP0XXXXB01 480","service":"I","type":"F","subType":"X","shape":"P","variation":"0","deliv eryType":"X","reserved":"X","entry":"X","priceCategory":"X","priceType":"B" ,"zone":"01","weight":"48","weightFraction":"0"},"baseAIC":"243","baseGLA ":"41413","quotedPrice":{"priceType":"Commercial- Base","defaultPriceLabel":"","publishedRate":"36.57","contract":{"nsaContra ctId":"","nsaContractNumber":"","nsaProductNumber":"","nsaProductGener atedId":"","docketNumber":null,"ratelId":"","fuelFeePercentage":"","geoCon ":null,"facGroup":null},"basePrice":36.57,"vendorClaimedBasePostage":null," extraServicePostage":{"extraServiceSku":{"sku":"IXCF0XXXXCX0000","servic e":"I","type":"X","extraServiceType":"C","associatedMailType":"F","variation ":"0","subType":"X","addOn":"X","associatedShape":"X","associatedSubType ":"X","priceType":"C","associatedDeliveryType":"X","amount":"0000"},"extra ServicePostageAmount":0.00,"extraServiceCode":"915"}}, {"customerAssessed Postage":{"poundPostage":{"surchargePostage":[],"dimensionalFeePostag e":[],"refundPostage":[],"platform":{"servicesFeesPostage":[],"deliveryDuti esPaidPostage":[],"totalPostage":36.57}}, {"assessedWarnings":[],"originalPrici ngIngredients":{"intermediateMailClass":{"mailClassCode":"LC","mailClassNa me":"First-Class Package Service </pre> |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

International"},"intermediateZone":"","claimedRateCategoryCode":"","claimedRateCategoryDescription":"","assessedPricingIngredients":{"assessedMailClass":{"mailClassCode":"LC","mailClassName":"First-Class Package Service International"},"assessedZone":"","assessedOriginZipCode":"","assessedDestinationZipCode":"","assessedPieceWeight":{"units":"LB","fractionalPrecision":"","value":"3.0"},"assessedPieceDimensions":{"units":"IN","fractionalPrecision":"","length":"3.00","height":"3.00","width":"3.00"},"assessedRateCategoryCode":"","assessedRateCategoryDescription":"","lifeCycleEmissions":null,"footprintEmissions":null,"customerId":null,"assessedRateIndicator":"SP","assessedDestinationRateIndicator":"N","assessedCubicTier":"","upcDescription":"","assessedProcessingCategory":"3","calculatedDimWeight":0,"dimensionalDivisor":166,"cubicVolumeThreshold":1728,"nonrectangularAdjustmentFactor":0.785,"mailingDateUsed":"2026-03-15T16:56:33Z","assessedPriceGroup":"01"},"labelProviderIncentive":{"contractId":null,"labelProviderName":null,"crid":null,"epsAccountNumber":null,"flags":null,"accounting":null,"rates":null,"amounts":null,"incentiveLogic":null},"version":"1.0"},"manifest":{"impbCompliance":{"crid":"12314","customerReferenceNumber1":"1232123","dateTimeOfMailing":"20190201123000","efn":"12345678902232345","entryFacilityZipCode":"78444","impbComplianceErrorID":"1233456","manifestPackageID":"45a276c4444b5e8ba01344ba9a5","masterMid":"2345","mid":"2345","nonComplianceErrors":[{"nonComplianceDescription":"Particular Error Within Verification Type","nonComplianceReasonCode":"102","verificationPerformed":"AQ"}],"nonComplianceDescription":"Mismatched account profile mid with tracking number mid","nonComplianceReasonCode":"002","verificationPerformed":"AQ"}],"pic":"12345678902232345","transactionID":"978976","uspsElectronicFileVersionNumber":"1"},"manifest":{"addressServiceParticipantCode":"000000001","ancillaryServiceEndorsement":"A","barcodeConstructCode":"C01","carrierRoute":"C009","chargebackCode":"00","childEFN":null,"containerID1":"0023","containerID2":"0024","containerID3":"0025","containerizationIndicator":"01","containerType1":"SK","containerType2":"SK","containerType3":"SK","createdAtTime":"2019-03-05 16:29:48","customerReferenceNumber1":null,"customerReferenceNumber2":"123456","customizedShippingServicesContracts\_CSSC\_Number":"1","customizedShippingServicesContractsProductID":"2001667","d8Present":false,"deliveryAddress":"123 MAIN STREET","deliveryOptionIndicator":"1","destinationCountryCode":"CA","destinationDeliveryPoint":"02","destinationFacilityType":null,"destinationtrackingIndicatorDeliveryPoint":"01","destinationZIP4":"1357","destinationZIPCode":"86420","directEntryOriginCountryCode":null,"discountAmount":"000000","electronicFileNumber":"9275099990856211111112927","electronicFileType":"4","entryFacilityType":"A","entryFacilityZIP4":"1234","entryFacilityZIPCode":"54321","extraFeeForShipment":"000000","extraServiceFee1stService":"000000","extraServiceFee2ndService":"000000","extraServiceFee3rdService":"000000","extraServiceFee4thService":"000000","extraServiceFee5thService":"000000","fastReservationNumber":"11223344","fastScheduledInductionDate":"20190301","fastScheduledInductionTime":"000000","fileLocation":"C:\\some\\file\\location\\","fileName":"pricing.test.team.manifest.raw","fileRecordCount":"000000030","foreignPostalCode":"0000","handlingCharge":"000000","keyLine":"SAMPLE KEY LINE","lineNum":"26","logisticsMailingFacilityCRID":"40935857","logisticsMa

nagerMailerID":"99","mailerId":"12345","mailOwnerCustomerRegistrationID\_CRID":"40935857","manifestPackageID":"123456","masterEFN":"92750999908562199999999999999999","meterSerialNumber":"0203848","methodOfPayment":"01","nonIncidentalEnclosurePostage":"000000000","openandDistributeContentsIndicator":"EF","originalLabelTrackingNumberBarcodeConstructCode":"C06","originalTrackingNumber":"1234567890123456789012345678901234","paymentAccountNumber":"91919191","permitEpsAcctNum":"1000120007","permitFinanceNum":"4566785","permitNum":"225","permitType":"PI","pic":"927509999085620000000003002","poBoxIndicator":"Y","postage":"0014880","postageType":"P","postOfficeofAccountZIPCode":"88888","recipientNameDestination":"JOHN DOE","removalIndicator":"Y","returnAddress":"123 MAIN STREET","returnAddressCity":"St.Louis","returnAddressState":"MO","returnAddressZIPCode":"63301","serviceTypeCode":"054","shipmentFeeCode":"PKF","softwareVendorCode":"0000","softwareVendorProductVersionNumber":"2.0","surchargeAmount":"0000000","trackingIndicator":"","trackingNumber":"7677676776767676","transactionID":"201901065176","uniqueEFN":"true","uniqueTrackingNum":"true","unitOfMeasureCode":"1","uspsElectronicFileVersionNumber":"020","waiverOfSignature\_CarrierRelease":"N"},"manifestPricingIngredients":{"classOfMail":"LC","d5RateIndicator":null,"dateTimeOfMailing":"2026-03-15T16:56:33Z","destinationCountryPriceGroup":null,"destinationRateIndicator":"N","dimensions":{"dimensionalWeight":"0.0","height":"3","length":"3","width":"3"},"discountType":null,"domesticZone":"00","duplicateIndicator":"N","extraServices":{"codAmountDueSender":"0.0","extraServiceCodes":[{"extraServiceCode":"915"},{"extraServiceCode":""}], "valueOfArticle":"0"},"foreignZone":null,"mailerId":"him","mailOwnerMailerId":"789111","nonIncidentalEnclosure":{"nonIncidentalClass":null,"nonIncidentalProcessingCategory":null,"nonIncidentalRateIndicator":null,"nonIncidentalWeight":null},"postalRoutingBarcode":"0","processingCategory":"3","productWorkflow":"Pricing on Manifest, Validate with Scans and Samples","program":"First Class Package International Service","rateIndicator":"SP","surchargeType":null,"weight":3},"pricingDestTopic":"pkgplfm-pricing-sit2-priced-manifest-intl","version":"1.0"},"compositeVersion":"1.0.0"}

# PEW - work

Thursday, January 21, 2021 9:00 AM

<https://afs365.sharepoint.com/sites/PackagePlatform/Shared%20Documents/Forms/AllItems.aspx?csf=1&web=1&e=uATJdz&cid=29d6714a-85a8-4ed9-b461-aabe63f74ac4&RootFolder=%2fsites%2fPackagePlatform%2fShared%20Documents%2f09%2e%20Manifest%20Service%2fPEW&FolderCTID=0x0120000BA0AB19CA2C374DB3191132A8103008>

## Topics to check

- Packages
- Unmanifested

"PROD\_WRKFLW\_TYPE": "P", "END\_DATE": null, "MAIL\_CLASS\_DESC": "Priority Mail Return Service", "CRID": "23469099", "MAIL\_CLASS": "MR", "STC": "599", "MID": "902171845", "PROD\_GRP\_NAME": "Network Returns", "MASTER\_MID": null, "PROD\_WRKFLW\_NAME": "Price on Scans, No Manifest"

<https://afs365.sharepoint.com/sites/PackagePlatform/Shared%20Documents/Forms/AllItems.aspx?csf=1&web=1&e=uATJdz&cid=29d6714a-85a8-4ed9-b461-aabe63f74ac4&RootFolder=%2fsites%2fPackagePlatform%2fShared%20Documents%2f09%2e%20Manifest%20Service%2fPEW&FolderCTID=0x0120000BA0AB19CA2C374DB3191132A8103008>

Jaime got an answer to where to send rejected packages that are not going anywhere (e.g. efn). They said:

Unmanifested

-----

- wrong tracking num save to unmanifested
- wrong barcode construct
- wrong stc

new topic:

-----

parsing d1 - header info needs to be there  
unenrolled mids  
unsupported



dup efns  
dup efn/incorrect submission

## Pew Errors

### Rate Indicator:

|                        |        |
|------------------------|--------|
| rateIndicator-required | 109543 |
|------------------------|--------|

```
pewDetailRecord:{"efn":"92750901017874120957674298"
pic:"92193901017874598436672854"
mailerId:"901017874"
serialNumber:"12095767429"
pewErrors:[{"errorTypeCode":"W"
record:"D1"
field:"Rate Indicator"
errorCode:"109519"
lineNum:"20"}
{"errorTypeCode":"W"
record:"D1"
field:"Domestic Zone"
errorCode:"104001"
lineNum:"20"}
{"errorTypeCode":"E"
record:"H1"
field:"Rule Engine Multiple Fields"
errorCode:"110634"
lineNum:"20"}]}
```

### Postage:

|                          |        |
|--------------------------|--------|
| postage-invalid          | 108919 |
| postageType-alphanumeric | 109000 |

```
pewDetailRecord:{"efn":"92750901017874101415119513"
pic:"92193901017874081318634519"
mailerId:"901017874"
serialNumber:"10141511951"
pewErrors:[{"errorTypeCode":"W"
record:"D1"
field:"Postage"
errorCode:"109150"
lineNum:"5"}]}
```

```
pricingDestTopic:"pkgplfm-pricing-dev2-priced-Manifest"
version:"1.0.2"}}
```

### Removal Indicator:

|                               |        |
|-------------------------------|--------|
| removalIndicator-alphanumeric | 109900 |
| removalIndicator-autocorrect  | 109901 |

```
pewDetailRecord:{"efn":"92750901017874927203292271"
pic:"92193901017874678925204770"
mailerId:"901017874"
serialNumber:"92720329227"
pewErrors:[{"errorTypeCode":"W"
record:"D1"
field:"Removal Indicator"
errorCode:"109919"
lineNum:"8"}]}
pricingDestTopic:"pkgplfm-pricing-dev2-priced-Manifest"
version:"1.0.2"}}
```

### Return Address State

|                                 |        |
|---------------------------------|--------|
| returnAddressState-alphanumeric | 110300 |
|---------------------------------|--------|

```
pewDetailRecord:{"efn":"92750901017874226116789916"
pic:"92193901017874364056937839"
mailerId:"901017874"
serialNumber:"22611678991"
pewErrors:[{"errorTypeCode":"W"
record:"D1"
field:"Return Address State"
errorCode:"110319"
lineNum:"20"}]}
pricingDestTopic:"pkgplfm-pricing-dev2-priced-Manifest"
version:"1.0.2"}}
```



# Letters & Flats

Thursday, July 10, 2025 11:44 AM

<https://afsdefense.sharepoint.us/sites/PackagePlatform/SitePages/Home.aspx>

LManifest Dev2 MongoDB Connection String:

`mongodb+srv://lfmanifestdev:I58G7sr4y703RybH@lf-path2-pl-0.rkgzq.mongodb.net/manifest-dev?retryWrites=true&w=majority`

Flow

- Incoming messages hit - pkgplfm-lfmanifest-dev2-indicia-created
- Then posted to lfmanifest-{env}-saved-indicia topic
- And saved to MongoDB in collection indicia

LManifest SIT2 MongoDB Connection String:

`mongodb+srv://lfmanifestsit:IGXW295rdyMTizV4@lf-path2-pl-0.rkgzq.mongodb.net/manifest-sit?retryWrites=true&w=majority`

In order to test your own data in LManifest SIT2 you have to change the "akka.source.kafka.topicname" variable in the config-map "indicia-01-dbwriter-kafkasr" to "pkgplfm-lfmanifest-sit2-indicia-created". The original value is "emas-ship-sit-indicia-created".

`akka.source.kafka.topicname=emas-ship-sit-indicia-created`

# LFManifest Testing

Friday, July 11, 2025 9:33 AM

## Testing Flow:

1. Write Emas Indicia message to pkgplfm-lfmanifest-sit2-indicia-created

Format of message:

```
{
 "emasID": "4277d887-9915-49c5-a07f-4517ef95bd72",
 "accountNumber": "123456789",
 "CRID": "123456789",
 "accountZIPCode": "12345",
 "aic": "110",
 "gla": "41230110",
 "processingCategory": "2",
 "mailingDate": "2025-01-01",
 "IMB": "00700123456000000001200669998",
 "weight": 1.2,
 "postage": 0.69,
 "totalPostage": 6.0,
 "SKU": "DFLLOXXXR00010",
 "mailClass": "FC",
 "fees": [
 {
 "name": "Nonmachinable letter fee",
 "SKU": "DX1F0XXLXR0000",
 "price": 0.46
 }
],
 "extraServices": [
 {
 "code": "910",
 "name": "Certified Mail",
 "SKU": "DXEX0XXXRX0000",
 "price": 4.85
 }
]
}
```

2. Check the pkgplfm-lfmanifest-{env}-saved-indicia topic: The Emas Indicia message becomes the "indicia" subobject in the output message.

```
{
 "compositeVersion": "1.0.0",
 "indicia": { ... },
 "lfmanifest": {
 "version": "1.0.0",
 "createDateTime": "2025-01-01T13:44:55Z"
 }
}
```

3. Check MongoDB for the saved message
  - a. Manifest-{env}
  - i. Indicia collection

```
{
 "indicia": { ... },
 "meta": {
 "createDateTime": ISODate(...),
 "mailingDate": ISODate(...)
 }
}
```

did you follow that we'll be adding **costCenter** and **financeNumber** to the output message? likely those fields will go in the mongodb collection "meta" and output message "lfmanifest" blocks; but probably won't have that till next week

for now they will be hardcoded; i suspect we'll have to look up the finance number in redis like we do for scans/manifest proper. costCenter has been hardcoded to "0000" since day 1

emasID must be unique

'71306': '210143'

Example Mongo Query  
{ "indicia.emasID" :  
"1117d887-9915-49c5-  
a07f-4517ef95bd72" }

{ "indicia.imb":  
"00040900654119000023631181234" }

Example of mongoDB indicia collection entry

```
{
 "_id": {
 "$oid": "687149c62e7bf23d907ac6ad"
 },
 "emas": {
 "emasID": "5157d513-9915-49c5-a07f-4517ef95bd72",
 "accountNumber": "123456789",
 "CRID": "123456789",
 "accountZIPCode": "12345",
 "aic": "110",
 "gla": "51330110",
 "processingCategory": "2",
 "mailingDate": "2025-07-11",
 "IMB": "51300123456000000001200669998",
 "weight": 1.2,
 "postage": 0.69,
 "totalPostage": 6,
 "SKU": "DFLL0XXXRX00010",
 "mailClass": "FC",
 "fees": [
 {
 "name": "Nonmachinable letter fee",
 "SKU": "DX1FOXXLXRX0000",
 "price": 0.46
 }
],
 "extraServices": [
 {
 "code": "910",
 "name": "Certified Mail",
 "SKU": "DXEX0XXXRX0000",
 "price": 4.85
 }
]
 },
 "meta": {
 "createDateTime": {
 "$date": "2025-07-11T17:28:38.236Z"
 },
 "mailingDate": {
 "$date": "2025-07-11T00:00:00.000Z"
 }
 }
}
```

# Finance Number look up

Thursday, July 24, 2025 11:15 AM

**Message that caused the error:**  
{"emasID":"1111a887-9915-49c5-a07f-4517ef95bd72","accountNumber":"123456789","CRID":"123456789","accountZipCode":"","aic":"110","gla":"41230110","processingCategory":"2","mailingDate":"2025-01-01","IMB":"0070012345600000001200669998","weight":1.2,"postage":0.69,"totalPostage":6.0,"SKU":"DFLLOXXXR00010","mailClass":"FC","fees":[{"name":"Nonmachinable letter fee","SKU":"DX1FOXLRX0000","price":0.46}], "extraServices":[{"code":"910","name":"Certified Mail","SKU":"DXEX0XXXRX0000","price":4.85}]}

**Error when the accountZipCode field is null:**  
ERROR 2025-07-24 16:14:04,186 - Supervision in IndiciaSaveDeserializer caught exception: Error building REST request: Entry facility zip code is required  
ERROR 2025-07-24 16:14:04,632 - DataException handling in ReverseProxy Actor, 6.3 (akka\_data\_exception)  
com.usps.akka.exception.record.RecordProcessingException: Error building REST request: Entry facility zip code is required  
at  
com.usps.akka.logic.singleuse.lookup.redis.AbstractRedisHGetActor.onErrorPreparingLookup(AbstractRedisHGetActor.java:181)  
at  
com.usps.akka.logic.singleuse.lookup.redis.AbstractRedisHGetActor.processRedisRequest(AbstractRedisHGetActor.java:163)  
at  
com.usps.akka.logic.singleuse.lookup.redis.AbstractRedisHGetActor.onLookupRequest(AbstractRedisHGetActor.java:142)  
)  
at akka.japi.pf.UnitCaseStatement.apply(CaseStatements.scala:24)  
at akka.japi.pf.UnitCaseStatement.apply(CaseStatements.scala:20)  
at scala.PartialFunction.applyOrElse(PartialFunction.scala:214)  
at scala.PartialFunction.applyOrElse\$(PartialFunction.scala:213)  
at akka.japi.pf.UnitCaseStatement.applyOrElse(CaseStatements.scala:20)  
at scala.PartialFunction\$OrElse.applyOrElse(PartialFunction.scala:269)  
at akka.actor.Actor.aroundReceive(Actor.scala:537)  
at akka.actor.Actor.aroundReceive\$(Actor.scala:535)  
at akka.actor.AbstractActor.aroundReceive(AbstractActor.scala:220)  
at akka.actor.ActorCell.receiveMessage(ActorCell.scala:580)  
at akka.actor.ActorCell.invoke(ActorCell.scala:548)  
at akka.dispatch.Mailbox.processMailbox(Mailbox.scala:270)  
at akka.dispatch.Mailbox.run(Mailbox.scala:231)  
at akka.dispatch.Mailbox.exec(Mailbox.scala:243)  
at java.base/java.util.concurrent.ForkJoinTask.doExec(ForkJoinTask.java:290)  
at java.base/java.util.concurrent.ForkJoinPool\$WorkQueue.topLevelExec(ForkJoinPool.java:1020)  
at java.base/java.util.concurrent.ForkJoinPool.scan(ForkJoinPool.java:1656)  
at java.base/java.util.concurrent.ForkJoinPool.runWorker(ForkJoinPool.java:1594)  
at java.base/java.util.concurrent.ForkJoinWorkerThread.run(ForkJoinWorkerThread.java:183)

If accountZipCode Finance number is invalid.

ERROR 2025-07-24 16:21:44,711 - Supervision in IndiciaSaveDeserializer caught exception: Error while executing database query.Message sent from [Actor[akka://akka-mesh/user/initializer/comms/rvp/\$a/\$k/\$a#1539789795]] is null.  
ERROR 2025-07-24 16:21:44,711 - DataException handling in ReverseProxy Actor, 4.7 (akka\_data\_exception)  
com.usps.akka.exception.record.RecordProcessingException: Error while executing database query.Message sent from [Actor[akka://akka-mesh/user/initializer/comms/rvp/\$a/\$k/\$a#1539789795]] is null.  
com.usps.akka.logic.singleuse.lookup.redis.AbstractRedisHGetActor.lambda\$createReceive\$0(AbstractRedisHGetActor.java:121)  
at akka.japi.pf.UnitCaseStatement.apply(CaseStatements.scala:24)  
at akka.japi.pf.UnitCaseStatement.apply(CaseStatements.scala:20)  
at scala.PartialFunction.applyOrElse(PartialFunction.scala:214)  
at scala.PartialFunction.applyOrElse\$(PartialFunction.scala:213)  
at akka.japi.pf.UnitCaseStatement.applyOrElse(CaseStatements.scala:20)  
at scala.PartialFunction\$OrElse.applyOrElse(PartialFunction.scala:269)  
at scala.PartialFunction\$OrElse.applyOrElse(PartialFunction.scala:270)  
at scala.PartialFunction\$OrElse.applyOrElse(PartialFunction.scala:270)  
at scala.PartialFunction\$OrElse.applyOrElse(PartialFunction.scala:270)  
at akka.actor.Actor.aroundReceive(Actor.scala:537)  
at akka.actor.Actor.aroundReceive\$(Actor.scala:535)  
at akka.actor.AbstractActor.aroundReceive(AbstractActor.scala:220)  
at akka.actor.ActorCell.receiveMessage(ActorCell.scala:580)  
at akka.actor.ActorCell.invoke(ActorCell.scala:548)  
at akka.dispatch.Mailbox.processMailbox(Mailbox.scala:270)  
at akka.dispatch.Mailbox.run(Mailbox.scala:231)  
at akka.dispatch.Mailbox.exec(Mailbox.scala:243)  
at java.base/java.util.concurrent.ForkJoinTask.doExec(ForkJoinTask.java:290)  
at java.base/java.util.concurrent.ForkJoinPool\$WorkQueue.topLevelExec(ForkJoinPool.java:1020)  
at java.base/java.util.concurrent.ForkJoinPool.scan(ForkJoinPool.java:1656)  
at java.base/java.util.concurrent.ForkJoinPool.runWorker(ForkJoinPool.java:1594)  
at java.base/java.util.concurrent.ForkJoinWorkerThread.run(ForkJoinWorkerThread.java:183)  
WARN 2025-07-24 16:21:44,711 - Error while executing database query.Message sent from [Actor[akka://akka-mesh/user/initializer/comms/rvp/\$a/\$k/\$a#1539789795]] is null.  
WARN 2025-07-24 16:22:03,519 -

accountZipCode field is missing

ERROR 2025-07-24 16:26:52,599 - DataException handling in ReverseProxy Actor, 2.8 (akka\_data\_exception)  
com.usps.akka.exception.record.DataSerializationException: Failed to deserialize payload to IndiciaMessageWrapper  
at  
com.usps.ppc.refunds.Ifmanifest.streams.indicia.IndiciaSaveDeserializer.deserializePayloadToObject(IndiciaSaveDeserializer.java:81)  
at  
com.usps.ppc.refunds.Ifmanifest.streams.indicia.IndiciaSaveDeserializer.deserializePayloadToObject(IndiciaSaveDeserializer.java:19)  
at  
com.usps.akka.logic.singleuse.AbstractSingleUseActor.onShardRoutingEnvelope(AbstractSingleUseActor.java:172)  
at akka.japi.pf.UnitCaseStatement.apply(CaseStatements.scala:24)  
at akka.japi.pf.UnitCaseStatement.apply(CaseStatements.scala:20)  
at scala.PartialFunction.applyOrElse(PartialFunction.scala:214)  
at scala.PartialFunction.applyOrElse\$(PartialFunction.scala:213)  
at akka.japi.pf.UnitCaseStatement.applyOrElse(CaseStatements.scala:20)  
at scala.PartialFunction\$OrElse.applyOrElse(PartialFunction.scala:269)  
at scala.PartialFunction\$OrElse.applyOrElse(PartialFunction.scala:270)  
at akka.actor.Actor.aroundReceive(Actor.scala:537)  
at akka.actor.Actor.aroundReceive\$(Actor.scala:535)  
at akka.actor.AbstractActor.aroundReceive(AbstractActor.scala:220)  
at akka.actor.ActorCell.receiveMessage(ActorCell.scala:580)  
at akka.actor.ActorCell.invoke(ActorCell.scala:548)  
at akka.dispatch.Mailbox.processMailbox(Mailbox.scala:270)  
at akka.dispatch.Mailbox.run(Mailbox.scala:231)  
at akka.dispatch.Mailbox.exec(Mailbox.scala:243)  
at java.base/java.util.concurrent.ForkJoinTask.doExec(ForkJoinTask.java:290)  
at java.base/java.util.concurrent.ForkJoinPool\$WorkQueue.topLevelExec(ForkJoinPool.java:1020)  
at java.base/java.util.concurrent.ForkJoinPool.scan(ForkJoinPool.java:1656)  
at java.base/java.util.concurrent.ForkJoinPool.runWorker(ForkJoinPool.java:1594)  
at java.base/java.util.concurrent.ForkJoinWorkerThread.run(ForkJoinWorkerThread.java:183)  
Caused by: java.lang.IllegalArgumentException: indicia accountZipCode is not a string  
at  
com.usps.ppc.refunds.Ifmanifest.streams.indicia.model.IndiciaMessageWrapper.extractIndiciaAccountZipCode(IndiciaMessageWrapper.java:75)  
at com.usps.ppc.refunds.Ifmanifest.streams.indicia.model.IndiciaMessageWrapper.<init>(IndiciaMessageWrapper.java:49)  
at  
com.usps.ppc.refunds.Ifmanifest.streams.indicia.IndiciaSaveDeserializer.deserializePayloadToObject(IndiciaSaveDeserializer.java:79)  
... 22 common frames omitted

The message errors out when the financeNumber look up returns null.

#### Message

```
{"emasID":"1132a887-9915-49c5-a07f-4517ef95bd72","accountNumber":"123456789","CRID":"123456789","accountZipCode":"12346","aic":"110","gla":"41230110","processingCategory":"2","mailingDate":"2025-01-01","IMB":"0070012345600000001200669998","weight":1.2,"postage":0.69,"totalPostage":6.0,"SKU":"DFLLOXXXR00010","mailClass":"FC","fees":[{"name":"Nonmachinable letter fee","SKU":"DX1FOXLRX0000","price":0.46}],extraServices":[{"code":"910","name":"Certified Mail","SKU":"DXXOXXXRX0000","price":4.85}]}
```

#### Error:

```
ERROR 2025-07-24 16:37:02,528 - Supervision in IndiciaSaveDeserializer caught exception: Error while
executing database query.Message sent from [Actor]akka://akka-mesh/user/initializer/comms/rvp/$a/$q/$a#1346331415]] is null.
ERROR 2025-07-24 16:37:02,528 - DataException handling in ReverseProxy Actor, 6.4
(akka_data_exception)
com.usps.akka.exception.record.RecordProcessingException: Error while executing database
query.Message sent from [Actor]akka://akka-mesh/user/initializer/comms/rvp/$a/$q/$a#1346331415]]
is null.
at com.usps.akka.logic.singleuse.lookup.redis.AbstractRedisHGetActor.lambda$createReceive
$0(AbstractRedisHGetActor.java:121)
at akka.japi.pf.UnitCaseStatement.apply(CaseStatements.scala:24)
at akka.japi.pf.UnitCaseStatement.apply(CaseStatements.scala:20)
at scala.PartialFunction.applyOrElse(PartialFunction.scala:214)
at scala.PartialFunction.applyOrElse$(PartialFunction.scala:213)
at akka.japi.pf.UnitCaseStatement.applyOrElse(CaseStatements.scala:20)
at scala.PartialFunction$OrElse.applyOrElse(PartialFunction.scala:269)
at scala.PartialFunction$OrElse.applyOrElse(PartialFunction.scala:270)
at scala.PartialFunction$OrElse.applyOrElse(PartialFunction.scala:270)
at scala.PartialFunction$OrElse.applyOrElse(PartialFunction.scala:270)
at akka.actor.Actor.aroundReceive(Actor.scala:537)
at akka.actor.Actor.aroundReceive$(Actor.scala:535)
at akka.actor.AbstractActor.aroundReceive(AbstractActor.scala:220)
at akka.actor.ActorCell.receiveMessage(ActorCell.scala:580)
at akka.actor.ActorCell.invoke(ActorCell.scala:548)
at akka.dispatch.Mailbox.processMailbox(Mailbox.scala:270)
at akka.dispatch.Mailbox.run(Mailbox.scala:231)
at akka.dispatch.Mailbox.exec(Mailbox.scala:243)
at java.base/java.util.concurrent.ForkJoinTask.doExec(ForkJoinTask.java:290)
at java.base/java.util.concurrent.ForkJoinPool$WorkQueue.topLevelExec(ForkJoinPool.java:1020)
at java.base/java.util.concurrent.ForkJoinPool.scan(ForkJoinPool.java:1656)
at java.base/java.util.concurrent.ForkJoinPool.runWorker(ForkJoinPool.java:1594)
at java.base/java.util.concurrent.ForkJoinWorkerThread.run(ForkJoinWorkerThread.java:183)
```

# Testing

Thursday, December 6, 2018 1:47 PM

1.6 1.7 Workbook

[SSF\\_1\\_6\\_1\\_7\\_workbook\\_V2](#)

# LPI E2E

Tuesday, April 7, 2026 10:30 AM

**crid epsAccount# contract MC**  
42498567 1000250669 2003148

Outbound Mid Related to crid 20537674.

Outbound MID:

```
'900620087': '{"MID_PROF_SEQ": "54905214194920260220", "END_DATE": null, "CRID": "20537674", "EPS_ACCT_NUMBER": "1000014667", "MID": "900620087", "PROD_GRP_NAME": "Outbound", "MASTER_MID": "900619740", "PROD_WRKFLW_NAME": "Live", "LAST_UPDATE_DATE": "/Date(1771576921000)/", "MID_USER_CRID": null, "PROD_WRKFLW_CODE": "L004", "MID_OWNER_CRID": "20537674", "START_DATE": "/Date(1771545600000)/", "PROD_WRKFLW_TYPE": "L", "PDX_FLG": "I", "PAYMENT_TYPE": "E", "PERMIT_NO": "", "PERMIT_TYPE": "", "PERMIT_FINANCE_NO": "", "AGENCY_CODE": "", "AGENCY_COST_CODE": "", "LEGACY_EXTRACT": "N", "POSTAGE_EXT_FORMAT": "", "FILE_VERSION": "", "DESTINATION_FORMAT": "", "FMB": "Y", "UPLOAD_TIME": "2026-04-07T15:21:06.002301+00:00"}
```

Returns Mid related to crid 20559097

Returns MID:

```
900619740:601': '{"MID_PROF_SEQ": "39914914194889120240924", "EPS_ACCT_NUMBER": "1000014667", "PROD_WRKFLW_TYPE": "L", "END_DATE": null, "MAIL_CLASS_DESC": "USPS Ground Advantage Return", "CRID": "20537674", "MAIL_CLASS": "FR", "STC": "601", "MID": "900619740", "PROD_GRP_NAME": "Network Returns", "MASTER_MID": null, "PROD_WRKFLW_NAME": "Returns - Manifest Attributes (Live)", "MID_USER_CRID": null, "PROD_WRKFLW_CODE": "L008", "MID_OWNER_CRID": "20537674", "START_DATE": "/Date(1727136000000)/", "DEFAULT_POSTAGE": "5.5", "PDX_FLG": "I", "PAYMENT_TYPE": "E", "PERMIT_NO": "", "PERMIT_TYPE": "", "PERMIT_FINANCE_NO": "", "AGENCY_CODE": "", "AGENCY_COST_CODE": "", "FMB": "Y", "UPLOAD_TIME": "2026-04-07T18:31:05.257381+00:00"}
```

LC Internation MID related to crid 20429125

```
'LS:00000353:00000353': '{"CRID": "20429125", "MASTER_MID": "900058987", "MID": "900058987", "ALMS_ID": "0", "BARCODE_RANGE_PREFIX": "LS", "BARCODE_LOWER_RANGE": "00000353", "BARCODE_UPPER_RANGE": "00000353", "PREFIX_BARCODE_LOWER_RANGE": "LS00000353", "PREFIX_BARCODE_UPPER_RANGE": "LS00000353", "MAIL_CLASS": "LC", "SERVICE_DESC": "", "EPS_ACCT_NUMBER": "1000013436", "PROD_GRP_NAME": "Outbound", "PROD_WRKFLW_NAME": "Live", "PROD_WRKFLW_CODE": "L004", "PROD_WRKFLW_TYPE": "L", "START_DATE": "2026-02-20", "END_DATE": "", "MID_OWNER_CRID": "20429125", "isPCPostage": "N", "UPLOAD_TIME": "2026-04-07T19:15:20.345416+00:00"}
```

CP International MID Related to crid 20524523

```
{
 "CRID": "20524523",
 "MASTER_MID": "900618947",
 "MID": "900618947",
 "ALMS_ID": "0",
 "BARCODE_RANGE_PREFIX": "CJ",
 "BARCODE_LOWER_RANGE": "50000013",
 "BARCODE_UPPER_RANGE": "50000013",
 "PREFIX_BARCODE_LOWER_RANGE": "CJ50000013",
 "PREFIX_BARCODE_UPPER_RANGE": "CJ50000013",
 "MAIL_CLASS": "CP",
 "SERVICE_DESC": "",
 "EPS_ACCT_NUMBER": "1000012955",
 "PROD_GRP_NAME": "Outbound",
 "PROD_WRKFLW_NAME": "Live",
 "PROD_WRKFLW_CODE": "L004",
 "PROD_WRKFLW_TYPE": "L",
 "START_DATE": "2024-09-27",
 "END_DATE": "",
 "MID_OWNER_CRID": "20524523",
 "isPCPostage": "Y",
 "UPLOAD_TIME": "2026-04-08T13:15:06.388440+00:00"
},
```

PG International MID Related to crid

```
{
 "CRID": "20429125",
 "MASTER_MID": "900058987",
 "MID": "900058987",
 "ALMS_ID": "0",
 "BARCODE_RANGE_PREFIX": "82",
 "BARCODE_LOWER_RANGE": "5500063",
 "BARCODE_UPPER_RANGE": "5500063",
 "PREFIX_BARCODE_LOWER_RANGE": "825500063",
 "PREFIX_BARCODE_UPPER_RANGE": "825500063",
 "MAIL_CLASS": "PG",
 "SERVICE_DESC": "",
 "EPS_ACCT_NUMBER": "1000013436",
 "PROD_GRP_NAME": "Outbound",
 "PROD_WRKFLW_NAME": "Live",
 "PROD_WRKFLW_CODE": "L004",
 "PROD_WRKFLW_TYPE": "L",
 "START_DATE": "2026-02-20",
 "END_DATE": "",
 "MID_OWNER_CRID": "20429125",
 "isPCPostage": "Y",
 "UPLOAD_TIME": "2026-04-08T13:15:06.388440+00:00"
}
```



# Prod issue - Akka upgrade

Tuesday, January 9, 2024 1:08 PM

Actor isn't tracking where it is correctly.

Which Actor?

Manifest-3-ssf-parsing

If the actor is restarted, it will reset back a week or to the deployment

It takes a while to catch up through

Scaling from 1 pod to 24 pods isn't enough

Going to have to:

- Run in records
- Stop the actor
- Run in more records
  - The system should pick up from after the restart.

Have TSLC to show the before and after

Workaround

Manually set the offset.

But that doesn't really work well but we will have to for a couple days

[2:20 PM] Lopez, Daria  
kafka group ids

AC for the CHange

1. when a pod is rescaled the logs should show that the pod is reading from the correct offset
2. consumer lags must move forward as files are processed:  
group id: manifest-package-builder-{env}
3. redis is keeping track of the latest offsets:  
redis key: ppcmanifest-{env}:kafka-source:manifest-3-ssfparsing-othersrc:committed
4. pod continues to process even if files that are in queue are not found in the processing directory  
config is set to confirm 256 files, so more than 256 files must be deleted from the directory

Point 2

this is the command for dev2:

```
kafka-consumer-groups.bat --bootstrap-server kafka-path1.apps.nonprod.aws.usps.gov:443 --
command-config sit.properties --group manifest-package-builder-dev1 --describe
```

Point 4

yes, will need to scale down manifest-3-ssf-parsing. Then upload the files and wait for them to get on the topic and they will also show up on the lag. Then we will have to delete the files from the processing folder (I think will only be able to do this in dev1).

1. Scale down the ssfparsing pod,
2. upload the files.
3. After they hit the enrolled-files topic\* (pkgplfm-manifest-dev1-enrolled-files)
4. Delete the files from the processing folder
  - oc rsh pod name (it could be any of the pods that have access to the volume: manifest-1-

enrollment, spmf-1-file-enrollment, but probably don't use manifest-3-ssfparsing because you will be scaling it down). Example:

- `oc rsh manifest-1-enrollment-85dcd99c58-z9rfz`
- once you are in then you can `cd` to the processing directory:
- `cd /opt/data/processing/ptr`
- Command `ls -lrt` to list the contents in order and give other info like permissions and owner

5. Then scale up the parsing pod.

# REL Testing 01072020

Thursday, January 7, 2021 11:42 AM

Create the Barcodes for the packages

```
{'999929911':
'[{"MID_PROF_SEQ": "1738805053520200401",
"END_DATE": null,
"CRID": "21059868",
"EPS_ACCT_NUMBER": "9999999999",
"MID": "999929911",
"PROD_GRP_NAME": "Domestic Outbound",
"MASTER_MID": "901888564",
"PROD_WRKFLW_NAME": "Pilot",
"LAST_UPDATE_DATE": "/Date(1608556019000)/",
"MID_USER_CRID": "22766027",
"PROD_WRKFLW_CODE": "P002",
"MID_OWNER_CRID": "21059868",
"START_DATE": "/Date(1585699200000)/",
"PROD_WRKFLW_TYPE": "P",
"UPLOAD_TIME": "2021-01-07T17:21:15.133558+00:00"}]',

'817':
'{"mailClassCode": "EX", "extraServiceCode1": "981", "extraServiceCode2": "986", "extraServiceCode3":
"", "extraServiceCode4": "", "extraServiceCode5": "", "UPLOAD_TIME": "2020-10-16T21:07:12.339104+
00:00"}'

'810': {'mailClassCode': "PM", "extraServiceCode1": "990", "extraServiceCode2": "922", "extraServiceCode3": "",
"extraServiceCode4": "", "extraServiceCode5": "", "UPLOAD_TIME": "2020-10-16T21:07:12.339104+00:00"}'

'195': {'mailClassCode': "FC", "extraServiceCode1": "940", "extraServiceCode2": "921", "extraServiceCode3": "",
"extraServiceCode4": "", "extraServiceCode5": "", "UPLOAD_TIME": "2020-10-16T21:07:12.339104+00:00"}'
```

```
SELECT file_name, class_of_mail, processing_category, destination_rate_indicator, rate_indicator,
domestic_zone, postal_routing_barcode
FROM ssf_package
WHERE file_name = '20210107135545000_EX_Scenario1_v2.manifest_1610049614';
```

# NMATS Feed back

## Topic

Thursday, December 19, 2019 8:58 AM

File Type B -

- packages get rejected if the length is incorrect
- Does not get rejected if the starting characters are wrong

# IMPB / Tracking Num/ PIC

Friday, September 6, 2019 5:11 PM

The IMPB is a barcode

This barcode is the Tracking Number

The Pic is apart of the tracking number/ barcode

The EFN (Electronic File Number) is Completely different from the above.

# Construction

Monday, August 5, 2019 2:39 PM

1) Verify the EFN construction for online mailers

2-digits - AI 94

3-digits - '750', '757', or '759'

2-digits - source identifier

6- or 9-digits - MID

6-digit MIDs which start with 0-8

9-digit MIDs which start with 0-9

5- or 8-digits Serial number depending on construct used 8-digit serial # for 6-digit MID and 5-digit MID for 9-digit MID

1-digit - check digit The field does not contain AI 91 and STC 50

# Auto Correct Rate Indicator

Friday, June 7, 2019 3:30 PM

Rate Indicator = DN & Dimensions = NULL & Weight = NULL

Rate Indicator = DR & Dimensions = NULL & Weight = NULL

Rate Indicator = CP & Dimensions = NULL

## Scenarios

### 1. Should Auto correct to SP

- Rate Indicator = DN
- Length = NULL
- HEIGHT = NULL
- WIDTH = NULL
- WEIGHT = NULL

### 2. Should **NOT** Auto correct to SP

- Rate Indicator = DN
- Length = 1
- HEIGHT = NULL
- WIDTH = NULL
- WEIGHT = NULL

### 3. Should **NOT** Auto correct to SP

- Rate Indicator = DN
- Length = NULL
- HEIGHT = 1
- WIDTH = NULL
- WEIGHT = NULL

### 4. Should **NOT** Auto correct to SP

- Rate Indicator = DN
- Length = NULL
- HEIGHT = NULL
- WIDTH = 1
- WEIGHT = NULL

### 5. Should **NOT** Auto correct to SP

- Rate Indicator = DN
- Length = NULL
- HEIGHT = NULL
- WIDTH = NULL
- WEIGHT = 1

### 6. Should Auto correct to SP

- Rate Indicator = DR
- Length = NULL
- HEIGHT = NULL
- WIDTH = NULL
- WEIGHT = NULL

### 7. Should **NOT** Auto correct to SP

- Rate Indicator = DR
- Length = 1
- HEIGHT = NULL
- WIDTH = NULL

- WEIGHT = NULL
- 8. Should NOT Auto correct to SP**
  - Rate Indicator = DR
  - Length = NULL
  - HEIGHT = 1
  - WIDTH = NULL
  - WEIGHT = NULL
- 9. Should NOT Auto correct to SP**
  - Rate Indicator = DR
  - Length = NULL
  - HEIGHT = NULL
  - WIDTH = 1
  - WEIGHT = NULL
- 10. Should NOT Auto correct to SP**
  - Rate Indicator = DR
  - Length = NULL
  - HEIGHT = NULL
  - WIDTH = NULL
  - WEIGHT = 1
- 11. Should Auto correct to SP**
  - Rate Indicator = CP
  - Length = NULL
  - HEIGHT = NULL
  - WIDTH = NULL
- 12. Should NOT Auto correct to SP**
  - Rate Indicator = CP
  - Length = 1
  - HEIGHT = NULL
  - WIDTH = NULL
- 13. Should NOT Auto correct to SP**
  - Rate Indicator = CP
  - Length = NULL
  - HEIGHT = 1
  - WIDTH = NULL
- 14. Should NOT Auto correct to SP**
  - Rate Indicator = CP
  - Length = NULL
  - HEIGHT = NULL
  - WIDTH = 1



# Running Files In

Tuesday, May 7, 2019 10:37 AM

Scan/Verify/Pricing ETE

Thursday, April 18, 2019 1:33 PM

- ETE 1:
  - MID/STC: 900058735:659

ETE 2:

- Scenario 1:
  - MID/STC: 918189789:916
  - Mail Class: PM
  - PIC: 9491612918189789012018
  - EFN: 9475012918189789012018
  - TrackingNum: 420782219491612918189789012018
  - PROD\_GRP\_NAME: "Domestic Outbound"
  - Weight: 0.5 lbs
- Scenario 2:
  - MID/STC: 900021933:029
  - Mail Class: PM
  - Start Date: 1551312000000 (2/27/19)
  - PIC: 9402912900021933020228
  - EFN: 9475012900021933020221
  - TrackingNum: 420782219402912900021933020228
  - PROD\_GRP\_NAME: "Domestic Outbound"
  - Weight: 0.5 lbs

ETE 3:

- Scenario 1:
  - MID/STC: 918189789:916
  - Mail Class: PM
  - PIC: 9491612918189789020426
  - EFN: 9475012918189789020327
  - TrackingNum: 420782219491612918189789020426
  - PROD\_GRP\_NAME: "Domestic Outbound"
  - Manifest Weight: 0.5
  - Scan Weight: 0.625
- Scenario 2:
  - MID/STC: 900021940:029
  - Mail Class: PM
  - PIC: 9402912900021940020327
  - EFN: 9475012900021940020320
  - TrackingNum: 420782219402912900021940020327
  - PROD\_GRP\_NAME: "Domestic Outbound"
  - Manifest Weight: 0.5
  - Scan Weight: 0.6
- Scenario 3:
  - MID/STC: 900021940:104
  - Mail Class: PM
  - PIC: 9410412900021940020444
  - EFN: 9475012918189789020341
  - TrackingNum: 420782219410412900021940020444
  - PROD\_GRP\_NAME: "Domestic Outbound"
  - Manifest Weight: 0.0001
  - Scan Weight: 0.9999

ETE 5:

- Scenario 1:
  - MID/STC: 900021939:828
  - Mail Class: GR
  - Start Date:
  - PIC: 9482812900021939020511
  - EFN: 9475012900021939020515
  - TrackingNum: 420782459482812900021939020511
  - PROD\_GRP\_NAME: Manifest Returns
  - PROD\_WRKFLW\_CODE: "L008"
  - Manifest Weight: 0.5 (0.0001-0.999)
  - Scan Weight:
- Scenario 2:
  - MID/STC: 900021939:822
  - Mail Class: GR
  - Start Date:
  - PIC: 9482212900021939020526
  - EFN: 9475012900021939020522
  - TrackingNum: 420782459482212900021939020526
  - PROD\_GRP\_NAME: Network Returns
  - PROD\_WRKFLW\_CODE: "L006"
  - Manifest Weight: 0.5 (0.0001-0.999)
  - Scan Weight:
- Scenario 3:
  - MID/STC: 918189789:396
  - Mail Class: GR
  - PIC: 9439612918189789020532
  - EFN: 9475012918189789020532
  - TrackingNum: 420782459439612918189789020532
  - PROD\_GRP\_NAME: Network Returns
  - PROD\_WRKFLW\_CODE: "P007"
  - Manifest Weight: 0.1 (0.0001- 70)
- Scenario 4:
  - MID/STC 900021939:822
  - Mail Class:
  - PIC: 9482212900021939020540
  - EFN: 9475012900021939020546

PM ETE 2

[{"MID\_PROF\_SEQ": "283337559420190228", "UPLOAD\_TIME": "2019-05-21T19:05:15.629729+00:00", "EPS\_ACCT\_NUMBER": "1000001396", "PROD\_WRKFLW\_TYPE": "L", "END\_DATE": null, "MAIL\_CLASS\_DESC": "Priority Mail", "CRID": "20430236", "MAIL\_CLASS": "PM", "STC": "916", "MID": "918189789", "PROD\_GRP\_NAME": "Domestic Outbound", "MASTER\_MID": "901109501", "PROD\_WRKFLW\_NAME": "Price & Charge on Manifest, Validate with Scans & Samples", "MID\_USER\_CRID": null, "PROD\_WRKFLW\_CODE": "L004", "MID\_OWNER\_CRID": "20430236", "START\_DATE": "/Date(1551312000000)/", "DEFAULT\_POSTAGE": null}]

{"MID\_PROF\_SEQ": "28325827120190228", "UPLOAD\_TIME": "2019-05-21T19:05:15.629729+00:00", "EPS\_ACCT\_NUMBER": "1000001396", "PROD\_WRKFLW\_TYPE": "L", "END\_DATE": null, "MAIL\_CLASS\_DESC": "Priority Mail", "CRID": "20429125", "MAIL\_CLASS": "PM", "STC": "029", "MID": "900021933", "PROD\_GRP\_NAME": "Domestic Outbound", "MASTER\_MID": "901071819", "PROD\_WRKFLW\_NAME": "Price & Charge on Manifest, Validate with Scans & Samples", "MID\_USER\_CRID": null, "PROD\_WRKFLW\_CODE": "L004", "MID\_OWNER\_CRID": "20429125", "START\_DATE": "/Date(1551312000000)/", "DEFAULT\_POSTAGE": null},

PM ETE 3 Scenario 2

{"MID\_PROF\_SEQ": "28875827120190514", "UPLOAD\_TIME": "2019-05-21T19:05:15.629729+00:00", "EPS\_ACCT\_NUMBER": "1000001417", "PROD\_WRKFLW\_TYPE": "P", "END\_DATE": null, "MAIL\_CLASS\_DESC": "Priority Mail", "CRID": "20429125", "MAIL\_CLASS": "PM", "STC": "029", "MID": "900021933", "PROD\_GRP\_NAME": "Domestic Outbound", "MASTER\_MID": "900021939", "PROD\_WRKFLW\_NAME": "Price on Manifest, Validate with Scans & Samples", "MID\_USER\_CRID": null, "PROD\_WRKFLW\_CODE": "P002", "MID\_OWNER\_CRID": "20429125", "START\_DATE": "/Date(1557792000000)/", "DEFAULT\_POSTAGE": null},

PM ETE 3 Scenario 3

900021940:104  
[{"MID\_PROF\_SEQ": "283258411920190228", "UPLOAD\_TIME": "2019-05-22T17:05:18.568750+00:00", "EPS\_ACCT\_NUMBER": "1000001396", "PROD\_WRKFLW\_TYPE": "L", "END\_DATE": null, "MAIL\_CLASS\_DESC": "Priority Mail", "CRID": "20429125", "MAIL\_CLASS": "PM", "STC": "104", "MID": "900021940", "PROD\_GRP\_NAME": "Domestic Outbound", "MASTER\_MID": "901071819", "PROD\_WRKFLW\_NAME": "Price & Charge on Manifest, Validate with Scans & Samples", "MID\_USER\_CRID": "20429125", "PROD\_WRKFLW\_CODE": "L004", "MID\_OWNER\_CRID": "20429125", "START\_DATE": "/Date(1551312000000)/", "DEFAULT\_POSTAGE": null},

PM - L008

900021939:828 Mail class GR for both L008

918189789:396 - Mail Class GR P007

[{"MID\_PROF\_SEQ": "28223754720190228", "UPLOAD\_TIME": "2019-05-22T17:25:10.672940+00:00", "EPS\_ACCT\_NUMBER": "9999999999", "PROD\_WRKFLW\_TYPE": "P", "END\_DATE": null, "MAIL\_CLASS\_DESC": "Ground Return Service", "CRID": "20430236", "MAIL\_CLASS": "GR", "STC": "396", "MID": "918189789", "PROD\_GRP\_NAME": "Network Returns", "MASTER\_MID": "901071821", "PROD\_WRKFLW\_NAME": "Returns - Manifest Attributes (Pilot)", "MID\_USER\_CRID": null, "PROD\_WRKFLW\_CODE": "P007", "MID\_OWNER\_CRID": "20430236", "START\_DATE": "/Date(1551312000000)/", "DEFAULT\_POSTAGE": "10"}]

900021940:601 Mail Class GR for both P005

PM - L006 - Valid STC

900021939:668:[{"MID\_PROF\_SEQ": "27785625820190402", "UPLOAD\_TIME": "2019-05-15T19:25:12.911594+00:00", "EPS\_ACCT\_NUMBER": "1000001396", "PROD\_WRKFLW\_TYPE": "L", "END\_DATE": null, "MAIL\_CLASS\_DESC": "Priority Mail", "CRID": "20429125", "MAIL\_CLASS": "PM", "STC": "668", "MID": "900021939", "PROD\_GRP\_NAME": "Network Returns", "MASTER\_MID": null, "PROD\_WRKFLW\_NAME": "Price Postage|Insurance & Charge on Manifest attributes| Validate with Scans & Samples", "MID\_USER\_CRID": "20429125", "PROD\_WRKFLW\_CODE": "L006", "MID\_OWNER\_CRID": "20429125", "START\_DATE": "/Date(1554163200000)/"}]

- Manifest Weight: 0.1 (0.0001 - 70)
- "DEFAULT\_POSTAGE": "10"]}
- Scenario 4:
  - MID/STC 900021939:822
  - Mail Class:
  - PIC: 9482212900021939020540
  - EFN:9475012900021939020546
  - TrackingNum: 420782459482212900021939020540
  - PROD\_GRP\_NAME:
  - PROD\_WRKFLW\_CODE: "L006"
  - Manifest Weight: 0.1 (0.0001 - 70)
- 900021940:601 Mail Class GR for both P005
  - Mail Class: GR
  - 900021939:
  - 822
- Scenario 5:
  - MID/STC: 900021940:601
  - Mail Class: GR
  - Start Date:
  - PIC: 9460112900021940020554
  - EFN: 9475012900021940020559
  - TrackingNum: 420782459460112900021940020554
  - PROD\_GRP\_NAME: "Network Returns"
  - PROD\_WRKFLW\_CODE: "P005"
  - Manifest Weight: 0.1 (0.0001 - 70)
  - Scan Weight:
- Scenario 6:
  - New MID/STC: 918189789:396
  - Mail Class: GR
  - Start Date:
  - PIC: 9439612918189789020563
  - EFN:9475012918189789020563
  - TrackingNum: 420782459439612918189789020563
  - PROD\_GRP\_NAME: Network Returns
  - PROD\_WRKFLW\_CODE: "P007"
  - Manifest Weight: 0,1 (0.0001 - 70)
  - Scan Weight:

# Validation AC

Tuesday, February 19, 2019 10:54 AM

Address Service Participant Code

Validate the Ancillary Service Endorsement field in the Detail Record 1 SSF v2.0


Expected Field Data is now (Alphanumeric / Numeric/ required)

Ssf\_package\_error is raw data

Ssf\_package is the correct data

# Package Direction Logic

Thursday, February 14, 2019 11:51 AM



# Auto Correction Worksheet

Tuesday, January 22, 2019 2:34 PM

- Auto Truncate - Fields are too long - STORY B-285773
  - Make new Test data based on vetted happy path
- Customer Reference Format - STORY B-298122
  - Position 21
- Date of Mailing - STORY B-285777
  - Position 4
- Auto-Correct Domestic Zone - STORY B-285778
  - D1 - Position 38
    - Interface with Pricing Service
      - `Un_Zone("00"),`
      - `Zone_1("01"),`
      - `Zone_2("02"),`
      - `Zone_3("03"),`
      - `Zone_4("04"),`
      - `Zone_5("05"),`
      - `Zone_6("06"),`
      - `Zone_7("07"),`
      - `Zone_8("08"),`
      - `Zone_9("09"),`
      - `Local_Zone("LC");`
  - Dependent On
    - entryFacilityZipCode
    - destinationZip
    - dateOfMailing
    - classOfMail
- Class of Mail - STORY B-298004
  - D1 - Position 3
  - Interface with Pricing Service
- Extra Service Code (ESC) - STORY B-298005
  - D1 - Position 4
  - Interface with Pricing Service
- Auto-Correction Logs - STORY B-294106
  - Not a field auto correction

## Auto Correction Stories

- Auto truncate
  - Invalid / Too Long Dataset
    - Required field can not be auto truncated
  - Valid / Too long dataset
- Customer Reference format
  - Ensure it is in the
- Date of Mailing
  - Verify date past / future
  - Need to check if the date is inclusive for the year
  - If format is wrong then reject do not auto correct
- Domestic zone
  - Good Path / Bad Path
  - What happens if pricing returns NULL?
    - Returns an error
  - Set up Data for this
    - Use the postman API to figure out what zone we need to put in
- Class of Mail
  - How it works:
    - Input STC into pricing Get back Class of mail
      - ◻ If wrong, Update Class of mail to what pricing says
  - What happen if pricing returns NULL?
  - Good & bad
  - Not yet built...
  - Will there be an API for this?
- ESC
  - We don't understand - Reach out to Jaime
    - If Jaime does not know
      - ◻ Set up call with Assadullah, Jaime, Lynora, Marcus

## Auto Truncate Scenarios

- One for invalid Values
- One for Valid values
- Date of mailing
  - Multiple scenarios
    - Time Frame
      - ◻ Future
      - ◻ 1 year in the past

## Header Record 1:

-Header ID  
-EFN  
-Electronic File Type  
-Date of Mailing  
-Time of Mailing  
-Entry Facility ZIP Code  
-USPS Electronic File Version  
Number  
Detail Record 1:  
-Detail Record ID  
-Tracking Number  
-Service Type Code  
-Barcode Construct Code  
-Weight  
-Length  
-Width  
-Height  
-Dimensional Weight  
-Value of Article

## Auto Correction Data Sets

- ✓ Auto-Correct Record Length Valid
- ✓ Auto-Correct Record Length Invalid
- ✓ Auto-Correct Customer Reference Format (Special Characters)
  - Row 3
- ✓ Auto-Correct Date of Mailing (Exactly Year in the Past)
  - Row 12 (Need to update at time of running)
- ✓ Auto-Correct Date of Mailing (Exactly Year in the Future)
  - Row 10 (Need to update at time of running)
- ✓ Auto-Correct Date of Mailing (More than a Year in the Future)
  - Row 8
- ✓ Auto-Correct Date of Mailing (More than a Year in the Past)
  - Row 6
- ✓ Auto-Correct Date of Mailing (Bad Format)
  - Row 4
- ✓ Auto-Correct Domestic Zone (Invalid - Pricing Inputs)
  - Row 18
  - Row 16
- ✓ Auto-Correct Domestic Zone (Valid - Pricing Inputs)
  - All other values 'should' be correct
- ✓ Auto-Correct Class of Mail (Invalid)
  - Row 20?
- ✓ Auto-Correct Class of Mail (Valid (Will need to run one test run and then update to create a Valid data set))
  - Row 22?
- Auto-Correct Extra Service Code (Invalid)
  - Waiting for Clarification
- Auto-Correct Extra Service Code (Valid)
  - Waiting for Clarification

# Testing Worksheet

Monday, December 31, 2018 8:43 AM

The logic for Required Missing Fields is not yet in.

Tables:

Ssf\_package  
Validation\_result

Happy Path Failed Validations - 1/28/19:

## Questions / Issues

- Fast Scheduled Induction Time - D1 - 24 -- Failed with a null value - Is that correct?
  - Passed Verification with: 000000
- Fast Scheduled Induction Data - D1 - 23 -- Failed with a null value - Is that correct?
  - Passed Verification with: 00000000
- Fast Reservation Number - D1 - 22 -- Failed with a null value - Is that correct?
  - Passed Verification with: FAST11111111

## Known Issues:

- Service Type Code D1 - Position 4 - Failed Verification

- Transaction ID D1 - 14 -Fail Verification

## Data Issues:

- Tracking Number is D1 - 2- Failed Verification - (Failed due to check digit. Need to update data)
- Container Type 1 - D1 - 15 - Data Issues - I am updating data to add in data
- Removal Indicator D1 - 72 - Data Issue - I am updating data to be null

Bad\_Path Validations - 1/29/19:

- Width D1 Position 41 - Passed
- Weight D1 Position 35 - Passed

## Known Issues:

```
SELECT *
FROM ssf_package;
```

```
WHERE file_name = ('Required_Fields_Missing.manifest.raw');
```

```
SELECT file_name, field, valid, description
FROM Validation_result
WHERE field LIKE ('%ID%');
```

```
SELECT file_name, field, valid, description
FROM Validation_result
WHERE valid = ('false')
AND file_name = ('Required_Fields_Missing.manifest.raw');
```

```
SELECT file_name, field, valid, description
FROM Validation_result
WHERE valid = ('false')
AND field LIKE ('%ID%');
```

```
SELECT file_name, field, valid, description
FROM Validation_result
WHERE valid = ('false')
AND file_name = ('Required_Fields_Missing.manifest.raw');
```

```
SELECT file_name, field, valid, description
FROM Validation_Result
WHERE file_name = ('Happy_Path.manifest.raw')
AND valid = ('false')
AND field = ('DestinationRateIndicatorValidator');
```

```
SELECT ssf_package.file_name, ssf_package.Non_Incidental_Enclosure_Class,
validation_result.valid, validation_result.description
FROM ssf_package, validation_result
WHERE ssf_package.file_name = validation_result.file_name
AND ssf_package.file_location = validation_result.file_location
AND ssf_package.tracking_number = validation_result.tracking_number
AND validation_result.field = ('NonIncidentalEnclosureClassValidator')
AND ssf_package.file_name = ('Happy_Path.manifest.raw')
ORDER BY validation_result.valid;
```

Need to fix the EFN with the correct STC  
Need to fix the

```
SELECT detail1_recor_id, tracking_number, Class_of_Mail, Service_Type_Code,
Barcode_Construct_Code, Destination_Zip_Code,
Destination_Zip_4, Destination_Facility_Type, Destination_Country_Code,
Foreign_Postal_Code, Carrier_Route,
Logistics_Manager_Mailer_ID, Mail_Owner_Mailer_ID, Container_ID_1,
Container_Type_1, Container_ID_2, Container_Type_2,
Container_ID_3, Container_Type_3, Mail_Owner_CRID,
customer_reference_num, FAST_Reservation_Num,
FAST_Schedule_Induction_Date,
FAST_Schedule_Induction_Time, Payment_Account_Number,
Method_of_Payment, Post_Office_of_Account_Zip_Code,
Meter_Serial_Number, Chargeback_Code, Postage, Postage_Type,
Customized_Shipping_Services_Contracts_num,
Customized_Shipping_Services_Contracts_Product_ID, Unit_of_Measure_Code,
Weight, Processing_Category, Rate_Indicator,
Destination_Rate_Indicator, Domestic_Zone, Length, Width, Height,
Dimensional_Weight,
Extra_Service_Code_1st_Service, Extra_Service_Fee_1st_Service,
Extra_Service_Code_2nd_Service, Extra_Service_Fee_2nd_Service,
Extra_Service_Code_3rd_Service, Extra_Service_Fee_3rd_Service,
Extra_Service_Code_4th_Service, Extra_Service_Fee_4th_Service,
Extra_Service_Code_5th_Service, Extra_Service_Fee_5th_Service,
Value_of_Article, COD_Amount_Due_Sender,
Handling_Charge, Surcharge_Type, Surcharge_amount, Discount_Type,
Discount_Amount, Non_Incidental_Enclosure_Rate_Indicator,
Non_Incidental_Enclosure_Class, Non_Incidental_Enclosure_Postage,
Non_Incidental_Enclosure_Weight,
Non_Incidental_Enclosure_Processing_Category, Postal_Routing_Barcode,
Open_and_Distribute_Contents_Indicator,
PO_Box_Indicator,
Waiver_of_Signature_Carrier_Release_Customer_Delivery_Preferenc, Delivery_
Option_Indicator, Destination_Delivery_Point,
Removal_Indicator, Tracking_Indicator,
Original_Label_Tracking_Number_Barcode_Construct_code,
Original_Tracking_num,
Customer_Reference_Num_2, Recipient_Name, Delivery_Address,
Ancillary_Service_Endorsement, Address_Service_Participant_Code,
Key_line, Return_Address, Return_Address_City, Return_Address_State,
Return_Address_Zip_code, Logistics_Mailing_Facility_CRID
FROM ssf_package
WHERE file_name = 'Happy_Path.manifest.raw';
```

```
SELECT file_name, count(*)
FROM ssf_package
WHERE file_name like "
GROUP BY file_name;
```

```
SELECT *
FROM Validation_result
WHERE file_name = ('Bad_Values_V7.manifest.raw')
AND
field LIKE ('%Enrollment%');
```

```
SELECT *
FROM Validation_result
WHERE file_name = ('Bad_Values_V7_2.manifest.raw')
AND
field LIKE ('%Enrollment%');
```

# Bad Path 1/29

Tuesday, January 29, 2019 11:47 AM

Width Passed



# Check digit

Monday, January 28, 2019 2:37 PM

This is used for both for the Tracking Number & EFN

Last digit is the Check digit:

9 2 7 5 0 9 0 1 9 5 8 4 8 8 0 0 0 6 2 1 2 0 8 5

Separate all even positions in a EFN Starting at position 0

- So 9 7 0 0 9 8 8 0 0 6 1 0

Add them all up

- 53

Separate all Odd positions starting at position 1

- 2 5 9 1 5

Add them all up

$10 - (10 \bmod ((\text{Sum of Evens} * 3) + \text{Sum of Odds}))$

$10 - (10 \bmod ((24 * 3) + 26))$

9 3 7 5 0 9 0 0 1 4 1 1 1 1 1 1 1 1 1

$9 + 7 + 0 + 0 + 0 + 4 + 1 + 1 + 1 + 1 + 1 = 25$

$3 + 5 + 9 + 0 + 1 + 1 + 1 + 1 + 1 + 1 + 1 = 23$

# Kafka Validation Status

Thursday, January 17, 2019 2:16 PM

Verify Kafka for each validation (Field)

- Kafka is working locally
  - Kafka does not work in DEV
  - "Development-wise it is done" - Pooja
    - Development of all validation stories
  - The message is the same for each field. Only the name changes.
- 
- Epic feature story - is it build - does it work - comment
    - Use drop downs
      - Complete
      - Blocked
      - Broke

Need to compare what is in my kafka messages against what is in the database

```
kafka-console-consumer.bat --bootstrap-server kafkabrokerdev-aws.usps.gov:9092 --from-beginning --topic pkgplfm-manifest-dev2-manifest-validation-output a > kafka_Results.csv
```

# Test Data

Wednesday, November 28, 2018 2:18 PM

92750901958488000062120848  
11111111111111111111111111111111 - EFN

901958488  
000000001 - MID

222010127123456789912345  
11111111111111111111111111111111 - Container 1

99N123456789000012345678  
22222222222222222222222222222222 - Container 2

99T123456789123  
33333333333333333333333333333333 - Container 3

AB1234567856  
FAST111111111 - Fast Reservation Number

5678123598  
4444444444 - Meter Serial Number

PSR090108AB001  
ABC111111111111 - Customized Shipping Services Contracts Product ID

Abc - Key Line

987987  
555555 - CRID

# Dependency

Monday, January 7, 2019

9:00 AM

- EFN - No dependency mentioned
- Direct Entry Origin Country Code - no Dependency mentioned
- Shipment fee code - no dependency mentioned
- Extra Fee for Shipment - No dependency mentioned
- Tracking Number - No Dependency Mentioned
- Service Type Code - No Dependency Mentioned
- Barcode Construct Code - No Dependency Mentioned
- Destination Zip Code - No Dependency Mentioned
- Destination ZIP 4 - No dependency mentioned
- Destination Facility Type - No Dependency Mentioned
- Destination Country Code - No Dependency Mentioned
- Foreign Postal Code - No Dependency mentioned
- Carrier Route - No Dependency mentioned
- Container Type 1 - No Dependency mentioned
- Container Type 2 - No Dependency mentioned
- Container Type 3 - No Dependency mentioned
- Method of Payment- No Dependency mentioned
- Post office of account Zip code - No Dependency mentioned
- Meter Serial Number - No Dependency mentioned
- Destination Rate Indicator - No Dependency mentioned
- Length - No Dependency mentioned
- Width - No Dependency mentioned
- Height - No Dependency mentioned
- Dimensional Weight - No Dependency mentioned
- Extra Service Fee 1st Service - Required when ESC 1st service is populated
- Extra Service Fee 2nd Service - Required when ESC 2nd service is populated
- Extra Service Fee 3rd Service - Required when ESC 3rd service is populated
- Extra Service Fee 4th Service - Required when ESC 4th service is populated
- Extra Service Fee 5th Service - Required when ESC 5th service is populated
- Handling Charge - No Dependency mentioned
- Non Incidental Enclosure Rate Indicator - No Dependency mentioned
- Non Incidental Enclosure class - No Dependency mentioned
- Non Incidental Enclosure postage - No Dependency mentioned
- Non Incidental Enclosure Weight - No Dependency mentioned
- Non Incidental Enclosure Processing Category - No Dependency mentioned
- Open and Distribute Contents Indicator - No Dependency mentioned
- PO Box Indicator - No Dependency mentioned
- Waiver of Signature Carrier Release - Required when Mail class is Priority mail Express
- Delivery Option Indicator - No Dependency mentioned
- Destination Delivery Point - No Dependency mentioned

## Required Fields

Thursday, November 15, 2018 1:35 PM

A manifest file is a Electronic File.  
There are 4 types of Electronic Files.  
Depending on the file type, there are different required field.  
The Electronic File Type is defined in Header Record 1, Position 3

There are four Electronic File  
Types:  
(1) Type "1" (Tracking and Postage  
File) for original eVS file  
(2) Type "2" (Tracking File) for  
original confirmation services file  
(3) Type "3" (Return Service) for  
original PRS file  
(4) Type "4" (Corrections) for  
submitting a correction to original  
file

Some fields are required if the Mailing is  
International. How do we know if it is  
international

- STC must be spaces
- The Barcoe construct Code must be spaces
- Destination Zip Code will be all zeroes
- There is a field for Foreign Postal Code (D1, P10)
- Class of Mail Code - D1, P3
- Destination Rate Indicator Code, D1, P38
- Destination Country Code (D1, P9)

Mail of class code

| File Version     |          |                                           | Record Position                  |                |                |
|------------------|----------|-------------------------------------------|----------------------------------|----------------|----------------|
| Version 1.6, 1.7 |          |                                           | 037-038                          |                |                |
| Version 2.0      |          |                                           | 3                                |                |                |
| PTR Code         | EDI Code | Description                               | Confirmation Services Applicable | eVS Applicable | PRS Applicable |
| BB               | SG       | Bound Printed Matter                      | Y                                | Y              | N              |
| BL               | CG       | Library Mail                              | Y                                | Y              | N              |
| BP               | ST       | Standard Post                             | Y                                | Y              | N              |
| BS               | 09       | Media Mail                                | Y                                | Y              | N              |
| CM               | ES       | Critical Mail                             | N                                | N              | N              |
| CP               | IA       | Priority Mail International Parcels       | Y                                | N              | N              |
| DM               | GT       | Domestic Matter for the Blind             | Y                                | N              | N              |
| EX               | CX       | Priority Mail Express                     | Y                                | Y              | N              |
| FC               | FC       | First-Class Package Service               | Y                                | Y              | N              |
| IE               | IL       | Priority Mail Express International       | Y                                | N              | N              |
| LC               | BC       | First-Class Package Service International | Y                                | N              | N              |
| LW               | ZZ       | Parcel Select Lightweight                 | Y                                | Y              | N              |
| MR               | DR       | Priority Mail Return Service              | N                                | N              | Y              |
| PD               | CE       | Global Express Guaranteed                 | Y                                | N              | N              |
| PM               | PB       | Priority Mail                             | Y                                | Y              | N              |
| PS               | G2       | Parcel Select                             | Y                                | Y              | N              |
| RP               | RS       | Parcel Return Service retail channel      | N                                | Y              | Y              |
| S2               | D1       | Standard Mail Marketing                   | Y                                | Y              | N              |
| SA               | SA       | Standard Mail                             | Y                                | Y              | N              |

# Test Script

Wednesday, November 28, 2018 1:09 PM

## Happy path

- H1
- D1 Fields

For validations:  
Expected results for invaild results are to publish to the manifest service kafka service.

## Bad path

- H1
- D1 Fields

Kafka Topics  
Auto Corrected (JSON)  
Error / Warning (JSON)  
Raw File?

Import step  
Process picks up  
File split  
Verify value is in database

3 general test scripts  
Vaild  
Invaild  
Auto truncate

Script about required fields

## Manifest

- Release 2.0
- Build
- Test
- TSCL
- Design

# Testing Questions

Tuesday, November 6, 2018 3:25 PM

## Address Service Participant Code:

- What happens when this field fails validation?
  - Do we null the field, regret the file?

## How to test Duplicate EFNs

## How to test Incorrect Submissions

## Ancillary Service Endorsement

- What happens when this field fails validation
  - It is not required

## Barcode Construct Code

- The field wants a 3-character code but accepts up to 4 alphanumeric characters.

Reject any bad barcode

These have to be correct:  
EFN-  
Tracking Number

For any non required field, if the field is invalid, what is the excepted outcome?  
We null / put in spaces

## Questions:

- Scenarios are for each invaild - in parsing stories
- What is STC
- Different validations for 6 or 9 digits
- What happens to files that fail validation

The Manifest Service will:

1) Auto-correct any manifests that fail the Record Lengths validations

-Fields that exceed the maximum required length will be truncated to the correct length

-The following fields cannot use this auto-correct:

Header Record 1:

-Header ID

-EFN

-Electronic File Type

-Date of Mailing

-Time of Mailing

-Entry Facility ZIP Code

-USPS Electronic File Version Number

Detail Record 1:

Decimal Fields that can be NULL  
Extra Fee for Shipment  
COD Amount Due Sender  
Extra Service Fee 1st - 4th  
Handling Charge  
Surcharge amount  
Discount Amount  
Non - Incidental Enclosure Postage  
Non - Incidental Enclosure Weight

-Entry Facility ZIP Code  
-USPS Electronic File Version Number

Detail Record 1:

-Detail Record ID  
-Tracking Number  
-Service Type Code  
-Barcode Construct Code  
-Weight  
-Length  
-Width  
-Height  
-Dimensional Weight  
-Value of Article

2) Publish a Kafka message to the Manifest Service topic:

-Master EFN  
-Child EFN  
-File Location  
-File Name  
-Tracking Number  
-Validation Performed  
-Description: "Field | Provided Value | Reason Code |  
Auto-corrected Value"

Discount Amount

Non - Incidental Enclosure Postage

Non - Incidental Enclosure Weight



# Test Scenarios

Tuesday, October 30, 2018 10:59 AM

For Validation:

- Each User Story will have the follow
- 1 test script for a field

Receive database

Valid

Validation - fail

Combine the two exisiting Test scenarios for vaild field and database entry.

# ICR Testing - Nmats

Wednesday, July 3, 2019 8:16 AM

For testing, you can use the following command:

```
oc rsync . [ircsource_pod]:/opt/data/inbound/nmats --no-perms=true
```

ICR Naming convention:

It has to have four or more "\_" and after the second "\_" it has to have ICR. And the extension has to be .csv.

Ex: 1\_2\_ICR\_4\_5.csv

1 extra comma at the end of the record for ICR. Ex ,sss,

just a quick rundown guys, for ICR version 1.5B there should be no decimals in the entire package as decimals are inserted during processing. for 1.5C the date format has changed so that needs to be as posted above. Also 1.5B has 43 commas per package while 1.5C has 47 and the big difference between B and C is that 1.5C has package measurements while B does not. So use versions according to data requirements.

ICR Vendor Codes - Vendor ID Code - Provider ID

| Vendor        | Vendor ID Code |
|---------------|----------------|
| Pitney Bowes  | 02             |
| Stamps.com    | 06             |
| Endicia       | 07             |
| EasyPost      | 09             |
| paypal        | PP             |
| Ebay          | EB             |
| Click N' Ship | CS             |

Hey there, what does it mean if a ICR file gets rejected before hitting the nmats-feedback topic?

the filename is not following naming conventions

field1\_field2\_ICR\_field3\_field4.csv

# Design Meeting Master / Child EFN

Wednesday, November 21, 2018 1:55 PM

|                             |                                                                                                                                                                                                                                                      |
|-----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Story Name:</b>          | <b>Master / Child EFN</b>                                                                                                                                                                                                                            |
| <b>Owner:</b>               |                                                                                                                                                                                                                                                      |
| <b>Description :</b>        | As a USPS Manager, I want the Manifest Service to use the first EFN in the Shipping Services File as the Master EFN and all subsequent EFNs as child EFNs, so that the EFN information is available for downstream processing.                       |
| <b>Acceptance Criteria:</b> | The Manifest Service will:<br>1) Mark the first EFN in the SSF as the Master EFN in that file<br>2) Subsequent EFNs are marked as child EFNs<br>3) Store the Master EFN in the "Master EFN" field<br>4) Store the Child EFN in the "Child EFN" field |

Master / Child EFN

## Order of Operations:

Pre parsing - File splitter -We will label the EFNs here

A package is H1 & D1-D5

parsing

Into validation

Into auto correction

How to test this relationship

Put the file in a bucket - file splitting - Kafka

If these values are stored in the database

The functional test could reference the database

Does this story include database components?

Email Marcus and Jaime

Ask how the database is used for this story.

Each H1 has an EFN

The first EFN in the First H1 record is the Master

The following H1 record's EFNs are child EFNs

# IMPB Error APV

Thursday, December 14, 2023

1:53 PM

Can you test the 99219 impb error for APV in dev1? just need to see if the error is sent downstream

[1:45 PM] Lopez, Daria

When processing SSF files Manifest will do the following for outbound packages:

1. If the service type code and mail class is PS or LW and the destination rate indicator is **B**, **S** or **D**, then the package is using the correct destination rate indicator and no IMPB error is flagged.
2. If the service type code and mail class is PS or LW and the destination rate indicator is **NOT B**, **S** or **D**, then the item is using the incorrect destination rate indicator and a new IMPB BQ error should be flagged. ( Error code and description to be provided by client)
3. Program check for Outbound should be configurable.
4. Only do this Error check for packages with mailing date of 07/09/2023 or after. Packages with prior mailing date will not receive this error. The date will be configurable.

like 2

```
618': '{"MA_PROD_GRP_WRKFLW_STC_VW_UK": "3-2-419", "STC_DESC": "Parcel Select COD RRE", "STC_START_DATE": "/Date(1552608000000)/", "STC": "618", "PROD_WRKFLW_TYPE": "P", "PROD_GRP_DESC": "Outbound Desc", "PROD_GRP_NAME": "Outbound", "PROD_WRKFLW_NAME": "Pilot", "PROD_WRKFLW_CODE": "P002", "STC_END_DATE": null, "MAIL_CLASS": "PS", "PFS_FLG": null, "UPLOAD_TIME": "2023-12-14T19:52:05.622959+00:00"}',
```

From <<https://jenkins-aws.usps.gov/job/PPCSelfService/job/ReadRedisCache/3520/consoleText>>

```
'902911030:217': '{"MID_PROF_SEQ": "329981722157885820230709", "EPS_ACCT_NUMBER": "9999999999", "PROD_WRKFLW_TYPE": "P", "END_DATE": null, "MAIL_CLASS_DESC": "USPS Ground Advantage Returns", "CRID": "29029673", "MAIL_CLASS": "FR", "STC": "217", "MID": "902911030", "PROD_GRP_NAME": "Network Returns", "MASTER_MID": null, "PROD_WRKFLW_NAME": "Returns - Manifest Attributes (Pilot)", "MID_USER_CRID": null, "PROD_WRKFLW_CODE": "P007", "MID_OWNER_CRID": "29029673", "START_DATE": "/Date(1688860800000)/", "DEFAULT_POSTAGE": "3.22", "PDX_FLG": "N", "PAYMENT_TYPE": "E", "PERMIT_NO": "", "PERMIT_TYPE": "", "PERMIT_FINANCE_NO": "", "AGENCY_CODE": "", "AGENCY_COST_CODE": "", "UPLOAD_TIME": "2023-12-28T17:12:03.607029+00:00"}]
```

From <<https://jenkins-aws.usps.gov/job/PPCSelfService/job/ReadRedisCache/3579/consoleText>>

```
'315': '{"MA_PROD_GRP_WRKFLW_STC_VW_UK": "3-2-196", "STC_DESC": "Priority Mail Premium Forwarding Service - Local", "STC_START_DATE": "/Date(1551312000000)/", "STC": "315", "PROD_WRKFLW_TYPE": "P", "PROD_GRP_DESC": "Outbound Desc", "PROD_GRP_NAME": "Outbound", "PROD_WRKFLW_NAME": "Pilot", "PROD_WRKFLW_CODE": "P002", "STC_END_DATE": null, "MAIL_CLASS": "PM", "PFS_FLG": "L", "UPLOAD_TIME": "2024-01-08T15:07:04.882896+00:00"}'
```

From <<https://jenkins-aws.usps.gov/job/PPCSelfService/job/ReadRedisCache/3603/consoleText>>

Sit2

```
"STC": "128", "PROD_WRKFLW_TYPE": "L", "PROD_GRP_DESC": "Outbound Desc", "PROD_GRP_NAME": "Outbound", "PROD_WRKFLW_NAME": "Live", "PROD_WRKFLW_CODE": "L004", "STC_END_DATE": null, "MAIL_CLASS": "PM",
```

"PFS\_FLG": "C", "UPLOAD\_TIME": "2024-01-08T15:58:06.717614+00:00"}]}

From <<https://jenkins-aws.usps.gov/job/PPCSelfService/job/ReadRedisCache/3606/consoleText>>

Dev2 returns - 2-21-24

902911030:217': '{"MID\_PROF\_SEQ": "329981722157885820230709", "EPS\_ACCT\_NUMBER": "9999999999", "PROD\_WRKFLW\_TYPE": "P", "END\_DATE": null, "MAIL\_CLASS\_DESC": "USPS Ground Advantage Returns", "CRID": "29029673", "MAIL\_CLASS": "FR", "STC": "217", "MID": "902911030", "PROD\_GRP\_NAME": "Network Returns", "MASTER\_MID": null, "PROD\_WRKFLW\_NAME": "Returns - Manifest Attributes (Pilot)", "MID\_USER\_CRID": null, "PROD\_WRKFLW\_CODE": "P007", "MID\_OWNER\_CRID": "29029673", "START\_DATE": "/Date(1688860800000)/", "DEFAULT\_POSTAGE": "3.22", "PDX\_FLG": "N", "PAYMENT\_TYPE": "E", "PERMIT\_NO": "", "PERMIT\_TYPE": "", "PERMIT\_FINANCE\_NO": "", "AGENCY\_CODE": "", "AGENCY\_COST\_CODE": "", "UPLOAD\_TIME": "2024-02-21T18:00:09.901814+00:00"}

From <<https://jenkins-aws.usps.gov/job/PPCSelfService/job/ReadRedisCache/3801/consoleText>>

Evs'

901001951': '{"MID": "901001951", "MASTER\_MID": "128212375", "UPLOAD\_TIME": "2022-06-30T20:02:04.430425+00:00"}]}

# DEV2 Testing

Wednesday, August 21, 2019

9:22 AM

918189123:023

```
[{"MID_PROF_SEQ": "77302429809320190411", "UPLOAD_TIME": "2019-04-16T15:08:57.421313+00:00", "EPS_ACCT_NUMBER": "9999999999", "PROD_WRKFLW_TYPE": "P", "END_DATE": null, "MAIL_CLASS_DESC": "Parcel Return Service", "CRID": "22179971", "MAIL_CLASS": "RP", "STC": "023", "MID": "918189123", "PROD_GRP_NAME": "Network Returns", "MASTER_MID": "918189123", "PROD_WRKFLW_NAME": "Returns - Manifest Attributes (Pilot)", "MID_USER_CRID": null, "PROD_WRKFLW_CODE": "P007", "MID_OWNER_CRID": "22179971", "START_DATE": "/Date(1484611200000)/", "DEFAULT_POSTAGE": "2.22"}]
```

928379123:133

```
[{"MID_PROF_SEQ": "77302429809320190411", "UPLOAD_TIME": "2019-04-16T15:08:57.421313+00:00", "EPS_ACCT_NUMBER": "9999999999", "PROD_WRKFLW_TYPE": "P", "END_DATE": null, "MAIL_CLASS_DESC": "Parcel Return Service", "CRID": "22179971", "MAIL_CLASS": "RP", "STC": "133", "MID": "928379123", "PROD_GRP_NAME": "Network Returns", "MASTER_MID": "918189123", "PROD_WRKFLW_NAME": "Price on Manifest, Validate with Scans & Samples (Pilot)", "MID_USER_CRID": null, "PROD_WRKFLW_CODE": "P002", "MID_OWNER_CRID": "22179971", "START_DATE": "/Date(1484611200000)/", "DEFAULT_POSTAGE": "2.22"}]
```

# Done

Friday, June 3, 2022 3:17 PM

```
900058982:600': '[{"MID_PROF_SEQ": "31048032606101120230223", "EPS_ACCT_NUMBER":
"1000008431", "PROD_WRKFLW_TYPE": "L", "END_DATE": null, "MAIL_CLASS_DESC": "First-Class
Package Service Return", "CRID": "20429125", "MAIL_CLASS": "FR", "STC": "600", "MID": "900058982",
"PROD_GRP_NAME": "Network Returns", "MASTER_MID": "000600", "PROD_WRKFLW_NAME":
"Returns - Manifest Attributes (Live)", "MID_USER_CRID": null, "PROD_WRKFLW_CODE": "L008",
"MID_OWNER_CRID": "20429125", "START_DATE": "/Date(1677110400000)/", "DEFAULT_POSTAGE":
"5.5", "PDX_FLG": "N", "UPLOAD_TIME": "2023-04-06T14:30:06.310569+00:00"}]
```

# R17

Thursday, May 29, 2025 1:00 PM

Update v1 stories will notes

Config map updates - for

[R17 Backlog.xlsx](#)

|          |
|----------|
| B-936844 |
| B-951883 |
| B-951885 |
| B-951890 |
| B-951905 |
| B-936942 |
| B-962880 |
| B-962891 |
| B-949697 |
| B-962525 |
| B-950088 |
| B-962524 |



# Damaged Label

Thursday, July 10, 2025 1:09 PM

## Scenario 1

Package previously Manifested

Emas package

New Reprint ESC - New Nonstandard

Same value in the tracking number and original tracking number field

This package will have been manifested before

1a. What if the original tracking number field does not match

## Scenario 2

New package (not previously manifested)

Emas package

New pic - Original tracking number field is null

New reprint esc

2a What if the original tracking number field is populated?

How are these damaged label packages identified?

- Emas Package
- Reprint ESC

# Remove Commas from Short Descriptions

Thursday, April 24, 2025 2:17 PM

There are 11 short descriptions that have commas in them.

- **key: discountType-invalid**

errorCode: 103919  
validationTitle: Invalid Discount Type  
field: discountType  
validation: invalid  
shortDescription: Discount Type in D1 invalid; must be config values D6, D7  
errorType: W  
record: D1  
sendToPew: TRUE

- **key: electronicFileType-invalid**

errorCode: 104219  
validationTitle: Invalid Electronic File Type  
field: electronicFileType  
validation: invalid  
shortDescription: EFT in HR invalid; must be config. value set to 1, 2, 3, 4  
errorType: E  
record: H1  
sendToPew: TRUE

- **key: electronicFileTypeIntl-invalid**

errorCode: 104220  
validationTitle: Invalid Electronic File Type  
field: electronicFileType  
validation: invalid  
shortDescription: EFT in HR invalid; must be config. value set to 1, 4 for intl.  
errorType: E  
record: H1  
sendToPew: TRUE

- **key: entryFacilityType-invalid**

errorCode: 104319  
validationTitle: Invalid Entry Facility Type  
field: entryFacilityType  
validation: invalid  
shortDescription: Entry Facility Type in HR invalid; must be A, B, S, D, F, I  
errorType: W  
record: H1  
sendToPew: TRUE

- **key: fileRecordCount-invalid**

errorCode: 106119  
validationTitle: Invalid File Record Count  
field: fileRecordCount  
validation: invalid  
shortDescription: File Record Count in HR invalid; must = sum of H1, D1, D2  
errorType: W  
record: H1  
sendToPew: FALSE

- **key: postageType-invalid**

errorCode: 109019  
validationTitle: Invalid Postage Type

discountType-invalid  
electronicFileType-invalid  
electronicFileTypeIntl-invalid  
entryFacilityType-invalid  
fileRecordCount-invalid  
postageType-invalid  
removalIndicator-invalid  
serviceTypeCode-invalidPRS  
unitOfMeasureCode-invalid  
containerizationIndicator-invalid  
destinationFacilityType-invalid

PICS:

92000900067319370303406053 - PRS

field: postageType  
 validation: invalid  
 shortDescription: Postage Type in D1 invalid; must be config value P,C,A,B,R  
 errorType: W  
 record: D1  
 sendToPew: FALSE

- key: **removalIndicator-invalid**  
 errorCode: 109919  
 validationTitle: Invalid Removal Indicator  
 field: removalIndicator  
 validation: invalid  
 shortDescription: Removal Indicator in D1 invalid; must be config value, Y  
 errorType: W  
 record: D1  
 sendToPew: FALSE

- key: **serviceTypeCode-invalidPRS**  
 errorCode: 111051  
 validationTitle: Invalid Service Type Code  
 field: serviceTypeCode  
 validation: prs  
 shortDescription: When File Type is 3, STC must be 023, 044, 671, or 672  
 errorType: W  
 record: D1  
 sendToPew: TRUE

- key: **unitOfMeasureCode-invalid**  
 errorCode: 112119  
 validationTitle: Invalid Unit Of Measure Code  
 field: unitOfMeasureCode  
 validation: invalid  
 shortDescription: Unit of Measure Code in D1 is invalid; must be 1, 2, 3  
 errorType: W  
 record: D1  
 sendToPew: FALSE

- key: **containerizationIndicator-invalid**  
 errorCode: 101219  
 validationTitle: Invalid Containerization Indicator  
 field: containerizationIndicator  
 validation: invalid  
 shortDescription: CTNR Indicator Field in HR invalid; must be 01, 02, or 03  
 errorType: W  
 record: H1  
 sendToPew: FALSE

- key: **destinationFacilityType-invalid**  
 errorCode: 102919  
 validationTitle: Invalid Destination Facility Type  
 field: destinationFacilityType  
 validation: invalid  
 shortDescription: Dest Facility Type in D1 invalid; must be set A, B, S, D, F  
 errorType: W  
 record: D1  
 sendToPew: FALSE

# Release 16

Thursday, March 13, 2025 8:14 AM

[R16.0\\_SIT\\_Execution\\_Tracker.xlsx](#)

[PPC SVM 16.0.0.0 KT.pptx](#)

localPost":false

```
Dev2 Mid
[
{
 "MID_PROF_SEQ": "331475731259820231011",
 "END_DATE": null,
 "CRID": "2728316",
 "EPS_ACCT_NUMBER": "9999999999",
 "MID": "905205001",
 "PROD_GRP_NAME": "Outbound",
 "MASTER_MID": "902481425",
 "PROD_WRKFLW_NAME": "Pilot",
 "LAST_UPDATE_DATE": "/Date(1697045973000)/",
 "MID_USER_CRID": null,
 "PROD_WRKFLW_CODE": "P002",
 "MID_OWNER_CRID": "2728316",
 "START_DATE": "/Date(1696982400000)/",
 "PROD_WRKFLW_TYPE": "P",
 "PDX_FLG": "N",
 "PAYMENT_TYPE": "E",
 "PERMIT_NO": "",
 "PERMIT_TYPE": "",
 "PERMIT_FINANCE_NO": "",
 "AGENCY_CODE": "",
 "AGENCY_COST_CODE": "",
 "LEGACY_EXTRACT": "",
 "POSTAGE_EXT_FORMAT": "",
 "FILE_VERSION": "",
 "DESTINATION_FORMAT": "",
 "UPLOAD_TIME": "2024-11-06T18:56:06.231472+00:00"
}
]

[
{
 "CRID": "20606099",
 "MASTER_MID": "900675001",
 "MID": "900675099",
 "ALMS_ID": "188",
 "BARCODE_RANGE_PREFIX": "EA",
 "BARCODE_LOWER_RANGE": "79000001",
 "BARCODE_UPPER_RANGE": "80000000",
 "PREFIX_BARCODE_LOWER_RANGE": "EA79000001",
 "PREFIX_BARCODE_UPPER_RANGE": "EA80000000",
 "MAIL_CLASS": "IE",
 "SERVICE_DESC": "EXPRESS MAIL",
 "EPS_ACCT_NUMBER": "1000079532",
 "PROD_GRP_NAME": "Outbound",
 "PROD_WRKFLW_NAME": "Live",
 "PROD_WRKFLW_CODE": "L004",
 "PROD_WRKFLW_TYPE": "L",
 "START_DATE": "2024-06-03",
 "END_DATE": "",
 "MID_OWNER_CRID": "20606067",
 "UPLOAD_TIME": "2024-11-07T16:15:06.481409+00:00"
}
]
```

Manifest & PEW - Implement breadcrumbs - B-905459

Description:  
As a USPS Manger, I would like the Monitoring Service to be able to track SSF packages through the Manifest & PEW Services. This will allow the teams to better troubleshoot the system and support end users.

- AC:
- The Monitoring Service will post a Kafka message to the pkgplfm-manifest-{env}-tracing topic for each Manifest pod a SSF Package passes through. The Kafka message will contain the following package information:
- Mailing Date
  - Master EFN
  - File Name

- The Monitoring Service will post a Kafka message to the pkgplfm-pew-{env}-tracing topic for each pod a SSF Package passes through. The Kafka message will contain the following package information:
- Mailing Date
  - File Name

It's to be able to monitor where packages are in the pipeline.

Right now the package pipeline is set up. We have control of what to save in the labels and headers blocks. The rest tech arch designed, so it probably won't change much. But the values that we save in the labels/headers block probably will change to whatever support needs. So you are able to see that pic 9339589685038811819952 passed through package-0-clean pod at 1730218825680 epoch time:


kafka topic: pkgplfm-manifest-{env}-tracing, pkgplfm-pew-{env}-tracing

eventually, tech arch will setup KafkaConnect and it will get saved to mongodb

Right now, the messages we (the services) put in the error topic(pkgplfm-manifest-{env}-error) are being saved in dev2. (These are system errors)

In the monitor-dev database errors collection. - MongoDB Collection

```
{
 "id": "0.1521922",
 "attempt": 0,
 "namespace": "ppcmanifest-dev2",
 "host": "package-0-clean-6f6df9c797-sg7pw", (Pod Name)
 "source": {
 "name": "pkgplfm-manifest-dev2-raw-packages", -
 "type": "Kafka"
 },
 "labels": {
 "mailing date": "20241023",
 "workflow": null,
 "pic": "9339589685038811819952",
 "program": null,
 "efn": "9375089948910255956048",
 "tracking number": "9339589685038811819952",
 "file name": "20241023234830791_uspsv3-1052670046805002-DAL9-mmcp37.manifest_1279745513_1730218600"
 },
 "createdTs": 1730218825680,
 "startTs": 1730218825680,
 "completedTs": 1730218825711,
 "status": "success",
 "outputMessages": 1,
 "outputs": {
 "enrollment": {
 "name": "pkgplfm-manifest-dev2-pkgcomp-enrollment",
 "type": "KAFKA",
 "mode": "PRODUCTION",
 "count": 1
 }
 },
 "headers": {
 "packageId": "035872c28a62118eb61020117b2d038"
 }
}
```



IE|E|I|\*|PA|\*|3|0|\*|\*|11|\*|\*|10/06/2024|N

```
{
 "isPoundBased": "N",
 "isZone": "N",
 "isDimensional": "N",
 "pieceWorkingSkuld": "IEXXXXXXXX11XXX",
 "poundWorkingSkuld": "",
 "characterWorkineSkuld": ""
}
```

```
{
 "isPoundBased": "N",
 "isZone": "N",
 "isDimensional": "N",
 "pieceWorkingSkuld": "IEXX0XXXXX11XXX",
 "poundWorkingSkuld": "",
 "surchargeWorkingSkuld": "",
 "extraServiceWorkingSkuld": ""
}

"count": 1
}
},
"headers": {
 "packageld": "035872c28af62118eb61020117b2d038"
}
}

{
 "CRID": "20429125",
 "MASTER_MID": "100091",
 "MID": "100033",
 "ALMS_ID": "301",
 "BARCODE_RANGE_PREFIX": "EO",
 "BARCODE_LOWER_RANGE": "80000000",
 "BARCODE_UPPER_RANGE": "80000050",
 "PREFIX_BARCODE_LOWER_RANGE": "EO80000000",
 "PREFIX_BARCODE_UPPER_RANGE": "EO80000050",
 "MAIL_CLASS": "IE",
 "SERVICE_DESC": "EXPRESS MAIL",
 "EPS_ACCT_NUMBER": "1000001470",
 "PROD_GRP_NAME": "Outbound",
 "PROD_WRKFLW_NAME": "Live",
 "PROD_WRKFLW_CODE": "L004",
 "PROD_WRKFLW_TYPE": "L",
 "START_DATE": "2024-11-01",
 "END_DATE": "",
 "MID_OWNER_CRID": "20429125",
 "UPLOAD_TIME": "2024-11-13T20:15:06.168004+00:00"
}
```

# Implement Breadcrumbs

Thursday, November 7, 2024 9:01 AM

<https://afsdefense.sharepoint.us/:x:/r/sites/PackagePlatform/Shared%20Documents/06.%20SIT/Release%2014.0.2.0/14.0.2.0%20Test%20Scenarios%20and%20Data/B-905459%20-%2014.0.2.0%20-%20Manifest%20%26%20PEW%20-%20Implement%20breadcrumbs.xlsx?d=w7c52d776970046a594ca867f4850bc63&csf=1&web=1&e=JBhHXL>

PEW

save records:

pewsave-1-header

pewsave-1a-munpriced

pewsave-1b-munmanifested

pewsave-1c-mignored

pewsave-1d-pfailures

pewsave-1e-ppriced

pewsave-1f-munused

pewsave-1g-minternational

Examples

all should post to the tracing topic.

Ex:

If you send an outbound package then it should go to

pewsave-1e-ppriced,

pew2-efnmetrics,

pew-3-filewriter,

pew-4-archive

regular pipeline:

pew-2-efnmetrics

pew-3-filewrite

Oh, packages won't make it to the filewriter and archive pods unless we have received all the packages for that efn. or have ran the cronjob to send out incomplete efns.

process-ignored-packages

pewignored-2-efnmetric

pewignored-3-filewriter

process for cronjob

pewincomplete-2-efnmetrics

pewincomplete-3-filewriter

archive finished efns

pew-4-archive

# R 13.0.2.0

Thursday, August 1, 2024 1:22 PM

[https://afsdefense.sharepoint.us/sites/PackagePlatform/Shared%20Documents/06.%20SIT/Release%2014.0.0.0/R14.0\\_SIT\\_Execution\\_Tracker.xlsx?web=1](https://afsdefense.sharepoint.us/sites/PackagePlatform/Shared%20Documents/06.%20SIT/Release%2014.0.0.0/R14.0_SIT_Execution_Tracker.xlsx?web=1)

MID Outbound: 900064724

Sit2 outbound 900631316

Cat2 Outbound

```
{'901104023': '{"MID_PROF_SEQ": "7573288920240424", "END_DATE": null, "CRID": "95163778",
"EPS_ACCT_NUMBER": "1000015116", "MID": "901104023", "PROD_GRP_NAME": "Outbound",
"MASTER_MID": "901104023", "PROD_WRKFLW_NAME": "Live", "LAST_UPDATE_DATE":
"/Date(1713956091000)/", "MID_USER_CRID": "35004833", "PROD_WRKFLW_CODE": "L004",
"MID_OWNER_CRID": "95163778", "START_DATE": "/Date(1713916800000)/", "PROD_WRKFLW_TYPE":
"L", "PDX_FLG": "N", "PAYMENT_TYPE": "E", "PERMIT_NO": "", "PERMIT_TYPE": "",
"PERMIT_FINANCE_NO": "", "AGENCY_CODE": "", "AGENCY_COST_CODE": "", "LEGACY_EXTRACT": "N",
"POSTAGE_EXT_FORMAT": "", "FILE_VERSION": "", "DESTINATION_FORMAT": "", "UPLOAD_TIME":
"2024-08-14T17:03:05.903869+00:00"}'}
```



# Publish Original Manifest Values

Monday, August 5, 2024 2:57 PM

Publish original manifest elements values when generating autocorrections for specific fields.

➤ **zone, processing category, mail class, DRI and RI**

After the customer visibility block there will be a new block for the original values

```
"originalValues": {
 "manifestPricingIngredients": {
 "rateIndicator": "XX"
 }
},
```

The Manifest service will:

1. Auto-Correct the Rate Indicator when the CRID is not flagged as Non Profit and the Rate Indicator is populated with a Non Profit rate:
  - When the Rate Indicator is populated with N5 and the CRID is not flagged as Non Profit, auto-correct Rate Indicator to 5D
  - When the Rate Indicator is populated with ND and the CRID is not flagged as Non Profit, auto-correct Rate Indicator to **BM**
  - When the Rate Indicator is populated with NM and the CRID is not flagged as Non Profit, auto-correct Rate Indicator to MB
  - When the Rate Indicator is populated with NT and the CRID is not flagged as Non Profit, auto-correct Rate Indicator to 3D

[https://afsddefense.sharepoint.us/sites/PackagePlatform/Shared%20Documents/06.%20SIT/Release%2014.0.0.0/R14.0\\_SIT\\_Execution\\_Tracker.xlsx?web=1](https://afsddefense.sharepoint.us/sites/PackagePlatform/Shared%20Documents/06.%20SIT/Release%2014.0.0.0/R14.0_SIT_Execution_Tracker.xlsx?web=1)

Dev2 mid: 900064724

Dev2 outbound omas:

```
'900038997': {'MID_PROF_SEQ': "331408231218020230829", "END_DATE": null, "CRID": "20551958",
"EPS_ACCT_NUMBER": "", "MID": "900038997", "PROD_GRP_NAME": "Outbound", "MASTER_MID":
"900633762", "PROD_WRKFLW_NAME": "Pilot", "LAST_UPDATE_DATE": "/Date(1693319026000)/",
"MID_USER_CRID": null, "PROD_WRKFLW_CODE": "P002", "MID_OWNER_CRID": "20551958",
"START_DATE": "/Date(1693267200000)/", "PROD_WRKFLW_TYPE": "P", "PDX_FLG": "I",
"PAYMENT_TYPE": "O", "PERMIT_NO": "9999", "PERMIT_TYPE": "OI", "PERMIT_FINANCE_NO":
"999922", "AGENCY_CODE": "999", "AGENCY_COST_CODE": "99999", "LEGACY_EXTRACT": "N",
"POSTAGE_EXT_FORMAT": "", "FILE_VERSION": "", "DESTINATION_FORMAT": "", "UPLOAD_TIME":
"2024-07-30T17:04:04.748805+00:00"}}
```

Sit2 outbound 900631316

Sit2 returns: 900687360:600

Dev2 - NSA Crid - 10781526

Sit2 returns Omas

```
'900639857:837': {'MID_PROF_SEQ': "3602899407998720240227", "EPS_ACCT_NUMBER": "",
"PROD_WRKFLW_TYPE": "L", "END_DATE": null, "MAIL_CLASS_DESC": "Priority Mail Express Return",
"CRID": "20559097", "MAIL_CLASS": "ER", "STC": "837", "MID": "900639857", "PROD_GRP_NAME":
"Network Returns", "MASTER_MID": null, "PROD_WRKFLW_NAME": "Returns - Manifest Attributes
(Live)", "MID_USER_CRID": null, "PROD_WRKFLW_CODE": "L008", "MID_OWNER_CRID": "20559097",
"START_DATE": "/Date(1708992000000)/", "DEFAULT_POSTAGE": "22.8", "PDX_FLG": "I",
"PAYMENT_TYPE": "O", "PERMIT_NO": "902000", "PERMIT_TYPE": "OR", "PERMIT_FINANCE_NO":
"661204", "AGENCY_CODE": "146", "AGENCY_COST_CODE": "00000", "UPLOAD_TIME":
"2024-07-30T17:30:16.274396+00:00"}}
```

ER|EX|N|\*|SP|\*|5|0|\*|\*|0|\*|\*|07/14/2024|N

ER|EX|N|\*|PA|\*|3|1|\*|\*|2|\*|\*|07/14/2024|N

```
900064724: {'MID_PROF_SEQ': "294816618559220210101", "END_DATE": null, "CRID": "20500572",
"EPS_ACCT_NUMBER": "1000007933", "MID": "900064724", "PROD_GRP_NAME": "Outbound",
"MASTER_MID": "900064724", "PROD_WRKFLW_NAME": "Live", "LAST_UPDATE_DATE":
"/Date(1607617724000)/", "MID_USER_CRID": null, "PROD_WRKFLW_CODE": "L004",
"MID_OWNER_CRID": "20500572", "START_DATE": "/Date(1609459200000)/", "PROD_WRKFLW_TYPE":
"L", "PDX_FLG": "N", "PAYMENT_TYPE": "E", "PERMIT_NO": "", "PERMIT_TYPE": "",
"PERMIT_FINANCE_NO": "", "AGENCY_CODE": "", "AGENCY_COST_CODE": "", "LEGACY_EXTRACT": "",
"POSTAGE_EXT_FORMAT": "", "FILE_VERSION": "", "DESTINATION_FORMAT": "", "UPLOAD_TIME":
"2024-07-15T19:39:06.945089+00:00"}}
```

Sit2 Permit Outbound Mid

```
'900480004': {'MID_PROF_SEQ':
"39472912007920240802",
"END_DATE": null, "CRID": "20429125",
"EPS_ACCT_NUMBER": "", "MID":
"900480004", "PROD_GRP_NAME":
"Outbound", "MASTER_MID":
"000600", "PROD_WRKFLW_NAME":
"Live", "LAST_UPDATE_DATE":
"/Date(1722594561000)/",
"MID_USER_CRID": null,
"PROD_WRKFLW_CODE": "L004",
"MID_OWNER_CRID": "20429125",
"START_DATE":
"/Date(1722556800000)/",
"PROD_WRKFLW_TYPE": "L",
"PDX_FLG": "I", "PAYMENT_TYPE": "O",
"PERMIT_NO": "18", "PERMIT_TYPE":
"OI", "PERMIT_FINANCE_NO":
"661204", "AGENCY_CODE": "009",
"AGENCY_COST_CODE": "12345",
"LEGACY_EXTRACT": "N",
"POSTAGE_EXT_FORMAT": "",
"FILE_VERSION": "",
"DESTINATION_FORMAT": "",
"UPLOAD_TIME":
"2024-08-05T18:28:04.761642+
00:00"}}
```

From <<https://jenkins-aws.usps.gov/job/PPCSelfService/job/ReadRedisCache/4498/consoleText>>

Sit2 Returns

900687360:600

```
{
 "MID_PROF_SEQ": "39123611290188420240718",
 "EPS_ACCT_NUMBER": "1000079920",
 "PROD_WRKFLW_TYPE": "L",
 "END_DATE": null,
 "MAIL_CLASS_DESC": "USPS Ground Advantage Return",
 "CRID": "20619700",
 "MAIL_CLASS": "FR",
 "STC": "600",
 "MID": "900687360",
```

```

"PROD_GRP_NAME": "Network Returns",
"MASTER_MID": "900687360",
"PROD_WRKFLW_NAME": "Returns - Manifest Attributes (Live)",
"MID_USER_CRID": "1000561270",
"PROD_WRKFLW_CODE": "L008",
"MID_OWNER_CRID": "20619700",
"START_DATE": "/Date(1721260800000)/",
"DEFAULT_POSTAGE": "5.5",
"PDX_FLG": "N",
"PAYMENT_TYPE": "E",
"PERMIT_NO": "",
"PERMIT_TYPE": "",
"PERMIT_FINANCE_NO": "",
"AGENCY_CODE": "",
"AGENCY_COST_CODE": "",
"UPLOAD_TIME": "2024-07-18T14:30:07.255402+00:00"
}
]

```

Cat2 outbound

```

{'901104023': [{'MID_PROF_SEQ': "7573288920240424", "END_DATE": null, "CRID": "95163778",
"EPS_ACCT_NUMBER": "1000015116", "MID": "901104023", "PROD_GRP_NAME": "Outbound",
"MASTER_MID": "901104023", "PROD_WRKFLW_NAME": "Live", "LAST_UPDATE_DATE":
"/Date(1713956091000)/", "MID_USER_CRID": "35004833", "PROD_WRKFLW_CODE": "L004",
"MID_OWNER_CRID": "95163778", "START_DATE": "/Date(1713916800000)/", "PROD_WRKFLW_TYPE":
"L", "PDX_FLG": "N", "PAYMENT_TYPE": "E", "PERMIT_NO": "", "PERMIT_TYPE": "",
"PERMIT_FINANCE_NO": "", "AGENCY_CODE": "", "AGENCY_COST_CODE": "", "LEGACY_EXTRACT": "N",
"POSTAGE_EXT_FORMAT": "", "FILE_VERSION": "", "DESTINATION_FORMAT": "", "UPLOAD_TIME":
"2024-07-23T15:30:06.143648+00:00"}]}

```

From <https://jenkins-aws.usps.gov/job/PPCSelfService/job/ReadRedisCache/4432/consoleText>>

Cat2 Returns

```

'901101249:217': [{'MID_PROF_SEQ': "6059196386020231207", "EPS_ACCT_NUMBER":
"1000012399", "PROD_WRKFLW_TYPE": "L", "END_DATE": null, "MAIL_CLASS_DESC": "USPS Ground
Advantage Return", "CRID": "95160025", "MAIL_CLASS": "FR", "STC": "217", "MID": "901101249",
"PROD_GRP_NAME": "Network Returns", "MASTER_MID": "901101250", "PROD_WRKFLW_NAME":
>Returns - Manifest Attributes (Live)", "MID_USER_CRID": "34999246", "PROD_WRKFLW_CODE":
"L008", "MID_OWNER_CRID": "95160025", "START_DATE": "/Date(1701907200000)/"

```

From <https://jenkins-aws.usps.gov/job/PPCSelfService/job/ReadRedisCache/4433/consoleText>>

# NSA Consolidator

Monday, July 15, 2024 2:47 PM

If a crid is the in cache below, the consolidatorFlag value will be set to true.

Cache Name: nsa-consolidator-crids-cache

Flag: "consolidatorFlag": true

Dev2 - NSA Crid - 20500572

```
900064724': '[{"MID_PROF_SEQ": "294816618559220210101", "END_DATE": null, "CRID": "20500572",
"EPS_ACCT_NUMBER": "1000007933", "MID": "900064724", "PROD_GRP_NAME": "Outbound",
"MASTER_MID": "900064724", "PROD_WRKFLW_NAME": "Live", "LAST_UPDATE_DATE":
"/Date(1607617724000)/", "MID_USER_CRID": null, "PROD_WRKFLW_CODE": "L004",
"MID_OWNER_CRID": "20500572", "START_DATE": "/Date(1609459200000)/", "PROD_WRKFLW_TYPE":
"L", "PDX_FLG": "N", "PAYMENT_TYPE": "E", "PERMIT_NO": "", "PERMIT_TYPE": "",
"PERMIT_FINANCE_NO": "", "AGENCY_CODE": "", "AGENCY_COST_CODE": "", "LEGACY_EXTRACT": "",
"POSTAGE_EXT_FORMAT": "", "FILE_VERSION": "", "DESTINATION_FORMAT": "", "UPLOAD_TIME":
"2024-07-15T19:39:06.945089+00:00"}]
```

Non NSA

```
900064617': '[{"MID_PROF_SEQ": "332174432348320240522", "END_DATE": null, "CRID": "2",
"EPS_ACCT_NUMBER": "9999999999", "MID": "900064617", "PROD_GRP_NAME": "Outbound",
"MASTER_MID": "900067248", "PROD_WRKFLW_NAME": "Pilot", "LAST_UPDATE_DATE":
"/Date(1716371853000)/", "MID_USER_CRID": "1", "PROD_WRKFLW_CODE": "P002",
"MID_OWNER_CRID": "2", "START_DATE": "/Date(1716336000000)/", "PROD_WRKFLW_TYPE": "P",
"PDX_FLG": "I", "PAYMENT_TYPE": "E", "PERMIT_NO": "", "PERMIT_TYPE": "", "PERMIT_FINANCE_NO":
"", "AGENCY_CODE": "", "AGENCY_COST_CODE": "", "LEGACY_EXTRACT": "N",
"POSTAGE_EXT_FORMAT": "", "FILE_VERSION": "", "DESTINATION_FORMAT": "", "UPLOAD_TIME":
"2024-07-15T19:39:06.945089+00:00"}]
```

From <<https://jenkins-aws.usps.gov/job/PPCSelfService/job/ReadRedisCache/4420/consoleText>>

Sit2

```
{
 "MID_PROF_SEQ": "2879807602220230525",
 "END_DATE": null,
 "CRID": "20549596",
 "EPS_ACCT_NUMBER": "1000032743",
 "MID": "900631316",
 "PROD_GRP_NAME": "Outbound",
 "MASTER_MID": "900631315",
 "PROD_WRKFLW_NAME": "Live",
 "LAST_UPDATE_DATE": "/Date(1685010623000)/",
 "MID_USER_CRID": "1000489461",
 "PROD_WRKFLW_CODE": "L004",
 "MID_OWNER_CRID": "20549596",
 "START_DATE": "/Date(1684972800000)/",
 "PROD_WRKFLW_TYPE": "L",
 "PDX_FLG": "I",
 "PAYMENT_TYPE": "E",
 "PERMIT_NO": "",
 "PERMIT_TYPE": "",
 "PERMIT_FINANCE_NO": "",
 "AGENCY_CODE": "",
 "AGENCY_COST_CODE": "",
 "LEGACY_EXTRACT": "",
 "POSTAGE_EXT_FORMAT": "",
 "FILE_VERSION": "",
 "DESTINATION_FORMAT": "",
 "UPLOAD_TIME": "2024-07-17T17:43:06.590604+00:00"
}
]
```

# ETE NSA

Monday, July 22, 2024 10:39 AM

Manifest ETE NSA Consolidator Scenarios:

- 1. Outbound - NSA Crid Enrolled
- 2. Returns - NSA Crid Enrolled
- 3. Outbound - NSA Crid Not Enrolled
- 4. Returns - NSA Crid Not Enrolled

All Scenarios should get priced and sent to payment.

```
Sit2
{
 "MID_PROF_SEQ": "2879807602220230525",
 "END_DATE": null,
 "CRID": "20549596",
 "EPS_ACCT_NUMBER": "1000032743",
 "MID": "900631316",
 "PROD_GRP_NAME": "Outbound",
 "MASTER_MID": "900631315",
 "PROD_WRKFLW_NAME": "Live",
 "LAST_UPDATE_DATE": "/Date(1685010623000)/",
 "MID_USER_CRID": "1000489461",
 "PROD_WRKFLW_CODE": "L004",
 "MID_OWNER_CRID": "20549596",
 "START_DATE": "/Date(1684972800000)/",
 "PROD_WRKFLW_TYPE": "L",
 "PDX_FLG": "I",
 "PAYMENT_TYPE": "E",
 "PERMIT_NO": "",
 "PERMIT_TYPE": "",
 "PERMIT_FINANCE_NO": "",
 "AGENCY_CODE": "",
 "AGENCY_COST_CODE": "",
 "LEGACY_EXTRACT": "",
 "POSTAGE_EXT_FORMAT": "",
 "FILE_VERSION": "",
 "DESTINATION_FORMAT": "",
 "UPLOAD_TIME": "2024-07-17T17:43:06.590604+00:00"
}
```

# AFS.com Transition

Thursday, July 6, 2023 12:07 PM

Hi All - Thanks for joining the afs.com account setup session earlier! The slides and recording from the session are linked below. As you are setting up your account, if you have questions, I recommend first reaching out to the Logistics & Transportation Sector account setup SMEs. They can be reached at [LT.AFS.Account\\_Setup\\_Help@accenturefederal.com](mailto:LT.AFS.Account_Setup_Help@accenturefederal.com). If your question or issue is not able to be answered by a SME, you can join account setup office hours (in-person or virtual). Office hours information is included at the end of the account setup slides.

- [Account Setup Slides](#)
- [Account Setup Recording](#)

[Account Setup Session Recording - Logistics and Transportation Sector \(Session 1\).mp4](#)  
[afs.com Account Setup Session Slides.pptx](#)

Charge code: OH20X.SCR.PLS.ALW

[https://accenturefederal.servicenowservices.com/help?id=kb\\_article\\_view&sysparm\\_article=KB0016229](https://accenturefederal.servicenowservices.com/help?id=kb_article_view&sysparm_article=KB0016229)

Remote Online Support: Use [this link](#) to join. 8AM - 6PM ET through August 11th.

[2:36 PM] Soofi, Fatima M.

when logging into the afs first time, the user name should be  
US\yourmailname@afs.com

[2:37 PM] Soofi, Fatima M.

e.g. US\fatima.m.soofi@afs.com

Akter, Munia [M9 Solutions LLC], I believe this means you need to reset/set your MFA. Be sure you have the authenticator app on your phone then use this link to setup --  
<https://go.accenturefederal.com/defensemfa>

# Microsoft Issues

Tuesday, September 23, 2025 2:04 PM

The screenshot shows a Microsoft Teams interface with a dark purple background. A white rectangular dialog box is centered on the screen. At the top of the dialog, the text "Accenture Federal Services" is displayed in a bold, purple font. Below this, the email address "michael.p.johnston@afs.com" is shown in a standard black font. The main heading of the dialog is "You cannot access this right now" in a large, bold, black font. Underneath, a paragraph explains the issue: "Your sign-in was successful but does not meet the criteria to access this resource. For example, you might be signing in from a browser, app, or location that is restricted by your admin." A blue link labeled "More details" is positioned below the paragraph. At the bottom of the dialog, a light gray box contains a disclaimer: "This system is restricted to Accenture Federal Services (AFS) authorized users and devices only. By using this system, you consent to monitoring for unauthorized access or activity, where legally permitted, and agree to use the system in accordance with AFS policies." In the bottom right corner of the dialog, there are three links: "Terms of use", "Privacy & cookies", and a three-dot menu icon.

**Accenture Federal Services**

michael.p.johnston@afs.com

## You cannot access this right now

Your sign-in was successful but does not meet the criteria to access this resource. For example, you might be signing in from a browser, app, or location that is restricted by your admin.

[More details](#)

This system is restricted to Accenture Federal Services (AFS) authorized users and devices only. By using this system, you consent to monitoring for unauthorized access or activity, where legally permitted, and agree to use the system in accordance with AFS policies.

[Terms of use](#) [Privacy & cookies](#) ...



### Troubleshooting details



If you contact your administrator, send this info to them.

[Copy info to clipboard](#)



**Error Code:** 53003

**Request Id:** f5d14ad8-d825-4630-bf04-268b16145400

**Correlation Id:** 879f111d-41cd-437a-97e2-78ebd7f6b439

**Timestamp:** 2025-09-23T19:05:12.330Z

**App name:** Microsoft Office

**App id:** d3590ed6-52b3-4102-aeff-aad2292ab01c

**IP address:** 136.226.13.46

IP address from app: 56.0.143.26

**Device identifier:** 3fad9912-b665-4420-a5a1-089bda1e96dd

**Device platform:** Windows 10

**Device state:** Compliant

**Flag sign-in errors for review:** [Enable flagging](#)

If you plan on getting help for this problem, enable flagging and try to reproduce the error within 20 minutes. Flagged events make diagnostics available and are raised to admin attention.

## Stories

| Story Name                                                                                       | V1 ID    | AC                                                                                           |
|--------------------------------------------------------------------------------------------------|----------|----------------------------------------------------------------------------------------------|
| EPS logic to be split (performance)                                                              | B-798935 | The EPS Packages are sent to downstream services                                             |
| Refactor final Processing for Manifests                                                          | B-784791 | The Manifest Packages are sent to downstream services.                                       |
| Akka upgrades                                                                                    | B-798936 | The Akka frame work is updated and the system still sends data downstream.                   |
| Update partition management cron to be able to run concurrently with other functional processing | B-798937 | The Partition Management Job to be able to run Concurrently with other Functional Processes. |
| Update the query that the spef duplicate check pod uses.                                         | B-801058 | Duplicate SPEF packages are rejected within a configurable timeframe.                        |

[Tracker R11](#)

1. Determine if a package was processed with an earlier submission date (no more than 120 days ago).

- Retrieve the gate 0 date from the file name (first 17 digits) . If the same package with an earlier gate 0 date was processed before reject the record

- If the same package was processed before with a later gate 0 date, send the package for address validation

## Dev2 retruns

```
'902911030:217': [{'MID_PROF_SEQ': "329981722157885820230709", "EPS_ACCT_NUMBER": "9999999999",
"PROD_WRKFLW_TYPE": "P", "END_DATE": null, "MAIL_CLASS_DESC": "USPS Ground Advantage Returns", "CRID":
"29029673", "MAIL_CLASS": "FR", "STC": "217", "MID": "902911030", "PROD_GRP_NAME": "Network Returns",
"MASTER_MID": null, "PROD_WRKFLW_NAME": "Returns - Manifest Attributes (Pilot)", "MID_USER_CRID": null,
"PROD_WRKFLW_CODE": "P007", "MID_OWNER_CRID": "29029673", "START_DATE": "/Date(1688860800000)/",
"DEFAULT_POSTAGE": "3.22", "PDX_FLG": "N", "PAYMENT_TYPE": "E", "PERMIT_NO": "", "PERMIT_TYPE": "",
"PERMIT_FINANCE_NO": "", "AGENCY_CODE": "", "AGENCY_COST_CODE": "", "UPLOAD_TIME":
"2023-11-20T14:12:05.581890+00:00"}]
```

From <https://jenkins-aws.usps.gov/job/PPCSelfService/job/ReadRedisCache/3417/consoleText>>

## Stories

- EPS logic to be split (performance) - Back end change. No functional Impact
- Akka Upgrades - No Functional Impact
- Partition Management Cron Job - Concurrent Update - No Functional Impact

## Sit2 Omas

```
'900639857': [{'MID_PROF_SEQ': "3597389129720231018", "END_DATE": null, "CRID": "20559097",
"EPS_ACCT_NUMBER": "", "MID": "900639857", "PROD_GRP_NAME": "Outbound", "MASTER_MID": "900639857",
"PROD_WRKFLW_NAME": "Live", "LAST_UPDATE_DATE": "/Date(1697640657000)/", "MID_USER_CRID": null,
"PROD_WRKFLW_CODE": "L004", "MID_OWNER_CRID": "20559097", "START_DATE": "/Date(1697587200000)/",
"PROD_WRKFLW_TYPE": "L", "PDX_FLG": "I", "PAYMENT_TYPE": "O", "PERMIT_NO": "99", "PERMIT_TYPE": "OI",
"PERMIT_FINANCE_NO": "661204", "AGENCY_CODE": "008", "AGENCY_COST_CODE": "66102", "LEGACY_EXTRACT": "Y",
"POSTAGE_EXT_FORMAT": "C", "FILE_VERSION": "v2.0", "DESTINATION_FORMAT": "SFTP", "UPLOAD_TIME":
```

"2023-12-05T14:37:06.178192+00:00"]}]

# R 10.0

Monday, June 26, 2023 2:13 PM

[Release 10 Tracker](#)

All stories are in the tracker milestone tab

Question Tracker

[R10.0 Questions Tracker.xlsx](#)

## R 9.0

Thursday, April 27, 2023 12:04 PM

Create the story in v1  
Sprint 143

## Zone API

New home for the data. It is now in pricnig

Name of the pricing Cache -

## Temporary dummy cache

Fully test in sit

### Regression test

## Release Tacker

[https://afs365.sharepoint.com/:x:/r/sites/PackagePlatform/\\_layouts/15/Doc.aspx?sourcedoc=%7B43bf58ca-f299-485c-b372-f575094ced03%7D&action=edit&wdenableroaming=1&wdorigin=Teams-HI&wdhostclicktime=1682709110816&wdr redirectionreason=Force\\_SingleStepBoot&wdrinitialsession=3a0b438a-67d7-46a6-a53c-433d9141bf6&wdrldsc=2&wdrldc=1&wdrldr=ContinueInExcel%2CDeploymentInvalidEditSession](https://afs365.sharepoint.com/:x:/r/sites/PackagePlatform/_layouts/15/Doc.aspx?sourcedoc=%7B43bf58ca-f299-485c-b372-f575094ced03%7D&action=edit&wdenableroaming=1&wdorigin=Teams-HI&wdhostclicktime=1682709110816&wdr redirectionreason=Force_SingleStepBoot&wdrinitialsession=3a0b438a-67d7-46a6-a53c-433d9141bf6&wdrldsc=2&wdrldc=1&wdrldr=ContinueInExcel%2CDeploymentInvalidEditSession)

## Sharepoint Test Script location

<https://afs365.sharepoint.com/sites/PackagePlatform/Shared%20Documents/Forms/AllItems.aspx?id=%2Fsites%2FPackagePlatform%2FShared%20Documents%2F06%2E%20SIT%2FRelease%209%2E0%2E0&viewid=c6523213%2D051a%2D441b%2D8ec5%2Dcc5c96218dab>

## R9.0 Prod Validaitons

# R7.1

Wednesday, January 11, 2023 3:04 PM

afs365.sharepoint.com/:x:/r/sites/PackagePlatform/\_layouts/15/Doc.aspx?sourcedoc=%7B62417EBA-311A-4A19-A0DF-2BAB368ABE2C%7D&file=R8.0\_SIT\_Execution\_Tracker.xlsx&action=default&mobileredirect=true&clickparams=eyJBcHBOYW1lIjo1VGVhbXMtRGVza3RvcCIsIkFwcFZlcnNpb24iOiIyNy8yMzAxMTEwNTYwMCIsIkhhc0ZlZGVyYXRIZFVzZXliOmZhbHNlIfQ%3D%3D&cid=4f6869d8-2a10-4c1e-9c64-38e6738da2b4

- PFS
- the mailer unused lbl request (new date format), Mailer Review
- the unused lbl rejected response (submission date)

|          |                      |                  |                                                                |         |
|----------|----------------------|------------------|----------------------------------------------------------------|---------|
| B-703530 | SL_4724<br>_Manifest | Unused<br>Labels | Change name for the submission date on a rejected Unused label | 7.0.1.0 |
| B-703571 | SL_4724<br>_Manifest | Unused<br>Labels | Date time change for Mailer review data request unused labels  | 7.0.1.0 |

Submission date name - unusedLabelResponse block- on this topic pkgplfm-scan-dev1-rejectedUnusedLabels

2019-07-30T14:05:40Z - new date time format

```
{"reviewRequestId":100014,"pic": "92722900021933685656350470", "submissionDate": "2023-01-23 16:30:51"}
```

Dev1 prs

```
{'900020719': '{\n {\n "MID_PROF_SEQ": "310168826067220221209",\n "END_DATE": "/Date(1670803200000)/",\n "CRID": "3",\n "EPS_ACCT_NUMBER": "1000007133",\n "MID": "900020719",\n "PROD_GRP_NAME": "PRS-Traditional",\n "MASTER_MID": "104070",\n "PROD_WRKFLW_NAME": "Live",\n "LAST_UPDATE_DATE": "/Date(1670839657000)/",\n "MID_USER_CRID": null,\n "PROD_WRKFLW_CODE": "L010",\n "MID_OWNER_CRID": "3",\n "START_DATE": "/Date(1670544000000)/",\n "PROD_WRKFLW_TYPE": "L",\n "PDX_FLG": "N",\n "UPLOAD_TIME": "2023-01-13T17:01:06.387931+00:00"\n }'
```

```
"STC": "859", "PROD_WRKFLW_TYPE": "L", "PROD_GRP_DESC": "Parcel Return Service",
"PROD_GRP_NAME": "PRS-Traditional", "PROD_WRKFLW_NAME": "Live", "PROD_WRKFLW_CODE": "L010", "STC_END_DATE": null, "MAIL_CLASS": "RP", "PFS_FLG": null, "UPLOAD_TIME": "2023-01-25T15:32:05.686205+00:00"}
```

# R 8.0

Wednesday, April 12, 2023 8:34 AM

-----Done-----

**Story B-727823:** Reject PICs that are duplicated by the eMAS API.

-Update the following manifest properties config map value:

api.pic.duplicate.threshold.days: #

## Tests Needed:

-Regression for the dup pic (same efn) 10% rule -Non-API manifest

-Regression for the dup pic (diff efn) 100% rule- Non-API manifest

-Test API Manifest Dup – API Manifests are based on the API software vendor code: 8290

Configurable date range. Currently 10

-----Juan's-----

## SSF PKG Partitioned Table Test:

To test the partitioned table, we need to add a configuration to the following pods: (if no configuration is added, it will be using the default non-partitioned table SSF\_PACKAGE)

1. Run a smoke test first before adding the table name configuration. The default SSF\_PACKAGE table should work as expected.
2. Add

table.name=SSF\_PKG  
to the following consumer CM pods:  
-FileType4  
-FileType4International  
-ImpbCompliance  
-UnusedLabelRequest  
-Manifest API

-----Done-----

Below (new Email host) is in dev2 now.

You can add multiple email address to the following config maps – separated by commas – so you can get the email notifications:

Config Maps: spring-dev2-partitionmgmt, spring-dev2-filealert

file.alert.email.to: [your email address]

In Openshift <https://console.apps.nonprod.aws.usps.gov/>

Edit Config Maps

Workloads > ConfigMaps > spring-{\$ENV}-partitionmgmt

Workloads > ConfigMaps > spring-{\$ENV}-filealert

Under the YAML tab find

file.alert.email.to:

and add a comma then your email address. Press Save. Press Reload. (Do this for both maps.

Then go to

Pipelines > Pipelines and Search for

**cronjob-partitionmgnt**, click on it and top right Actions > Start. One email should be sent within 5 minutes. Do the same for **cronjob-filealert**, however TWO emails should be sent within 5 minutes.

Emails are from [gluster@usps.gov](mailto:gluster@usps.gov)

---

#### **Story: API Manifest Vendors (software vendor code 8290 – configurable)**

- PEW should still send all pkgs (including API vendor manifests to payment)
  - PEW should not send Manifests generated by an API to data and reporting
  - PEW should send API vendor manifests to a new topic: ??? [@Negron, Norman](#) any name in particular?
- In the meantime, is going to: pkgplfm-pew-dev2-generalError

Test Scenarios:

##### **-Manifest Service:**

- When software vendor is not an API vendor, Manifest will pass an isAPIVendor flag = “false” to the header topic PEW reads from
- When software vendor is an API vendor, Manifest will pass an isAPIVendor flag = “true” to the header topic PEW reads from

##### **-PEW Service:**

- When software vendor is an not an API vendor, PEW will save the isAPIVendor flag = “false” to the pewRecord and pewStatus collections
- When software vendor is an API vendor, PEW will save the isAPIVendor flag = “true” to the pewRecord and pewStatus collections

**Note:** can we test “in transit” files? The header should exist already in the pewRecord collection and pewStatus collection with no isAPIVendor flag at all. The absent of the isAPIVendor flag will be considered false even though it could be an actual API vendor.



# R7 Stories

Friday, October 28, 2022 10:35 AM

afs365.sharepoint.com/:x:/r/sites/PackagePlatform/Shared%20Documents/06.%20SIT/Release%  
207.0/Status%20Release%20R7.0%20-%20Version%201.xlsx?d=w54a94877bee344e289fd3f3608cf2c40  
&csf=1&web=1&e=Xeis5n&isSPOFile=1&OR=Teams-HL&CT=1666971298191  
&clickparams=eyJBcHBOYW1lIjoiVG9hbmVza3RvcCIsIkFwcFZlcnNpb24iOiIyNy8yMjEwMTQwNjMw  
MCIsIkhhc0ZlZGVyYXRIZFVzZXliOmZhbnHNIfQ%3D%3D

# Spéf 83

Wednesday, November 9, 2022 10:18 AM

```
'901001604': '{"MID_PROF_SEQ": "279862917843820200725", "END_DATE": null, "CRID": "20480644",
"EPS_ACCT_NUMBER": "1000001417", "MID": "901001604", "PROD_GRP_NAME": "Domestic
Outbound", "MASTER_MID": "900059048", "PROD_WRKFLW_NAME": "Live", "LAST_UPDATE_DATE":
"/Date(1595715203000)/", "MID_USER_CRID": null, "PROD_WRKFLW_CODE": "L004",
"MID_OWNER_CRID": "20480644", "START_DATE": "/Date(1595635200000)/", "PROD_WRKFLW_TYPE":
"L", "UPLOAD_TIME": "2021-07-30T18:45:24.300370+00:00"}
```

# eMAS File Changes

Tuesday, November 8, 2022 11:36 AM

## 11-23-2022 - International

- Updated tracking numbers and EFN with enrollment info for Manifest dev2
- Removed 1 field from the D2 record as Manifest doesn't support the new D2 format yet.

Emas packages have a softwareVendorCode=8290  
Only Emas Packages can have a D8

## SIT1 Outbound MID-

```
'900619677': '{"MID_PROF_SEQ":
"2203615696420221107", "END_DATE": null, "CRID":
"20537500", "EPS_ACCT_NUMBER": "1000014615", "MID":
"900619677", "PROD_GRP_NAME": "Outbound",
"MASTER_MID": "900619677", "PROD_WRKFLW_NAME":
"Live", "LAST_UPDATE_DATE": "/Date(1667821100000)/",
"MID_USER_CRID": "1000469013",
"PROD_WRKFLW_CODE": "L004", "MID_OWNER_CRID":
"20537500", "START_DATE": "/Date(1667779200000)/",
"PROD_WRKFLW_TYPE": "L", "UPLOAD_TIME":
"2022-11-08T17:42:07.248799+00:00"}']
```

D8\_eMAS\_API\_11082022\_v1.manifest

The H1 record ID field was "H2" This needs to be "H1"

## Enrollment Changes:

Mid Changed to 900021933

STC Changed to 193

## SKU Changes:

Mail Class Changed to FC

Processing Category changed to 5

Destination Rate Indicator Changed to N

## Pricing Changes

Payment Account Number changed to 151

```
"contract": {
 "nsaContractId": "10197701",
 "nsaContractNumber": "2000610",
 "nsaProductNumber": "1185701",
 "nsaProductGeneratedId": "FCMER122D8118",
 "docketNumber": "MC2023-24 CP2023-23",
 "rateId": "2750463",
 "fuelFeePercentage": "",
 "geoCon": null,
 "facGroup": null
```

## Intl Enrollment Info

```
{ "CRID": "20429125", "MASTER_MID": "100094", "MID": "100034",
 "ALMS_ID": "5359", "BARCODE_RANGE_PREFIX": "EA",
 "BARCODE_LOWER_RANGE": "91750001", "BARCODE_UPPER_RANGE":
 "91760001", "PREFIX_BARCODE_LOWER_RANGE": "EA91750001",
 "PREFIX_BARCODE_UPPER_RANGE": "EA91760001", "MAIL_CLASS": "IE",
 "SERVICE_DESC": "EXPRESS MAIL", "EPS_ACCT_NUMBER": "1000008434",
 "PROD_GRP_NAME": "Outbound", "PROD_WRKFLW_NAME": "Live",
 "PROD_WRKFLW_CODE": "L004", "PROD_WRKFLW_TYPE": "L",
 "START_DATE": "2022-10-13", "END_DATE": "", "MID_OWNER_CRID":
```

"20429125", "UPLOAD\_TIME": "2022-11-08T20:15:05.652513+00:00"}

MID Changed from 666666 to 100094

#### H1 Changes

Entry Facility Type Updated to NULL. This only needs to be populated in domestic packages

#### D1 Changes

Tracking Number updated to EO800000325US

Destination Facility Type Updated to "A" only certain values are accepted. (Originally was "N")

Barcode Construction Code Field updated to "I01" - This is one of the international Barcode Construction Codes.

Foreign Postal Code updated to "A123456". This field must start with a Letter when the destination country code is CA.

Method of Payment field updated to "08"

Postal Routing Barcode Updated to "0"

#### D2 Changes

Removed one Pipe as it had too many fields

#### D8 Changes

Permit Number Changed to 9999999999

Payment Account Number Changed to 9999999999

Added a field to the end of the D8 record for the D8 Permit Zip - 12345

MID changed to 100034

Role changed to 03

# PRS - Cache Testing

Tuesday, November 15, 2022 2:19 PM

Dev2

```
{'900058984': {'MID_PROF_SEQ': "209233582220221026", "END_DATE": null, "CRID": "20429125",
"EPS_ACCT_NUMBER": "1000001396", "MID": "900058984", "PROD_GRP_NAME": "PRS-Traditional", "MASTER_MID":
"900021939", "PROD_WRKFLW_NAME": "PRS - Live", "LAST_UPDATE_DATE": "/Date()/", "MID_USER_CRID":
"20429251", "PROD_WRKFLW_CODE": "L010", "MID_OWNER_CRID": "20429125", "START_DATE":
"/Date(1666742400000)/", "PROD_WRKFLW_TYPE": "L", "PDX_FLG": "N", "UPLOAD_TIME":
"2022-11-16T18:01:07.906109+00:00"}}
```

```
900058985': {'MID_PROF_SEQ': "209233582230221026", "END_DATE": null, "CRID": "20429125",
"EPS_ACCT_NUMBER": "1000001396", "MID": "900058985", "PROD_GRP_NAME": "PRS-Traditional", "MASTER_MID":
"900021939", "PROD_WRKFLW_NAME": "PRS - Live", "LAST_UPDATE_DATE": "/Date()/", "MID_USER_CRID":
"20479960", "PROD_WRKFLW_CODE": "L010", "MID_OWNER_CRID": "20429125", "START_DATE":
"/Date(1666742400000)/", "PROD_WRKFLW_TYPE": "L", "PDX_FLG": "N", "UPLOAD_TIME":
"2022-11-16T18:01:07.906109+00:00"}}
```

STC

it has to be an stc that has "PRS-Traditional" for the program group in the product-workflow-stc cache

```
{'MA_PROD_GRP_WRKFLW_STC_VW_UK': "7-10-871", "STC_DESC": "PRS - Hazardous Materials",
"STC_START_DATE": "/Date(1668470400000)/", "STC": "676", "PROD_WRKFLW_TYPE": "L",
"PROD_GRP_DESC": "Parcel Return Service", "PROD_GRP_NAME": "PRS-Traditional",
"PROD_WRKFLW_NAME": "PRS - Live", "PROD_WRKFLW_CODE": "L010", "STC_END_DATE": null,
"MAIL_CLASS": "RP", "UPLOAD_TIME": "2022-11-16T19:01:23.050085+00:00"}}
```

```
{'MA_PROD_GRP_WRKFLW_STC_VW_UK': "7-10-872", "STC_DESC": "PRS: HAZMAT - Division 6.2
Hazardous Materials", "STC_START_DATE": "/Date(1668470400000)/", "STC": "859",
"PROD_WRKFLW_TYPE": "L", "PROD_GRP_DESC": "Parcel Return Service", "PROD_GRP_NAME": "PRS-
Traditional", "PROD_WRKFLW_NAME": "PRS - Live", "PROD_WRKFLW_CODE": "L010",
"STC_END_DATE": null, "MAIL_CLASS": "RP", "UPLOAD_TIME": "2022-11-16T19:01:23.050085+00:00"}}
```

SIT2

```
672': {'MA_PROD_GRP_WRKFLW_STC_VW_UK': "7-9-870", "STC_DESC": "PRS Insurance > $500",
"STC_START_DATE": "/Date(1666569600000)/", "STC": "672", "PROD_WRKFLW_TYPE": "P",
"PROD_GRP_DESC": "Parcel Return Service", "PROD_GRP_NAME": "PRS-Traditional",
"PROD_WRKFLW_NAME": "PRS - Pilot", "PROD_WRKFLW_CODE": "P009", "STC_END_DATE": null,
"MAIL_CLASS": "RP", "UPLOAD_TIME": "2022-11-16T19:01:23.050085+00:00"},
{'MA_PROD_GRP_WRKFLW_STC_VW_UK': "7-10-870", "STC_DESC": "PRS Insurance > $500",
"STC_START_DATE": "/Date(1666569600000)/", "STC": "672", "PROD_WRKFLW_TYPE": "L",
"PROD_GRP_DESC": "Parcel Return Service", "PROD_GRP_NAME": "PRS-Traditional",
"PROD_WRKFLW_NAME": "PRS - Live", "PROD_WRKFLW_CODE": "L010", "STC_END_DATE": null,
"MAIL_CLASS": "RP", "UPLOAD_TIME": "2022-11-16T19:01:23.050085+00:00"}}
```

| Packages   | Accepted                                                                                                                                                                 | Rejected                                                                                                                                                 | Not Enrolled                                                                                                                                    |
|------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| EVS        | <b>Topics:</b><br>pkgplfm-manifest- $\{ENV\}$ -evs<br>pkgplfm-manifest- $\{ENV\}$ -ignored-ssf-package                                                                   |                                                                                                                                                          | <b>Topics:</b><br>pkgplfm-manifest- $\{ENV\}$ -ignored-ssf-package<br><br>pkgplfm-manifest- $\{ENV\}$ -packages-hdlm (Not Intl, Not file type4) |
| PRS        | <b>Topics:</b><br>pkgplfm-manifest- $\{ENV\}$ -unpriced-packages                                                                                                         | <b>Topics:</b><br>pkgplfm-manifest- $\{ENV\}$ -unmanifested (rejected packages)<br>pkgplfm-manifest- $\{ENV\}$ -packages-hdlm (Not Intl, Not file type4) |                                                                                                                                                 |
| PFSC       | <b>Topics:</b><br>pkgplfm-manifest- $\{ENV\}$ -packages-pfsc                                                                                                             |                                                                                                                                                          |                                                                                                                                                 |
| CORRECTION |                                                                                                                                                                          | <b>Topics:</b><br>pkgplfm-manifest- $\{ENV\}$ -ignored-ssf-package                                                                                       |                                                                                                                                                 |
| UNUSED LBL | <b>Topics:</b><br>pkgplfm-manifest- $\{ENV\}$ -unused-labels-output                                                                                                      | <b>Topics:</b><br>pkgplfm-scan- $\{ENV\}$ -rejectedUnusedLabels,<br>pkgplfm-manifest- $\{ENV\}$ -ignored-ssf-package                                     |                                                                                                                                                 |
| OTHERS     | <b>Topics:</b><br>pkgplfm-manifest- $\{ENV\}$ -apv,<br>[ pkgplfm-manifest- $\{ENV\}$ -package-tracking-output (file type 2 not APV) AND<br>pkgplfm-manifest- $\{ENV\}$ - | <b>Topics:</b><br>pkgplfm-manifest- $\{ENV\}$ -unmanifested (rejected packages)<br><br>pkgplfm-manifest- $\{ENV\}$ -                                     |                                                                                                                                                 |

|                                                                                                                                                                                                                                                                                                                                                                          |                                                     |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------|--|
| <p>packages-hdlm (Not Intl,<br/>not file type 4),<br/><b>do we need to send it to<br/>the ignored topic for<br/>pew?</b><br/>]<br/>pkgplfm-manifest-<math>\{ENV\}</math>-<br/>unpriced-packages -<br/>Network Returns (includes<br/>prs pkgs),<br/>pkgplfm-manifest-<math>\{ENV\}</math>-<br/>packages-intl,<br/>pkgplfm-manifest-<math>\{ENV\}</math>-<br/>packages</p> | <p>packages-hdlm (Not<br/>Intl, Not file type4)</p> |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------|--|

# Other Team file testing

Monday, October 31, 2022 10:42 AM

## International SSF - Changes

1. Updated EFN & tracking Number to be enrolled
2. Missing Tracking Numbers. All detail records have to have a tracking number
3. Added I01 as the barcode construct code to that field as it was left blank
4. The D2 Record had 1 too many "|". I removed one from the end of the line
5. D3 was removed as we do not process that line

## International SPEF Changes-

1. The ED Record Tracking Number includes the word "null". Instead this field should have been left justified with trailing spaces to fill out the field length
- 2.



# D8

Tuesday, October 4, 2022 2:11 PM

Also so far we have these requirements:

- Not validating the format
- Passing through the values (No autocorrection)
- The D8 Tracking Number must match the D1 Tracking Number
- There can only be a max of 6 (configurable) D8 records
- Only for ssf v2.0
- We might be truncating the values if they are over the length specified?
- Only for outbound
- Must be an emas package (2-14-24)

ssf\_pkg\_d8

D8 Structure for Reference

| Field | Name                                  | Format          | Values                                                                              |
|-------|---------------------------------------|-----------------|-------------------------------------------------------------------------------------|
| 1     | Record Type                           | static          | D8                                                                                  |
| 2     | Tracking Number                       | Alpha(34)       |                                                                                     |
| 3     | Role                                  | Numeric<br>(2)  | 01-Payer, 02-Shipper,03- Rate Holder,04-3rd Fee payer, 05-Platform,06- Mailer Owner |
| 4     | Customer<br>Registration<br>ID (CRID) | Alpha(15)       |                                                                                     |
| 5     | Mail Owner Mailer<br>ID               | Alpha(9)        |                                                                                     |
| 6     | Manifest MID                          | Alpha(9)        | Master Mid, Used in the EFN                                                         |
| 7     | Payment Account<br>Number             | Numeric<br>(10) |                                                                                     |
| 8     | Permit Number                         | Numeric<br>(10) |                                                                                     |
| 9     | Permit Zip                            | Alpha(5)        |                                                                                     |

# Publish all parseable Manifests

Wednesday, October 19, 2022 11:02 AM

The Manifest service will.

1. Publish manifests below to a new topic:

pkgplfm-manifest- $\${ENV}$ -hdlm-ssf-package

Packages from the topics below will also be published to the HDLM new topic

pkgplfm-manifest- $\${ENV}$ -package-tracking-output (file type 2)

pkgplfm-manifest- $\${ENV}$ -evs (unenrolled)

pkgplfm-manifest- $\${ENV}$ -unmanifested (rejected)

pkgplfm-manifest- $\${ENV}$ -ignored-ssf-package

These are:

- Packages that are not enrolled
- Packages that are enrolled but have invalid fields
- Packages that have invalid workflows

the remove all filters story is talking about allowing all ssf files through even unenrolled files to the manifest table and so on. They should get rejected later for being unenrolled.  
like 1

# EVS Packages

Wednesday, July 6, 2022 2:16 PM

**EVS has their own cache.**

**Pilot vs live doesn't matter anymore**

Old

- This is a new check for unenrolled packages.
- First our system checks if the package is enrolled
- If not - then check APV
- If not APV - Then check EVS
- If it is EVS - Send to the EVS topic
- If not - Rejected
- Skip other validations and auto corrections

B-649934

# Mailer Review

Tuesday, August 16, 2022 10:58 AM

## Request

They send us a new message via kafka.

Topic: MailerReview-Unused-label-Request

Mailer Review - Unused Unused Label Data Request

```
{"reviewRequestId":100012, "pic": "92193901001606170110163683",
"submissionDate": "2022-08-18", "authorizedCrids": ["283490",
"120000"]}
```

## Sample from ICD:

```
{"reviewRequestId":100013,"pic": "92193999929911154071419752",
"submissionDate": "2023-01-23T23:59:00Z"}
```

## New Topics:

Current topics

pkgplfm-mailerreview-\${ENV}-unusedLabelDataRequest

pkgplfm-manifest-sit2-unusedLabelDataResponse

```
{"reviewRequestId":100012, "pic":
"92193901001606436068890287", "submissionDate":
"2023-02-08T16:02:37Z"}
```

## Response:

We check within 60 days (configurable)

Time based on created\_time

If we find it then we send back a response

Check ICD for the response - Unused Label Data Repsone

## 3 outcomes

Pic is found in 60 days

Pic is found outside 60 days

Pic is not found

# Unused Labels

Thursday, July 28, 2022 1:59 PM

B-636543 - Release 6.0

- Corrections File
- File Type 4 -
- Unused Label / Removal Indicator Field - Position 72 d1 (2.0) - Set to Y.

Dev2 mid

```
'901001606': '{"MID_PROF_SEQ": "279862917844020200725", "END_DATE": null, "CRID": "20480644",
"EPS_ACCT_NUMBER": "1000001417", "MID": "901001606", "PROD_GRP_NAME": "Domestic
Outbound", "MASTER_MID": "900059048", "PROD_WRKFLW_NAME": "Live", "LAST_UPDATE_DATE":
"/Date(1595715203000)/", "MID_USER_CRID": null, "PROD_WRKFLW_CODE": "L004",
"MID_OWNER_CRID": "20480644", "START_DATE": "/Date(1595635200000)/", "PROD_WRKFLW_TYPE":
"L", "UPLOAD_TIME": "2021-07-30T18:45:24.300370+00:00"}'
```

New rejected kafka message to the scans topic for accpeted and rejected messages  
Two different topics

pkgplfm-scan-\${ENV}-rejectedUnusedLabels  
pkgplfm-scan-\${ENV}-acceptedUnusedLabels

# SPEF Address

Monday, August 8, 2022 10:52 AM

AFS Location: 7050 Fairgrounds Parkway, San Antonio, TX 78238, USA

EX  
FC  
LW  
PM  
PS

## Footnotes Reporting DPV Validation Observations

BB - Matched to DPV (all components).  
CC - Secondary number not matched (present but invalid).  
N1 - High-rise address missing secondary number.  
M1 - Primary number missing.  
M3 - Primary number invalid.  
P1 - Input Address RR or HC Box number Missing.  
P3 - Input Address PO, RR, or HC Box number Invalid.  
F1 - Input Address Matched to a Military Address.  
G1 - Input Address Matched to a General Delivery Address.  
U1- Input Address Matched to a Unique ZIP Code™.

## Footnotes Reporting CASS™ ZIP+4™ Certification

AA – Input address matched to the ZIP+4 file.  
A1 – Input address not matched to the ZIP+4 file.

## API Examples (paste all of it into the browser url)

Example of a good address found response:

[https://stg-secure.shippingapis.com/ShippingAPI.dll?API=GetAMSInfo&XML=<GetAMSInfoRequest  
USERID="934USPSP5249">  
<Option>  
</Option><Revision>1</Revision>  
<FirmName/><Address1></Address1>  
<Address2>7050 Fairgrounds Parkway</Address2>  
<City>San Antonio</City>  
<State>TX</State>  
<Zip5>78238</Zip5>  
<Zip4></Zip4>  
<DeliveryPoint/>  
</GetAMSInfoRequest>](https://stg-secure.shippingapis.com/ShippingAPI.dll?API=GetAMSInfo&XML=<GetAMSInfoRequest USERID='934USPSP5249'><Option></Option><Revision>1</Revision><FirmName/><Address1></Address1><Address2>7050 Fairgrounds Parkway</Address2><City>San Antonio</City><State>TX</State><Zip5>78238</Zip5><Zip4></Zip4><DeliveryPoint/></GetAMSInfoRequest>)

Example of A1M1 API:

[https://stg-secure.shippingapis.com/ShippingAPI.dll?API=GetAMSInfo&XML=<GetAMSInfoRequest  
USERID="934USPSP5249">](https://stg-secure.shippingapis.com/ShippingAPI.dll?API=GetAMSInfo&XML=<GetAMSInfoRequest USERID='934USPSP5249'>)

```
<Option>
</Option><Revision>1</Revision>
<FirmName/><Address1></Address1>
<Address2>1111</Address2>
<City>San Antonio</City>
<State>TX</State>
<Zip5></Zip5>
<Zip4></Zip4>
<DeliveryPoint/>
</GetAMSInfoRequest>
```

Example of A1:

[https://stg-secure.shippingapis.com/ShippingAPI.dll?API=GetAMSInfo&XML=<GetAMSInfoRequest  
USERID="934USPSP5249">](https://stg-secure.shippingapis.com/ShippingAPI.dll?API=GetAMSInfo&XML=<GetAMSInfoRequest USERID='934USPSP5249'>)

```
<Option>
</Option><Revision>1</Revision>
<FirmName/><Address1></Address1>
<Address2>1111 Freeway</Address2>
<City></City>
<State></State>
<Zip5>75224</Zip5>
<Zip4></Zip4>
<DeliveryPoint/>
</GetAMSInfoRequest>
```

AAN1:

[https://stg-secure.shippingapis.com/ShippingAPI.dll?API=GetAMSInfo&XML=<GetAMSInfoRequest  
USERID="934USPSP5249">](https://stg-secure.shippingapis.com/ShippingAPI.dll?API=GetAMSInfo&XML=<GetAMSInfoRequest USERID='934USPSP5249'>)

```
<Option>
</Option><Revision>1</Revision>
<FirmName/><Address1></Address1>
<Address2>400 W Bitters Rd</Address2>
<City>San Antonio</City>
<State>TX</State>
<Zip5>78216</Zip5>
<Zip4>0000</Zip4>
<DeliveryPoint/>
</GetAMSInfoRequest>
```

# Duplicate ESCs- B-635488

Friday, June 3, 2022 3:17 PM

Use the list below for duplicate ESCs.

extraServiceCodeExceptions:

ignorableList:

- 405

- 861

acceptedList:

- 401

- 402

- 412

- 476

- 477

- 478

- 479

- 480

- 481

- 482

- 483

- 484

- 485

- 486

- 487

- 488

- 489

- 852

- 853

- 856

- 857

- 858

- 881

- 882

- 883

- 884

- 885

- 991



# PS End to End

Monday, May 23, 2022 3:48 PM

MID 901017874

```
'618': { "mailClassCode": "PS", "extraServiceCode1": "957", "extraServiceCode2": "915", "extraServiceCode3": "",
"extraServiceCode4": "", "extraServiceCode5": "" }
```

```
'PS|PS|N|*|CP|*|3|1|*|*|5|*|*|07/10/2022|N'
'PS|PS|N|*|CP|*|3|1|*|*|4|*|*|07/10/2022|N':
'PS|PS|N|*|CP|*|3|1|*|*|3|*|*|07/10/2022|N'
'PS|PS|N|*|CP|*|3|1|*|*|2|*|*|07/10/2022|N'
'PS|PS|N|*|CP|*|3|1|*|*|1|*|*|07/10/2022|N'
```

Tier 1 Dimensions: 5 x 5 x 5  
Tier 2 Dimensions: 8 X 5 X 6  
Tier 3 Dimensions: 7 X 7 X 8  
Tier 4 Dimensions: 8 X 8 X 8.5  
Tier 5 Dimensions: 9 X 9 X 9.4  
Tier 6 Dimensions: 10 X 10 X 10  
Tier 7 Dimensions: 11.3 X 10.5 X 9  
Tier 8 Dimensions: 12.5X 12.5 X 8  
Tier 9 Dimensions: 15 X 10 X 10  
Tier 10 Dimensions: 14 X 12 X 10

# New Rate Indicators

Thursday, May 26, 2022 8:26 AM

'PS|PS|N|\*|P5|\*|3|1|\*|\*|5|\*|\*|07/10/2022|N'  
PS|PS|N|\*|P6|\*|3|1|\*|\*|5|\*|\*|07/10/2022|N'  
PS|PS|N|\*|P7|\*|3|1|\*|\*|5|\*|\*|07/10/2022|N'  
'PS|PS|N|\*|P8|\*|3|1|\*|\*|5|\*|\*|07/10/2022|N'

PS|PS|N|\*|Q6|\*|3|1|\*|\*|5|\*|\*|07/10/2022|N  
'PS|PS|N|\*|Q7|\*|3|1|\*|\*|5|\*|\*|07/10/2022|N'  
PS|PS|N|\*|Q8|\*|3|1|\*|\*|5|\*|\*|07/10/2022|N  
PS|PS|N|\*|Q9|\*|3|1|\*|\*|5|\*|\*|07/10/2022|N  
PS|PS|N|\*|Q0|\*|3|1|\*|\*|5|\*|\*|07/10/2022|N

'PS|PS|N|\*|CP|\*|3|1|\*|\*|5|\*|\*|07/10/2022|N'

# New Date

Wednesday, May 11, 2022 1:58 PM

STC Mail Class,

SSF Mail Class,

Destination Rate Indicator,

(\*), (destination country code)

Rate Indicator,

D5 RI, (\* since we are not parsing D5 now)

Processing Category,

Postal Routing Barcode, (\* if blank)

Discount Type, (\* if blank)

Surcharge Type, (\* if blank)

Domestic Zone

(\*) international zone and

(\*) 4-digit class of mail from ICR

Pricing Date,

Weight In Pounds Flag;

(ex: PS|PS|S|\*|DN|\*|3|0|\*|\*|1|\*|\*|06/23/2019|N)

'FC|FC|N|\*|SP|\*|5|0|\*|\*|6|\*|\*|07/10/2022|N

2021-10-03

2021-12-26

2022-01-09

2022-07-10 (new in 5.0)

'FC|FC|N|\*|SP|\*|5|0|\*|\*|6|\*|\*|10/03/2021|N'

'FC|FC|N|\*|SP|\*|5|0|\*|\*|6|\*|\*|12/26/2021|N

'FC|FC|N|\*|SP|\*|5|0|\*|\*|6|\*|\*|01/09/2022|N'

'FC|FC|N|\*|SP|\*|5|0|\*|\*|6|\*|\*|07/10/2022|N

# Patch 4.0.3 dev2

Tuesday, May 3, 2022 9:13 AM

```
{
 "MID_PROF_SEQ": "279862917844020200725",
 "END_DATE": null,
 "CRID": "20480644",
 "EPS_ACCT_NUMBER": "1000001417",
 "MID": "901001606",
 "PROD_GRP_NAME": "Domestic Outbound",
 "MASTER_MID": "900059048",
 "PROD_WRKFLW_NAME": "Live",
 "LAST_UPDATE_DATE": "/Date(1595715203000)/",
 "MID_USER_CRID": null,
 "PROD_WRKFLW_CODE": "L004",
 "MID_OWNER_CRID": "20480644",
 "START_DATE": "/Date(1595635200000)/",
 "PROD_WRKFLW_TYPE": "L",
 "UPLOAD_TIME": "2021-07-30T18:45:24.300370+00:00"
}
```

A flag 'uspsConnect' field will be added to the manifest JSON block with a value of 'L' (Local) when

a. DRI is populated with D or N and rate indicators are LC, LS, LL, LF, LO

b. **DRI is populated with D or N AND** the processing category is populated with '2' **AND** rate indicator is 'SP' **AND** the Mail Class is 'FC'

```
SELECT *
FROM ppcmanifestdb.ssf_package
WHERE destination_rate_indicator = 'D' AND rate_indicator = 'LC'
ORDER BY created_time DESC;
```

# SIT2 Intl

Wednesday, April 20, 2022 11:21 AM

```
{
 "CRID": "20429125",
 "MASTER_MID": "900021939",
 "MID": "100034",
 "ALMS_ID": "5458",
 "BARCODE_RANGE_PREFIX": "EA",
 "BARCODE_LOWER_RANGE": "80000051",
 "BARCODE_UPPER_RANGE": "80000100",
 "PREFIX_BARCODE_LOWER_RANGE": "EA80000051",
 "PREFIX_BARCODE_UPPER_RANGE": "EA80000100",
 "MAIL_CLASS": "IE",
 "SERVICE_DESC": "EXPRESS MAIL",
 "EPS_ACCT_NUMBER": "9999999999",
 "PROD_GRP_NAME": "Outbound",
 "PROD_WRKFLW_NAME": "Pilot",
 "PROD_WRKFLW_CODE": "P002",
 "PROD_WRKFLW_TYPE": "P",
 "START_DATE": "2022-03-11",
 "END_DATE": "",
 "MID_OWNER_CRID": "20429125",
 "UPLOAD_TIME": "2022-04-20T16:15:29.999373+00:00"
}
```

# Dev1/sit1

Monday, April 4, 2022 12:47 PM

DEV1-----

```
195': '{ "mailClassCode": "FC", "extraServiceCode1": "940", "extraServiceCode2": "921", "extraServiceCode3": "",
"extraServiceCode4": "", "extraServiceCode5": "" }'
900041361
```

'FC|FC|D|\*|SP|\*|2|1|\*|\*|0|\*|\*|01/09/2022|N'

USPS Connect Local

```
'PS|PS|D|*|LC|*|5|1|*|*|0|*|*|01/09/2022|N'
'PS|PS|D|*|LO|*|5|1|*|*|0|*|*|01/09/2022|N'
'PS|PS|D|*|LS|*|3|1|*|*|0|*|*|01/09/2022|N'
'PS|PS|D|*|LF|*|3|1|*|*|0|*|*|01/09/2022|N'
'PS|PS|D|*|LL|*|3|1|*|*|0|*|*|01/09/2022|N'
```

```
'618': '{ "mailClassCode": "PS", "extraServiceCode1": "957", "extraServiceCode2": "915", "extraServiceCode3": "",
"extraServiceCode4": "", "extraServiceCode5": "" }'
```

International - auto correct non-ecompro

```
'20525656': '{ "CRID": "20525656", "MASTER_MID": "900617663", "MID": "900617662", "ALMS_ID": "132",
"BARCODE_RANGE_PREFIX": "EA", "BARCODE_LOWER_RANGE": "22000001", "BARCODE_UPPER_RANGE":
"23000000", "PREFIX_BARCODE_LOWER_RANGE": "EA22000001", "PREFIX_BARCODE_UPPER_RANGE":
"EA23000000", "MAIL_CLASS": "IE", "SERVICE_DESC": "EXPRESS MAIL", "EPS_ACCT_NUMBER": "999999999",
"PROD_GRP_NAME": "Outbound", "PROD_WRKFLW_NAME": "Pilot", "PROD_WRKFLW_CODE": "P002",
"PROD_WRKFLW_TYPE": "P", "START_DATE": "2022-02-08", "END_DATE": "2022-02-09", "MID_OWNER_CRID":
"20525656", "UPLOAD_TIME": "2022-02-09T08:50:04.551770+00:00" }
```

sit1-----

```
'900021933': '{ "MID_PROF_SEQ": "2057812202520200922", "END_DATE": null, "CRID": "20429125",
"EPS_ACCT_NUMBER": "1000001470", "MID": "900021933", "PROD_GRP_NAME": "Outbound",
"MASTER_MID": "100033", "PROD_WRKFLW_NAME": "Live", "LAST_UPDATE_DATE":
"/Date(1600764800000)/", "MID_USER_CRID": null, "PROD_WRKFLW_CODE": "L004",
"MID_OWNER_CRID": "20429125", "START_DATE": "/Date(1600732800000)/"
```

```
'618': '{ "mailClassCode": "PS", "extraServiceCode1": "957", "extraServiceCode2": "915", "extraServiceCode3": "",
"extraServiceCode4": "", "extraServiceCode5": "" }'
```

```
{ "CRID": "20429125", "MASTER_MID": "100033", "MID": "100034", "ALMS_ID": "5458", "BARCODE_RANGE_PREFIX":
"EA", "BARCODE_LOWER_RANGE": "80000051", "BARCODE_UPPER_RANGE": "80000100",
"PREFIX_BARCODE_LOWER_RANGE": "EA80000051", "PREFIX_BARCODE_UPPER_RANGE": "EA80000100",
"MAIL_CLASS": "IE", "SERVICE_DESC": "EXPRESS MAIL", "EPS_ACCT_NUMBER": "1000001470", "PROD_GRP_NAME":
"Outbound", "PROD_WRKFLW_NAME": "Live", "PROD_WRKFLW_CODE": "L004", "PROD_WRKFLW_TYPE": "L",
"START_DATE": "2020-09-22", "END_DATE": "", "MID_OWNER_CRID": "20429125", "UPLOAD_TIME":
"2022-04-12T19:15:04.849292+00:00" }
```

# AUTO

Tuesday, November 17, 2020 1:45 PM



# Java

Thursday, January 21, 2021 2:53 PM

Current Java for Automation: C:\Program Files\Java\jdk-11.0.9

Java for Kafka: C:\Program Files (x86)\Java\jre1.8.0\_251

# How To

Tuesday, November 17, 2020 1:45 PM

## Software needed:

### Java JDK

<https://www.oracle.com/java/technologies/javase-jdk11-downloads.html>

download the windows version 64

Set your JAVA\_HOME variable to [your java jdk 11 folder]

Update your path variable to [your java jdk 11 folder]\bin

Restart your PC

### Eclipse:

<https://www.eclipse.org/downloads/packages/>

download: Eclipse IDE for Java Developers (Windows x86\_64)

Add Testng plugin

Go to Help > Eclipse Marketplace

in the search box type "testng"

select "TestNG for Eclipse" and click "install"

accept license and click ok

Restart Eclipse

### Maven

Install Maven from: <http://maven.apache.org/download.cgi>

Select the Binary zip archive for Windows

Follow the installation instruction from: <https://maven.apache.org/install.html>

## Notes:

Test Case Name and File Name must match

## LOCAL TESTING SETUP

1. Build Project
2. Start Eclipse
3. One Time Test Case Setup
4. Test Cases Setup
5. Run Tests

### 1. Build Project

1.1 Download the ManifestAutomationTest Project to your local PC

1.2 Open command prompt inside the ManifestAutomationTest folder

1.3 execute: mvn clean install -DskipTests=true

-all dependency jars will be downloaded to your local repository

-after successfully build the project continue with the Eclipse set up

### 2. Start Eclipse

2.1 Open Eclipse

-Double click on eclipse executable file

-Browse to an empty folder (you can use any name you want for the folder)

2.2 Import the ManifestAutomationTest project

-Right click Import > Existing Maven Projects

-Click Next

-Browse to where your project is located

-Click Next

-after Eclipse successfully finish pulling the project continue with the Run Tests instructions

### 3. One Time Test Case Setup

3.1. Open File: ManifestAutomationTest\resources\manifest\PPC\_Mnifest\_Ignored\_Fields.xlsx

3.2. Go to sheet: IgnoredDBFields

-Add list of fields per table that will be ignored for comparison. Applicable to all test cases.

---

#### 4. Test Cases Setup

---

4.1. Open File: ManifestAutomationTest\resources\manifest\PPC\_Manifest\_Expected\_DB.xlsx

4.2. Go to sheet: AcceptedDBFields

-Add list of fields per table that will be used for comparison. Applicable to specific test cases.

4.3 Go to or create (if not exists) sheet: [TABLE\_NAME - as the actual table name] ex: (Manifest, SSF\_Package, SSF\_Package\_Error etc.)

-list of expected fields per table per test case. All output fields can be placed here but only accepted fields will be used for comparison.

4.4. Open file: ManifestAutomationTest\manifest-testng.xml

-Add all test cases here. This is the main xml that will execute all test cases declared inside.

4.5. Create/Update file: ManifestAutomationTest\[testcase-name].xml

-Xml file that contains a specific test case (TCNAME). A TCNAME is a unique Test Case ID that can be used to link and test a set of DB and Kafka Results

-Each set of DB or Kafka results can be validated by creating a block of xml parameters with the following info:

##### DB Test Parameters

test name: a unique name given across all Manifest Test Suites

tcName: a unique test ID that will be shared among all different DB Table results

tcInput: name of the table to be tested

envName: name of the environment (DEV2/SIT2)

java class to be executed: com.usps.app.packageplatform.manifest.tests.RunDBTests

ex:

```
<test name="DEV2_Dlv16_pos">
 <parameter name="tcName" value="DEV2_Dlv16_pos.manifest"/>
 <parameter name="tcInput" value="manifest"/>
 <parameter name="envName" value="DEV2"/>
 <classes>
 <class name="com.usps.app.packageplatform.manifest.tests.RunDBTests"/>
 </classes>
</test>
```

---

#### 5. Run Tests

---

5.1. In Eclipse locate file: ManifestAutomationTest\manifest-testng.xml file

-Right click on the manifest-testng.xml file Run As/TestNG Suite

5.2 After all tests are executed open the index.html to see all test results (file in Windows Explorer under ManifestAutomationTest\test-output\index.html)

---

#### DEBUGGING TESTS RESULTS

---

---

##### Case 1 - Failed tests

---

runTests (smoke\_test\_APV\_20201022\_083552.manifest, DEV2, ssf\_package) -> displays test name, env and table under test

java.lang.AssertionError: Step Failed: -> test status

field: logistics\_mailing\_facility\_crid -> field that didn't match the expected result

match: [line\_num] value(s): [11] -> field(s) used to match expected and actual records

Expected: 5 -> expected value declared in the PPC\_Manifest\_Expected\_DB.xlsx file

Actual: 555555 expected [true] but found [false] -> actual value pull from db

---

##### Case 2 - Failed tests

---

runTests (smoke\_test\_APV\_20201022\_083552.manifest, DEV2, ssf\_package\_d2)

java.lang.AssertionError: Step Failed:

WARNING: no expected results found -> expected results not found in the PPC\_Manifest\_Expected\_DB.xlsx file

Actual: 10 extra record(s) found -> actual # records pull from db.

---

##### Case 3 - Failed tests

---

runTests (DEV2\_SSF\_020\_Perfect.manifest, DEV2, manifest)

java.lang.AssertionError: Step Failed: -

WARNING: no actual results found -> it warns you that no records were found on table under test and that is why the expected didn't match the actual results

field: manifest.num\_of\_packages

Expected: 1

Actual: expected [true] but found [false]

-----  
Case 4 - DB Connection Failures (be sure you are connected to VPN before running the test)  
-----

[RemoteTestNG] detected TestNG version 6.9.8

[TestNG] Running:

C:\Projects\pp-manifest\code\ManifestAutomationTest\test-cases\smoke\_test\_APV\_20201022\_083552.manifest.xml

org.postgresql.util.PSQLException: The connection attempt failed.

# Creating a New Test Case

Thursday, November 19, 2020 1:35 PM

Places to update / enter info

1. PPC\_Manifest\_TestCases excel
2. PPC\_Manifest\_Expected\_DB.xlsx
3. If New Table / Topic: PPC\_Manifest\_Ignored\_DB.xlsx
4. Manifest-testng.xml
5. Create a [testcasename].xml in ManifestAutomationTest\test-cases

# Dev2 Worksheet info

Tuesday, November 17, 2020 2:29 PM

```
'901017874': '{"MID_PROF_SEQ": "279862917860820200725", "END_DATE": null, "CRID": "20480644",
"EPS_ACCT_NUMBER": "1000001417", "MID": "901017874", "PROD_GRP_NAME": "Domestic Outbound",
"MASTER_MID": "900059048", "PROD_WRKFLW_NAME": "Live", "LAST_UPDATE_DATE":
"/Date(1595715203000)/", "MID_USER_CRID": null, "PROD_WRKFLW_CODE": "L004", "MID_OWNER_CRID":
"20480644", "START_DATE": "/Date(1595635200000)/", "PROD_WRKFLW_TYPE": "L", "UPLOAD_TIME":
"2020-10-29T16:31:05.154359+00:00"}'
```

```
'193': '{"UPLOAD_TIME": "2020-09-24T20:38:42.918490+00:00", "extraServiceCode5": "", "extraServiceCode4":
"", "extraServiceCode1": "940", "extraServiceCode3": "", "extraServiceCode2": "957", "mailClassCode": "FC"}'
```

# SIT2 STC MID

Monday, December 7, 2020

12:39 PM

Key Value for 'stc-map'/'193':

```
{"mailClassCode": "FC", "extraServiceCode1": "940", "extraServiceCode2": "957", "extraServiceCode3": "",
"extraServiceCode4": "", "extraServiceCode5": "", "UPLOAD_TIME": "2020-10-16T21:07:12.339104+00:00"}
```

Key Value for 'account-profile-outbound'/'901017874':

```
[{"MID_PROF_SEQ": "1927771726120200715", "END_DATE": null, "CRID": "20480644", "EPS_ACCT_NUMBER":
"1000001417", "MID": "901017874", "PROD_GRP_NAME": "Domestic Outbound", "MASTER_MID": "900059048",
"PROD_WRKFLW_NAME": "Live", "LAST_UPDATE_DATE": "/Date(1594832213000)/", "MID_USER_CRID": null,
"PROD_WRKFLW_CODE": "L004", "MID_OWNER_CRID": "20480644", "START_DATE": "/Date(1594771200000)/",
"PROD_WRKFLW_TYPE": "L", "UPLOAD_TIME": "2020-12-05T06:00:12.190415+00:00"}]
```

# Automation - Local Environment

Tuesday, November 10, 2020 11:10 AM

Build location/ results of tests: C:\ManifestAutomationTest\_12282020

Local data (worksheets and such): C:\Users\michael.p.johnston\OneDrive - Accenture Federal Services\Manifest Service\Automation

Eclipse Location: C:\Users\michael.p.johnston\Eclipse\_v2

Maven Location: C:\apache-maven-3.6.3

JDK: C:\Program Files\Java\jdk-11.0.9

New Workspace: C:\AutomationWorkspaceV2



# Automation Worksheet

Tuesday, August 11, 2020 12:00 PM

### Big Notes

- Do not sync with ALM
- Team is PPC\_Automation
- Release 2.4
- Breakdown stories by table / topic

### Prepare a SSF for demo

- 1 Validation
- 1 auto correction
- Maybe a rejected

### Tables

- SSF Manifest
- SSF Package
- SSF Validations
- SSF Auto Corrections
- SPEF Package
- SPEF Validations

### Topics

- SSF Manifest Feedback
- SSF Package Output
- SSF Package Validations
- ICR Output
- ICR Reject
- File Type B
- SPEF Packages

### Functionalities

### Story Perspective

### DB Automation

#### File Infest

- Manifest
- Ssf\_package\_error
  - [List of Fields]
  - Compare against Expected
- SPEF\_Package\_raw

#### Parse / Package Verification - DB

- Ssf\_package
  - [List of Fields]
  - Compare against Expected
- SPEF\_Package
  - [List of Fields]
  - Compare against Expected

#### Validation - db

- Validation\_result
- Spef\_validation\_result

### File Infest - Publish - Kafka

pkgplfm-manifest-[env]-file-feedback  
pkgplfm-manifest-[env]-raw-packages  
pkgplfm-manifest-[env]-nmats-rejection  
pkgplfm-manifest-[env]-nmats-feedback

### Package Output - Publish - Kafka

pkgplfm-manifest-[env]-packages  
Pkgplfm-manifest-[env]-spef-packages  
pkgplfm-manifest-[env]-filetype-icr-output  
pkgplfm-manifest-[env]-filetype-b-output

### Validations - Publish

pkgplfm-manifest-[env]-manifest-validation-output  
pkgplfm-manifest-[env]-manifest-spef-validation-output

When Talking to the automation team I will have to do a demo of the stories

STEP 2 - Master tracker for Automation Components and Tests  
Use the actual requirement ID from ALM

### Create Tests and test scenarios

- Each scenario will be a requirement (i.e. each requirement is a field from a story)

Each Test will be for a functionality (high level aka the old epic list)

- Parsing
- Validating
- Autocorrection
- SPEF

DB File Ingest - Req ID. 01

### Description

As a Manifest Automation Tester, I want the framework to validate the Manifest Service "Manifest" & "Ssf\_Package\_Error" database tables.

### AC

The framework should look at the following tables and compare them against the provided expected results

### File Infest

- Manifest Table
  - [List of Fields]
  - Compare Against Expected Result Worksheet
- Ssf\_package\_error Table
  - [List of Fields]
  - Compare Against Expected Result Worksheet

The framework should look at the following tables and compare them against the provided expected results

1. Validation\_Result Table
  - 1a.[List of Fields]
  - 1b. Compare Against Expected Result Worksheet
2. SPEF\_Validation\_Result Table
  - 2a. [List of Fields]
  - 2b. Compare Against Expected Result Worksheet

pkgplfm-manifest-sit2-apv  
pkgplfm-manifest-sit2-corrections-comparison-output  
pkgplfm-manifest-sit2-enrolled-files  
~~pkgplfm-manifest-sit2-file-feedback~~  
~~pkgplfm-manifest-sit2-filetype-b-output~~  
~~pkgplfm-manifest-cat1-filetype-icr-output~~  
pkgplfm-manifest-sit2-manifest-package-error-output  
pkgplfm-manifest-sit2-manifest-subscription-input  
pkgplfm-manifest-sit2-manifest-validation-output  
pkgplfm-manifest-sit2-nmats-subscription-input  
pkgplfm-manifest-sit2-package-tracking-output  
~~pkgplfm-manifest-sit2-packages~~  
pkgplfm-manifest-sit2-presort-minimum-output  
~~pkgplfm-manifest-sit2-raw-packages~~  
pkgplfm-manifest-sit2-unmanifested  
pkgplfm-manifest-sit2-unpriced-packages  
pkgplfm-manifest-sit2-unused-labels-output  
pkgplfm-manifest-sit2-valid-header-records  
pkgplfm-manifest-sit2-package-tracking-output

# Automation Sharepoint

Thursday, February 20, 2020 7:50 AM

<https://afs365.sharepoint.com/sites/PackagePlatform/Shared%20Documents/Forms/AllItems.aspx?viewid=c6523213%2D051a%2D441b%2D8ec5%2Dcc5c96218dab&id=%2Fsites%2FPackagePlatform%2FShared%20Documents%2F09%2E%20Manifest%20Service%2FAutomated%20Testing>

## Dev2\_ssf\_020\_Perfect\_v2

- Ssf\_package\_d2 -1

Dev2\_ssf\_016\_d1\_errors

- Validation\_result -1

Dev2\_ssf\_020\_h1\_errors

- Validatin\_result - 1

Dev2\_ssf\_020\_d1\_errors

- Validation\_result -1

7 6 5 8

R28

Wednesday, July 1, 2026 12:11 PM

# R28 Retro

Wednesday, July 1, 2026 12:10 PM

## Successes

- ETE testing - ETE testing was prioritized and communication between teams was quick

## Strengths

- V1 tracking - I feel like moving to V1 was a bit of a learning curve but it has helped me stay organized and aware of what is ready to test.

## Obstacles

- Idk

## Goals/Vision

- Cross team training?

## Anchors

- Waiting on data to populate the Redis Caches needed for testing

# SIT Testing R2.0

Wednesday, August 28, 2019 9:56 AM

## SIT Overall Tracker

[https://afs365.sharepoint.com/:x:/r/sites/PackagePlatform/\\_layouts/15/Doc.aspx?sourcedoc=%7B4AA50A67-A7E1-4074-8CF0-DC6EDAE0E011%7D&file=SIT%20Milestone%20Execution%20Tracker\\_R2.xlsx&action=default&mobileredirect=true](https://afs365.sharepoint.com/:x:/r/sites/PackagePlatform/_layouts/15/Doc.aspx?sourcedoc=%7B4AA50A67-A7E1-4074-8CF0-DC6EDAE0E011%7D&file=SIT%20Milestone%20Execution%20Tracker_R2.xlsx&action=default&mobileredirect=true)

# Dupe

Friday, January 24, 2020 1:19 PM

```
[{"MID_PROF_SEQ": "280991871220190228", "UPLOAD_TIME": "2020-01-22T17:57:37.586930+00:00",
"EPS_ACCT_NUMBER": "9999999999", "PROD_WRKFLW_TYPE": "P", "END_DATE": null,
"MAIL_CLASS_DESC": "Ground Return Service", "CRID": "20429125", "MAIL_CLASS": "GR", "STC": "601",
"MID": "900021940", "PROD_GRP_NAME": "Network Returns", "MASTER_MID": "901071818",
"PROD_WRKFLW_NAME": "Price Postage, Insurance on Manifest attributes, Validate with Scans &
Samples", "MID_USER_CRID": "20429125", "PROD_WRKFLW_CODE": "P005", "MID_OWNER_CRID":
"20429125", "START_DATE": "/Date(1551312000000)/", "DEFAULT_POSTAGE": "9.12"}]
```

# Padding Fix

Wednesday, December 4, 2019

2:30 PM

- nonIncidentalWeight, 5, 4
- extraFeeForShipment, 4, 2
- postage, 4, 3
- extraServiceFee1stService, 4, 2
- extraServiceFee2ndService, 4, 2
- extraServiceFee3rdService, 4, 2
- extraServiceFee4thService, 4, 2
- extraServiceFee5thService, 4, 2
- handlingCharge, 2, 2
- surchargeAmount, 4, 3
- discountAmount, 4, 3
- nonIncidentalEnclosurePostage, 4, 3
- weight, 5, 4
- valueOfArticle, 5, 2
- codAmountDueSender, 4, 2
- length, 3, 2
- width, 3, 2
- height, 3, 2
- dimensionalWeight, 4, 2



# CAT Help

Thursday, November 21, 2019

11:14 AM

```
'900023680:725': '{"MID_PROF_SEQ": "291765850920190524", "UPLOAD_TIME":
"2019-10-08T19:14:57.537535+00:00", "EPS_ACCT_NUMBER": "1000001401", "PROD_WRKFLW_TYPE":
"L", "END_DATE": "/Date(1558656000000)/", "MAIL_CLASS_DESC": "Express Mail", "CRID": "20478570",
"MAIL_CLASS": "EX", "STC": "725", "MID": "900023680", "PROD_GRP_NAME": "Domestic Outbound",
"MASTER_MID": "900023679", "PROD_WRKFLW_NAME": "Live", "MID_USER_CRID": "20478570",
"PROD_WRKFLW_CODE": "L004", "MID_OWNER_CRID": "20478570", "START_DATE":
"/Date(1558656000000)/", "DEFAULT_POSTAGE": null}]'
```

# Error Rules Engine

Monday, October 7, 2019 2:52 PM

```
stcMailClass + "|" + maniResp.getIngredients().getClassOfMail() + "|" +
maniResp.getIngredients().getDestinationRateIndicator() + "|*|"
 + maniResp.getIngredients().getRateIndicator() + "|*|" +
maniResp.getIngredients().getProcessingCategory() + "|" +
 + maniResp.getIngredients().getPostalRoutingBarcode() + "|*|*" + domesticZone +
"|*|*" + pricingDate;
```

```
mailClass, processingCategory, destinationRateIndicator, rateIndicator,
zone, routineBarCode
```

# New Testing - 9/30/19

Monday, September 30, 2019 8:53 AM

BB

```
[{"MID_PROF_SEQ": "2916820259220190523", "UPLOAD_TIME": "2019-09-18T21:23:02.453436+00:00",
"EPS_ACCT_NUMBER": "1000001430", "PROD_WRKFLW_TYPE": "L", "END_DATE": null,
"MAIL_CLASS_DESC": "Priority Mail", "CRID": "20479054", "MAIL_CLASS": "BB", "STC": "141", "MID":
"900058988", "PROD_GRP_NAME": "Domestic Outbound", "MASTER_MID": "900024239",
"PROD_WRKFLW_NAME": "Live", "MID_USER_CRID": "20429125", "PROD_WRKFLW_CODE": "L004",
"MID_OWNER_CRID": "20479054", "START_DATE": "/Date(1558569600000)/", "DEFAULT_POSTAGE":
null}]
```

# SIT Internal Manifest

Tuesday, August 20, 2019 3:35 PM

900058736:055

901071821:704

```
[{"MID_PROF_SEQ": "283338748820190228", "UPLOAD_TIME": "2019-07-16T17:25:34.323794+00:00", "EPS_ACCT_NUMBER": "1000001396", "PROD_WRKFLW_TYPE": "L", "END_DATE": null, "MAIL_CLASS_DESC": "USPS Marketing Mail Marketing Parcels", "CRID": "20430236", "MAIL_CLASS": "S2", "STC": "704", "MID": "901071821", "PROD_GRP_NAME": "Domestic Outbound", "MASTER_MID": "901109501", "PROD_WRKFLW_NAME": "Price & Charge on Manifest, Validate with Scans & Samples", "MID_USER_CRID": null, "PROD_WRKFLW_CODE": "L004", "MID_OWNER_CRID": "20430236", "START_DATE": "/Date(1551312000000)/", "DEFAULT_POSTAGE": null}]
```

```
[{"MID_PROF_SEQ": "283338748820190228", "UPLOAD_TIME": "2019-07-16T17:25:34.323794+00:00", "EPS_ACCT_NUMBER": "1000001396", "PROD_WRKFLW_TYPE": "L", "END_DATE": null, "MAIL_CLASS_DESC": "USPS Marketing Mail Marketing Parcels", "CRID": "20430236", "MAIL_CLASS": "S2", "STC": "512", "MID": "901071821", "PROD_GRP_NAME": "Domestic Outbound", "MASTER_MID": "901109501", "PROD_WRKFLW_NAME": "Price & Charge on Manifest, Validate with Scans & Samples", "MID_USER_CRID": null, "PROD_WRKFLW_CODE": "L004", "MID_OWNER_CRID": "20430236", "START_DATE": "/Date(1551312000000)/", "DEFAULT_POSTAGE": null}]
```

901109501:910

```
[{"MID_PROF_SEQ": "283338758820190228", "UPLOAD_TIME": "2019-07-16T17:25:34.323794+00:00", "EPS_ACCT_NUMBER": "1000001396", "PROD_WRKFLW_TYPE": "L", "END_DATE": null, "MAIL_CLASS_DESC": "Priority Mail", "CRID": "20430236", "MAIL_CLASS": "PM", "STC": "910", "MID": "901071821", "PROD_GRP_NAME": "Domestic Outbound", "MASTER_MID": "901109501", "PROD_WRKFLW_NAME": "Price & Charge on Manifest, Validate with Scans & Samples", "MID_USER_CRID": null, "PROD_WRKFLW_CODE": "L004", "MID_OWNER_CRID": "20430236", "START_DATE": "/Date(1551312000000)/", "DEFAULT_POSTAGE": null}]
```

901071821:811

```
[{"MID_PROF_SEQ": "283338756120190228", "UPLOAD_TIME": "2019-09-18T21:23:02.453436+00:00", "EPS_ACCT_NUMBER": "1000001396", "PROD_WRKFLW_TYPE": "L", "END_DATE": null, "MAIL_CLASS_DESC": "Priority Mail", "CRID": "20430236", "MAIL_CLASS": "PM", "STC": "811", "MID": "901071821", "PROD_GRP_NAME": "Domestic Outbound", "MASTER_MID": "901109501", "PROD_WRKFLW_NAME": "Live", "MID_USER_CRID": null, "PROD_WRKFLW_CODE": "L004", "MID_OWNER_CRID": "20430236", "START_DATE": "/Date(1551312000000)/", "DEFAULT_POSTAGE": null}]
```

900013925:017

FN|RP|N|\*|BN|\*|5|0|\*|\*|4|\*|\*|06/23/2019

FN|RP|N|\*|SP|\*|5|0|\*|\*|6|\*|\*|06/23/2019

900023680:018

```
[{"MID_PROF_SEQ": "2772658220190328", "UPLOAD_TIME": "2019-10-08T19:14:57.537535+00:00", "EPS_ACCT_NUMBER": "9999999999", "PROD_WRKFLW_TYPE": "P", "END_DATE": null, "MAIL_CLASS_DESC": "Parcel Return Service Full Network", "CRID": "20478570", "MAIL_CLASS": "FN", "STC": "018", "MID": "900023680", "PROD_GRP_NAME": "Network Returns", "MASTER_MID": "900023680", "PROD_WRKFLW_NAME": "Returns - Manifest Attributes (Pilot)", "MID_USER_CRID": "20478570", "PROD_WRKFLW_CODE": "P007", "MID_OWNER_CRID": "20478570", "START_DATE": "/Date(1553731200000)/", "DEFAULT_POSTAGE": "2.99"}]
```

902566732:022

GR|PS|N|\*|DR|\*|3|1|\*|\*|1|\*|\*|06/23/2019

```
[{"MID_PROF_SEQ": "28717302120190429", "UPLOAD_TIME": "2019-07-16T17:25:34.323794+00:00", "EPS_ACCT_NUMBER": "1000001395", "PROD_WRKFLW_TYPE": "L", "END_DATE": "/Date(1559260800000)/", "MAIL_CLASS_DESC": "Ground Return Service", "CRID": "902566732", "MAIL_CLASS": "GR", "STC": "022", "MID": "902566732", "PROD_GRP_NAME": "Network Returns", "MASTER_MID": "902566732", "PROD_WRKFLW_NAME": "Returns - Manifest Attributes (Live)", "MID_USER_CRID": null, "PROD_WRKFLW_CODE": "L008", "MID_OWNER_CRID": "902566732", "START_DATE": "/Date(1556496000000)/", "DEFAULT_POSTAGE": "1.99"}],
```

902157814:020

FR|FC|N|\*|SP|\*|3|1|\*|\*|6|\*|\*|06/23/2019

```
[{"MID_PROF_SEQ": "1309408173420190913", "UPLOAD_TIME": "2019-10-08T19:14:57.537535+00:00", "EPS_ACCT_NUMBER": "1000017457", "PROD_WRKFLW_TYPE": "L", "END_DATE": null, "MAIL_CLASS_DESC": "First-Class Package Service Return", "CRID": "23479607", "MAIL_CLASS": "FR", "STC": "020", "MID": "902157814", "PROD_GRP_NAME": "Network Returns", "MASTER_MID": null, "PROD_WRKFLW_NAME": "Returns - Manifest Attributes (Live)", "MID_USER_CRID": null, "PROD_WRKFLW_CODE": "L008", "MID_OWNER_CRID": "23479607", "START_DATE": "/Date(1568332800000)/", "DEFAULT_POSTAGE": "5.53"}]
```

MR: 900058981:119

```
[{"MID_PROF_SEQ": "13125583544920191004", "UPLOAD_TIME": "2019-10-08T19:14:57.537535+00:00", "EPS_ACCT_NUMBER": "1000001552", "PROD_WRKFLW_TYPE": "L", "END_DATE": null, "MAIL_CLASS_DESC": "Priority Mail", "CRID": "20429125", "MAIL_CLASS": "PM", "STC": "119", "MID": "900058981", "PROD_GRP_NAME": "Domestic Outbound", "MASTER_MID": "900021933", "PROD_WRKFLW_NAME": "Live", "MID_USER_CRID": null, "PROD_WRKFLW_CODE": "L004", "MID_OWNER_CRID": "20429125", "START_DATE": "/Date(1570147200000)/", "DEFAULT_POSTAGE": null},
```

```
{"MID_PROF_SEQ": "13125783544920221008", "UPLOAD_TIME": "2019-10-08T19:14:57.537535+00:00", "EPS_ACCT_NUMBER": "1000001554", "PROD_WRKFLW_TYPE": "L", "END_DATE": "/Date(1696723200000)/", "MAIL_CLASS_DESC": "Priority Mail", "CRID": "20429125", "MAIL_CLASS": "PM", "STC": "119", "MID": "900058981", "PROD_GRP_NAME": "Domestic Outbound", "MASTER_MID": "100033", "PROD_WRKFLW_NAME": "Live", "MID_USER_CRID": null, "PROD_WRKFLW_CODE": "L004", "MID_OWNER_CRID": "20429125", "START_DATE": "/Date(1665187200000)/", "DEFAULT_POSTAGE": null}]
```

902157814:162

```
[{"MID_PROF_SEQ": "1309408173420190913", "UPLOAD_TIME": "2019-10-08T19:14:57.537535+00:00", "EPS_ACCT_NUMBER": "1000017457", "PROD_WRKFLW_TYPE": "L", "END_DATE": null, "MAIL_CLASS_DESC": "First-Class Package Service Return", "CRID": "23479607", "MAIL_CLASS": "FR", "STC": "162", "MID": "902157814", "PROD_GRP_NAME": "Network Returns", "MASTER_MID": null, "PROD_WRKFLW_NAME": "Returns - Manifest Attributes (Live)", "MID_USER_CRID": null, "PROD_WRKFLW_CODE": "L008", "MID_OWNER_CRID": "23479607", "START_DATE": "/Date(1568332800000)/", "DEFAULT_POSTAGE": "5.53"}]
```

# SIT ETE

Tuesday, August 13, 2019 12:21 PM

ETE Unused labels: 901071821:102

Vendor Codes ICR/ File Type B

ICR

ETE APV:

Ebay info

Provider ID	Model ID	PES Serial Number	Ascending Register
02	4P	4897400	198343.25

917279739:023 - RP

```
[{"MID_PROF_SEQ": "283337527520190228", "UPLOAD_TIME": "2019-07-16T17:25:34.323794+00:00", "EPS_ACCT_NUMBER": "1000001396", "PROD_WRKFLW_TYPE": "L", "END_DATE": null, "MAIL_CLASS_DESC": "Parcel Select", "CRID": "20430236", "MAIL_CLASS": "RP", "STC": "023", "MID": "917279739", "PROD_GRP_NAME": "Domestic Outbound", "MASTER_MID": "927189789", "PROD_WRKFLW_NAME": "Price & Charge on Manifest, Validate with Scans & Samples", "MID_USER_CRID": null, "PROD_WRKFLW_CODE": "L004", "MID_OWNER_CRID": "20430236", "START_DATE": "/Date(1551312000000)/", "DEFAULT_POSTAGE": null}]
```

ETE 08 Balloon:

900023680:133

918189789:966

```
[{"MID_PROF_SEQ": "283337564420190228", "UPLOAD_TIME": "2019-07-16T17:25:34.323794+00:00", "EPS_ACCT_NUMBER": "1000001396", "PROD_WRKFLW_TYPE": "L", "END_DATE": null, "MAIL_CLASS_DESC": "Parcel Post", "CRID": "20430236", "MAIL_CLASS": "BP", "STC": "966", "MID": "918189789", "PROD_GRP_NAME": "Domestic Outbound", "MASTER_MID": "901109501", "PROD_WRKFLW_NAME": "Price & Charge on Manifest, Validate with Scans & Samples", "MID_USER_CRID": null, "PROD_WRKFLW_CODE": "L004", "MID_OWNER_CRID": "20430236", "START_DATE": "/Date(1551312000000)/", "DEFAULT_POSTAGE": null}]
```

901123679:971 - GR

100033:828 - GR - USE THIS ONE

```
[{"MID_PROF_SEQ": "28717302120190429", "UPLOAD_TIME": "2019-07-16T17:25:34.323794+00:00", "EPS_ACCT_NUMBER": "1000001395", "PROD_WRKFLW_TYPE": "L", "END_DATE": "/Date(1559260800000)/", "MAIL_CLASS_DESC": "Ground Return Service", "CRID": "20429125", "MAIL_CLASS": "GR", "STC": "828", "MID": "100033", "PROD_GRP_NAME": "Network Returns", "MASTER_MID": "900021939", "PROD_WRKFLW_NAME": "Returns - Manifest Attributes (Live)", "MID_USER_CRID": null, "PROD_WRKFLW_CODE": "L008", "MID_OWNER_CRID": "20429125", "START_DATE": "/Date(1556496000000)/", "DEFAULT_POSTAGE": "1.99"}],
```

918189789:389 - PS

```
[{"MID_PROF_SEQ": "283337527520190228", "UPLOAD_TIME": "2019-09-18T21:23:02.453436+00:00", "EPS_ACCT_NUMBER": "1000001396", "PROD_WRKFLW_TYPE": "L", "END_DATE": null, "MAIL_CLASS_DESC": "Parcel Select", "CRID": "20430236", "MAIL_CLASS": "PS", "STC": "389", "MID": "918189789", "PROD_GRP_NAME": "Domestic Outbound", "MASTER_MID": "901109501", "PROD_WRKFLW_NAME": "Price & Charge on Manifest, Validate with Scans & Samples", "MID_USER_CRID": null, "PROD_WRKFLW_CODE": "L004", "MID_OWNER_CRID": "20430236", "START_DATE": "/Date(1551312000000)/", "DEFAULT_POSTAGE": null}]
```

MR - 596

```
[{"MID_PROF_SEQ": "283337527520190228", "UPLOAD_TIME": "2019-07-16T17:25:34.323794+00:00", "EPS_ACCT_NUMBER": "1000001396", "PROD_WRKFLW_TYPE": "L", "END_DATE": null, "MAIL_CLASS_DESC": "Parcel Select", "CRID": "20430236", "MAIL_CLASS": "MR", "STC": "790", "MID": "927189789",
```

"PROD\_GRP\_NAME": "Domestic Outbound", "MASTER\_MID": "927189789",  
"PROD\_WRKFLW\_NAME": "Price & Charge on Manifest, Validate with Scans & Samples",  
"MID\_USER\_CRID": null, "PROD\_WRKFLW\_CODE": "L004", "MID\_OWNER\_CRID":  
"20430236", "START\_DATE": "/Date(1551312000000)/", "DEFAULT\_POSTAGE": null}}

927189789:790 - MR - DON'T USE THIS ONE ANYMORE

{{"MID\_PROF\_SEQ": "283337527520190228", "UPLOAD\_TIME":  
"2019-07-16T17:25:34.323794+00:00", "EPS\_ACCT\_NUMBER": "1000001396",  
"PROD\_WRKFLW\_TYPE": "L", "END\_DATE": null, "MAIL\_CLASS\_DESC": "Parcel Select",  
"CRID": "20430236", "MAIL\_CLASS": "MR", "STC": "790", "MID": "927189789",  
"PROD\_GRP\_NAME": "Domestic Outbound", "MASTER\_MID": "927189789",  
"PROD\_WRKFLW\_NAME": "Price & Charge on Manifest, Validate with Scans & Samples",  
"MID\_USER\_CRID": null, "PROD\_WRKFLW\_CODE": "L004", "MID\_OWNER\_CRID":  
"20430236", "START\_DATE": "/Date(1551312000000)/", "DEFAULT\_POSTAGE": null}}

901060098:019 - MR - USE THIS ONE

{{"MID\_PROF\_SEQ": "77302429809320190411", "UPLOAD\_TIME":  
"2019-04-16T15:08:57.421313+00:00", "EPS\_ACCT\_NUMBER": "9999999999",  
"PROD\_WRKFLW\_TYPE": "P", "END\_DATE": null, "MAIL\_CLASS\_DESC": "Priority Mail",  
"CRID": "4994238", "MAIL\_CLASS": "MR", "STC": "019", "MID": "901060098",  
"PROD\_GRP\_NAME": "Network Returns", "MASTER\_MID": "901060098",  
"PROD\_WRKFLW\_NAME": "Returns - Manifest Attributes (Live)", "MID\_USER\_CRID": null,  
"PROD\_WRKFLW\_CODE": "L008", "MID\_OWNER\_CRID": "4994238", "START\_DATE":  
"/Date(1484611200000)/", "DEFAULT\_POSTAGE": "2.22"}}

900026172:655 - EX

{{"MID\_PROF\_SEQ": "291865945120190524", "UPLOAD\_TIME":  
"2019-07-16T17:25:34.323794+00:00", "EPS\_ACCT\_NUMBER": "9999999999",  
"PROD\_WRKFLW\_TYPE": "L", "END\_DATE": null, "MAIL\_CLASS\_DESC": "Express Mail",  
"CRID": "20479960", "MAIL\_CLASS": "EX", "STC": "655", "MID": "900026172",  
"PROD\_GRP\_NAME": "Domestic Outbound", "MASTER\_MID": "900026172",  
"PROD\_WRKFLW\_NAME": "Price & Charge on Manifest, Validate with Scans & Samples",  
"MID\_USER\_CRID": null, "PROD\_WRKFLW\_CODE": "L004", "MID\_OWNER\_CRID":  
"20479960", "START\_DATE": "/Date(1558656000000)/", "DEFAULT\_POSTAGE": null}}

900023679:682 - PM

{{"MID\_PROF\_SEQ": "291765746620190524", "UPLOAD\_TIME":  
"2019-07-16T17:25:34.323794+00:00", "EPS\_ACCT\_NUMBER": "1000001401",  
"PROD\_WRKFLW\_TYPE": "L", "END\_DATE": "/Date(1558656000000)/", "MAIL\_CLASS\_DESC":  
"Priority Mail", "CRID": "20478570", "MAIL\_CLASS": "PM", "STC": "682", "MID":  
"900023679", "PROD\_GRP\_NAME": "Domestic Outbound", "MASTER\_MID": "900023679",  
"PROD\_WRKFLW\_NAME": "Price & Charge on Manifest, Validate with Scans & Samples",  
"MID\_USER\_CRID": null, "PROD\_WRKFLW\_CODE": "L004", "MID\_OWNER\_CRID":  
"20478570", "START\_DATE": "/Date(1558656000000)/", "DEFAULT\_POSTAGE": null}}

901109501:147- FC

{{"MID\_PROF\_SEQ": "283337714320190228", "UPLOAD\_TIME":  
"2019-07-16T17:25:34.323794+00:00", "EPS\_ACCT\_NUMBER": "1000001396",  
"PROD\_WRKFLW\_TYPE": "L", "END\_DATE": null, "MAIL\_CLASS\_DESC": "First-Class Mail",  
"CRID": "20430236", "MAIL\_CLASS": "FC", "STC": "147", "MID": "901109501",  
"PROD\_GRP\_NAME": "Domestic Outbound", "MASTER\_MID": "901109501",  
"PROD\_WRKFLW\_NAME": "Price & Charge on Manifest, Validate with Scans & Samples",  
"MID\_USER\_CRID": null, "PROD\_WRKFLW\_CODE": "L004", "MID\_OWNER\_CRID":  
"20430236", "START\_DATE": "/Date(1551312000000)/", "DEFAULT\_POSTAGE": null}}

900024239:138- LW

{{"MID\_PROF\_SEQ": "291665613820190523", "UPLOAD\_TIME":  
"2019-07-16T17:25:34.323794+00:00", "EPS\_ACCT\_NUMBER": "1000001430",  
"PROD\_WRKFLW\_TYPE": "L", "END\_DATE": null, "MAIL\_CLASS\_DESC": "Parcel Select  
Lightweight", "CRID": "20479054", "MAIL\_CLASS": "LW", "STC": "138", "MID": "900024239",  
"PROD\_GRP\_NAME": "Domestic Outbound", "MASTER\_MID": "900024239",  
"PROD\_WRKFLW\_NAME": "Price & Charge on Manifest, Validate with Scans & Samples",  
"MID\_USER\_CRID": null, "PROD\_WRKFLW\_CODE": "L004", "MID\_OWNER\_CRID":  
"20479054", "START\_DATE": "/Date(1558569600000)/", "DEFAULT\_POSTAGE": null}}



**900023679:138 - LW**

```
{{"MID_PROF_SEQ": "291765713820190524", "UPLOAD_TIME":
"2019-07-16T17:25:34.323794+00:00", "EPS_ACCT_NUMBER": "1000001401",
"PROD_WRKFLW_TYPE": "L", "END_DATE": "/Date(1558656000000)/", "MAIL_CLASS_DESC":
"Parcel Select Lightweight", "CRID": "20478570", "MAIL_CLASS": "LW", "STC": "138", "MID":
"900023679", "PROD_GRP_NAME": "Domestic Outbound", "MASTER_MID": "900023679",
"PROD_WRKFLW_NAME": "Price & Charge on Manifest, Validate with Scans & Samples",
"MID_USER_CRID": null, "PROD_WRKFLW_CODE": "L004", "MID_OWNER_CRID":
"20478570", "START_DATE": "/Date(1558656000000)/", "DEFAULT_POSTAGE": null}}
```

**900023679:139 - BB**

```
{{"MID_PROF_SEQ": "291765713920190524", "UPLOAD_TIME":
"2019-07-16T17:25:34.323794+00:00", "EPS_ACCT_NUMBER": "1000001401",
"PROD_WRKFLW_TYPE": "L", "END_DATE": "/Date(1558656000000)/", "MAIL_CLASS_DESC":
"Bound Printed Matter", "CRID": "20478570", "MAIL_CLASS": "BB", "STC": "139", "MID":
"900023679", "PROD_GRP_NAME": "Domestic Outbound", "MASTER_MID": "900023679",
"PROD_WRKFLW_NAME": "Price & Charge on Manifest, Validate with Scans & Samples",
"MID_USER_CRID": null, "PROD_WRKFLW_CODE": "L004", "MID_OWNER_CRID":
"20478570", "START_DATE": "/Date(1558656000000)/", "DEFAULT_POSTAGE": null}}
```

STC: 118 / Mailer ID: 100034 :118

```
{{"MID_PROF_SEQ": "283273113120190228", "UPLOAD_TIME":
"2019-07-16T17:25:34.323794+00:00", "EPS_ACCT_NUMBER": "1000001396",
"PROD_WRKFLW_TYPE": "L", "END_DATE": null, "MAIL_CLASS_DESC": "Priority Mail",
"CRID": "20429125", "MAIL_CLASS": "PM", "STC": "118", "MID": "100034",
"PROD_GRP_NAME": "Domestic Outbound", "MASTER_MID": "901071819",
"PROD_WRKFLW_NAME": "Price & Charge on Manifest, Validate with Scans & Samples",
"MID_USER_CRID": null, "PROD_WRKFLW_CODE": "L004", "MID_OWNER_CRID":
"20429125", "START_DATE": "/Date(1551312000000)/", "DEFAULT_POSTAGE": null},
```

```
{"MID_PROF_SEQ": "288773113120190514", "UPLOAD_TIME":
"2019-07-16T17:25:34.323794+00:00", "EPS_ACCT_NUMBER": "1000001417",
"PROD_WRKFLW_TYPE": "P", "END_DATE": null, "MAIL_CLASS_DESC": "Priority Mail",
"CRID": "20429125", "MAIL_CLASS": "PM", "STC": "118", "MID": "100034",
"PROD_GRP_NAME": "Domestic Outbound", "MASTER_MID": "900021939",
"PROD_WRKFLW_NAME": "Price on Manifest, Validate with Scans & Samples",
"MID_USER_CRID": null, "PROD_WRKFLW_CODE": "P002", "MID_OWNER_CRID":
"20429125", "START_DATE": "/Date(1557792000000)/", "DEFAULT_POSTAGE": null},
```

```
{"MID_PROF_SEQ": "288873113120190514", "UPLOAD_TIME":
"2019-07-16T17:25:34.323794+00:00", "EPS_ACCT_NUMBER": "1000001393",
"PROD_WRKFLW_TYPE": "P", "END_DATE": null, "MAIL_CLASS_DESC": "Priority Mail",
"CRID": "20429125", "MAIL_CLASS": "PM", "STC": "118", "MID": "100034",
"PROD_GRP_NAME": "Domestic Outbound", "MASTER_MID": "100033",
"PROD_WRKFLW_NAME": "Price on Manifest, Validate with Scans & Samples",
"MID_USER_CRID": null, "PROD_WRKFLW_CODE": "P002", "MID_OWNER_CRID":
"20429125", "START_DATE": "/Date(1557792000000)/", "DEFAULT_POSTAGE": null},
```

```
{"MID_PROF_SEQ": "288973113120190514", "UPLOAD_TIME":
"2019-07-16T17:25:34.323794+00:00", "EPS_ACCT_NUMBER": "1000001396",
"PROD_WRKFLW_TYPE": "L", "END_DATE": null, "MAIL_CLASS_DESC": "Priority Mail",
"CRID": "20429125", "MAIL_CLASS": "PM", "STC": "118", "MID": "100034",
"PROD_GRP_NAME": "Domestic Outbound", "MASTER_MID": "100034",
"PROD_WRKFLW_NAME": "Price & Charge on Manifest, Validate with Scans & Samples",
"MID_USER_CRID": null, "PROD_WRKFLW_CODE": "L004", "MID_OWNER_CRID":
"20429125", "START_DATE": "/Date(1557792000000)/", "DEFAULT_POSTAGE": null},
```

```
{"MID_PROF_SEQ": "289073113120190514", "UPLOAD_TIME":
"2019-07-16T17:25:34.323794+00:00", "EPS_ACCT_NUMBER": "1000001470",
"PROD_WRKFLW_TYPE": "L", "END_DATE": null, "MAIL_CLASS_DESC": "Priority Mail",
"CRID": "20429125", "MAIL_CLASS": "PM", "STC": "118", "MID": "100034",
"PROD_GRP_NAME": "Domestic Outbound", "MASTER_MID": "900021940",
"PROD_WRKFLW_NAME": "Price & Charge on Manifest, Validate with Scans & Samples",
"MID_USER_CRID": null, "PROD_WRKFLW_CODE": "L004", "MID_OWNER_CRID":
"20429125", "START_DATE": "/Date(1557792000000)/", "DEFAULT_POSTAGE": null},
{"MID_PROF_SEQ": "289173113120200531", "UPLOAD_TIME":
```

"2019-07-16T17:25:34.323794+00:00", "EPS\_ACCT\_NUMBER": "1000001869",  
 "PROD\_WRKFLW\_TYPE": "L", "END\_DATE": "/Date(1592092800000)/", "MAIL\_CLASS\_DESC":  
 "Priority Mail", "CRID": "20429125", "MAIL\_CLASS": "PM", "STC": "118", "MID": "100034",  
 "PROD\_GRP\_NAME": "Domestic Outbound", "MASTER\_MID": "900021939",  
 "PROD\_WRKFLW\_NAME": "Price & Charge on Manifest, Validate with Scans & Samples",  
 "MID\_USER\_CRID": null, "PROD\_WRKFLW\_CODE": "L004", "MID\_OWNER\_CRID":  
 "20429125", "START\_DATE": "/Date(1590883200000)/", "DEFAULT\_POSTAGE": null},  
 {"MID\_PROF\_SEQ": "289973113120190522", "UPLOAD\_TIME":  
 "2019-07-16T17:25:34.323794+00:00", "EPS\_ACCT\_NUMBER": "9999999999",  
 "PROD\_WRKFLW\_TYPE": "P", "END\_DATE": null, "MAIL\_CLASS\_DESC": "Priority Mail",  
 "CRID": "20429125", "MAIL\_CLASS": "PM", "STC": "118", "MID": "100034",  
 "PROD\_GRP\_NAME": "Domestic Outbound", "MASTER\_MID": "100034",  
 "PROD\_WRKFLW\_NAME": "Price on Manifest, Validate with Scans & Samples",  
 "MID\_USER\_CRID": null, "PROD\_WRKFLW\_CODE": "P002", "MID\_OWNER\_CRID":  
 "20429125", "START\_DATE": "/Date(1558483200000)/", "DEFAULT\_POSTAGE": null},  
 {"MID\_PROF\_SEQ": "290973113120190523", "UPLOAD\_TIME":  
 "2019-07-16T17:25:34.323794+00:00", "EPS\_ACCT\_NUMBER": "9999999999",  
 "PROD\_WRKFLW\_TYPE": "P", "END\_DATE": "/Date(1558569600000)/", "MAIL\_CLASS\_DESC":  
 "Priority Mail", "CRID": "20429125", "MAIL\_CLASS": "PM", "STC": "118", "MID": "100034",  
 "PROD\_GRP\_NAME": "Domestic Outbound", "MASTER\_MID": "900021933",  
 "PROD\_WRKFLW\_NAME": "Price on Manifest, Validate with Scans & Samples",  
 "MID\_USER\_CRID": null, "PROD\_WRKFLW\_CODE": "P002", "MID\_OWNER\_CRID":  
 "20429125", "START\_DATE": "/Date(1558569600000)/", "DEFAULT\_POSTAGE": null},  
 {"MID\_PROF\_SEQ": "291073113120190524", "UPLOAD\_TIME":  
 "2019-07-16T17:25:34.323794+00:00", "EPS\_ACCT\_NUMBER": "1000001401",  
 "PROD\_WRKFLW\_TYPE": "L", "END\_DATE": "/Date(1559260800000)/", "MAIL\_CLASS\_DESC":  
 "Priority Mail", "CRID": "20429125", "MAIL\_CLASS": "PM", "STC": "118", "MID": "100034",  
 "PROD\_GRP\_NAME": "Domestic Outbound", "MASTER\_MID": "900021933",  
 "PROD\_WRKFLW\_NAME": "Price & Charge on Manifest, Validate with Scans & Samples",  
 "MID\_USER\_CRID": null, "PROD\_WRKFLW\_CODE": "L004", "MID\_OWNER\_CRID":  
 "20429125", "START\_DATE": "/Date(1558656000000)/", "DEFAULT\_POSTAGE": null},  
 {"MID\_PROF\_SEQ": "291173113120190523", "UPLOAD\_TIME":  
 "2019-07-16T17:25:34.323794+00:00", "EPS\_ACCT\_NUMBER": "9999999999",  
 "PROD\_WRKFLW\_TYPE": "P", "END\_DATE": null, "MAIL\_CLASS\_DESC": "Priority Mail",  
 "CRID": "20429125", "MAIL\_CLASS": "PM", "STC": "118", "MID": "100034",  
 "PROD\_GRP\_NAME": "Domestic Outbound", "MASTER\_MID": "900021933",  
 "PROD\_WRKFLW\_NAME": "Price on Manifest, Validate with Scans & Samples",  
 "MID\_USER\_CRID": null, "PROD\_WRKFLW\_CODE": "P002", "MID\_OWNER\_CRID":  
 "20429125", "START\_DATE": "/Date(1558569600000)/", "DEFAULT\_POSTAGE": null}}

900058736:182 - FC

{"MID\_PROF\_SEQ": "290663017620190523", "UPLOAD\_TIME":  
 "2019-07-16T17:25:34.323794+00:00", "EPS\_ACCT\_NUMBER": "1000001401",  
 "PROD\_WRKFLW\_TYPE": "L", "END\_DATE": null, "MAIL\_CLASS\_DESC": "First-Class Mail",  
 "CRID": "20521730", "MAIL\_CLASS": "FC", "STC": "182", "MID": "900058736",  
 "PROD\_GRP\_NAME": "Domestic Outbound", "MASTER\_MID": "900058735",  
 "PROD\_WRKFLW\_NAME": "Price & Charge on Manifest, Validate with Scans & Samples",  
 "MID\_USER\_CRID": "20521730", "PROD\_WRKFLW\_CODE": "L004", "MID\_OWNER\_CRID":  
 "20521730", "START\_DATE": "/Date(1558569600000)/", "DEFAULT\_POSTAGE": null}}

#### SIT ETE 04

100033:195

{"MID\_PROF\_SEQ": "283273018720190228", "UPLOAD\_TIME":  
 "2019-09-18T21:23:02.453436+00:00", "EPS\_ACCT\_NUMBER": "1000001396",  
 "PROD\_WRKFLW\_TYPE": "L", "END\_DATE": null, "MAIL\_CLASS\_DESC": "First-Class Mail",  
 "CRID": "20429125", "MAIL\_CLASS": "FC", "STC": "195", "MID": "100033",  
 "PROD\_GRP\_NAME": "Domestic Outbound", "MASTER\_MID": "901071819",  
 "PROD\_WRKFLW\_NAME": "Live", "MID\_USER\_CRID": null, "PROD\_WRKFLW\_CODE": "L004",  
 "MID\_OWNER\_CRID": "20429125", "START\_DATE": "/Date(1551312000000)/",  
 "DEFAULT\_POSTAGE": null},

{"MID\_PROF\_SEQ": "288773018720190514", "UPLOAD\_TIME":  
 "2019-09-18T21:23:02.453436+00:00", "EPS\_ACCT\_NUMBER": "1000001417",  
 "PROD\_WRKFLW\_TYPE": "P", "END\_DATE": null, "MAIL\_CLASS\_DESC": "First-Class Mail",  
 "CRID": "20429125", "MAIL\_CLASS": "FC", "STC": "195", "MID": "100033",

"PROD\_GRP\_NAME": "Domestic Outbound", "MASTER\_MID": "900021939",  
 "PROD\_WRKFLW\_NAME": "Pilot", "MID\_USER\_CRID": null, "PROD\_WRKFLW\_CODE": "P002",  
 "MID\_OWNER\_CRID": "20429125", "START\_DATE": "/Date(1557792000000)/",  
 "DEFAULT\_POSTAGE": null},  
 {"MID\_PROF\_SEQ": "288873018720190514", "UPLOAD\_TIME":  
 "2019-09-18T21:23:02.453436+00:00", "EPS\_ACCT\_NUMBER": "1000001393",  
 "PROD\_WRKFLW\_TYPE": "P", "END\_DATE": null, "MAIL\_CLASS\_DESC": "First-Class Mail",  
 "CRID": "20429125", "MAIL\_CLASS": "FC", "STC": "195", "MID": "100033",  
 "PROD\_GRP\_NAME": "Domestic Outbound", "MASTER\_MID": "100033",  
 "PROD\_WRKFLW\_NAME": "Pilot", "MID\_USER\_CRID": null, "PROD\_WRKFLW\_CODE": "P002",  
 "MID\_OWNER\_CRID": "20429125", "START\_DATE": "/Date(1557792000000)/",  
 "DEFAULT\_POSTAGE": null}, {"MID\_PROF\_SEQ": "288973018720190514", "UPLOAD\_TIME":  
 "2019-09-18T21:23:02.453436+00:00", "EPS\_ACCT\_NUMBER": "1000001396",  
 "PROD\_WRKFLW\_TYPE": "L", "END\_DATE": null, "MAIL\_CLASS\_DESC": "First-Class Mail",  
 "CRID": "20429125", "MAIL\_CLASS": "FC", "STC": "195", "MID": "100033",  
 "PROD\_GRP\_NAME": "Domestic Outbound", "MASTER\_MID": "100034",  
 "PROD\_WRKFLW\_NAME": "Live", "MID\_USER\_CRID": null, "PROD\_WRKFLW\_CODE": "L004",  
 "MID\_OWNER\_CRID": "20429125", "START\_DATE": "/Date(1557792000000)/",  
 "DEFAULT\_POSTAGE": null}, {"MID\_PROF\_SEQ": "289073018720190514", "UPLOAD\_TIME":  
 "2019-09-18T21:23:02.453436+00:00", "EPS\_ACCT\_NUMBER": "1000001470",  
 "PROD\_WRKFLW\_TYPE": "L", "END\_DATE": null, "MAIL\_CLASS\_DESC": "First-Class Mail",  
 "CRID": "20429125", "MAIL\_CLASS": "FC", "STC": "195", "MID": "100033",  
 "PROD\_GRP\_NAME": "Domestic Outbound", "MASTER\_MID": "900021940",  
 "PROD\_WRKFLW\_NAME": "Live", "MID\_USER\_CRID": null, "PROD\_WRKFLW\_CODE": "L004",  
 "MID\_OWNER\_CRID": "20429125", "START\_DATE": "/Date(1557792000000)/",  
 "DEFAULT\_POSTAGE": null}, {"MID\_PROF\_SEQ": "289173018720200531", "UPLOAD\_TIME":  
 "2019-09-18T21:23:02.453436+00:00", "EPS\_ACCT\_NUMBER": "1000001869",  
 "PROD\_WRKFLW\_TYPE": "L", "END\_DATE": "/Date(1592092800000)/", "MAIL\_CLASS\_DESC":  
 "First-Class Mail", "CRID": "20429125", "MAIL\_CLASS": "FC", "STC": "195", "MID": "100033",  
 "PROD\_GRP\_NAME": "Domestic Outbound", "MASTER\_MID": "900021939",  
 "PROD\_WRKFLW\_NAME": "Live", "MID\_USER\_CRID": null, "PROD\_WRKFLW\_CODE": "L004",  
 "MID\_OWNER\_CRID": "20429125", "START\_DATE": "/Date(1590883200000)/",  
 "DEFAULT\_POSTAGE": null}, {"MID\_PROF\_SEQ": "289973018720190522", "UPLOAD\_TIME":  
 "2019-09-18T21:23:02.453436+00:00", "EPS\_ACCT\_NUMBER": "9999999999",  
 "PROD\_WRKFLW\_TYPE": "P", "END\_DATE": null, "MAIL\_CLASS\_DESC": "First-Class Mail",  
 "CRID": "20429125", "MAIL\_CLASS": "FC", "STC": "195", "MID": "100033",  
 "PROD\_GRP\_NAME": "Domestic Outbound", "MASTER\_MID": "100034",  
 "PROD\_WRKFLW\_NAME": "Pilot", "MID\_USER\_CRID": null, "PROD\_WRKFLW\_CODE": "P002",  
 "MID\_OWNER\_CRID": "20429125", "START\_DATE": "/Date(1558483200000)/",  
 "DEFAULT\_POSTAGE": null}, {"MID\_PROF\_SEQ": "290973018720190523", "UPLOAD\_TIME":  
 "2019-09-18T21:23:02.453436+00:00", "EPS\_ACCT\_NUMBER": "9999999999",  
 "PROD\_WRKFLW\_TYPE": "P", "END\_DATE": "/Date(1558569600000)/", "MAIL\_CLASS\_DESC":  
 "First-Class Mail", "CRID": "20429125", "MAIL\_CLASS": "FC", "STC": "195", "MID": "100033",  
 "PROD\_GRP\_NAME": "Domestic Outbound", "MASTER\_MID": "900021933",  
 "PROD\_WRKFLW\_NAME": "Pilot", "MID\_USER\_CRID": null, "PROD\_WRKFLW\_CODE": "P002",  
 "MID\_OWNER\_CRID": "20429125", "START\_DATE": "/Date(1558569600000)/",  
 "DEFAULT\_POSTAGE": null}, {"MID\_PROF\_SEQ": "291073018720190524", "UPLOAD\_TIME":  
 "2019-09-18T21:23:02.453436+00:00", "EPS\_ACCT\_NUMBER": "1000001401",  
 "PROD\_WRKFLW\_TYPE": "L", "END\_DATE": "/Date(1559260800000)/", "MAIL\_CLASS\_DESC":  
 "First-Class Mail", "CRID": "20429125", "MAIL\_CLASS": "FC", "STC": "195", "MID": "100033",  
 "PROD\_GRP\_NAME": "Domestic Outbound", "MASTER\_MID": "900021933",  
 "PROD\_WRKFLW\_NAME": "Live", "MID\_USER\_CRID": null, "PROD\_WRKFLW\_CODE": "L004",  
 "MID\_OWNER\_CRID": "20429125", "START\_DATE": "/Date(1558656000000)/",  
 "DEFAULT\_POSTAGE": null}, {"MID\_PROF\_SEQ": "291173018720190523", "UPLOAD\_TIME":  
 "2019-09-18T21:23:02.453436+00:00", "EPS\_ACCT\_NUMBER": "9999999999",  
 "PROD\_WRKFLW\_TYPE": "P", "END\_DATE": null, "MAIL\_CLASS\_DESC": "First-Class Mail",  
 "CRID": "20429125", "MAIL\_CLASS": "FC", "STC": "195", "MID": "100033",  
 "PROD\_GRP\_NAME": "Domestic Outbound", "MASTER\_MID": "900021933",  
 "PROD\_WRKFLW\_NAME": "Pilot", "MID\_USER\_CRID": null, "PROD\_WRKFLW\_CODE": "P002",  
 "MID\_OWNER\_CRID": "20429125", "START\_DATE": "/Date(1558569600000)/",  
 "DEFAULT\_POSTAGE": null}]

[{"MID\_PROF\_SEQ": "131255834918720191004", "UPLOAD\_TIME":  
 "2019-10-08T19:14:57.537535+00:00", "EPS\_ACCT\_NUMBER": "1000001552",  
 "PROD\_WRKFLW\_TYPE": "L", "END\_DATE": null, "MAIL\_CLASS\_DESC": "First-Class Mail",  
 "CRID": "20429125", "MAIL\_CLASS": "FC", "STC": "195", "MID": "100033",  
 "PROD\_GRP\_NAME": "Domestic Outbound", "MASTER\_MID": "900021933",

```
"PROD_WRKFLW_NAME": "Live", "MID_USER_CRID": null, "PROD_WRKFLW_CODE": "L004",
"MID_OWNER_CRID": "20429125", "START_DATE": "/Date(1570147200000)/",
"DEFAULT_POSTAGE": null},

{ "MID_PROF_SEQ": "131257834918720221008", "UPLOAD_TIME":
"2019-10-08T19:14:57.537535+00:00", "EPS_ACCT_NUMBER": "1000001554",
"PROD_WRKFLW_TYPE": "L", "END_DATE": "/Date(1696723200000)/", "MAIL_CLASS_DESC":
"First-Class Mail", "CRID": "20429125", "MAIL_CLASS": "FC", "STC": "195", "MID": "100033",
"PROD_GRP_NAME": "Domestic Outbound", "MASTER_MID": "100033",
"PROD_WRKFLW_NAME": "Live", "MID_USER_CRID": null, "PROD_WRKFLW_CODE": "L004",
"MID_OWNER_CRID": "20429125", "START_DATE": "/Date(1665187200000)/",
"DEFAULT_POSTAGE": null}}
```

**Mailer 1****900023679:138 - LW**

```
{["MID_PROF_SEQ": "291765713820190524", "UPLOAD_TIME": "2019-07-16T17:25:34.323794+00:00",
"EPS_ACCT_NUMBER": "1000001401", "PROD_WRKFLW_TYPE": "L", "END_DATE": "/Date(1558656000000)/",
"MAIL_CLASS_DESC": "Parcel Select Lightweight", "CRID": "20478570", "MAIL_CLASS": "LW", "STC": "138", "MID":
"900023679", "PROD_GRP_NAME": "Domestic Outbound", "MASTER_MID": "900023679", "PROD_WRKFLW_NAME":
"Live", "MID_USER_CRID": null, "PROD_WRKFLW_CODE": "L004", "MID_OWNER_CRID": "20478570", "START_DATE":
"/Date(1558656000000)/", "DEFAULT_POSTAGE": null]}
```

**900023679:139 - BB**

```
{["MID_PROF_SEQ": "291765713920190524", "UPLOAD_TIME": "2019-07-16T17:25:34.323794+00:00",
"EPS_ACCT_NUMBER": "1000001401", "PROD_WRKFLW_TYPE": "L", "END_DATE": null, "MAIL_CLASS_DESC": "Bound
Printed Matter", "CRID": "20478570", "MAIL_CLASS": "BB", "STC": "139", "MID": "900023679", "PROD_GRP_NAME":
"Domestic Outbound", "MASTER_MID": "900023679", "PROD_WRKFLW_NAME": "Live", "MID_USER_CRID": null,
"PROD_WRKFLW_CODE": "L004", "MID_OWNER_CRID": "20478570", "START_DATE": "/Date(1558656000000)/",
"DEFAULT_POSTAGE": null]}
```

**900023679:682 - PM**

```
{["MID_PROF_SEQ": "291765746620190524", "UPLOAD_TIME": "2019-07-16T17:25:34.323794+00:00",
"EPS_ACCT_NUMBER": "1000001401", "PROD_WRKFLW_TYPE": "L", "END_DATE": null, "MAIL_CLASS_DESC": "Priority
Mail", "CRID": "20478570", "MAIL_CLASS": "PM", "STC": "682", "MID": "900023679", "PROD_GRP_NAME": "Domestic
Outbound", "MASTER_MID": "900023679", "PROD_WRKFLW_NAME": "Live", "MID_USER_CRID": null,
"PROD_WRKFLW_CODE": "L004", "MID_OWNER_CRID": "20478570", "START_DATE": "/Date(1558656000000)/",
"DEFAULT_POSTAGE": null]}
```

**900023679:182 - FC**

```
{["MID_PROF_SEQ": "291765717620190524", "UPLOAD_TIME": "2019-07-16T17:25:34.323794+00:00",
"EPS_ACCT_NUMBER": "1000001401", "PROD_WRKFLW_TYPE": "L", "END_DATE": "/Date(1558656000000)/",
"MAIL_CLASS_DESC": "First-Class Mail", "CRID": "20478570", "MAIL_CLASS": "FC", "STC": "182", "MID": "900023679",
"PROD_GRP_NAME": "Domestic Outbound", "MASTER_MID": "900023679", "PROD_WRKFLW_NAME": "Price & Charge
on Manifest, Validate with Scans & Samples", "MID_USER_CRID": null, "PROD_WRKFLW_CODE": "L004",
"MID_OWNER_CRID": "20478570", "START_DATE": "/Date(1558656000000)/", "DEFAULT_POSTAGE": null]}
```

**900023679:076 - PS**

```
{["MID_PROF_SEQ": "291765710520190524", "UPLOAD_TIME": "2019-07-16T17:25:34.323794+00:00",
"EPS_ACCT_NUMBER": "1000001401", "PROD_WRKFLW_TYPE": "L", "END_DATE": "/Date(1558656000000)/",
"MAIL_CLASS_DESC": "Parcel Select", "CRID": "20478570", "MAIL_CLASS": "PS", "STC": "076", "MID": "900023679",
"PROD_GRP_NAME": "Domestic Outbound", "MASTER_MID": "900023679", "PROD_WRKFLW_NAME": "Price & Charge
on Manifest, Validate with Scans & Samples", "MID_USER_CRID": null, "PROD_WRKFLW_CODE": "L004",
"MID_OWNER_CRID": "20478570", "START_DATE": "/Date(1558656000000)/", "DEFAULT_POSTAGE": null]}
```

**900023679:135 - DM**

```
{["MID_PROF_SEQ": "291765710520190524", "UPLOAD_TIME": "2019-07-16T17:25:34.323794+00:00",
"EPS_ACCT_NUMBER": "1000001401", "PROD_WRKFLW_TYPE": "L", "END_DATE": null, "MAIL_CLASS_DESC": "Parcel
Select", "CRID": "20478570", "MAIL_CLASS": "DM", "STC": "135", "MID": "900023679", "PROD_GRP_NAME": "Domestic
Outbound", "MASTER_MID": "900023679", "PROD_WRKFLW_NAME": "Price & Charge on Manifest, Validate with Scans
& Samples", "MID_USER_CRID": null, "PROD_WRKFLW_CODE": "L004", "MID_OWNER_CRID": "20478570",
"START_DATE": "/Date(1558656000000)/", "DEFAULT_POSTAGE": null]}
```

:596 - MR

**900023679:712 - EX**

```
{["MID_PROF_SEQ": "291765749620190524", "UPLOAD_TIME": "2019-07-16T17:25:34.323794+00:00",
"EPS_ACCT_NUMBER": "1000001401", "PROD_WRKFLW_TYPE": "L", "END_DATE": "/Date(1558656000000)/",
"MAIL_CLASS_DESC": "Express Mail", "CRID": "20478570", "MAIL_CLASS": "EX", "STC": "712", "MID": "900023679",
"PROD_GRP_NAME": "Domestic Outbound", "MASTER_MID": "900023679", "PROD_WRKFLW_NAME": "Price & Charge
on Manifest, Validate with Scans & Samples", "MID_USER_CRID": null, "PROD_WRKFLW_CODE": "L004",
"MID_OWNER_CRID": "20478570", "START_DATE": "/Date(1558656000000)/", "DEFAULT_POSTAGE": null]}
```

**Mailer 2****901071821:139 - BB**

```
{["MID_PROF_SEQ": "283338713920190228", "UPLOAD_TIME": "2019-07-16T17:25:34.323794+00:00",
"EPS_ACCT_NUMBER": "1000001396", "PROD_WRKFLW_TYPE": "L", "END_DATE": null, "MAIL_CLASS_DESC": "Bound
Printed Matter", "CRID": "20430236", "MAIL_CLASS": "BB", "STC": "139", "MID": "901071821", "PROD_GRP_NAME":
"Domestic Outbound", "MASTER_MID": "901071821", "PROD_WRKFLW_NAME": "Price & Charge on Manifest, Validate
with Scans & Samples", "MID_USER_CRID": null, "PROD_WRKFLW_CODE": "L004", "MID_OWNER_CRID": "20430236",
"START_DATE": "/Date(1551312000000)/", "DEFAULT_POSTAGE": null]}
```

**901071821:138 - LW**

```
{["MID_PROF_SEQ": "291665613820190523", "UPLOAD_TIME": "2019-07-16T17:25:34.323794+00:00",
"EPS_ACCT_NUMBER": "1000001430", "PROD_WRKFLW_TYPE": "L", "END_DATE": null, "MAIL_CLASS_DESC": "Parcel
Select Lightweight", "CRID": "20479054", "MAIL_CLASS": "LW", "STC": "138", "MID": "901071821", "PROD_GRP_NAME":
"Domestic Outbound", "MASTER_MID": "901071821", "PROD_WRKFLW_NAME": "Price & Charge on Manifest, Validate
with Scans & Samples", "MID_USER_CRID": null, "PROD_WRKFLW_CODE": "L004", "MID_OWNER_CRID": "20479054",
```

712

```
{["UPLOAD_TIME": "2019-09-03T22:27:16.667928+00:00",
"extraServiceCode5": "", "extraServiceCode4": "",
"extraServiceCode1": "986", "extraServiceCode3": "",
"extraServiceCode2": "925", "mailClassCode": "EX"]}
```

"START\_DATE": "/Date(1558569600000)/", "DEFAULT\_POSTAGE": null}}

#### 901071821:682 - PM

[{"MID\_PROF\_SEQ": "283338746620190228", "UPLOAD\_TIME": "2019-07-16T17:25:34.323794+00:00", "EPS\_ACCT\_NUMBER": "1000001396", "PROD\_WRKFLW\_TYPE": "L", "END\_DATE": null, "MAIL\_CLASS\_DESC": "Priority Mail", "CRID": "20430236", "MAIL\_CLASS": "PM", "STC": "682", "MID": "901071821", "PROD\_GRP\_NAME": "Domestic Outbound", "MASTER\_MID": "901109501", "PROD\_WRKFLW\_NAME": "Price & Charge on Manifest, Validate with Scans & Samples", "MID\_USER\_CRID": null, "PROD\_WRKFLW\_CODE": "L004", "MID\_OWNER\_CRID": "20430236", "START\_DATE": "/Date(1551312000000)/", "DEFAULT\_POSTAGE": null}]

#### 901071821:182 - FC

[{"MID\_PROF\_SEQ": "283338717620190228", "UPLOAD\_TIME": "2019-07-16T17:25:34.323794+00:00", "EPS\_ACCT\_NUMBER": "1000001396", "PROD\_WRKFLW\_TYPE": "L", "END\_DATE": null, "MAIL\_CLASS\_DESC": "First-Class Mail", "CRID": "20430236", "MAIL\_CLASS": "FC", "STC": "182", "MID": "901071821", "PROD\_GRP\_NAME": "Domestic Outbound", "MASTER\_MID": "901109501", "PROD\_WRKFLW\_NAME": "Price & Charge on Manifest, Validate with Scans & Samples", "MID\_USER\_CRID": null, "PROD\_WRKFLW\_CODE": "L004", "MID\_OWNER\_CRID": "20430236", "START\_DATE": "/Date(1551312000000)/", "DEFAULT\_POSTAGE": null}]

#### 901071821:076- PS

[{"MID\_PROF\_SEQ": "283338710520190228", "UPLOAD\_TIME": "2019-07-16T17:25:34.323794+00:00", "EPS\_ACCT\_NUMBER": "1000001396", "PROD\_WRKFLW\_TYPE": "L", "END\_DATE": null, "MAIL\_CLASS\_DESC": "Parcel Select", "CRID": "20430236", "MAIL\_CLASS": "PS", "STC": "076", "MID": "901071821", "PROD\_GRP\_NAME": "Domestic Outbound", "MASTER\_MID": "901109501", "PROD\_WRKFLW\_NAME": "Price & Charge on Manifest, Validate with Scans & Samples", "MID\_USER\_CRID": null, "PROD\_WRKFLW\_CODE": "L004", "MID\_OWNER\_CRID": "20430236", "START\_DATE": "/Date(1551312000000)/", "DEFAULT\_POSTAGE": null}]

#### 901071821:135 - DM

[{"MID\_PROF\_SEQ": "283338710520190228", "UPLOAD\_TIME": "2019-07-16T17:25:34.323794+00:00", "EPS\_ACCT\_NUMBER": "1000001396", "PROD\_WRKFLW\_TYPE": "L", "END\_DATE": null, "MAIL\_CLASS\_DESC": "Parcel Select", "CRID": "20430236", "MAIL\_CLASS": "DM", "STC": "135", "MID": "901071821", "PROD\_GRP\_NAME": "Domestic Outbound", "MASTER\_MID": "901109501", "PROD\_WRKFLW\_NAME": "Price & Charge on Manifest, Validate with Scans & Samples", "MID\_USER\_CRID": null, "PROD\_WRKFLW\_CODE": "L004", "MID\_OWNER\_CRID": "20430236", "START\_DATE": "/Date(1551312000000)/", "DEFAULT\_POSTAGE": null}]

#### 901071821:712 - EX

[{"MID\_PROF\_SEQ": "283338749620190228", "UPLOAD\_TIME": "2019-07-16T17:25:34.323794+00:00", "EPS\_ACCT\_NUMBER": "1000001396", "PROD\_WRKFLW\_TYPE": "L", "END\_DATE": null, "MAIL\_CLASS\_DESC": "Express Mail", "CRID": "20430236", "MAIL\_CLASS": "EX", "STC": "712", "MID": "901071821", "PROD\_GRP\_NAME": "Domestic Outbound", "MASTER\_MID": "901109501", "PROD\_WRKFLW\_NAME": "Price & Charge on Manifest, Validate with Scans & Samples", "MID\_USER\_CRID": null, "PROD\_WRKFLW\_CODE": "L004", "MID\_OWNER\_CRID": "20430236", "START\_DATE": "/Date(1551312000000)/", "DEFAULT\_POSTAGE": null}]

### Mailer 3

#### 901109501:138 - LW

[{"MID\_PROF\_SEQ": "283337713820190228", "UPLOAD\_TIME": "2019-07-16T17:25:34.323794+00:00", "EPS\_ACCT\_NUMBER": "1000001396", "PROD\_WRKFLW\_TYPE": "L", "END\_DATE": null, "MAIL\_CLASS\_DESC": "Parcel Select Lightweight", "CRID": "20430236", "MAIL\_CLASS": "LW", "STC": "138", "MID": "901109501", "PROD\_GRP\_NAME": "Domestic Outbound", "MASTER\_MID": "901109501", "PROD\_WRKFLW\_NAME": "Price & Charge on Manifest, Validate with Scans & Samples", "MID\_USER\_CRID": null, "PROD\_WRKFLW\_CODE": "L004", "MID\_OWNER\_CRID": "20430236", "START\_DATE": "/Date(1551312000000)/", "DEFAULT\_POSTAGE": null}]

#### 901109501:139 - BB

[{"MID\_PROF\_SEQ": "283337713920190228", "UPLOAD\_TIME": "2019-07-16T17:25:34.323794+00:00", "EPS\_ACCT\_NUMBER": "1000001396", "PROD\_WRKFLW\_TYPE": "L", "END\_DATE": null, "MAIL\_CLASS\_DESC": "Bound Printed Matter", "CRID": "20430236", "MAIL\_CLASS": "BB", "STC": "139", "MID": "901109501", "PROD\_GRP\_NAME": "Domestic Outbound", "MASTER\_MID": "901109501", "PROD\_WRKFLW\_NAME": "Price & Charge on Manifest, Validate with Scans & Samples", "MID\_USER\_CRID": null, "PROD\_WRKFLW\_CODE": "L004", "MID\_OWNER\_CRID": "20430236", "START\_DATE": "/Date(1551312000000)/", "DEFAULT\_POSTAGE": null}]

#### 901109501:682 - PM

[{"MID\_PROF\_SEQ": "283337746620190228", "UPLOAD\_TIME": "2019-07-16T17:25:34.323794+00:00", "EPS\_ACCT\_NUMBER": "1000001396", "PROD\_WRKFLW\_TYPE": "L", "END\_DATE": null, "MAIL\_CLASS\_DESC": "Priority Mail", "CRID": "20430236", "MAIL\_CLASS": "PM", "STC": "682", "MID": "901109501", "PROD\_GRP\_NAME": "Domestic Outbound", "MASTER\_MID": "901109501", "PROD\_WRKFLW\_NAME": "Price & Charge on Manifest, Validate with Scans & Samples", "MID\_USER\_CRID": null, "PROD\_WRKFLW\_CODE": "L004", "MID\_OWNER\_CRID": "20430236", "START\_DATE": "/Date(1551312000000)/", "DEFAULT\_POSTAGE": null}]

#### 901109501:182 - FC

[{"MID\_PROF\_SEQ": "283337717620190228", "UPLOAD\_TIME": "2019-07-16T17:25:34.323794+00:00", "EPS\_ACCT\_NUMBER": "1000001396", "PROD\_WRKFLW\_TYPE": "L", "END\_DATE": null, "MAIL\_CLASS\_DESC": "First-Class Mail", "CRID": "20430236", "MAIL\_CLASS": "FC", "STC": "182", "MID": "901109501", "PROD\_GRP\_NAME": "Domestic Outbound", "MASTER\_MID": "901109501", "PROD\_WRKFLW\_NAME": "Price & Charge on Manifest, Validate with Scans & Samples", "MID\_USER\_CRID": null, "PROD\_WRKFLW\_CODE": "L004", "MID\_OWNER\_CRID": "20430236", "START\_DATE": "/Date(1551312000000)/", "DEFAULT\_POSTAGE": null}]

#### 901109501:076- PS

[{"MID\_PROF\_SEQ": "283337710520190228", "UPLOAD\_TIME": "2019-07-16T17:25:34.323794+00:00",

"EPS\_ACCT\_NUMBER": "1000001396", "PROD\_WRKFLW\_TYPE": "L", "END\_DATE": null, "MAIL\_CLASS\_DESC": "Parcel Select", "CRID": "20430236", "MAIL\_CLASS": "PS", "STC": "076", "MID": "901109501", "PROD\_GRP\_NAME": "Domestic Outbound", "MASTER\_MID": "901109501", "PROD\_WRKFLW\_NAME": "Price & Charge on Manifest, Validate with Scans & Samples", "MID\_USER\_CRID": null, "PROD\_WRKFLW\_CODE": "L004", "MID\_OWNER\_CRID": "20430236", "START\_DATE": "/Date(1551312000000)/", "DEFAULT\_POSTAGE": null}}

**901109501:135 - DM**

{{"MID\_PROF\_SEQ": "283337710520190228", "UPLOAD\_TIME": "2019-07-16T17:25:34.323794+00:00", "EPS\_ACCT\_NUMBER": "1000001396", "PROD\_WRKFLW\_TYPE": "L", "END\_DATE": null, "MAIL\_CLASS\_DESC": "Parcel Select", "CRID": "20430236", "MAIL\_CLASS": "DM", "STC": "135", "MID": "901109501", "PROD\_GRP\_NAME": "Domestic Outbound", "MASTER\_MID": "901109501", "PROD\_WRKFLW\_NAME": "Price & Charge on Manifest, Validate with Scans & Samples", "MID\_USER\_CRID": null, "PROD\_WRKFLW\_CODE": "L004", "MID\_OWNER\_CRID": "20430236", "START\_DATE": "/Date(1551312000000)/", "DEFAULT\_POSTAGE": null}}

**901109501:596 - MR**

{{"MID\_PROF\_SEQ": "2805377720190228", "UPLOAD\_TIME": "2019-07-16T17:25:34.323794+00:00", "EPS\_ACCT\_NUMBER": "1000001396", "PROD\_WRKFLW\_TYPE": "L", "END\_DATE": null, "MAIL\_CLASS\_DESC": "Priority Mail Return Service", "CRID": "20430236", "MAIL\_CLASS": "MR", "STC": "596", "MID": "901109501", "PROD\_GRP\_NAME": "Network Returns", "MASTER\_MID": "901109501", "PROD\_WRKFLW\_NAME": "Price & Charge on Scans, No Manifest", "MID\_USER\_CRID": null, "PROD\_WRKFLW\_CODE": "L003", "MID\_OWNER\_CRID": "20430236", "START\_DATE": "/Date(1551312000000)/", "DEFAULT\_POSTAGE": "7.86"}}}

**901109501:712**

{{"MID\_PROF\_SEQ": "283337749620190228", "UPLOAD\_TIME": "2019-07-16T17:25:34.323794+00:00", "EPS\_ACCT\_NUMBER": "1000001396", "PROD\_WRKFLW\_TYPE": "L", "END\_DATE": null, "MAIL\_CLASS\_DESC": "Express Mail", "CRID": "20430236", "MAIL\_CLASS": "EX", "STC": "712", "MID": "901109501", "PROD\_GRP\_NAME": "Domestic Outbound", "MASTER\_MID": "901109501", "PROD\_WRKFLW\_NAME": "Price & Charge on Manifest, Validate with Scans & Samples", "MID\_USER\_CRID": null, "PROD\_WRKFLW\_CODE": "L004", "MID\_OWNER\_CRID": "20430236", "START\_DATE": "/Date(1551312000000)/", "DEFAULT\_POSTAGE": null}}

# ETE19

Wednesday, October 2, 2019 2:30 PM

957-BB

455 - BB

420 -BB

141 - BB

Example:

```
[{"MID_PROF_SEQ": "2916820259220190523", "UPLOAD_TIME": "2019-09-18T21:23:02.453436+00:00",
"EPS_ACCT_NUMBER": "1000001430", "PROD_WRKFLW_TYPE": "L", "END_DATE": null,
"MAIL_CLASS_DESC": "Priority Mail", "CRID": "20479054", "MAIL_CLASS": "PM", "STC": "914", "MID":
"900058988", "PROD_GRP_NAME": "Domestic Outbound", "MASTER_MID": "900024239",
"PROD_WRKFLW_NAME": "Live", "MID_USER_CRID": "20429125", "PROD_WRKFLW_CODE": "L004",
"MID_OWNER_CRID": "20479054", "START_DATE": "/Date(1558569600000)/", "DEFAULT_POSTAGE":
null}]
```

**900058988 :141 - BB**

```
[{"MID_PROF_SEQ": "2916820259220190523", "UPLOAD_TIME": "2019-09-18T21:23:02.453436+00:00",
"EPS_ACCT_NUMBER": "1000001430", "PROD_WRKFLW_TYPE": "L", "END_DATE": null,
"MAIL_CLASS_DESC": "Priority Mail", "CRID": "20479054", "MAIL_CLASS": "BB", "STC": "141", "MID":
"900058988", "PROD_GRP_NAME": "Domestic Outbound", "MASTER_MID": "900024239",
"PROD_WRKFLW_NAME": "Live", "MID_USER_CRID": "20429125", "PROD_WRKFLW_CODE": "L004",
"MID_OWNER_CRID": "20479054", "START_DATE": "/Date(1558569600000)/", "DEFAULT_POSTAGE":
null}]
```

**918189555:555 - CP**

```
[{"MID_PROF_SEQ": "77302429809320190411", "UPLOAD_TIME": "2019-04-16T15:08:57.421313+
00:00", "EPS_ACCT_NUMBER": "9999999999", "PROD_WRKFLW_TYPE": "P", "END_DATE": null,
"MAIL_CLASS_DESC": "Priority Mail Express", "CRID": "4994238", "MAIL_CLASS": "CP", "STC": "555",
"MID": "918189555", "PROD_GRP_NAME": "Network Returns", "MASTER_MID": "918189555",
"PROD_WRKFLW_NAME": "Returns - Manifest Attributes (Pilot)", "MID_USER_CRID": null,
"PROD_WRKFLW_CODE": "P007", "MID_OWNER_CRID": "4994238", "START_DATE":
"/Date(1484611200000)/", "DEFAULT_POSTAGE": "2.22"}]
```

**900023680:707 - lw**

```
[{"MID_PROF_SEQ": "291765849120190524", "UPLOAD_TIME": "2019-09-18T21:23:02.453436+00:00",
"EPS_ACCT_NUMBER": "1000001401", "PROD_WRKFLW_TYPE": "L", "END_DATE": null,
"MAIL_CLASS_DESC": "Parcel Select Lightweight", "CRID": "20478570", "MAIL_CLASS": "LW", "STC":
"707", "MID": "900023680", "PROD_GRP_NAME": "Domestic Outbound", "MASTER_MID":
"900023679", "PROD_WRKFLW_NAME": "Live", "MID_USER_CRID": "20478570",
"PROD_WRKFLW_CODE": "L004", "MID_OWNER_CRID": "20478570", "START_DATE":
"/Date(1558656000000)/", "DEFAULT_POSTAGE": null}]
```



# SIT R 2.0.3

Wednesday, February 5, 2020 11:44 AM

# MID:STC

Wednesday, February 5, 2020 11:45 AM

## 901071821:182 - FC

```
[{"MID_PROF_SEQ": "283338717620190228", "UPLOAD_TIME": "2019-07-16T17:25:34.323794+00:00",
"EPS_ACCT_NUMBER": "1000001396", "PROD_WRKFLW_TYPE": "L", "END_DATE": null,
"MAIL_CLASS_DESC": "First-Class Mail", "CRID": "20430236", "MAIL_CLASS": "FC", "STC": "182", "MID":
"901071821", "PROD_GRP_NAME": "Domestic Outbound", "MASTER_MID": "901109501",
"PROD_WRKFLW_NAME": "Price & Charge on Manifest, Validate with Scans & Samples",
"MID_USER_CRID": null, "PROD_WRKFLW_CODE": "L004", "MID_OWNER_CRID": "20430236",
"START_DATE": "/Date(1551312000000)/", "DEFAULT_POSTAGE": null}]
```

# R 2.3

Tuesday, May 19, 2020 1:19 PM

Tracker

[R2.3 Tracker](#)

# 34 digit construct C11 N11

Tuesday, June 23, 2020 10:53 AM

		POSTAL ROUTING CODE Field Length	TRACKING NUMBER Field Length								
Code	Description	Postal Routing AI	Dest ZIP	Channel AI	STC	Source ID	MID	Serial Number	Check Digit	PIC Length	Total Barcode Length
C11		3	11	2	3	0	6	8	1	20	34
N11		3	11	2	3	2	6	6	1	20	34

The channel AI starts at position 15 and they are 6 digit mids.

# Demo

Monday, June 8, 2020 9:20 AM

## SPEF Barcode Construction Code

```
SELECT *
```

```
FROM spef_raw_package
```

```
ORDER BY created_time DESC;
```

```
SELECT *
```

```
FROM spef_validation_result
```

```
WHERE file_name LIKE ('%BarcodeConstructs_020_C_demo_v10%');
```

```
SELECT file_name, barcode_construct_code, Mailer_ID, Service_type_code, source_id, PIC,
tracking_number
```

```
FROM ppcmanifestdb2.spef_package
```

```
WHERE file_name LIKE ('%BarcodeConstructs_020_C_demo_v10%')
```

```
ORDER BY barcode_construct_code;
```

One of each length C & N

Have the Kafka GUI Up

## Marketing

Scenario 2 Req:

- Mail Class - S2
- Processing Category - 3
- Weight > 1 pound (000020000)

Scenario 2 Outcome:

- Mail classes Auto Corrected to PS
- Rate Indicator Auto corrected to SP

```
SELECT tracking_num, processing_category, rate_indicator, Class_of_mail
```

```
FROM ppcmanifestdb2.ssf_package
```

```
WHERE file_name LIKE ('%SSF_016_Marketing_Demo_v8%');
```

-----

Scenario 4 Req:

- Mail Class - SA
- Processing Category - 3
- Weight > 1 pound (000020000)

Scenario 4 Outcome:

- Mail classes Auto Corrected to PS
- Rate Indicator Auto corrected to SP
- Processing category is auto corrected to 5

```
SELECT *
```

```
FROM ppcmanifestdb2.validation_result
WHERE file_name LIKE ('SSF_016_Marketing_Demo_v8%');
```

```
SELECT tracking_num, processing_category, rate_indicator, Class_of_mail
FROM ppcmanifestdb2.ssf_package
WHERE file_name LIKE ('%SSF_016_Marketing_Demo_v8%');
```

-----

## **Machinable**

Scenario 1 Req:

- Mail Class - SA
- Processing Category - 3
- Weight = 3.3 ounces (which is 0.20625 lbs) (000002063)

Scenario 1 Outcome:

- Processing Category Auto Corrected to 4

-----

Scenario 2 Req:

- Mail Class - SA
- Processing Category - 3
- Weight < 3.3 ounces (which is 0.20625 lbs) (000001063)

Scenario 1 Outcome:

- Processing Category Auto Correct to 4

```
SELECT *
FROM ppcmanifestdb2.validation_result
WHERE file_name LIKE ('%SSF_017_Machinable_Demo_v8.manifest%');
```

```
SELECT tracking_num, processing_category, weight
FROM ssf_package_error
WHERE file_name LIKE ('%SSF_017_Machinable_Demo_v8.manifest%');
```

```
SELECT tracking_num, processing_category, weight
FROM ssf_package
WHERE file_name LIKE ('%SSF_017_Machinable_Demo_v8.manifest%');
```

## **Unit of Measurement**

Add in rounding scenario  
Have kafka messages ready?

- 1 - Lbs
- 2 - Oz - 1 ounce is 0.0625 pounds
- 3 - Kilogram - 1 Kg is 2.20462 pounds

Weight format - 000143000 = 14.3 lbs  
Dim Weight format - 000788 = 0 7.88lbs

```
SELECT unit_of_measure_code, weight, dimensional_weight, tracking_num
FROM ppcmanifestdb2.ssf_package_error
WHERE file_name LIKE ('%UOM_016_Demo_v8%');
```

```
SELECT *
FROM ppcmanifestdb2.validation_result
WHERE file_name LIKE ('%UOM_016_Demo_v8%') AND tracking_num = 'XX';
```

```
SELECT unit_of_measure_code, weight, dimensional_weight, Tracking_num
FROM ppcmanifestdb2.ssf_package
WHERE file_name LIKE ('%UOM_016_Demo_v8%') AND tracking_num = 'XX';
```

### **LowerCase**

```
SELECT *
FROM validation_result
WHERE file_name LIKE ('%SSF_016_LowerCase_Demo_v8.manifest%');
```

```
SELECT tracking_num, processing_category, rate_indicator, destination_rate_indicator, surcharge_type,
Discount_type
FROM ssf_package_error
WHERE file_name LIKE ('%SSF_016_LowerCase_Demo_v8.manifest%');
```

```
SELECT tracking_num, processing_category, rate_indicator, destination_rate_indicator, surcharge_type,
Discount_type
FROM ssf_package
WHERE file_name LIKE ('%SSF_016_LowerCase_Demo_v8.manifest%');
```

# Marketing Mail Parcel 1 lb. Threshold

Monday, June 1, 2020

9:48 AM

## Happy Paths

### Scenario 1 Req:

- Mail Class - S2
- Processing Category - 3
- Weight = 1 pound (000010000)

### Scenario 1 Outcome:

- Mail classes Auto Corrected to PS
  - Rate Indicator Auto corrected to SP
- 

### Scenario 2 Req:

- Mail Class - S2
- Processing Category - 3
- Weight > 1 pound (000020000)

### Scenario 2 Outcome:

- Mail classes Auto Corrected to PS
  - Rate Indicator Auto corrected to SP
- 

### Scenario 3 Req:

- Mail Class - SA
- Processing Category - 3
- Weight = 1 pound (000010000)

### Scenario 3 Outcome:

- Mail classes Auto Corrected to PS
  - Rate Indicator Auto corrected to SP
- 

### Scenario 4 Req:

- Mail Class - SA
- Processing Category - 3
- Weight > 1 pound (000020000)

### Scenario 4 Outcome:

- Mail classes Auto Corrected to PS
  - Rate Indicator Auto corrected to SP
- 

### Scenario 5 Req:

- Mail Class - S2
- Processing Category - 4
- Weight = 1 pound (000010000)

### Scenario 5 Outcome:

- Mail classes Auto Corrected to PS



- Rate Indicator Auto corrected to SP
  - Processing Category Auto Corrected to 5
- 

Scenario 6 Req:

- Mail Class - S2
- Processing Category - 4
- Weight > 1 pound (000020000)

Scenario 6 Outcome:

- Mail classes Auto Corrected to PS
  - Rate Indicator Auto corrected to SP
  - Processing Category Auto Corrected to 5
- 

Scenario 7 Req:

- Mail Class - SA
- Processing Category - 4
- Weight = 1 pound (000010000)

Scenario 7 Outcome:

- Mail classes Auto Corrected to PS
  - Rate Indicator Auto corrected to SP
  - Processing Category Auto Corrected to 5
- 

Scenario 8 Req:

- Mail Class - SA
- Processing Category - 4
- Weight > 1 pound (000020000)

Scenario 8 Outcome:

- Mail classes Auto Corrected to PS
  - Rate Indicator Auto corrected to SP
  - Processing Category Auto Corrected to 5
- 

## Neg Paths

Scenario 1 Req:

- Mail Class - PM
- Processing Category - 3
- Weight = 1 pound (000010000)

Scenario 1 Outcome:

- Package is processed successfully
  - no auto corrections are made
- 

Scenario 2 Req:

- Mail Class - PM
- Processing Category - 3
- Weight > 1 pound (000020000)

Scenario 2 Outcome:

- Package is processed successfully
  - no auto corrections are made
- 

Scenario 3 Req:

- Mail Class - SA
- Processing Category - 1
- Weight = 1 pound (000010000)

Scenario 3 Outcome:

- Package is thrown out for not being priceable (Error rules engine or caught in Pricing)
  - No Auto corrections are made
- 

Scenario 4 Req:

- Mail Class - SA
- Processing Category - 1
- Weight > 1 pound (000020000)

Scenario 4 Outcome:

- Package is thrown out for not being priceable (Error rules engine or caught in Pricing)
  - No Auto corrections are made
- 

Scenario 5 Req:

- Mail Class - SA
- Processing Category -3
- Weight < 1 pound (000009000)

Scenario 5 Outcome:

- Package is processed successfully.
  - No Auto corrections are made
- 

Scenario 6 Req:

- Mail Class - S2
- Processing Category - 1
- Weight = 1 pound (000010000)

Scenario 6 Outcome:

- Package is thrown out for not being priceable (Error rules engine or

caught in Pricing)

- No Auto corrections are made

---

Scenario 7 Req:

- Mail Class - S2
- Processing Category -4
- Weight < 1 pound (000009000)

Scenario 8 Outcome:

- Package is processed successfully.
  - No Auto corrections are made
-

# Machinable Non-Profit Marketing Mail Parcel 3.3 oz. Minimum

Monday, June 1, 2020 10:16 AM

## Happy Path

### Scenario 1 Req:

- Mail Class - SA
- Processing Category - 3
- Weight = 3.3 ounces (which is 0.20625 lbs) (000002063)

### Scenario 1 Outcome:

- Processing Category Auto Corrected to 4
- 

### Scenario 2 Req:

- Mail Class - SA
- Processing Category - 3
- Weight < 3.3 ounces (which is 0.20625 lbs) (000001063)

### Scenario 1 Outcome:

- Processing Category Auto Correct to 4
- 

## Neg Scenarios

### Scenario 1 Req:

- Mail Class - **PM**
- Processing Category - 3
- Weight = 3.3 ounces (which is 0.20625 lbs) (000002063)

### Scenario 1 Outcome:

- The file is processed successfully
  - No auto correction is made
- 

### Scenario 2 Req:

- Mail Class - **PM**
- Processing Category - 3
- Weight < 3.3 ounces (which is 0.20625 lbs) (000002062)

### Scenario 2 Outcome:

- The file is processed successfully

- No auto correction is made
- 

Scenario 3 Req:

- Mail Class - SA
- Processing Category - 4
- Weight = 3.3 ounces (which is 0.20625 lbs) (000002063)

Scenario 3 Outcome:

- The file is processed successfully
  - No auto correction is made
- 

Scenario 4 Req:

- Mail Class - SA
- Processing Category - 4
- Weight < 3.3 ounces (which is 0.20625 lbs) (000002062)

Scenario 4 Outcome:

- The file is processed successfully
  - No auto correction is made
- 

Scenario 5 Req:

- Mail Class - SA
- Processing Category - 3
- Weight > 3.3 ounces (which is 0.20625 lbs) (000002064)

Scenario 5 Outcome:

- The file is processed successfully
  - No auto correction is made
-

# Construct code queries

Tuesday, May 19, 2020 1:19 PM

```
SELECT DISTINCT(file_name), created_time
FROM spf_raw_package
ORDER BY created_time DESC;
```

```
SELECT file_name, barcode_construct_code, tracking_number
FROM spf_package
WHERE file_name = 'Dev2_N10_v1_ShippingPartnerEventFile.consolid';
```

```
SELECT file_name, barcode_construct_code, Mailer_ID, Service_type_code, source_id, PIC,
tracking_number
FROM spf_package
WHERE file_name = 'Dev2_N10_v1_ShippingPartnerEventFile.consolid'
ORDER BY source_id;
```

Queries to use

```
SELECT *
FROM spf_raw_package
ORDER BY created_time DESC;
```

```
SELECT *
FROM spf_validation_result
WHERE file_name '';
```

```
SELECT file_name, barcode_construct_code, tracking_number
FROM spf_package
WHERE file_name = 'Dev2_050_C01_Good_v1_ShippingPartnerEventFile.consolid';
```

# Workbooks

Tuesday, May 19, 2020 1:19 PM

SPEF construct Workbook:

<https://afs365.sharepoint.com/sites/PackagePlatform/SitePages/Home.aspx?RootFolder=%2Fsites%2FPackagePlatform%2FShared%20Documents%2F09%2E%20Manifest%20Service%2F03%2E%20Release%20DAR%202%2FRelease%202%2E3&FolderCTID=0x0120000BA0AB19CA2C374DB3191132A8103008&View=%7BC8CCF6C4%2D0E13%2D4897%2D9F7D%2D0B56B79768A2%7D>

# R 2.4

Wednesday, October 14, 2020 2:11 PM



Sprint 75

Thursday, September 17, 2020 12:10 PM

ESC -  
MID: 901060098  
STC: 089 - PM

Dev2  
MID: 909870941  
STC: 810 - PM

SIT2  
MID: 901071821  
STC: 182 - FC

{["MID\_PROF\_SEQ": "283338720190228", "UPLOAD\_TIME": "2020-05-04T11:24:34.677345+00:00",  
"END\_DATE": null, "CRID": "20430236", "EPS\_ACCT\_NUMBER": "1000001396", "MID": "901071821",  
"PROD\_GRP\_NAME": "Domestic Outbound", "MASTER\_MID": "901109501", "PROD\_WRKFLW\_NAME":  
"Live", "LAST\_UPDATE\_DATE": "/Date(1554681600000)/", "MID\_USER\_CRID": null,  
"PROD\_WRKFLW\_CODE": "L004", "MID\_OWNER\_CRID": "20430236", "START\_DATE":  
"/Date(1551312000000)/", "PROD\_WRKFLW\_TYPE": "L"]}

FC|FC|N|\*|SP|\*|5|0|\*|N1|2|\*|\*|01/26/2020|N  
FC|FC|N|\*|SP|\*|5|0|\*|N1|2|\*|\*|12/27/2020|N  
'PM|PM|N|\*|C5|\*|3|0|\*|\*|7|\*|\*|06/23/2019|N'  
PM|PM|N|\*|C5|\*|3|\*|\*|\*|5|\*|\*|01/26/2020|N  
  
PM|PM|N|\*|C5|\*||0|\*|\*|7|\*|\*|01/26/2020|N

9|\*|1233|01/26/2020|N  
{["isPoundBased": "N", "isZone": "Y", "isDimensional": "N", "pieceWorkingSkuld": "DFXP0XXXUX09XXX",  
"poundWorkingSkuld": "", "surchargeWorkingSkuld": "", "extraServiceWorkingSkuld": "",  
"mailClassCode": "FC", "classOfMail": "FC", "destinationRateIndicator": "N", "RateIndicator": "SP",  
"d5RateIndicator": "", "processingCategory": "3", "postalRoutingBarcode": "0", "discountType": "\*\*",  
"surchargeType": "", "domesticZone": "9", "UPLOAD\_TIME": "2020-10-01T15:24:26.184964+00:00"]}

STC Mail Class	SSF Mail Class	Destination Rate Indicator	D5 RI (*)	Rare indicator	Postal Routing Barcode (* if blank)	Processing Category	Surcharge type (* if blank)	Domestic Zone	International Zone(*)	ICR Mail Class(*)	Pricing Date	Weight In pounds Flag
PM	PM	N	•	CN	•	3	1	•	•	•	6/23/2019	N

# CAT2 PIE

Monday, October 26, 2020 9:30 AM

```
{'901028768': '{"MID_PROF_SEQ": "64262220190930", "UPLOAD_TIME": "2020-09-02T12:07:11.137143+00:00",
"END_DATE": "/Date(1569801600000)/", "CRID": "94796945", "EPS_ACCT_NUMBER": "9999999999", "MID":
"901028768", "PROD_GRP_NAME": "Domestic Outbound", "MASTER_MID": "901028768", "PROD_WRKFLW_NAME":
"Pilot", "LAST_UPDATE_DATE": "/Date(1569801600000)/", "MID_USER_CRID": null, "PROD_WRKFLW_CODE": "P002",
"MID_OWNER_CRID": "94796945", "START_DATE": "/Date(1569801600000)/", "PROD_WRKFLW_TYPE": "P"}
```

STC: 192 - FC

Aa1a85f69e78a708ffeffd45a54c1dba

'FR|FC|N|\*|SP|\*|5|1|\*|\*|3|\*|\*|06/23/2019|N

# REL PIE

Tuesday, October 27, 2020 11:37 AM

Key Value for 'account-profile-outbound'/'901060098':

```
[{"MID_PROF_SEQ": "1276301451720200515", "UPLOAD_TIME": "2020-05-19T17:02:10.710927+00:00",
"END_DATE": null, "CRID": "94823334", "EPS_ACCT_NUMBER": "1000002628", "MID": "901060098",
"PROD_GRP_NAME": "Domestic Outbound", "MASTER_MID": "901060098", "PROD_WRKFLW_NAME": "Live",
"LAST_UPDATE_DATE": "/Date(1589500800000)/", "MID_USER_CRID": "94823334", "PROD_WRKFLW_CODE": "L004",
"MID_OWNER_CRID": "94823334", "START_DATE": "/Date(1589500800000)/", "PROD_WRKFLW_TYPE": "L"}]
```

# Sprint 75 & 76 Demo

Monday, October 19, 2020 11:48 AM

## Apps to have open

- ✓ Jenkins pulled up for Mail Owner MID section
- ✓ AWS open to SIT2
- ✓ DB SIT2 open
- ✓ Kafka GUI
- ✓ Note Pad++
- ✓ Excel for Stories
- ✓ Excel for data

```
SELECT *
FROM ppcmanifestdb2.manifest
ORDER BY created_time DESC;
```

```
SELECT *
FROM ppcmanifestdb2.validation_result
WHERE file_name = '20201019115841000_Combined_DryDemo_020_v1.manifest_1603126809'
AND field = 'Service Type Code';
```

```
SELECT tracking_num, service_type_code
FROM ppcmanifestdb2.ssf_package
WHERE file_name = '20201019115841000_Combined_DryDemo_020_v1.manifest_1603126809';
```

# SKU Testing

Friday, October 23, 2020 2:04 PM

- Need to do the 2 scenarios below.
- 1st scenario data is ready
- Location of files: C:\Users\michael.p.johnston\OneDrive - Accenture Federal Services\Manifest Service\Testing\Release 2.4\SKU Testings\Chris's Scenarios

-----  
{'901060098': {'MID\_PROF\_SEQ': "130251810520190805", "UPLOAD\_TIME": "2020-05-04T11:24:34.677345+00:00", "END\_DATE": null, "CRID": "94823334", "EPS\_ACCT\_NUMBER": "1000002628", "MID": "901060098", "PROD\_GRP\_NAME": "Domestic Outbound", "MASTER\_MID": "901060098", "PROD\_WRKFLW\_NAME": "Live", "LAST\_UPDATE\_DATE": "/Date(1564963200000)/", "MID\_USER\_CRID": "94823334", "PROD\_WRKFLW\_CODE": "L004", "MID\_OWNER\_CRID": "94823334", "START\_DATE": "/Date(1564963200000)/", "PROD\_WRKFLW\_TYPE": "L"}}'

'618': {'mailClassCode': "PS", "extraServiceCode1": "957", "extraServiceCode2": "915", "extraServiceCode3": "", "extraServiceCode4": "", "extraServiceCode5": "", "UPLOAD\_TIME": "2020-10-16T21:07:12.339104+00:00"}'

## Destination Rate Indicator Tests

- B, D, S - 1 for each
  - Must use the PS Mail Class
- N - One package

MC|MC|DRI|\*|RI|\*|Processing Category

'PS|PS|N|\*|SP|\*|3|1|\*|\*|8|\*|\*|01/24/2021|N'

'PS|PS|B|\*|SP|\*|5|0|\*|\*|1|\*|\*|01/24/2021|N'

'PS|PS|D|\*|B6|\*|5|0|E1|\*|0|\*|\*|10/18/2020|N'

'PS|PS|D|\*|BN|\*|3|0|\*|\*|0|\*|\*|12/27/2020|N'

'PS|PS|S|\*|DR|\*|3|1|\*|\*|0|\*|\*|10/18/2020|N'

Make sure all are priced. Grab from pricing

## Separate Test-----

1. Mail Class = RP, Processing Category = 3, DRI = D, Rate Ind = 'SP'

'RP|RP|D|\*|SP|\*|3|0|\*|\*|0|\*|\*|12/27/2020|N

FN|RP|D|\*|SP|

2. Mail Class = RP, Processing Category = 3, DRI = S, Rate Ind = 'SP'

'RP|RP|S|\*|SP|\*|3|0|\*|\*|0|\*|\*|01/26/2020|N'

Mail Class = RP, Processing Category = 3, DRI = D, Rate Ind = DR  
Not Found

Mail Class = RP, Processing Category = 3, DRI = S, Rate Ind = DN  
Not Found

#### Returns MID:

'909816344:672': '{"MID\_PROF\_SEQ": "160632106651520200121", "EPS\_ACCT\_NUMBER": "9999999999",  
"PROD\_WRKFLW\_TYPE": "L", "END\_DATE": "/Date(1588118400000)/", "MAIL\_CLASS\_DESC": "Ground Return Service",  
"CRID": "4994238", "MAIL\_CLASS": "RP", "STC": "672", "MID": "909816344", "PROD\_GRP\_NAME": "Network Returns",  
"MASTER\_MID": null, "PROD\_WRKFLW\_NAME": "Price & Charge on Scans, No Manifest", "MID\_USER\_CRID": null,  
"PROD\_WRKFLW\_CODE": "L003", "MID\_OWNER\_CRID": "4994238", "START\_DATE": "/Date(1579564800000)/",  
"DEFAULT\_POSTAGE": "7.4", "UPLOAD\_TIME": "2020-10-07T19:30:10.737491+00:00"}',

{'901060098': '{"MID\_PROF\_SEQ": "130251810520190805", "UPLOAD\_TIME": "2020-05-04T11:24:34.677345+00:00",  
"END\_DATE": null, "CRID": "94823334", "EPS\_ACCT\_NUMBER": "1000002628", "MID": "901060098", "PROD\_GRP\_NAME":  
"Domestic Outbound", "MASTER\_MID": "901060098", "PROD\_WRKFLW\_NAME": "Live", "LAST\_UPDATE\_DATE":  
"/Date(1564963200000)/", "MID\_USER\_CRID": "94823334", "PROD\_WRKFLW\_CODE": "L004", "MID\_OWNER\_CRID":  
"94823334", "START\_DATE": "/Date(1564963200000)/", "PROD\_WRKFLW\_TYPE": "L"}'}

'671': '{"mailClassCode": "RP", "extraServiceCode1": "930", "extraServiceCode2": "420", "extraServiceCode3": "",  
"extraServiceCode4": "", "extraServiceCode5": "", "UPLOAD\_TIME": "2020-10-16T21:07:12.339104+00:00"}'

909822320:017': '{"MID\_PROF\_SEQ": "17777310726120200430", "EPS\_ACCT\_NUMBER": "9999999999",  
"PROD\_WRKFLW\_TYPE": "L", "END\_DATE": null, "MAIL\_CLASS\_DESC": "Parcel Return Service Full Network",  
"CRID": "4994238", "MAIL\_CLASS": "FN", "STC": "017", "MID": "909822320", "PROD\_GRP\_NAME": "Network  
Returns", "MASTER\_MID": null, "PROD\_WRKFLW\_NAME": "Price & Charge on Scans, No Manifest",  
"MID\_USER\_CRID": null, "PROD\_WRKFLW\_CODE": "L003", "MID\_OWNER\_CRID": "4994238",  
"START\_DATE": "/Date(1588204800000)/", "DEFAULT\_POSTAGE": "7.4", "UPLOAD\_TIME":  
"2020-10-07T19:30:10.737491+00:00"}'

# SIT2 Returns

Wednesday, October 14, 2020 2:11 PM

```
{'909816401:598': '[{"MID_PROF_SEQ": "17491513622920200430", "EPS_ACCT_NUMBER":
"9999999999", "PROD_WRKFLW_TYPE": "L", "END_DATE": null, "MAIL_CLASS_DESC": "Ground Return
Service", "CRID": "4994238", "MAIL_CLASS": "GR", "STC": "598", "MID": "909816401",
"PROD_GRP_NAME": "Network Returns", "MASTER_MID": null, "PROD_WRKFLW_NAME": "Price &
Charge on Scans, No Manifest", "MID_USER_CRID": null, "PROD_WRKFLW_CODE": "L003",
"MID_OWNER_CRID": "4994238", "START_DATE": "/Date(1588204800000)/", "DEFAULT_POSTAGE":
"7.4", "UPLOAD_TIME": "2020-11-05T16:30:07.412894+00:00"}]'
```

# R 2.5

Monday, March 15, 2021 9:21 AM



# Demo

Thursday, March 4, 2021 10:59 AM

## **PP take on the existing CEW functionality**

### **Generate Header Record**

### **Publish Pew Header Record**

### **Gather Manifest File Summary Metrics**

- pewHeader Topic
  - Show both packages
    - 4 Packages
    - 9 Packages
- Correction File for metrics
- Show that PEW records are not being generated for EFN for 94

### **Determine When All Errors are Processed**

- This will be covered by the following two stories. Present them as a block

### **Generate PEW Detail Record**

### **Publish Pew Detail Record**

H1 Warning - Mailer ID (Package Topic)

H1 Error - Entry Facility ZIP Code (Unmanifested Topic)

D1 Warning - Class of Mail (Package Topic)

D1 Error - Detail Record ID (Package Topic)

D2 Warning - Sender Name (Package Topic)

D2 Error - Detail 2 Record ID (Package Topic)

# Dev Release 3.0

Monday, September 30, 2019 9:40 AM

Issue Tracker:

<https://afs365.sharepoint.com/:x:/r/sites/PackagePlatform/Shared%20Documents/09.%20Manifest%20Service/02.%20Release%20DAR%201/Test/Release%203/Release%203.0%20Issue%20Tracker.xlsx?d=w245bbf6455a6438dba7c1f60c58d57cc&csf=1&e=whcDY3>

# Kafka 3.0 Testing

Wednesday, November 20, 2019 10:03 AM

```
'918189895:029': '{"MID_PROF_SEQ": "727117", "UPLOAD_TIME":
"2019-01-22T18:15:07.767089+00:00", "EPS_ACCT_NUMBER":
"9999999999", "END_DATE": null, "MAIL_CLASS_DESC": "PM", "CRID":
"4994238", "MAIL_CLASS": "PM", "STC": "029", "MID":
"918189895", "PROD_GRP_NAME": "Network Returns", "PROD_WRKFLW_NAME": "Price
Postage, Insurance on Manifest attributes, Validate with Scans &
Samples", "OWNER_CRID": "4994238", "USER_CRID": null, "START_DATE":
"/Date(1534896000000)/", "DEFAULT_POSTAGE": "7.4"}'
```

```
900006198:380': '{"MID_PROF_SEQ": "131247828726620190930", "UPLOAD_TIME":
"2019-10-08T19:14:57.537535+00:00", "EPS_ACCT_NUMBER": "9999999999",
"PROD_WRKFLW_TYPE": "P", "END_DATE": null, "MAIL_CLASS_DESC": "Priority Mail",
"CRID": "2", "MAIL_CLASS": "PM", "STC": "380", "MID": "900006198",
"PROD_GRP_NAME": "Domestic Outbound", "MASTER_MID": "900006198",
"PROD_WRKFLW_NAME": "Pilot", "MID_USER_CRID": null, "PROD_WRKFLW_CODE":
"P002", "MID_OWNER_CRID": "2", "START_DATE": "/Date(1569801600000)/",
"DEFAULT_POSTAGE": null}''
```

# SPEF Workbook

Monday, September 30, 2019 9:40 AM

[https://afs365.sharepoint.com/:x:/r/sites/PackagePlatform/\\_layouts/15/Doc.aspx?sourcedoc=%7B243325F1-20A1-4950-8029-83CAAD8B32E3%7D&file=SPEF\\_Workbook.xlsx&action=default&mobileredirect=true&cid=e01ba89d-4478-4048-8659-889fba15f568](https://afs365.sharepoint.com/:x:/r/sites/PackagePlatform/_layouts/15/Doc.aspx?sourcedoc=%7B243325F1-20A1-4950-8029-83CAAD8B32E3%7D&file=SPEF_Workbook.xlsx&action=default&mobileredirect=true&cid=e01ba89d-4478-4048-8659-889fba15f568)

SPEF construct Workbook:

<https://afs365.sharepoint.com/sites/PackagePlatform/SitePages/Home.aspx?RootFolder=%2Fsites%2FPackagePlatform%2FShared%20Documents%2F09%2E%20Manifest%20Service%2F03%2E%20Release%20DAR%202%2FRelease%202%2E3&FolderCTID=0x0120000BA0AB19CA2C374DB3191132A8103008&View=%7BC8CCF6C4%2D0E13%2D4897%2D9F7D%2D0B56B79768A2%7D>

# Sprint 56

Thursday, October 24, 2019

11:00 AM

## Tables:

- Spef\_raw\_package
- Spef\_package
- Spef\_validation\_result

# SPEF Demo - Parse

Tuesday, October 15, 2019 8:55 AM

```
SELECT *
FROM spef_raw_package
ORDER BY file_name DESC;
```

## -- SPEF v3.0 Header Query-

```
SELECT Header_id, shipping_partner_mailer_id, shipping_partner_file_number, file_record_count,
file_version_number, direction_indicator, header_filler_1
FROM spef_raw_package
WHERE file_name = 'Demo_030_v4_ShippingPartnerEventFile.consolid';
```

## -- SPEF v3.0 Detail Record Query-

```
SELECT Detail_record_id, PIC, Event_Code, Event_Zip, Event_Zip_4, Event_Date, Event_time,
detail_filler,
destination_zip, destination_zip_4, destination_address_validated_delivery_point,
destination_delivery_address, destination_delivery_city_name, destination_delivery_state,
detail_filler_2
FROM spef_raw_package
WHERE file_name = 'Demo_030_v4_ShippingPartnerEventFile.consolid';
```

## -- SPEF V2.0 Header Query-

```
SELECT Header_ID, shipping_partner_mailer_id, file_record_count, file_version_number, header_filler_
1
FROM spef_raw_package
WHERE file_name = 'Demo_020_v4_ShippingPartnerEventFile.consolid';
```

## -- SPEF V2.0 Detail Query

```
SELECT Detail_record_id, PIC, Event_Code, Event_Zip, Event_Zip_4, Event_Date, Event_time,detail_filler,
detail_filler_2
FROM spef_raw_package
WHERE file_name = 'Demo_020_v4_ShippingPartnerEventFile.consolid';
```

# S-56 Demo

Tuesday, November 5, 2019 8:52 AM

```
SELECT *
FROM spef_validation_result
WHERE file_name like ('Michael_Validations_spef_050_Demo_v3.consolid')
ORDER BY validation_performed DESC;
```

# User Stories

Thursday, December 6, 2018 1:52 PM



My Home

Search

Rubens MEPT: Package Platform-4724

Portfolio

Product

Release

Team

Reports

Analytics

Import your backlog using Excel

VersionOne Excel-based Import Templates can be used to import backlog items in bulk into VersionOne.

Select a Template

Download Basic Excel Template

Download Advanced Excel Template

Import backlog

Upload A Completed Excel Template File

Helpful hints

CREATING AN EXCEL IMPORT FILE

Our import template contains helpful formatting and comments to speed your import file creation. Please start with a template if you can. Here are a few more tips to streamline your import:

- The header of the first column should always be "AssetType". The column itself should contain the system name for the asset type. System names for basic asset types are included in the comments in the templates.
- The remaining columns should contain the attribute data for the new asset. The column header should be the system name of the attribute. The column itself should contain the corresponding attribute value for that asset.
- Worksheets are processed in alphabetical order by worksheet name, so within the same excel file, you can reference a work item that was created in an earlier worksheet. For example, to create a project and stories within the project, add the project in the first worksheet, and then add the stories in the new project in a second worksheet.
- The backlog import template includes system names for default assets and fields. To include other assets or fields, including custom fields, please contact your system administrator for the corresponding system names. You can remove unnecessary fields by deleting the column.
- To maintain data integrity, each import is conducted within a single transaction. For this reason, and to receive quicker feedback, we recommend limiting your import to 500 items per import file.

TROUBLESHOOTING IMPORT ERRORS

Items are imported only if all items pass validation. A descriptive message will be displayed for each validation error. Some common validation failures include:

- Missing data for a required field. Required fields for a default configuration are indicated in the template. If your system has been customized, additional fields may be required.
- Duplicate assets are found for an asset reference. If your import references an existing asset and another asset of the same type has the same name, then the import will fail. If you have a story named "Administration" in both Project A and Project B, you must specify "Project AAdministration" in your Excel file for the reference to be unique.
- Invalid values for select (list value) options. Values for select options, such as Status and Priority, must exist in the system to be valid for import. Check Administration > List Types for correct values for your system.
- No data to import is found. If your excel spreadsheet is formatted incorrectly, the import may fail. Start by downloading a template to ensure correct formatting. Copy your data into the template.

Main Page 417

# Publish Feature H1

Friday, October 12, 2018 10:30 AM

Epic: Publish

Title: Publish Header Record ID in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed Header Record ID to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- Publish a Kafka message to the Manifest Service topic containing the validated, corrected, and parsed SSF
  - File location
  - File Name
  - File Location
  - Parsed SSF
-

# Publish D1/H1 Stories

Friday, October 12, 2018 10:51 AM

Epic: Publish  
Title: Publish Logistic Mailing Facility CRID in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Logistic Mailing Facility CRID to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:  
The field must be populated with an Alphanumeric Value  
The field length is a max of 15 characters

-----

Epic: Publish  
Title: Publish CRLF in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the CRLF to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:  
The field must be populated with an Alphanumeric Value  
The field length is a max of 2 characters

-----

Epic: Publish  
Title: Publish Return Address Zip Code in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Return Address Zip Code to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:  
The field must be populated with an Numeric Value  
The field length is a max of 5 characters  
Shall be 5 digits  
Numeric values (0-9) only  
Sender's ZIP Code is required  
Required for COD

-----

Epic: Publish  
Title: Publish Return Address State in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Return Address State to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:  
The field must be populated with an Alphanumeric Value  
The field length is a max of 2 characters  
Required for COD

-----

Epic: Publish  
Title: Publish Return Address City in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Return Address City to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:  
The field must be populated with an Alphanumeric Value  
The field length is a max of 28 characters  
Required for COD

-----

Epic: Publish  
Title: Publish Return Address in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Return Address to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:  
The field must be populated with an Alphanumeric Value  
The field length is a max of 48 characters  
Required for COD

Epic: Publish  
Title: Publish D1 File Location in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the D1 File Location to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:  
The field must be populated with an Alphanumeric Value  
The field length is a max of 34 characters

-----

Epic: Publish  
Title: Publish D1 File Name in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the D1 File Name to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:  
The field must be populated with an Alphanumeric Value  
The field length is a max of 34 characters

-----

---

Epic: Publish

Title: Publish Key Line in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Key Line to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

The field must be populated with an Alphanumeric Value

The field length is a max of 16 characters

---

Epic: Publish

Title: Publish Address Service Participant Code in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Address Service Participant Code to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

The field must be populated with an Alphanumeric Value

6 or 9 digit Mailer ID

or a 7 digit Alphanumeric code.

---

Epic: Publish

Title: Publish Ancillary Service Endorsement in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Ancillary Service Endorsement to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

(This field is for future use)

The field must be populated with an Alphanumeric Value

The field length is a max of 3 characters

'A' = Change

Service Option 1

'B' = Change

Service Option 2

'C' = Address

Service Option 1

'D' = Address

Service Option 2

'L' = Address

Service Option 3

'M' = Address

Service Option 4

'E' = Address

Service-BPRS

'F' = Return

Service Option 1

'G' = Return

Service Option 2

'O' = Return

Service Option 3

'H' = Temp Return

Service Option 1

'I' = temp Return

Service Option 2

'J' = Shipper Paid

Forward Option 1

'K' = Shipper Paid

Forward Option 2

'Z' = Forwarding

Service Option 1

'N' = No

Endorsement

---

Epic: Publish

Title: Publish Logistic Mailing Facility Delivery Address in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Logistic Mailing Facility Delivery Address to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

The field must be populated with an Alphanumeric Value

The field length is a max of 48 characters

Default is spaces

This field is not to be used for the city or state

The following special characters are allowed. (hyphen, forward slash and period)

-----  
Epic: Publish

Title: Publish Delivery Address (Requirements) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Delivery Address (Requirements) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

The field must be populated with an Alphanumeric Value

The field length is a max of 48 characters

Required for Accountable mail and International mail.

NOTE; Effective January 25, 2015, Destination Delivery Address and/or the 11-digit Destination Delivery Point are required.

-----

Epic: Publish

Title: Publish Recipient Name Destination in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Recipient Name Destination to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

The field must be populated with an Alphanumeric Value

The field length is a max of 48 characters

Required for all signature products.

Recommended for all products.

-----

Epic: Publish

Title: Publish Customer Reference Number 2 in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Customer Reference Number 2 to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

The field must be populated with an Alphanumeric Value

The field length is a max of 30 characters

-----

Epic: Publish

Title: Publish Original Tracking Number in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Original Tracking Number to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

The field must be populated with an Alphanumeric Value

The field length is a max of 34 characters

5 digits Routing ZIP Code and 4 digits Routing +4 are optional.

3 digits '420' are the routing application identifier. Used only when including a Routing ZIP Code.

-----

Epic: Publish

Title: Publish Original Tracking Number (unique) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Original Tracking Number (unique) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

The field must be populated with an Alphanumeric Value

The field length is a max of 34 characters

Tracking number shall be unique for 120 days from first use.

-----

Epic: Publish

Title: Publish Original Label Tracking Number Barcode Construct Code in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Original Label Tracking Number Barcode Construct Code to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

The field must be populated with an Alphanumeric Value

The field length is a max of 4 characters

Left justified, trailing spaces.

Constructs available to be used by commercial customers begin with

"C", C01- C10

Constructs available to be used by online customers begin with

"N", N01- N10

-----

Epic: Publish

Title: Publish Original Label Tracking Number Barcode Construct Code (International) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Original Label Tracking Number Barcode Construct Code (International) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

The field must be populated with an Alphanumeric Value

The field length is a max of 4 characters

Left justified, trailing spaces.

For International labels, the barcode construct field will be spaces or I01.

-----

Epic: Publish

Title: Publish Original Label Tracking Number Barcode Construct Code (Legacy) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Original Label Tracking Number Barcode Construct Code (Legacy) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

The field must be populated with an Alphanumeric Value

The field length is a max of 4 characters

Left justified, trailing spaces.

File Type 1 and 3 Legacy Barcode Code Construct L01 only.

File Type2 Legacy Barcode Constructs L01 through L04.

-----

Epic: Publish

Title: Publish Tracking Indicator in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Tracking Indicator to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

The field must be populated with an Alphanumeric Value

The field length is a max of 2 characters

If an Original Tracking Number is included in the Original Tracking Number field position

75 then the value of '01', RRE should be included.

-----

Epic: Publish

Title: Publish Removal Indicator in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Removal Indicator to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

The field must be populated with an Alphanumeric Value

The field length is a max of 1 characters

Field shall contain a valid code (space or "Y")

-----

Epic: Publish

Title: Publish Destination Delivery Point in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Destination Delivery Point to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

The field must be populated with an Alphanumeric Value

The field length is a max of 2 characters

Numeric values (0-9) only.

If International, all zeroes. Default spaces if not available.

-----

Epic: Publish

Title: Publish Delivery Option Indicator in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Delivery Option Indicator to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

The field must be populated with an Alphanumeric Value

The field length is a max of 1 characters

Required for Priority Mail Express.

For PMEOD, the Delivery Option Indicator of "E" is required.

Default value is '1'

-----  
Epic: Publish  
Title: Publish Waiver of Signature/ Carrier Release / Customer Delivery Preference (Waiver) in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Waiver of Signature/ Carrier Release / Customer Delivery Preference (Waiver) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:  
The field must be populated with an Alphanumeric Value  
The field length is a max of 1 characters  
Waiver of Signature - Mandatory for Priority Mail Express  
Default value is 'Y'.  
Required: Print 'WAIVER OF SIGNATURE' on label when value set to 'Y'  
Print 'SIGNATURE REQUIRED' on label when value set to 'N'

-----  
Epic: Publish  
Title: Publish Waiver of Signature/ Carrier Release / Customer Delivery Preference (Carrier Release) in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Waiver of Signature/ Carrier Release / Customer Delivery Preference (Carrier Release) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:  
The field must be populated with an Alphanumeric Value  
The field length is a max of 1 characters  
Carrier Release Product-  
Cannot be used with signature services products  
1 = Mailer requests Carrier Release  
2 = Mailer does not request Carrier Release  
3 = Electronic Signature on File (eSOF)  
Null = Default

-----  
Epic: Publish  
Title: Publish PO Box Indicator in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the PO Box Indicator to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:  
The field must be populated with an Alphanumeric Value  
The field length is a max of 1 characters  
'Y' = Priority Mail Express Manifesting addressed to a PO Box.  
Required for Priority Mail Express  
Default value is 'N'

-----  
Epic: Publish  
Title: Publish Open and Distribute Contents in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Open and Distribute Contents to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:  
The field must be populated with an Alphanumeric Value  
The field length is a max of 2 characters  
Required for Open and Distribute mailings.  
Default is spaces for non- applicable products

-----  
Epic: Publish  
Title: Publish Postal Routing Barcode in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Postal Routing Barcode to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:  
The field must be populated with an Numeric Value  
The field length is a max of 1 characters  
Field shall contain a valid code.  
Default is a space.

-----  
Epic: Publish  
Title: Publish Non-Incidental Enclosure Processing Category in SSF Version 2.0

Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Non-Incidental Enclosure Processing Category to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:  
The field must be populated with an Alphanumeric Value  
The field length is a max of 1 characters  
Default is spaces for non- applicable products.

Epic: Publish  
Title: Publish Non-Incidental Enclosure Weight in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Non-Incidental Enclosure Weight to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:  
The field must be populated with an Numeric Value  
The field length is a max of 9 characters  
Mandatory if applicable. In unit of lbs and significant to 4 decimal positions.  
Leading zeroes required, when populated.  
Default to zeroes, when not applicable

Epic: Publish  
Title: Publish Non-Incidental Enclosure Postage in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Non-Incidental Enclosure Postage to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:  
The field must be populated with an Numeric Value  
The field length is a max of 7 characters  
Mandatory if applicable.  
Leading zeroes required, when populated.  
Default to zeroes, when not applicable

Epic: Publish  
Title: Publish Non-Incidental Enclosure Class in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Non-Incidental Enclosure Class to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:  
The field must be populated with an Alphanumeric Value  
The field length is a max of 2 characters  
Mandatory if applicable.

Epic: Publish  
Title: Publish Non-Incidental Enclosure Rate Indicator in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Non-Incidental Enclosure Rate Indicator to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:  
The field must be populated with an Alphanumeric Value  
The field length is a max of 2 characters  
Mandatory if applicable.

Epic: Publish  
Title: Publish Discount Amount in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Discount Amount to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:  
The field must be populated with an Numeric Value  
The field length is a max of 7 characters  
In unit of dollars and rounded to 3 decimals.  
Numeric values (0-9) only.  
Leading zeroes required, when populated.  
Default to zeroes, when not applicable



-----  
Epic: Publish  
Title: Publish Discount Type (Default) in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Discount Type (Default) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:  
-The field must be populated with an AlphaNumeric Value  
-The field length is a max of 2 characters  
-The field defaults to spaces

-----  
Epic: Publish  
Title: Publish Discount Type in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Discount Type to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:  
-The field must be populated with an AlphaNumeric Value  
-The field length is a max of 2 characters

-----  
Epic: Publish  
Title: Publish Surcharge Amount (Default) in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Surcharge Amount (Default) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:  
-The field must be populated with a Numeric Value  
-The field length is a max of 7 characters  
-The field defaults to zeroes when not applicable

-----  
Epic: Publish  
Title: Publish Surcharge Amount in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Surcharge Amount to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:  
-The field must be populated with a Numeric Value  
-The field length is a max of 7 characters  
-The field has leading zeroes required when populated

-----  
Epic: Publish  
Title: Publish Surcharge Type (Default) in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Surcharge Type (Default) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:  
-The field must be populated with an AlphaNumeric Value  
-The field length is a max of 2 characters  
-The field defaults to spaces

-----  
Epic: Publish  
Title: Publish Surcharge Type in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Surcharge Type to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:  
-The field must be populated with an AlphaNumeric Value  
-The field length is a max of 2 characters

-----  
Epic: Publish  
Title: Publish Handling Charge (Default) in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Handling Charge (Default) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with a Numeric Value
  - The field length is a max of 4 characters
  - The field defaults to zeroes when not applicable
- 

Epic: Publish  
Title: Publish Handling Charge (Zeroes) in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Handling Charge (Zeroes) to the Manifest Service topic, so that the data is available to downstream services for further processing.

- Acceptance Criteria:
- The field must be populated with a Numeric Value
  - The field length is a max of 4 characters
  - The field has leading zeroes required when populated
- 

Epic: Publish  
Title: Publish Handling Charge in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Handling Charge to the Manifest Service topic, so that the data is available to downstream services for further processing.

- Acceptance Criteria:
- The field must be populated with a Numeric Value
  - The field length is a max of 4 characters
  - The field is required if First-Class Package Service with Registered service valued more than \$25,000
- 

Epic: Publish  
Title: Publish COD Amount Due Sender (Default) in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the COD Amount Due Sender (Default) to the Manifest Service topic, so that the data is available to downstream services for further processing.

- Acceptance Criteria:
- The field must be populated with a Numeric Value
  - The field length is a max of 6 characters
  - The field defaults to zeroes when not applicable
- 

Epic: Publish  
Title: Publish COD Amount Due Sender (Zeroes) in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the COD Amount Due Sender (Zeroes) to the Manifest Service topic, so that the data is available to downstream services for further processing.

- Acceptance Criteria:
- The field must be populated with a Numeric Value
  - The field length is a max of 6 characters
  - The field has leading zeroes required when populated
- 

Epic: Publish  
Title: Publish COD Amount Due Sender in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the COD Amount Due Sender to the Manifest Service topic, so that the data is available to downstream services for further processing.

- Acceptance Criteria:
- The field must be populated with a Numeric Value
  - The field length is a max of 6 characters
  - The field is required if package is COD
- 

Epic: Publish  
Title: Publish Value of Article (Default) in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Value of Article (Default) to the Manifest Service topic, so that the data is available to downstream services for further processing.

- Acceptance Criteria:
- The field must be populated with a Numeric Value
  - The field length is a max of 7 characters
  - The field defaults to zeroes, when not applicable
- 

Epic: Publish  
Title: Publish Value of Article (Zeroes) in SSF Version 2.0  
Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Value of Article (Zeroes) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with a Numeric Value
- The field length is a max of 7 characters
- The field is required if insured. Leading Zeroes required when populated

Epic: Publish

Title: Publish Value of Article in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Value of Article to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with a Numeric Value
- The field length is a max of 7 characters
- The field is mandatory if insurance is being included as an Extra Service

Epic: Publish

Title: Publish Extra Service Fee 5th Service (Default) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Extra Service Fee 5th Service (Default) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with a Numeric Value
- The field length is a max of 6 characters
- The field defaults to zeroes when not applicable

Epic: Publish

Title: Publish Extra Service Fee 5th Service (Zeroes) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Extra Service Fee 5th Service (Zeroes) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with a Numeric Value
- The field length is a max of 6 characters
- The field has leading zeroes required when populated

Epic: Publish

Title: Publish Extra Service Fee 5th Service in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Extra Service Fee 5th Service to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with a Numeric Value
- The field length is a max of 6 characters
- The field is required when Extra Service Code 5th Service is populated

Epic: Publish

Title: Publish Extra Service Code 5th Service (Legacy) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Extra Service Code 5th Service (Legacy) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with an AlphaNumeric Value
- The field length is a max of 3 characters
- The field is a 2-digit extra service code with trailing space when Legacy.

Epic: Publish

Title: Publish Extra Service Code 5th Service (Required) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Extra Service Code 5th Service (Required) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with an AlphaNumeric Value
- The field length is a max of 3 characters
- The field is required when one Extra Service Code is used

-----  
Epic: Publish  
Title: Publish Extra Service Code 5th Service in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Extra Service Code 5th Service to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:  
-The field must be populated with an AlphaNumeric Value  
-The field length is a max of 3 characters  
-The field contains one Extra Service Code

-----  
Epic: Publish  
Title: Publish Extra Service Fee 4th Service (Default) in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Extra Service Fee 4th Service (Default) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:  
-The field must be populated with a Numeric Value  
-The field length is a max of 6 characters  
-The field defaults to zeroes when not applicable

-----  
Epic: Publish  
Title: Publish Extra Service Fee 4th Service (Zeroes) in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Extra Service Fee 4th Service (Zeroes) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:  
-The field must be populated with a Numeric Value  
-The field length is a max of 6 characters  
-The field has leading zeroes required when populated

-----  
Epic: Publish  
Title: Publish Extra Service Fee 4th Service in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Extra Service Fee 4th Service to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:  
-The field must be populated with a Numeric Value  
-The field length is a max of 6 characters  
-The field is required when Extra Service Code 4th Service is populated

-----  
Epic: Publish  
Title: Publish Extra Service Code 4th Service (Legacy) in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Extra Service Code 4th Service (Legacy) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:  
-The field must be populated with an AlphaNumeric Value  
-The field length is a max of 3 characters  
-The field is a 2-digit extra service code with trailing space when Legacy.

-----  
Epic: Publish  
Title: Publish Extra Service Code 4th Service (Required) in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Extra Service Code 4th Service (Required) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:  
-The field must be populated with an AlphaNumeric Value  
-The field length is a max of 3 characters  
-The field is required when one Extra Service Code is used

-----  
Epic: Publish  
Title: Publish Extra Service Code 4th Service in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Extra Service Code 4th Service to the Manifest Service topic, so that the data is available to downstream services

for further processing.

Acceptance Criteria:

- The field must be populated with an AlphaNumeric Value
  - The field length is a max of 3 characters
  - The field contains one Extra Service Code
- 

Epic: Publish

Title: Publish Extra Service Fee 3rd Service (Default) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Extra Service Fee 3rd Service (Default) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with a Numeric Value
  - The field length is a max of 6 characters
  - The field defaults to zeroes when not applicable
- 

Epic: Publish

Title: Publish Extra Service Fee 3rd Service (Zeroes) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Extra Service Fee 3rd Service (Zeroes) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with a Numeric Value
  - The field length is a max of 6 characters
  - The field has leading zeroes required when populated
- 

Epic: Publish

Title: Publish Extra Service Fee 3rd Service in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Extra Service Fee 3rd Service to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with a Numeric Value
  - The field length is a max of 6 characters
  - The field is required when Extra Service Code 3rd Service is populated
- 

Epic: Publish

Title: Publish Extra Service Code 3rd Service (Legacy) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Extra Service Code 3rd Service (Legacy) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with an AlphaNumeric Value
  - The field length is a max of 3 characters
  - The field is a 2-digit extra service code with trailing space when Legacy.
- 

Epic: Publish

Title: Publish Extra Service Code 3rd Service (Required) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Extra Service Code 3rd Service (Required) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with an AlphaNumeric Value
  - The field length is a max of 3 characters
  - The field is required when one Extra Service Code is used
- 

Epic: Publish

Title: Publish Extra Service Code 3rd Service in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Extra Service Code 3rd Service to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with an AlphaNumeric Value
  - The field length is a max of 3 characters
  - The field contains one Extra Service Code
-

Epic: Publish  
Title: Publish Extra Service Fee 2nd Service (Default) in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Extra Service Fee 2nd Service (Default) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:  
-The field must be populated with a Numeric Value  
-The field length is a max of 6 characters  
-The field defaults to zeroes when not applicable

-----

Epic: Publish  
Title: Publish Extra Service Fee 2nd Service (Zeroes) in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Extra Service Fee 2nd Service (Zeroes) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:  
-The field must be populated with a Numeric Value  
-The field length is a max of 6 characters  
-The field has leading zeroes required when populated

-----

Epic: Publish  
Title: Publish Extra Service Fee 2nd Service in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Extra Service Fee 2nd Service to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:  
-The field must be populated with a Numeric Value  
-The field length is a max of 6 characters  
-The field is required when Extra Service Code 2nd Service is populated

-----

Epic: Publish  
Title: Publish Extra Service Code 2nd Service (Legacy) in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Extra Service Code 2nd Service (Legacy) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:  
-The field must be populated with an AlphaNumeric Value  
-The field length is a max of 3 characters  
-The field is a 2-digit extra service code with trailing space when Legacy.

-----

Epic: Publish  
Title: Publish Extra Service Code 2nd Service (Required) in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Extra Service Code 2nd Service (Required) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:  
-The field must be populated with an AlphaNumeric Value  
-The field length is a max of 3 characters  
-The field is required when one Extra Service Code is used

-----

Epic: Publish  
Title: Publish Extra Service Code 2nd Service in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Extra Service Code 2nd Service to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:  
-The field must be populated with an AlphaNumeric Value  
-The field length is a max of 3 characters  
-The field contains one Extra Service Code

-----

Epic: Publish  
Title: Publish Extra Service Fee 1st Service (Default) in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Extra Service Fee 1st Service (Default) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with a Numeric Value
- The field length is a max of 6 characters
- The field defaults to zeroes when not applicable

Epic: Publish

Title: Publish Extra Service Fee 1st Service (Zeroes) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Extra Service Fee 1st Service (Zeroes) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with a Numeric Value
- The field length is a max of 6 characters
- The field has leading zeroes required when populated

Epic: Publish

Title: Publish Extra Service Fee 1st Service in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Extra Service Fee 1st Service to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with a Numeric Value
- The field length is a max of 6 characters
- The field is required when Extra Service Code 1st Service is populated

Epic: Publish

Title: Publish Extra Service Code 1st Service (Legacy) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Extra Service Code 1st Service (Legacy) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with an AlphaNumeric Value
- The field length is a max of 3 characters
- The field is a 2-digit extra service code with trailing space when Legacy.

Epic: Publish

Title: Publish Extra Service Code 1st Service (Required) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Extra Service Code 1st Service (Required) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with an AlphaNumeric Value
- The field length is a max of 3 characters
- The field is required when one Extra Service Code is used

Epic: Publish

Title: Publish Extra Service Code 1st Service in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Extra Service Code 1st Service to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with an AlphaNumeric Value
- The field length is a max of 3 characters
- The field contains one Extra Service Code

Epic: Publish

Title: Publish Dimensional Weight (Default) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Dimensional Weight (Default) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with a Numeric Value
- The field length is a max of 6 characters
- The field default is zeroes

Epic: Publish

Title: Publish Dimensional Weight (Rate Indicator) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Dimensional Weight (Rate Indicator) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with a Numeric Value
- The field length is a max of 6 characters
- The field is required for rate indicator CP for Cubic Tier pricing

Epic: Publish

Title: Publish Dimensional Weight (Domestic 1-4) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Dimensional Weight (Domestic 1-4) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with a Numeric Value
- The field length is a max of 6 characters
- The field is  $(LLL+(LLL*2)+(WW*2))$  or = 84 but <108 (zero-0 filled from left)
- The field is space-filled if calculated value of DW rate < or = value of rate of actual weight

Epic: Publish

Title: Publish Dimensional Weight (Domestic 5-8) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Dimensional Weight (Domestic 5-8) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with a Numeric Value
- The field length is a max of 6 characters
- The field is  $(LLL*WW*HH)/194$  (zero-Z1280 filled from left)
- The field is space-filled if calculated value of DW rate < or = value of rate of actual weight

Epic: Publish

Title: Publish Dimensional Weight (GXG) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Dimensional Weight (GXG) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with a Numeric Value
- The field length is a max of 6 characters
- The field is  $(LL*WW*HH)/166$  (zero-0 filled from left)
- The field is space-filled if calculated value of DW rate < or = value of rate of actual weight

Epic: Publish

Title: Publish Dimensional Weight in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Dimensional Weight to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with a Numeric Value
- The field length is a max of 6 characters
- The field leading zeroes are required when populated

Epic: Publish

Title: Publish Height (Rate Indicator) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Height (Rate Indicator) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with a Numeric Value
- The field length is a max of 5 characters
- The field is required for rate indicator CP for Cubic Tier pricing

Epic: Publish

Title: Publish Height (Measurements) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Height (Measurements) to the Manifest Service topic, so that the data is available to downstream services for further processing.



Acceptance Criteria:

- The field must be populated with a Numeric Value
- The field length is a max of 5 characters
- The field is in inches. Required for GXG and domestic Priority Mail to Zones 5-8 also Priority Mail Zones 1-4 and Parcel Select in which three dimensions are collected

Epic: Publish

Title: Publish Height (Default) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Height (Default) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with a Numeric Value
- The field length is a max of 5 characters
- The field defaults to zeroes when not applicable

Epic: Publish

Title: Publish Height in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Height to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with a Numeric Value
- The field length is a max of 5 characters
- The field leading zeroes are required when populated

Epic: Publish

Title: Publish Width (Rate Indicator) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Width (Rate Indicator) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with a Numeric Value
- The field length is a max of 5 characters
- The field is required for rate indicator CP for Cubic Tier pricing

Epic: Publish

Title: Publish Width (Measurements) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Width (Measurements) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with a Numeric Value
- The field length is a max of 5 characters
- The field is in inches. Required for GXG and domestic Priority Mail to Zones 5-8 also Priority Mail Zones 1-4 and Parcel Select in which three dimensions are collected

Epic: Publish

Title: Publish Width (Default) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Width (Default) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with a Numeric Value
- The field length is a max of 5 characters
- The field defaults to zeroes when not applicable

Epic: Publish

Title: Publish Length (Rate Indicator) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Length (Rate Indicator) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with a Numeric Value
- The field length is a max of 5 characters
- The field is required for rate indicator CP for Cubic Tier pricing

Epic: Publish  
Title: Publish Length (measurements) in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Length (measurements) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:  
-The field must be populated with a Numeric Value  
-The field length is a max of 5 characters  
-The field is the measurement of the longest dimension  
-The field is in inches. Required for GXG and domestic Priority Mail to Zones 5-8 also Priority Mail Zones 1-4 and Parcel Select in which three dimensions are collected

-----

Epic: Publish  
Title: Publish Length (Default) in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Length (Default) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:  
-The field must be populated with a Numeric Value  
-The field length is a max of 5 characters  
-The field defaults to zeroes when not applicable

-----

Epic: Publish  
Title: Publish Length in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Length to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:  
-The field must be populated with a Numeric Value  
-The field length is a max of 5 characters  
-The field has leading zeroes required when populated

-----

Epic: Publish  
Title: Publish Domestic Zone (Default) in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Domestic Zone (Default) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:  
-The field must be populated with an AlphaNumeric Value  
-The field length is a max of 2 characters  
-The field default is zeroes for non-applicable products

-----

Epic: Publish  
Title: Publish Domestic Zone (Zeroes) in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Domestic Zone (Zeroes) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:  
-The field must be populated with an AlphaNumeric Value  
-The field length is a max of 2 characters  
-The field has leading zeroes required if numeric

-----

Epic: Publish  
Title: Publish Domestic Zone in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Domestic Zone to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:  
-The field must be populated with an AlphaNumeric Value  
-The field length is a max of 2 characters  
-The field is required for products with rates based on zones

-----

Epic: Publish  
Title: Publish Destination Rate Indicator (File Type 1) in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Destination Rate Indicator (File Type 1) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with an AlphaNumeric Value
- The field length is a max of 1 characters
- File Type 1 is required for Open and Distribute mailings

Epic: Publish

Title: Publish Destination Rate Indicator (Default) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Destination Rate Indicator (Default) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with an AlphaNumeric Value
- The field length is a max of 1 characters
- The field default is 'N' for non-applicable products and for all other eVS/PRS mail class/products.

Epic: Publish

Title: Publish Destination Rate Indicator in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Destination Rate Indicator to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with an AlphaNumeric Value
- The field length is a max of 1 characters
- The field is required for destination entry packages

Epic: Publish

Title: Publish Rate Indicator (Commercial Plus) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Rate Indicator (Commercial Plus) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with an AlphaNumeric Value
- The field length is a max of 2 characters
- For Commercial Plus Pricing the rate indicator of "UA", "U3", "U5" or "US" is required

Epic: Publish

Title: Publish Rate Indicator (PMOD) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Rate Indicator (PMOD) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with an AlphaNumeric Value
- The field length is a max of 2 characters
- For PMOD the rate indicator "SP" is required

Epic: Publish

Title: Publish Rate Indicator (PMEOD) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Rate Indicator (PMEOD) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with an AlphaNumeric Value
- The field length is a max of 2 characters
- For PMEOD the rate indicator "PA" is required

Epic: Publish

Title: Publish Rate Indicator (Standard Post) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Rate Indicator (Standard Post) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with an AlphaNumeric Value
- The field length is a max of 2 characters
- The field uses 'Single Piece' for the Rate indicator for Standard Post with Destination Rates

Epic: Publish

Title: Publish Processing Category (Returns) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Processing Category (Returns) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with an AlphaNumeric Value
  - The field length is a max of 1 characters
  - The field is required for Returns, the processing category is "R"
- 

Epic: Publish

Title: Publish Processing Category (Open) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Processing Category (Open) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with an AlphaNumeric Value
  - The field length is a max of 1 characters
  - The field is required for Open and Distribute, the processing category is "O".
- 

Epic: Publish

Title: Publish Weight (Default) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Weight (Default) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with a Numeric Value
  - The field length is a max of 9 characters
  - The field default is zeroes, when not applicable
- 

Epic: Publish

Title: Publish Weight in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Weight to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with a Numeric Value
  - The field length is a max of 9 characters
  - The field leading zeroes are required, when populated
- 

Epic: Publish

Title: Publish Unit of Measure Code (Default) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Unit of Measure Code (Default) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with a Numeric Value
  - The field length is a max of 1 characters
  - The field default is '1' - LBS
- 

Epic: Publish

Title: Publish Unit of Measure Code in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Unit of Measure Code to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with a Numeric Value
  - The field length is a max of 1 characters
  - The field shall contain a USPS defined valid code
- 

Epic: Publish

Title: Publish Customized Shipping Services Contracts Product ID in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Customized Shipping Services Contracts Product ID to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with an Alphanumeric Value
- The field length is a max of 14 characters
- The field default is spaces

-----  
Epic: Publish  
Title: Publish Customized Shipping Services Contracts (CSSC) Number in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Customized Shipping Services Contracts (CSSC) Number to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:  
-The field must be populated with an Alphanumeric Value  
-The field length is a max of 22 characters  
-The field default is spaces

-----  
Epic: Publish  
Title: Publish Postage Type in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Postage Type to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:  
-The field must be populated with an Alphanumeric Value  
-The field length is a max of 1 characters  
-The field indicates whether the postage is based on published or negotiated rates

-----  
Epic: Publish  
Title: Publish Postage (Round) in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Postage (Round) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:  
-The field must be populated with a Numeric Value  
-The field length is a max of 7 characters  
-The field rounds to the nearest tenth of a cent when in units of dollars

-----  
Epic: Publish  
Title: Publish Postage (Default) in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Postage (Default) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:  
-The field must be populated with a Numeric Value  
-The field length is a max of 7 characters  
-The field default is zeroes when not applicable

-----  
Epic: Publish  
Title: Publish Postage in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Postage to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:  
-The field must be populated with a Numeric Value  
-The field length is a max of 7 characters  
-The field requires leading zeroes when populated

-----  
Epic: Publish  
Title: Publish Chargeback Code (Default) in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Chargeback Code (Default) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:  
-The field must be populated with an Alphanumeric Value  
-The field length is a max of 6 characters  
-The field default is spaces

-----  
Epic: Publish  
Title: Publish Chargeback Code in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Chargeback Code to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with an Alphanumeric Value
- The field length is a max of 6 characters
- The field is for customer's internal use

-----  
Epic: Publish

Title: Publish Meter Serial Number (Default) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Meter Serial Number (Default) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with an Alphanumeric Value
- The field length is a max of 20 characters
- The field default is spaces

-----  
Epic: Publish

Title: Publish Meter Serial Number in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Meter Serial Number to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with an Alphanumeric Value
- The field length is a max of 20 characters
- The field is required if method of payment is '05' or '06'

-----  
Epic: Publish

Title: Publish Post Office of Account ZIP Code (File Type 2) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Post Office of Account ZIP Code (File Type 2) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with a Numeric Value
- The field length is a max of 5 characters
- File Type 2 - 5 digit ZIP Code of Post Office issuing Permit Number, meter license, or precanceled stamps

-----  
Epic: Publish

Title: Publish Post Office of Account ZIP Code (File Type 1/3) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Post Office of Account ZIP Code (File Type 1/3) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with a Numeric Value
- The field length is a max of 5 characters
- File Type 1 and 3 (eVS/PRS) shall be '01' Permit System

-----  
Epic: Publish

Title: Publish Method of Payment (File Type) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Method of Payment (File Type) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with a Numeric Value
- The field length is a max of 2 characters
- File Type 1 and 3 (eVS/PRS) shall be '01' Permit System

-----  
Epic: Publish

Title: Publish Method of Payment in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Method of Payment to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with a Numeric Value
- The field length is a max of 2 characters
- The field shall be a USPS approved payment method for mail being tendered

-----  
Epic: Publish

Title: Publish payment Account Number (Zeroes) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the payment Account Number (Zeroes) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with a Numeric Value
- The field length is a max of 10 characters
- The field is filled with zeroes if using stamps, meter, Bill Me Later or PC Postage

Epic: Publish

Title: Publish Payment Account Number in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Payment Account Number to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with a Numeric Value
- The field length is a max of 10 characters
- The field is required if using Permit imprint or Federal Agency Number

Epic: Publish

Title: Publish FAST Scheduled Induction Time (Default) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the FAST Scheduled Induction Time (Default) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with a Numeric Value
- The field length is a max of 6 characters
- The field default is zeroes

Epic: Publish

Title: Publish FAST Scheduled Induction Time in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the FAST Scheduled Induction Time to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with a Numeric Value
- The field length is a max of 6 characters
- The field is written in Military format: HHMMSS
- The field time is valid
- Strongly recommend inclusion in the file when FAST appointments are scheduled (Not sure this needs to be criteria, please confirm)

Epic: Publish

Title: Publish FAST Scheduled Induction Date (Default) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the FAST Scheduled Induction Date (Default) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with a Numeric Value
- The field length is a max of 8 characters
- The field default is zeroes

Epic: Publish

Title: Publish ST Scheduled Induction Date in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the ST Scheduled Induction Date to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with a Numeric Value
- The field length is a max of 8 characters
- The field is written in Date format: YYYYMMDD
- The field data is valid
- Strongly recommend inclusion in the file when FAST appointments are scheduled (Not sure this needs to be criteria, please confirm)

Epic: Publish

Title: Publish FAST Reservation Number in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the FAST

Reservation Number to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with an Alphanumeric Value
- The field length is a max of 15 characters
- The field has no embedded spaces
- Strongly recommend inclusion in the file when FASt appointments are scheduled (Not sure this needs to be criteria, please confirm)

-----

Epic: Publish

Title: Publish Customer Reference in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Customer Reference to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with an Alphanumeric Value
- The field length is a max of 30 characters
- The field is used for customer internal identification purposes

-----

Epic: Publish

Title: Publish Mail Owner Customer Registration ID (CRID) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Mail Owner Customer Registration ID (CRID) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with an Alphanumeric Value
- The field length is a max of 15 characters
- The field is used by mailing agent to identify mail owner

-----

Epic: Publish

Title: Publish Container Type 3 in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Container Type 3 to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with an Alphanumeric Value
- The field length is a max of 2 characters
- The field shall be populated if Container ID 3 field is populated

-----

Epic: Publish

Title: Publish Container ID 3 in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Container ID 3 to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with an Alphanumeric Value
- The field length is a max of 34 characters

-----

Epic: Publish

Title: Publish Container Type 2 in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Container Type 2 to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with an Alphanumeric Value
- The field length is a max of 2 characters
- The field shall be populated if Container ID 2 field is populated

-----

Epic: Publish

Title: Publish Container ID 2 in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Container ID 2 to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with an Alphanumeric Value
- The field length is a max of 34 characters

-----

Epic: Publish

Title: Publish Container Type 1 in SSF Version 2.0

Description:



As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Container Type 1 to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with an Alphanumeric Value
- The field length is a max of 2 characters
- The field shall be populated if Container ID 1 field is populated

-----  
Epic: Publish

Title: Publish Container ID 1 (Default) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Container ID 1 (Default) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with an Alphanumeric Value
- The field length is a max of 34 characters
- The field default is null

-----  
Epic: Publish

Title: Publish Container ID 1 in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Container ID 1 to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with an Alphanumeric Value
- The field length is a max of 34 characters
- The field is required for Open and Distribute only when the contents in the container are also manifested

-----  
Epic: Publish

Title: Publish Mail Owner Mailer ID (6 digit MID) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Mail Owner Mailer ID (6 digit MID) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with an Alphanumeric Value
- The field length is a max of 9 characters
- The six-digit MID is left justified, trailing spaces

-----  
Epic: Publish

Title: Publish Mail Owner Mailer ID in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Mail Owner Mailer ID to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with an Alphanumeric Value
- The field length is a max of 9 characters
- The MID in this field must belong to a CERTIFIED customer in order to receive a copy of the scan extract file if requested.

-----  
Epic: Publish

Title: Publish Logistics Manager Mailer ID (6 digit MID) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Logistics Manager Mailer ID (6 digit MID) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with an Alphanumeric Value
- The field length is a max of 9 characters
- The six-digit MID is left justified, trailing spaces

-----  
Epic: Publish

Title: Publish Logistics Manager Mailer ID in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Logistics Manager Mailer ID to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with an Alphanumeric Value
- The field length is a max of 9 characters
- The MID in this field must belong to a CERTIFIED customer in order to receive a copy of the scan extract file if requested.

-----  
Epic: Publish

Title: Publish Carrier Route in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Carrier Route to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with an Alphanumeric Value
- The field length is a max of 5 characters
- The field default is spaces

---

Epic: Publish

Title: Publish Foreign Postal Code (Default) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Foreign Postal Code (Default) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with an Alphanumeric Value
- The field length is a max of 11 characters
- The field default is spaces for Domestic

---

Epic: Publish

Title: Publish Foreign Postal Code (International) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Foreign Postal Code (International) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with an Alphanumeric Value
- The field length is a max of 11 characters
- The field is required for International
- The field is left justified

---

Epic: Publish

Title: Publish Destination Country Code (Default) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Destination Country Code (Default) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with an Alphanumeric Value
- The field length is a max of 2 characters
- The field default is spaces for Domestic

---

Epic: Publish

Title: Publish Destination Country Code (International) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Destination Country Code (International) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with an Alphanumeric Value
- The field length is a max of 2 characters
- The field is required for International

---

Epic: Publish

Title: Publish Destination Facility Type (Default) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Destination Facility Type (Default) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with an Alphanumeric Value
- The field length is a max of 1 characters
- The field default is spaces for Domestic

---

Epic: Publish

Title: Publish Destination Facility Type in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Destination Facility Type to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with an Alphanumeric Value
- The field length is a max of 1 characters
- The field is required for Open and Distribute mailings

---

Epic: Publish

Title: Publish Destination ZIP +4 (International) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Destination ZIP +4 (International) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with a Numeric Value
- The field length is a max of 4 characters
- The field is all zeroes or spaces if International

Epic: Publish

Title: Publish Destination ZIP +4 (Facility Type D) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Destination ZIP +4 (Facility Type D) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with a Numeric Value
- The field length is a max of 4 characters
- The field is required if the Destination Facility Type = "D" (DDU)

Epic: Publish

Title: Publish Destination ZIP +4 (Default) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Destination ZIP +4 (Default) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with a Numeric Value
- The field length is a max of 4 characters
- The field defaults to spaces if not available

Epic: Publish

Title: Publish Destination ZIP +4 (11 digit Matchup) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Destination ZIP +4 (11 digit Matchup) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with a Numeric Value
- The field length is a max of 4 characters
- When the 11 digit validated ZIP Code is provided this ZIP+4 must match the +4 in the 11 digit validated ZIP Code

Epic: Publish

Title: Publish Destination ZIP +4 in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Destination ZIP +4 to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with a Numeric Value
- The field length is a max of 4 characters
- The field is required for Hold For Pickup Online

Epic: Publish

Title: Publish Destination ZIP Code in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Destination ZIP Code to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with a Numeric Value
- The field length is a max of 5 characters
- The field is required
- When the 11 digit validated ZIP Code is provided this ZIP+4 must match the +4 in the 11 digit validated ZIP Code

Epic: Publish

Title: Publish Destination ZIP Code (International) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Destination ZIP Code (International) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with a Numeric Value
- The field length is a max of 5 characters
- The field if all zeroes if international

-----  
Epic: Publish  
Title: Publish Barcode Construct Code (Legacy Type 2) in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Barcode Construct Code (Legacy Type 2) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:  
-The field must be populated with an Alphanumeric Value  
-The field length is a max of 4 characters  
-The field is L01 through L04 for Legacy Barcode Construct's of File Type 2

-----  
Epic: Publish  
Title: Publish Barcode Construct Code (Legacy) in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Barcode Construct Code (Legacy) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:  
-The field must be populated with an Alphanumeric Value  
-The field length is a max of 4 characters  
-The field is L01 for Legacy Barcode Construct's of File Type 1 and 3

-----  
Epic: Publish  
Title: Publish Barcode Construct Code (International) in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Barcode Construct Code (International) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:  
-The field must be populated with an Alphanumeric Value  
-The field length is a max of 4 characters  
-The field by international labels has a barcode construct of spaces or I01

-----  
Epic: Publish  
Title: Publish Barcode Construct Code (Online) in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Barcode Construct Code (Online) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:  
-The field must be populated with an Alphanumeric Value  
-The field length is a max of 4 characters  
-The field is left justified with trailing spaces  
-The field by Online Customers begin with "N". N01-N10

-----  
Epic: Publish  
Title: Publish Barcode Construct Code (Commercial) in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Barcode Construct Code (Commercial) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:  
-The field must be populated with an Alphanumeric Value  
-The field length is a max of 4 characters  
-The field by Commercial Customers begin with "C". C01-C10

-----  
Epic: Publish  
Title: Publish Service Type Code (Legacy) in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Service Type Code (Legacy) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:  
-The field is a two-digit service type code

-----  
Epic: Publish  
Title: Publish Service Type Code (IMpb) in SSF Version 2.0  
Description:  
As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Service Type Code (IMpb) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:  
-The field is a three-digit service type code  
-The field is left justified  
-The field has trailing spaces

-----  
Epic: Publish

Title: Publish Service Type Code (International) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Service Type Code (International) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with an Alphanumeric Value
- The field length is a max of 4 characters
- The field is just spaces for international labels

Epic: Publish

Title: Publish Class of Mail in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Class of Mail to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with an Alphanumeric Value
- The field length is a max of 2 characters
- The field has a value (PTR Code) of: BB, BL, BP, BS, CM, CP, DM, EX, FC, IE, LC, LW, MR, PD, PM, PS, RP, S2, or SA

Epic: Publish

Title: Publish Tracking Number uses correct Barcode Construct in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Tracking Number uses correct Barcode Construct to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The MSR piece (any piece with extra service 980) must use a Barcode Construct of C01, C05, N02 or N05 - a 9-digit ZIP code

Epic: Publish

Title: Publish Tracking Number uses 9-digit ZIP Code in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Tracking Number uses 9-digit ZIP Code to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field uses a 9-digit ZIP Code in the Impb for Hold for Pickup

Epic: Publish

Title: Publish Tracking Number is properly used in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Tracking Number is properly used to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field has 3-digits '420' that is used only when including a Routing ZIP Code

Epic: Publish

Title: Publish Tracking Number is UNIQUE in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Tracking Number is UNIQUE to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field is unique for 120 days from first use

Epic: Publish

Title: Publish Tracking Number is label placed over Original Tracking Number in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Tracking Number is label placed over Original Tracking Number to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field is the tracking number that was placed over the Original Tracking Number. The Original Tracking Number should be in positions 515-548
- The field must be populated with an Alphanumeric Value
- The field length is a max of 34 characters
- The field is left justified trailing spaces

Epic: Publish

Title: Publish Detail Record ID in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Detail Record ID to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- "D1" is required
- The field must be populated with an Alphanumeric Value

-The field length is a max of 2 characters

-----  
Epic: Publish

Title: Publish CRLF in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the CRLF to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

The field must be populated with an Alphanumeric Value

The field length is a max of 2 characters

-----  
Epic: Publish

Title: Publish Mailer ID is located in Electronic File Number in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Mailer ID is located in Electronic File Number to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

-The Mailer ID is located in the Electronic File Number

-----  
Epic: Publish

Title: File Record Count in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the File Record Count to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

-The field requires leading zeroes

-The field must be populated with a Numeric Value

-The field length is a max of 9 characters

-The field is the sum of H1 record(s), C1 record(s), D1 record(s), D2 record(s), D3 record(s), and D4 record(s)

-----  
Epic: Publish

Title: Publish CRLF in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the CRLF to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

The field must be populated with an Alphanumeric Value

The field length is a max of 2 characters

-----  
Epic: Publish

Title: Publish Software Vendor Product Version Number in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Software Vendor Product Version Number to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

-The field is Required for manifests generated by vendor-provided software

-The field must be populated with an Alphanumeric Value

-The field length is a max of 8 characters

-The field default is spaces for non-vendor's solutions

-----  
Epic: Publish

Title: Publish Software Vendor Code in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Software Vendor Code to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

-The field is Required for manifests generated by vendor-provided software

-The field must be populated with an Alphanumeric Value

-The field length is a max of 4 characters

-The field default is spaces for non-vendor's solutions

-----  
Epic: Publish

Title: Publish Transaction ID in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Transaction ID to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

-'The field is Not required for online mailers (AI 94)

-The field must be populated with an Alphanumeric Value

-The field length is a max of 12 characters

-The field is used to group files together that are submitted with the Transaction ID in reports. This allows mailers with multiple mailing sites of multiple daily files to group files together that may be submitted

independently for easier reconciliation.

-The field is written YYYYMMDD, and a numeric sequence number to be valid: YYYYMMDD####

-----  
Epic: Publish

Title: Publish Transaction ID for Commercial Mailers in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Transaction ID for Commercial Mailers to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

-The field is Required as of Jan 2014 for commercial mailers (AI 92 or 93).

-The field must be populated with an Alphanumeric Value

-The field length is a max of 12 characters

-The field is written YYYYMMDD, and a numeric sequence number to be valid: YYYYMMDD####

-----  
Epic: Publish

Title: Publish USPS Electronic File Version Number in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the USPS Electronic File Version Number to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

-The field is "020"

-The field must be populated with a Numeric Value

-The field length is a max of 3 characters

-----  
Epic: Publish

Title: Publish Containerization Indicator '03' in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Containerization Indicator '03' to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

-'03' to be used for either NDC ('03') entry or SCF ('02') entry - but these mailpieces are expected to be worked at the Destination Processing facility and a DE captured

-The field must be populated with an Alphanumeric Value

-The field length is a max of 2 characters

-----  
Epic: Publish

Title: Publish Containerization Indicator '02' in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Containerization Indicator '02' to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

-'02' to be used for either NDC ('03') entry or SCF ('02') entry - but these mailpieces are expected to be worked at the Destination Processing facility and a DE captured

-The field must be populated with an Alphanumeric Value

-The field length is a max of 2 characters

-----  
Epic: Publish

Title: Publish Containerization Indicator '01' in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Containerization Indicator '01' to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

-The field has Containerization Values: '01' = a 5 digit Containerization (No DE captured)

-The field must be populated with an Alphanumeric Value

-The field length is a max of 2 characters

-----  
Epic: Publish

Title: Publish Extra Fee for Shipment is used in Pickup on Demand fee in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Extra Fee for Shipment is used in Pickup on Demand fee to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

-The field is used for Pickup on Demand fee

-----  
Epic: Publish

Title: Publish Extra Fee for Shipment in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Extra Fee for Shipment to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field has leading zeroes required, when populated
- The field defaults to zeroes, when not applicable
- The field must be populated with a Numeric Value
- The field length is a max of 6 characters

-----  
Epic: Publish

Title: Publish Shipment Fee Code in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Shipment Fee Code to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field is currently used for Pickup on Demand fee
- The field must be populated with an Alphanumeric Value
- The field length is a max of 3 characters

-----  
Epic: Publish

Title: Publish Direct Entry Origin Country Code in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Direct Entry Origin Country Code to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field is Required for Direct Entry Mailings
- The field must be populated with an Alphanumeric Value
- The field length is a max of 2 characters

-----  
Epic: Publish

Title: Publish Entry Facility ZIP +4 in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Entry Facility ZIP +4 to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with a Numeric Value (0-9 only)
- The field length is a max of 4 characters

-----  
Epic: Publish

Title: Publish Entry Facility ZIP Code in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Entry Facility ZIP Code to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be populated with a Numeric Value (0-9 only)
- The field length is a max of 5 characters

-----  
Epic: Publish

Title: Publish Facility Type in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Facility Type to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field is for origin or destination entry facilities
- The field must be populated with an Alphanumeric Value
- The field length is a max of 1 character
- The field is required for Drop Ship Mailers
- The field is required for Parcel Return Service mailers to note pick-up facility type
- The field must enter space for Origin Entry

-----  
Epic: Publish

Title: Publish Time of Mailing in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Time of Mailing to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field is written HHMMSS, military format (time shall be valid)
- The field must be populated with a Numeric Value (0-9 only)
- The field length is a max of 6 characters

-----  
Epic: Publish

Title: Publish Date of Mailing in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Date of Mailing to the Manifest Service topic, so that the data is available to downstream services for further processing.



Acceptance Criteria:

- The field is written YYYYMMDD (date shall be valid)
- The field must be populated with a Numeric Value (0-9 only)
- The field length is a max of 8 characters

Epic: Publish

Title: Publish Electronic File Type in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Electronic File Type to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field has a value of '1' for electronic Verification System (eVS)
- The field has a value of '2' for Delivery/Signature Confirmation and other Extra Services or Scan Base Payment File
- The field has a value of '3' for Parcel Returns Services
- The field has a value of '4' for Corrections
- The field must be populated with a Numeric Value
- The field length is a max of 1 character

Epic: Publish

Title: Publish Electronic File Number has proper Service Type Code (Online) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Electronic File Number has proper Service Type Code (Online) to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field uses Service Type Code "757" when a PS form 5630 (SCAN form) will be printed. To be used by Online shippers who offer use of the shipment

Epic: Publish

Title: Publish Electronic File Number has proper Service Type Code in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Electronic File Number has proper Service Type Code to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field uses Service Type Code "750" when either an PS Form 3152, PS Form 3650 or PS Form 8125 will be printed.

Epic: Publish

Title: Publish Electronic File Number is inserted on the correct PS Form in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Electronic File Number is inserted on the correct PS Form to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field is inserted on PS Form 3152, PS Form 3650 or PS Form 8125.

Epic: Publish

Title: Publish Electronic File Number does not contain certain values in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Electronic File Number does not contain certain values to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field does not contain AI 91 and STC 50

Epic: Publish

Title: Publish Electronic File Number has proper Online mailer barcodes in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Electronic File Number has proper Online mailer barcodes to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field ensures online mailers use the following valid barcode constructs: N01-N10

Epic: Publish

Title: Publish Electronic File Number has proper Commercial mailer barcodes in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Electronic File Number has proper Commercial mailer barcodes to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field ensures commercial mailers use the following valid barcode constructs: C04, C08, C09 or C10

Epic: Publish

Title: Publish Electronic File Number is UNIQUE in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Electronic File Number is UNIQUE to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must be unique for 120 days from first user

Epic: Publish

Title: Publish Electronic File Number in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Electronic File Number to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field must have the Mailer ID from the company transmitting the file
- The field must be populated with an Alphanumeric Value
- The field length is a max of 34 characters
- The field is left justified trailing spaces

Epic: Publish

Title: Publish Header Record ID in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest Service to publish the validated, corrected, and parsed the Header Record ID to the Manifest Service topic, so that the data is available to downstream services for further processing.

Acceptance Criteria:

- The field is Required
- The field must be populated with an Alphanumeric Value
- The field length is a max of 2 characters





## D2 Validation Stories

Wednesday, October 10, 2018 9:57 AM

Epic: SSF Version 2.0 Validations

Title: Validate D2 Electronic File Detail Record ID in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest service to validate that the D2 Electronic File Detail Record ID in the Shipping Services File Version 2.0, so that the field can be processed.

Acceptance Criteria:

- The field is Required
- The field must be populated with an Alphanumeric Value
- The field length is a max of 2 characters

Epic: SSF Version 2.0 Validations

Title: Validate D2 Tracking Number in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest service to validate that the D2 Tracking Number in the Shipping Services File Version 2.0, so that the field can be processed.

Acceptance Criteria:

- The field must be populated with an Alphanumeric Value
- The field length is a max of 34 characters
- Must be the same Tracking Number as the D1 Tracking Number.
- Left justified trailing spaces.

Epic: SSF Version 2.0 Validations

Title: Validate D2 Tracking Number is unique in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest service to validate that the D2 Tracking Number is unique in the Shipping Services File Version 2.0, so that the field can be processed.

Acceptance Criteria:

- The field must be populated with an Alphanumeric Value
- The field length is a max of 34 characters
- Tracking number must be unique for 120 days from first use.

Epic: SSF Version 2.0 Validations

Title: Validate D2 Tracking Number when using Routing ZIP Code in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest service to validate that the D2 Tracking Number when using Routing ZIP Code in the Shipping Services File Version 2.0, so that the field can be processed.

Acceptance Criteria:

- The field must be populated with an Alphanumeric Value
- The field length is a max of 34 characters
- 3-digits '420' are the routing application identifier. Used only when including a Routing ZIP Code.

Epic: SSF Version 2.0 Validations

Title: Validate D2 Tracking Number Routing Zip in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest service to validate that the D2 Tracking Number Routing Zip in the Shipping Services File Version 2.0, so that the field can be processed.

Acceptance Criteria:

- The field must be populated with an Alphanumeric Value
- The field length is a max of 34 characters
- 5-digits Routing ZIP Code and 4-digits Routing +4 are optional.

Epic: SSF Version 2.0 Validations

Title: Validate D2 Tracking Number Routing Zip in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest service to validate that the D2 Tracking Number Routing Zip in the Shipping Services File Version 2.0, so that the field can be processed.

Acceptance Criteria:

- The field must be populated with an Alphanumeric Value

Epic: Receiving File

Title: Validate Header Record

Description:

As a USPS Manager, I want the Manifest Service to validate that there is a Header Record in the manifest file, so that the file can be validated, parsed, and published.

Acceptance Criteria:

The Manifest Service will:

1) Verify that there is a Header record in the manifest file that is being imported

-Scan the first two characters of each line in the file for 'H1'

-All records above the first Header record do not need to be imported

If there is no Header record, the Manifest Service will:

1) Not import Shipping Services Files that do not have Header records

2) Mark the file as 'Rejected'

- The field length is a max of 34 characters
- Must use a 9-digit ZIP Code in the IMpb for Hold for Pickup.

Epic: SSF Version 2.0 Validations

Title: Validate D2 Tracking Number MRS Piece in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest service to validate that the D2 Tracking Number MRS Piece in the Shipping Services File Version 2.0, so that the field can be processed.

Acceptance Criteria:

- The field must be populated with an Alphanumeric Value
- The field length is a max of 34 characters
- MRS piece (any piece with extra service 980) must use a Barcode Construct of C01, C05, N02 or N05 a 9-digit ZIP code.

Epic: SSF Version 2.0 Validations

Title: Validate D2 Tracking Number Commercial Mailer in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest service to validate that the D2 Tracking Number Commercial Mailer in the Shipping Services File Version 2.0, so that the field can be processed.

IMpb Tracking number used on package. May include routing information and Package Identification Code (PIC). Commercial Mailers use certain numbers.

Acceptance Criteria:

- The field must be populated with an Alphanumeric Value
- The field length is a max of 34 characters
- Commercial Mailer:
  - 3-digits - 20
  - 5-digits - Routing ZIP Code
  - 4-digits - Routing +4
  - 2-digits - AI (92 or 93)
  - 3-digits - STC
  - 6- or 9-digits - MID
  - If six-digit MID, 10- or 14-digit serial #
  - If nine-digit MID, 7- or 11-digit serial #
  - 1-digit - check digit

Epic: SSF Version 2.0 Validations

Title: Validate D2 Tracking Number Online Mailer in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest service to validate that the D2 Tracking Number Online Mailer in the Shipping Services File Version 2.0, so that the field can be processed.

IMpb Tracking number used on package. May include routing information and Package Identification Code (PIC). Online Mailers use certain numbers.

Acceptance Criteria:

- The field must be populated with an Alphanumeric Value
- The field length is a max of 34 characters
- Online Mailer:
  - 3-digits - 20
  - 5-digits - Routing ZIP Code
  - 4-digits - Routing +4
  - 2-digits - AI 94
  - 3-digits - STC
  - 2-digits - source identifier for your system
  - 6- or 9-digits - MID
  - 5 or 8-digits, serial number depending on construct used
  - 1-digit - check digit

Epic: SSF Version 2.0 Validations

Title: Validate D2 Tracking Number Legacy in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest service to validate that the D2 Tracking Number Legacy in the Shipping Services File Version 2.0, so that the field can be processed.

IMpb Tracking number used on package. May include routing information and Package Identification Code (PIC). Legacy tracking uses certain numbers.

Acceptance Criteria:

- The field must be populated with an Alphanumeric Value
- The field length is a max of 34 characters
- Legacy Tracking number use on package.
- 2-digits - "91" AI
- 2-digits - STC
- 9-digits - MID
- 8-digits - Variable- length serial number from 2 to 8-digits.
- 1-digit - check digit

Epic: SSF Version 2.0 Validations

Title: Validate D2 Filler in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest service to validate that the D2 Filler in the Shipping Services File Version 2.0, so that the field can be processed.

Acceptance Criteria:

- The field must be populated with an Alphanumeric Value
- The field length is a max of 96 characters

Epic: SSF Version 2.0 Validations

Title: Validate D2 City Name in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest service to validate that the D2 City Name in the Shipping Services File Version 2.0, so that the field can be processed.

City name of the destination address.

Acceptance Criteria:

- The field must be populated with an Alphanumeric Value
- The field length is a max of 28 characters

Epic: SSF Version 2.0 Validations

Title: Validate D2 State in SSF Version 2.0

Team: SL\_4724\_Manifest

Description:

As a USPS Manager, I want the Manifest service to validate that the D2 State in the Shipping Services File Version 2.0, so that the field can be processed.

Two character state code of the destination address.

Acceptance Criteria:

- The field must be populated with an Alphanumeric Value
- The field length is a max of 2 characters

Epic: SSF Version 2.0 Validations

Title: Validate D2 Delivery Zip Code in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest service to validate that the D2 Delivery Zip Code in the Shipping Services File Version 2.0, so that the field can be processed.

Destination 5-digit ZIP Code.

Acceptance Criteria:

- - The field must be populated with an Numeric Value
- - The field length is a max of 5 characters
- - Must be 5 digits.
- - Numeric values (0-9) only.

Epic: SSF Version 2.0 Validations

Title: Validate D2 Delivery Zip Code (International) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest service to validate that the D2 Delivery Zip Code (International) in the Shipping Services File Version 2.0, so that the field can be processed.

Destination 5-digit ZIP Code.

Acceptance Criteria:

- The field must be populated with an Numeric Value
- The field length is a max of 5 characters

- If International, all zeroes

**Epic:** SSF Version 2.0 Validations

**Title:** Validate D2 Delivery Zip +4 in SSF Version 2.0

**Description:**

As a USPS Manager, I want the Manifest service to validate that the D2 Delivery Zip +4 in the Shipping Services File Version 2.0, so that the field can be processed.

Destination +4 add-on of Domestic ZIP Code.

**Acceptance Criteria:**

- The field must be populated with an Alphanumeric Value
- The field length is a max of 4 characters
- Numeric values (0-9) only.
- If International, all

**Epic:** SSF Version 2.0 Validations

**Title:** Validate D2 Recipient E-mail Address in SSF Version 2.0

**Description:**

As a USPS Manager, I want the Manifest service to validate that the D2 Recipient E-mail Address in the Shipping Services File Version 2.0, so that the field can be processed.

**Acceptance Criteria:**

- The field must be populated with an Alphanumeric Value
- The field length is a max of 64 characters
- Required for Hold For Pickup

**Epic:** SSF Version 2.0 Validations

**Title:** Validate D2 Recipient E-mail Address (no SMS number) in SSF Version 2.0

**Description:**

As a USPS Manager, I want the Manifest service to validate that the D2 Recipient E-mail Address in the Shipping Services File Version 2.0, so that the field can be processed.

**Acceptance Criteria:**

- The field must be populated with an Alphanumeric Value
- The field length is a max of 64 characters
- Required if Recipient SMS number is not provided.

**Epic:** SSF Version 2.0 Validations

**Title:** Validate D2 Recipient SMS Number in SSF Version 2.0

**Description:**

As a USPS Manager, I want the Manifest service to validate that the D2 Recipient SMS Number in the Shipping Services File Version 2.0, so that the field can be processed.

Phone number at which recipient will receive text messages.

**Acceptance Criteria:**

- The field must be populated with an Alphanumeric Value
- The field length is a max of 64 characters
- Required for Hold For Pickup

**Epic:** SSF Version 2.0 Validations

**Title:** Validate D2 Recipient SMS Number (no email address) in SSF Version 2.0

**Description:**

As a USPS Manager, I want the Manifest service to validate that the D2 Recipient SMS Number in the Shipping Services File Version 2.0, so that the field can be processed.

Phone number at which recipient will receive text messages.

**Acceptance Criteria:**

- The field must be populated with an Alphanumeric Value
- The field length is a max of 64 characters
- Required if recipient E-mail address is not provided.

**Epic:** SSF Version 2.0 Validations

**Title:** Validate D2 Sender Name in SSF Version 2.0

**Description:**

As a USPS Manager, I want the Manifest service to validate that the D2 Sender Name in the



Shipping Services File Version 2.0, so that the field can be processed.

Acceptance Criteria:

The field must be populated with an Alphanumeric Value

The field length is a max of 48 characters

Required for Hold For Pickup

Epic: SSF Version 2.0 Validations

Title: Validate D2 Sender Email Address in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest service to validate that the D2 Sender Email Address in the Shipping Services File Version 2.0, so that the field can be processed.

Acceptance Criteria:

- The field must be populated with an Alphanumeric Value

- The field length is a max of 64 characters

- Information is required for Hold For Pickup for the customer to receive the Hold for Pickup notification.

Epic: SSF Version 2.0 Validations

Title: Validate D2 Sender SMS Number in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest service to validate that the D2 Sender SMS Number in the Shipping Services File Version 2.0, so that the field can be processed.

Acceptance Criteria:

- The field must be populated with an Alphanumeric Value

- The field length is a max of 64 characters

- Information is required for Hold For Pickup for the customer to receive the Hold for Pickup notification.

Epic: SSF Version 2.0 Validations

Title: Validate D2 CRLF in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest service to validate that the D2 CRLF in the Shipping Services File Version 2.0, so that the field can be processed.

Acceptance Criteria:

- The field must be populated with an Alphanumeric Value

- The field length is a max of 2 characters

'A' = Change

Service Option 1

'B' = Change

Service Option 2

'C' = Address

Service Option 1

'D' = Address

Service Option 2

'L' = Address

Service Option 3

'M' = Address

Service Option 4

'E' = Address

Service-BPRS

'F' = Return

Service Option 1

'G' = Return

Service Option 2

'O' = Return

Service Option 3

'H' = Temp Return

Service Option 1

'I' = temp Return

Service Option 2

'J' = Shipper Paid

Forward Option 1

'K' = Shipper Paid

Forward Option 2

'Z' = Forwarding  
Service Option 1  
'N' = No  
Endorsement

-----

Epic: SSF Version 2.0 Validations

Title: Validate D1 Delivery Address in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest service to validate that the D1 Delivery Address in the Shipping Services File Version 2.0, so that the field can be processed.

Acceptance Criteria:

The field must be populated with an Alphanumeric Value

The field length is a max of 48 characters

Default is spaces

This field is not to be used for the city or state

The following special characters are allowed. (hyphen, forward slash and period)

-----

Epic: SSF Version 2.0 Validations

Title: Validate D1 Delivery Address (Requirements) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest service to validate that the D1 Delivery Address in the Shipping Services File Version 2.0, so that the field can be processed.

Acceptance Criteria:

The field must be populated with an Alphanumeric Value

The field length is a max of 48 characters

Required for Accountable mail and International mail.

NOTE; Effective January 25, 2015, Destination Delivery Address and/or the 11-digit Destination Delivery Point are required.

-----

Epic: SSF Version 2.0 Validations

Title: Validate D1 Recipient Name Destination in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest service to validate that the D1 Recipient Name Destination in the Shipping Services File Version 2.0, so that the field can be processed.

Acceptance Criteria:

The field must be populated with an Alphanumeric Value

The field length is a max of 48 characters

Required for all signature products.

Recommended for all products.

-----

Epic: SSF Version 2.0 Validations

Title: Validate D1 Customer Reference Number 2 in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest service to validate that the D1 Customer Reference Number 2 in the Shipping Services File Version 2.0, so that the field can be processed.

Acceptance Criteria:

The field must be populated with an Alphanumeric Value

The field length is a max of 30 characters

-----

Epic: SSF Version 2.0 Validations

Title: Validate D1 Original Tracking Number in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest service to validate that the D1 Original Tracking Number in the Shipping Services File Version 2.0, so that the field can be processed.

Acceptance Criteria:

The field must be populated with an Alphanumeric Value

The field length is a max of 34 characters

5 digits Routing ZIP Code and 4 digits Routing +4 are optional.

3 digits '420' are the routing application identifier. Used only when including a Routing ZIP

Code.

Epic: SSF Version 2.0 Validations

Title: Validate D1 Original Tracking Number (unique) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest service to validate that the D1 Original Tracking Number in the Shipping Services File Version 2.0, so that the field can be processed.

Acceptance Criteria:

The field must be populated with an Alphanumeric Value

The field length is a max of 34 characters

Tracking number shall be unique for 120 days from first use.

Epic: SSF Version 2.0 Validations

Title: Validate D1 Original Label Tracking Number Barcode Construct Code in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest service to validate that the D1 Original Label Tracking Number Barcode Construct Code in the Shipping Services File Version 2.0, so that the field can be processed.

Acceptance Criteria:

The field must be populated with an Alphanumeric Value

The field length is a max of 4 characters

Left justified, trailing spaces.

Constructs available to be used by commercial customers begin with

"C", C01- C10

Constructs available to be used by online customers begin with

"N", N01- N10

Epic: SSF Version 2.0 Validations

Title: Validate D1 Original Label Tracking Number Barcode Construct Code (International) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest service to validate that the D1 Original Label Tracking Number Barcode Construct Code (International) in the Shipping Services File Version 2.0, so that the field can be processed.

Acceptance Criteria:

The field must be populated with an Alphanumeric Value

The field length is a max of 4 characters

Left justified, trailing spaces.

For International labels, the barcode construct field will be spaces or I01.

Epic: SSF Version 2.0 Validations

Title: Validate D1 Original Label Tracking Number Barcode Construct Code (Legacy) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest service to validate that the D1 Original Label Tracking Number Barcode Construct Code (International) in the Shipping Services File Version 2.0, so that the field can be processed.

Acceptance Criteria:

The field must be populated with an Alphanumeric Value

The field length is a max of 4 characters

Left justified, trailing spaces.

File Type 1 and 3 Legacy Barcode Code Construct L01 only.

File Type2 Legacy Barcode Constructs L01 through L04.

Epic: SSF Version 2.0 Validations

Title: Validate D1 Tracking Indicator in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest service to validate that the D1 Tracking Indicator in the Shipping Services File Version 2.0, so that the field can be processed.

Acceptance Criteria:

The field must be populated with an Alphanumeric Value

The field length is a max of 2 characters

If an Original Tracking Number is included in the Original Tracking Number field position

75 then the value of '01', RRE should be included.

Epic: SSF Version 2.0 Validations

Title: Validate D1 Removal Indicator in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest service to validate that the D1 Tracking Indicator in the Shipping Services File Version 2.0, so that the field can be processed.

Acceptance Criteria:

The field must be populated with an Alphanumeric Value

The field length is a max of 1 characters

Field shall contain a valid code (space or "Y")

Epic: SSF Version 2.0 Validations

Title: Validate D1 Destination Delivery Point in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest service to validate that the D1 Destination Delivery Point in the Shipping Services File Version 2.0, so that the field can be processed.

Acceptance Criteria:

The field must be populated with an Alphanumeric Value

The field length is a max of 2 characters

Numeric values (0-9) only.

If International, all zeroes. Default spaces if not available.

Epic: SSF Version 2.0 Validations

Title: Validate D1 Delivery Option Indicator in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest service to validate that the D1 Delivery Option Indicator in the Shipping Services File Version 2.0, so that the field can be processed.

Acceptance Criteria:

The field must be populated with an Alphanumeric Value

The field length is a max of 1 characters

Required for Priority Mail Express.

For PMEOD, the Delivery Option Indicator of "E" is required.

Default value is '1'

Epic: SSF Version 2.0 Validations

Title: Validate D1 Waiver of Signature/ Carrier Release / Customer Delivery Preference (Waiver) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest service to validate that the D1 Waiver of Signature/ Carrier Release / Customer Delivery Preference in the Shipping Services File Version 2.0, so that the field can be processed.

Acceptance Criteria:

The field must be populated with an Alphanumeric Value

The field length is a max of 1 characters

Waiver of Signature - Mandatory for Priority Mail Express

Default value is 'Y'.

Required: Print 'WAIVER OF SIGNATURE' on label when value set to 'Y'

Print 'SIGNATURE REQUIRED' on label when value set to 'N'

Just finished 69

Epic: SSF Version 2.0 Validations

Title: Validate D1 Waiver of Signature/ Carrier Release / Customer Delivery Preference (Carrier Release) in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest service to validate that the D1 Waiver of Signature/ Carrier Release / Customer Delivery Preference in the Shipping Services File Version 2.0, so that the field can be processed.

Acceptance Criteria:

The field must be populated with an Alphanumeric Value

The field length is a max of 1 characters

Carrier Release Product-

Cannot be used with signature services products

1 = Mailer requests Carrier Release

2 = Mailer does not request Carrier Release

3 = Electronic Signature on File (eSOF)

Null = Default

-----  
Epic: SSF Version 2.0 Validations

Title: Validate D1 PO Box Indicator in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest service to validate that the D1 PO Box Indicator in the Shipping Services File Version 2.0, so that the field can be processed.

Acceptance Criteria:

The field must be populated with an Alphanumeric Value

The field length is a max of 1 characters

'Y' = Priority Mail Express Manifesting addressed to a PO Box.

Required for Priority Mail Express

Default value is 'N'

-----

Epic: SSF Version 2.0 Validations

Title: Validate D1 Open and Distribute Contents Indicator in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest service to validate that the D1 Open and Distribute Contents Indicator in the Shipping Services File Version 2.0, so that the field can be processed.

Acceptance Criteria:

The field must be populated with an Alphanumeric Value

The field length is a max of 2 characters

Required for Open and Distribute mailings.

Default is spaces for non- applicable products

-----

Epic: SSF Version 2.0 Validations

Title: Validate D1 Postal Routing Barcode in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest service to validate that the D1 Postal Routing Barcode in the Shipping Services File Version 2.0, so that the field can be processed.

Acceptance Criteria:

The field must be populated with an Numeric Value

The field length is a max of 1 characters

Field shall contain a valid code.

Default is a space.

-----

Epic: SSF Version 2.0 Validations

Title: Validate D1 Non-Incidental Enclosure Processing Category in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest service to validate that the D1 Non-Incidental Enclosure Processing Category in the Shipping Services File Version 2.0, so that the field can be processed.

Acceptance Criteria:

The field must be populated with an Alphanumeric Value

The field length is a max of 1 characters

Default is spaces for non- applicable products.

-----

Epic: SSF Version 2.0 Validations

Title: Validate D1 Non-Incidental Enclosure Weight in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest service to validate that the D1 Non-Incidental Enclosure Weight in the Shipping Services File Version 2.0, so that the field can be processed.

Acceptance Criteria:

The field must be populated with an Numeric Value

The field length is a max of 9 characters

Mandatory if applicable. In unit of lbs and significant to 4 decimal positions.

Leading zeroes required, when populated.

Default to zeroes, when not applicable

-----

Epic: SSF Version 2.0 Validations

Title: Validate D1 Non-Incidental Enclosure Postage in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest service to validate that the D1 Non-Incidental

Enclosure Postage in the Shipping Services File Version 2.0, so that the field can be processed.

Postage amount for the non-incidentual enclosure. In unit of dollars and rounded to the nearest tenth of cent.

**Acceptance Criteria:**

The field must be populated with an Numeric Value

The field length is a max of 7 characters

Mandatory if applicable.

Leading zeroes required, when populated.

Default to zeroes, when not applicable

**Epic:** SSF Version 2.0 Validations

**Title:** Validate D1 Non-Incidental Enclosure Class in SSF Version 2.0

**Description:**

As a USPS Manager, I want the Manifest service to validate that the D1 Non-Incidental Enclosure Class in the Shipping Services File Version 2.0, so that the field can be processed.

**Acceptance Criteria:**

The field must be populated with an Alphanumeric Value

The field length is a max of 2 characters

Mandatory if applicable.

**Epic:** SSF Version 2.0 Validations

**Title:** Validate D1 Non-Incidental Enclosure Rate Indicator in SSF Version 2.0

**Description:**

As a USPS Manager, I want the Manifest service to validate that the D1 Non-Incidental Enclosure Rate Indicator in the Shipping Services File Version 2.0, so that the field can be processed.

**Acceptance Criteria:**

The field must be populated with an Alphanumeric Value

The field length is a max of 2 characters

Mandatory if applicable.

**Epic:** SSF Version 2.0 Validations

**Title:** Validate D1 Discount Amount in SSF Version 2.0

**Description:**

As a USPS Manager, I want the Manifest service to validate that the D1 Discount Amount in the Shipping Services File Version 2.0, so that the field can be processed.

**Acceptance Criteria:**

The field must be populated with an Numeric Value

The field length is a max of 7 characters

In unit of dollars and rounded to 3 decimals.

Numeric values (0-9) only.

Leading zeroes required, when populated.

Default to zeroes, when not applicable



# D4 Validation Stories

Wednesday, October 10, 2018 8:27 AM

## Example:

Epic: SSF Version 2.0 Validations

Title: Validate Header Record ID in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest service to validate that the Header Record in the Shipping Services File Version 2.0, so that the field can be processed.

Acceptance Criteria:

- The field is Required
- The field must be populated with an Alphanumeric Value
- The field length is a max of 2 characters

## D4 User Stories:

Epic: SSF Version 2.0 Validations

Title: Validate Electronic File Detail Record ID in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest service to validate that the Electronic File Detail Record ID in the Shipping Services File Version 2.0, so that the field can be processed.

The Electronic File Detail Record ID is in Detail Record 4, Record Position 1

Acceptance Criteria:

- The field is Required
- The field must be populated with an Alphanumeric Value
- The field length is a max of 2 characters

Epic: SSF Version 2.0 Validations

Title: Validate Tracking Number in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest service to validate that the Tracking Number in the Shipping Services File Version 2.0, so that the field can be processed.

The Tracking Number is in Detail Record 4, Record Position 2

Acceptance Criteria:

- The field is Required
- The field must be populated with an Alphanumeric Value
- The field length is a max of 34 characters
- The Tracking Number must be the same as the D1 Tracking Number
- 3-digits '420' are the routing application identifier. Used only when including a Routing ZIP Code
- The Tracking Number must be unique for 120 days from first user
- Left justified trailing spaces.
- Must use a 9-digit Zip code in the Impb for Hold for Pickup
- MRS piece (any piece with extra service 980) must use a Barcode Construct of C01, C05, N02, or N05 - a 9-digit Zip Code

Epic: SSF Version 2.0 Validations

Title: Validate Customs Item Detail Number in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest service to validate that the Customs Item Detail Number in the Shipping Services File Version 2.0, so that the field can be processed.

The Customs Item Detail Number is in Detail Record 4, Record Position 3

Acceptance Criteria:

- The field must be populated with an Numeric Value
- The field length is a max of 3 characters
- Right justified, leading zeroes.



Epic: SSF Version 2.0 Validations

Title: Validate Customs Category Article in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest service to validate that the Validate Customs Category Article in the Shipping Services File Version 2.0, so that the field can be processed.

The Customs Category Article is in Detail Record 4, Record Position 4

Acceptance Criteria:

- The field must be populated with an Alphanumeric Value
  - The field length is a max of 12 characters
  - For commercial Senders only.
- 

Epic: SSF Version 2.0 Validations

Title: Validate Customs Description in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest service to validate that the Validate Customs Description in the Shipping Services File Version 2.0, so that the field can be processed.

The Customs Description is in Detail Record 4, Record Position 5

Acceptance Criteria:

- The field is Required
  - The field must be populated with an Alphanumeric Value
  - The field length is a max of 30 characters
  - The words "food", "clothing", "clothes", "medicine" or "toys" are not permitted as stand-alone entry.
- 

Epic: SSF Version 2.0 Validations

Title: Validate Quantity in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest service to validate that the Quantity in the Shipping Services File Version 2.0, so that the field can be processed.

The Quantity is in Detail Record 4, Record Position 6

Acceptance Criteria:

- The field must be populated with an Numeric Value
  - The field length is a max of 4 characters
  - Value shall be greater than zero
- 

Epic: SSF Version 2.0 Validations

Title: Validate Value in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest service to validate that the Value in the Shipping Services File Version 2.0, so that the field can be processed.

The Value is in Detail Record 4, Record Position 7

Acceptance Criteria:

- The field must be populated with an Numeric Value
  - The field length is a max of 8 characters
  - Value shall be greater than zero
  - Defined as: 999999v99
  - \$100.00 is Entered as: 000100000
-

Epic: SSF Version 2.0 Validations

Title: Validate Pounds in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest service to validate that the Pounds in the Shipping Services File Version 2.0, so that the field can be processed.

The Value is in Detail Record 4, Record Position 8

Acceptance Criteria:

- The field must be populated with an Numeric Value
  - The field length is a max of 5 characters
  - Either pounds or ounces shall be greater than zero.
  - 1.75 lbs. Entered as 00175
- 

Epic: SSF Version 2.0 Validations

Title: Validate Ounces in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest service to validate that the Ounces in the Shipping Services File Version 2.0, so that the field can be processed.

The Value is in Detail Record 4, Record Position 9

Acceptance Criteria:

- The field must be populated with an Numeric Value
  - The field length is a max of 2 characters
  - Either pounds or ounces shall be greater than zero.
  - 2 oz. Entered as 02
- 

Epic: SSF Version 2.0 Validations

Title: Validate Country of Origin of Goods in SSF Version 2.0

Description:

As a USPS Manager, I want the Manifest service to validate that the Country of Origin of Goods in the Shipping Services File Version 2.0, so that the field can be processed.

The Value is in Detail Record 4, Record Position 10

Acceptance Criteria:

- The field must be populated with an Numeric Value
- The field length is a max of 2 characters
- Either pounds or ounces shall be greater than zero.
- 2 oz. Entered as 02

# Manifest Service Team Info

Thursday, December 6, 2018 1:48 PM

PP.Manifest.All@accenturefederal.com

# Manifest Service Links

Tuesday, October 30, 2018 11:11 AM

<https://afs365.sharepoint.com/sites/PackagePlatform/SitePages/Home.aspx>

Gitlab- <https://gitlab-aws.usps.gov/PackagePlatform/manifest>

My Gitlab fork- <https://J00NG0@gitlab-aws.usps.gov/J00NG0/manifest.git>

<https://gitlab-aws.usps.gov/>

<https://openshiftdev-aws.usps.gov>

<https://jenkins-aws.usps.gov>

[http://alm.usps.gov/qcbin/start\\_a.jsp](http://alm.usps.gov/qcbin/start_a.jsp)

SADC Room Revs:

<https://reservations.accenture.com/reserve-space/RoomRequest.aspx?data=ity3Dem%2byxxGFZTQvNr973JO3Q%2bYQBNL>

Please put your PTO time in PTO Tracker:

<https://afs365.sharepoint.com/sites/USPSPrjMngmt/PTOTracker/SitePages/Home.aspx>

ICD Location:

<http://techshare.usps.gov/sites/pmo/ppc/Shared%20Documents/Forms/AllItems.aspx?InitialTabId=Ribbon%2EDocument&VisibilityContext=WSSTabPersistence>

<http://techshare.usps.gov/sites/pmo/ppc/Shared%20Documents/Forms/AllItems.aspx?RootFolder=%2Fsites%2Fpmo%2Fppc%2FShared%20Documents%2FPhase%204%20-%20Outbound%20and%20Non-Network%20Returns%20%28eVS%2C%20PRS%20Retirement%29%2FUser%20Stories&FolderCTID=0x0120002687279665ED85489D2557FB1C7C670D&View=%7B01B8C3C2-378D-454E-9552-F393FF028B4C%7D>

# General Role Questions

Friday, September 7, 2018 10:54 AM

- Travel?
  - No travel.
- What will I be doing?
  - I am part of the functional team.
- Where is the team?
  - San Antonio / DC
- How big is the team?
  - 1 lead (Assadullah)
  - 3 functional (all in San Antonio) (ME!)
    - What does the functional team do?
      - Communicating how to interpret the manifest formats to the developers
      - Verify the JSON output from the program matches the original manifest
      - Write stories for the formats
      - Verify and test changes and updates
      - We should get technically involved
        - ◆ For development or automatic testing
        - ◆ Automated testing
          - ◇ Create test manifests
          - ◇ Run it through the system
          - ◇ Automatically compare the JSON output to the original manifest
        - ◆ There will not be much front end testing
          - ◇ Currently we are just developing the core project. Maybe one day the client will ask for a website for this.

- 3 dev (Don't have them hired yet, Will be in DC)
  - All Java, spring, CASTA, actors, PostgreSQL

What is the project:

USPS

Office in DC

Package Platform Concept (PPC)-

Has to do with the packages that USPS sends

Company's get a discount for using a Manifest.

Manifest files contain details about the package - where it comes from and where it is going

Verify the where the package is where it was supposed to be based on the scans we get.

We are in the Manifest Service Team

Our job- Open the manifest and read the information

3 different manifest files

SSF shipping 1.6, 1.7, 2.0

Each manifest has many records  
Each record has many fields.  
Internally - Publish the information (to the PPC)  
Other teams can then do their jobs (Billing, routing, etc.)

Victor has experience doing Automated testing for regression testing

What tool for automation??

Agile based project using Version One

Usps pub 199

[https://postalpro.usps.com/storages/2016-12/782\\_PUB199IMPBImpGuide.pdf](https://postalpro.usps.com/storages/2016-12/782_PUB199IMPBImpGuide.pdf)

Check out the shipping services files (section 3)

Should probably read most of the document.....

# Contacts

Thursday, October 25, 2018 9:41 AM

steffen.l.krause@accenturefederal.com - Gitlab access

Become Familiar with what the program is supposed to do.

The following people are familiar with the program

- Avinash Ganti - User Stories 1st
- 
- Lynora Washington – User Stories 2<sup>nd</sup>
- Catherine Rose – User Stories 3rd
- Beth Bigelow – Functional
- Mark Dailey – Technical
- Steffen Krause – Technical , senior manager
- MD Huda – Technical, sys Admin

Marcus Young - Lead

Pooja, Senay are the developers on the team

Lynora Washington is scrum master

PP.DC.TechArch@accenturefederal.com

# Meeting Notes

Monday, April 1, 2019

12:39 PM



# SIT 4/18 - Pricing

Thursday, April 18, 2019 10:37 AM

When there is a Star - the field should be null  
When there is a blank - the field should be null

MID STC Mail Class  
Dates

Pricing  
Use what is in the spreadsheet if it maps to a SKU

# ALM Training

Friday, April 5, 2024 9:39 AM

4/10/2024 - Marcus to give the training

## Life cycles

### Finding an issue/Defect:

Issue Item ID -> Defect ID -> V1ID -> ALM Requirement ID

### New Story/ Normal Release:

V1ID -> ALM Requirement ID

Best Practices

## Comparing V1 to ALM.

We need to make sure that there is a one to one ratio of V1 IDs to ALM Requirements.

Use the V1 list to compare to ALM requirements  
Filter the Requirements tab by VersionOne Release  
(You can filter more)  
Right click - Export All - choose a file location to save

Open the excel

1. Go back to V1
2. Go to backlog
3. Change Planning level (at the top)
4. Confirm you have all the fields you need by clicking on the wrench icon on the right top
  - a. Choose ALM Item ID
  - b. ALM Requirement ID
5. Wrench icon - export
6. Have a second excel with the back log

Grab the version1 IDs from the backlog excel  
Put them in a column in the requirements excel  
Sort the columns V1 IDs for both so that they are the in the same order.  
Validate

After Requirements is TSLC and Testing

For Testers - make sure the requirements are linked to the tests

## Test plan

1. Create sit folder under service of choice
2. Create a test
3. A test is only as good as it's requirements
4. Click on the test
5. Then go to req coverage tab.
6. Click select requirements to add a requirements to the test.
7. Click the filter icon in the right tab and

## Items Tab

Choose Target Release: Ex. (12.0.0.3)

Two Item types

- Issue - All items start out as issues
- Defect

## Filling out an issues- Important fields

Issues -

- Cat and prod items found are logged as a issue first
- Status starts as new
- Application: PPC
- Modulate: Choose the service
- IT lead: Always choose Pete
- Severity: Ask if you don't know. If Financial - Min High - Up to critical depending on the impact
- Environment: Choose the correct
- Detected in Release: Put in what release the issue was found. Work with your leads to figure this out. If not, use best guess.
- Planning to fix:

Defect density:

How many defects are in a release based on the complexity of the release. The issues found are weighted based on severity.

We use this metric to show how well we are doing.

## Defects

- Once the issue becomes defect it will sync with V1.
- The V1 ID in the defect info will match what is in V1.
- Assign the Defect in V1 to a release.
  - This is done under the Planning Level
    - MEPT: Package Platform
      - Choose release
    - Set the Sprint
    - Set the Team
    - Environment
    - Epic (nice to have)
    - Severity
  - Once assigned to a Release and Sprint - the ALM requirement ID will be generated
- 3 points of tracking
- Item ID - ALM - Initial issue
- V1 id - Becomes a defect and gains a V1 ID due to sync.
- ALM Requirement ID - Once it is assigned to a release and sprint in V1 the ALM Requirement ID is

5. Then go to req coverage tab.
6. Click select requirements to add a requirements to the test.
7. Click the filter icon in the right tab and you can scroll down to Req ID to find what you need.
8. Click the Green Arrow to add the req id to the Test.

Tip: Left click and hold to drag tests around the test plan

### Test Lab

Click on a test

Update the status to pass

Upload attachments TSLC.

### If we have a new requirements

- Anything not a defect - price change, stories, epics, etc.

In V1,

create the story

On the backlog screen

Fill in all the fields (not covered in this training)

Once saved - assign it to a Release and Spring

Then the ALM Requirements ID is created

You can upload multiple stories at the same time using the excel sheet.

V1 ID due to sync.

- ALM Requirement ID - Once it is assigned to a release and sprint in V1 the ALM Requirement ID is generated.
- 

### Setting details for ALM Requirements

- Set the IT Lead - Pete Gringrich
- Target Release: (Match the v1 release)
- We should have a requirement IDs for every v1 also in ALM

# SIT Meeting 4/9/19

Tuesday, April 9, 2019 10:25 AM

- ☐ Make sure all pricing STCs are valid
- ☐ Make sure all STCs map to the correct Mail class
  
- Joe will send out updated info to cover Pricing ETE
  - ☐ I will need to update the Scans/ Verify data
  
- P - ETE 5 NSA requires a certain MID
  - ☐ I will use the MID out of the Pricing Scenario doc

okay, in summary, STC must match what is in the reference table, Class of Mail can not match the reference table but then must match what is in the Redis Cache.

## **Not doing Pricing Scenarios 9 -12**

[

Any luck on finding out if we were holding off on the pricing scenarios

[

Hernandez, Joe:

ok, she just responded via skype, we'll disregard scenarios 9-12

# SIT Meeting 4/8/19

Monday, April 8, 2019 10:47 AM

Just need to make sure the packages are good and published

CC Carol on all correspondence for SIT testing

Set up something with Joe to make sure our data matches

- PIC
- Class of mail
- Other stuff

Need a field to put in the Scenario that gets carried through but is not really important?

- Use Serial Number
- 01 - Scans / Verify
- 02 - Manifest
- 03 - Pricing

Example

- 01 (Source) | 01 (Scenario) | 00000 (Rest of serial Number)

If Joe needs certain numbers go with what he wants.

Reach out to Manifest Dev team

- Do we have a SIT environment ready to go?

## Action Items:

- ✓ • Grab all 1.7 stories from backlog
- ✓ • Every story has to tie to a ETE scenario
- • Work on creating data for manifest only ETE

## ETE CRID:

20429125

6 digit

201772

EPS: 9999999999

## ETE Mid STC Combos:

- ETE 06: MID: 901107289 STCs: 612
  - ESC: 920
- ETE 07: MID: 901108390 STC: 635
  - ESC: 917
- ETE 08: MID: 901107290 STCs: 613
  - ESC: 915
- ETE 09: MID: 901107291 STCs: 615
  - ESC: 921
- ETE 10: MID: 901107292 STCs: 617
  - ESC: 915
- ETE 11: MID: 901107294 STCs: 618
  - ESC: 915

Class of Mail: PS

# SIT Prep Meeting 4/3/19

Wednesday, April 3, 2019 12:04 PM

## Tell Account Management

- Mid
- STC
- Workflow Combo
  - Use 'L' for Live for end to end testing
  - Use 'P' internal testing
- Meet with Joe and Stephine (Pricing) every other day?
- Work with Scans to get proper Weight and dimensions for SIT testing
- A ETE scenario does not have to be all done in one package. We could use one manifest with multiple packages to satisfy
-

# Meeting 3/26/19

Tuesday, March 26, 2019 11:43 AM

Can a customer submit a manifest file for EZ Returns?

- If so, should we stop this?
- Is anyone manifesting return packages?

Compare package to pervious

- This is a corrections file update
- Make sure each field listed can be updated
- Make sure that each field that is not listed can not be updated

# Meeting 3/12/19

Tuesday, March 12, 2019 10:08 AM

## Incorrect submissions

- Which EFNs are we comparing?
  - Master to Master (File Level) or Child to Child (Package Level)

Confirm if PIC was Manifested

- Do not work on this yet
- We do not know how this story is supposed to work

## Tracking Number Uniqueness

- Ask if the date of uniqueness resets upon new file submission
- Each tracking number should be unique for 120 days from the first submission
- Test duplicate tracking numbers in one file. (Ask the devs....)

Correction File Update

- Pull list of fields that the mailer can update from Pub 199
- Correction Manifest should be a new entry in the database

Software Vendor Table

- Pull spreadsheet from story

Compare to Previous Manifest

- Need to confirm if comparing each field.
  - Talk to Marcus

## Publish Header Record

- Daria Bother Marcus about removing info
- Maybe combine Publish Header / Detail stories?
  - Ask Client?

Auto-Correct Field Values

- Email out - Placeholder for rules engine story??
- B-312004

## Manifest Entry

- B-309447
- Email Assadullah - push this out of the release

## Failed Valuation

- B-308916
- Pull stories that are called out
- Add PIC to the kafka messages for those stories
- Need to get client approval

Compare Package Level Details

- Ask about time frame

## Verify Package Destination ZIP Code is within Service Area

- Ask Assadullah- At risk



Close auto-correct field values

# Meeting 2/25/18

Monday, February 25, 2019 10:17 AM

Every story should have exactly what is wrong with it  
Get list of what stories are failing

I own Validation

## **Kafka Messages:**

### **GO THROUGH EVERY KAFKA MESSAGE!!!**

Make sure there are no EXTRA fields.

Functional fields for what we need are okay

- Create date time
- Line number

Fields from the manifest are not okay

- Valid: False needs to go

Order does not matter

Line Num is the line in the Manifest SSF

Unique package identifier

Bring up "Generate Unique Package Identifier" when passing validation stories. This has to do with Kafka messages.

So far we have seen the following values:

- AlphaNumeric
- Numeric
- It is a required field
- MustBeOfLength: #

# EoD Meeting notes

Monday, February 11, 2019 2:58 PM

## EoD Version One Notes:

- Master / Child EFN
  - Close out all other tasks besides test with 0.1 hours
    - Done
- Incorrect submission
  - Remove from the sprint
    - Done
- Publish Header Record -
  - Pooja is working on it
- Auto-correct class of mail -
  - Check test hours
- Auto- correct ESC -
  - Tim is working on it
- EFN Uniqueness -
  - Tim is working on it
- Auto correction logs
  - Drop out build hours
  - Needs to be assigned to Tim
- Publish Detail Record 1
  - Pooja is working on it
  - Need to add build task
- Duplicate File Names
  - No one is working on this
    - Should it be?
      - No
        - Remove it from the sprint
          - ◆ Done
- Duplicate EFNs
  - Remove it from the sprint
    - Done
- Manifest Error Rules Engine
  - Suhalia is working on it
    - She reached out to Marcus to questions
- Publish Detail Record 2
  - Remove from Sprit and Release
    - Done
- Refactor Reflections
  - Has not been assigned
    - Suhaila to work on it
- Reject / Accept Package
  - Tim
- Add test hours on each story

# Other

Thursday, March 7, 2019 10:48 AM

[go.accenturefederal.com/password](https://go.accenturefederal.com/password)

# New Joiner - 5 Team Member

Wednesday, January 12, 2022 2:32 PM

[Tavvion.H.Jones@usps.gov](mailto:Tavvion.H.Jones@usps.gov)

General PPC Sharepoint:

<https://afs365.sharepoint.com/sites/PackagePlatform/Shared%20Documents/Forms/AllItems.aspx>

New Joiner Folder:

- <https://afs365.sharepoint.com/sites/PackagePlatform/Shared%20Documents/Forms/AllItems.aspx?id=%2Fsites%2FPackagePlatform%2FShared%20Documents%2F09%2E%20Manifest%20Service%2FNew%20Joiners%20Guide&viewid=c6523213%2D051a%2D441b%2D8ec5%2Dcc5c96218dab>
  - SquirrelDB
  - EFN Generator
  - Kafka Zip

Set up SquirrelDB:

- Install client from
  - <https://sourceforge.net/projects/squirrel-sql/>
- Include all the optional plugins
- Once installed open and go to drivers
  - Scroll down to PostgreSQL and double click
  - Click the tab for Extra Class Path and click Add
  - Choose the path to the attached PostgreSQL jar
- Go to the Aliases tab on the left
  - Click the plus button
  - Name the Alias "Dev DB"
  - Select PostgreSQL for the Driver.
  - Use the following information for the rest of the fields.



Postgress  
Driver

Jenkins:

<https://jenkins-aws.usps.gov>

- Password reset for AWS & Reset DB (Database) password
- Reads the redis caches

Kafka:

Reach out to Daria (daria.lopez@accenturefederal.com) to get the instructions to get it set up. She is a Dev on Manifest. For the Strimzi upgrade, refer to the attached email.

AWS Link:

[#](https://s3.console.aws.amazon.com/s3/buckets/ps-aws-shared-nonprod-us-west-1?prefix=sharedaftgwy%2Fenv%2Fdev%2Fppcmanifest%2Fft%2Finbound%2Fptr%2F&region=us-west-1)

Useful Links:

- List of AFS sites
  - [https://accenturefederal.servicenowservices.com/help?id=kb\\_article\\_view&sys\\_kb\\_id=eb87c9b4db772b00f3a73e5f7c9619d9](https://accenturefederal.servicenowservices.com/help?id=kb_article_view&sys_kb_id=eb87c9b4db772b00f3a73e5f7c9619d9)
- Workday (this will be for resume updates)
  - o <https://workday.accenture.com/>
- Hero Training Site (USPS Training Site)
  - o [https://usps.csod.com/LMS/catalog/Welcome.aspx?tab\\_page\\_id=-67&tab\\_id=-1](https://usps.csod.com/LMS/catalog/Welcome.aspx?tab_page_id=-67&tab_id=-1)
- eAccess (requesting access to USPS applications/software)
  - o [https://eaccess.usps.gov/ords/eaccessnp/!sso\\_std.logon](https://eaccess.usps.gov/ords/eaccessnp/!sso_std.logon)
- PCTS (USPS Time Keeping)
  - o [https://itvalue.usps.gov/pls/pctsprdnp/itv\\_auth.menu](https://itvalue.usps.gov/pls/pctsprdnp/itv_auth.menu)
- USPS e-mail
  - o <https://uspsemail.usps.gov/>

# AFS Merch

Friday, May 7, 2021 10:26 AM

Username: MPJohnston	Password: Dr@g0nQuestXIGood?0
----------------------	-------------------------------

# V1 Tips

Wednesday, August 26, 2020

1:37 PM

- Epic Tree
  - Add epic
    - Add child epic



# Umanifested

Thursday, April 16, 2020 9:39 AM

How to hit the unmanifested topic / Why are my packages on the unmnaifested topic

If a validation fails the package the raw data is saved to the raw packages topic, but if the validation pass and the package fails in the rule engine , than the fields are formatted according to the ICD and saved to the unmanifested topic. Pricing Ingredient failure also sends a package to unmanifested. To trigger pricing ingredient fail, try leaving value of article blank

# USPS Proxy

Thursday, September 19, 2019 1:48 PM

56.192.106.27

Local Area Network (LAN) Settings

Automatic configuration

Automatic configuration may override manual settings. To ensure the use of manual settings, disable automatic configuration.

☒ Automatically detect settings

☐ Use automatic configuration script

Address

Proxy server

☒ Use a proxy server for your LAN (These settings will not apply to dial-up or VPN connections).

Address:  Port:

☒ Bypass proxy server for local addresses

# Demo 7/17/19

Monday, July 15, 2019 9:51 AM

-- 1.6 H1

```
SELECT header_record_id, electronic_file_type, electronic_file_num, date_of_mailing, time_of_mailing,
Entry_facility_type, Entry_facility_Zip_code,
Entry_facility_zip4, direct_entry_origin_country_code, shipment_fee_code, extra_fee_for_shipment,
containerization_indicator,
electronic_file_version_num, transaction_id, software_vendor_code,
software_vendor_product_version_num, file_record_count
FROM ssf_package_error
WHERE file_name LIKE ('Parse_16_demo_v4%');
```

-- 1.7 H1

```
SELECT header_record_id, electronic_file_num, electronic_file_type, date_of_mailing, time_of_mailing,
Entry_facility_type, Entry_facility_Zip_code,
Entry_facility_zip4, direct_entry_origin_country_code, shipment_fee_code, extra_fee_for_shipment,
containerization_indicator,
electronic_file_version_num, transaction_id, software_vendor_code,
software_vendor_product_version_num, file_record_count, Mailer_id
FROM ssf_package_error
WHERE file_name LIKE ('Parse_17_H1_demo_V8%');
```

# Creating CRs

Monday, June 17, 2019 2:08 PM

<https://usps.service-now.com/>

links

<https://afs365.sharepoint.com/sites/PackagePlatform/SitePages/Home.aspx?RootFolder=%2Fsites%2FPackagePlatform%2FShared%20Documents%2F09%2E%20Manifest%20Service%2F00%2E%20Admin&FolderCTID=0x0120000BA0AB19CA2C374DB3191132A8103008&View=%7BC8CCF6C4-0E13-4897-9F7D-0B56B79768A2%7D>

Requesting Group  
SDS PPC Support  
Business Service  
PPC

In the event of failures or questions,  
Michael Johnston  
(210)774-2375  
michael.p.johnston@accenturefederal.com

# Demo 6/21/19

Monday, June 17, 2019 8:28 AM

```
SELECT *
FROM manifest
ORDER BY created_time DESC;
```

## Confirm if PIC

- Run file in
- Talk about story
- Run query to grab PICs

```
SELECT file_name, tracking_num, date_of_mailing, pic
FROM ssf_package_error
WHERE file_name LIKE 'Demo_Rate_Confirm_PIC_v4%';
```

- Plug pics into Postman

## Rate Indicator

- Run in File
- Talk about story
- Show database results

```
SELECT file_name, master_efn, child_efn, field, result_type, valid, long_description
FROM validation_result
WHERE file_name LIKE 'Demo_Rate_Indicator_v5%' AND
field = 'Rate Indicator';
```

```
SELECT tracking_num, rate_indicator, width, length, height, Dimensional_weight
FROM ssf_package_error
WHERE file_name LIKE 'Demo_Rate_Indicator_v5%'
ORDER BY rate_indicator;
```

```
SELECT tracking_num, rate_indicator, width, length, height, Dimensional_weight
FROM ssf_package
WHERE file_name LIKE 'Demo_Rate_Indicator_v5%'
ORDER BY rate_indicator;
```

```
SELECT ssf_package.tracking_num, ssf_package_error.rate_indicator as OG_Rate_Indicator,
ssf_package.rate_indicator as Corrected_Rate_Indicator, ssf_package_error.height,
ssf_package_error.width, ssf_package_error.length, ssf_package_error.dimension_weight
FROM ssf_package
INNER JOIN ssf_package_error ON ssf_package.tracking_num = ssf_package_error.tracking_num
WHERE ssf_package_error.file_name LIKE 'Demo_Rate_Indicator_v5%'
```

ORDER BY ssf\_package\_error.rate\_indicator;

3R 3N = 3D

Add another user story about dimensions about 1cubic foot

### Domestic Zone-

- Run in file
- Talk about story
- Show data base results

```
SELECT file_name, master_efn, child_efn, field, result_type, valid, long_description
FROM validation_result
WHERE file_name LIKE 'Demo_Domestic_Zone_v3%' and
field = 'Domestic Zone';
```

```
SELECT tracking_num, domestic_zone
FROM ssf_package_error
WHERE file_name LIKE 'Demo_Domestic_Zone_v3%'
ORDER BY domestic_zone ASC;
```

```
SELECT tracking_num, domestic_zone
FROM ssf_package
WHERE file_name LIKE 'Demo_Domestic_Zone_v3%'
ORDER BY domestic_zone ASC;
```

- Show Kafka
  - Just need to show the kafka

### Unused Labels

- Run in OG FILE
  - Do update Query

#### Updating Created time to show Config value

```
SELECT created_time, tracking_num
FROM ssf_package
WHERE file_name = 'Demo_Unused_Labels_v9_1561048841.manifest.raw' AND
tracking_num = '92019909816467625066296025';
```

```
UPDATE ssf_package
SET created_time = '2018-06-20 16:40:42.0'
WHERE file_name = 'Demo_Unused_Labels_v9_1561048841.manifest.raw' AND
tracking_num = '92019909816467858648208059';
```

- Run in corrections file

- Talk about story
- Grab File Names
- Show Database results

```
SELECT file_name, tracking_num, child_efn, removal_indicator, electronic_file_type
FROM ssf_package
WHERE file_name LIKE 'Demo_Unused_Labels_v10%' OR
file_name LIKE 'Demo_Unused_Labels_Corrections_V10%'
ORDER BY file_name DESC;
```

- Show Kafka

Add same tracking num different EFN

Update submission time for one package for submission file

# EoD 6/13

Thursday, June 13, 2019 2:59 PM

## Auto Correct Domestic Zone

- Trying to validate the Kafka Portion
- Database Portion passed

## Auto Correct Rate Indicator

- Story has been updated and Dev build is done
- Need to retest

## UnUsed Labels

- Happy Path Passed in Database & Kafka
- Working on Negative scenario

## Manifest Rules Engine

- On Hold

## D2 Records

- There are still open issues to be fixed

## ICR File

- Happy path passed

## File Type B

- Happy path passed

## Presort Minimum

- In Progress



# ETE Demo

Tuesday, June 4, 2019

11:03 AM

Data for 1.7

Outbound

50 packages

Manifest Returns

50 packages

Unique packages with Dimensions, weights, Mail Classes, Work flows

How many of each

Going to have to use some of the old data from 1.7 SIT

MID: 900021940

STC: 828

Mail Class: GR

MID: 900021939

STC: 822

Mail Class: GR

MID: 918189789

STC: 396

Mail Class: GR

MID: 918189789

STC: 916

Mail Class: PM

MID: 900021933

STC: 703

Mail Class: PM

MID: 900021940

STC: 102

Mail Class: PM

# SIT Meeting 2.0

Thursday, May 30, 2019 1:06 PM

Each ETE is for just one service

Manifest will have their own ETE scenarios

Sort by service

Look at manifest

Put like minded stories together in ETE

Going to fill out the Scenario tab later

Fill out the "Scenario Description" tab with what is being tested and data requirements

Push requirements into sprint 49

If they are not already in a sprint

# Demo 3/7

Wednesday, March 6, 2019 1:16 PM

- **Introduce story first**
- **Show a package that rejects the package (Fatal)**
  - Story: Header Record ID (Row 2)
  - Data: Rows 3 & 4 (+1 for excel)
  - Kafka: Have the raw data ready in Note Pad ++
    - Only show Kafka
- **Show Non-Fatal for H1 with corrections**
  - Story: Entry Facility Type (Row 7)
  - Data: Rows 5 & 6 (+1 for excel)
  - Kafka: Have the raw data ready in Note Pad ++
    - ☐ Show in Validation\_Result

```
SELECT *
FROM validation_result
WHERE file_name = 'Demo.manifest.raw' AND
field = 'Entry Facility Type';
```
    - ☐ Show full package in SSF\_PACKAGE\_ERROR

```
SELECT *
FROM ssf_package_error
WHERE file_name= 'Demo.manifest.raw' AND
tracking_num = '92750901958494000062120849';
```
    - ☐ Show in SSF\_PACKAGE\_ERROR that has the raw value

```
SELECT Entry_Facility_Type
FROM ssf_package_error
WHERE file_name = 'Demo.manifest.raw' AND
tracking_num = '92750901958494000062120849';
```
    - ☐ Show in SSF\_PACKAGE that has the corrected value

```
SELECT Entry_Facility_Type
FROM ssf_package
WHERE file_name = 'Demo.manifest.raw' AND
tracking_num = '92750901958494000062120849';
```
- **Show Non-Fatal for D1 with corrections**
  - Story: COD Amount Due Sender(Row 75)
  - Data: Rows 7 & 8 (+1 for excel)
  - Kafka: Have the raw data ready in Note Pad ++
    - ☐ Show in Validation\_Result

```
SELECT *
FROM validation_result
```

WHERE file\_name = 'Demo.manifest.raw' AND  
field = 'Cod Amount Due Sender';

- ☐ Show Full package in SSF\_PACKAGE\_ERROR  
SELECT \*  
FROM ssf\_package\_error  
WHERE file\_name = 'Demo.manifest.raw' AND  
tracking\_num = '92750999908562000000000707'
- ☐ Show in SSF\_PACKAGE\_ERROR that has the raw value  
SELECT Cod\_Amount\_Due\_Sender  
FROM ssf\_package\_error  
WHERE file\_name = 'Demo.manifest.raw' AND  
tracking\_num = '92750999908562000000000707';
- ☐ Show in SSF\_PACKAGE that has the corrected value  
SELECT Cod\_Amount\_Due\_Sender  
FROM ssf\_package  
WHERE file\_name = 'Demo.manifest.raw' AND  
tracking\_num = '92750999908562000000000707';

# Demo 4/16/19

Tuesday, April 16, 2019 8:19 AM

```
SELECT file_name, tracking_num, class_of_mail, rate_indicator, domestic_zone,
destination_rate_indicator, Postal_Routing_Barcode, Weight, Dimensional_Weight, Value_Of_Article,
extra_Service_code_1st_service
FROM ssf_package
WHERE file_name LIKE ('Compare_Demo%');
```

```
SELECT file_name, tracking_num, class_of_mail, rate_indicator, domestic_zone,
destination_rate_indicator, Postal_Routing_Barcode, Weight, Dimensional_Weight, Value_Of_Article,
extra_Service_code_1st_service
FROM ssf_package
WHERE file_name LIKE ('Compare_Corrections%');
```

```
kafka-console-consumer.bat --bootstrap-server kafkabrokerdev-aws.usps.gov:9092 --from-beginning --
topic pkgplfrm-manifest-dev2-corrections-comparison-output > kafka_corrections.csv
```

# Demo 3/22/19

Friday, March 22, 2019 8:01 AM

- First Read story
- Show Data
  - Highlight What is wrong
- Then show API
  - Talk about what the value "Should" be
- Show Database
- Show Kafka Message

Auto Correct Domestic Zone Api Depends On:

X@:

- dateOfMailing - Header position 4 - 20180829
- entryFacilityZipCode (originZip) - Header 1 position 7 - 78789
- classOfMail - Detail 1 position 3 - PS
- destinationZip -Detail 1 position 6 - 78245

08:

- dateOfMailing - Header position 4 - 20180829
- entryFacilityZipCode (originZip) - Header 1 position 7 - 78789
- classOfMail - Detail 1 position 3 - PS
- destinationZip -Detail 1 position 6 - 78245

# Deployment Training

Thursday, January 3, 2019 10:59 AM

Log into Jenkins

AceID / Password

## Deployment:

Log into Jenkins - <https://jenkins-aws.usps.gov>

AceID / Password

- Ppc manifest
  - Dev ppc
    - Dev 2
      - BuildandDeploy button

## Check for Errors

- Click into BuildAndDeploy
  - Click red deployment

## In Openshift:

Check to see if the files are there on Gluster  
Volume:

- Overview
  - File Splitter: Deployment number
    - Details Tabs: Pods
      - Pod Name (Name of actor - Deployment Number)
        - ◆ Terminal Tab

File Directory

/data

Shard Properties

Cd /opt/properties

Less

## Seed Errors:

Actor cannot connect to seed error -

Add to project

"No route to host"

"No coordinator found"

## How to See Errors in Openshift:

- Overview
  - Deployment number
    - Logs

## Fix for this Error:

#### Delete and redeploy akka-manifest-seed

- Click on it
  - Go to actions
    - Delete
- Add to project
  - Add ymal



# Interfaces- ICD

Friday, December 14, 2018 9:43 AM

## Icd Location

<https://techshare.usps.gov/sites/pmo/ppc/Shared%20Documents/Forms/AllItems.aspx?RootFolder=%2Fsites%2Fpmo%2Fppc%2FShared%20Documents%2FICDs&FolderCTID=0x01200086997A89767C75488A2D7864982FBEAE&View=%7BE439A871%2DC2A7%2D4094%2D9B4B%2D42B3F657979A%7D&InitialTabId=Ribbon%2ERead&VisibilityContext=WSSTabPersistence>

Jamie to own Pricing

PTR, SCANS, Data Service

PTR- We get the files from them

SCANS- Redis Cache

Work with Treavor Torez

trevor.l.torrez@accenturefederal.com  
marc.e.pochetti@accenturefederal.com  
Assadullah  
Jamie  
Marcus  
Victor

Determine Mailer Enrollment using Redis Cache,  
start convosation on ICD

Between us and SCANS

2 stories to look into the Redis Cache

Pass it a key - It returns a Value (JSON Response)

The Key is the MID and STC

JSON Response

You can associate all keys with a hash value of the account-profile

## MID - STC - Managed by Scans - Redis Cache

Examine the response data:

- End Date:
- PROD\_GRP\_NAME: 'Network Returns'

## STC-Mail Class mapping check - Different Redis Cache - Ryan setting it up - Account Management (Owner) database

HASH: stc-map-devops

Ask Ryan what the System Base URL is.

If it is the redis cache, the url, for java, will be rediss://ppc-prod-rediscahe.moicsy.ng.0001.usw1.cache.amazonaws.com:2015/1

## Redis Cache

Scans house this

They get it from Accounts

Mid start and end date times

What we need it for

Are the mailers enrolled

PPC is automated

Mailers have to sign up for a STC by using their Mailer ID (ID)

This is for Automated Returns.

We only work with people who are enrolled.

STC / MID is an authentication tool like Username/ Password

Use pg. 7

PTR  
SCANS  
Pricing

But you have type Odata there, so the url will be whatever odata view you are hitting,  
e.g.:  
[https://datavirtdev1-aws.usps.gov/odata/PPCAccount/view.MA\\_MID\\_PROFILE\\_VW?\\$format=json](https://datavirtdev1-aws.usps.gov/odata/PPCAccount/view.MA_MID_PROFILE_VW?$format=json)

Return is JSON  
mailClassCode: Required

Jaime to own-  
**Zone Lookup - API- Pricing**  
**ESC (Extra Service Code) - Look up - Pricing**  
Philp follow up

Ask Treavor 'what do they validate?'  
We are validaing

Me:  
Set up meeting with Scans  
Lynorna  
Marc  
Trev  
Marcus  
Jaime  
Assadullah

Difference between what is in the ICD and what we actually get.

# Resetting Database Passwords

Tuesday, January 9, 2018 2:58 PM

## Resetting Database Passwords

1. <https://dmsportal.usps.gov/pls/external/portal.home>
2. Click Applications -> Database Password Reset ->
3. Select database and click next
4. Select environment type -> next
5. Select database type -> next
6. Click Reset Password and Write down/save password somewhere
7. Open command prompt
8. Run Sqlplus.exe
1. Username: db\_AceID@qwam0.usps.gov (whichever environment you need qsdX0/psdx0/qwam0/pwam0)
2. Password: temp pass
3. Enter new pass
4. Confirm pass

From <<https://onenote.officeapps.live.com/o/onenoteframe.aspx?ui=en%2DUS&rs=en%2DUS&WOPISrc=https%3A%2F%2Fafs365%2Dmy%2Esharepoint%2Ecom%2Fpersonal%2Fm%5Fdalley%5Faccenturefederal%5Fcom%2F%5Fvti%5Fbin%2Fwopi%2Eashx%2Ffolders%2Fc8d766c693cd49099c276b4cff3d4159&wdo=6&wdEnableRoaming=1&mscc=1&wdODB=1>>

BR#T1EE0K97DM6H3

From  
<[https://dmsportal.usps.gov/pls/external/portal\\_password.reset](https://dmsportal.usps.gov/pls/external/portal_password.reset)>

BJ#T2EF0L97DM6M5

ZO#9DU11ZF3PPLD5

Z1#9DK11GF3PPLD6

GM#R8AIO7R77WD17

From  
<[https://dmsportal.usps.gov/pls/external/portal\\_password.reset](https://dmsportal.usps.gov/pls/external/portal_password.reset)>

GM#R7AIO6R66WD16

# USPS

Wednesday, October 28, 2020

10:11 AM

# USPS Info

Friday, March 24, 2023 1:52 PM

Name	UID	EIN	User Type	Background Investigation Type	Background Investigation Expiration	Status
JOHNSTON, MICHAEL P	J00NG0	00871205	Contractor	Sensitive	11/09/2025	Active

Employee ID EID is EIN

Leader

Monday, July 1, 2024 1:26 PM

Go to eaccess

Myprofile

Tab for 2fa cred

Opens new window with token

Action button - replace

Will ship new token

Will need to return current token

Return address - topeka

# USPS Renew Clearance

Wednesday, October 21, 2020 2:43 PM

<b>Project Name</b>	USPS SHIP
<b>Contract Number</b>	1BITSV-09-B-0014
<b>Task Order Number</b>	1BITSY-22-C-0001
<b>AFS Project Manager</b>	Jason P. Desplechin
<b>USPS Project Manager</b>	Elijah Gallagher

# USPS Trainings

Tuesday, October 6, 2020 12:25 PM

Hero Training Site

<https://usps.csod.com/>