









Comment	Description	Footprint	LibRef	Designator	Quantity
NF	Capacitor - S/M,	0603	CAP-STD-SM, RES-SM	C1, C2, C9, C13, C14,	7
	Resistor - S/M	0603	CAP-STD-SIVI, RESSIVI	R4, R5	1
100nF	Capacitor - S/M	0603	CAP-STD-SM	C3, C5, C6, C10, C16,	7
				C17, C18	
10uF/ 25V	Capacitor - S/M	0805_cap_Rounded	CAP-STD-SM	C4, C7, C8	3
10pF	Capacitor - S/M	0603	CAP-STD-SM	C11	1
100pF	Capacitor - S/M	0603	CAP-STD-SM	C12, C15	2
82pF	Capacitor - S/M	0603	CAP-STD-SM	C19	1
1nFY1	Capacitor - Through Hole	RAD0.4Y1	CAP-STD-TH	Cmod1	1
RED		LED-0603	田田	D1	1
GRN		LED-0603	田田	D2	1
USBC6-Pin	USB Type C Receptacle Power Only (6 pin)	USB-C_6pin_Conn	USB-C_6pin	Л	1
SMA Conn	SWA connector, mid- mount	SMA_SMD	SMA_SMD	T	1
PBY201209T-601Y-N	Ferrite Bead WE-CBF, Z=600 Ohm	0805_Rounded	742792651	L1	1
Header 10X2	Header, 10-Pin, Dual row	IDC20	Header 10X2	P1	1
0R01	Resistor - S/M	1206	RESSM	R1	1
4k7	Resistor - S/M	1206	RESSM	R2, R6	2
10k	Resistor - S/M	0603	RESSM	R3, R24, R29	3
5k1	Resistor SMD	0603	ResSMD	R7, R8	2
51k	Resistor - S/M	1206	RES-SM	R9, R14	2
11k	Resistor - S/M	0603	RES-SM	R10	1
220R	Resistor - S/M	0603	RES-SM	R11, R13	2
330R	Resistor - S/M	0603	RES-SM	R12	1
470k	Resistor SMD	MMB0207	ResSMD	R15, R23, R26, R27, R31, R32	6
4k7	Resistor - S/M	0603	RES-SM	R16, R17, R20, R21	4
47R	Resistor - S/M	0603	RES-SM	R18, R25	2
1k3	Resistor - S/M	0603	RES-SM	R19	1
820R	Resistor - S/M	0603	RES-SM	R22	1
1k2	Resistor - S/M	0603	RES-SM	R28	1
680R	Resistor - S/M	0603	RESSM	R30	1
1M	Resistor - S/M	0603	RES-SM	Rmod1, Rmod2	2
Test Point	Pad for Test Point	ΤP	TP	TP1, TP2, TP3, TP4, TP5, TP6, TP7, TP8, TP9, TP10, TP11, TP12, TP13, TP14, TP15, TP16, TP17, TP18, TP19, TP20	20
AMC33xx	Isolated differential analog sensor	DW0016B	AMC330X	U1	1
OPA2376	PRECISION DUAL OPERATIONAL AMPLIFIER	\$ 0-8	TLC272ID	U2	1