

(WIP) AFC Partner Portal Functional Epics and Stories

1. Product and MVP Boundary

The January 1, 2027 launch MVP is a **partner donation-readiness MVP**, not a scholarship operating system. It enables eligible Schools and AFC-onboarded Networks to establish a governed fundraising presence, accept correctly attributed one-time or recurring donations through Fundraise Up, review authorized donation activity, and operate safely under AFC oversight.

- Schools use public self-service when a governed GreatSchools record exists and the claimant's work-email domain matches the School's approved domain. Domain mismatches, missing data, suspicious claims, and other exceptions enter AFC review.
- Network organizations and their initial administrators are created and onboarded manually by AFC staff. Public Network self-service is not part of the MVP, but Networks will have a public interest form they can fill out.
- Scholarship rules, applications, recommendations, decisions, awards, disbursements, reassignments, and populated outcome reporting are Open Questions.
 - **See OQ-23**
 - **See OQ-25**
- Partners (Schools and Networks to start) may have multiple campaign pages running at the same time.
- Public pages use flat paths under one AFC partner host. Published URLs use stable slugs, and governed redirects preserve previously shared links when a slug changes.
- Pages begin from AFC-controlled templates. Partners may edit only approved content and configuration; legal, tax, privacy, receipt, designation, and compliance modules remain protected and AFC reserved.
- An authorized partner may publish after all hard identity, agreement, content, mapping, and end-to-end readiness gates pass. AFC may spot-check content and may pause, suspend, unpublish, or restore pages under governed policy.
 - **See OQ-08**
- A donor completes identity verification through an AFC-approved external provider before the dedicated Fundraise Up popup opens.
 - **See OQ-07**
- A donor's fund, state, and/or school selection records a non-binding preference; it does not promise a legal restriction or direct benefit to an individual student.
- Snowflake holds AFC's normalized donation reporting state. The Portal reads that state through an AFC API and does not query Snowflake directly.
 - **See OQ-16**

- Partners receive authorized donation details plus only donor contact fields covered by the required consent and role scope.
 - **See OQ-20**

2. Actors and Organizational Scopes

- **Prospective School representative:** Searches the School directory, selects the correct record, and starts a claim.
- **Prospective non School Partner** (Networks to start): fills out an interest form, AFC staff handles checks and onboarding manually after it's filled out.
- **School claimant / pending user:** Completes permitted setup while an exception is under AFC review. A pending claimant may review and request corrections to the prefilled profile, complete contacts and agreements, submit secure verification evidence, and draft the School page. The claimant may not invite users, publish, accept donations, view reporting, or export, until their account is fully approved.
- **Partner Owner/Admin:** Manages the approved School profile, the donation/fundraising page or pages, permitted users, publication actions, and authorized School reporting. The first user that registers for a Partner account is the Owner by default, only one account per Partner can be of Owner type, admins and owners share the same permissions.
- **Partner Member user:** A user whose access is granted by an Owner or Admin. Defaults to view-only reporting for their assigned scope (School or Network); further access, such as reviewing donation activity, is enabled per permission type, but out of scope of this MVP version.
- **Donor:** Uses a publicly available School or Network fundraising page, completes external identity verification, and donates through Fundraise Up without creating a Partner Portal account.
- **AFC staff / AFC Admin:** Creates and onboards Networks; reviews School exceptions; governs School overlays, relationships, templates, mappings, pages, funds, and lifecycle; supports users; and performs audited privileged actions.
- **AFC support and operations user:** Investigates claims, pages, donation attribution, reporting, and external-integration issues within approved data access.
- **External system actors:** GreatSchools and AFC's S3 delivery provide School source data; the external identity provider performs donor verification; Fundraise Up performs checkout and transaction execution; FU webhook sends events to Snowflake; Snowflake and the AFC API provide normalized reporting and transport approved events; Odyssey remains the scholarship system for later capabilities.

School is the atomic organization record. A Network relates to existing Schools without duplicating them.

- **See OQ-11**

Tenant and role isolation apply to every profile, relationship, page, donation view, export, support action, and administrative operation. AFC privileged access and acting-as support are explicit and auditable.

3. End-to-End MVP Spine

1. A prospective School representative searches AFC's governed GreatSchools-backed directory, or AFC staff creates a Network and assigns its initial authorized administrator.
2. The School representative selects the School record and submits a claim. A clean approved-domain match may pass automatically; every mismatch or exception enters AFC review.
3. Auto approved or pending claim accounts are able to login via a one time code sent to the registered email address.
4. When manual School verification is required, the claimant securely submits one primary proof in the Portal. The claim remains draft-only until AFC approves it, and no public review-time promise is shown.
 - **See OQ-05**
5. The approved School or AFC-onboarded Network confirms required organization details, contacts, terms, agreement status, branding, and AFC-controlled participation information.
6. The School prepares its one bounded primary page, or the Network prepares one or more permitted campaign pages, using AFC-controlled templates and approved editable fields.
7. After API capability is confirmed, the Portal and AFC establish the selected Fundraise Up mapping without exposing Fundraise Up configuration to the partner. Either a subaccount is set up and Partners can launch their own campaigns with minimal edit controls, or they use a Primary account model with no access to campaigns.
8. Identity, agreement, content, attribution mapping, external donor-verification handoff, and end-to-end donation test gates pass.
9. An authorized partner self-publishes to a stable flat-path URL. AFC retains spot-check, pause, suspension, unpublish, redirect, and restore authority.
10. A donor visits an active page, reviews AFC-controlled disclosures, and makes any permitted School or fund preference without designating an individual student.
11. The donor completes identity verification through the selected external provider. Only the minimum approved result or reference returns to the page.
12. After approval, the page opens the dedicated Fundraise Up popup with the captured attribution context, and the donor completes a one-time or recurring gift.
13. Fundraise Up executes the transaction. AFC's data ecosystem preserves the source IDs and normalizes the gift.
 - **See OQ-17**
14. The Portal reads authorized donation details from the Snowflake/AFC API and applies tenant, relationship, role, and donor-consent rules. Exports are available only if the export policy and data contract are approved.

15. AFC monitors and governs claims, Network setup, pages, mappings, lifecycle, attribution, and reporting. Pause or suspension blocks new checkouts; a checkout already opened may complete using its captured attribution snapshot.

4. Working Assumptions and Open Questions

Working Assumptions

- Partner Portal will be built using React/Next.js.
- Gift source/origin and the attribution captured when checkout begins are immutable historical facts. Corrections preserve both original and corrected mappings.
- Fundraising attribution and donor preference are distinct from scholarship restriction, allocation, award, and disbursement.
- Partner donation pages may support multiple live versions within approved policy.
- Public URLs use flat paths under one AFC partner host, stable slugs, and governed redirects.
- Pages start from AFC-controlled templates. Partners cannot alter protected legal, tax, privacy, receipt, designation, or compliance content.
- Page preparation may begin before approval or donation activation, but hard readiness gates prevent pending claimants and unready pages from publishing or accepting donations.
- Routine manual approval of every page is not required. Qualified partners self-publish after hard gates; AFC retains spot-check and suspension authority.
- Fundraise Up topology is selected only after API capability is confirmed.
- Donor identity verification occurs before the dedicated Fundraise Up popup. The Portal stores neither identity documents nor Social Security numbers and retains only the approved minimum result or reference.
- The Portal does not store payment-card data or provide partners with direct Fundraise Up access.
- A School or fund choice is a non-binding preference. No donor may designate an individual student, and giving to multiple Schools requires separate donations.
- Snowflake is authoritative for normalized partner donation reporting. The Portal reads through an AFC API, applies access controls, and does not edit source financial records.
- Segment will not be used by the Partner Portal for ingestion into the MarTech stack.
- Partners receive donation details and only consented donor contact fields. Export is separately governed and remains unavailable unless expressly authorized, even when on-screen reporting is available.
- Network permissions are denied unless granted by the approved capability matrix. Relationship history remains effective-dated and auditable.
- New checkouts are blocked when a page is paused or suspended. An in-flight checkout may finish against the immutable attribution captured when it opened.

- Privileged access, acting-as sessions, mapping changes, lifecycle transitions, corrections, relationship changes, and exports retain responsible identity, reason, and history.
- Manual School verification uses secure Portal evidence and one primary proof: an authorization letter, a public staff-directory URL, or School/district authorization. Government or accreditor evidence is escalation-only. A personal email is acceptable only when an authorization letter names that address.
- An eligible school is any school present in the GreatSchools dataset.
- MVP will launch with three role types: Owner, Admin and Member; role permission composition groundwork will be implemented in the backend, but will not be enabled via UI for launch.
- GreatSchools ID is used as the general School ID throughout the stack, non school partners use an AFC generated ID and there will be a mapping internal table for cross identification.

Open Questions

Donor verification and checkout trust (launch risk)

- OQ-07: Donor identity provider/IRS/Treasury definition, handoff UX, result contract, validity, retries, outage behavior, and support ownership.

Fundraise Up and payments

- OQ-08: Final Fundraise Up topology and required IDs, provisioning, and readiness evidence (partners never configure Fundraise Up directly settled).
- OQ-10: Legal receipt and tax-document ownership and related donor-support responsibilities.

Networks and HubSpot

- OQ-11: Network capability, consent, and data-access matrix (relationship categories, page control, donor visibility, reporting rollups, historical access, role grants).
- OQ-12: Exact fields and data Networks may see from member Schools.
- OQ-27: Network Tier 2 and Tier 3 capability packages: independent School claim/account rights, page control, donation detail, donor fields, reporting/export, scholarship read/write, historical access, and migration rules when defaults are later approved. Tier 1 controlling/owned behavior is settled in EP06-ST07.

Reporting and data contracts

- OQ-17: Final approval of a Snowflake-generated canonical donation ID and source/fallback mapping rules.
- OQ-18: Reporting origin coverage, freshness service level, and source readiness rules; also whether Home, Donations, or Scholarships dashboard surfaces must show included origins, last-updated time, or freshness messaging. Until decided, dashboard stories do not require that chrome.
- OQ-20: Exact donor contact fields, consent/suppression, export column set, retention, and legally permitted use. Donation CSV existence is required for Schools and Networks; exact fields remain open.

- OQ-39: Standing rule for recurring installments after page unpublish/pause/suspend/close and after a Network-School relationship ends: whether charges continue; where post-end installments attribute; whether donor and/or partner are notified when destination or visibility changes.
- OQ-41: Product-analytics data route for Partner Portal and public partner pages: event names and properties; Partner Portal -> Snowflake path (API vs other option?).

Odyssey and scholarships

- OQ-23: Odyssey details, API access, and integration information.
- OQ-24: Whether Odyssey will allow Portal review of applications; API shape, send path, and cadence.
- OQ-25: Odyssey hard readiness date, Schools begin accepting applications versus scholarship decisions versus disbursements.
- OQ-26: Confirm if any Portal scholarship work is in scope before January 1.
- OQ-33: Applicant/minor data contract for Portal scholarship views: fields, masking, roles, tenant/relationship scope, retention, audit, legal basis, and whether any scholarship export is permitted.

Closed Questions

- OQ-01: NCES final approval as the canonical School ID and its fallback and cross-system mapping rules.
 - GreatSchools ID adopted as the centralized School ID, non School partners use an AFC generated ID, and an ID mapping table will be implemented.
- OQ-16: Portal-built partner reporting versus Sigma embedded analytics at launch.
 - Portal-built, Sigma is not a fit for this, confirmed by Greg on Aug 6 via Slack.

5. Epic Summary

1. **New Partner Registration and Approval:** Publicly accessible School directory search and governed claims, approved-domain auto-verification, secure exception review, Network interest form, AFC-created Network onboarding, and safe pending states.
2. **Partner Access, Onboarding, and Go-Live Readiness:** Authentication and recovery, profile and contact completion, agreements, resumable setup, bounded pending-claimant preparation, and visible readiness gates.
3. **Fundraising Page and Campaign Management:** Partner campaign pages, governed templates and fields, preview, stable flat-path URLs, slugs, redirects, and promotion assets.
4. **Page Activation, Publication, and Lifecycle:** API-confirmed Fundraise Up topology, governed mappings, end-to-end tests, hard readiness gates, partner self-publication, and pause, suspension, unpublish, and restore behavior.
5. **Donor Donation Experience:** Public trust and disclosures, non-binding School/fund preference, external identity verification, dedicated Fundraise Up checkout, one-time and recurring gifts, and confirmation boundaries.

6. **Partner Accounts, Networks, Users, and Communications:** Tenant-scoped users, invitations and recovery, AFC-created Network relationships, capability-matrix enforcement, lifecycle understanding, and operational notifications.
7. **Donation Data and Identity:** Source-ID mapping, governed canonical donation identity, duplicate/replay handling, and preservation of source identifiers for downstream reporting.
8. **Partner Reporting and Analytics:** Authorized School and Network portal native dashboards for donation reporting, honest origin and freshness coverage, consented donor fields, conditional export, recurring-gift and adjustment presentation, honest unavailable states.
9. **AFC Administration and Operations:** AFC access and acting-as support, School claim exceptions, Network onboarding, overlays and identifier mappings, page and lifecycle governance, attribution correction, audit, support, and operational monitoring.

6. Detailed Epics and Stories

Epic 1 - New Partner Registration and Approval

- **User outcome:** A School representative can find the governed School record and receive an automatic approval or safe AFC-reviewed outcome; AFC can create a Network and assign its initial administrator.
- **Primary actors:** Prospective School representatives, School claimants, pending users, AFC reviewers, and AFC Admins.
- **Included functionality:** Public program discovery, GreatSchools-backed School search, S3 directory use, profile prefill, correction requests, School claims, domain auto-approval, secure manual evidence, AFC decisions, and white-glove Network creation.
- **Explicit exclusions / neighboring epic boundaries:** Authentication and onboarding completion are owned by Epic 2; page creation is owned by Epic 3; Network relationships and ongoing user administration are owned by Epic 6.
- **Portal-owned implementation:** Public search and claim flows, claim and review states, secure evidence submission, correction requests, Network records, initial administrator assignment, and authorization boundaries.
- **AFC-owned dependencies:** School-source policy, approved-domain and allowlist policy, evidence and review policy, source-overlay approval, Network intake policy, and reviewer staffing.
- **Third-party/external execution:** GreatSchools supplies source School records; AFC normalizes and publishes state-level JSON to S3.
- **Consumed data:** GreatSchools source fields, S3 delivery metadata, approved domains and allowlists, claimant identity and role, secure evidence, and AFC review decisions.

- **Emitted/stored data:** Claims, claim states, profile-prefill snapshots, correction requests, evidence references, review history, School overlays, Network records, initial administrator assignments, and audit events.
- **Required integration contracts:** GreatSchools-to-AFC ingestion, validated AFC S3 publication and last-good-file behavior, canonical School-identifier mapping, and secure evidence storage.
- **Dependencies and failure behavior:** Invalid or unavailable source files retain the last good directory; unresolved, duplicate, missing, removed, suspicious, or disputed records remain bounded and enter AFC review without creating a duplicate School.

Story EP01-ST01 - Discover AFC and Find the Correct School (Public/School)

As a prospective School representative

I want to understand the fundraising program and search AFC's governed School directory

So that I can select the correct School without creating a duplicate.

Definition of Done

- ☐ Search supports fuzzy name and location search against AFC's state-level Great Schools data.
- ☐ Results show enough approved identity information and status to distinguish similar Schools and campuses.
- ☐ Search does not offer free-form School creation.

Acceptance Criteria

Scenario: Find an available School

- **GIVEN** a prospective representative has not signed in
- **WHEN** the representative searches by School name and location
- **THEN** matching governed records show approved identifying fields and availability status
- **AND** selecting an unclaimed record starts the claim path for that School

Scenario: Find an unavailable or unresolved School

- **GIVEN** a School is claimed, under review, unavailable, or marked for investigation
- **WHEN** it appears in search results
- **THEN** the record remains visible with a safe status and next action
- **AND** restricted claimant or review information is not exposed.

Out of Scope

- Free-form School creation.

Story EP01-ST02 - Use Governed School Prefill and Resolve Source Exceptions (School claimant/AFC)

As a School claimant

I want usable directory information prefilled with a governed correction path

So that I can confirm the School efficiently without overwriting source history.

Definition of Done

- ☐ Approved identity, classification, location, contact, district, website, summary, and tag fields can prefill onboarding.
- ☐ Source-controlled, AFC-controlled, and School-editable fields are distinguishable.
- ☐ Correction requests preserve original GreatSchools values, AFC overlays, provenance, and change history.
- ☐ Missing, duplicate, incorrect, and removed records route to AFC review without uncontrolled record creation or deletion.

Acceptance Criteria

Scenario: Confirm accurate prefill

- **GIVEN** the selected School has usable fields in the validated GreatSchools S3 file
- **WHEN** the claimant opens the School profile
- **THEN** approved fields are prefilled from the record
- **AND** hidden or read-only identifiers and delivery metadata cannot be changed by the claimant.

Scenario: Request a source correction

- **GIVEN** a prefilled value is inaccurate
- **WHEN** the claimant submits a correction request
- **THEN** the source value remains preserved and the request enters AFC review
- **AND** any approved AFC overlay survives later source refreshes with provenance and history.

Scenario: Handle a removed or duplicated record

- **GIVEN** a monthly refresh removes a School or reveals a duplicate
- **WHEN** AFC publishes the validated directory state
- **THEN** the affected record is flagged for AFC lifecycle review rather than silently deleted or merged
- **AND** existing claims, pages, mappings, users, and history remain preserved while the exception is resolved.

Notes and Concerns

- **Open (OQ-02):** Exact GreatSchools, field-level editability, and removed-record lifecycle handling. Direct School edits to GreatSchools source values remain prohibited; approved corrections use AFC overlays.
- **Open (OQ-03):** does the portal support school corrections for MVP?
- GreatSchools sample json structure can be found here: [GreatSchools Sample json](#)

Out of Scope

- Overwriting GreatSchools source records or treating Portal corrections as GreatSchools write-back.

Story EP01-ST03 - Submit a School Claim and Receive Automatic Approval (School claimant)

As a School claimant

I want my work identity and School affiliation evaluated against governed domain rules

So that a clean claim can be approved without manual delay.

Definition of Done

- ☐ A claim captures the selected School, work email, claimant identity, role, and required contact information.
- ☐ Only an unclaimed School with a clean approved-domain or allowlist match can auto-approve.
- ☐ One active claim is enforced per School, and progress is resumable.
- ☐ The first approved claimant receives the governed initial School Owner access.

Acceptance Criteria

Scenario: Auto-approve a clean claim

- **GIVEN** an unclaimed School has an approved domain and the claimant uses a matching work email
- **WHEN** all required claim information and automated checks pass
- **THEN** the claim is approved automatically
- **AND** the claimant receives the initial School Admin access and can continue onboarding.

Scenario: Prevent a parallel claim

- **GIVEN** a School already has an active or approved claim
- **WHEN** another representative attempts to claim it
- **THEN** a second active claim is not created
- **AND** the representative receives a safe support, invitation, or dispute route.

Story EP01-ST04 - Submit Secure Evidence for a School Claim Exception (School claimant)

As a School claimant who cannot pass automatic verification

I want to submit one accepted proof securely

So that AFC can evaluate my authority without granting premature access.

Definition of Done

- ☐ The Portal accepts one primary proof: an authorization letter, public staff-directory URL, or School/district authorization.
- ☐ Government or accreditor evidence is presented only as an AFC-directed escalation path.
- ☐ A personal email is accepted only when an authorization letter explicitly names that address.
- ☐ Secure evidence is restricted to authorized reviewers and does not create a public review-time promise.
- ☐ The claim remains pending until AFC records a decision.

Acceptance Criteria

Scenario: Submit an accepted primary proof

- **GIVEN** a claimant's domain does not satisfy automatic approval
- **WHEN** the claimant securely submits one accepted primary proof
- **THEN** the evidence reference, claimant, School, and submission time are available to authorized AFC reviewers
- **AND** approved-user, invitation, publication, donation, reporting, and export permissions remain unavailable.

Scenario: Use a personal email

- **GIVEN** a claimant uses a personal email address
- **WHEN** the claimant submits an authorization letter that does not name that address
- **THEN** the claim cannot be approved from that evidence
- **AND** the claimant is told what qualifying evidence or support route is required.

Scenario: Use a personal email named in the authorization letter

- **GIVEN** a claimant uses a personal email address
- **WHEN** the claimant securely submits an authorization letter that explicitly names that address
- **THEN** the evidence may proceed to AFC review
- **AND** the claim remains pending with only bounded preparation access until AFC records a decision.

Notes and Concerns

- **Open (OQ-04):** Manual-verification evidence retention and deletion timing must be approved before production evidence is stored.
- **Open (OQ-05):** Is one primary document enough? What docs would AFC need to verify?
- **Open (OQ-06):** Whether the authorization letter is actually needed.
- **Open (OQ-37):** Which file size limits and file type restrictions we will enforce.

Story EP01-ST05 - Review and Decide a School Claim Exception (AFC reviewer)

As a member of AFC's claim review team

I want to review claim exceptions and record a governed disposition

So that only authorized School representatives receive administrative access.

Definition of Done

- ☐ Reviewers can compare the claim, governed School record, domain result, role, and submitted evidence.
- ☐ Reviewers can approve, deny, request more information, correct the selected School, or route an ownership transfer.
- ☐ Every decision records reviewer, reason, evidence reference, timestamp, and prior state.
- ☐ A request for more information keeps the claim pending and preserves only its bounded preparation access.
- ☐ A final denial revokes profile, contact, agreement, correction-request, and page-draft setup access and leaves only the approved support or appeal route.
- ☐ Denial or correction does not alter the canonical School record or donation history.

Acceptance Criteria

Scenario: Approve sufficient evidence

- **GIVEN** a pending claim has sufficient accepted evidence
- **WHEN** an authorized AFC reviewer approves it
- **THEN** the claim becomes approved and the claimant receives governed School Admin access
- **AND** the decision and supporting audit history are retained.

Scenario: Request more information

- **GIVEN** submitted evidence is incomplete, disputed, or inconsistent with the School
- **WHEN** the reviewer requests more information
- **THEN** the claim remains pending and the claimant receives the specific permitted next action
- **AND** the claimant retains only bounded profile, contact, agreement, correction-request, and page-draft preparation access.

Scenario: Record a final denial

- **GIVEN** AFC has completed review and determined that the claim must be denied
- **WHEN** the reviewer records the final denial
- **THEN** all pending setup access is revoked
- **AND** the claimant can use only the approved support or appeal route without School administrative access.

Out of Scope

- Editing GreatSchools source data.

Story EP01-ST06 - Network Interest Form (Network)

As a prospective Network representative

I want to submit an interest form to AFC

So that AFC can follow up and white-glove create a Network if appropriate.

Definition of Done

- ☐ A public Network interest form is available without creating a Portal account.
- ☐ Submitting the form does not create a Network organization, claim Schools, or grant Portal access.
- ☐ AFC receives a governed notification/work item for the submission
- ☐ Submissions are stored with timestamp and source; spam/abuse controls apply.
- ☐ Public Network self-service is not exposed.

Acceptance Criteria

Scenario: Submit interest

- **GIVEN** a prospective Network representative opens the public interest form
- **WHEN** they submit valid email, name, network name, and phone
- **THEN** AFC can see the inquiry in the approved review path
- **AND** no Network tenant or user membership is created from the form alone

Notes and Concerns

- **Open (OQ-45):** Exact form intake fields required for Network interest registration.
 - Email, Full Name, Phone Number, Network name?

Out of Scope

- Public Network self-registration or self-service Network onboarding.

Story EP01-ST07 - Create a Network and Assign Its Initial Administrator (AFC Admin/Network)

As a member of AFC's administration team

I want to create an approved Network through a white-glove process and assign its initial

administrator

So that the Network can begin governed onboarding without public self-registration.

Definition of Done

- ☐ Only authorized AFC staff can create the MVP Network organization.
- ☐ Creation captures approved Network identity, type, contacts, status, and required intake evidence or references.
- ☐ AFC can assign and notify the initial Network Admin.
- ☐ Network creation does not claim, duplicate, or automatically grant control over any School.
- ☐ Public Network self-service is not exposed.

Acceptance Criteria

- **GIVEN** AFC has approved a Network for onboarding
- **WHEN** an authorized AFC Admin creates the Network and assigns its initial administrator
- **THEN** the administrator receives access to the Network's permitted onboarding tasks
- **AND** School relationships and capabilities are managed via Epic 6.

Notes and Concerns

- **See OQ-11**

Out of Scope

- Public Network self-registration or self-service Network onboarding.

Epic 2 - Partner Access, Onboarding, and Go-Live Readiness

- **User outcome:** Approved and pending users can securely return, complete only their permitted setup, and understand every remaining donation-readiness gate.
- **Primary actors:** School claimants, pending users, School Admins, Network Admins, and AFC support.
- **Included functionality:** Passwordless authentication, magic-link recovery, profile and contacts, agreement status, save/resume, bounded pending preparation, and a resumable readiness checklist.
- **Explicit exclusions / neighboring epic boundaries:** Initial claim decisions and Network creation are owned by Epic 1; page editing is owned by Epic 3; activation and publication gates are enforced by Epic 4; user invitations are owned by Epic 6.
- **Portal-owned implementation:** Authentication handoff, tenant-scoped sessions, profiles, contacts, agreement tracking, onboarding progress, readiness states, and pending-user authorization.
- **AFC-owned dependencies:** Identity policy, required profile and contact fields, agreement content and signer rules, support ownership, and readiness policy.

- **Third-party/external execution:** The approved email service delivers access and recovery links.
- **Consumed data:** User and organization records, claim status, required-field configuration, agreement version and status, page status, mapping status, and test evidence.
- **Emitted/stored data:** Authentication events, profile and contact updates, terms acceptance, agreement references, onboarding progress, blocker states, and audit events.
- **Required integration contracts:** Passwordless identity and email delivery, electronic-signature status where used, and readiness-state inputs from page and Fundraise Up activation workflows.
- **Dependencies and failure behavior:** Expired or invalid links fail safely; missing identity, agreement, content, mapping, or test requirements remain visible blockers and never grant publication or donation access.

Assumption: MVP partner authentication uses time-limited, single-use magic links, and the applicable School agreement is executed through an approved electronic-signature service.

Story EP02-ST01 - Access and Recover a Partner Account (Partner user)

As a partner user

I want passwordless sign-in and a safe recovery path

So that I can return to the correct tenant without managing a Portal password.

Definition of Done

- ☐ Sign-in and recovery use time-limited, single-use magic links delivered to the registered email.
- ☐ The session is scoped to the user's authorized organization, role, and approval state.
- ☐ Expired, reused, malformed, or wrong-account links fail without revealing account membership.
- ☐ A user can request a new link and reach support when delivery repeatedly fails.

Acceptance Criteria

Scenario: Use a valid magic link

- **GIVEN** an active or pending user requests access for the registered email
- **WHEN** the user opens a valid unused link within its allowed lifetime
- **THEN** the user is signed in to only the authorized tenant and role
- **AND** the link cannot be used again.

Scenario: Recover from an invalid link

- **GIVEN** a link is expired, already used, or invalid
- **WHEN** the user attempts to open it
- **THEN** no session is created and no tenant information is disclosed

- **AND** the user can request a replacement link or use the approved support route.

Notes

- **Open (OQ-22):** What is the session expiry policy? 30 days? 7 days? Something else?

Out of Scope

- Enterprise SSO or SAML and additional localization.

Story EP02-ST02 - Complete Partner Profile and Contacts (Pending School claimant/School/Network Admin)

As a pending School claimant or approved School or Network Admin

I want to confirm required organization details and contacts

So that AFC and donors receive accurate information from the governed record.

Definition of Done

- ☐ School profiles begin with approved GreatSchools-backed prefill; Network profiles begin with AFC-created data.
- ☐ Required administrative, public fundraising, and operations contacts can be completed and validated.
- ☐ Source-controlled, AFC-controlled, and partner-editable values remain distinguishable.
- ☐ Changes save incrementally and remain available after the user leaves and returns.
- ☐ A pending School claimant can review prefilled values, request corrections, and complete permitted contacts but cannot change source-controlled or AFC-controlled values.
- ☐ Pending profile access does not grant user invitations, publication, donations, reporting, export, or broader School administration.

Acceptance Criteria

Scenario: Complete an approved partner profile

- **GIVEN** an approved School or Network Admin opens an incomplete profile
- **WHEN** the user confirms prefilled values and supplies all permitted required contacts
- **THEN** valid changes are saved to the partner profile
- **AND** source-controlled or AFC-controlled values cannot be overwritten through the partner interface.

Scenario: Prepare a profile while a School claim is pending

- **GIVEN** a School claim remains under AFC review
- **WHEN** the claimant reviews prefilled values, requests a correction, or completes permitted contact fields
- **THEN** those bounded changes save and remain resumable

- **AND** the claimant cannot invite users, publish, accept donations, view reporting, export, or use other approved-School administration.

Story EP02-ST03 - Accept Terms and Complete the Partner Agreement (Pending School claimant/School/Network Admin)

As a pending School claimant or approved School or Network representative authorized to sign
I want to review required terms and complete the applicable agreement
So that the organization can satisfy its participation and donor-data obligations.

Definition of Done

- ☐ The Portal presents the current AFC-controlled terms, privacy responsibilities, and donor-data obligations.
- ☐ Agreement status records the version, signer identity, signer title, status, and completion date for a completed agreement.
- ☐ An incomplete, expired, or rejected required agreement is shown as a readiness blocker.
- ☐ The Portal does not author or let partners alter legal or agreement content.
- ☐ A pending School claimant can complete the applicable agreement, but agreement completion does not grant invitations, publication, donations, reporting, export, or broader School administration.

Acceptance Criteria

Scenario: Complete required acceptance

- **GIVEN** the user is an authorized signer for the applicable agreement
- **WHEN** required Portal terms and the approved signature flow are completed
- **THEN** the current acceptance and agreement status are recorded
- **AND** the corresponding readiness blocker clears.

Scenario: Agreement remains incomplete

- **GIVEN** a required agreement is unsigned, expired, or returned incomplete
- **WHEN** the user views readiness
- **THEN** the exact blocking status and permitted next action are shown
- **AND** donation activation and publication remain unavailable.

Scenario: Complete an agreement while a School claim is pending

- **GIVEN** a pending School claimant is authorized to sign the applicable agreement
- **WHEN** the claimant completes the current terms and approved signature flow
- **THEN** the acceptance and agreement status save and remain resumable
- **AND** invitations, publication, donations, reporting, export, and broader School administration remain unavailable until the claim is approved.

Story EP02-ST04 - Resume the Readiness Checklist Within Approval Bounds (Partner/pending user)

As a partner user

I want a resumable checklist that reflects my approval state and remaining tasks

So that I can prepare safely and know what blocks publication.

Definition of Done

- ☐ The checklist distinguishes profile, contacts, agreement, page content, mapping, donor-verification handoff, and end-to-end test gates.
- ☐ Progress persists and each blocker shows its owner and permitted next action.
- ☐ A pending School claimant may review or request correction to prefill, complete contacts and agreement, and draft the primary page.
- ☐ A pending claimant may not invite users, publish, accept donations, view reporting, or export.
- ☐ Approved Network users see only tasks allowed by AFC-created scope and granted capabilities.

Acceptance Criteria

Scenario: Continue bounded preparation while pending

- **GIVEN** a School claim is under AFC review
- **WHEN** the claimant returns to the checklist
- **THEN** profile, contact, agreement, correction-request, and page-draft tasks remain resumable
- **AND** invitation, publication, donation, reporting, and export actions remain unavailable.

Scenario: See hard readiness blockers

- **GIVEN** an approved partner has incomplete readiness gates
- **WHEN** the partner reviews the checklist
- **THEN** each failed or incomplete gate shows a clear owner and next action
- **AND** the partner cannot bypass a hard gate from the checklist or another route.

Story EP02-ST05 - Create and Verify the Partner Account at Claim (School claimant)

As a school claimant

I want my partner user created and my work email verified when I submit a claim

So that auto-approval and review both know I control that email, and sign-in does not assume a pre-existing account.

Definition of Done

- ☐ Submitting a claim creates the partner user record if it does not exist, bound to the claimed work email and School (or pending claim) scope.

- ☐ A passwordless sign-in/verification message is sent at claim submission; successful verification is recorded before domain-match auto-approval completes.
- ☐ Manual-review claims also require the same email verification before the claim can be approved.
- ☐ Claim, user creation, verification, and approval events retain actor, email, School, time, and resulting state.

Acceptance Criteria

Scenario: Domain-match claim creates a verified user

- **GIVEN** a claimant submits a clean approved-domain claim with a work email they control
- **WHEN** they complete the passwordless verification from the claim submission message
- **THEN** the partner user exists, the email is verified, and auto-approval may complete
- **AND** the session is scoped to that School claim/tenant

Scenario: Unverified email cannot complete auto-approval

- **GIVEN** a domain-match claim was submitted
- **WHEN** passwordless verification has not succeeded
- **THEN** the claim does not become fully approved
- **AND** publication, invitation, reporting, and export remain unavailable

Out of Scope

- Password based registration/login.
- Self serve Network signup.

Story EP02-ST06 - Emit Product Analytics Events (Portal/AFC)

As a member of AFC's data team

I want the Partner Portal to emit approved analytics events into AFC's centralized data store

So that activation, donor-funnel or other analytics questions can be answered outside of the Portal

Definition of Done

- ☐ The Portal can emit approved server- and/or client-side analytics events for partner and public journeys covered by the approved contract.
- ☐ Events land in AFC's governed analytics path with Snowflake as the analytical landing target.
- ☐ Missing credentials or an unapproved contract disable emission rather than inventing a partner-facing analytics product.
- ☐ Emission failure does not block donation checkout or partner publishing.

Acceptance Criteria

Scenario: Contract ready

- **GIVEN** AFC has provided environments, credentials, and an approved event contract
- **WHEN** a covered partner or public action occurs
- **THEN** the Portal emits the approved event to the governed landing path
- **AND** no disallowed PII is included

Scenario: Contract not ready

- **GIVEN** analytics credentials or the event contract are not approved
- **WHEN** the same action occurs
- **THEN** the product flow continues
- **AND** analytics emission remains off or no-ops safely

Notes

- **Open (OQ-42):** Exact events that should be sent (donor visit, donation click, falloff...etc)

Out of Scope

- Product analytics stack within the Portal.

Epic 3 - Fundraising Page and Campaign Management

- **User outcome:** A School can prepare one compliant primary page and a Network can prepare multiple permitted campaign pages using AFC-controlled templates and stable public links.
- **Primary actors:** Pending School claimants, School Admins, Network Admins, AFC content administrators, and donors previewing public output.
- **Included functionality:** Bounded page creation, Network campaigns, approved personalization, protected content, preview, save/resume, flat URLs, stable slugs, redirects, and promotion assets.
- **Explicit exclusions / neighboring epic boundaries:** Fundraise Up mapping, readiness tests, publication, and lifecycle enforcement are owned by Epic 4; donor checkout is owned by Epic 5.
- **Portal-owned implementation:** Page records, template rendering, editable-field controls, draft storage, previews, slug and redirect management, and generated link/QR assets.
- **AFC-owned dependencies:** Template and protected-content policy, School and Network page-field matrices, media and accessibility rules, campaign limits, slug policy, and promotion-kit content.
- **Third-party/external execution:** Fundraise Up content is represented only through protected configuration.
- **Consumed data:** Confirmed partner profiles, approved School overlays, Network scope, AFC templates, protected modules, page policy, and existing slug history.
- **Emitted/stored data:** Page and campaign drafts, editable content, template version, selector configuration, preview state, slug history, redirects, and promotion assets.

- **Required integration contracts:** Governed profile-to-page prefill, media validation and delivery, public host and redirect behavior, and activation inputs consumed by Epic 4.
- **Dependencies and failure behavior:** Invalid content or media remains in draft with actionable errors; unavailable slugs receive governed alternatives; no draft or preview can accept a donation.

Story EP03-ST01 - Personalize School Page or Pages (Pending claimant/School Admin)

As a pending claimant or School Admin/Owner

I want to personalize the School's fundraising pages

So that the School has a compliant presence without using an unrestricted page builder.

Definition of Done

- ☐ A Partner may create multiple (unlimited) pages
- ☐ Approved School profile fields prefill the template without exposing system-only identifiers.
- ☐ Users can edit only approved branding, imagery, welcome, story, public contact, and permitted links.
- ☐ Partners may enter an approved Pixel ID only (validated format).
- ☐ Draft changes validate field, media, link, and accessibility constraints and save for later.
- ☐ A pending claimant can draft but cannot publish or activate donations.

Acceptance Criteria

- **GIVEN** a School has a confirmed profile
- **WHEN** a permitted user starts page preparation
- **THEN** the Portal creates the page from the current AFC template and approved prefill
- **AND** the School can create multiple pages without impacting the existing ones

Notes and Concerns

- **Open (OQ-14):** Exact allowed page blocks, media, links, and tracking constraints within the bounded template.

Out of Scope

- A universal or full page builder with HTML editing, custom components, or unrestricted layouts.
- A/B testing, or personalized page variants in the MVP.

Story EP03-ST02 - Create Permitted Network Campaign Pages (Network Admin)

As a Network Admin

I want to create multiple campaign pages within the Network's granted scope

So that the Network can support distinct authorized fundraising efforts.

Definition of Done

- ☐ A Network can create and manage more than one campaign page within AFC policy.
- ☐ Each page is a separate record with its own content, slug, status, and attribution context.
- ☐ State, School, and fund options are limited to explicit Network capabilities and approved relationships.
- ☐ Partners may enter an approved Pixel ID only (validated format).
- ☐ Creating a Network page does not create or modify a School page.
- ☐ Multiple Network campaign pages do not imply School-page control or any relationship, donor-data, reporting, or administrative capability beyond the approved matrix.

Acceptance Criteria

Scenario: Create an authorized campaign

- **GIVEN** a Network Admin has a granted page-management capability and approved scope
- **WHEN** the Admin creates a campaign page
- **THEN** only permitted selectors and partner-editable fields are available
- **AND** the campaign remains a non-donation draft until Epic 4 gates pass
- **AND** no School page or broader Network capability is created or changed.

Scenario: Attempt an out-of-scope campaign

- **GIVEN** a School, state, or fund is outside the Network's granted scope
- **WHEN** the Network Admin attempts to add it to a campaign
- **THEN** the option is unavailable or rejected
- **AND** no relationship or capability is created implicitly.

Story EP03-ST03 - Preserve Protected Content and Preview the Complete Page (Partner)

As a partner page editor

I want to preview the complete page while AFC-controlled modules remain protected

So that I can verify the donor experience without altering required disclosures.

Definition of Done

- ☐ Legal, tax, privacy, receipt, designation, eligibility, and compliance modules cannot be edited or removed by partners.
- ☐ Preview combines the current partner draft with the applicable protected-content and template versions.
- ☐ Desktop and mobile preview expose no draft-only controls or hidden identifiers.
- ☐ Preview cannot open a live Fundraise Up checkout or accept a donation.

Acceptance Criteria

- **GIVEN** a partner has saved valid draft content
- **WHEN** the partner opens preview
- **THEN** the rendered page shows the draft in its complete AFC-controlled template
- **AND** protected modules remain present, locked, and identified as AFC-controlled.

Story EP03-ST04 - Assign Stable Flat-Path URLs and Redirect Changed Slugs (Partner/AFC)

As a partner page owner

I want a stable public URL with governed redirects after a slug change

So that previously shared links continue to reach the correct page.

Definition of Done

- ☐ Published page URLs use flat paths under the single AFC partner host.
- ☐ Slugs are unique, validated, stable, and decoupled from internal identifiers.
- ☐ Authorized slug changes preserve the prior slug as a governed redirect.
- ☐ Redirect history prevents a prior slug from being reassigned unsafely.

Acceptance Criteria

Scenario: Assign the first slug

- **GIVEN** a page does not yet have a public slug
- **WHEN** an authorized user selects an available policy-compliant slug
- **THEN** the slug is reserved for that page under the AFC partner host
- **AND** it remains non-public until the page is published.

Scenario: Change a published slug

- **GIVEN** a published page has a stable slug
- **WHEN** an authorized change assigns a new valid slug
- **THEN** the previous public URL redirects to the same page
- **AND** the slug change, actor, reason, and redirect history are retained.

Notes and Concerns

- **Open (OQ-15):** Does the MVP consider url/slug changes for partners?

Out of Scope

- Custom domains or redirects outside the governed AFC partner host.

Story EP03-ST05 - Access Approved Page Promotion Assets (Partner)

As a partner user

I want approved links, QR assets, and campaign guidance for a page

So that I can promote it without changing AFC-controlled claims.

Definition of Done

- ☐ A partner can copy the page's stable URL and download an associated QR asset.
- ☐ AFC-approved campaign copy, images, and guidance are available from the page context.
- ☐ Promotion assets clearly distinguish draft or inactive pages from active pages.
- ☐ Partners cannot alter protected legal or program claims through the promotion toolkit.

Acceptance Criteria

- **GIVEN** a page has a reserved stable slug
- **WHEN** an authorized partner opens its promotion toolkit
- **THEN** the Portal provides the correct link, QR asset, and approved campaign materials
- **AND** the page's current donation availability is represented accurately..

Out of Scope

- Donor campaigns, segmentation, prospect management, re-engagement, or other marketing tooling.

Epic 4 - Page Activation, Publication, and Lifecycle

- **User outcome:** An authorized partner can publish after hard readiness gates pass, while AFC retains governed mapping, spot-check, pause, suspension, unpublish, correction, and restore authority.
- **Primary actors:** School Admins, Network Admins, AFC Admins, AFC operations users, and external integration operators.
- **Included functionality:** API-capability-dependent Fundraise Up provisioning topology, partner/page mapping, end-to-end readiness test, hard gates, self-publication, AFC spot checks, page lifecycle, and in-flight-checkout treatment.
- **Explicit exclusions / neighboring epic boundaries:** Page content authoring is owned by Epic 3; donor behavior after an active page loads is owned by Epic 5; donation identity is owned by Epic 7; partner reporting is owned by Epic 8; operational corrections are owned by Epic 9; partners never configure Fundraise Up directly.
- **Portal-owned implementation:** Topology-dependent mapping orchestration, readiness state, test evidence, publication controls, lifecycle controls, checkout admission checks, and immutable attribution snapshots.

- **AFC-owned dependencies:** Fundraise Up topology decision after API confirmation, mapping policy, required test evidence, protected-content checks, spot-check rules, suspension authority, and restore policy.
- **Third-party/external execution:** Fundraise Up provisions or hosts the selected account/campaign topology and executes test and live transactions; external donor verification must support the pre-checkout readiness contract.
- **Consumed data:** Partner approval, agreement status, page validation, protected-content version, mapping configuration, external-verification handoff readiness, test results, and lifecycle policy.
- **Emitted/stored data:** Fundraise Up mappings, validation results, test evidence, readiness state, publication history, pause/suspension reasons, restore events, and captured checkout attribution.
- **Required integration contracts:** Confirmed Fundraise Up API capability and selected topology, field and identifier mappings, test-event delivery, donor-verification readiness, and lifecycle admission behavior.
- **Dependencies and failure behavior:** Any failed hard gate blocks publication and new checkout; suspension blocks new checkout while an already opened checkout may complete against its immutable captured attribution.

Story EP04-ST01 - Establish a Conditional Fundraise Up Mapping (Portal/AFC)

As a member of AFC's operations team

I want the Portal to establish the selected Fundraise Up mapping without exposing configuration to partners

So that every page can pass correct attribution under the topology AFC approves.

Definition of Done

- ☐ Under an API-created-subaccount topology, the Portal can create the approved account and campaign through the API.
- ☐ Under a primary-account topology, AFC can register and replace governed mapping IDs for exceptions.
- ☐ Mapping records preserve partner, page, School or Network, state, fund, source, external IDs, status, version, and audit history where applicable.
- ☐ Partner users cannot view or edit Fundraise Up configuration.

Acceptance Criteria

Scenario: Use the approved API-created topology

- **GIVEN** AFC has selected API-created subaccounts after capability confirmation
- **WHEN** an eligible page reaches mapping setup
- **THEN** the Portal creates or links the required Fundraise Up account and campaign through the approved API
- **AND** stores the returned mappings without exposing configuration to the partner.

Scenario: Use the approved primary-account topology

- **GIVEN** AFC has selected the primary-account model
- **WHEN** an AFC operator registers the governed campaign and attribution mappings
- **THEN** the page stores the validated mappings
- **AND** any later manual ID replacement requires reasoned, audited AFC action.

Notes and Concerns

- **See OQ-08**

Story EP04-ST02 - Pass Hard Readiness Gates and an Fundraise Up Payment Test (Partner/AFC)

As a partner user authorized to complete readiness

I want each hard gate and test result shown before publication

So that I can resolve blockers and avoid an incorrectly attributed live page.

Definition of Done

- ☐ Hard gates include approved identity, required profile and contacts, agreement, valid content, protected modules, mapping, donor-verification handoff readiness, and end-to-end donation validation.
- ☐ The test verifies successful checkout and required attribution/event delivery under the selected topology.
- ☐ Test evidence records result, identifiers, time, mapping version, and responsible operator without storing payment-card data.
- ☐ A failed or stale result identifies the owning party and blocks publication.

Acceptance Criteria

Scenario: Pass all gates

- **GIVEN** every non-test requirement is complete and mappings are valid
- **WHEN** the required end-to-end donation test succeeds with expected attribution and event delivery
- **THEN** the page becomes donation-ready
- **AND** the test evidence and mapping version are retained.

Scenario: Fail validation

- **GIVEN** a gate, test checkout, attribution value, or required event fails
- **WHEN** readiness is evaluated
- **THEN** the page remains non-publishable with an actionable blocker
- **AND** an authorized correction and retest are required before the gate can pass.

Notes and Concerns

- **Open (OQ-09):** Will Partner pages need the test payment for FundraiseUp under the Primary account model? Can it be automated via the API?.

- We are assuming that the test payment is not recorded, it goes through Fundraise Up's testing flow and does not generate a real payment we would receive.

Story EP04-ST03 - Self-Publish After Gates and Support AFC Spot Checks (Partner/AFC)

As a School or Network Admin with publication authority

I want to publish a donation-ready page without routine manual preapproval

So that fundraising can begin once all governed requirements pass.

Definition of Done

- ☐ Only an authorized partner role can publish, and every hard gate is rechecked at publication time.
- ☐ Publication activates the stable flat-path URL and records actor, time, page version, mapping version, and protected-content version.
- ☐ AFC can view and spot-check draft or live pages within authorized operations access.
- ☐ A spot check does not silently change partner content; required action uses governed lifecycle controls.

Acceptance Criteria

Scenario: Self-publish a ready page

- **GIVEN** a page is donation-ready and the user has publication capability
- **WHEN** the user confirms publication
- **THEN** the page becomes active at its stable URL and can start new donation journeys
- **AND** the publication event and versions are audited.

Scenario: Attempt publication with a blocker

- **GIVEN** any hard gate has failed, expired, or changed since validation
- **WHEN** a user attempts to publish
- **THEN** publication is denied
- **AND** the current blocker and responsible next action are shown.

Story EP04-ST04 - Pause, Suspend, Unpublish, and Restore a Page Safely (Partner/AFC)

As a partner or AFC operator with lifecycle authority

I want governed page lifecycle controls

So that new donations can be stopped or restored without corrupting in-flight attribution or history.

Definition of Done

- ☐ Policy-scoped actors can pause, suspend, unpublish, or restore a page with required reason and audit history.
- ☐ Paused, suspended, unpublished, or closed pages cannot open a new verification or checkout journey.
- ☐ A checkout already opened may complete against the immutable attribution snapshot captured when it began.
- ☐ No in-flight gift is silently reassigned after page, selector, relationship, mapping, or lifecycle changes.
- ☐ Restore rechecks applicable hard gates before new checkouts resume.

Acceptance Criteria

Scenario: Block a new checkout

- **GIVEN** a page is paused, suspended, unpublished, or closed
- **WHEN** a donor loads the URL or selects the donation action
- **THEN** the approved unavailable state is shown and no new checkout opens
- **AND** any permitted support or alternative route is presented without changing donor intent.

Scenario: Complete an in-flight checkout

- **GIVEN** a donor opened checkout while the page was active
- **WHEN** the page is paused or suspended before transaction completion
- **THEN** Fundraise Up may complete the already opened gift using its captured attribution snapshot
- **AND** the gift is not reassigned to another School, fund, campaign, or page.

Scenario: Restore donation availability

- **GIVEN** the reason for pause or suspension is resolved
- **WHEN** an authorized actor restores the page and all current hard gates pass
- **THEN** the page can accept new donation journeys again
- **AND** the complete lifecycle history remains auditable.

Notes and Concerns

- **See OQ-39**

Epic 5 - Donor Donation Experience

- **User outcome:** A donor can understand an active co-branded page, make a non-binding School or fund preference, complete external identity verification, and give once or recurrently through Fundraise Up.

- **Primary actors:** Donors, AFC support, Fundraise Up, and the AFC-approved external identity provider.
- **Included functionality:** Public page trust and disclosures, permitted preference, external verification before checkout, dedicated Fundraise Up popup, transaction outcomes, confirmation boundaries, and donor-portal handoff.
- **Explicit exclusions / neighboring epic boundaries:** Donors do not create Partner Portal accounts; the Portal does not process cards, send receipts, manage recurring gifts, provide donor history, accept student designation, or split one transaction across multiple Schools.
- **Portal-owned implementation:** Public page rendering, preference capture, immutable attribution handoff, verification orchestration boundary, popup launch eligibility, and safe success/failure presentation around the handoff.
- **AFC-owned dependencies:** Legal, tax, privacy, receipt, designation, consent, support, and refund language; approved options; identity-provider selection; and donor support ownership.
- **Third-party/external execution:** The selected external provider performs identity verification; Fundraise Up performs checkout, payment processing, recurring-gift management, and donor self-service. Confirmation and receipt services remain external to the Portal.
 - **OQ-10**
- **Consumed data:** Active page content and state, protected disclosures, permitted School/state/fund options, verification result or reference, and Fundraise Up transaction outcome.
- **Emitted/stored data:** Preference and attribution snapshot, minimum approved verification status or reference, checkout-open event, and non-sensitive transaction outcome references.
- **Required integration contracts:** External-verification handoff and return contract, dedicated Fundraise Up popup and immutable preset contract, transaction-result handoff, and approved support routes.
- **Dependencies and failure behavior:** Verification cancellation, failure, expiration, or outage prevents checkout; payment failures remain in Fundraise Up; the Portal stores neither raw verification evidence nor payment-card data.

Story EP05-ST01 - Review an Active Co-Branded Page and Required Disclosures (Donor)

As a donor

I want to verify the page's legitimacy and understand the fundraising opportunity

So that I can make an informed decision before entering an external verification or checkout flow.

Definition of Done

- ☐ The public page shows the approved partner and AFC co-brand, partner story, page status, and donation action.
- ☐ AFC-controlled program, tax, privacy, donor-data, receipt, designation, compliance, support, and refund information is accessible.
- ☐ Internal identifiers, directory-only fields, routing values, and source metadata are not exposed.
- ☐ Inactive pages show the approved unavailable state and cannot begin a new donation journey.

Acceptance Criteria

- **GIVEN** a donor opens an active stable page URL
- **WHEN** the page loads
- **THEN** the donor can identify the partner, AFC relationship, fundraising purpose, and required disclosures
- **AND** only an active page presents an enabled donation action.

Story EP05-ST02 - Record a Non-Binding School or Fund Preference (Donor)

As a donor

I want to choose only an eligible School or configured fund when the page permits it

So that my preference is recorded without being represented as a legal restriction.

Definition of Done

- ☐ A School page keeps its School predetermined; a Network page offers only selectors allowed by its approved model and current scope.
- ☐ School or fund choice is described and stored as a non-binding preference.
- ☐ Individual-student designation is impossible, and giving to multiple Schools requires separate donations.
- ☐ Hidden partner, page, School, state, fund, source, and mapping values remain system-controlled.
- ☐ An unavailable choice requires explicit reselection or an approved fallback with donor consent.

Acceptance Criteria

Scenario: Choose an eligible Network option

- **GIVEN** an active Network page offers approved state and School choices
- **WHEN** the donor selects an eligible School and proceeds
- **THEN** the preference and its attribution context are captured for this donation journey
- **AND** the page explains that the preference is not a legal restriction or direct benefit to an individual student.

Scenario: Selected option becomes unavailable

- **GIVEN** the selected School or fund becomes unavailable before checkout opens
- **WHEN** the Portal revalidates the choice
- **THEN** checkout does not open with the stale choice
- **AND** the donor must explicitly reselect or consent to an approved fallback.

Story EP05-ST03 - Complete External Identity Verification Before Checkout (Donor)

As a donor

I want to complete the required external identity check before payment checkout

So that I can proceed without giving identity evidence to the Partner Portal.

Definition of Done

- ☐ The page explains that an AFC-approved external provider performs verification before the Fundraise Up popup.
- ☐ The selected partner, page, School, state, fund, and preference context survives the external handoff.
- ☐ The Portal receives only the minimum approved result or reference.
- ☐ The Portal stores no identity documents, Social Security numbers, or raw provider evidence.
- ☐ When verification returns, the Portal revalidates page lifecycle, every current readiness gate, the active mapping, and the selected preference.
- ☐ The dedicated Fundraise Up popup opens only when the result is approved and valid and every return-time revalidation passes.

Acceptance Criteria**Scenario: Verification succeeds**

- **GIVEN** a donor has reviewed disclosures and selected any permitted preference
- **WHEN** the external provider returns an approved valid result
- **THEN** the Portal revalidates page lifecycle, all current readiness gates, mapping, and selected preference
- **AND** allows the dedicated Fundraise Up popup to open only when every revalidation passes
- **AND** stores only the approved minimum status or reference.

Scenario: Verification does not succeed

- **GIVEN** verification is canceled, denied, expired, or unavailable
- **WHEN** the donor returns or the Portal receives that state
- **THEN** the Fundraise Up popup does not open
- **AND** the donor receives the approved retry, wait, or support path without losing more context than policy permits.

Scenario: Page becomes inactive during verification

- **GIVEN** a donor begins external verification from an active donation-ready page
- **WHEN** the provider returns after the page becomes paused, suspended, unpublished, or closed
- **THEN** the Portal retains only the permitted verification result or reference and donation context and does not open the Fundraise Up popup
- **AND** the donor sees the governed unavailable state and approved support path.

Notes and Concerns

- **See OQ-07**

Story EP05-ST04 - Complete a One-Time or Recurring Gift in Fundraise Up (Donor)

As a verified donor

I want to complete a one-time or recurring gift in the dedicated Fundraise Up popup

So that my payment is executed securely with the correct captured attribution.

Definition of Done

- ☐ The popup opens only after successful verification and receives immutable partner, page, School, state, fund, source, and mapping context as applicable.
- ☐ Fundraise Up captures required donor, consent, amount, frequency, and payment fields.
- ☐ One-time and recurring gifts are supported; multi-School giving requires separate transactions.
- ☐ Success, failure, abandonment, and uncertain outcomes are presented without storing payment data in the Portal.
- ☐ Repeated submission is discouraged when the result is uncertain.

Acceptance Criteria

Scenario: Complete a successful gift

- **GIVEN** a verified donor opens checkout from an active page
- **WHEN** Fundraise Up accepts the donor information and payment for a one-time or recurring gift
- **THEN** the transaction completes with the immutable captured attribution
- **AND** the Portal receives only the approved non-sensitive outcome or reference.

Scenario: Payment fails or is abandoned

- **GIVEN** Fundraise Up rejects or does not complete the transaction
- **WHEN** the checkout returns a failure or abandonment state
- **THEN** Fundraise Up provides the permitted retry or exit behavior
- **AND** no completed donation is invented in partner reporting.

Story EP05-ST05 - Receive Confirmation and Use External Gift Self-Service (Donor)

As a donor

I want confirmation and the responsible receipt and gift-management routes

So that I can keep records or manage a recurring gift outside the Partner Portal.

Definition of Done

- ☐ The donor receives the approved success confirmation after Fundraise Up confirms the transaction.
- ☐ Receipt delivery and later tax documentation are presented as external to the Partner Portal and identify the responsible owner once approved.
- ☐ Fundraise Up's donor portal is the route for receipt history, recurring-gift changes, payment-method updates, and cancellations.
- ☐ Failed, duplicated, refunded, charged-back, or incorrect gifts show the approved external support route.
- ☐ The Partner Portal does not create donor accounts or send donor transactional communications.

Acceptance Criteria

- **GIVEN** Fundraise Up confirms a completed gift
- **WHEN** the donor reaches the completion state
- **THEN** the donor sees the approved confirmation and instructions for receipt delivery and external donor self-service
- **AND** the Partner Portal does not claim to issue the receipt or manage the recurring gift.

Notes and Concerns

- **See OQ-10**

Out of Scope

- Partner Portal donor accounts, authenticated donor history, receipts, recurring-gift self-service, payment-method changes, or donor communications and marketing tools.

Epic 6 - Partner Accounts, Networks, Users, and Communications

- **User outcome:** Approved organizations can manage authorized users and communications, while Network relationships and capabilities remain explicit, effective-dated, and least-privilege.
- **Primary actors:** School Admins, School Member users, Network Admins, Network Member users, AFC Admins, and AFC support.
- **Included functionality:** School and Network user administration, invitations, effective-dated relationships, capability enforcement, partner-visible lifecycle status,

operational notifications, and the one-way HubSpot connector for the separately approved initial Network.

- **Explicit exclusions / neighboring epic boundaries:** Initial School claim approval and Network creation are owned by Epic 1; page actions are owned by Epics 3 and 4; donation views and export authorization are owned by Epic 8.
- **Portal-owned implementation:** Tenant users and roles, invitations, relationship records, capability checks, notification events and preferences allowed by policy, and audited connector jobs.
- **AFC-owned dependencies:** Launch role catalog, Network relationship and capability matrix, consent requirements, lifecycle access rules, notification catalog, and the separately approved initial Network connector contract.
- **Third-party/external execution:** The approved email service delivers partner notifications; HubSpot receives one-way data only for the separately approved initial Network.
- **Consumed data:** Organization status, claims, users, roles, relationships, effective dates, capabilities, consent, page and readiness events, reporting authorization, and approved connector fields.
- **Emitted/stored data:** Invitations, memberships, role changes, relationship history, capability grants, notification history, delivery results, and connector audit records.
- **Required integration contracts:** Email delivery and bounce handling, capability enforcement across every Portal operation, and the separately approved one-way Portal-to-HubSpot field and event contract for the initial approved Network.
- **Dependencies and failure behavior:** Unapproved, expired, former, or out-of-scope users are denied; relationship changes never erase history; notification or connector failure does not change authoritative Portal state.

Assumption: The MVP notification catalog is limited to the transactional events listed in Story EP06-ST04; reminder cadences, timed escalations, and user-managed notification preferences are outside launch scope.

Story EP06-ST01 - Manage School Users and Roles (School Owner/Admin)

As a School Owner or Admin

I want to invite, view, update, and revoke permitted School users

So that the School has safe continuity without exposing another tenant.

Definition of Done

- ☐ A School must have at least one Owner or Admin at any time.
- ☐ A School can only have one Owner at any time.
- ☐ School Admins or Owners can invite via email other Admin or Member roles.
- ☐ Invitations are time-limited, tenant-bound, and cannot be accepted by an unintended account.

- ☐ Role changes take effect immediately across profile, page, publication, reporting, and export authorization.
- ☐ Revocation immediately ends active authorization and blocks current and future School actions.
- ☐ The last required School Admin or Owner cannot be removed without an approved transfer or AFC support process.

Acceptance Criteria

Scenario: Invite a School user

- **GIVEN** an approved School Owner/Admin invites an eligible email to a permitted role
- **WHEN** the recipient accepts the valid invitation
- **THEN** the user gains only that School role
- **AND** the invitation, inviter, acceptance, and resulting membership are audited.

Scenario: Change a School user's role

- **GIVEN** an existing School user is eligible for another launch role
- **WHEN** an authorized School Admin changes the role
- **THEN** the new permissions apply immediately and the prior permissions stop
- **AND** the prior role, new role, actor, and time are audited.

Scenario: Reject an invalid invitation

- **GIVEN** an invitation is expired, reused, intended for another email, or bound to another tenant
- **WHEN** a recipient attempts to accept it
- **THEN** no School membership is created and no tenant details are disclosed
- **AND** the invalid acceptance attempt is recorded safely.

Scenario: Protect the last School Admin

- **GIVEN** a School has only one remaining administrator required by policy
- **WHEN** that administrator attempts to remove or demote the last administrator without an approved transfer
- **THEN** the action is denied
- **AND** the approved transfer or AFC support route is shown.

Scenario: Revoke School access immediately

- **GIVEN** a School user no longer requires access
- **WHEN** an authorized Admin revokes the membership
- **THEN** current and future School requests are denied immediately
- **AND** the revocation is audited while historical actions remain attributed to the user.

Notes and Concerns

- **See OQ-38**

- **See OQ-43**

Story EP06-ST02 - Manage Network Users and Enforce Capabilities (Network Owner/Admin/AFC)

As a Network Owner/Admin

I want to administer Network users while every role remains limited to explicitly granted capabilities and scope

So that the Network has safe continuity without implying authority over every related School.

Definition of Done

- ☐ A Network Owner/Admin can invite, view, change, and revoke permitted Network users only within the final role and capability matrix.
- ☐ Invitations are sent via email, are time-limited, email-specific, tenant-bound, single-use, and reject expired, reused, wrong-email, or wrong-tenant acceptance.
- ☐ The last required Network Owner/Admin cannot be removed or demoted without an approved transfer or AFC support process.
- ☐ Role changes and revocations take effect immediately across every Network capability and active authorization.
- ☐ Invitation, acceptance, role-change, last-admin rejection, capability, and revocation events preserve actor, target, time, prior state, and resulting state.
- ☐ Every page, relationship, donor-detail, reporting, export, and user action checks effective capability and scope.
- ☐ Child-School donor identity, page control, and administrative access are denied unless explicitly granted.

Acceptance Criteria

Scenario: Invite a Network user

- **GIVEN** a Network Admin can assign a permitted Network role
- **WHEN** the intended recipient accepts a valid tenant-bound invitation
- **THEN** the user receives only that Network role and its effective granted capabilities
- **AND** the inviter, invitation, acceptance, membership, and scope are audited.

Scenario: Change a Network role

- **GIVEN** an existing Network user is eligible for another permitted role
- **WHEN** an authorized Network Admin changes the role
- **THEN** the new capabilities apply immediately and prior capabilities stop
- **AND** the prior role, new role, actor, time, and effective scope are audited.

Scenario: Reject an invalid Network invitation

- **GIVEN** an invitation is expired, reused, intended for another email, or bound to another tenant

- **WHEN** a recipient attempts to accept it
- **THEN** no Network membership is created and no tenant details are disclosed
- **AND** the invalid acceptance attempt is recorded safely.

Scenario: Protect the last Network Admin

- **GIVEN** a Network has only one remaining administrator required by policy
- **WHEN** a user attempts to remove or demote that administrator without an approved transfer
- **THEN** the action is denied
- **AND** the approved transfer or AFC support route is shown.

Scenario: Revoke Network access immediately

- **GIVEN** a Network user no longer requires access
- **WHEN** an authorized Network Admin revokes the membership
- **THEN** current and future Network requests are denied immediately across every capability
- **AND** the revocation is audited while historical actions remain attributed to the user.

Scenario: Attempt implied authority

- **GIVEN** a School is related to a Network but no applicable capability is granted
- **WHEN** a Network user attempts to manage its page or view donor-level data
- **THEN** access is denied
- **AND** no relationship category is treated as automatic authority.

Notes and Concerns

- **See OQ-11**

Story EP06-ST03 - Maintain Effective-Dated Network-School Relationships (Network/School/AFC)

As a member of AFC's administration team

I want Network-to-School relationships to capture the evidence or consent required by the approved relationship policy and remain effective-dated

So that current and historical access follows approved organizational reality.

Definition of Done

- ☐ Relationships reuse the atomic School record and never create a Network-owned duplicate.
- ☐ Each relationship records type, status, effective start and end, evidence or consent required by the approved relationship policy, creator, approver, and history.
- ☐ Relationship changes trigger capability reevaluation without rewriting prior donation attribution.

- ☐ Ended relationships stop future access according to policy and preserve authorized historical reporting only where granted.
- ☐ Disputes, transfers, and departures route to AFC review.

Acceptance Criteria

Scenario: Activate an approved relationship

- **GIVEN** AFC has the evidence or consent required by the approved relationship policy for a relationship
- **WHEN** an authorized AFC Admin activates it with an effective date
- **THEN** only separately granted capabilities become usable for the approved period
- **AND** the existing School record remains the atomic organization.

Scenario: End a relationship

- **GIVEN** a relationship reaches its end date or AFC ends it
- **WHEN** effective access is recalculated
- **THEN** future Network access to the School is removed unless another grant applies
- **AND** historical relationship and attribution records remain intact.

Notes and Concerns

- **See OQ-39**
- **See OQ-43**

Story EP06-ST04 - Send Governed Operational Notifications (Partner/AFC)

As a partner user

I want timely notices about actions that require attention or change donation availability

So that I can respond without relying on the hidden Portal state.

Definition of Done

- ☐ The approved email catalog can cover invitations, Network interest submissions, claim decisions, information requests, agreement status, mapping failures, readiness blockers, publication, pause, suspension, unpublish, close, and restore.
- ☐ Each event uses approved recipients, template, sender, timing, and support route.
- ☐ Notifications contain no restricted evidence, donor, or cross-tenant information.
- ☐ Delivery attempts and results are recorded; failed delivery does not change the underlying workflow state.

Acceptance Criteria

Scenario: Send an invitation

- **GIVEN** an authorized School or Network Admin creates a valid user invitation
- **WHEN** the Portal records the invitation
- **THEN** the intended recipient receives the tenant-scoped acceptance link and its expiry

- **AND** no role is granted until the invitation is accepted validly.

Scenario: Request claim information

- **GIVEN** an AFC reviewer requests more information for a pending School claim
- **WHEN** the request is recorded
- **THEN** the claimant receives the permitted request and next action without restricted review details
- **AND** the claim remains in its authoritative pending state.

Scenario: Notify a mapping or readiness failure

- **GIVEN** a page mapping or hard readiness check fails
- **WHEN** the failure requires partner or AFC action
- **THEN** policy-approved recipients receive the failed gate, responsible owner, and permitted next action
- **AND** the notification does not imply that publication or donation readiness succeeded.

Scenario: Notify a restrictive lifecycle transition

- **GIVEN** an authorized AFC operator pauses or suspends an organization or page, unpublishes a page, or closes an organization or page
- **WHEN** the lifecycle transition is recorded
- **THEN** policy-approved recipients receive the current state, settled new-checkout effect, reason information permitted by policy, and support route
- **AND** any access, reporting, export, or connector effects stated in the message come only from the approved capability, data-access, export, and connector contracts.

Scenario: Notify restore

- **GIVEN** an organization or page is restored after applicable gates pass
- **WHEN** the restore transition is recorded
- **THEN** policy-approved recipients receive the restored state and current donation availability
- **AND** the prior lifecycle transition remains in lifecycle history.

Scenario: Record failed delivery

- **GIVEN** a notification cannot be delivered by the approved email service
- **WHEN** the delivery attempt fails
- **THEN** the failure and retry or escalation state are recorded for authorized operations users
- **AND** the underlying invitation, claim, readiness, suspension, or restore state does not change.

Scenario: Notify AFC of Network interest

- **GIVEN** a Network interest form is submitted
- **WHEN** the Portal records the submission

- **THEN** AFC admins/staff receive the notification for the interest submission

Story EP06-ST05 - Understand Organization and Page Lifecycle Status (Partner)

As a partner user

I want to see the current organization and page state, its settled effects, and the responsible support route

So that I know whether setup, publication, and new donations are currently available.

Definition of Done

- ☐ Authorized users can see the current organization state and each permitted page state with effective time and support route.
- ☐ Organization and page states are distinguishable so a live organization does not imply every page is live.
- ☐ Pending claimants see their bounded preparation state and cannot publish, accept donations, view reporting, export, or invite users.
- ☐ Paused, suspended, unpublished, or closed pages show that new verification and checkout journeys are blocked.
- ☐ The status explains that an already opened checkout may complete against its captured attribution and is not silently reassigned.
- ☐ Access, reporting, export, and connector effects are shown only as defined by the approved capability, data-access, export, and connector contracts.

Acceptance Criteria

Scenario: View an active organization and page

- **GIVEN** an organization and page are active and the page is donation-ready
- **WHEN** an authorized partner views status
- **THEN** the Portal shows the current organization and page states and that new donations are available
- **AND** provides the applicable support route.

Scenario: View a paused or suspended page

- **GIVEN** a page is paused or suspended
- **WHEN** an authorized partner views status
- **THEN** the Portal shows that new verification and checkout journeys are blocked
- **AND** explains the permitted next action or support route while retaining prior lifecycle history.

Scenario: Show only governed lifecycle effects

- **GIVEN** a lifecycle transition affects access, reporting, export, or connector behavior
- **WHEN** the partner views the affected status
- **THEN** the Portal shows only effects defined by the applicable approved contracts
- **AND** provides the approved support route without inferring broader access.

Story EP06-ST06 - Deliver Initial Network Data One Way to HubSpot (Initial Network/AFC)

As a user of the initial approved Network

I want approved Portal data delivered one way to the separately authorized HubSpot destination

So that the Network can use that downstream copy without changing Portal records.

Definition of Done

- ☐ The connector is limited to the separately approved initial Network, destination, fields, events, consent, retention, and support model.
- ☐ AFC configures the one-way Portal-to-HubSpot connection; partners do not self-connect or configure mappings.
- ☐ HubSpot cannot update Portal records and remains a downstream copy.
- ☐ Child-School donor or contact data is excluded unless relationship, role, consent, and field authorization all permit it.
- ☐ Delivery attempts, failures, retries, and responsible configuration changes are audited.

Acceptance Criteria

Scenario: Deliver an approved HubSpot record

- **GIVEN** AFC has separately approved the initial Network's one-way HubSpot field and event contract
- **WHEN** an authorized event meets every consent and scope rule
- **THEN** only the approved fields are sent one way to that Network's HubSpot destination
- **AND** delivery does not change Portal state, donation totals, or attribution.

Scenario: Reject unsupported connection scope

- **GIVEN** the requester is another partner, names another destination, or asks for self-service or configurable mappings
- **WHEN** the requester attempts to enable delivery
- **THEN** the connection is unavailable in the MVP
- **AND** no data is sent.

Notes and Concerns

- **Open (OQ-13):** Will HubSpot, for the MVP, be available only for Primer or should it be enabled for any Partner (School or Network)?

Out of Scope

- Other customer relationship management systems, self-service connections, two-way sync, and configurable mappings.

Story EP06-ST07 - Operate a Tier 1 Controlling Network (AFC/Network)

As an authorized Tier 1 Network Admin

I want full School-scoped control over member Schools

So that the Network operates as their controlling Partner Portal organization.

Definition of Done

- ☐ Tier 1 maps to a controlling/owned Network-School relationship.
- ☐ A School can have at most one active Tier 1 relationship and may retain permitted non-controlling affiliations.
- ☐ Tier 1 grants School-Admin-equivalent control within legal and product constraints, including School users and roles, School fundraising pages, School donation reporting and export.
- ☐ An active Tier 1 relationship blocks creation or completion of an independent School claim or School tenant for that School.
- ☐ School search identifies the School as Network-managed and routes the claimant to the Network or approved support path.
- ☐ The atomic School record is reused and never duplicated.
- ☐ Relationship type, effective dates, actor, prior state, resulting capabilities, and changes are audited.

Acceptance Criteria

Scenario: Tier 1 blocks an independent School claim

- **GIVEN** a School has an active Tier 1 relationship
- **WHEN** someone attempts to independently claim that School
- **THEN** the claim cannot proceed
- **AND** the user is routed to the controlling Network or approved support path.

Scenario: Tier 1 administers a member School

- **GIVEN** an authorized Tier 1 Network user
- **WHEN** the user performs a granted School-scoped action
- **THEN** the action is allowed within the School and role scope
- **AND** is audited to both the Network actor and affected School.

Scenario: Prevent overlapping controlling Networks

- **GIVEN** a School already has an active Tier 1 relationship
- **WHEN** AFC attempts to activate another overlapping Tier 1 relationship
- **THEN** activation is rejected
- **AND** existing relationships remain unchanged.

Scenario: End Tier 1 without rewriting history

- **GIVEN** a Tier 1 relationship reaches its effective end

- **WHEN** access is recalculated
- **THEN** future Network authority stops according to policy
- **AND** historical gifts, balances, pages, attribution, and audit ownership are not reassigned.

Notes and Concerns

- **See OQ-20**
- **Open (OQ-28):** Tier 1 transition lifecycle for existing School users, sessions, invitations, pages, and pending exports.
- **See OQ-33**

Out of Scope

- Tier 2 and Tier 3 default packs (see EP06-ST08 and OQ-27).
- Scholarship execution system of record (Odyssey).

Story EP06-ST08 - Reserve Tier 2 and Tier 3 Network Classifications (AFC)

As an AFC Admin

I want Tier 2 and Tier 3 represented as pending Network relationship classifications

So that the model can support later capability packages without inventing permissions now.

Definition of Done

- ☐ The relationship model can represent Tier 2 and Tier 3 separately from Tier 1.
- ☐ Tier 2/3 grant no implied School administration, page control, gift-level reporting, donor identity, applicant access.
- ☐ Tier 2/3 cannot be assigned for partner use until AFC approves their capability packages.
- ☐ If stored before approval, they remain internal placeholders with all partner capabilities denied.
- ☐ Later defaults must not silently expand an existing relationship; AFC must explicitly approve and audit migration.

Acceptance Criteria

- **GIVEN** Tier 2/3 permissions remain unresolved
- **WHEN** a Tier 2/3 relationship exists as a placeholder
- **THEN** no partner-facing capability is granted
- **AND** it does not inherit Tier 1 rights.

Notes and Concerns

- **See OQ-11**
- **See OQ-12**
- **See OQ-27**

Story EP06-ST09 - Transfer School or Network Administrative Ownership (Partner/AFC)

As an AFC Admin

I want to transfer admin ownership of a School or Network to a verified incoming admin

So that a Partner retains access to their account when an existing admin or owner departs or is replaced

Definition of Done

- ☐ A transfer can be initiated by the outgoing administrator, an incoming representative, or AFC in a departure, dispute, or unresponsive-organization case.
- ☐ The incoming administrator satisfies the same identity standard as an initial claim: approved-domain match or AFC-reviewed evidence.
- ☐ Transfer reuses the atomic School or Network record and never creates a second organization, claim, or tenant.
- ☐ Outgoing administrator authorization ends at the effective transfer time while historical actions remain attributed to that user.
- ☐ Permission changes take effect immediately through the Portal authorization resolver.
- ☐ Requester, approver, evidence reference, prior and incoming administrators, reason, prior state, and effective time are audited.

Acceptance Criteria

Scenario: Complete an approved transfer

- **GIVEN** AFC has the evidence required by the approved transfer policy and the incoming administrator meets the identity standard
- **WHEN** an authorized AFC reviewer approves the transfer with an effective time
- **THEN** the incoming administrator receives governed administrative access and the outgoing administrator's authorization ends
- **AND** pages, mappings, donations, and attribution history remain unchanged.

Scenario: Transfer after the last administrator has departed

- **GIVEN** an organization has no reachable administrator
- **WHEN** a representative requests ownership through the approved support route and AFC verifies authority
- **THEN** the transfer proceeds without an outgoing-administrator action
- **AND** the organization is not re-claimed, duplicated, or reset.

Scenario: Reject a disputed or unauthorized transfer

- **GIVEN** a transfer request lacks required evidence or is disputed by the organization
- **WHEN** the reviewer records the decision
- **THEN** no administrative access changes
- **AND** the requester receives only the approved support or appeal route.

Scenario: Preserve continuity of donation availability

- **GIVEN** a published page is accepting donations
- **WHEN** an approved transfer takes effect
- **THEN** the page remains published and continues to accept donations unless a lifecycle action is separately recorded
- **AND** no in-flight or recurring gift is reassigned by the transfer itself.

Notes and Concerns

- **See OQ-28**
- **Open (OQ-38):** Whether an executed partner agreement survives a change of signer or requires re-execution by the incoming authorized signer.
- **Open (OQ-43):** Transfer evidence policy: what proves incoming authority, whether outgoing-administrator consent is required, and the dispute and appeal path.

Epic 7 - Donation Data and Identity

- **User outcome:** AFC can maintain a traceable normalized identity for every donation record so downstream authorized experiences can rely on stable, non-duplicated data.
- **Primary actors:** AFC data operations, AFC integration operations, and authorized downstream Portal and reporting consumers.
- **Included functionality:** Source-ID mapping, governed canonical donation identity, duplicate and replay handling, and preservation of source, origin, attribution, subscription, installment, refund, and chargeback identifiers.
- **Explicit exclusions / neighboring epic boundaries:** Partner reporting views, origin and freshness presentation, Network rollups, consented donor fields, conditional export, and reporting adjustment presentation are owned by Epic 8; operational mapping corrections are owned by Epic 9; payment execution is owned by Epic 5.
- **Portal-owned implementation:** The Portal consumes approved normalized identifiers as opaque values and never invents fallback identities.
- **AFC-owned dependencies:** Normalized data model, canonical-ID decisions, source coverage, source-to-normalized mappings, and deduplication and replay rules.
- **Third-party/external execution:** Fundraise Up and other approved origins supply transaction and recurring-gift events; Snowflake stores AFC's normalized donation state.
- **Consumed data:** Donations, donors, subscriptions, installments, refunds, chargebacks, source mappings, attribution versions, and source delivery metadata.
- **Emitted/stored data:** Approved normalized donation identities, source-ID mappings, immutable origin and attribution facts, relationship links among transaction events, and normalization exceptions.
- **Required integration contracts:** Fundraise Up event ingestion, other approved-origin ingestion, Snowflake normalization, canonical identity, deduplication, and replay behavior.

- **Dependencies and failure behavior:** Incomplete, unmatched, duplicate, or replayed events remain traceable by available source identifiers and are delayed or exempted rather than assigned a guessed identity.

Story EP07-ST01 - Normalize Donation Identity and Preserve Source IDs (AFC data/Portal)

As a member of AFC's data operations team

I want every reported gift mapped across normalized and source identifiers

So that retries, corrections, subscriptions, and support cases remain traceable.

Definition of Done

- ☐ The normalized model maps Fundraise Up transaction, donor, subscription, installment, refund, and chargeback IDs where applicable.
- ☐ Partner, page, School or Network, state, fund, source/origin, event time, status, and attribution version are preserved.
- ☐ Duplicate delivery and replay do not create duplicate completed gifts.
- ☐ Original source IDs and attribution remain traceable after correction.
- ☐ The Portal treats final normalized identifiers as opaque and does not invent fallback IDs.

Acceptance Criteria

Scenario: Normalize a new gift

- **GIVEN** AFC receives a Fundraise Up event with the required source and attribution identifiers
- **WHEN** Snowflake normalizes the event
- **THEN** the reporting record retains the source identifiers and approved normalized identity
- **AND** a replay of the same source event does not create another gift.

Scenario: Receive an incomplete event

- **GIVEN** a source event lacks a required identity or attribution value
- **WHEN** normalization evaluates it
- **THEN** the record is delayed or marked unmatched rather than assigned to a guessed partner
- **AND** AFC operations can trace it by the available source identifiers.

Notes and Concerns

- **See OQ-17**

Out of Scope

- Partner reporting views, export, financial edits, or payment execution.

Epic 8 - Partner Reporting and Analytics

- **User outcome:** Authorized School and Network users can understand donation activity within their granted scope, with honest origin and freshness coverage, consented fields, and export only when separately approved.
- **Primary actors:** School Member users, Network Member users, School and Network Admins, AFC data operations, and AFC support.
- **Included functionality:** Partner-facing portal-built dashboards for donation reporting, origin and freshness disclosure, School views, Network rollups under the capability matrix, consented donor fields, conditional CSV export, recurring-gift and adjustment presentation, honest empty and unavailable states.
- **Explicit exclusions / neighboring epic boundaries:** Donation identity and source-ID normalization are owned by Epic 7; payment execution is owned by Epic 5; operational financial and attribution corrections are owned by Epic 9. Partners do not query Snowflake directly, edit financial records, or use the Partner Portal for AFC internal BI, product analytics, or admin program reporting.
- **Portal-owned implementation:** Tenant-, relationship-, capability-, role-, consent-, and field-filtered reporting access; honest freshness, origin, coverage, and availability states; conditional audited export jobs; and the approved reporting entry point.
- **AFC-owned dependencies:** AFC API readiness, normalized data availability, origin coverage, measurable freshness, Network capability matrix, authorization and consent rules, donor-field contract, adjustment semantics and export policy.
- **Third-party/external execution:** Snowflake stores AFC's normalized reporting state; the AFC API serves governed reporting data.
- **Consumed data:** Normalized donation identities from Epic 7, donations, donors, subscriptions, installments, refunds, chargebacks, corrections, consent and suppression, relationships, capabilities, roles, origin coverage, and freshness.
- **Emitted/stored data:** Report queries, view events, export jobs and files where authorized, access decisions, presentation availability, correction display state, and audit events.
- **Required integration contracts:** AFC API schema and authorization, origin and freshness coverage, Network rollup scope, donor-field controls, adjustment semantics, selected presentation integration, and separately authorized export delivery.
- **Dependencies and failure behavior:** Reporting shows only ready origins, measures, and fields; labels freshness and coverage honestly; distinguishes zero activity from missing or delayed data; and never invents a record while the AFC API or an origin is unavailable.

Story EP08-ST01 - Report Available Donation Origins and Freshness Honestly (Partner Member)

As a partner Member user

I want each included gift labeled by origin and data freshness

So that I understand which activity and update period the report represents.

Definition of Done

- ☐ Reporting can include Partner Portal, AFC-direct, payroll, or other origins only when compatible normalized data is available.
- ☐ Every visible gift preserves and displays an approved source/origin label.
- ☐ The view states included origins, last successful update, and the approved measurable freshness target.
- ☐ Missing or delayed origins are disclosed and do not imply complete or real-time coverage.

Acceptance Criteria

Scenario: Show multiple ready origins

- **GIVEN** compatible normalized records are available for more than one approved donation origin
- **WHEN** an authorized user views reporting
- **THEN** records and aggregates include those origins with clear source labels
- **AND** the view shows the last successful update.

Scenario: An origin is not ready

- **GIVEN** an origin lacks the approved data shape, mapping, or freshness contract
- **WHEN** reporting loads
- **THEN** that origin is excluded or explicitly marked unavailable
- **AND** the interface does not claim all-origin or real-time completeness.

Notes and Concerns

- **See OQ-18)**

Out of Scope

- Employer or payroll onboarding and withholding workflows; payroll-origin reporting remains conditional on compatible normalized data.

Story EP08-ST02 - View Authorized School and Network Donation Reporting (Partner Member)

As a School or Network user with reporting access

I want a scoped view of donation activity and totals

So that I can monitor fundraising without seeing unauthorized tenants or donor data.

Definition of Done

- ☐ School users see only their School; Network users see only effective scopes and measures granted by the capability matrix.
- ☐ The approved view supports totals, gift count, recent activity, gift frequency/type, transaction state, source, date, page, School, state, and fund dimensions where available and authorized.
- ☐ One-time gifts, recurring subscriptions, and recurring installments are distinct frequency/type values and are not transaction states.
- ☐ Completed, refunded, charged-back, corrected, delayed, and unmatched transaction or reporting states are distinguishable.
- ☐ Reporting uses a Portal-built view.
- ☐ The Portal reads through the AFC API and cannot edit source financial records.

Acceptance Criteria

Scenario: View School reporting

- **GIVEN** a School user has current access and the AFC API data contract is ready
- **WHEN** the user opens reporting
- **THEN** only authorized School donations and measures are shown
- **AND** source, status, coverage, and freshness are visible.

Scenario: View a Network rollup

- **GIVEN** a Network user has effective grants for named Schools and rollup measures
- **WHEN** the user views Network reporting
- **THEN** aggregates and School details are limited to the granted effective scope
- **AND** ended relationships do not expose historical data unless historical access is explicitly granted.

Scenario: Distinguish gift frequency from reporting state

- **GIVEN** an authorized report contains one-time gifts and recurring subscription installments in different transaction states
- **WHEN** the user views donation activity
- **THEN** each record shows its gift frequency or type separately from its transaction or reporting state
- **AND** recurring is never presented as a substitute for completed, refunded, charged-back, corrected, delayed, or unmatched state.

Notes and Concerns

- **See OQ-12**

Story EP08-ST03 - Show Consented Donor Fields and Export Only When Approved (Partner reporting)

As a partner user with reporting access

I want donor details and CSV export constrained by consent and role

So that fundraising data is used only as AFC permits.

Definition of Done

- ☐ On-screen donor contact fields are limited by donor consent, suppression, partner type, relationship, role, and purpose.
- ☐ Donation details remain visible only where the approved suppression and data-access policy permits them.
- ☐ Approved exports honor active filters and the same or stricter field-level controls as the screen.
- ☐ Export creation and download record user, tenant, filters, fields, time, and outcome.

Acceptance Criteria

Scenario: View consented contact fields

- **GIVEN** a donor supplied the required consent and the user's role is authorized for the approved purpose
- **WHEN** the user views the donation
- **THEN** only the allowed donor contact fields are shown
- **AND** suppressed or unauthorized fields remain absent.

Scenario: Export is approved

- **GIVEN** AFC has separately approved export for the user's tenant, role, fields, and purpose
- **WHEN** the user requests a CSV from an authorized filtered view
- **THEN** the file contains only permitted records and fields matching those filters
- **AND** creation and access are audited.

Scenario: Export is not approved

- **GIVEN** the export policy or required data contract is not approved
- **WHEN** the user opens reporting
- **THEN** on-screen reporting may remain available under its own authorization
- **AND** CSV export is unavailable.

Notes and Concerns

- **See OQ-20**

Story EP08-ST04 - Represent Recurring Gifts, Refunds, Chargebacks, and Corrections (Partner reporting)

As a partner user with reporting access

I want adjustments and recurring installments represented without rewriting history

So that totals and transaction status remain understandable and auditable.

Definition of Done

- ☐ Each recurring installment is related to its subscription and counted only under approved completed-state rules.
- ☐ Refunds and chargebacks remain related to the original gift and adjust measures under the normalized model.
- ☐ Failed installments do not inflate completed totals.
- ☐ Corrections preserve original and corrected mappings, reason, responsible actor, and time.
- ☐ Delayed adjustment events show the last known authorized state without implying finality.

Acceptance Criteria

Scenario: Report a refund or chargeback

- **GIVEN** AFC receives and normalizes a refund or chargeback event
- **WHEN** reporting refreshes
- **THEN** the adjustment is traceable to the original gift and approved totals update
- **AND** the original transaction remains in history.

Scenario: Correct attribution

- **GIVEN** AFC approves a correction to an incorrectly mapped gift
- **WHEN** the normalized correction becomes available through the AFC API
- **THEN** authorized reporting shows the corrected current state
- **AND** preserves traceability to the original source event and mapping.

Notes and Concerns

- **Open (OQ-19):** Final deduplication, replay, refund, chargeback, and correction-event contract for normalized reporting.

Story EP08-ST05 - Show Honest Empty, Delayed, and Unavailable Reporting States (Partner reporting)

As a partner user with reporting access

I want reporting to distinguish no activity from delayed, incomplete, or unavailable data

So that I do not mistake a delivery problem for a true zero or complete report.

Definition of Done

- ☐ Reporting distinguishes a valid zero-donation result from no authorized scope, no ready origins, delayed data, partial coverage, and an unavailable AFC API or presentation.
- ☐ Empty and unavailable states show the included scope, available origins, last successful update where known, and an approved next action or support route.
- ☐ Stale or partial data is labeled with its effective coverage and is not presented as current or complete.
- ☐ A failed report request does not invent zero totals, donation records, donor fields, or completed exports.
- ☐ Recovery preserves the user's authorized scope and does not reveal data from another tenant or origin.

Acceptance Criteria

Scenario: Show a true empty result

- **GIVEN** the authorized scope and all approved origins are ready and contain no matching donations
- **WHEN** the user opens reporting or applies valid filters
- **THEN** the view shows a zero-result state for the stated scope and period
- **AND** does not describe the data as delayed or unavailable.

Scenario: Show delayed or partial coverage

- **GIVEN** one or more approved origins are delayed or unavailable while other authorized data is ready
- **WHEN** the user opens reporting
- **THEN** available data is labeled with its included origins, coverage, and last successful update
- **AND** the missing origin is not silently treated as zero.

Scenario: Show an unavailable reporting service

- **GIVEN** the AFC API or selected presentation cannot return an authorized report safely
- **WHEN** the user opens reporting
- **THEN** the Portal shows an unavailable state and approved support or retry path
- **AND** no stale, cross-tenant, or fabricated result is presented as current.

Notes and Concerns

- **See OQ-18**
- **Open (OQ-21):** Exact retry timing, stale-data display window, and reporting support route depend on the approved freshness and service contract.

Out of Scope

- Deep integration-health diagnostics, event replay, or reconciliation tooling beyond minimum status and support routing.
- AFC admin product analytics, program BI, or scholarship reporting for internal operations.

Story EP08-ST06 - Filter Dashboard Views by Day, Month, or Year (Partner reporting)

As a School or Network user with reporting permissions

I want to select a day, month, or year

So that dashboard summaries and records use a consistent reporting period.

Definition of Done

- ☐ Period modes are Day (calendar date), Month (month and year), and Year (calendar year).
- ☐ The selected period applies to Home and detail sections.
- ☐ Trend grain is the selected-day daily bucket for Day, weekly buckets for Month, and monthly buckets for Year.
- ☐ Invalid selections do not issue a widened query.
- ☐ Period selection never changes tenant or relationship scope.

Acceptance Criteria

Scenario: Change period across sections

- **GIVEN** an authorized reporting user has selected a period
- **WHEN** the user changes Day, Month, or Year
- **THEN** KPIs, trends, and lists refresh for that period
- **AND** Home CTAs preserve the selected period.

Scenario: Reject an invalid date selection

- **GIVEN** the user enters an invalid or inverted date selection
- **WHEN** the view attempts to apply it
- **THEN** the query is not widened beyond the prior valid scope
- **AND** the user receives a clear correction message.

Notes and Concerns

- **Open (OQ-29):** Timezone, week start, DST, defaults, persistence, and period versus date-range interaction.

Story EP08-ST07 - View the School Home Scoreboard (School reporting)

As a School Admin or Member user

I want a School Home scoreboard for the selected period

So that I can understand current fundraising performance and open the relevant detail view.

Definition of Done

- ☐ Fundraising KPIs include net amount raised, gift count, unique donor count, and average gift for the selected period.
- ☐ Exact KPI formulas remain governed by OQ-30.
- ☐ Donations CTA opens School Donations with the selected period.
- ☐ Pipeline and Attention sections are not included.
- ☐ Origins/freshness chrome is not required while OQ-18 remains open.

Acceptance Criteria

Scenario: View School Home

- **GIVEN** a School reporting user has current access
- **WHEN** the user opens Home
- **THEN** only that School's authorized fundraising KPIs are shown
- **AND** no Pipeline or Attention section appears.

Scenario: Scholarship strip when disabled

- **GIVEN** scholarship capability is not enabled
- **WHEN** the user opens Home
- **THEN** scholarship metrics and CTA are absent
- **AND** the view does not display fabricated zero scholarship results.

Notes and Concerns

- **See OQ-26**
- **Open (OQ-30):** Dashboard KPI definitions: net raised, gift count, unique donors, average gift, recurring-installment treatment, and refund/chargeback/correction treatment.
- **Open (OQ-31):** School Home Pipeline: whether Post-MVP Home shows application stages; if yes, which stages, count versus amount, scope, period behavior, and links.
- **Open (OQ-32):** School Home Attention: whether Home shows needs-action cues; if yes, event types, thresholds, priority, persistence, and destinations.

Story EP08-ST08 - Review School Donations (School reporting)

As a School user with reporting permissions

I want a donation list with amount and date filters and a period-aware trend

So that I can review the School's gifts without searching by donor name.

Definition of Done

- ☐ Rows display authorized donation data including amount, date, and status.
- ☐ Identity fields appear only as allowed by OQ-20.
- ☐ Filters are selected reporting period, amount range, and date range.
- ☐ Date range narrows the selected Month or Year.
- ☐ Lists support deterministic sorting and pagination.

Acceptance Criteria

Scenario: Filter School donations

- **GIVEN** a School user with reporting permissions views Donations
- **WHEN** the user applies amount and date filters within the selected period
- **THEN** only matching School donations are shown
- **AND** scope never widens beyond the School.

Scenario: Show status without a status filter

- **GIVEN** the filtered set includes refunded or corrected gifts
- **WHEN** the list and totals render
- **THEN** row status remains visible
- **AND** net totals and separately labeled adjustments follow EP08-ST04.

Scenario: Export remains available independently of on-screen identity columns

- **GIVEN** export is authorized under EP08-ST03
- **WHEN** the user exports the filtered view
- **THEN** the export uses the same scope and filters
- **AND** fields remain limited by OQ-20.

Notes and Concerns

- **See OQ-20**
- **See OQ-29**
- **See OQ-30**

Story EP08-ST09 - View the Network Home Scoreboard (Network reporting)

As a Network user with reporting permissions

I want a Network Home scoreboard for the selected period

So that I can understand authorized fundraising activity across the Network.

Definition of Done

- ☐ Scoreboard includes Network-origin gifts and authorized School-origin gifts during applicable relationship periods.
- ☐ A donation is counted once.

- ☐ Network-origin gifts remain Network-origin even when a donor selected a School as a non-binding preference.
- ☐ Tier and relationship scope govern included Schools.
- ☐ Ended relationships do not reassign historical gifts or balances.
- ☐ Donations preserve scope and period.

Acceptance Criteria

Scenario: View Network Home

- **GIVEN** a Network user with reporting permissions has granted member Schools
- **WHEN** the user opens Home
- **THEN** authorized Network-origin and School-origin totals for the period are shown
- **AND** multiple affiliations do not duplicate totals.

Scenario: Preserve historical ownership after relationship end

- **GIVEN** a Network-School relationship has ended
- **WHEN** the user views historical reporting for a period that includes that relationship
- **THEN** historical gifts and balances are not reassigned
- **AND** post-end School-origin gifts are excluded unless historical policy expressly grants them.

Notes and Concerns

- **See OQ-27**
- **See OQ-26**

Story EP08-ST10 - Review Tier 1 Network Donations (Network reporting)

As a Tier 1 Network user with reporting permissions

I want a gift-level donation list with School context

So that I can review authorized Network and member-School gifts.

Definition of Done

- ☐ Tier 1 receives gift-level donation access within legal and field controls.
- ☐ Rows include Network-origin and authorized School-origin gifts.
- ☐ School field identifies the origin School for a School-origin gift, may represent a non-binding preference for a Network-origin gift, and may be blank when no School applies.
- ☐ Filters are period, amount range, date range, and School.

Acceptance Criteria

Scenario: Tier 1 gift-level list

- **GIVEN** a Tier 1 Network user with reporting access
- **WHEN** the user opens Network Donations

- **THEN** gift-level rows for authorized Network and member-School gifts are shown with School context
- **AND** School, amount, date, and period filters compose within the grant.

Scenario: Preserve Network-origin ownership

- **GIVEN** a Network-origin gift includes a member-School preference
- **WHEN** the gift appears in the list
- **THEN** the gift remains Network-origin
- **AND** it is not reassigned to the preferred School.

Scenario: Tier 2/3 without grant

- **GIVEN** a Tier 2 or Tier 3 Network user and no explicit gift-level grant
- **WHEN** the user opens Network Donations
- **THEN** gift-level access is denied by default
- **AND** the experience does not inherit Tier 1 list behavior.

Notes and Concerns

- **See OQ-20**
- **See OQ-27**
- **Open (OQ-36):** Whether Network Donations need a page filter in addition to period, amount, date, and School.

Epic 9 - AFC Administration and Operations

- **User outcome:** Authorized AFC staff can govern claims, Networks, source overlays, pages, mappings, lifecycle, support, and operational health with explicit privilege and complete auditability.
- **Primary actors:** AFC Admins, AFC claim reviewers, AFC support and operations users, AFC data operators, and authorized engineering operators.
- **Included functionality:** Admin access, acting-as support, claim review, white-glove Network onboarding, School-source overlays, identifier mapping, page and lifecycle governance, attribution correction, support cases, and operational visibility.
- **Explicit exclusions / neighboring epic boundaries:** Partner-facing launch workflows remain in Epics 1-8; AFC internal BI, program reporting, and scholarship reporting remain outside the Portal.
- **Portal-owned implementation:** AFC role enforcement, operational workspaces, acting-as sessions, overlays, mapping and lifecycle controls, support cases, queues, audit history, and minimum health visibility.
- **AFC-owned dependencies:** Staff role policy, review and escalation policy, overlay authority, lifecycle and correction policy, support ownership, operational service targets, and incident procedures.

- **Third-party/external execution:** GreatSchools and S3 supply School-source delivery; Fundraise Up executes transactions; Snowflake and the AFC API normalize reporting; external monitoring systems provide deeper integration health.
- **Consumed data:** Claims and evidence, Networks, source records and refresh metadata, pages and mappings, lifecycle state, donation references, support cases, integration results, and staff authorization.
- **Emitted/stored data:** Review decisions, Network assignments, overlays, identifier mappings, privileged actions, lifecycle events, correction requests, support history, operational status, and append-only audit events.
- **Required integration contracts:** AFC staff identity and roles, S3 source and refresh status, Fundraise Up mapping/test evidence, AFC API correction and reporting references, and external alert handoff.
- **Dependencies and failure behavior:** Privileged actions require explicit authorization and reason; failed external operations remain visible and retryable without silently changing state; acting-as never obscures the AFC actor.

Story EP09-ST01 - Access AFC Administration and Act as a Partner Safely (AFC staff)

As a member of AFC staff with administration access

I want role-scoped administration and explicit acting-as support

So that I can help partners without hiding privileged access.

Definition of Done

- ☐ AFC staff authentication and role checks protect every administrative route and action.
- ☐ Acting-as requires an explicit target, reason, visible session indicator, start time, and end.
- ☐ Audit events record both the AFC actor and represented partner user or tenant.
- ☐ Acting-as cannot exceed the staff member's AFC privileges or bypass tenant authorization.
- ☐ Sensitive evidence and donor fields remain separately permissioned.

Acceptance Criteria

Scenario: Start an acting-as session

- **GIVEN** an AFC user has support authority for the target tenant
- **WHEN** the user supplies a reason and starts acting as the partner
- **THEN** the interface clearly shows the active represented context
- **AND** every action records both identities and the session reason.

Scenario: Attempt an unauthorized privileged action

- **GIVEN** an AFC user lacks the required administrative capability
- **WHEN** the user attempts the action directly or while acting as a partner
- **THEN** the action is denied
- **AND** no target state changes.

Story EP09-ST02 - Operate School Claim Review and Network Onboarding (AFC reviewer)

As a member of AFC's review team

I want queues for School claim exceptions and white-glove Network onboarding

So that pending work receives governed decisions and complete audit history.

Definition of Done

- ☐ Reviewers can filter and open School claims requiring information, decision, correction, dispute, or transfer.
- ☐ Reviewers can open a Network interest submission list and approve (move on to onboarding) or reject (process stops there) them
- ☐ Authorized staff can create Networks, assign initial administrators, and track incomplete intake.
- ☐ School and Network work remains distinct; creating a Network never auto-claims Schools.
- ☐ Decisions and assignments record reason, reviewer, evidence reference, prior state, and timestamp.

Acceptance Criteria

Scenario: Review a School pending claim

- **GIVEN** an authorized reviewer opens a pending School claim or approved Network intake
- **WHEN** the reviewer completes a permitted decision or setup action
- **THEN** the related workflow state and user next action update
- **AND** the evidence, decision, responsible actor, and prior state remain traceable.

Scenario: Review a Network interest submission

- **GIVEN** a Network interest form was submitted
- **WHEN** an authorized AFC reviewer opens the item
- **THEN** they see the submitted fields and can approve or reject the item
- **AND** the inquiry alone does not create an account

Story EP09-ST03 - Govern School Source Overlays and Identifier Mappings (AFC data staff)

As a member of AFC's data operations team with correction access

I want to review source exceptions, apply AFC overlays, and maintain identifier mappings

So that the Portal can correct operational data without overwriting GreatSchools history.

Definition of Done

- ☐ Operators can inspect source value, S3 delivery version, AFC overlay, effective value, provenance, and correction history.
- ☐ Approved overlays survive later monthly source refreshes until retired or superseded.
- ☐ Missing, duplicate, removed, and failed records enter an operational review state.
- ☐ Overlay and mapping changes require reason, actor, timestamp, and prior value.

Acceptance Criteria

Scenario: Apply an approved overlay

- **GIVEN** AFC approves a temporary or lasting correction to a source-backed School value
- **WHEN** an authorized operator records the overlay
- **THEN** the Portal uses the approved effective value while preserving the GreatSchools source value
- **AND** later refreshes do not silently erase the overlay.

Scenario: Source delivery fails validation

- **GIVEN** a new state file fails AFC validation
- **WHEN** publication is evaluated
- **THEN** the last good state file remains available to the Portal
- **AND** the failure is visible for operational response without partial publication.

Story EP09-ST04 - Govern Partner and Page Lifecycle (AFC operations)

As a member of AFC's operations team

I want to pause, suspend, unpublish, close, or restore partners and pages

So that AFC can protect donors and compliance while preserving history.

Definition of Done

- ☐ Lifecycle actions are constrained by role and capture target, reason, actor, time, prior state, and resulting state.
- ☐ New checkout is blocked for paused, suspended, unpublished, or closed pages.
- ☐ A non-active organization blocks new verification and checkout journeys across all of its pages.
- ☐ Existing pages, users, mappings, donations, and audit records are retained rather than destructively deleted.
- ☐ Restore revalidates applicable gates and does not erase prior lifecycle events.
- ☐ Access, reporting, export, and connector effects follow the approved capability, data-access, export, and connector contracts.

Acceptance Criteria

Scenario: Block new checkout

- **GIVEN** AFC identifies a governed reason to pause, suspend, unpublish, or close a page
- **WHEN** an authorized operator records the lifecycle transition
- **THEN** the page blocks every new verification and checkout journey
- **AND** an already opened checkout may complete only against its immutable captured attribution.

Scenario: Retain lifecycle history

- **GIVEN** an organization or page is paused, suspended, unpublished, or closed
- **WHEN** the transition takes effect
- **THEN** existing pages, users, mappings, donations, attribution, and audit records remain retained
- **AND** the lifecycle reason, actor, prior state, resulting state, and time remain traceable.

Scenario: Apply a non-active organization transition across its pages

- **GIVEN** an organization with one or more pages transitions to a non-active state
- **WHEN** the organization transition takes effect
- **THEN** every page for that organization blocks new verification and checkout journeys
- **AND** access, reporting, export, and connector effects change only where defined by their approved contracts; no broader effect is inferred.

Scenario: Revalidate before restore

- **GIVEN** the reason for a pause or suspension has been resolved
- **WHEN** an authorized operator attempts to restore the organization or page
- **THEN** every currently applicable identity, agreement, content, mapping, verification-handoff, and end-to-end readiness gate is revalidated
- **AND** new checkout remains blocked until all required gates pass and the restore is recorded.

Scenario: Apply only governed lifecycle effects

- **GIVEN** a lifecycle transition affects access, reporting, export, or connector behavior
- **WHEN** an operator applies or reviews the lifecycle transition
- **THEN** the Portal applies only effects defined by the applicable approved contracts
- **AND** preserves the settled publication, new-checkout, retention, audit, and restore behavior.

Story EP09-ST05 - Correct Fundraise Up and Donation Attribution Mappings (AFC operations)

As a member of AFC's operations team with mapping access

I want to investigate and correct page or donation mappings

So that current reporting is accurate without rewriting original transaction facts.

Definition of Done

- ☐ Operators can locate a page, mapping, test, gift, or normalized record using approved source identifiers.
- ☐ Mapping correction preserves old and new values, reason, actor, time, affected scope, and validation result.
- ☐ Page-level correction requires revalidation before new checkouts use the new mapping.
- ☐ Donation correction preserves immutable source/origin and original captured attribution alongside the approved corrected mapping.
- ☐ The corrected state reaches partner reporting only through the normalized Snowflake/AFC API path.

Acceptance Criteria

Scenario: Correct a page mapping

- **GIVEN** an active or draft page has an invalid Fundraise Up mapping
- **WHEN** an authorized operator records and validates a replacement
- **THEN** future checkout uses the approved new mapping only after required gates pass
- **AND** prior mapping versions and gifts remain traceable.

Scenario: Correct a reported gift

- **GIVEN** AFC confirms that a gift was normalized to the wrong partner, page, School, or fund
- **WHEN** the authorized correction is applied
- **THEN** the normalized current state and authorized Portal reporting update
- **AND** the original source event, captured attribution, correction reason, and actor remain preserved.

Story EP09-ST06 - Resolve Partner and Donor Support Cases (AFC support)

As a member of AFC's support team

I want to locate the relevant tenant, page, claim, relationship, mapping, gift, or event

So that I can resolve or route an issue without exposing restricted data.

Definition of Done

- ☐ Support search uses approved identifiers and returns only fields allowed by the support role.
- ☐ Cases can link claims, users, pages, mappings, relationships, gifts, external references, and prior actions.
- ☐ Portal access, claim, page, mapping, and reporting issues can be resolved or escalated to the responsible owner.
- ☐ Payment, receipt, recurring-gift, external verification, and scholarship issues route to their responsible systems or teams.

- ☐ Case notes, status, assignments, actions, and resolution are audited and tenant-scoped.

Acceptance Criteria

Scenario: Resolve a Portal-owned support issue

- **GIVEN** a partner reports a Portal access, claim, page, mapping, or reporting issue with enough approved identifying information
- **WHEN** an authorized support user performs a permitted Portal-owned resolution
- **THEN** the affected Portal state or case outcome updates with the responsible AFC owner, action, and result
- **AND** restricted evidence, payment data, donor fields, and other tenants remain inaccessible.

Scenario: Route an externally owned support issue

- **GIVEN** a donor or partner reports an issue owned outside the Partner Portal
- **WHEN** an authorized support user classifies and routes the case
- **THEN** the case names the responsible destination: Fundraise Up for payment or recurring-gift execution, the approved receipt or tax-document support owner for receipt matters, the selected verification provider or approved verification-support owner for identity verification, or Odyssey or the approved scholarship execution system for scholarship matters
- **AND** only permitted case context is shared, restricted evidence and data remain hidden, and the Portal does not claim to resolve the external-system issue.

Out Of Scope

- A general-purpose ITSM or helpdesk replacement beyond governed Partner Portal support cases.

Story EP09-ST07 - Monitor MVP Operational Readiness and Failures (AFC operations)

As a member of AFC's operations team

I want minimum Portal visibility into partner, page, mapping, and delivery state

So that errors or issues that block a Partner from launching their page can be found and routed

Definition of Done

- ☐ The Portal shows operational counts or queues for pending claims, Network onboarding, failed source records, blocked readiness, mapping/test failures, inactive pages, and reporting-delivery exceptions.
- ☐ Each item links to the permitted operational action or external escalation route.
- ☐ Status distinguishes Portal state from external-system execution and last successful evidence.
- ☐ Operational visibility applies role and sensitive-data restrictions.

Acceptance Criteria

Scenario: Surface an actionable failure

- **GIVEN** a source publication, mapping, readiness test, page transition, or reporting delivery fails
- **WHEN** AFC operations views the applicable queue
- **THEN** the failure shows target, current state, last successful evidence, owner, and permitted next action
- **AND** the Portal does not claim that an external operation succeeded without evidence.

Scenario: Separate operations from internal BI

- **GIVEN** an AFC user needs program-wide analysis rather than action on an operational item
- **WHEN** the user accesses Portal administration
- **THEN** the Portal provides only the minimum operational state needed to govern the product
- **AND** directs internal BI and scholarship reporting to AFC's governed data and BI environment.

Out of Scope

- Deep integration-health, replay, reconciliation, or attribution-investigation tooling beyond minimum operations monitoring.

7. Out of Scope

- Partner APIs, SDKs, and external developer capabilities
- Full page builder / unrestricted HTML/custom components; multiple School pages; A/B testing and scheduling/duplication/version history
- Public Network self-service and expanded Network beyond the capability matrix
- Partner SGO onboarding, accounts, pages, reporting, and lifecycle
- Family/student scholarship application intake in the Portal
- Rebuilding or duplicating Odyssey
- Payment processing / card collection/storage in the Portal
- Raw donor identity documents, SSNs, or raw verification evidence in the Portal
- Direct partner Fundraise Up configuration
- Individual-student designation or promised donor-to-student relationship
- Single split transaction across multiple Schools
- Authoring AFC legal/tax/privacy/receipt/designation/eligibility/scholarship policy
- Donor receipts, recurring-gift management, payment-method changes, and donor self-service in the Portal
- Donor marketing tools (campaigns, segmentation, notes, prospect uploads, re-engagement)

- In portal
- Donor in Portal history and impact mapping or communications
- Direct Snowflake queries or partner edits to financial source records
- Ownership of Fundraise Up→Segment / AFC MarTech transport
- AFC internal BI / program / scholarship reporting
- AFC admin product analytics (signups, adoption, feature usage) in the Portal; those live in AFC's BI/Sigma environment
- Customizable partner donation/scholarship dashboards beyond the approved launch reporting view
- General CRM connectors beyond the approved one-way launch destination
- Deep in-Portal integration-health / replay / reconciliation / attribution tooling beyond minimum ops monitoring
- GreatSchools source overwrite or Portal-owned GreatSchools write-back
- Full support-ticketing / ITSM replacement
- Employer/payroll onboarding and withholding workflows beyond optional donation-origin labeling
- Tutoring or other educational provider Partner experience
- Scholarship allocation decisions inside the Partner Portal and Odyssey integration