

Endovascular Today - US Device Guide - Cerebral Coils

Company Name	Product Name	Materials Used	Coil Type	Method of Detachment	US FDA Indicated Use	Comments
Balt	Barricade Coil System	Bare platinum	Complex framing, helical filling, complex finishing, helical finishing	Electrolytic	Intended for the endovascular embolization of intracranial aneurysms and other neurovascular abnormalities such as AVMs and AVFs; it is also intended for vascular occlusion of blood vessels within the neurovascular system to permanently obstruct blood flow to an aneurysm or other vascular malformation and for arterial and venous embolizations in the peripheral vasculature	Optimized coil design offering a smooth delivery with excellent conformability and performance
Balt	OptiBlock	Bare platinum	Large volume coil	Thermal	Intended for the endovascular embolization of intracranial aneurysms and other neurovascular abnormalities such as arteriovenous malformations and arteriovenous fistulae; also intended for vascular occlusion of blood vessels within the neurovascular system to permanently obstruct blood flow to an aneurysm or other vascular malformation and for arterial and venous embolizations in the peripheral vasculature	Coil is designed specifically for vessel embolization
Balt	Optima	Bare platinum	Complex framing, helical filling, complex finishing, helical finishing	Thermal	Intended for the endovascular embolization of intracranial aneurysms and other neurovascular abnormalities, such as arteriovenous malformations and arteriovenous fistulae; also intended for vascular occlusion of blood vessels within the neurovascular system to permanently obstruct blood flow to an aneurysm or other vascular malformation and for arterial and venous embolizations in the peripheral vasculature	–
Balt	Optimax	Bare platinum	Large-volume coils available in super soft, soft, and standard	Thermal	Intended for the endovascular embolization of intracranial aneurysms and other neurovascular abnormalities, such as arteriovenous malformations and arteriovenous fistulae; also intended for vascular occlusion of blood vessels within the neurovascular system to permanently obstruct blood flow to an aneurysm or other vascular malformation and for arterial and venous embolizations in the peripheral vasculature	–
Cerenovus	Cerepak Detachable Coil System	Platinum	Complex, random complex, and helical	Mechanical	The Cerepak Uniform, Uniform XL, Uniform 3D, Heliform Soft, Heliform XtraSoft, Heliform XL, Heliform XtraSoft XL, Freeform, Freeform Mini Detachable Coil Systems are indicated for embolization of intracranial aneurysms, neurovascular abnormalities such as arteriovenous malformations and arteriovenous fistulae, and arterial and venous embolizations in the peripheral vasculature; the Cerepak Freeform XtraSoft Detachable Coil System is indicated for embolization of intracranial aneurysms	Cerepak has a comprehensive portfolio of coils with a variety of shapes, primary winds from 0.015 to 0.009 inches, and lengths from 60 to 1 cm
Cerenovus	Orbit Galaxy Detachable Coil System	Bare platinum, polypropylene stretch-resistant	Complex framing, filling, and finishing coils	Hydraulic detachment	Indicated for embolizing intracranial aneurysms; indicated for embolizing intracranial aneurysms, AVMs, and AV fistulas; embolization of peripheral vasculature	Coil has a unique ability to seek out and fill the open spaces in an aneurysm, enabling greater

Company Name	Product Name	Materials Used	Coil Type	Method of Detachment	US FDA Indicated Use	Comments
		suture				packing density
Cerenovus	Trufill DCS Orbit Detachable Coil System	Bare platinum	Complex fill, complex standard, mini complex fill, helical fill, tight distal loop technology	Hydraulic detachment	Intracranial aneurysms, AVMs, and AVFs; embolization of peripheral vasculature	Excellent conformability and concentric filling for greater packing density
Medtronic	Axium Detachable Coils	Implant material: platinum detachable coils	Framing, filling, finishing	Instant detachment (mechanical)	Intended for the endovascular embolization of intracranial aneurysms; also intended for the embolization of other neurovascular abnormalities such as AVMs and AVFs	–
Medtronic	Axium MicroFX Detachable Coils	Implant material: platinum detachable coils with PGLA or nylon filaments	Framing, filling, finishing	Instant detachment (mechanical)	Intended for the endovascular embolization of intracranial aneurysms; also intended for the embolization of other neurovascular abnormalities such as AVMs and AVFs	–
Medtronic	Axium Prime Detachable Coils	Implant material: platinum detachable coils	Framing, filling, finishing	Instant detachment (mechanical)	Intended for the endovascular embolization of intracranial aneurysms; also intended for the embolization of other neurovascular abnormalities such as AVMs and AVFs	–
Medtronic	Axium Prime Detachable Coils (Extra Soft)	Implant material: platinum detachable coils	Framing, filling, finishing	Instant detachment (mechanical)	Intended for the endovascular embolization of intracranial aneurysms; also intended for the embolization of other neurovascular abnormalities such as AVMs and AVFs	–
Penumbra, Inc. (Neuro)	PAC400 Coil	Stretch-resistant bare platinum	–	Instant mechanical detachment	Indicated for the embolization of intracranial aneurysms, other neurovascular abnormalities such as arteriovenous malformations and arteriovenous fistulae, and arterial and venous embolizations in the peripheral vasculature	A soft coil designed to pack densely behind/within a POD400/PC400 backstop
Penumbra, Inc. (Neuro)	Penumbra Coil 400 (PC400)	Stretch-resistant bare platinum	Complex standard, complex soft, curve extra soft, complex extra soft	Instant mechanical detachment	Indicated for the embolization of intracranial aneurysms, other neurovascular abnormalities such as arteriovenous malformations and arteriovenous fistulae, and arterial and venous embolizations in the peripheral vasculature	PC400 is a .020-inch coil designed for aneurysms and fistulas; comes in complex and helical shapes
Penumbra, Inc. (Neuro)	Penumbra Smart Coil	Stretch-resistant bare platinum	Plus standard, standard, soft, extra soft, wave extra soft	Instant mechanical detachment	Indicated for the embolization of intracranial aneurysms, other neurovascular abnormalities such as arteriovenous malformations and arteriovenous fistulae, and arterial and venous embolizations in the peripheral vasculature	Embolization coil with complex and WAVE shapes, engineered with varying levels of softness
Penumbra, Inc. (Neuro)	POD400 Coil	Stretch-resistant bare platinum	Coil with distal anchor segment and proximal packing segment designed for vessel sacrifice	Instant mechanical detachment	Indicated for the embolization of intracranial aneurysms, other neurovascular abnormalities such as arteriovenous malformations and arteriovenous fistula, and arterial and venous embolizations in the peripheral vasculature	POD400 is designed to predictably anchor in vessels to create a reliable backstop
Penumbra, Inc. (Neuro)	SwiftPAC	Stretch-resistant bare platinum	Shapeless packing coil	Instant mechanical detachment	Indicated for the embolization of intracranial aneurysms, other neurovascular abnormalities such as arteriovenous malformations and arteriovenous fistulae, and arterial and venous embolizations in	Soft shapeless coil designed to pack densely, compatible with 0.0165-inch microcatheters

Company Name	Product Name	Materials Used	Coil Type	Method of Detachment	US FDA Indicated Use	Comments
					the peripheral vasculature	
Spartan Micro, Inc.	Spartan eCoil	Implant material: platinum detachable coils	Framing, filling, finishing	Instant detachment (mechanical)	Intended for the endovascular embolization of intracranial aneurysms and other neurovascular abnormalities, such as arteriovenous malformations and arteriovenous fistulae	–
Stryker	Target Detachable Coils	Bare platinum	360 XL Standard, 360 XL Soft, 360 Standard, 360 Soft, 360 Ultra, 360 Nano, 3D Standard, Helical XL Soft, Helical Ultra, Helical Nano	Electrolytic, InZone detachment system	Intended for the endovascular embolization of intracranial aneurysms, other neurovascular abnormalities such as AVMs and AVFs, and arterial and venous embolizations in the peripheral vasculature	Smooth and stable, comprehensive coiling solution
Terumo Neuro	Complex Coils	Bare-platinum coils	MicroPlex Coil System, Complex Shape, for framing and filling	V-Grip detachment controller, self-contained integrated power supply, rapid coil detachment: 0.75 seconds	Intended for the endovascular embolization of intracranial aneurysms and other neurovascular abnormalities such as arteriovenous malformations and arteriovenous fistulae; intended for vascular occlusion of blood vessels within the neurovascular system to permanently obstruct blood flow to an aneurysm or other vascular malformation and for arterial and venous embolizations in the peripheral vasculature	Platinum coils provide versatile framework, stability, and conformability
Terumo Neuro	Cosmos Coils	Bare-platinum coils	MicroPlex Coil System, Complex Shape, for framing and filling	V-Grip detachment controller, self-contained integrated power supply, rapid coil detachment: 0.75 seconds	Intended for the endovascular embolization of intracranial aneurysms and other neurovascular abnormalities such as arteriovenous malformations and arteriovenous fistulae; intended for vascular occlusion of blood vessels within the neurovascular system to permanently obstruct blood flow to an aneurysm or other vascular malformation and for arterial and venous embolizations in the peripheral vasculature	Platinum coils provide versatile framework, stability, and conformability
Terumo Neuro	Helical Coils	Bare-platinum coils	MicroPlex Coil System, helical Shape, for filling and finishing	V-Grip detachment controller, self-contained integrated power supply, rapid coil detachment: 0.75 seconds	Intended for the endovascular embolization of intracranial aneurysms and other neurovascular abnormalities such as arteriovenous malformations and arteriovenous fistulae; intended for vascular occlusion of blood vessels within the neurovascular system to permanently obstruct blood flow to an aneurysm or other vascular malformation and for arterial and venous embolizations in the peripheral vasculature	Platinum coils provide versatile framework, stability, and conformability
Terumo Neuro	HydroFill Coils	Hydrogel thread placed inside of platinum coil	HydroCoil Embolic System, helical shape, for filling	V-Grip detachment controller, self-contained integrated power supply, rapid coil detachment: 0.75 seconds	Intended for the endovascular embolization of intracranial aneurysms and other neurovascular abnormalities such as arteriovenous malformations and arteriovenous fistulae; intended for vascular occlusion of blood vessels within the neurovascular system to permanently obstruct blood flow to an aneurysm or other vascular malformation and for arterial and venous embolizations in the peripheral vasculature	Hydrogel core of HydroFill coil line expands diameter of coil by 20% for efficient filling
Terumo Neuro	HydroFrame Coils	Hydrogel thread placed inside of	HydroCoil Embolic System, complex shape,	V-Grip detachment controller, self-	Intended for the endovascular embolization of intracranial aneurysms and other neurovascular abnormalities such as	Hydrogel technology provides a scaffold for endothelialization

Company Name	Product Name	Materials Used	Coil Type	Method of Detachment	US FDA Indicated Use	Comments
		platinum coil	for framing and filling	contained integrated power supply, rapid coil detachment: 0.75 seconds	arteriovenous malformations and arteriovenous fistulae; intended for vascular occlusion of blood vessels within the neurovascular system to permanently obstruct blood flow to an aneurysm or other vascular malformation and for arterial and venous embolizations in the peripheral vasculature	at the aneurysm neck
Terumo Neuro	HydroSoft 3D Coils	Hydrogel thread placed inside of platinum coil	HydroCoil Embolic System, complex shape, for filling and finishing	V-Grip detachment controller, self-contained integrated power supply, rapid coil detachment: 0.75 seconds	Intended for the endovascular embolization of intracranial aneurysms and other neurovascular abnormalities such as arteriovenous malformations and arteriovenous fistulae; intended for vascular occlusion of blood vessels within the neurovascular system to permanently obstruct blood flow to an aneurysm or other vascular malformation and for arterial and venous embolizations in the peripheral vasculature	Hydrogel technology provides a scaffold for endothelialization at the aneurysm neck
Terumo Neuro	HydroSoft Helical Coils	Hydrogel thread placed inside of platinum coil	HydroCoil Embolic System, helical shape, for filling and finishing	V-Grip detachment controller, self-contained integrated power supply, rapid coil detachment: 0.75 seconds	Intended for the endovascular embolization of intracranial aneurysms and other neurovascular abnormalities such as arteriovenous malformations and arteriovenous fistulae; intended for vascular occlusion of blood vessels within the neurovascular system to permanently obstruct blood flow to an aneurysm or other vascular malformation and for arterial and venous embolizations in the peripheral vasculature	Hydrogel technology provides a scaffold for endothelialization at the aneurysm neck
Terumo Neuro	HyperSoft 3D Coils	Bare-platinum coils	MicroPlex Coil System, complex shape, for filling and finishing	V-Grip detachment controller, self-contained integrated power supply, rapid coil detachment: 0.75 seconds	Intended for the endovascular embolization of intracranial aneurysms and other neurovascular abnormalities such as arteriovenous malformations and arteriovenous fistulae; intended for vascular occlusion of blood vessels within the neurovascular system to permanently obstruct blood flow to an aneurysm or other vascular malformation and for arterial and venous embolizations in the peripheral vasculature	Platinum coils provide versatile framework, stability, and conformability
Terumo Neuro	HyperSoft Helical Coils	Bare-platinum coils	MicroPlex Coil System, helical shape, for filling and finishing	V-Grip detachment controller, self-contained integrated power supply, rapid coil detachment: 0.75 seconds	Intended for the endovascular embolization of intracranial aneurysms and other neurovascular abnormalities such as arteriovenous malformations and arteriovenous fistulae; intended for vascular occlusion of blood vessels within the neurovascular system to permanently obstruct blood flow to an aneurysm or other vascular malformation and for arterial and venous embolizations in the peripheral vasculature	Platinum coils provide versatile framework, stability, and conformability
Terumo Neuro	VFC Coils	Bare-platinum coils	MicroPlex Coil System, complex shape, for filling	V-Grip detachment controller, self-contained integrated power supply, rapid coil detachment: 0.75 seconds	Intended for the endovascular embolization of intracranial aneurysms and other neurovascular abnormalities such as arteriovenous malformations and arteriovenous fistulae; intended for vascular occlusion of blood vessels within the neurovascular system to permanently obstruct blood flow to an aneurysm or other vascular malformation and for arterial and venous embolizations in the peripheral vasculature	VFC coil's unique loop/wave shape and long length sizes seek out and fill available space efficiently