

Endovascular Today - US Device Guide - Guiding Catheters

| Company Name                   | Product Name                                                       | Type                                        | Size (F) | Length (cm)             | Internal Diameter (inch) | Radiopaque Tip (Yes/No)         | Hydrophilic Coated       |
|--------------------------------|--------------------------------------------------------------------|---------------------------------------------|----------|-------------------------|--------------------------|---------------------------------|--------------------------|
| Abbott                         | Veripath Peripheral Guiding Catheter                               | –                                           | 8        | 50                      | 0.088                    | –                               | Yes                      |
| Abbott                         | Veripath Peripheral Guiding Catheter                               | –                                           | 7        | 50                      | 0.078                    | –                               | Yes                      |
| Abbott                         | Veripath Peripheral Guiding Catheter                               | –                                           | 6        | 50                      | 0.068                    | –                               | Yes                      |
| ArtVentive Medical Group, Inc. | EOS Guiding Catheter (including dilator)                           | Guiding catheter                            | 6        | 89 (dilator length, 96) | 0.067                    | Yes                             | Yes                      |
| ArtVentive Medical Group, Inc. | EOS Guiding Catheter (including dilator)                           | Guiding catheter                            | 7.5      | 89 (dilator length, 96) | 0.082                    | Yes                             | Yes                      |
| Asahi Intecc USA, Inc.         | Asahi Fubuki                                                       | Stainless steel braiding                    | 6, 7, 8  | 80, 90, 100, 110        | 0.071, 0.081, 0.090      | Yes                             | Yes, 15 cm (5 cm on 8 F) |
| Asahi Intecc USA, Inc.         | Asahi Sheathless Eaucath                                           | JL, JR, Amplatz, Power Backup, multipurpose | 6.5, 7.5 | 100                     | 0.070, 0.081             | Yes                             | Yes                      |
| Balt                           | Ballast 088 Long Sheath                                            | Flat coil reinforced with proximal braid    | 8        | 80, 90, 100, 105        | 0.088                    | Yes                             | Yes                      |
| BD Interventional              | Sidekick (nontapered)                                              | Nontapered, stainless steel braid, PTFE     | 7        | 70, 110                 | 0.067                    | Yes                             | Yes                      |
| BD Interventional              | Sidekick (tapered)                                                 | Tapered, stainless steel braid, PTFE        | 7        | 70, 110                 | 0.046                    | Yes                             | Yes                      |
| BD Interventional              | Usher                                                              | Tapered, stainless steel braid, PTFE        | 6        | 83, 130                 | 0.027                    | Yes                             | Yes                      |
| BioCardia, Inc.                | Morph Deflectable Tip Guide Catheter                               | Braided                                     | 8        | 110                     | 0.068                    | Yes                             | Nonhydrophilic           |
| Boston Scientific Corporation  | Mach1 Peripheral Guide Catheter                                    | Braided                                     | 6        | 55, 90                  | 0.070                    | Yes                             | No                       |
| Boston Scientific Corporation  | Mach1 Peripheral Guide Catheter                                    | Braided                                     | 7        | 55, 90                  | 0.081                    | Yes                             | No                       |
| Boston Scientific Corporation  | Mach1 Peripheral Guide Catheter                                    | Braided                                     | 8        | 55, 90                  | 0.091                    | Yes                             | No                       |
| Cerenovus                      | Envoy DA (Distal Access) Guiding Catheter                          | Stainless steel braid                       | 6        | 95, 105                 | 0.071                    | Yes, three tip shapes available | Yes                      |
| Cerenovus                      | Envoy DA XB (Distal Access, Extra-Backup Support) Guiding Catheter | Stainless steel braid                       | 6        | 95, 105                 | 0.071                    | Yes, three tip shapes available | Yes                      |
| Cerenovus                      | Envoy Guiding Catheter                                             | Stainless steel braid                       | 7        | 90, 100                 | 0.078                    | Yes, six tip shapes available   | Yes                      |

| Company Name            | Product Name                                     | Type                     | Size (F)                   | Length (cm)            | Internal Diameter (inch)          | Radiopaque Tip (Yes/No)                      | Hydrophilic Coated |
|-------------------------|--------------------------------------------------|--------------------------|----------------------------|------------------------|-----------------------------------|----------------------------------------------|--------------------|
| Cerenovus               | Envoy Guiding Catheter                           | Stainless steel braid    | 6                          | 90, 100                | 0.070                             | Yes, six tip shapes available                | Yes                |
| Cerenovus               | Envoy Guiding Catheter                           | Stainless steel braid    | 5                          | 90, 100                | 0.056                             | Yes, five tip shapes available               | Yes                |
| Cerenovus               | Envoy XB (Extra-Backup Support) Guiding Catheter | Stainless steel braid    | 6                          | 90, 100                | 0.070                             | Yes, six tip shapes available                | Yes                |
| Cordis                  | Vista Brite Tip Guiding Catheter                 | Stainless steel braiding | 6, 7, 8, 9, 10             | 50, 55, 80, 90, 95     | 0.070, 0.078, 0.088, 0.098, 0.110 | Yes                                          | Yes                |
| Cordis                  | Vista Brite Tip IG Guiding Catheter              | Stainless steel braiding | 7, 8, 9                    | 55, 95                 | 0.078, 0.088, 0.098               | Yes                                          | Yes                |
| Medtronic               | Launcher                                         | Braided                  | 5                          | 47, 55, 100            | 0.058                             | Yes                                          | No                 |
| Medtronic               | Launcher                                         | Braided                  | 8                          | 47, 55, 100            | 0.090                             | No (radiopaque markerband 3 mm from the tip) | Yes                |
| Medtronic               | Launcher                                         | Braided                  | 7                          | 47, 55, 100            | 0.081                             | No (radiopaque markerband 3 mm from the tip) | Yes                |
| Medtronic               | Launcher                                         | Braided                  | 6                          | 47, 55, 100            | 0.071                             | No (radiopaque markerband 3 mm from the tip) | Yes                |
| Medtronic               | Navien Intracranial Support Catheter             | –                        | 5                          | 105, 115, 125, 130     | 0.058                             | Yes                                          | Yes                |
| Medtronic               | Navien Intracranial Support Catheter             | –                        | 6                          | 95, 105, 115, 125, 130 | 0.072                             | Yes                                          | Yes                |
| Medtronic               | Sherpa NX Balanced                               | Braided                  | 6                          | 47, 55, 100            | 0.070                             | No (radiopaque markerband 3 mm from the tip) | Yes                |
| Medtronic               | Sherpa NX Balanced                               | Braided                  | 7                          | 47, 55, 100            | 0.080                             | No (radiopaque markerband 3 mm from the tip) | Yes                |
| Mivi Neuroscience, Inc. | Mi-Axus Distal Access Catheter                   | Braided                  | 6                          | 112, 130               | Distal: 0.064; proximal: 0.072    | Yes                                          | Yes                |
| Mivi Neuroscience, Inc. | Super 90 Guide Catheter                          | Braided                  | 8                          | 80, 90, 95             | 0.090                             | Yes                                          | Yes                |
| Penumbra, Inc. (Neuro)  | 5F Select Catheter                               | Braid reinforced         | 5 (distal), 5.5 (proximal) | 120, 130               | 0.040                             | Yes, radiopaque distal shaft                 | No                 |

| Company Name           | Product Name                          | Type                                             | Size (F)                     | Length (cm)   | Internal Diameter (inch) | Radiopaque Tip (Yes/No)           | Hydrophilic Coated |
|------------------------|---------------------------------------|--------------------------------------------------|------------------------------|---------------|--------------------------|-----------------------------------|--------------------|
| Penumbra, Inc. (Neuro) | 6F Select Catheter                    | Braid reinforced                                 | 5 (distal), 5.6 (proximal)   | 105, 125      | 0.040                    | Radiopaque distal shaft           | No                 |
| Penumbra, Inc. (Neuro) | Benchmark 071 Intracranial Access Kit | Coil reinforced                                  | 6                            | 95, 105, 115  | 0.071                    | Yes, distal shaft plus markerband | Yes                |
| Penumbra, Inc. (Neuro) | Benchmark BMX81 Access System         | Laser-cut stainless steel hypotube               | 7                            | 95, 105, 115  | 0.081                    | Yes, full shaft plus markerband   | Yes, 18 cm         |
| Penumbra, Inc. (Neuro) | Benchmark BMX96 Access System         | Laser-cut stainless steel hypotube               | 8                            | 80, 90, 100   | 0.096                    | Yes, distal shaft plus markerband | Yes                |
| Penumbra, Inc. (Neuro) | Midway 43 Intermediate Catheter       | Intermediate catheter                            | 4                            | 115, 125      | 0.043                    | Yes, markerband                   | Yes, 60 cm         |
| Penumbra, Inc. (Neuro) | Midway 62 Intermediate Catheter       | Intermediate catheter                            | 5                            | 115, 125      | 0.062                    | Yes, markerband                   | Yes, 30 cm         |
| Penumbra, Inc. (Neuro) | Neuron MAX 088 Delivery Catheter      | Braid/coil reinforced                            | 8                            | 80, 90, 100   | 0.088                    | Yes, distal shaft plus markerband | Yes                |
| Sonorous NV, Inc.      | BosCath                               | Support catheter                                 | 5                            | 105, 115, 125 | 0.058                    | Yes                               | Yes                |
| Stryker                | AXS Catalyst 5 Distal Access Catheter | Device delivery and thrombus aspiration catheter | 5.3 (distal), 5.6 (proximal) | 115, 132      | 0.058                    | Yes                               | Yes                |
| Stryker                | AXS Catalyst 6 Distal Access Catheter | Device delivery and thrombus aspiration catheter | 5.4 (distal), 6 (proximal)   | 132           | 0.060                    | Yes                               | Yes                |
| Stryker                | AXS Catalyst 7 Distal Access Catheter | Device delivery and thrombus aspiration catheter | 6.2 (distal), 6.3 (proximal) | 115, 125, 132 | 0.068                    | Yes                               | Yes                |
| Stryker                | AXS Infinity LS Long Sheath           | Braided                                          | 8                            | 70, 80, 90    | 0.088                    | Yes                               | Yes                |
| Stryker                | AXS Infinity LS Plus Long Sheath      | Cross-coil reinforcement                         | 8                            | 70, 80, 90    | 0.091                    | Yes                               | Yes                |
| Stryker                | AXS Vecta 71 Intermediate Catheter    | Device delivery and thrombus aspiration catheter | 6.3 (distal), 6.5 (proximal) | 115, 125, 132 | 0.071                    | Yes                               | Yes                |
| Stryker                | AXS Vecta 74 Intermediate Catheter    | Device delivery and thrombus aspiration catheter | 6.3 (distal), 6.6 (proximal) | 115, 125, 132 | 0.074                    | Yes                               | Yes                |
| Stryker                | DAC 038                               | Braided                                          | 3.9 OD                       | 125, 136      | 0.038                    | Yes                               | Yes                |
| Stryker                | DAC 044                               | Braided                                          | 4.3 OD                       | 115, 130, 136 | 0.044                    | Yes                               | Yes                |
| Stryker                | DAC 057                               | Braided                                          | 5.2 OD                       | 115, 125      | 0.057                    | Yes                               | Yes                |
| Stryker                | DAC 070                               | Braided                                          | 6.3 OD                       | 105, 120      | 0.070                    | Yes                               | Yes                |
| Stryker                | FlowGate2 Balloon Guide Catheter      | Braided                                          | 8                            | 85, 95        | 0.084                    | Yes                               | Nonhydrophilic     |

| Company Name                  | Product Name                                 | Type                                                                                                                       | Size (F)   | Length (cm) | Internal Diameter (inch)                     | Radiopaque Tip (Yes/No)      | Hydrophilic Coated                                |
|-------------------------------|----------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|------------|-------------|----------------------------------------------|------------------------------|---------------------------------------------------|
| Stryker                       | Guider Softip XF Guide Catheter              | Braided                                                                                                                    | 5, 6, 7, 8 | 90, 100     | 0.053, 0.064, 0.073, 0.086                   | Yes; straight, 40, MP shapes | Yes                                               |
| Stryker                       | Merci Balloon Guide Catheter                 | Braided                                                                                                                    | 8          | 80, 95      | 0.078                                        | Yes                          | Nonhydrophilic                                    |
| Stryker                       | Merci Balloon Guide Catheter                 | Braided                                                                                                                    | 9          | 80, 95      | 0.085                                        | Yes                          | Nonhydrophilic                                    |
| Terumo Interventional Systems | Heartrail III Coronary Guiding Catheter      | Flat stainless steel braiding                                                                                              | 5, 6       | 100         | 0.058 (5 F), 0.071 (6 F) (with PTFE coating) | Yes                          | Nonhydrophilic                                    |
| Terumo Interventional Systems | R2P Slenguide Guiding Catheter               | Stainless steel braid                                                                                                      | 7          | 120, 150    | 0.087 (6 F)                                  | Yes                          | Yes                                               |
| Terumo Neuro                  | Bobby                                        | Balloon guide catheter                                                                                                     | 8.4        | 95          | 0.086                                        | Yes                          | Yes                                               |
| Terumo Neuro                  | Chaperon                                     | Guiding catheter system offered with inner select catheters with a hydrophilic coating for navigation and vessel selection | 5/6        | 95          | 0.059/0.071                                  | Yes                          | Chaperon catheter, no; inner select catheter, yes |
| TriSalus Life Sciences        | Surefire Flexion: Axis, SIM1                 | Braided stainless steel, PTFE, multiple durometer Pebax, nitinol tip                                                       | 5          | 80          | 0.054                                        | Yes                          | No                                                |
| TriSalus Life Sciences        | Surefire Guiding Catheter Cobra1, SIM1, Axis | Braided stainless steel, PTFE, multiple durometer Pebax                                                                    | 5          | 65          | 0.056                                        | Yes                          | No                                                |