

# Créer votre propre shortcode



Montreal WordCamp 2015  
@MichaelBontyes



# Shortcode ?

A shortcode is a **WordPress-specific code** that lets you **do nifty things** with very little effort. Shortcodes can embed files or create objects that would normally require lots of complicated, ugly code **in just one line**.

Shortcode = shortcut.


[i-am-a-shortcode]

<https://en.support.wordpress.com/shortcodes/>



# Où?

## Page / Post



Edit Post [Add New](#)

My Post

Permalink: <http://montreal.wordcamp/my-post/> [Edit](#) [View Post](#) [Get Shortlink](#)

[Add Media](#) [Insert shortcode](#) [Visual](#) [Text](#)

[b](#) [i](#) [link](#) [b-quote](#) [del](#) [ins](#) [img](#) [ul](#) [ol](#) [li](#) [code](#) [more](#) [close tags](#)

[hello text="Allo WordCamp Mtl"]

Word count: 3 Draft saved at 12:34:50 pm. Last edited by admin on July 1, 2015 at 12:33 pm


## Inline – en PHP

```
// Use shortcode in a PHP file (outside the post editor).  
echo do_shortcode( '[hello]' );
```

Créer votre propre  
shortcode



## Apparence > Widget



Widget Area

Add widgets here to appear in your sidebar.

**Text**

Title:  
My widget

[hello text="Hello WordCamp MTL"]



☐ Automatically add paragraphs

[Delete](#) | [Close](#) [Save](#)

[https://codex.wordpress.org/Function\\_Reference/do\\_shortcode](https://codex.wordpress.org/Function_Reference/do_shortcode)



# Comment ça fonctionne ?



```
<?php
function hello() {
    return "Hello WordCamp Mtl !";
}
add_shortcode( 'hello' , 'hello' );
?>
```

# Qui ?

Créer votre propre  
shortcode



## Wordpress.com ... & WordCamp.org!

[gallery type="rectangular"]



[dailymotion]  
[flickr]  
[kickstarter]  
[youtube]  
[audio]  
[playlist]  
[soundcloud]  
[spotify]  
[bandcamp]  
[8tracks]  
[gallery]  
[instagram]  
[slideshow]  
[sitemap]  
[contact-form]  
[office]

<https://en.support.wordpress.com/shortcodes/>

# Qui ?

Créer votre propre  
shortcode



## Jetpack.me

[jetpack\_subscription\_form]

**Blog Subscriptions (Jetpack): Subscribe to Blog via Email** ▼

Widget title:

Optional text to display to your readers:

Subscribe Button:

☒ Show total number of subscribers? (4 subscribers)

[Delete](#) | [Close](#) Visibility Save

[ archives ]  
[ digg ]  
[ googlemaps ]  
[ facebook ]  
[ medium ]  
[ polldaddy ]  
[ recipe ]  
[ twitter-timeline ]

<http://jetpack.me/support/subscriptions/>

# Qui ?

Créer votre propre  
shortcode



Développeurs de thèmes



*Powerful  
shortcodes !  
-199\$ only*




# Qui ?

Créer votre propre  
shortcode



## Développeurs de plugins

[geo\_mashup\_map]



<https://github.com/cyberhobo/wordpress-geo-mashup/wiki/Getting-Started>




# Qui ?

Cr  er votre propre  
shortcode



## D  veloppeurs de plugins

[[timeline-express](#)]



# Qui ?


Créer votre propre  
shortcode



# Vous !

# Besoin de quoi ?

Créer votre propre  
shortcode



un peu de



# Les étapes

Créer votre propre  
shortcode



Simple

`add_shortcode()`

Paramétrable

`shortcode_atts()`

Flexible

`do_shortcode()`

Complexe

`ob_start()`



# Simple `add_shortcode()`

Créer votre propre  
shortcode



	Functions.php / includes / plugin	Shortcode
1	<pre>&lt;?php</pre>	<div data-bbox="1661 718 2377 796">Résultat</div> <div data-bbox="1661 796 2377 1375"></div>

# Simple `add_shortcode()`

Créer votre propre  
shortcode





	Functions.php / includes / plugin	Shortcode
1 2 3 4 5 6 7 8	<pre>&lt;?php  // Create the function for the shortcode function message_maker() {  }  ?&gt;</pre>	
		<div data-bbox="1668 719 2372 793">Résultat</div> <div data-bbox="1668 793 2372 1370"></div>

# Simple `add_shortcode()`

Créer votre propre  
shortcode



	Functions.php / includes / plugin	Shortcode
1 2 3 4 5 6 7 8 9 10	<pre>&lt;?php // Create the function for the shortcode function message_maker() {     return 'Hello WordCamp Mtl !'; } ?&gt;</pre>	<div data-bbox="1666 718 2377 793">Résultat</div> 



# Simple `add_shortcode()`

Créer votre propre  
shortcode




	Functions.php / includes / plugin	Shortcode
1 2 3 4 5 6 7 8 9 10 11 12 13	<pre>&lt;?php  // Create the function for the shortcode function message_maker() {      return 'Hello WordCamp Mtl !';  }  // Register the Shortcode using the API add_shortcode('message' , 'message_maker' );  ?&gt;</pre>	<div data-bbox="1668 718 2377 793">Résultat</div> <div data-bbox="1668 793 2377 1375"></div>

# Simple `add_shortcode()`

Créer votre propre  
shortcode





	Functions.php / includes / plugin	Shortcode
1 2 3 4 5 6 7 8 9 10 11 12 13	<pre>&lt;?php // Create the function for the shortcode function message_maker() {     return 'Hello WordCamp Mtl !'; }  // Register the Shortcode using the API add_shortcode('message' , 'message_maker' ); ?&gt;</pre>	<div data-bbox="1661 386 2379 718"><p><code>[message]</code></p></div> <div data-bbox="1661 718 2379 1370"><p>Résultat</p></div>

# Simple `add_shortcode()`

Créer votre propre  
shortcode





	Functions.php / includes / plugin	Shortcode
1 2 3 4 5 6 7 8 9 10 11 12 13	<pre>&lt;?php  // Create the function for the shortcode function message_maker() {      return 'Hello WordCamp Mtl !';  }  // Register the Shortcode using the API add_shortcode('message' , 'message_maker' );  ?&gt;</pre>	<div data-bbox="1661 386 2379 718"><p><code>[message]</code></p></div> <div data-bbox="1661 718 2379 1375"><p>Résultat</p></div>

# Simple

Créer votre propre  
shortcode





	Functions.php / includes / plugin	Shortcode
1 2 3 4 5 6 7 8 9 10 11 12 13	<pre>&lt;?php  // Create the function for the shortcode function current_year() {      return date('Y');  }  // Register the Shortcode using the API add_shortcode('year' , 'current_year' );  ?&gt;</pre>	<div data-bbox="1666 718 2377 796">Résultat</div> <div data-bbox="1666 796 2377 1375"></div>

# Simple

Créer votre propre  
shortcode





	Functions.php / includes / plugin	Shortcode
1 2 3 4 5 6 7 8 9 10 11 12 13	<pre>&lt;?php  // Create the function for the shortcode function current_year() {      return date('Y');  }  // Register the Shortcode using the API add_shortcode('year' , 'current_year' );  ?&gt;</pre>	<div data-bbox="1666 718 2377 793">Résultat</div> <div data-bbox="1666 793 2377 1370"></div>

# Simple

Créer votre propre  
shortcode



	Functions.php / includes / plugin	Shortcode
1 2 3 4 5 6 7 8 9 10 11 12 13	<pre>&lt;?php  // Create the function for the shortcode function current_year() {      return date('Y');  }  // Register the Shortcode using the API add_shortcode('year' , 'current_year' );  ?&gt;</pre>	<div data-bbox="1661 386 2377 718"><p>[year]</p></div> <div data-bbox="1661 718 2377 1370"><p>Résultat</p></div>

# Les étapes

Créer votre propre  
shortcode



Simple

`add_shortcode()`

Paramétrable

`shortcode_atts()`

Flexible

`do_shortcode()`

Complexe

`ob_start()`





# Paramétrable `shortcode_atts()`

Créer votre propre  
shortcode





	Functions.php / includes / plugin	Shortcode
1 2 3 4 5 6 7 8 9	<pre>&lt;?php // Create the shortcode function function lorem_ipsum() {  }  // Register the Shortcode using the API add_shortcode( 'lorem' , 'lorem_ipsum' ); ?&gt;</pre>	<div data-bbox="1724 718 2379 792">Résultat</div> <div data-bbox="1724 792 2379 1370"></div>

# Paramétrable `shortcode_atts()`

Créer votre propre  
shortcode





 Functions.php / includes / plugin	Shortcode
<pre>1 &lt;?php 2 // Create the shortcode function 3 function lorem_ipsum( \$atts ) { 4 5     // Handling the Attributes 6     \$a = shortcode_atts( array( 7         'sentences' =&gt; 1 8     ), \$atts ); 9 10 } 11 // Register the Shortcode using the API 12 add_shortcode( 'lorem' , 'lorem_ipsum' ); 13 ?&gt;</pre>	<div data-bbox="1724 718 2379 792">Résultat</div> <div data-bbox="1724 792 2379 1375"></div>

# Paramétrable `shortcode_atts()`

Créer votre propre  
shortcode





 Functions.php / includes / plugin	Shortcode
<pre>1 &lt;?php 2 // Create the shortcode function 3 function lorem_ipsum( \$atts ) { 4 5     // Handling the Attributes 6     \$a = shortcode_atts( array( 7         'sentences' =&gt; 1 8     ), \$atts ); 9 10    // Get the Lorem Ipsum 11    \$lorem_ipsum = get_lorem_ipsum( \$a['sentences'] ); 12 13    return \$lorem_ipsum; 14 } 15 // Register the Shortcode using the API 16 add_shortcode( 'lorem' , 'lorem_ipsum' ); 17 ?&gt;</pre>	<div data-bbox="1730 718 2377 793">Résultat</div> <div data-bbox="1730 793 2377 1375"></div>

# Paramétrable `shortcode_atts()`

Créer votre propre  
shortcode





 Functions.php / includes / plugin	Shortcode
<pre>1 &lt;?php 2 // Create the shortcode function 3 function lorem_ipsum( \$atts ) { 4 5     // Handling the Attributes 6     \$a = shortcode_atts( array( 7         'sentences' =&gt; 1 8     ), \$atts ); 9 10    // Get the Lorem Ipsum 11    \$lorem_ipsum = get_lorem_ipsum( \$a['sentences'] ); 12 13    return \$lorem_ipsum; 14 } 15 // Register the Shortcode using the API 16 add_shortcode( 'lorem' , 'lorem_ipsum' ); 17 ?&gt;</pre>	<p><b>[lorem sentences="2"]</b></p> <p><b>Résultat</b></p> 

# Paramétrable `shortcode_atts()`

Créer votre propre  
shortcode




 Functions.php / includes / plugin	Shortcode
<pre>1 &lt;?php 2 // Create the shortcode function 3 function lorem_ipsum( \$atts ) { 4 5     // Handling the Attributes 6     \$a = shortcode_atts( array( 7         'sentences' =&gt; 1 8     ), \$atts ); 9 10    // Get the Lorem Ipsum 11    \$lorem_ipsum = get_lorem_ipsum( \$a['sentences'] ); 12 13    return \$lorem_ipsum; 14 } 15 // Register the Shortcode using the API 16 add_shortcode( 'lorem' , 'lorem_ipsum' ); 17 ?&gt;</pre>	<div data-bbox="1727 525 2372 711"><code>[lorem sentences="2"]</code></div> <div data-bbox="1727 716 2372 1370"><div data-bbox="1727 716 2372 796">Résultat</div><div data-bbox="1727 796 2372 1370"><p>Lorem ipsum dolor sit amet, consectetur adipiscing elit.</p><p>Aliter enim explicari, quod quaeritur, non potest.</p></div></div>

# Paramétrable `shortcode_atts()`

Créer votre propre  
shortcode



 Functions.php / includes / plugin	Shortcode
<pre>1 &lt;?php 2 // Create the shortcode function 3 function get_thumbnail( \$atts ) { 4     // Handling the Attributes 5     \$a = shortcode_atts( array( 6         'size' =&gt; 'thumbnail', 7         'class' =&gt; 'circle' 8     ), \$atts ); 9 10    // Get the Thumbnail 11    echo get_the_post_thumbnail( 12        get_option('page_on_front'), \$a['size'], 13        array( 'class' =&gt; \$a['class'] ) ); 14 } 15 // Register the Shortcode using the API 16 add_shortcode( 'thumbnail' , 'get_thumbnail' ); 17 ?&gt;</pre>	<div>Résultat</div> 

# Paramétrable `shortcode_atts()`

Créer votre propre  
shortcode



 Functions.php / includes / plugin	Shortcode
<pre>1 &lt;?php 2 // Create the shortcode function 3 function get_thumbnail( \$atts ) { 4     // Handling the Attributes 5     \$a = shortcode_atts( array( 6         'size' =&gt; 'thumbnail', 7         'class' =&gt; 'circle' 8     ), \$atts ); 9 10    // Get the Thumbnail 11    echo get_the_post_thumbnail( 12        get_option('page_on_front'), \$a['size'], 13        array( 'class' =&gt; \$a['class'] ) ); 14 } 15 // Register the Shortcode using the API 16 add_shortcode( 'thumbnail' , 'get_thumbnail' ); 17 ?&gt;</pre>	<div data-bbox="1732 496 2369 611"><p><b>[thumbnail size="medium" class="circle"]</b></p></div> <div data-bbox="1732 718 2369 1370"><p>Résultat</p></div>



# Paramétrable `shortcode_atts()`

Créer votre propre  
shortcode



 Functions.php / includes / plugin	Shortcode
<pre>1 &lt;?php 2 // Create the shortcode function 3 function get_thumbnail( \$atts ) { 4     // Handling the Attributes 5     \$a = shortcode_atts( array( 6         'size' =&gt; 'thumbnail', 7         'class' =&gt; 'circle' 8     ), \$atts ); 9 10    // Get the Thumbnail 11    echo get_the_post_thumbnail( 12        get_option('page_on_front'), \$a['size'], 13        array( 'class' =&gt; \$a['class'] ) ); 14 } 15 // Register the Shortcode using the API 16 add_shortcode( 'thumbnail' , 'get_thumbnail' ); 17 ?&gt;</pre>	<div data-bbox="1735 496 2364 611"><p><b>[thumbnail size="medium" class="circle"]</b></p></div> <div data-bbox="1735 732 2364 782"><p>Résultat</p></div> <div data-bbox="1735 796 2364 1368"></div>

# Les étapes

Créer votre propre  
shortcode



Simple

`add_shortcode()`

Paramétrable

`shortcode_atts()`

Flexible

`do_shortcode()`

Complexe



`ob_start()`



# Flexible \$content

Créer votre propre  
shortcode





	Functions.php / includes / plugin	Shortcode
1 2 3 4 5 6 7 8 9 10 11	<pre>&lt;?php // Create the function for the shortcode function message_maker( \$atts ) { }  // Register the Shortcode using the API add_shortcode('message' , 'message_maker' ); ?&gt;</pre>	<div data-bbox="1661 718 2379 792">Résultat</div> 

# Flexible `$content`

Créer votre propre  
shortcode





	Functions.php / includes / plugin	Shortcode
1 2 3 4 5 6 7 8 9 10 11 12 13 14	<pre>&lt;?php  // Create the function for the shortcode function message_maker( \$atts, \$content = null ) {      // Upper the \$content     return strtoupper(\$content);  }  // Register the Shortcode using the API add_shortcode( 'message' , 'message_maker' );  ?&gt;</pre>	<div data-bbox="1666 718 2377 796">Résultat</div> <div data-bbox="1666 796 2377 1375"></div>

# Flexible `$content`

Créer votre propre  
shortcode





	Functions.php / includes / plugin	Shortcode
1 2 3 4 5 6 7 8 9 10 11 12 13 14	<pre>&lt;?php  // Create the function for the shortcode function message_maker( \$atts, \$content = null ) {      // Upper the \$content     return strtoupper(\$content);  }  // Register the Shortcode using the API add_shortcode( 'message' , 'message_maker' );  ?&gt;</pre>	<div data-bbox="1666 391 2377 715"><pre>[message] tout ce paragraphe devrait être en lettres capitales [/message]</pre></div> <div data-bbox="1666 715 2377 796"><b>Résultat</b></div> <div data-bbox="1666 796 2377 1370"></div>

# Flexible `$content`

Créer votre propre  
shortcode





	Functions.php / includes / plugin	Shortcode
1 2 3 4 5 6 7 8 9 10 11 12 13 14	<pre>&lt;?php  // Create the function for the shortcode function message_maker( \$atts, \$content = null ) {      // Upper the \$content     return strtoupper(\$content);  }  // Register the Shortcode using the API add_shortcode( 'message' , 'message_maker' );  ?&gt;</pre>	<div data-bbox="1666 391 2377 718"><pre>[message] tout ce paragraphe devrait être en lettres capitales [/message]</pre></div> <div data-bbox="1666 718 2377 796"><b>Résultat</b></div> <div data-bbox="1666 796 2377 1370"></div>

# Inception ? `do_shortcode()`

Créer votre propre  
shortcode





	Functions.php / includes / plugin	Shortcode
1 2 3 4 5 6 7 8 9 10 11 12 13 14	<pre>&lt;?php  // Create the function for the shortcode function message_maker( \$atts, \$content = null ) {      // Upper the \$content     return strtoupper(do_shortcode(\$content));  }  // Register the Shortcode using the API add_shortcode('message' , 'message_maker' );  ?&gt;</pre>	<div data-bbox="1661 718 2377 793">Résultat</div> <div data-bbox="1661 793 2377 1370"></div>



# Inception ? `do_shortcode()`

Créer votre propre  
shortcode





	Functions.php / includes / plugin	Shortcode
1 2 3 4 5 6 7 8 9 10 11 12 13 14	<pre>&lt;?php // Create the function for the shortcode function message_maker( \$atts, \$content = null ) {     // Upper the \$content     return strtoupper(do_shortcode(\$content)); }  // Register the Shortcode using the API add_shortcode('message' , 'message_maker' );  ?&gt;</pre>	<div data-bbox="1668 391 2369 715"><pre>[message] Hello WordCamp Montreal [year] ! [/message]</pre></div> <div data-bbox="1668 715 2369 791"><b>Résultat</b></div> <div data-bbox="1668 791 2369 1366"></div>

# Inception ? `do_shortcode()`

Créer votre propre  
shortcode



	Functions.php / includes / plugin	Shortcode
1 2 3 4 5 6 7 8 9 10 11 12 13 14	<pre>&lt;?php // Create the function for the shortcode function message_maker( \$atts, \$content = null ) {     // Upper the \$content     return strtoupper(do_shortcode(\$content)); }  // Register the Shortcode using the API add_shortcode('message' , 'message_maker' ); ?&gt;</pre>	<div data-bbox="1661 386 2377 718"><pre>[message] Hello WordCamp Montreal [year] ! [/message]</pre></div> <div data-bbox="1661 718 2377 1370"><div>Résultat</div></div>

# Les étapes

Créer votre propre  
shortcode



Simple

`add_shortcode()`

Paramétrable

`shortcode_atts()`

Flexible

`do_shortcode()`

Complexe



`ob_start()`



# Complexe `ob_start()`

Créer votre propre  
shortcode




	Functions.php / includes / plugin	Shortcode
1 2 3 4 5	<pre>&lt;?php // Create the shortcode function function message_maker() { }</pre>	
6 7 8	<pre>// Register the Shortcode using the API add_shortcode('message' , 'message_maker' ); ?&gt;</pre>	<b>Résultat</b>
		

# Complexe `ob_start()`

Créer votre propre  
shortcode



	Functions.php / includes / plugin	Shortcode
1 2 3 4 5 6 7 8 9 10 11	<pre>&lt;?php // Create the shortcode function function message_maker() {      // Démarrage du buffer de sortie     ob_start();  } // Register the Shortcode using the API add_shortcode('message' , 'message_maker' ); ?&gt;</pre>	<div data-bbox="1801 718 2379 793">Résultat</div> <div data-bbox="1801 793 2379 1370"></div>

# Complexe `ob_start()`

Créer votre propre  
shortcode



	Functions.php / includes / plugin	Shortcode
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17	<pre>&lt;?php // Create the shortcode function function message_maker() {      // Démarrage du buffer de sortie     ob_start();     ?&gt;     &lt;ul&gt;         &lt;li&gt;Post title 1&lt;/li&gt;         &lt;li&gt;Post title 2&lt;/li&gt;     &lt;/ul&gt;     &lt;?php  }  // Register the Shortcode using the API add_shortcode('message' , 'message_maker' ); ?&gt;</pre>	<div data-bbox="1801 718 2379 796">Résultat</div> <div data-bbox="1801 796 2379 1375"></div>

# Complexe `ob_start()`

Créer votre propre  
shortcode



	Functions.php / includes / plugin	Shortcode
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17	<pre>&lt;?php // Create the shortcode function function message_maker() {      // Démarrage du buffer de sortie     ob_start();     ?&gt;     &lt;ul&gt;         &lt;li&gt;Post title 1&lt;/li&gt;         &lt;li&gt;Post title 2&lt;/li&gt;     &lt;/ul&gt;     &lt;?php      // Lecture du buffer et effacement     return ob_get_clean(); }</pre>	<div data-bbox="1801 718 2377 792">Résultat</div> <div data-bbox="1801 792 2377 1375"></div>

# Complexe `ob_start()`

Créer votre propre  
shortcode



	Functions.php / includes / plugin	Shortcode
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17	<pre>&lt;?php // Create the shortcode function function message_maker() {      // Démarrage du buffer de sortie     ob_start();     ?&gt;     &lt;ul&gt;         &lt;li&gt;Post title 1&lt;/li&gt;         &lt;li&gt;Post title 2&lt;/li&gt;     &lt;/ul&gt;     &lt;?php      // Lecture du buffer et effacement     return ob_get_clean(); }</pre>	<p data-bbox="1989 534 2186 576">[message]</p> <div data-bbox="1801 718 2379 1375"><div data-bbox="1801 718 2379 796">Résultat</div><div data-bbox="1801 796 2379 1375"></div></div>



# Complexe `ob_start()`

Créer votre propre  
shortcode





	Functions.php / includes / plugin	Shortcode
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17	<pre>&lt;?php // Create the shortcode function function message_maker() {      // Démarrage du buffer de sortie     ob_start();     ?&gt;     &lt;ul&gt;         &lt;li&gt;Post title 1&lt;/li&gt;         &lt;li&gt;Post title 2&lt;/li&gt;     &lt;/ul&gt;     &lt;?php      // Lecture du buffer et effacement     return ob_get_clean(); }</pre>	<p data-bbox="1989 534 2186 576">[message]</p> <div data-bbox="1803 718 2377 1375"><p data-bbox="1819 736 1982 779">Résultat</p><ul data-bbox="1918 1043 2181 1136" style="list-style-type: none"><li>• Post Title 1</li><li>• Post Title 2</li></ul></div>

# TOUT ! en un...

Créer votre propre  
shortcode



 Functions.php / includes / plugin	Shortcode
<pre>1 function show_posts( \$atts, \$content = null ) { 2     // Handling the Attributes 3     \$a = shortcode_atts( array( 4         'type' =&gt; 'projects' 5     ), \$atts ); 6 7     // Get the posts filtered by Post Type 8     \$query = new WP_Query( array( 'post_type' =&gt; \$a['type'] ) ); 9 10    ob_start(); 11    echo '&lt;h1&gt;'.do_shortcode(\$content).'&lt;/h1&gt;'; 12    // The WP Query Loop 13    while ( \$query-&gt;have_posts() ) { 14        \$query-&gt;the_post(); ?&gt; 15        &lt;!-- Build the HTML --&gt; 16        &lt;ul&gt; 17            &lt;li&gt;&lt;?php the_title(); ?&gt;&lt;/li&gt; 18        &lt;/ul&gt; 19        &lt;?php } 20        // Restore the Global \$post variable - Avoid WP Query inception conflict 21        wp_reset_postdata(); 22        return ob_get_clean(); 23    } 24    add_shortcode('posts' , 'show_posts' ); 25</pre>	<p data-bbox="1880 505 2303 658"><b>[posts type="projects"]</b> Mes derniers projets : <b>[/posts]</b></p> <div data-bbox="1801 718 2379 1348"><p data-bbox="1819 736 1982 775"><b>Résultat</b></p></div>



# Merci ! Thank you !

Montreal WordCamp 2015 | @MichaelBontyes



## Références

Wordpress Codex – Shortcode API

[https://codex.wordpress.org/Shortcode\\_API](https://codex.wordpress.org/Shortcode_API)

Presentation “How to create your own shortcode”

<https://github.com/michaelbontyes/Presentation-Create-Your-Own-Shortcode>



## Plugins

Shortcodes Ultimate for WordPress

<http://gndev.info/shortcodes-ultimate/>

<https://github.com/gndev/shortcodes-ultimate>



Including a custom  
shortcode maker  
API / Addon