



VIRTUAL BOX NAT NETWORK SETTING:




INDIVIDUAL VIRTUAL MACHINE USAGES:



Virtual Machine	Screenshot
Kali Linux	<p>The screenshot shows the 'KaliLinux - Settings' dialog box in Oracle VM VirtualBox Manager. The 'Network' tab is selected, and the 'Adapter 1' settings are visible:</p> <ul style="list-style-type: none"> <li><input checked="" type="checkbox"/> Enable Network Adapter</li> <li>Attached to: NAT Network</li> <li>Name: IAS</li> <li>Adapter Type: Intel PRO/1000 MT Desktop (82540EM)</li> <li>Promiscuous Mode: Deny</li> <li>MAC Address: 080027BB0713</li> <li><input checked="" type="checkbox"/> Virtual Cable Connected</li> </ul> <p>The 'Serial Ports' section is also visible at the bottom of the dialog box.</p>


Metasploitable 2 -  
Ubuntu




Metasploitable 3 -  
Ubuntu



IP ADDRESSES:		
IP Address	Virtual Machine	Screenshot
192.168.1.4	Kali Linux	
192.168.1.3	Metasploitable 2 - Ubuntu	

192.168.1.5	Metasploitable3 - Ubuntu	
-------------	--------------------------	---

KALI LINUX PINGING CONNECTIONS:

Virtual Machine	Screenshot
Metasploitable2 - Ubuntu	



Metasploitable  
3 - Ubuntu

