

sgCTRL
Y-depleted
Gained (FDR < 0.05)
Lost (FDR < 0.05)
TREAT |log2FC| > 0.5
a
chrY fragments per 10^6 non-Y fragments
1,288
1,407
1,308
61
58
62
Y-depleted mean 4.5% of sgCTRL
p11
p12
p21
sgCTRL
Y-depleted
b
PC2 (26.8%)
PC1 (43.0%)
84,510 tested regions
c
663 lost
95 gained
−log10 P value
log2 fold change (Y-depleted / sgCTRL)
FDR 0.05
PABPC5
HCN2
OR2Z1
ARID1B
MISP
ST8SIA6-AS1
PIGF
CNTN4
CIROZ
SMPD3
INSR
GALNTL6
ZNF525
ZFP28-DT
DDIT4-AS1
DCC
GLUL
ADAMTS2
d
Promoter (TSS ±2 kb)
Gene body
Intergenic
Tested, not significant (n = 83,752)
Gained (n = 95)
Lost (n = 663)
20%
53%
27%
18%
58%
24%
19%
54%
27%
Regions (%)
Fisher's exact test vs tested background: all BH-adjusted P ≥ 0.93
e
Regions (FDR < 0.05)
lost (n = 663)
median -1.55
|log2FC| > 1: 609
gained (n = 95)
median +0.98
|log2FC| > 1: 47
log2 fold change (Y-depleted / sgCTRL)
f
DCC
gained log2FC +2.21 FDR 0.013
DDIT4-AS1
gained log2FC +1.92 FDR 0.009
INSR
lost log2FC -2.09 FDR 0.016
CNTN4
lost log2FC -2.27 FDR 0.010
SMPD3
lost log2FC -1.98 FDR 0.011
Fragments per million non-Y fragments
sgCTRL
Y-depleted
LOC124909338
LOC124903705
chr18:52.34 Mb
chr10:72.29 Mb
chr19:7.29 Mb
chr3:2.09 Mb
chr16:68.44 Mb
2 kb