
a
BRAF alteration
BRAF inhibitors
TP53 alteration
MDM2 inhibitors
PRISM REP.PRIMARY
PLX 4720
P = 3.9e-06
n = 25/273
Idasanutlin
P = 1.4e-21
n = 216/87
PRISM REP.1M
Encorafenib
P = 9.5e-06
n = 34/455
Milademetan
P = 6.0e-32
n = 328/161
PRISM REP.300
Not tested
Not tested
PRISM secondary
Dabrafenib
P = 1.9e-04
n = 28/327
Idasanutlin
P = 3.3e-24
n = 244/117
GDSC1
Dabrafenib
P = 2.4e-05
n = 34/420
Nutlin-3a (-)
P = 5.6e-26
n = 346/155
GDSC2
Dabrafenib
P = 4.2e-05
n = 30/356
Rebemadlin
P = 3.1e-21
n = 275/123
CTRP v2
PLX 4720
P = 2.9e-07
n = 37/386
Rebemadlin
P = 3.0e-19
n = 298/123
Altered: more sensitive
Altered: less sensitive
30
20
10
0
−log10 nominal P
b
Shared compounds
0/352 at FDR <0.05; minimum FDR = 0.377
Tosedostat
ABT-737
Lenalidomide
GSK429286A
Nominal P = 0.05
Berzosertib
ETP-46464
VE-821
BEZ235
Ceralasertib
−log10 nominal P
Pooled LOY-associated response difference (SD)
c
Mechanism-of-action classes
0/218 at FDR <0.05; minimum FDR = 0.893
ATR mechanism groups:
1–3 compounds each;
not tested (minimum 5)
Tachykinin
antagonist
FGFR2; inhibitor
of FGFR1
Sodium channel
blocker
Nominal P = 0.05
−log10 nominal P
Mean signed drug-response t statistic
d
Target classes
0/385 at FDR <0.05; minimum FDR = 0.385
SLC12A1
SLC12A2
TRPV1
GPR35
Nominal P = 0.05
ATR
−log10 nominal P
Mean signed drug-response t statistic
Negative values in b–d indicate greater sensitivity in Y-negative models.