Draft | H3K27 marks and functions

20 signatures × 46 comparisons; rows clustered by enrichment pattern (average linkage; 1 − Pearson r)



Dot: FDR < 0.05 within the stated testing family. Grey ×: untested / unavailable. Colour limits: NES ±4.

Saved broad-screen FDR: thesis models. New focused-panel FDR: external Y, RPTEC and autosomal/p53 comparisons.

Draft | H3K4 marks and functions

13 signatures × 46 comparisons; rows clustered by enrichment pattern (average linkage; 1 − Pearson r)



Dot: FDR < 0.05 within the stated testing family. Grey ×: untested / unavailable. Colour limits: NES ±4.

Saved broad-screen FDR: thesis models. New focused-panel FDR: external Y, RPTEC and autosomal/p53 comparisons.

Draft | Signatures containing both H3K4 and H3K27

8 signatures × 46 comparisons; rows clustered by enrichment pattern (average linkage; 1 − Pearson r)



Dot: FDR < 0.05 within the stated testing family. Grey ×: untested / unavailable. Colour limits: NES ±4.
Saved broad-screen FDR: thesis models. New focused-panel FDR: external Y, RPTEC and autosomal/p53 comparisons.

Draft | PRC2 and H3K4 regulator signatures

23 signatures × 46 comparisons; rows clustered by enrichment pattern (average linkage; 1 − Pearson r)



Dot: FDR < 0.05 within the stated testing family. Grey ×: untested / unavailable. Colour limits: NES ±4.

Saved broad-screen FDR: thesis models. New focused-panel FDR: external Y, RPTEC and autosomal/p53 comparisons.