

a
Closed promoter (58)
Matched, not closed (116)
Δ = +0.71
BH 2.2e-4
Δ = +0.68
BH 7.9e-5
Δ = +0.54
BH 0.024
Δ = +0.17
BH 0.43
no UTY
difference
Change towards sgCTRL (log2)
8
6
4
2
0
−2
−4
UTY vs
untransduced
UTY+KDM5D vs
untransduced
UTY vs
KDM5D
KDM5D vs
untransduced
b
BH
UTY vs untransduced
2.2e-4
UTY+KDM5D vs untransduced
7.9e-5
UTY vs KDM5D
0.024
KDM5D vs untransduced
0.43
UTY vs vector
0.1
UTY+KDM5D vs vector
0.1
KDM5D vs vector
0.024
Untransduced vs vector
0.056
−1.0
−0.5
0.0
0.5
1.0
Closed − not closed, adjusted (log2)
c
BH
UTY vs untransduced
2.7e-22
UTY+KDM5D vs untransduced
3.1e-28
UTY vs KDM5D
5.3e-85
KDM5D vs untransduced
3.1e-28
UTY vs vector
1.5e-78
UTY+KDM5D vs vector
1.6e-86
KDM5D vs vector
2.3e-8
Untransduced vs vector
2.1e-19
−1.0
−0.5
0.0
0.5
Add-back log2FC per unit promoter
ATAC log2FC (13,008 genes)