
a
n
q ≈
Contributing genes
STAGA complex, SPT3-linked
5
5e-06
TAF6L, SUPT20H, ATXN7L3, TADA2B, TADA1
SREBF and miR33 in cholesterol and lipid homeostasis
3
0.0079
SREBF1, SREBF2, SIRT6
MODY HIPPOCAMPUS PRENATAL
3
0.11
TP53, EIF4A3, DDX19A
LINDGREN BLADDER CANCER CLUSTER 2A DN
4
0.151
ACSL4, KIF2A, STXBP1, RAB14
chromatin remodeling
6
0.938
TP53, KMT2D, TAF6L, SIRT6, BCORL1, TADA2B
Epigenetic regulation of adipogenesis genes by MLL3 and MLL4 complexes
3
1
KMT2D, MED12, AGPAT2
Focal adhesion PI3K Akt mTOR signaling
4
1
ITGB5, SREBF1, RAB14, PELO
epigenetic regulation of gene expression
4
1
TP53, KMT2D, SIRT6, BCORL1
negative regulation of transport
4
1
ACSL4, SREBF2, UBE2G2, SIRT6
positive regulation of protein-containing complex assembly
3
1
DDX3X, STXBP1, TP53
SCHAEFFER PROSTATE DEVELOPMENT 6HR DN
4
1
ITGB5, KIF2A, TP53, DOLPP1
0
1
2
3
4
5
−log10(Metascape q)
b
STAGA complex
SREBF / miR33 lipid homeostasis
TAF6L
SUPT20H
ATXN7L3
TADA2B
TADA1
SREBF1
SREBF2
SIRT6
drugZ depletion FDR < 0.05
0.05 ≤ drugZ depletion FDR < 0.1