
a
Hallmark GSEA · 50 sets
COMPLEMENT NES 1.59 FDR 0.0073
INFLAMMATORY RESPONSE NES 1.46 FDR 0.047
MYC TARGETS V1 NES −1.44 FDR 0.050
G2M CHECKPOINT NES −1.56 FDR 0.0084
E2F TARGETS NES −1.85 FDR 2.7 × 10□⁵
OXIDATIVE PHOSPHORYLATION NES −2.30 FDR 9.1 × 10□¹¹
b
Hallmark, Reactome, GO:BP and GO:CC GSEA · 5,880 sets · top 12 per direction
SAGA COMPLEX [GO:CC] NES 2.17 FDR 0.0037
FORMATION OF THE EMBRYONIC STEM CELL BAF ESBAF COMPLEX [Reactome] NES 2.17 FDR 0.0026
NEGATIVE REGULATION OF INTRACELLULAR PROTEIN TRANSPORT [GO:BP] NES 2.08 FDR 0.0097
SWI SNF COMPLEX [GO:CC] NES 2.06 FDR 0.0083
REGULATION OF DEFENSE RESPONSE TO BACTERIUM [GO:BP] NES 2.05 FDR 0.013
ATP DEPENDENT CHROMATIN REMODELERS [Reactome] NES 2.02 FDR 0.0090
CEREBRAL CORTEX NEURON DIFFERENTIATION [GO:BP] NES 1.96 FDR 0.031
NEGATIVE REGULATION OF INTRACELLULAR TRANSPORT [GO:BP] NES 1.96 FDR 0.0095
ENDOPLASMIC RETICULUM TO CYTOSOL TRANSPORT [GO:BP] NES 1.94 FDR 0.031
NEGATIVE REGULATION OF EXTRINSIC APOPTOTIC SIGNALING PATHWAY VIA DEATH DOMAIN RECEPTORS [GO:BP] NES 1.94 FDR 0.029
PROTEIN DNA COMPLEX DISASSEMBLY [GO:BP] NES 1.91 FDR 0.038
BRANCHING INVOLVED IN BLOOD VESSEL MORPHOGENESIS [GO:BP] NES 1.91 FDR 0.044
NADH DEHYDROGENASE COMPLEX ASSEMBLY [GO:BP] NES −2.68 FDR 3.6 × 10□⁸
NADH DEHYDROGENASE COMPLEX [GO:CC] NES −2.69 FDR 1.5 × 10□⁸
RIBOSOMAL SUBUNIT [GO:CC] NES −2.72 FDR 2.3 × 10□¹⁶
COMPLEX I BIOGENESIS [Reactome] NES −2.90 FDR 1.8 × 10□¹³
MITOCHONDRIAL SMALL RIBOSOMAL SUBUNIT [GO:CC] NES −2.97 FDR 3.5 × 10□¹³
MITOCHONDRIAL PROTEIN CONTAINING COMPLEX [GO:CC] NES −3.01 FDR 5.2 × 10□²⁴
MITOCHONDRIAL LARGE RIBOSOMAL SUBUNIT [GO:CC] NES −3.05 FDR 4.3 × 10□¹⁶
MITOCHONDRIAL TRANSLATION [GO:BP] NES −3.35 FDR 1.1 × 10□³⁰
MITOCHONDRIAL GENE EXPRESSION [GO:BP] NES −3.39 FDR 2.0 × 10□³⁵
ORGANELLAR RIBOSOME [GO:CC] NES −3.43 FDR 3.2 × 10□²⁹
MITOCHONDRIAL TRANSLATION ELONGATION [Reactome] NES −3.44 FDR 4.9 × 10□³⁰
MITOCHONDRIAL TRANSLATION [Reactome] NES −3.45 FDR 2.7 × 10□³¹
c
Metascape · 48 drugZ depletion candidates
n
q ≈
STAGA complex, SPT3-linked
TAF6L, TAF5L, SUPT20H, ATXN7L3, TADA2B, TADA1
6 1.6 × 10□⁷
SREBF / miR33 cholesterol and lipid homeostasis
SREBF1, SREBF2, SIRT6
3 0.013
PID P53 downstream pathway
CREBBP, DUSP5, SMARCA4, TP53, TADA2B
5 0.032
LINDGREN bladder cancer cluster 2A DN
ACSL4, KIF2A, STXBP1, RAB14, RIC1
5 0.032
Regulation of stem-cell population maintenance
SMARCA4, TAF6L, TAF5L, SIRT6
4 0.032
Nucleic acid conformation isomerase activity
DDX3X, SMARCA4, TP53, EIF4A3, DDX19A
5 0.032
0 2 4 6
−log□□(Metascape q)
d
Metascape · 45 IsogenicZ depletion candidates
n
q ≈
STAGA complex, SPT3-linked
TAF6L, TAF5L, SUPT20H, ATXN7L3, TADA2B, TADA1
6 1.0 × 10□⁷
SREBF / miR33 cholesterol and lipid homeostasis
SREBF1, SREBF2, SIRT6
3 0.01
BENPORATH MYC/MAX target-gene signature
DDX3X, EIF2S1, KIF11, MGAT2, SDF2, SREBF2, UBE2G2, RNPS1, RAB3GAP2, SCLY
10 0.013
Regulation of stem-cell population maintenance
SMARCA4, TAF6L, TAF5L, SIRT6
4 0.025
0 2 4 6
−log□□(Metascape q)
NES (a, b)
−3
0
3
resistor
sensitizer
|NES|
1.5 2.0 2.5 3.0 3.5