



ANDROID STATIC ANALYSIS REPORT

app_icon

 MASTG-TEST0013 (1.0)

File Name: MASTG-TEST0013.apk

Package Name: com.example.mastg_test0013

Scan Date: April 10, 2026, 4:10 a.m.

App Security Score: 36/100 (HIGH RISK)

Grade:



FINDINGS SEVERITY

 HIGH	 MEDIUM	 INFO	 SECURE	 HOTSPOT
3	2	1	1	0

FILE INFORMATION

File Name: MASTG-TEST0013.apk

Size: 4.39MB

MD5: 011c7abb7df436074332d99e997e2c64

SHA1: 6f88a9b89042d0fcb453790eee1755963050206d

SHA256: 59bb55a851365e7a3d4399bbb8e46d5df2f063df7e80aa9afe70aa6cb1ab64a3

APP INFORMATION

App Name: MASTG-TEST0013

Package Name: com.example.mastg_test0013

Main Activity: com.example.mastg_test0013.MainActivity

Target SDK: 34

Min SDK: 26

Max SDK:

Android Version Name: 1.0

Android Version Code: 1

APP COMPONENTS

Activities: 2

Services: 0

Receivers: 1

Providers: 1

Exported Activities: 0

Exported Services: 0

Exported Receivers: 1

Exported Providers: 0

CERTIFICATE INFORMATION

Binary is not signed

Missing certificate

v1 signature: False

v2 signature: False

v3 signature: False

v4 signature: False

APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
com.example.mastg_test0013.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	unknown	Unknown permission	Unknown permission from android reference

APKID ANALYSIS

FILE	DETAILS	
classes.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MANUFACTURER check
	Compiler	r8

 NETWORK SECURITY

NO	SCOPE	SEVERITY	DESCRIPTION
----	-------	----------	-------------

 CERTIFICATE ANALYSIS

HIGH: 1 | WARNING: 0 | INFO: 0

TITLE	SEVERITY	DESCRIPTION
Missing Code Signing certificate	high	Code signing certificate not found

 MANIFEST ANALYSIS

HIGH: 0 | WARNING: 2 | INFO: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	DESCRIPTION
1	App can be installed on a vulnerable Android version 8.0, minSdk=26]	warning	This application can be installed on an older version of android that has multiple vulnerabilities. Support an Android version => 10, API 29 to receive reasonable security updates.
2	Broadcast Receiver (androidx.profileinstaller.ProfileInstallReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

</> CODE ANALYSIS

HIGH: 2 | WARNING: 0 | INFO: 1 | SECURE: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	STANDARDS	FILES
1	The App logs information. Sensitive information should never be logged.	info	CWE: CWE-532: Insertion of Sensitive Information into Log File OWASP MASVS: MSTG-STORAGE-3	com/example/mastg_test0013/Decrypt.java com/example/mastg_test0013/MainActivity.java
2	Calling Cipher.getInstance("AES") will return AES ECB mode by default. ECB mode is known to be weak as it results in the same ciphertext for identical blocks of plaintext.	high	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-2	com/example/mastg_test0013/Decrypt.java com/example/mastg_test0013/MainActivity.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
3	Weak Encryption algorithm used	high	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	com/example/mastg_test0013/Decrypt.java com/example/mastg_test0013/MainActivity.java

NIAP ANALYSIS v1.3

NO	IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION
----	------------	-------------	---------	-------------

ABUSED PERMISSIONS

TYPE	MATCHES	PERMISSIONS
Malware Permissions	0/25	
Other Common Permissions	0/44	

Malware Permissions:

Top permissions that are widely abused by known malware.

Other Common Permissions:

Permissions that are commonly abused by known malware.

SCAN LOGS

Timestamp	Event	Error
2026-04-10 04:10:41	Generating Hashes	OK
2026-04-10 04:10:41	Extracting APK	OK
2026-04-10 04:10:41	Unzipping	OK
2026-04-10 04:10:42	Parsing APK with androguard	OK
2026-04-10 04:10:44	Extracting APK features using aapt/aapt2	OK
2026-04-10 04:10:45	Getting Hardcoded Certificates/Keystores	OK
2026-04-10 04:10:54	Parsing AndroidManifest.xml	OK
2026-04-10 04:10:54	Extracting Manifest Data	OK
2026-04-10 04:10:54	Manifest Analysis Started	OK
2026-04-10 04:10:54	Performing Static Analysis on: MASTG-TEST0013 (com.example.mastg_test0013)	OK

2026-04-10 04:10:56	Fetching Details from Play Store: com.example.mastg_test0013	OK
2026-04-10 04:10:56	Checking for Malware Permissions	OK
2026-04-10 04:10:56	Fetching icon path	OK
2026-04-10 04:10:56	Library Binary Analysis Started	OK
2026-04-10 04:10:56	Reading Code Signing Certificate	OK
2026-04-10 04:10:57	Running APKiD 3.0.0	OK
2026-04-10 04:11:01	Detecting Trackers	OK
2026-04-10 04:11:03	Decompiling APK to Java with JADX	OK
2026-04-10 04:11:48	Converting DEX to Smali	OK
2026-04-10 04:11:48	Code Analysis Started on - java_source	OK
2026-04-10 04:11:48	Android SBOM Analysis Completed	OK

2026-05-10 04:11:58	Android SAST Completed	OK
2026-04-10 04:11:58	Android API Analysis Started	OK
2026-04-10 04:12:04	Android API Analysis Completed	OK
2026-04-10 04:12:05	Android Permission Mapping Started	OK
2026-04-10 04:12:05	Android Permission Mapping Completed	OK
2026-04-10 04:12:05	Android Behaviour Analysis Started	OK
2026-04-10 04:12:13	Android Behaviour Analysis Completed	OK
2026-04-10 04:12:13	Extracting Emails and URLs from Source Code	OK
2026-04-10 04:12:14	Email and URL Extraction Completed	OK
2026-04-10 04:12:14	Extracting String data from APK	OK
2026-04-10 04:12:15	Extracting String data from Code	OK

2026-04-10 04:12:15	Extracting String values and entropies from Code	OK
2026-04-10 04:12:16	Performing Malware check on extracted domains	OK
2026-04-10 04:12:16	Saving to Database	OK

Report Generated by - MobSF v4.5.0

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

© 2026 Mobile Security Framework - MobSF | [Ajin Abraham](#) | [OpenSecurity](#).



ANDROID STATIC ANALYSIS REPORT

app_icon

 MASTG-TEST0031 (1.0)


File Name: MASTG-TEST0031.apk

Package Name: com.example.mastg_test0031

Scan Date: May 10, 2026, 6:02 a.m.

App Security Score: 42/100 (MEDIUM RISK)

Grade:



FINDINGS SEVERITY

 HIGH	 MEDIUM	 INFO	 SECURE	 HOTSPOT
2	1	1	1	0

FILE INFORMATION

File Name: MASTG-TEST0031.apk

Size: 4.48MB

MD5: e7f1772be003375116d78cc40108bbd8

SHA1: d3d2da828dc423d4ff58ccb2f1ed559642de93c7

SHA256: d4bc9e51728345b5e52c860e1f5693b08df1288676d870f25fdbcb60b79ce610c

APP INFORMATION

App Name: MASTG-TEST0031

Package Name: com.example.mastg_test0031

Main Activity: com.example.mastg_test0031.MainActivity

Target SDK: 33

Min SDK: 24

Max SDK:

Android Version Name: 1.0

Android Version Code: 1

APP COMPONENTS

Activities: 1

Services: 0

Receivers: 1

Providers: 1

Exported Activities: 0

Exported Services: 0

Exported Receivers: 1

Exported Providers: 0

CERTIFICATE INFORMATION

Binary is signed

v1 signature: False

v2 signature: True

v3 signature: True

v4 signature: False

X.509 Subject: C=US, ST=US, L=US, O=US, OU=Android, CN=Android Debug

Signature Algorithm: rsassa_pkcs1v15

Valid From: 2016-10-23 20:10:05+00:00

Valid To: 2044-03-10 20:10:05+00:00

Issuer: C=US, ST=US, L=US, O=US, OU=Android, CN=Android Debug

Serial Number: 0x56c1a15

Hash Algorithm: sha256

md5: ffd6314a83f267ac4f9407fd2e5a0480

sha1: 5d08264b44e0e53fbccc70b4f016474cc6c5ab5c

sha256: 1e08a903aef9c3a721510b64ec764d01d3d094eb954161b62544ea8f187b5953

sha512: 428b549823a4f3010218b270db81b8dea32f9115edcf58898a38839826ed3a5ece86fe792c4e0db47aab7c940e3968220bb16dfcca36052070d6e6ab2c482b96

PublicKey Algorithm: rsa

Bit Size: 2048

Fingerprint: 5ae9c127f99536cc5371c0a638c92ffcd60c770d30ddc58bd1721fba7e0d321f

Found 1 unique certificates

 APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.INTERNET	normal	full Internet access	Allows an application to create network sockets.
com.example.mastg_test0031.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	unknown	Unknown permission	Unknown permission from android reference

 APKID ANALYSIS

FILE	DETAILS	
classes.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MANUFACTURER check
	Compiler	r8

 NETWORK SECURITY

NO	SCOPE	SEVERITY	DESCRIPTION
----	-------	----------	-------------

CERTIFICATE ANALYSIS

HIGH: 1 | WARNING: 0 | INFO: 1

TITLE	SEVERITY	DESCRIPTION
Signed Application	info	Application is signed with a code signing certificate
Application signed with debug certificate	high	Application signed with a debug certificate. Production application must not be shipped with a debug certificate.

MANIFEST ANALYSIS

HIGH: 1 | WARNING: 1 | INFO: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	DESCRIPTION
1	App can be installed on a vulnerable unpatched Android version 7.0, [minSdk=24]	high	This application can be installed on an older version of android that has multiple unfixed vulnerabilities. These devices won't receive reasonable security updates from Google. Support an Android version => 10, API 29 to receive reasonable security updates.
2	Broadcast Receiver (androidx.profileinstaller.ProfileInstallReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

CODE ANALYSIS

HIGH: 0 | WARNING: 0 | INFO: 1 | SECURE: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	STANDARDS	FILES
1	The App logs information. Sensitive information should never be logged.	info	CWE: CWE-532: Insertion of Sensitive Information into Log File OWASP MASVS: MSTG-STORAGE-3	com/example/mastg_test0031/MainActivity.java

NIAP ANALYSIS v1.3

NO	IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION
----	------------	-------------	---------	-------------

ABUSED PERMISSIONS

TYPE	MATCHES	PERMISSIONS
Malware Permissions	1/25	android.permission.INTERNET
Other Common Permissions	0/44	

Malware Permissions:

Top permissions that are widely abused by known malware.

Other Common Permissions:

Permissions that are commonly abused by known malware.

SCAN LOGS

Timestamp	Event	Error
2026-05-10 06:02:56	Generating Hashes	OK
2026-05-10 06:02:56	Extracting APK	OK
2026-05-10 06:02:56	Unzipping	OK
2026-05-10 06:02:57	Parsing APK with androguard	OK
2026-05-10 06:02:57	Extracting APK features using aapt/aapt2	OK
2026-05-10 06:02:58	Getting Hardcoded Certificates/Keystores	OK
2026-05-10 06:03:02	Parsing AndroidManifest.xml	OK
2026-05-10 06:03:02	Extracting Manifest Data	OK
2026-05-10 06:03:02	Manifest Analysis Started	OK
2026-05-10 06:03:02	Performing Static Analysis on: MASTG-TEST0031 (com.example.mastg_test0031)	OK

2026-05-10 06:03:04	Fetching Details from Play Store: com.example.mastg_test0031	OK
2026-05-10 06:03:05	Checking for Malware Permissions	OK
2026-05-10 06:03:05	Fetching icon path	OK
2026-05-10 06:03:05	Library Binary Analysis Started	OK
2026-05-10 06:03:05	Reading Code Signing Certificate	OK
2026-05-10 06:03:06	Running APKiD 3.0.0	OK
2026-05-10 06:03:10	Detecting Trackers	OK
2026-05-10 06:03:13	Decompiling APK to Java with JADX	OK
2026-05-10 06:03:55	Converting DEX to Smali	OK
2026-05-10 06:03:55	Code Analysis Started on - java_source	OK
2026-05-10 06:03:56	Android SBOM Analysis Completed	OK

2026-05-10 06:04:04	Android SAST Completed	OK
2026-05-10 06:04:04	Android API Analysis Started	OK
2026-05-10 06:04:10	Android API Analysis Completed	OK
2026-05-10 06:04:10	Android Permission Mapping Started	OK
2026-05-10 06:04:14	Android Permission Mapping Completed	OK
2026-05-10 06:04:15	Android Behaviour Analysis Started	OK
2026-05-10 06:04:19	Android Behaviour Analysis Completed	OK
2026-05-10 06:04:19	Extracting Emails and URLs from Source Code	OK
2026-05-10 06:04:19	Email and URL Extraction Completed	OK
2026-05-10 06:04:19	Extracting String data from APK	OK
2026-05-10 06:04:19	Extracting String data from Code	OK

2026-05-10 06:04:19	Extracting String values and entropies from Code	OK
2026-05-10 06:04:20	Performing Malware check on extracted domains	OK
2026-05-10 06:04:21	Saving to Database	OK

Report Generated by - MobSF v4.5.0

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

© 2026 Mobile Security Framework - MobSF | [Ajin Abraham](#) | [OpenSecurity](#).



ANDROID STATIC ANALYSIS REPORT

app_icon

 MASTG-TEST0030 (1.0)


File Name: MASTG-TEST0030.apk

Package Name: com.example.mastg_test0030

Scan Date: May 10, 2026, 6:01 a.m.

App Security Score: 55/100 (MEDIUM RISK)

Grade:



FINDINGS SEVERITY

 HIGH	 MEDIUM	 INFO	 SECURE	 HOTSPOT
1	2	0	1	1

FILE INFORMATION

File Name: MASTG-TEST0030.apk

Size: 4.44MB

MD5: d0cecc6e9c08018f806ae5942f5471e4

SHA1: 7e2b6b9f02efc56a544aac7d9156122f249ddcc7

SHA256: 13ff164f2ea468794c0873b5f74f1a7427916b49adb69034e866b97b3106b96d

APP INFORMATION

App Name: MASTG-TEST0030

Package Name: com.example.mastg_test0030

Main Activity: com.example.mastg_test0030.MainActivity

Target SDK: 34

Min SDK: 26

Max SDK:

Android Version Name: 1.0

Android Version Code: 1

APP COMPONENTS

Activities: 1

Services: 0

Receivers: 1

Providers: 1

Exported Activities: 0

Exported Services: 0

Exported Receivers: 1

Exported Providers: 0

CERTIFICATE INFORMATION

Binary is signed

v1 signature: False

v2 signature: True

v3 signature: True

v4 signature: False

X.509 Subject: C=US, ST=US, L=US, O=US, OU=Android, CN=Android Debug

Signature Algorithm: rsassa_pkcs1v15

Valid From: 2016-10-23 20:10:05+00:00

Valid To: 2044-03-10 20:10:05+00:00

Issuer: C=US, ST=US, L=US, O=US, OU=Android, CN=Android Debug

Serial Number: 0x56c1a15

Hash Algorithm: sha256

md5: ffd6314a83f267ac4f9407fd2e5a0480

sha1: 5d08264b44e0e53fbccc70b4f016474cc6c5ab5c

sha256: 1e08a903aef9c3a721510b64ec764d01d3d094eb954161b62544ea8f187b5953

sha512: 428b549823a4f3010218b270db81b8dea32f9115edcf58898a38839826ed3a5ece86fe792c4e0db47aab7c940e3968220bb16dfcca36052070d6e6ab2c482b96

PublicKey Algorithm: rsa

Bit Size: 2048

Fingerprint: 5ae9c127f99536cc5371c0a638c92ffcd60c770d30ddc58bd1721fba7e0d321f

Found 1 unique certificates

APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.CALL_PHONE	dangerous	directly call phone numbers	Allows the application to call phone numbers without your intervention. Malicious applications may cause unexpected calls on your phone bill. Note that this does not allow the application to call emergency numbers.
android.permission.POST_NOTIFICATIONS	dangerous	allows an app to post notifications.	Allows an app to post notifications
com.example.mastg_test0030.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	unknown	Unknown permission	Unknown permission from android reference

APKID ANALYSIS

FILE	DETAILS	
classes.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MANUFACTURER check
	Compiler	r8

NETWORK SECURITY

NO	SCOPE	SEVERITY	DESCRIPTION
----	-------	----------	-------------

CERTIFICATE ANALYSIS

HIGH: 1 | WARNING: 0 | INFO: 1

TITLE	SEVERITY	DESCRIPTION
Signed Application	info	Application is signed with a code signing certificate
Application signed with debug certificate	high	Application signed with a debug certificate. Production application must not be shipped with a debug certificate.

MANIFEST ANALYSIS

HIGH: 0 | WARNING: 2 | INFO: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	DESCRIPTION
1	App can be installed on a vulnerable Android version 8.0, minSdk=26]	warning	This application can be installed on an older version of android that has multiple vulnerabilities. Support an Android version => 10, API 29 to receive reasonable security updates.

NO	ISSUE	SEVERITY	DESCRIPTION
2	Broadcast Receiver (androidx.profileinstaller.ProfileInstallReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

</> CODE ANALYSIS

NO	ISSUE	SEVERITY	STANDARDS	FILES
----	-------	----------	-----------	-------

👤 NIAP ANALYSIS v1.3

NO	IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION
----	------------	-------------	---------	-------------

🔴🔴🔴 ABUSED PERMISSIONS

TYPE	MATCHES	PERMISSIONS
Malware Permissions	0/25	

TYPE	MATCHES	PERMISSIONS
Other Common Permissions	1/44	android.permission.CALL_PHONE

Malware Permissions:

Top permissions that are widely abused by known malware.

Other Common Permissions:

Permissions that are commonly abused by known malware.

 SCAN LOGS

Timestamp	Event	Error
2026-05-10 06:01:04	Generating Hashes	OK
2026-05-10 06:01:04	Extracting APK	OK
2026-05-10 06:01:04	Unzipping	OK
2026-05-10 06:01:05	Parsing APK with androguard	OK
2026-05-10 06:01:05	Extracting APK features using aapt/aapt2	OK

2026-05-10 06:01:05	Getting Hardcoded Certificates/Keystores	OK
2026-05-10 06:01:09	Parsing AndroidManifest.xml	OK
2026-05-10 06:01:09	Extracting Manifest Data	OK
2026-05-10 06:01:09	Manifest Analysis Started	OK
2026-05-10 06:01:09	Performing Static Analysis on: MASTG-TEST0030 (com.example.mastg_test0030)	OK
2026-05-10 06:01:11	Fetching Details from Play Store: com.example.mastg_test0030	OK
2026-05-10 06:01:12	Checking for Malware Permissions	OK
2026-05-10 06:01:12	Fetching icon path	OK
2026-05-10 06:01:12	Library Binary Analysis Started	OK
2026-05-10 06:01:12	Reading Code Signing Certificate	OK
2026-05-10 06:01:13	Running APKiD 3.0.0	OK

2026-05-10 06:01:17	Detecting Trackers	OK
2026-05-10 06:01:19	Decompiling APK to Java with JADX	OK
2026-05-10 06:01:59	Converting DEX to Smali	OK
2026-05-10 06:01:59	Code Analysis Started on - java_source	OK
2026-05-10 06:02:00	Android SBOM Analysis Completed	OK
2026-05-10 06:02:08	Android SAST Completed	OK
2026-05-10 06:02:09	Android API Analysis Started	OK
2026-05-10 06:02:15	Android API Analysis Completed	OK
2026-05-10 06:02:16	Android Permission Mapping Started	OK
2026-05-10 06:02:19	Android Permission Mapping Completed	OK
2026-05-10 06:02:20	Android Behaviour Analysis Started	OK

2026-05-10 06:02:24	Android Behaviour Analysis Completed	OK
2026-05-10 06:02:24	Extracting Emails and URLs from Source Code	OK
2026-05-10 06:02:24	Email and URL Extraction Completed	OK
2026-05-10 06:02:24	Extracting String data from APK	OK
2026-05-10 06:02:25	Extracting String data from Code	OK
2026-05-10 06:02:25	Extracting String values and entropies from Code	OK
2026-05-10 06:02:26	Performing Malware check on extracted domains	OK
2026-05-10 06:02:26	Saving to Database	OK

Report Generated by - MobSF v4.5.0

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

© 2026 Mobile Security Framework - MobSF | [Ajin Abraham](#) | [OpenSecurity](#).



ANDROID STATIC ANALYSIS REPORT

app_icon

 MASTG-TEST0028 (1.0)


File Name: MASTG-TEST0028.apk

Package Name: com.example.mastg_test0028

Scan Date: May 10, 2026, 5:58 a.m.

App Security Score: 53/100 (MEDIUM RISK)

Grade:



FINDINGS SEVERITY

 HIGH	 MEDIUM	 INFO	 SECURE	 HOTSPOT
1	4	1	1	0

FILE INFORMATION

File Name: MASTG-TEST0028.apk

Size: 4.47MB

MD5: a1ec94b189b233e67fa2bb20cb72e177

SHA1: ad90c7e5ee4029d16c9d5def4a8eedc880046a48

SHA256: 4d02341146686d7671637a2fd98201eccc4512deaad86cbadb52b6035addc454

APP INFORMATION

App Name: MASTG-TEST0028

Package Name: com.example.mastg_test0028

Main Activity: com.example.mastg_test0028.MainActivity

Target SDK: 34

Min SDK: 26

Max SDK:

Android Version Name: 1.0

Android Version Code: 1

APP COMPONENTS

Activities: 2

Services: 0

Receivers: 1

Providers: 1

Exported Activities: 1

Exported Services: 0

Exported Receivers: 1

Exported Providers: 0

CERTIFICATE INFORMATION

Binary is signed

v1 signature: False

v2 signature: True

v3 signature: True

v4 signature: False

X.509 Subject: C=US, ST=US, L=US, O=US, OU=Android, CN=Android Debug

Signature Algorithm: rsassa_pkcs1v15

Valid From: 2016-10-23 20:10:05+00:00

Valid To: 2044-03-10 20:10:05+00:00

Issuer: C=US, ST=US, L=US, O=US, OU=Android, CN=Android Debug

Serial Number: 0x56c1a15

Hash Algorithm: sha256

md5: ffd6314a83f267ac4f9407fd2e5a0480

sha1: 5d08264b44e0e53fbccc70b4f016474cc6c5ab5c

sha256: 1e08a903aef9c3a721510b64ec764d01d3d094eb954161b62544ea8f187b5953

sha512: 428b549823a4f3010218b270db81b8dea32f9115edcf58898a38839826ed3a5ece86fe792c4e0db47aab7c940e3968220bb16dfcca36052070d6e6ab2c482b96

PublicKey Algorithm: rsa

Bit Size: 2048

Fingerprint: 5ae9c127f99536cc5371c0a638c92ffcd60c770d30ddc58bd1721fba7e0d321f

Found 1 unique certificates

 APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.INTERNET	normal	full Internet access	Allows an application to create network sockets.
com.example.mastg_test0028.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	unknown	Unknown permission	Unknown permission from android reference

 APKID ANALYSIS

FILE	DETAILS	
classes.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MANUFACTURER check
	Compiler	r8

 BROWSABLE ACTIVITIES

ACTIVITY	INTENT
com.example.mastg_test0028.WebViewActivity	Schemes: mastg-test0028://, Hosts: com.mastg-test0028,

NETWORK SECURITY

NO	SCOPE	SEVERITY	DESCRIPTION
----	-------	----------	-------------

CERTIFICATE ANALYSIS

HIGH: 1 | WARNING: 0 | INFO: 1

TITLE	SEVERITY	DESCRIPTION
Signed Application	info	Application is signed with a code signing certificate
Application signed with debug certificate	high	Application signed with a debug certificate. Production application must not be shipped with a debug certificate.

MANIFEST ANALYSIS

HIGH: 0 | WARNING: 3 | INFO: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	DESCRIPTION
1	App can be installed on a vulnerable Android version 8.0, minSdk=26]	warning	This application can be installed on an older version of android that has multiple vulnerabilities. Support an Android version => 10, API 29 to receive reasonable security updates.
2	Activity (com.example.mastg_test0028.WebViewActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
3	Broadcast Receiver (androidx.profileinstaller.ProfileInstallReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

</> CODE ANALYSIS

HIGH: 0 | WARNING: 1 | INFO: 1 | SECURE: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	STANDARDS	FILES
1	Ensure that user controlled URLs never reaches the Webview. Enabling file access from URLs in WebView can leak sensitive information from the file system.	warning	CWE: CWE-200: Information Exposure OWASP Top 10: M1: Improper Platform Usage OWASP MASVS: MSTG-PLATFORM-7	com/example/mastg_test0028/WebViewActivity.java
2	The App logs information. Sensitive information should never be logged.	info	CWE: CWE-532: Insertion of Sensitive Information into Log File OWASP MASVS: MSTG-STORAGE-3	com/example/mastg_test0028/MainActivity.java

NIAP ANALYSIS v1.3

NO	IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION
----	------------	-------------	---------	-------------

BEHAVIOUR ANALYSIS

RULE ID	BEHAVIOUR	LABEL	FILES
00013	Read file and put it into a stream	file	com/example/mastg_test0028/MainActivity.java

ABUSED PERMISSIONS

TYPE	MATCHES	PERMISSIONS
Malware Permissions	1/25	android.permission.INTERNET
Other Common Permissions	0/44	

Malware Permissions:

Top permissions that are widely abused by known malware.

Other Common Permissions:

Permissions that are commonly abused by known malware.

OFAC SANCTIONED COUNTRIES

This app may communicate with the following OFAC sanctioned list of countries.

DOMAIN	COUNTRY/REGION
--------	----------------

DOMAIN MALWARE CHECK

DOMAIN	STATUS	GEOLOCATION
www.example.com	ok	IP: 104.20.23.154 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map

SCAN LOGS

Timestamp	Event	Error
2026-05-10 05:58:52	Generating Hashes	OK
2026-05-10 05:58:52	Extracting APK	OK
2026-05-10 05:58:52	Unzipping	OK

2026-05-10 05:58:52	Parsing APK with androguard	OK
2026-05-10 05:58:52	Extracting APK features using aapt/aapt2	OK
2026-05-10 05:58:52	Getting Hardcoded Certificates/Keystores	OK
2026-05-10 05:58:56	Parsing AndroidManifest.xml	OK
2026-05-10 05:58:56	Extracting Manifest Data	OK
2026-05-10 05:58:56	Manifest Analysis Started	OK
2026-05-10 05:58:56	Performing Static Analysis on: MASTG-TEST0028 (com.example.mastg_test0028)	OK
2026-05-10 05:58:58	Fetching Details from Play Store: com.example.mastg_test0028	OK
2026-05-10 05:58:59	Checking for Malware Permissions	OK
2026-05-10 05:58:59	Fetching icon path	OK
2026-05-10 05:58:59	Library Binary Analysis Started	OK

2026-05-10 05:58:59	Reading Code Signing Certificate	OK
2026-05-10 05:59:00	Running APKiD 3.0.0	OK
2026-05-10 05:59:04	Detecting Trackers	OK
2026-05-10 05:59:05	Decompiling APK to Java with JADX	OK
2026-05-10 05:59:45	Converting DEX to Smali	OK
2026-05-10 05:59:45	Code Analysis Started on - java_source	OK
2026-05-10 05:59:46	Android SBOM Analysis Completed	OK
2026-05-10 05:59:59	Android SAST Completed	OK
2026-05-10 05:59:59	Android API Analysis Started	OK
2026-05-10 06:00:06	Android API Analysis Completed	OK
2026-05-10 06:00:07	Android Permission Mapping Started	OK

2026-05-10 06:00:11	Android Permission Mapping Completed	OK
2026-05-10 06:00:12	Android Behaviour Analysis Started	OK
2026-05-10 06:00:15	Android Behaviour Analysis Completed	OK
2026-05-10 06:00:15	Extracting Emails and URLs from Source Code	OK
2026-05-10 06:00:16	Email and URL Extraction Completed	OK
2026-05-10 06:00:16	Extracting String data from APK	OK
2026-05-10 06:00:16	Extracting String data from Code	OK
2026-05-10 06:00:16	Extracting String values and entropies from Code	OK
2026-05-10 06:00:17	Performing Malware check on extracted domains	OK
2026-05-10 06:00:22	Saving to Database	OK

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

© 2026 Mobile Security Framework - MobSF | [Ajin Abraham](#) | [OpenSecurity](#).



ANDROID STATIC ANALYSIS REPORT

app_icon

 MASTG-TEST0027 (1.0)


File Name: MASTG-TEST0027.apk

Package Name: com.example.mastg_test0027

Scan Date: May 10, 2026, 5:56 a.m.

App Security Score: 44/100 (MEDIUM RISK)

Grade:



FINDINGS SEVERITY

 HIGH	 MEDIUM	 INFO	 SECURE	 HOTSPOT
2	2	1	1	0

FILE INFORMATION

File Name: MASTG-TEST0027.apk

Size: 5.38MB

MD5: 3af007f5f3ba6e463965be82c10c75bd

SHA1: 48afcb062578bf576c594e945aa7994ede57a1a8

SHA256: 1d2e247cd520d1178d2f28e08687d17411f78db97c3e218808bde68f67ffd066

APP INFORMATION

App Name: MASTG-TEST0027

Package Name: com.example.mastg_test0027

Main Activity: com.example.mastg_test0027.MainActivity

Target SDK: 34

Min SDK: 26

Max SDK:

Android Version Name: 1.0

Android Version Code: 1

APP COMPONENTS

Activities: 2

Services: 0

Receivers: 1

Providers: 1

Exported Activities: 0

Exported Services: 0

Exported Receivers: 1

Exported Providers: 0

CERTIFICATE INFORMATION

Binary is signed

v1 signature: False

v2 signature: True

v3 signature: False

v4 signature: False

X.509 Subject: CN=Android Debug, O=Android, C=US

Signature Algorithm: rsassa_pkcs1v15

Valid From: 2024-07-02 13:15:23+00:00

Valid To: 2054-06-25 13:15:23+00:00

Issuer: CN=Android Debug, O=Android, C=US

Serial Number: 0x1

Hash Algorithm: sha256

md5: a74777cebd78eeefbe75577351f26f36

sha1: 81398f253ef5758ca7f21eb2257920728d274cdb

sha256: c7e8c13cef1ecb6689fcbc51c4bc1ad5252d026e7c958f2e7683019dfe49e9d9

sha512: 215d323bb50aa15f9ebe0f34d870822b0d0137f61b2cd28eceb1beea67e5e7b4eec5cf55a61000ba6bcd9657abf708b16dad15dd2f08d4e487f41a925b2e1e0f

PublicKey Algorithm: rsa

Bit Size: 2048

Fingerprint: ec99ed29a9359d1039bb6d4e271cb9b3ca5710798b242d1b516d0d585e229ee8

Found 1 unique certificates

 APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.INTERNET	normal	full Internet access	Allows an application to create network sockets.
com.example.mastg_test0027.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	unknown	Unknown permission	Unknown permission from android reference

 APKID ANALYSIS

FILE	DETAILS	
classes3.dex	FINDINGS	DETAILS
	Compiler	r8 without marker (suspicious)
classes2.dex	FINDINGS	DETAILS
	Compiler	unknown (please file detection issue!)

FILE	DETAILS	
classes.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check
	Compiler	r8

 NETWORK SECURITY

NO	SCOPE	SEVERITY	DESCRIPTION
----	-------	----------	-------------

 CERTIFICATE ANALYSIS

HIGH: 1 | WARNING: 0 | INFO: 1

TITLE	SEVERITY	DESCRIPTION
Signed Application	info	Application is signed with a code signing certificate

TITLE	SEVERITY	DESCRIPTION
Application signed with debug certificate	high	Application signed with a debug certificate. Production application must not be shipped with a debug certificate.

MANIFEST ANALYSIS

HIGH: 1 | WARNING: 2 | INFO: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	DESCRIPTION
1	App can be installed on a vulnerable Android version 8.0, minSdk=26]	warning	This application can be installed on an older version of android that has multiple vulnerabilities. Support an Android version => 10, API 29 to receive reasonable security updates.
2	Debug Enabled For App [android:debuggable=true]	high	Debugging was enabled on the app which makes it easier for reverse engineers to hook a debugger to it. This allows dumping a stack trace and accessing debugging helper classes.
3	Broadcast Receiver (androidx.profileinstaller.ProfileInstallReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

CODE ANALYSIS

HIGH: 0 | WARNING: 0 | INFO: 1 | SECURE: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	STANDARDS	FILES
1	The App logs information. Sensitive information should never be logged.	info	CWE: CWE-532: Insertion of Sensitive Information into Log File OWASP MASVS: MSTG-STORAGE-3	com/example/mastg_test0027/MainActivity.java

NIAP ANALYSIS v1.3

NO	IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION
----	------------	-------------	---------	-------------

BEHAVIOUR ANALYSIS

RULE ID	BEHAVIOUR	LABEL	FILES
00013	Read file and put it into a stream	file	com/example/mastg_test0027/MainActivity.java

ABUSED PERMISSIONS

TYPE	MATCHES	PERMISSIONS
Malware Permissions	1/25	android.permission.INTERNET
Other Common Permissions	0/44	

Malware Permissions:

Top permissions that are widely abused by known malware.

Other Common Permissions:

Permissions that are commonly abused by known malware.

! OFAC SANCTIONED COUNTRIES

This app may communicate with the following OFAC sanctioned list of countries.

DOMAIN	COUNTRY/REGION
--------	----------------

🔍 DOMAIN MALWARE CHECK

DOMAIN	STATUS	GEOLOCATION
www.malicious.com.com	ok	IP: 104.26.5.148 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
www.example.com	ok	No Geolocation information available.

☰ SCAN LOGS

Timestamp	Event	Error
2026-05-10 05:56:32	Generating Hashes	OK
2026-05-10 05:56:32	Extracting APK	OK
2026-05-10 05:56:32	Unzipping	OK
2026-05-10 05:56:33	Parsing APK with androguard	OK
2026-05-10 05:56:33	Extracting APK features using aapt/aapt2	OK
2026-05-10 05:56:33	Getting Hardcoded Certificates/Keystores	OK
2026-05-10 05:56:39	Parsing AndroidManifest.xml	OK
2026-05-10 05:56:39	Extracting Manifest Data	OK
2026-05-10 05:56:39	Manifest Analysis Started	OK
2026-05-10 05:56:39	Performing Static Analysis on: MASTG-TEST0027 (com.example.mastg_test0027)	OK

2026-05-10 05:56:41	Fetching Details from Play Store: com.example.mastg_test0027	OK
2026-05-10 05:56:42	Checking for Malware Permissions	OK
2026-05-10 05:56:42	Fetching icon path	OK
2026-05-10 05:56:42	Library Binary Analysis Started	OK
2026-05-10 05:56:42	Reading Code Signing Certificate	OK
2026-05-10 05:56:43	Running APKiD 3.0.0	OK
2026-05-10 05:56:47	Detecting Trackers	OK
2026-05-10 05:56:50	Decompiling APK to Java with JADX	OK
2026-05-10 05:57:33	Converting DEX to Smali	OK
2026-05-10 05:57:33	Code Analysis Started on - java_source	OK

2026-05-10 05:57:34	Android SBOM Analysis Completed	OK
2026-05-10 05:57:43	Android SAST Completed	OK
2026-05-10 05:57:43	Android API Analysis Started	OK
2026-05-10 05:57:49	Android API Analysis Completed	OK
2026-05-10 05:57:49	Android Permission Mapping Started	OK
2026-05-10 05:57:53	Android Permission Mapping Completed	OK
2026-05-10 05:57:53	Android Behaviour Analysis Started	OK
2026-05-10 05:57:57	Android Behaviour Analysis Completed	OK
2026-05-10 05:57:57	Extracting Emails and URLs from Source Code	OK
2026-05-10 05:57:58	Email and URL Extraction Completed	OK
2026-05-10 05:57:58	Extracting String data from APK	OK

2026-05-10 05:57:58	Extracting String data from Code	OK
2026-05-10 05:57:58	Extracting String values and entropies from Code	OK
2026-05-10 05:57:59	Performing Malware check on extracted domains	OK
2026-05-10 05:58:04	Saving to Database	OK

Report Generated by - MobSF v4.5.0

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

© 2026 Mobile Security Framework - MobSF | [Ajin Abraham](#) | [OpenSecurity](#).



ANDROID STATIC ANALYSIS REPORT

app_icon

 MASTG-TEST0026 (1.0)

File Name: MASTG-TEST0026.apk

Package Name: com.example.mastg_test0026

Scan Date: May 10, 2026, 5:54 a.m.

App Security Score: 35/100 (HIGH RISK)

Grade:



Trackers Detection: 1/432

FINDINGS SEVERITY

 HIGH	 MEDIUM	 INFO	 SECURE	 HOTSPOT
2	5	1	0	0

FILE INFORMATION

File Name: MASTG-TEST0026.apk

Size: 9.01MB

MD5: 2cc563c8b448e4295199de615280cea3

SHA1: 45a2b400f090f09541a6e872eb1679b6d801784a

SHA256: 8cd03c0247cff12191fe5ae5809e79f2e78bc45ff991c22ac11a3c17f4ba61c5

APP INFORMATION

App Name: MASTG-TEST0026

Package Name: com.example.mastg_test0026

Main Activity: com.example.mastg_test0026.MainActivity

Target SDK: 34

Min SDK: 24

Max SDK:

Android Version Name: 1.0

Android Version Code: 1

APP COMPONENTS

Activities: 2
Services: 0
Receivers: 1
Providers: 1
Exported Activities: 0
Exported Services: 0
Exported Receivers: 1
Exported Providers: 0

CERTIFICATE INFORMATION

Binary is not signed
Missing certificate
v1 signature: False
v2 signature: False
v3 signature: False
v4 signature: False

APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
com.example.mastg_test0026.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	unknown	Unknown permission	Unknown permission from android reference

 APKID ANALYSIS

FILE	DETAILS	
classes.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MANUFACTURER check
	Compiler	r8
classes2.dex	FINDINGS	DETAILS
	Compiler	r8 without marker (suspicious)

 NETWORK SECURITY

NO	SCOPE	SEVERITY	DESCRIPTION
----	-------	----------	-------------

 CERTIFICATE ANALYSIS

HIGH: 1 | WARNING: 0 | INFO: 0

TITLE	SEVERITY	DESCRIPTION
Missing Code Signing certificate	high	Code signing certificate not found

MANIFEST ANALYSIS

HIGH: 1 | WARNING: 2 | INFO: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	DESCRIPTION
1	App can be installed on a vulnerable unpatched Android version 7.0, [minSdk=24]	high	This application can be installed on an older version of android that has multiple unfixed vulnerabilities. These devices won't receive reasonable security updates from Google. Support an Android version => 10, API 29 to receive reasonable security updates.
2	Application Data can be Backed up [android:allowBackup=true]	warning	This flag allows anyone to backup your application data via adb. It allows users who have enabled USB debugging to copy application data off of the device.
3	Broadcast Receiver (androidx.profileinstaller.ProfileInstallReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

CODE ANALYSIS

HIGH: 0 | WARNING: 1 | INFO: 1 | SECURE: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	STANDARDS	FILES
1	App can read/write to External Storage. Any App can read data written to External Storage.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	com/example/mastg_test0026/FileUtils.java
2	The App logs information. Sensitive information should never be logged.	info	CWE: CWE-532: Insertion of Sensitive Information into Log File OWASP MASVS: MSTG-STORAGE-3	com/example/mastg_test0026/MainActivity.java

NIAP ANALYSIS v1.3

NO	IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION
----	------------	-------------	---------	-------------

BEHAVIOUR ANALYSIS

RULE ID	BEHAVIOUR	LABEL	FILES
00013	Read file and put it into a stream	file	com/example/mastg_test0026/MainActivity.java

ABUSED PERMISSIONS

TYPE	MATCHES	PERMISSIONS
Malware Permissions	0/25	

TYPE	MATCHES	PERMISSIONS
Other Common Permissions	0/44	

Malware Permissions:

Top permissions that are widely abused by known malware.

Other Common Permissions:

Permissions that are commonly abused by known malware.

 TRACKERS

TRACKER	CATEGORIES	URL
Google CrashLytics	Crash reporting	https://reports.exodus-privacy.eu.org/trackers/27

 HARDCODED SECRETS

POSSIBLE SECRETS
01360240043788015936020505
16a09e667f3bcc908b2fb1366ea957d3e3adec17512775099da2f590b0667322a

 SCAN LOGS

Timestamp	Event	Error
2026-05-10 05:54:14	Generating Hashes	OK
2026-05-10 05:54:14	Extracting APK	OK
2026-05-10 05:54:14	Unzipping	OK
2026-05-10 05:54:15	Parsing APK with androguard	OK
2026-05-10 05:54:15	Extracting APK features using aapt/aapt2	OK
2026-05-10 05:54:15	Getting Hardcoded Certificates/Keystores	OK
2026-05-10 05:54:19	Parsing AndroidManifest.xml	OK
2026-05-10 05:54:19	Extracting Manifest Data	OK
2026-05-10 05:54:19	Manifest Analysis Started	OK
2026-05-10 05:54:19	Performing Static Analysis on: MASTG-TEST0026 (com.example.mastg_test0026)	OK

2026-05-10 05:54:21	Fetching Details from Play Store: com.example.mastg_test0026	OK
2026-05-10 05:54:22	Checking for Malware Permissions	OK
2026-05-10 05:54:22	Fetching icon path	OK
2026-05-10 05:54:22	Library Binary Analysis Started	OK
2026-05-10 05:54:22	Reading Code Signing Certificate	OK
2026-05-10 05:54:22	Running APKiD 3.0.0	OK
2026-05-10 05:54:27	Detecting Trackers	OK
2026-05-10 05:54:30	Decompiling APK to Java with JADX	OK
2026-05-10 05:55:22	Converting DEX to Smali	OK
2026-05-10 05:55:22	Code Analysis Started on - java_source	OK
2026-05-10 05:55:23	Android SBOM Analysis Completed	OK

2026-05-10 05:55:40	Android SAST Completed	OK
2026-05-10 05:55:40	Android API Analysis Started	OK
2026-05-10 05:55:44	Android API Analysis Completed	OK
2026-05-10 05:55:45	Android Permission Mapping Started	OK
2026-05-10 05:55:45	Android Permission Mapping Completed	OK
2026-05-10 05:55:45	Android Behaviour Analysis Started	OK
2026-05-10 05:55:49	Android Behaviour Analysis Completed	OK
2026-05-10 05:55:49	Extracting Emails and URLs from Source Code	OK
2026-05-10 05:55:49	Email and URL Extraction Completed	OK
2026-05-10 05:55:49	Extracting String data from APK	OK
2026-05-10 05:55:50	Extracting String data from Code	OK

2026-05-10 05:55:50	Extracting String values and entropies from Code	OK
2026-05-10 05:55:52	Performing Malware check on extracted domains	OK
2026-05-10 05:55:52	Saving to Database	OK

Report Generated by - MobSF v4.5.0

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

© 2026 Mobile Security Framework - MobSF | [Ajin Abraham](#) | [OpenSecurity](#).



ANDROID STATIC ANALYSIS REPORT

app_icon

 MASTG-TEST0025 (1.0)


File Name: MASTG-TEST0025.apk

Package Name: com.example.mastg_test0025

Scan Date: May 10, 2026, 5:51 a.m.

App Security Score: 53/100 (MEDIUM RISK)

Grade:



FINDINGS SEVERITY

 HIGH	 MEDIUM	 INFO	 SECURE	 HOTSPOT
1	4	1	1	0

FILE INFORMATION

File Name: MASTG-TEST0025.apk

Size: 4.46MB

MD5: 5d6d74d964662f7bb6ff571dd8efd710

SHA1: 23074bf1f5208cb5fdc068861d3a08b350ebae99

SHA256: ab78eee4076c2e81d4423c4f0a1587cff41267aa4a4010390c2db2f6aeb39ee1

APP INFORMATION

App Name: MASTG-TEST0025

Package Name: com.example.mastg_test0025

Main Activity: com.example.mastg_test0025.MainActivity

Target SDK: 34

Min SDK: 26

Max SDK:

Android Version Name: 1.0

Android Version Code: 1

APP COMPONENTS

Activities: 2

Services: 0

Receivers: 1

Providers: 1

Exported Activities: 0

Exported Services: 0

Exported Receivers: 1

Exported Providers: 0

CERTIFICATE INFORMATION

Binary is signed

v1 signature: False

v2 signature: True

v3 signature: True

v4 signature: False

X.509 Subject: C=US, ST=US, L=US, O=US, OU=Android, CN=Android Debug

Signature Algorithm: rsassa_pkcs1v15

Valid From: 2016-10-23 20:10:05+00:00

Valid To: 2044-03-10 20:10:05+00:00

Issuer: C=US, ST=US, L=US, O=US, OU=Android, CN=Android Debug

Serial Number: 0x56c1a15

Hash Algorithm: sha256

md5: ffd6314a83f267ac4f9407fd2e5a0480

sha1: 5d08264b44e0e53fbccc70b4f016474cc6c5ab5c

sha256: 1e08a903aef9c3a721510b64ec764d01d3d094eb954161b62544ea8f187b5953

sha512: 428b549823a4f3010218b270db81b8dea32f9115edcf58898a38839826ed3a5ece86fe792c4e0db47aab7c940e3968220bb16dfcca36052070d6e6ab2c482b96

PublicKey Algorithm: rsa

Bit Size: 2048

Fingerprint: 5ae9c127f99536cc5371c0a638c92ffcd60c770d30ddc58bd1721fba7e0d321f

Found 1 unique certificates

APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.INTERNET	normal	full Internet access	Allows an application to create network sockets.
com.example.mastg_test0025.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	unknown	Unknown permission	Unknown permission from android reference

APKID ANALYSIS

FILE	DETAILS	
classes.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MANUFACTURER check
	Compiler	r8

NETWORK SECURITY

NO	SCOPE	SEVERITY	DESCRIPTION
----	-------	----------	-------------

CERTIFICATE ANALYSIS

HIGH: 1 | WARNING: 0 | INFO: 1

TITLE	SEVERITY	DESCRIPTION
Signed Application	info	Application is signed with a code signing certificate
Application signed with debug certificate	high	Application signed with a debug certificate. Production application must not be shipped with a debug certificate.

MANIFEST ANALYSIS

HIGH: 0 | WARNING: 2 | INFO: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	DESCRIPTION
1	App can be installed on a vulnerable Android version 8.0, minSdk=26]	warning	This application can be installed on an older version of android that has multiple vulnerabilities. Support an Android version => 10, API 29 to receive reasonable security updates.
2	Broadcast Receiver (androidx.profileinstaller.ProfileInstallReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

CODE ANALYSIS

HIGH: 0 | WARNING: 2 | INFO: 1 | SECURE: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	STANDARDS	FILES
1	The App logs information. Sensitive information should never be logged.	info	CWE: CWE-532: Insertion of Sensitive Information into Log File OWASP MASVS: MSTG-STORAGE-3	com/example/mastg_test0025/MainActivity.java
2	App uses SQLite Database and execute raw SQL query. Untrusted user input in raw SQL queries can cause SQL Injection. Also sensitive information should be encrypted and written to the database.	warning	CWE: CWE-89: Improper Neutralization of Special Elements used in an SQL Command ('SQL Injection') OWASP Top 10: M7: Client Code Quality	com/example/mastg_test0025/MainActivity.java
3	Files may contain hardcoded sensitive information like usernames, passwords, keys etc.	warning	CWE: CWE-312: Cleartext Storage of Sensitive Information OWASP Top 10: M9: Reverse Engineering OWASP MASVS: MSTG-STORAGE-14	com/example/mastg_test0025/MainActivity.java

NIAP ANALYSIS v1.3

NO	IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION
----	------------	-------------	---------	-------------

ABUSED PERMISSIONS

TYPE	MATCHES	PERMISSIONS
Malware Permissions	1/25	android.permission.INTERNET
Other Common Permissions	0/44	

Malware Permissions:

Top permissions that are widely abused by known malware.

Other Common Permissions:

Permissions that are commonly abused by known malware.

! OFAC SANCTIONED COUNTRIES

This app may communicate with the following OFAC sanctioned list of countries.

DOMAIN	COUNTRY/REGION
--------	----------------

🔍 DOMAIN MALWARE CHECK

DOMAIN	STATUS	GEOLOCATION
example.com	ok	IP: 172.66.147.243 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map

☰ SCAN LOGS

Timestamp	Event	Error
-----------	-------	-------

2026-05-10 05:51:27	Generating Hashes	OK
2026-05-10 05:51:27	Extracting APK	OK
2026-05-10 05:51:27	Unzipping	OK
2026-05-10 05:51:27	Parsing APK with androguard	OK
2026-05-10 05:51:28	Extracting APK features using aapt/aapt2	OK
2026-05-10 05:51:28	Getting Hardcoded Certificates/Keystores	OK
2026-05-10 05:51:32	Parsing AndroidManifest.xml	OK
2026-05-10 05:51:32	Extracting Manifest Data	OK
2026-05-10 05:51:32	Manifest Analysis Started	OK
2026-05-10 05:51:32	Performing Static Analysis on: MASTG-TEST0025 (com.example.mastg_test0025)	OK
2026-05-10 05:51:34	Fetching Details from Play Store: com.example.mastg_test0025	OK

2026-05-10 05:51:35	Checking for Malware Permissions	OK
2026-05-10 05:51:35	Fetching icon path	OK
2026-05-10 05:51:35	Library Binary Analysis Started	OK
2026-05-10 05:51:35	Reading Code Signing Certificate	OK
2026-05-10 05:51:35	Running APKiD 3.0.0	OK
2026-05-10 05:51:40	Detecting Trackers	OK
2026-05-10 05:51:41	Decompiling APK to Java with JADX	OK
2026-05-10 05:52:21	Converting DEX to Smali	OK
2026-05-10 05:52:21	Code Analysis Started on - java_source	OK
2026-05-10 05:52:22	Android SBOM Analysis Completed	OK
2026-05-10 05:52:33	Android SAST Completed	OK

2026-05-10 05:52:33	Android API Analysis Started	OK
2026-05-10 05:52:39	Android API Analysis Completed	OK
2026-05-10 05:52:39	Android Permission Mapping Started	OK
2026-05-10 05:52:43	Android Permission Mapping Completed	OK
2026-05-10 05:52:44	Android Behaviour Analysis Started	OK
2026-05-10 05:52:48	Android Behaviour Analysis Completed	OK
2026-05-10 05:52:48	Extracting Emails and URLs from Source Code	OK
2026-05-10 05:52:48	Email and URL Extraction Completed	OK
2026-05-10 05:52:48	Extracting String data from APK	OK
2026-05-10 05:52:48	Extracting String data from Code	OK
2026-05-10 05:52:48	Extracting String values and entropies from Code	OK

2026-05-10 05:52:50	Performing Malware check on extracted domains	OK
2026-05-10 05:52:54	Saving to Database	OK

Report Generated by - MobSF v4.5.0

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

© 2026 Mobile Security Framework - MobSF | [Ajin Abraham](#) | [OpenSecurity](#).



ANDROID STATIC ANALYSIS REPORT

app_icon

 MASTG-TEST0024 (1.0)


File Name: MASTG-TEST0024.apk

Package Name: com.example.mastg_test0024

Scan Date: May 10, 2026, 5:48 a.m.

App Security Score: 42/100 (MEDIUM RISK)

Grade:



FINDINGS SEVERITY

 HIGH	 MEDIUM	 INFO	 SECURE	 HOTSPOT
2	1	1	1	1

FILE INFORMATION

File Name: MASTG-TEST0024.apk

Size: 4.41MB

MD5: e6006254579a4016ec2efd7dac26ad1e

SHA1: 9f3557f454240d9960a27264afac7cffbd0560a8

SHA256: 27ceec40638715d343ce3d2f665b64872712081ce679760fddc17df179075d2c

APP INFORMATION

App Name: MASTG-TEST0024

Package Name: com.example.mastg_test0024

Main Activity: com.example.mastg_test0024.MainActivity

Target SDK: 33

Min SDK: 24

Max SDK:

Android Version Name: 1.0

Android Version Code: 1

APP COMPONENTS

Activities: 1

Services: 0

Receivers: 1

Providers: 1

Exported Activities: 0

Exported Services: 0

Exported Receivers: 1

Exported Providers: 0

CERTIFICATE INFORMATION

Binary is not signed

Missing certificate

v1 signature: False

v2 signature: False

v3 signature: False

v4 signature: False

APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.CAMERA	dangerous	take pictures and videos	Allows application to take pictures and videos with the camera. This allows the application to collect images that the camera is seeing at any time.
android.permission.INTERNET	normal	full Internet access	Allows an application to create network sockets.

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.ACCEPT_HANDOVER	dangerous	enables a calling app to continue a call started in another app.	Allows a calling app to continue a call which was started in another app. An example is a video calling app that wants to continue a voice call on the user's mobile network.
android.permission.ANSWER_PHONE_CALLS.	unknown	Unknown permission	Unknown permission from android reference
android.permission.CALL_PHONE	dangerous	directly call phone numbers	Allows the application to call phone numbers without your intervention. Malicious applications may cause unexpected calls on your phone bill. Note that this does not allow the application to call emergency numbers.
android.permission.WRITE_CALENDAR	dangerous	add or modify calendar events and send emails to guests	Allows an application to add or change the events on your calendar, which may send emails to guests. Malicious applications can use this to erase or modify your calendar events or to send emails to guests.
android.permission.READ_CONTACTS	dangerous	read contact data	Allows an application to read all of the contact (address) data stored on your phone. Malicious applications can use this to send your data to other people.
android.permission.BLUETOOTH_ADMIN	normal	bluetooth administration	Allows applications to discover and pair bluetooth devices.
com.example.mastg_test0024.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	unknown	Unknown permission	Unknown permission from android reference

APKID ANALYSIS

FILE	DETAILS	
classes.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MANUFACTURER check
	Compiler	r8

NETWORK SECURITY

NO	SCOPE	SEVERITY	DESCRIPTION
----	-------	----------	-------------

CERTIFICATE ANALYSIS

HIGH: 1 | WARNING: 0 | INFO: 0

TITLE	SEVERITY	DESCRIPTION
Missing Code Signing certificate	high	Code signing certificate not found

MANIFEST ANALYSIS

HIGH: 1 | WARNING: 1 | INFO: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	DESCRIPTION
1	App can be installed on a vulnerable unpatched Android version 7.0, [minSdk=24]	high	This application can be installed on an older version of android that has multiple unfixed vulnerabilities. These devices won't receive reasonable security updates from Google. Support an Android version => 10, API 29 to receive reasonable security updates.
2	Broadcast Receiver (androidx.profileinstaller.ProfileInstallReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

CODE ANALYSIS

HIGH: 0 | WARNING: 0 | INFO: 1 | SECURE: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	STANDARDS	FILES
1	The App logs information. Sensitive information should never be logged.	info	CWE: CWE-532: Insertion of Sensitive Information into Log File OWASP MASVS: MSTG-STORAGE-3	com/example/mastg_test0024/MainActivity.java

NIAP ANALYSIS v1.3

NO	IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION
----	------------	-------------	---------	-------------

⚙️

ABUSED PERMISSIONS

TYPE	MATCHES	PERMISSIONS
Malware Permissions	4/25	android.permission.CAMERA, android.permission.INTERNET, android.permission.ACCEPT_HANDOVER, android.permission.READ_CONTACTS
Other Common Permissions	2/44	android.permission.CALL_PHONE, android.permission.BLUETOOTH_ADMIN

Malware Permissions:
Top permissions that are widely abused by known malware.

Other Common Permissions:
Permissions that are commonly abused by known malware.

☰

SCAN LOGS

Timestamp	Event	Error
2026-05-10 05:48:48	Generating Hashes	OK
2026-05-10 05:48:49	Extracting APK	OK

2026-05-10 05:48:49	Unzipping	OK
2026-05-10 05:48:49	Parsing APK with androguard	OK
2026-05-10 05:48:49	Extracting APK features using aapt/aapt2	OK
2026-05-10 05:48:49	Getting Hardcoded Certificates/Keystores	OK
2026-05-10 05:48:53	Parsing AndroidManifest.xml	OK
2026-05-10 05:48:53	Extracting Manifest Data	OK
2026-05-10 05:48:53	Manifest Analysis Started	OK
2026-05-10 05:48:53	Performing Static Analysis on: MASTG-TEST0024 (com.example.mastg_test0024)	OK
2026-05-10 05:48:55	Fetching Details from Play Store: com.example.mastg_test0024	OK
2026-05-10 05:48:56	Checking for Malware Permissions	OK

2026-05-10 05:48:56	Fetching icon path	OK
2026-05-10 05:48:56	Library Binary Analysis Started	OK
2026-05-10 05:48:56	Reading Code Signing Certificate	OK
2026-05-10 05:48:56	Running APKiD 3.0.0	OK
2026-05-10 05:49:00	Detecting Trackers	OK
2026-05-10 05:49:02	Decompiling APK to Java with JADX	OK
2026-05-10 05:49:42	Converting DEX to Smali	OK
2026-05-10 05:49:42	Code Analysis Started on - java_source	OK
2026-05-10 05:49:42	Android SBOM Analysis Completed	OK
2026-05-10 05:49:51	Android SAST Completed	OK
2026-05-10 05:49:51	Android API Analysis Started	OK

2026-05-10 05:49:56	Android API Analysis Completed	OK
2026-05-10 05:49:57	Android Permission Mapping Started	OK
2026-05-10 05:50:00	Android Permission Mapping Completed	OK
2026-05-10 05:50:01	Android Behaviour Analysis Started	OK
2026-05-10 05:50:05	Android Behaviour Analysis Completed	OK
2026-05-10 05:50:05	Extracting Emails and URLs from Source Code	OK
2026-05-10 05:50:05	Email and URL Extraction Completed	OK
2026-05-10 05:50:05	Extracting String data from APK	OK
2026-05-10 05:50:05	Extracting String data from Code	OK
2026-05-10 05:50:05	Extracting String values and entropies from Code	OK
2026-05-10 05:50:07	Performing Malware check on extracted domains	OK

2026-05-10 05:50:07	Saving to Database	OK
---------------------	--------------------	----

Report Generated by - MobSF v4.5.0

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.



ANDROID STATIC ANALYSIS REPORT

app_icon

 MASTG-TEST0023 (1.0)


File Name: MASTG-TEST0023.apk

Package Name: com.example.mastg_test0023

Scan Date: May 10, 2026, 5:46 a.m.

App Security Score: 42/100 (MEDIUM RISK)

Grade:



FINDINGS SEVERITY

 HIGH	 MEDIUM	 INFO	 SECURE	 HOTSPOT
2	1	1	1	0

FILE INFORMATION

File Name: MASTG-TEST0023.apk

Size: 4.6MB

MD5: 60205faf7de7cf20b522681477457f61

SHA1: f67c4a658071b7751ae66678d52b1387de63fc95

SHA256: 37c7f146d56788327b307962d713efbb7db6214a9d4a8e386f60727486cc4cbd

APP INFORMATION

App Name: MASTG-TEST0023

Package Name: com.example.mastg_test0023

Main Activity: com.example.mastg_test0023.MainActivity

Target SDK: 34

Min SDK: 24

Max SDK:

Android Version Name: 1.0

Android Version Code: 1

APP COMPONENTS

Activities: 2

Services: 0

Receivers: 1

Providers: 1

Exported Activities: 0

Exported Services: 0

Exported Receivers: 1

Exported Providers: 0

CERTIFICATE INFORMATION

Binary is signed

v1 signature: False

v2 signature: True

v3 signature: True

v4 signature: False

X.509 Subject: C=US, ST=US, L=US, O=US, OU=Android, CN=Android Debug

Signature Algorithm: rsassa_pkcs1v15

Valid From: 2016-10-23 20:10:05+00:00

Valid To: 2044-03-10 20:10:05+00:00

Issuer: C=US, ST=US, L=US, O=US, OU=Android, CN=Android Debug

Serial Number: 0x56c1a15

Hash Algorithm: sha256

md5: ffd6314a83f267ac4f9407fd2e5a0480

sha1: 5d08264b44e0e53fbccc70b4f016474cc6c5ab5c

sha256: 1e08a903aef9c3a721510b64ec764d01d3d094eb954161b62544ea8f187b5953

sha512: 428b549823a4f3010218b270db81b8dea32f9115edcf58898a38839826ed3a5ece86fe792c4e0db47aab7c940e3968220bb16dfcca36052070d6e6ab2c482b96

PublicKey Algorithm: rsa

Bit Size: 2048

Fingerprint: 5ae9c127f99536cc5371c0a638c92ffcd60c770d30ddc58bd1721fba7e0d321f

Found 1 unique certificates

APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.INTERNET	normal	full Internet access	Allows an application to create network sockets.
com.example.mastg_test0023.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	unknown	Unknown permission	Unknown permission from android reference

APKID ANALYSIS

FILE	DETAILS	
classes.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MANUFACTURER check
	Compiler	r8

NETWORK SECURITY

NO	SCOPE	SEVERITY	DESCRIPTION
----	-------	----------	-------------

CERTIFICATE ANALYSIS

HIGH: 1 | WARNING: 0 | INFO: 1

TITLE	SEVERITY	DESCRIPTION
Signed Application	info	Application is signed with a code signing certificate
Application signed with debug certificate	high	Application signed with a debug certificate. Production application must not be shipped with a debug certificate.

MANIFEST ANALYSIS

HIGH: 1 | WARNING: 1 | INFO: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	DESCRIPTION
1	App can be installed on a vulnerable unpatched Android version 7.0, [minSdk=24]	high	This application can be installed on an older version of android that has multiple unfixed vulnerabilities. These devices won't receive reasonable security updates from Google. Support an Android version => 10, API 29 to receive reasonable security updates.
2	Broadcast Receiver (androidx.profileinstaller.ProfileInstallReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

CODE ANALYSIS

HIGH: 0 | WARNING: 0 | INFO: 1 | SECURE: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	STANDARDS	FILES
1	The App logs information. Sensitive information should never be logged.	info	CWE: CWE-532: Insertion of Sensitive Information into Log File OWASP MASVS: MSTG-STORAGE-3	com/example/mastg_test0023/MainActivity.java

NIAP ANALYSIS v1.3

NO	IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION
----	------------	-------------	---------	-------------

BEHAVIOUR ANALYSIS

RULE ID	BEHAVIOUR	LABEL	FILES
00013	Read file and put it into a stream	file	com/example/mastg_test0023/MainActivity.java

ABUSED PERMISSIONS

TYPE	MATCHES	PERMISSIONS
Malware Permissions	1/25	android.permission.INTERNET
Other Common Permissions	0/44	

Malware Permissions:

Top permissions that are widely abused by known malware.

Other Common Permissions:

Permissions that are commonly abused by known malware.

! OFAC SANCTIONED COUNTRIES

This app may communicate with the following OFAC sanctioned list of countries.

DOMAIN	COUNTRY/REGION
--------	----------------

🔍 DOMAIN MALWARE CHECK

DOMAIN	STATUS	GEOLOCATION
www.youtube.com	ok	IP: 216.58.205.238 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map

☰ SCAN LOGS

Timestamp	Event	Error
-----------	-------	-------

2026-05-10 05:46:12	Generating Hashes	OK
2026-05-10 05:46:12	Extracting APK	OK
2026-05-10 05:46:12	Unzipping	OK
2026-05-10 05:46:13	Parsing APK with androguard	OK
2026-05-10 05:46:13	Extracting APK features using aapt/aapt2	OK
2026-05-10 05:46:14	Getting Hardcoded Certificates/Keystores	OK
2026-05-10 05:46:20	Parsing AndroidManifest.xml	OK
2026-05-10 05:46:20	Extracting Manifest Data	OK
2026-05-10 05:46:20	Manifest Analysis Started	OK
2026-05-10 05:46:20	Performing Static Analysis on: MASTG-TEST0023 (com.example.mastg_test0023)	OK
2026-05-10 05:46:21	Fetching Details from Play Store: com.example.mastg_test0023	OK

2026-05-10 05:46:22	Checking for Malware Permissions	OK
2026-05-10 05:46:22	Fetching icon path	OK
2026-05-10 05:46:22	Library Binary Analysis Started	OK
2026-05-10 05:46:22	Reading Code Signing Certificate	OK
2026-05-10 05:46:23	Running APKiD 3.0.0	OK
2026-05-10 05:46:27	Detecting Trackers	OK
2026-05-10 05:46:30	Decompiling APK to Java with JADX	OK
2026-05-10 05:47:12	Converting DEX to Smali	OK
2026-05-10 05:47:12	Code Analysis Started on - java_source	OK
2026-05-10 05:47:13	Android SBOM Analysis Completed	OK
2026-05-10 05:47:22	Android SAST Completed	OK

2026-05-10 05:47:22	Android API Analysis Started	OK
2026-05-10 05:47:28	Android API Analysis Completed	OK
2026-05-10 05:47:29	Android Permission Mapping Started	OK
2026-05-10 05:47:33	Android Permission Mapping Completed	OK
2026-05-10 05:47:33	Android Behaviour Analysis Started	OK
2026-05-10 05:47:37	Android Behaviour Analysis Completed	OK
2026-05-10 05:47:37	Extracting Emails and URLs from Source Code	OK
2026-05-10 05:47:37	Email and URL Extraction Completed	OK
2026-05-10 05:47:37	Extracting String data from APK	OK
2026-05-10 05:47:37	Extracting String data from Code	OK
2026-05-10 05:47:37	Extracting String values and entropies from Code	OK

2026-05-10 05:47:42	Performing Malware check on extracted domains	OK
2026-05-10 05:47:46	Saving to Database	OK

Report Generated by - MobSF v4.5.0

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.



ANDROID STATIC ANALYSIS REPORT

app_icon

 MASTG-TEST0022 (1.0)

File Name:

MASTG-TEST0022.apk

Package Name:

com.example.mastg_test0022


Scan Date:

May 10, 2026, 5:43 a.m.

App Security Score:

42/100 (MEDIUM RISK)

Grade:



FINDINGS SEVERITY

 HIGH	 MEDIUM	 INFO	 SECURE	 HOTSPOT
2	1	2	1	0

FILE INFORMATION

File Name: MASTG-TEST0022.apk

Size: 5.0MB

MD5: 247734a8a684a88d252d9a93bf0acfd2

SHA1: 04bb28b0ef58e60e10cd2f000ee1efb130bc677d

SHA256: 602077510cdfb74f15d02d4e3648e2118a17a389a458e4b35a124934f50a8032

APP INFORMATION

App Name: MASTG-TEST0022

Package Name: com.example.mastg_test0022

Main Activity: com.example.mastg_test0022.MainActivity

Target SDK: 34

Min SDK: 24

Max SDK:

Android Version Name: 1.0

Android Version Code: 1

APP COMPONENTS

Activities: 1

Services: 0

Receivers: 1

Providers: 1

Exported Activities: 0

Exported Services: 0

Exported Receivers: 1

Exported Providers: 0

CERTIFICATE INFORMATION

Binary is signed

v1 signature: False

v2 signature: True

v3 signature: True

v4 signature: False

X.509 Subject: C=US, ST=US, L=US, O=US, OU=Android, CN=Android Debug

Signature Algorithm: rsassa_pkcs1v15

Valid From: 2016-10-23 20:10:05+00:00

Valid To: 2044-03-10 20:10:05+00:00

Issuer: C=US, ST=US, L=US, O=US, OU=Android, CN=Android Debug

Serial Number: 0x56c1a15

Hash Algorithm: sha256

md5: ffd6314a83f267ac4f9407fd2e5a0480

sha1: 5d08264b44e0e53fbccc70b4f016474cc6c5ab5c

sha256: 1e08a903aef9c3a721510b64ec764d01d3d094eb954161b62544ea8f187b5953

sha512: 428b549823a4f3010218b270db81b8dea32f9115edcf58898a38839826ed3a5ece86fe792c4e0db47aab7c940e3968220bb16dfcca36052070d6e6ab2c482b96

PublicKey Algorithm: rsa

Bit Size: 2048

Fingerprint: 5ae9c127f99536cc5371c0a638c92ffcd60c770d30ddc58bd1721fba7e0d321f

Found 1 unique certificates

APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.INTERNET	normal	full Internet access	Allows an application to create network sockets.
com.example.mastg_test0022.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	unknown	Unknown permission	Unknown permission from android reference

APKID ANALYSIS

FILE	DETAILS	
classes.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MANUFACTURER check
	Compiler	r8

NETWORK SECURITY

HIGH: 0 | WARNING: 0 | INFO: 1 | SECURE: 0

NO	SCOPE	SEVERITY	DESCRIPTION
1	example.com	info	Certificate pinning expires on 2025-03-02. After this date pinning will be disabled. [Pin: zKePnjF2yATEC6NGgoKvBjb5NkyDDN3mPGtRspV6vBc= Digest: SHA-256]

 CERTIFICATE ANALYSIS

HIGH: 1 | WARNING: 0 | INFO: 1

TITLE	SEVERITY	DESCRIPTION
Signed Application	info	Application is signed with a code signing certificate
Application signed with debug certificate	high	Application signed with a debug certificate. Production application must not be shipped with a debug certificate.

 MANIFEST ANALYSIS

HIGH: 1 | WARNING: 1 | INFO: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	DESCRIPTION
1	App can be installed on a vulnerable unpatched Android version 7.0, [minSdk=24]	high	This application can be installed on an older version of android that has multiple unfixed vulnerabilities. These devices won't receive reasonable security updates from Google. Support an Android version => 10, API 29 to receive reasonable security updates.

NO	ISSUE	SEVERITY	DESCRIPTION
2	App has a Network Security Configuration[android:networkSecurityConfig=@xml/network_security_config]	info	The Network Security Configuration feature lets apps customize their network security settings in a safe, declarative configuration file without modifying app code. These settings can be configured for specific domains and for a specific app.
3	Broadcast Receiver (androidx.profileinstaller.ProfileInstallReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

</> CODE ANALYSIS

HIGH: 0 | WARNING: 0 | INFO: 1 | SECURE: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	STANDARDS	FILES
1	The App logs information. Sensitive information should never be logged.	info	CWE: CWE-532: Insertion of Sensitive Information into Log File OWASP MASVS: MSTG-STORAGE-3	com/example/mastg_test0022/MainActivity.java

📱 NIAP ANALYSIS v1.3

NO	IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION
----	------------	-------------	---------	-------------

 BEHAVIOUR ANALYSIS

RULE ID	BEHAVIOUR	LABEL	FILES
00013	Read file and put it into a stream	file	okio/Okio__JvmOkioKt.java
00096	Connect to a URL and set request method	command network	com/example/mastg_test0022/MainActivity.java
00089	Connect to a URL and receive input stream from the server	command network	com/example/mastg_test0022/MainActivity.java

 ABUSED PERMISSIONS

TYPE	MATCHES	PERMISSIONS
Malware Permissions	1/25	android.permission.INTERNET
Other Common Permissions	0/44	

Malware Permissions:

Top permissions that are widely abused by known malware.

Other Common Permissions:

Permissions that are commonly abused by known malware.

! OFAC SANCTIONED COUNTRIES

This app may communicate with the following OFAC sanctioned list of countries.

DOMAIN	COUNTRY/REGION
--------	----------------

DOMAIN MALWARE CHECK

DOMAIN	STATUS	GEOLOCATION
www.example.com	ok	IP: 104.20.23.154 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
publicobject.com	ok	IP: 35.89.92.251 Country: United States of America Region: Oregon City: Portland Latitude: 45.523449 Longitude: -122.676208 View: Google Map

HARDCODED SECRETS

POSSIBLE SECRETS
258EAF5-E914-47DA-95CA-C5AB0DC85B11

SCAN LOGS

Timestamp	Event	Error
2026-05-10 05:43:49	Generating Hashes	OK
2026-05-10 05:43:49	Extracting APK	OK
2026-05-10 05:43:49	Unzipping	OK
2026-05-10 05:43:49	Parsing APK with androguard	OK
2026-05-10 05:43:50	Extracting APK features using aapt/aapt2	OK
2026-05-10 05:43:50	Getting Hardcoded Certificates/Keystores	OK
2026-05-10 05:43:56	Parsing AndroidManifest.xml	OK

2026-05-10 05:43:56	Extracting Manifest Data	OK
2026-05-10 05:43:56	Manifest Analysis Started	OK
2026-05-10 05:43:56	Reading Network Security config from network_security_config.xml	OK
2026-05-10 05:43:56	Parsing Network Security config	OK
2026-05-10 05:43:56	Performing Static Analysis on: MASTG-TEST0022 (com.example.mastg_test0022)	OK
2026-05-10 05:43:57	Fetching Details from Play Store: com.example.mastg_test0022	OK
2026-05-10 05:43:58	Checking for Malware Permissions	OK
2026-05-10 05:43:58	Fetching icon path	OK
2026-05-10 05:43:58	Library Binary Analysis Started	OK
2026-05-10 05:43:58	Reading Code Signing Certificate	OK

2026-05-10 05:43:59	Running APKiD 3.0.0	OK
2026-05-10 05:44:04	Detecting Trackers	OK
2026-05-10 05:44:06	Decompiling APK to Java with JADX	OK
2026-05-10 05:44:51	Converting DEX to Smali	OK
2026-05-10 05:44:51	Code Analysis Started on - java_source	OK
2026-05-10 05:44:52	Android SBOM Analysis Completed	OK
2026-05-10 05:45:02	Android SAST Completed	OK
2026-05-10 05:45:02	Android API Analysis Started	OK
2026-05-10 05:45:08	Android API Analysis Completed	OK
2026-05-10 05:45:08	Android Permission Mapping Started	OK
2026-05-10 05:45:12	Android Permission Mapping Completed	OK

2026-05-10 05:45:12	Android Behaviour Analysis Started	OK
2026-05-10 05:45:16	Android Behaviour Analysis Completed	OK
2026-05-10 05:45:16	Extracting Emails and URLs from Source Code	OK
2026-05-10 05:45:17	Email and URL Extraction Completed	OK
2026-05-10 05:45:17	Extracting String data from APK	OK
2026-05-10 05:45:17	Extracting String data from Code	OK
2026-05-10 05:45:17	Extracting String values and entropies from Code	OK
2026-05-10 05:45:19	Performing Malware check on extracted domains	OK
2026-05-10 05:45:24	Saving to Database	OK

Report Generated by - MobSF v4.5.0

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.



ANDROID STATIC ANALYSIS REPORT

app_icon

 MASTG-TEST0021 (1.0)

File Name: MASTG-TEST0021.apk

Package Name: com.example.mastg_test0021

Scan Date: May 10, 2026, 5:41 a.m.

App Security Score: **31/100 (HIGH RISK)**

Grade:



FINDINGS SEVERITY

 HIGH	 MEDIUM	 INFO	 SECURE	 HOTSPOT
4	2	0	1	0

FILE INFORMATION

File Name: MASTG-TEST0021.apk

Size: 4.73MB

MD5: 19a930700a19063e3eeaa4f0f7efc1f9

SHA1: 552273b499603d35e7a961963b6ac56bd2ec4408

SHA256: ebb204f92574282daf256bd7ac1d3592f7d70e3f0a7f75f6dd4a06f1d5361c0d

APP INFORMATION

App Name: MASTG-TEST0021

Package Name: com.example.mastg_test0021

Main Activity: com.example.mastg_test0021.MainActivity

Target SDK: 23

Min SDK: 20

Max SDK:

Android Version Name: 1.0

Android Version Code: 1

APP COMPONENTS

Activities: 2

Services: 0

Receivers: 1

Providers: 1

Exported Activities: 0

Exported Services: 0

Exported Receivers: 1

Exported Providers: 0

CERTIFICATE INFORMATION

Binary is signed

v1 signature: True

v2 signature: True

v3 signature: True

v4 signature: False

X.509 Subject: C=US, ST=US, L=US, O=US, OU=Android, CN=Android Debug

Signature Algorithm: rsassa_pkcs1v15

Valid From: 2016-10-23 20:10:05+00:00

Valid To: 2044-03-10 20:10:05+00:00

Issuer: C=US, ST=US, L=US, O=US, OU=Android, CN=Android Debug

Serial Number: 0x56c1a15

Hash Algorithm: sha256

md5: ffd6314a83f267ac4f9407fd2e5a0480

sha1: 5d08264b44e0e53fbccc70b4f016474cc6c5ab5c

sha256: 1e08a903aef9c3a721510b64ec764d01d3d094eb954161b62544ea8f187b5953

sha512: 428b549823a4f3010218b270db81b8dea32f9115edcf58898a38839826ed3a5ece86fe792c4e0db47aab7c940e3968220bb16dfcca36052070d6e6ab2c482b96

PublicKey Algorithm: rsa

Bit Size: 2048

Fingerprint: 5ae9c127f99536cc5371c0a638c92ffcd60c770d30ddc58bd1721fba7e0d321f

Found 1 unique certificates

APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.INTERNET	normal	full Internet access	Allows an application to create network sockets.
com.example.mastg_test0021.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	unknown	Unknown permission	Unknown permission from android reference

APKID ANALYSIS

FILE	DETAILS	
classes.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MANUFACTURER check
	Compiler	r8

NETWORK SECURITY

NO	SCOPE	SEVERITY	DESCRIPTION
----	-------	----------	-------------

CERTIFICATE ANALYSIS

HIGH: 1 | WARNING: 1 | INFO: 1

TITLE	SEVERITY	DESCRIPTION
Signed Application	info	Application is signed with a code signing certificate
Application vulnerable to Janus Vulnerability	warning	Application is signed with v1 signature scheme, making it vulnerable to Janus vulnerability on Android 5.0-8.0, if signed only with v1 signature scheme. Applications running on Android 5.0-7.0 signed with v1, and v2/v3 scheme is also vulnerable.
Application signed with debug certificate	high	Application signed with a debug certificate. Production application must not be shipped with a debug certificate.

MANIFEST ANALYSIS

HIGH: 2 | WARNING: 1 | INFO: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	DESCRIPTION
1	App can be installed on a vulnerable unpatched Android version 4.4W-4.4W.2, [minSdk=20]	high	This application can be installed on an older version of android that has multiple unfixed vulnerabilities. These devices won't receive reasonable security updates from Google. Support an Android version => 10, API 29 to receive reasonable security updates.
2	Activity (com.example.mastg_test0021.MainActivity) is vulnerable to StrandHogg 2.0	high	Activity is found to be vulnerable to StrandHogg 2.0 task hijacking vulnerability. When vulnerable, it is possible for other applications to place a malicious activity on top of the activity stack of the vulnerable application. This makes the application an easy target for phishing attacks. The vulnerability can be remediated by setting the launch mode attribute to "singleInstance" and by setting an empty taskAffinity (taskAffinity=""). You can also update the target SDK version (23) of the app to 29 or higher to fix this issue at platform level.

NO	ISSUE	SEVERITY	DESCRIPTION
3	Broadcast Receiver (androidx.profileinstaller.ProfileInstallReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

</> CODE ANALYSIS

HIGH: 1 | WARNING: 0 | INFO: 0 | SECURE: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	STANDARDS	FILES
1	Insecure WebView Implementation. WebView ignores SSL Certificate errors and accept any SSL Certificate. This application is vulnerable to MITM attacks	high	CWE: CWE-295: Improper Certificate Validation OWASP Top 10: M3: Insecure Communication OWASP MASVS: MSTG-NETWORK-3	com/example/mastg_test0021/Web.java

📄 NIAP ANALYSIS v1.3

NO	IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION
----	------------	-------------	---------	-------------

🔴 ABUSED PERMISSIONS

TYPE	MATCHES	PERMISSIONS
Malware Permissions	1/25	android.permission.INTERNET
Other Common Permissions	0/44	

Malware Permissions:

Top permissions that are widely abused by known malware.

Other Common Permissions:

Permissions that are commonly abused by known malware.

! OFAC SANCTIONED COUNTRIES

This app may communicate with the following OFAC sanctioned list of countries.

DOMAIN	COUNTRY/REGION
--------	----------------

** DOMAIN MALWARE CHECK**

DOMAIN	STATUS	GEOLOCATION
www.example.com	ok	IP: 104.20.23.154 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map

 SCAN LOGS

Timestamp	Event	Error
2026-05-10 05:41:27	Generating Hashes	OK
2026-05-10 05:41:27	Extracting APK	OK
2026-05-10 05:41:27	Unzipping	OK
2026-05-10 05:41:28	Parsing APK with androguard	OK
2026-05-10 05:41:29	Extracting APK features using aapt/aapt2	OK
2026-05-10 05:41:29	Getting Hardcoded Certificates/Keystores	OK
2026-05-10 05:41:33	Parsing AndroidManifest.xml	OK
2026-05-10 05:41:33	Extracting Manifest Data	OK
2026-05-10 05:41:33	Manifest Analysis Started	OK

2026-05-10 05:41:33	Performing Static Analysis on: MASTG-TEST0021 (com.example.mastg_test0021)	OK
2026-05-10 05:41:35	Fetching Details from Play Store: com.example.mastg_test0021	OK
2026-05-10 05:41:36	Checking for Malware Permissions	OK
2026-05-10 05:41:36	Fetching icon path	OK
2026-05-10 05:41:36	Library Binary Analysis Started	OK
2026-05-10 05:41:36	Reading Code Signing Certificate	OK
2026-05-10 05:41:37	Running APKiD 3.0.0	OK
2026-05-10 05:41:41	Detecting Trackers	OK
2026-05-10 05:41:43	Decompiling APK to Java with JADX	OK
2026-05-10 05:42:22	Converting DEX to Smali	OK
2026-05-10 05:42:22	Code Analysis Started on - java_source	OK

2026-05-10 05:42:23	Android SBOM Analysis Completed	OK
2026-05-10 05:42:35	Android SAST Completed	OK
2026-05-10 05:42:35	Android API Analysis Started	OK
2026-05-10 05:42:40	Android API Analysis Completed	OK
2026-05-10 05:42:41	Android Permission Mapping Started	OK
2026-05-10 05:42:44	Android Permission Mapping Completed	OK
2026-05-10 05:42:45	Android Behaviour Analysis Started	OK
2026-05-10 05:42:49	Android Behaviour Analysis Completed	OK
2026-05-10 05:42:49	Extracting Emails and URLs from Source Code	OK
2026-05-10 05:42:50	Email and URL Extraction Completed	OK
2026-05-10 05:42:50	Extracting String data from APK	OK

2026-05-10 05:42:50	Extracting String data from Code	OK
2026-05-10 05:42:50	Extracting String values and entropies from Code	OK
2026-05-10 05:42:51	Performing Malware check on extracted domains	OK
2026-05-10 05:42:56	Saving to Database	OK

Report Generated by - MobSF v4.5.0

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

© 2026 Mobile Security Framework - MobSF | [Ajin Abraham](#) | [OpenSecurity](#).



ANDROID STATIC ANALYSIS REPORT

app_icon

 MASTG-TEST0020 (1.0)

File Name: MASTG-TEST0020.apk

Package Name: com.example.mastg_test0020

Scan Date: May 10, 2026, 5:38 a.m.

App Security Score: 34/100 (HIGH RISK)

Grade:



FINDINGS SEVERITY

 HIGH	 MEDIUM	 INFO	 SECURE	 HOTSPOT
3	1	0	1	0

FILE INFORMATION

File Name: MASTG-TEST0020.apk

Size: 4.52MB

MD5: 5c44b98a86be7310503c24da57c334b3

SHA1: 78b9754a2fc477b3135ab05397caa044a88b36af

SHA256: df00ca6f5c3577ed1e2e5f1a63da6d102d2710bcf0afff1eb5e31cd140dd17e9

APP INFORMATION

App Name: MASTG-TEST0020

Package Name: com.example.mastg_test0020

Main Activity: com.example.mastg_test0020.MainActivity

Target SDK: 34

Min SDK: 24

Max SDK:

Android Version Name: 1.0

Android Version Code: 1

APP COMPONENTS

Activities: 2

Services: 0

Receivers: 1

Providers: 1

Exported Activities: 0

Exported Services: 0

Exported Receivers: 1

Exported Providers: 0

CERTIFICATE INFORMATION

Binary is not signed

Missing certificate

v1 signature: False

v2 signature: False

v3 signature: False

v4 signature: False

APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.INTERNET	normal	full Internet access	Allows an application to create network sockets.
com.example.mastg_test0020.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	unknown	Unknown permission	Unknown permission from android reference

APKID ANALYSIS

FILE	DETAILS	
classes.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MANUFACTURER check
	Compiler	r8

NETWORK SECURITY

NO	SCOPE	SEVERITY	DESCRIPTION
----	-------	----------	-------------

CERTIFICATE ANALYSIS

HIGH: 1 | WARNING: 0 | INFO: 0

TITLE	SEVERITY	DESCRIPTION
Missing Code Signing certificate	high	Code signing certificate not found

🔍 MANIFEST ANALYSIS

HIGH: 2 | WARNING: 1 | INFO: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	DESCRIPTION
1	App can be installed on a vulnerable unpatched Android version 7.0, [minSdk=24]	high	This application can be installed on an older version of android that has multiple unfixed vulnerabilities. These devices won't receive reasonable security updates from Google. Support an Android version => 10, API 29 to receive reasonable security updates.
2	Clear text traffic is Enabled For App[android:usesCleartextTraffic=true]	high	The app intends to use cleartext network traffic, such as cleartext HTTP, FTP stacks, DownloadManager, and MediaPlayer. The default value for apps that target API level 27 or lower is "true". Apps that target API level 28 or higher default to "false". The key reason for avoiding cleartext traffic is the lack of confidentiality, authenticity, and protections against tampering; a network attacker can eavesdrop on transmitted data and also modify it without being detected.
3	Broadcast Receiver (androidx.profileinstaller.ProfileInstallReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

⚡ CODE ANALYSIS

NO	ISSUE	SEVERITY	STANDARDS	FILES
----	-------	----------	-----------	-------

📄 NIAP ANALYSIS v1.3

NO	IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION
----	------------	-------------	---------	-------------

⚠️ ABUSED PERMISSIONS

TYPE	MATCHES	PERMISSIONS
Malware Permissions	1/25	android.permission.INTERNET
Other Common Permissions	0/44	

Malware Permissions:

Top permissions that are widely abused by known malware.

Other Common Permissions:

Permissions that are commonly abused by known malware.

! OFAC SANCTIONED COUNTRIES

This app may communicate with the following OFAC sanctioned list of countries.

DOMAIN	COUNTRY/REGION
--------	----------------

🔍 DOMAIN MALWARE CHECK

DOMAIN	STATUS	GEOLOCATION
example.com	ok	IP: 172.66.147.243 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map

SCAN LOGS

Timestamp	Event	Error
2026-05-10 05:39:00	Generating Hashes	OK
2026-05-10 05:39:00	Extracting APK	OK
2026-05-10 05:39:00	Unzipping	OK
2026-05-10 05:39:00	Parsing APK with androguard	OK
2026-05-10 05:39:00	Extracting APK features using aapt/aapt2	OK

2026-05-10 05:39:01	Getting Hardcoded Certificates/Keystores	OK
2026-05-10 05:39:04	Parsing AndroidManifest.xml	OK
2026-05-10 05:39:05	Extracting Manifest Data	OK
2026-05-10 05:39:05	Manifest Analysis Started	OK
2026-05-10 05:39:05	Performing Static Analysis on: MASTG-TEST0020 (com.example.mastg_test0020)	OK
2026-05-10 05:39:06	Fetching Details from Play Store: com.example.mastg_test0020	OK
2026-05-10 05:39:07	Checking for Malware Permissions	OK
2026-05-10 05:39:07	Fetching icon path	OK
2026-05-10 05:39:07	Library Binary Analysis Started	OK
2026-05-10 05:39:07	Reading Code Signing Certificate	OK
2026-05-10 05:39:07	Running APKiD 3.0.0	OK

2026-05-10 05:39:11	Detecting Trackers	OK
2026-05-10 05:39:13	Decompiling APK to Java with JADX	OK
2026-05-10 05:39:58	Converting DEX to Smali	OK
2026-05-10 05:39:58	Code Analysis Started on - java_source	OK
2026-05-10 05:39:58	Android SBOM Analysis Completed	OK
2026-05-10 05:40:08	Android SAST Completed	OK
2026-05-10 05:40:08	Android API Analysis Started	OK
2026-05-10 05:40:13	Android API Analysis Completed	OK
2026-05-10 05:40:14	Android Permission Mapping Started	OK
2026-05-10 05:40:18	Android Permission Mapping Completed	OK

2026-05-10 05:40:18	Android Behaviour Analysis Started	OK
2026-05-10 05:40:22	Android Behaviour Analysis Completed	OK
2026-05-10 05:40:22	Extracting Emails and URLs from Source Code	OK
2026-05-10 05:40:22	Email and URL Extraction Completed	OK
2026-05-10 05:40:22	Extracting String data from APK	OK
2026-05-10 05:40:23	Extracting String data from Code	OK
2026-05-10 05:40:23	Extracting String values and entropies from Code	OK
2026-05-10 05:40:24	Performing Malware check on extracted domains	OK
2026-05-10 05:40:29	Saving to Database	OK

Report Generated by - MobSF v4.5.0

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.



ANDROID STATIC ANALYSIS REPORT

app_icon

 MASTG-TEST0019 (1.0)

File Name: MASTG-TEST0019.apk

Package Name: com.example.mastg_test0019

Scan Date: May 10, 2026, 5:36 a.m.

App Security Score: **31/100 (HIGH RISK)**

Grade:



FINDINGS SEVERITY

 HIGH	 MEDIUM	 INFO	 SECURE	 HOTSPOT
4	2	0	1	0

FILE INFORMATION

File Name: MASTG-TEST0019.apk

Size: 4.72MB

MD5: cd6393f029d871181e949816fdc6f4ca

SHA1: 256205d08c207ef243b90f275fec4989363d6c9d

SHA256: b7d51ffdb1b4fd929080ac6446ac3d7dced543a8fdf6bfc28dbe621359962ba5

APP INFORMATION

App Name: MASTG-TEST0019

Package Name: com.example.mastg_test0019

Main Activity: com.example.mastg_test0019.MainActivity

Target SDK: 34

Min SDK: 19

Max SDK:

Android Version Name: 1.0

Android Version Code: 1

APP COMPONENTS

Activities: 1

Services: 0

Receivers: 1

Providers: 1

Exported Activities: 0

Exported Services: 0

Exported Receivers: 1

Exported Providers: 0

CERTIFICATE INFORMATION

Binary is signed

v1 signature: True

v2 signature: True

v3 signature: True

v4 signature: False

X.509 Subject: C=US, ST=US, L=US, O=US, OU=Android, CN=Android Debug

Signature Algorithm: rsassa_pkcs1v15

Valid From: 2016-10-23 20:10:05+00:00

Valid To: 2044-03-10 20:10:05+00:00

Issuer: C=US, ST=US, L=US, O=US, OU=Android, CN=Android Debug

Serial Number: 0x56c1a15

Hash Algorithm: sha256

md5: ffd6314a83f267ac4f9407fd2e5a0480

sha1: 5d08264b44e0e53fbccc70b4f016474cc6c5ab5c

sha256: 1e08a903aef9c3a721510b64ec764d01d3d094eb954161b62544ea8f187b5953

sha512: 428b549823a4f3010218b270db81b8dea32f9115edcf58898a38839826ed3a5ece86fe792c4e0db47aab7c940e3968220bb16dfcca36052070d6e6ab2c482b96

PublicKey Algorithm: rsa

Bit Size: 2048

Fingerprint: 5ae9c127f99536cc5371c0a638c92ffcd60c770d30ddc58bd1721fba7e0d321f

Found 1 unique certificates

 APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.INTERNET	normal	full Internet access	Allows an application to create network sockets.
com.example.mastg_test0019.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	unknown	Unknown permission	Unknown permission from android reference

 APKID ANALYSIS

FILE	DETAILS	
classes.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MANUFACTURER check
	Compiler	r8

 NETWORK SECURITY

NO	SCOPE	SEVERITY	DESCRIPTION
----	-------	----------	-------------

CERTIFICATE ANALYSIS

HIGH: 1 | WARNING: 1 | INFO: 1

TITLE	SEVERITY	DESCRIPTION
Signed Application	info	Application is signed with a code signing certificate
Application vulnerable to Janus Vulnerability	warning	Application is signed with v1 signature scheme, making it vulnerable to Janus vulnerability on Android 5.0-8.0, if signed only with v1 signature scheme. Applications running on Android 5.0-7.0 signed with v1, and v2/v3 scheme is also vulnerable.
Application signed with debug certificate	high	Application signed with a debug certificate. Production application must not be shipped with a debug certificate.

MANIFEST ANALYSIS

HIGH: 2 | WARNING: 1 | INFO: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	DESCRIPTION
1	App can be installed on a vulnerable unpatched Android version 4.4-4.4.4, [minSdk=19]	high	This application can be installed on an older version of android that has multiple unfixed vulnerabilities. These devices won't receive reasonable security updates from Google. Support an Android version => 10, API 29 to receive reasonable security updates.
2	Clear text traffic is Enabled For App[android:usesCleartextTraffic=true]	high	The app intends to use cleartext network traffic, such as cleartext HTTP, FTP stacks, DownloadManager, and MediaPlayer. The default value for apps that target API level 27 or lower is "true". Apps that target API level 28 or higher default to "false". The key reason for avoiding cleartext traffic is the lack of confidentiality, authenticity, and protections against tampering; a network attacker can eavesdrop on transmitted data and also modify it without being detected.

NO	ISSUE	SEVERITY	DESCRIPTION
3	Broadcast Receiver (androidx.profileinstaller.ProfileInstallReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

</> CODE ANALYSIS

HIGH: 1 | WARNING: 0 | INFO: 0 | SECURE: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	STANDARDS	FILES
1	Insecure WebView Implementation. WebView ignores SSL Certificate errors and accept any SSL Certificate. This application is vulnerable to MITM attacks	high	CWE: CWE-295: Improper Certificate Validation OWASP Top 10: M3: Insecure Communication OWASP MASVS: MSTG-NETWORK-3	com/example/mastg_test0019/MainActivity.java

📄 NIAP ANALYSIS v1.3

NO	IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION
----	------------	-------------	---------	-------------

🔴 ABUSED PERMISSIONS

TYPE	MATCHES	PERMISSIONS
Malware Permissions	1/25	android.permission.INTERNET
Other Common Permissions	0/44	

Malware Permissions:

Top permissions that are widely abused by known malware.

Other Common Permissions:

Permissions that are commonly abused by known malware.

! OFAC SANCTIONED COUNTRIES

This app may communicate with the following OFAC sanctioned list of countries.

DOMAIN	COUNTRY/REGION
--------	----------------

** DOMAIN MALWARE CHECK**

DOMAIN	STATUS	GEOLOCATION
www.example.com	ok	IP: 104.20.23.154 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map

 SCAN LOGS

Timestamp	Event	Error
2026-05-10 05:36:40	Generating Hashes	OK
2026-05-10 05:36:40	Extracting APK	OK
2026-05-10 05:36:40	Unzipping	OK
2026-05-10 05:36:40	Parsing APK with androguard	OK
2026-05-10 05:36:41	Extracting APK features using aapt/aapt2	OK
2026-05-10 05:36:41	Getting Hardcoded Certificates/Keystores	OK
2026-05-10 05:36:45	Parsing AndroidManifest.xml	OK
2026-05-10 05:36:45	Extracting Manifest Data	OK
2026-05-10 05:36:45	Manifest Analysis Started	OK

2026-05-10 05:36:45	Performing Static Analysis on: MASTG-TEST0019 (com.example.mastg_test0019)	OK
2026-05-10 05:36:47	Fetching Details from Play Store: com.example.mastg_test0019	OK
2026-05-10 05:36:48	Checking for Malware Permissions	OK
2026-05-10 05:36:48	Fetching icon path	OK
2026-05-10 05:36:48	Library Binary Analysis Started	OK
2026-05-10 05:36:48	Reading Code Signing Certificate	OK
2026-05-10 05:36:49	Running APKiD 3.0.0	OK
2026-05-10 05:36:53	Detecting Trackers	OK
2026-05-10 05:36:55	Decompiling APK to Java with JADX	OK
2026-05-10 05:37:34	Converting DEX to Smali	OK
2026-05-10 05:37:34	Code Analysis Started on - java_source	OK

2026-05-10 05:37:35	Android SBOM Analysis Completed	OK
2026-05-10 05:37:46	Android SAST Completed	OK
2026-05-10 05:37:46	Android API Analysis Started	OK
2026-05-10 05:37:51	Android API Analysis Completed	OK
2026-05-10 05:37:52	Android Permission Mapping Started	OK
2026-05-10 05:37:56	Android Permission Mapping Completed	OK
2026-05-10 05:37:56	Android Behaviour Analysis Started	OK
2026-05-10 05:38:00	Android Behaviour Analysis Completed	OK
2026-05-10 05:38:00	Extracting Emails and URLs from Source Code	OK
2026-05-10 05:38:00	Email and URL Extraction Completed	OK
2026-05-10 05:38:00	Extracting String data from APK	OK

2026-05-10 05:38:00	Extracting String data from Code	OK
2026-05-10 05:38:00	Extracting String values and entropies from Code	OK
2026-05-10 05:38:02	Performing Malware check on extracted domains	OK
2026-05-10 05:38:07	Saving to Database	OK

Report Generated by - MobSF v4.5.0

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

© 2026 Mobile Security Framework - MobSF | [Ajin Abraham](#) | [OpenSecurity](#).



ANDROID STATIC ANALYSIS REPORT

app_icon

 MASTG-TEST0018 (1.0)


File Name: MASTG-TEST0018.apk

Package Name: com.example.mastg_test0018

Scan Date: May 10, 2026, 5:33 a.m.

App Security Score: 42/100 (MEDIUM RISK)

Grade:



FINDINGS SEVERITY

 HIGH	 MEDIUM	 INFO	 SECURE	 HOTSPOT
2	1	1	1	0

FILE INFORMATION

File Name: MASTG-TEST0018.apk

Size: 4.72MB

MD5: b013ccc434b6892fe58ce7aadffc0c57

SHA1: e884679b8f0db56e258721b68c78aa3978c2e5c6

SHA256: 8f809009b7b11601925aab0f005d607fe5e1bd0b0812ceed0844f21cfbe12c47

APP INFORMATION

App Name: MASTG-TEST0018

Package Name: com.example.mastg_test0018

Main Activity: com.example.mastg_test0018.MainActivity

Target SDK: 34

Min SDK: 24

Max SDK:

Android Version Name: 1.0

Android Version Code: 1

APP COMPONENTS

Activities: 2

Services: 0

Receivers: 1

Providers: 1

Exported Activities: 0

Exported Services: 0

Exported Receivers: 1

Exported Providers: 0

CERTIFICATE INFORMATION

Binary is signed

v1 signature: False

v2 signature: True

v3 signature: True

v4 signature: False

X.509 Subject: C=US, ST=US, L=US, O=US, OU=Android, CN=Android Debug

Signature Algorithm: rsassa_pkcs1v15

Valid From: 2016-10-23 20:10:05+00:00

Valid To: 2044-03-10 20:10:05+00:00

Issuer: C=US, ST=US, L=US, O=US, OU=Android, CN=Android Debug

Serial Number: 0x56c1a15

Hash Algorithm: sha256

md5: ffd6314a83f267ac4f9407fd2e5a0480

sha1: 5d08264b44e0e53fbccc70b4f016474cc6c5ab5c

sha256: 1e08a903aef9c3a721510b64ec764d01d3d094eb954161b62544ea8f187b5953

sha512: 428b549823a4f3010218b270db81b8dea32f9115edcf58898a38839826ed3a5ece86fe792c4e0db47aab7c940e3968220bb16dfcca36052070d6e6ab2c482b96

PublicKey Algorithm: rsa

Bit Size: 2048

Fingerprint: 5ae9c127f99536cc5371c0a638c92ffcd60c770d30ddc58bd1721fba7e0d321f

Found 1 unique certificates

APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.INTERNET	normal	full Internet access	Allows an application to create network sockets.
android.permission.USE_BIOMETRIC	normal	allows use of device-supported biometric modalities.	Allows an app to use device supported biometric modalities.
android.permission.USE_FINGERPRINT	normal	allow use of fingerprint	This constant was deprecated in API level 28. Applications should request USE_BIOMETRIC instead.
com.example.mastg_test0018.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	unknown	Unknown permission	Unknown permission from android reference

APKID ANALYSIS

FILE	DETAILS
------	---------

FILE	DETAILS	
classes.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MANUFACTURER check
	Compiler	r8

NETWORK SECURITY

NO	SCOPE	SEVERITY	DESCRIPTION
----	-------	----------	-------------

CERTIFICATE ANALYSIS

HIGH: 1 | WARNING: 0 | INFO: 1

TITLE	SEVERITY	DESCRIPTION
Signed Application	info	Application is signed with a code signing certificate
Application signed with debug certificate	high	Application signed with a debug certificate. Production application must not be shipped with a debug certificate.

MANIFEST ANALYSIS

HIGH: 1 | WARNING: 1 | INFO: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	DESCRIPTION
1	App can be installed on a vulnerable unpatched Android version 7.0, [minSdk=24]	high	This application can be installed on an older version of android that has multiple unfixed vulnerabilities. These devices won't receive reasonable security updates from Google. Support an Android version => 10, API 29 to receive reasonable security updates.
2	Broadcast Receiver (androidx.profileinstaller.ProfileInstallReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

</> CODE ANALYSIS

HIGH: 0 | WARNING: 0 | INFO: 1 | SECURE: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	STANDARDS	FILES
1	The App logs information. Sensitive information should never be logged.	info	CWE: CWE-532: Insertion of Sensitive Information into Log File OWASP MASVS: MSTG-STORAGE-3	com/example/mastg_test0018/MainActivity.java

📱 NIAP ANALYSIS v1.3

NO	IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION
----	------------	-------------	---------	-------------

⚠️ ABUSED PERMISSIONS

TYPE	MATCHES	PERMISSIONS
Malware Permissions	1/25	android.permission.INTERNET
Other Common Permissions	0/44	

Malware Permissions:

Top permissions that are widely abused by known malware.

Other Common Permissions:

Permissions that are commonly abused by known malware.

! OFAC SANCTIONED COUNTRIES

This app may communicate with the following OFAC sanctioned list of countries.

DOMAIN	COUNTRY/REGION
--------	----------------

🔍 DOMAIN MALWARE CHECK

DOMAIN	STATUS	GEOLOCATION
--------	--------	-------------

DOMAIN	STATUS	GEOLOCATION
www.example.com	ok	IP: 104.20.23.154 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map

SCAN LOGS

Timestamp	Event	Error
2026-05-10 05:33:20	Generating Hashes	OK
2026-05-10 05:33:20	Extracting APK	OK
2026-05-10 05:33:20	Unzipping	OK
2026-05-10 05:33:20	Parsing APK with androguard	OK
2026-05-10 05:33:21	Extracting APK features using aapt/aapt2	OK

2026-05-10 05:33:21	Getting Hardcoded Certificates/Keystores	OK
2026-05-10 05:33:25	Parsing AndroidManifest.xml	OK
2026-05-10 05:33:25	Extracting Manifest Data	OK
2026-05-10 05:33:25	Manifest Analysis Started	OK
2026-05-10 05:33:25	Performing Static Analysis on: MASTG-TEST0018 (com.example.mastg_test0018)	OK
2026-05-10 05:33:27	Fetching Details from Play Store: com.example.mastg_test0018	OK
2026-05-10 05:33:28	Checking for Malware Permissions	OK
2026-05-10 05:33:28	Fetching icon path	OK
2026-05-10 05:33:28	Library Binary Analysis Started	OK
2026-05-10 05:33:28	Reading Code Signing Certificate	OK
2026-05-10 05:33:29	Running APKiD 3.0.0	OK

2026-05-10 05:33:33	Detecting Trackers	OK
2026-05-10 05:33:34	Decompiling APK to Java with JADX	OK
2026-05-10 05:34:13	Converting DEX to Smali	OK
2026-05-10 05:34:13	Code Analysis Started on - java_source	OK
2026-05-10 05:34:14	Android SBOM Analysis Completed	OK
2026-05-10 05:34:30	Android SAST Completed	OK
2026-05-10 05:34:30	Android API Analysis Started	OK
2026-05-10 05:34:36	Android API Analysis Completed	OK
2026-05-10 05:34:38	Android Permission Mapping Started	OK
2026-05-10 05:34:43	Android Permission Mapping Completed	OK

2026-05-10 05:34:43	Android Behaviour Analysis Started	OK
2026-05-10 05:34:47	Android Behaviour Analysis Completed	OK
2026-05-10 05:34:47	Extracting Emails and URLs from Source Code	OK
2026-05-10 05:34:48	Email and URL Extraction Completed	OK
2026-05-10 05:34:48	Extracting String data from APK	OK
2026-05-10 05:34:48	Extracting String data from Code	OK
2026-05-10 05:34:48	Extracting String values and entropies from Code	OK
2026-05-10 05:34:50	Performing Malware check on extracted domains	OK
2026-05-10 05:34:56	Saving to Database	OK

Report Generated by - MobSF v4.5.0

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.



ANDROID STATIC ANALYSIS REPORT

app_icon

 MASTG-TEST0017 (1.0)


File Name: MASTG-TEST0017.apk

Package Name: com.example.mastg_test0017

Scan Date: May 10, 2026, 5:31 a.m.

App Security Score: 55/100 (MEDIUM RISK)

Grade:



FINDINGS SEVERITY

 HIGH	 MEDIUM	 INFO	 SECURE	 HOTSPOT
1	2	1	1	0

FILE INFORMATION

File Name: MASTG-TEST0017.apk

Size: 4.4MB

MD5: 77d4a2e0f29c4511000b81b9b5d4c321

SHA1: ba7c03f95bf17edcdc6c326cb538ebfef5e6c868

SHA256: db8f7572153513af62ea318014a866fa1c67da265d911f86861187ea4ee68588

APP INFORMATION

App Name: MASTG-TEST0017

Package Name: com.example.mastg_test0017

Main Activity: com.example.mastg_test0017.MainActivity

Target SDK: 34

Min SDK: 26

Max SDK:

Android Version Name: 1.0

Android Version Code: 1

APP COMPONENTS

Activities: 2

Services: 0

Receivers: 1

Providers: 1

Exported Activities: 0

Exported Services: 0

Exported Receivers: 1

Exported Providers: 0

CERTIFICATE INFORMATION

Binary is not signed

Missing certificate

v1 signature: False

v2 signature: False

v3 signature: False

v4 signature: False

APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
com.example.mastg_test0017.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	unknown	Unknown permission	Unknown permission from android reference

APKID ANALYSIS

FILE	DETAILS	
classes.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MANUFACTURER check
	Compiler	r8

NETWORK SECURITY

NO	SCOPE	SEVERITY	DESCRIPTION
----	-------	----------	-------------

CERTIFICATE ANALYSIS

HIGH: 1 | WARNING: 0 | INFO: 0

TITLE	SEVERITY	DESCRIPTION
Missing Code Signing certificate	high	Code signing certificate not found

MANIFEST ANALYSIS

HIGH: 0 | WARNING: 2 | INFO: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	DESCRIPTION
1	App can be installed on a vulnerable Android version 8.0, minSdk=26]	warning	This application can be installed on an older version of android that has multiple vulnerabilities. Support an Android version => 10, API 29 to receive reasonable security updates.
2	Broadcast Receiver (androidx.profileinstaller.ProfileInstallReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

</> CODE ANALYSIS

HIGH: 0 | WARNING: 0 | INFO: 1 | SECURE: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	STANDARDS	FILES
1	The App logs information. Sensitive information should never be logged.	info	CWE: CWE-532: Insertion of Sensitive Information into Log File OWASP MASVS: MSTG-STORAGE-3	com/example/mastg_test0017/MainActivity.java

📄 NIAP ANALYSIS v1.3

NO	IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION
----	------------	-------------	---------	-------------

BEHAVIOUR ANALYSIS

RULE ID	BEHAVIOUR	LABEL	FILES
00013	Read file and put it into a stream	file	com/example/mastg_test0017/MainActivity.java com/example/mastg_test0017/Profile.java

ABUSED PERMISSIONS

TYPE	MATCHES	PERMISSIONS
Malware Permissions	0/25	
Other Common Permissions	0/44	

Malware Permissions:

Top permissions that are widely abused by known malware.

Other Common Permissions:

Permissions that are commonly abused by known malware.

SCAN LOGS

Timestamp	Event	Error
2026-05-10 05:31:07	Generating Hashes	OK

2026-05-10 05:31:07	Extracting APK	OK
2026-05-10 05:31:07	Unzipping	OK
2026-05-10 05:31:08	Parsing APK with androguard	OK
2026-05-10 05:31:08	Extracting APK features using aapt/aapt2	OK
2026-05-10 05:31:08	Getting Hardcoded Certificates/Keystores	OK
2026-05-10 05:31:13	Parsing AndroidManifest.xml	OK
2026-05-10 05:31:13	Extracting Manifest Data	OK
2026-05-10 05:31:13	Manifest Analysis Started	OK
2026-05-10 05:31:13	Performing Static Analysis on: MASTG-TEST0017 (com.example.mastg_test0017)	OK
2026-05-10 05:31:15	Fetching Details from Play Store: com.example.mastg_test0017	OK
2026-05-10 05:31:16	Checking for Malware Permissions	OK

2026-05-10 05:31:16	Fetching icon path	OK
2026-05-10 05:31:16	Library Binary Analysis Started	OK
2026-05-10 05:31:16	Reading Code Signing Certificate	OK
2026-05-10 05:31:16	Running APKiD 3.0.0	OK
2026-05-10 05:31:21	Detecting Trackers	OK
2026-05-10 05:31:22	Decompiling APK to Java with JADX	OK
2026-05-10 05:32:10	Converting DEX to Smali	OK
2026-05-10 05:32:10	Code Analysis Started on - java_source	OK
2026-05-10 05:32:10	Android SBOM Analysis Completed	OK
2026-05-10 05:32:19	Android SAST Completed	OK
2026-05-10 05:32:19	Android API Analysis Started	OK

2026-05-10 05:32:24	Android API Analysis Completed	OK
2026-05-10 05:32:24	Android Permission Mapping Started	OK
2026-05-10 05:32:25	Android Permission Mapping Completed	OK
2026-05-10 05:32:25	Android Behaviour Analysis Started	OK
2026-05-10 05:32:29	Android Behaviour Analysis Completed	OK
2026-05-10 05:32:29	Extracting Emails and URLs from Source Code	OK
2026-05-10 05:32:29	Email and URL Extraction Completed	OK
2026-05-10 05:32:29	Extracting String data from APK	OK
2026-05-10 05:32:30	Extracting String data from Code	OK
2026-05-10 05:32:30	Extracting String values and entropies from Code	OK
2026-05-10 05:32:31	Performing Malware check on extracted domains	OK

2026-05-10 05:32:31	Saving to Database	OK
---------------------	--------------------	----

Report Generated by - MobSF v4.5.0

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.



ANDROID STATIC ANALYSIS REPORT

app_icon

 MASTG-TEST0016 (1.0)


File Name: MASTG-TEST0016.apk

Package Name: com.example.mastg_test0016

Scan Date: May 10, 2026, 5:29 a.m.

App Security Score: 44/100 (MEDIUM RISK)

Grade:



FINDINGS SEVERITY

 HIGH	 MEDIUM	 INFO	 SECURE	 HOTSPOT
2	2	1	1	0

FILE INFORMATION

File Name: MASTG-TEST0016.apk

Size: 4.48MB

MD5: c5678b3f676972fad4ea4a821f140d0e

SHA1: 277c977f872bf6acf1ad1b77cb3c1677c2b82e6b

SHA256: 626f23940c5c5e959d7046e4fa0c11dc5a1398948e626e723bfbfe41c20dc339

APP INFORMATION

App Name: MASTG-TEST0016

Package Name: com.example.mastg_test0016

Main Activity: com.example.mastg_test0016.MainActivity

Target SDK: 33

Min SDK: 24

Max SDK:

Android Version Name: 1.0

Android Version Code: 1

APP COMPONENTS

Activities: 3

Services: 0

Receivers: 1

Providers: 1

Exported Activities: 0

Exported Services: 0

Exported Receivers: 1

Exported Providers: 0

CERTIFICATE INFORMATION

Binary is signed

v1 signature: False

v2 signature: True

v3 signature: True

v4 signature: False

X.509 Subject: C=US, ST=US, L=US, O=US, OU=Android, CN=Android Debug

Signature Algorithm: rsassa_pkcs1v15

Valid From: 2016-10-23 20:10:05+00:00

Valid To: 2044-03-10 20:10:05+00:00

Issuer: C=US, ST=US, L=US, O=US, OU=Android, CN=Android Debug

Serial Number: 0x56c1a15

Hash Algorithm: sha256

md5: ffd6314a83f267ac4f9407fd2e5a0480

sha1: 5d08264b44e0e53fbccc70b4f016474cc6c5ab5c

sha256: 1e08a903aef9c3a721510b64ec764d01d3d094eb954161b62544ea8f187b5953

sha512: 428b549823a4f3010218b270db81b8dea32f9115edcf58898a38839826ed3a5ece86fe792c4e0db47aab7c940e3968220bb16dfcca36052070d6e6ab2c482b96

PublicKey Algorithm: rsa

Bit Size: 2048

Fingerprint: 5ae9c127f99536cc5371c0a638c92ffcd60c770d30ddc58bd1721fba7e0d321f

Found 1 unique certificates

 APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
com.example.mastg_test0016.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	unknown	Unknown permission	Unknown permission from android reference

 APKID ANALYSIS

FILE	DETAILS	
classes.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MANUFACTURER check
	Compiler	r8

 NETWORK SECURITY

NO	SCOPE	SEVERITY	DESCRIPTION
----	-------	----------	-------------

CERTIFICATE ANALYSIS

HIGH: 1 | WARNING: 0 | INFO: 1

TITLE	SEVERITY	DESCRIPTION
Signed Application	info	Application is signed with a code signing certificate
Application signed with debug certificate	high	Application signed with a debug certificate. Production application must not be shipped with a debug certificate.

MANIFEST ANALYSIS

HIGH: 1 | WARNING: 1 | INFO: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	DESCRIPTION
1	App can be installed on a vulnerable unpatched Android version 7.0, [minSdk=24]	high	This application can be installed on an older version of android that has multiple unfixed vulnerabilities. These devices won't receive reasonable security updates from Google. Support an Android version => 10, API 29 to receive reasonable security updates.
2	Broadcast Receiver (androidx.profileinstaller.ProfileInstallReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

CODE ANALYSIS

HIGH: 0 | WARNING: 1 | INFO: 1 | SECURE: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	STANDARDS	FILES
1	The App uses an insecure Random Number Generator.	warning	CWE: CWE-330: Use of Insufficiently Random Values OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-6	com/example/mastg_test0016/Login.java com/example/mastg_test0016/MainActivity.java
2	The App logs information. Sensitive information should never be logged.	info	CWE: CWE-532: Insertion of Sensitive Information into Log File OWASP MASVS: MSTG-STORAGE-3	com/example/mastg_test0016/Login.java com/example/mastg_test0016/MainActivity.java

NIAP ANALYSIS v1.3

NO	IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION
----	------------	-------------	---------	-------------

BEHAVIOUR ANALYSIS

RULE ID	BEHAVIOUR	LABEL	FILES
00013	Read file and put it into a stream	file	com/example/mastg_test0016/Login.java

ABUSED PERMISSIONS

TYPE	MATCHES	PERMISSIONS
Malware Permissions	0/25	
Other Common Permissions	0/44	

Malware Permissions:

Top permissions that are widely abused by known malware.

Other Common Permissions:

Permissions that are commonly abused by known malware.

 SCAN LOGS

Timestamp	Event	Error
2026-05-10 05:29:05	Generating Hashes	OK
2026-05-10 05:29:05	Extracting APK	OK
2026-05-10 05:29:05	Unzipping	OK
2026-05-10 05:29:06	Parsing APK with androguard	OK
2026-05-10 05:29:06	Extracting APK features using aapt/aapt2	OK

2026-05-10 05:29:06	Getting Hardcoded Certificates/Keystores	OK
2026-05-10 05:29:11	Parsing AndroidManifest.xml	OK
2026-05-10 05:29:11	Extracting Manifest Data	OK
2026-05-10 05:29:11	Manifest Analysis Started	OK
2026-05-10 05:29:11	Performing Static Analysis on: MASTG-TEST0016 (com.example.mastg_test0016)	OK
2026-05-10 05:29:13	Fetching Details from Play Store: com.example.mastg_test0016	OK
2026-05-10 05:29:14	Checking for Malware Permissions	OK
2026-05-10 05:29:14	Fetching icon path	OK
2026-05-10 05:29:14	Library Binary Analysis Started	OK
2026-05-10 05:29:15	Reading Code Signing Certificate	OK
2026-05-10 05:29:15	Running APKiD 3.0.0	OK

2026-05-10 05:29:19	Detecting Trackers	OK
2026-05-10 05:29:23	Decompiling APK to Java with JADX	OK
2026-05-10 05:30:07	Converting DEX to Smali	OK
2026-05-10 05:30:07	Code Analysis Started on - java_source	OK
2026-05-10 05:30:08	Android SBOM Analysis Completed	OK
2026-05-10 05:30:17	Android SAST Completed	OK
2026-05-10 05:30:17	Android API Analysis Started	OK
2026-05-10 05:30:22	Android API Analysis Completed	OK
2026-05-10 05:30:22	Android Permission Mapping Started	OK
2026-05-10 05:30:23	Android Permission Mapping Completed	OK
2026-05-10 05:30:23	Android Behaviour Analysis Started	OK

2026-05-10 05:30:27	Android Behaviour Analysis Completed	OK
2026-05-10 05:30:27	Extracting Emails and URLs from Source Code	OK
2026-05-10 05:30:27	Email and URL Extraction Completed	OK
2026-05-10 05:30:27	Extracting String data from APK	OK
2026-05-10 05:30:28	Extracting String data from Code	OK
2026-05-10 05:30:28	Extracting String values and entropies from Code	OK
2026-05-10 05:30:29	Performing Malware check on extracted domains	OK
2026-05-10 05:30:29	Saving to Database	OK

Report Generated by - MobSF v4.5.0

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

© 2026 Mobile Security Framework - MobSF | [Ajin Abraham](#) | [OpenSecurity](#).



ANDROID STATIC ANALYSIS REPORT

app_icon

 MASTG-TEST0015 (1.0)


File Name: MASTG-TEST0015.apk

Package Name: com.example.mastg_test0015

Scan Date: May 10, 2026, 5:27 a.m.

App Security Score: 44/100 (MEDIUM RISK)

Grade:



FINDINGS SEVERITY

 HIGH	 MEDIUM	 INFO	 SECURE	 HOTSPOT
2	2	0	1	0

FILE INFORMATION

File Name: MASTG-TEST0015.apk

Size: 4.41MB

MD5: 356b8b88e9c65e06be3305d96c5c28a8

SHA1: 5343cd4d18836500f50fa852b84a8c1bbcbca02f

SHA256: 090363be4a3e8ccd872d609a2d13e818e20619065de50a034bec4df1d4920b2a

APP INFORMATION

App Name: MASTG-TEST0015

Package Name: com.example.mastg_test0015

Main Activity: com.example.mastg_test0015.MainActivity

Target SDK: 34

Min SDK: 26

Max SDK:

Android Version Name: 1.0

Android Version Code: 1

APP COMPONENTS

Activities: 3

Services: 0

Receivers: 1

Providers: 1

Exported Activities: 0

Exported Services: 0

Exported Receivers: 1

Exported Providers: 0

CERTIFICATE INFORMATION

Binary is signed

v1 signature: False

v2 signature: True

v3 signature: False

v4 signature: False

X.509 Subject: CN=Android Debug, O=Android, C=US

Signature Algorithm: rsassa_pkcs1v15

Valid From: 2024-07-02 13:15:23+00:00

Valid To: 2054-06-25 13:15:23+00:00

Issuer: CN=Android Debug, O=Android, C=US

Serial Number: 0x1

Hash Algorithm: sha256

md5: a74777cebd78eeefbe75577351f26f36

sha1: 81398f253ef5758ca7f21eb2257920728d274cdb

sha256: c7e8c13cef1ecb6689fcbc51c4bc1ad5252d026e7c958f2e7683019dfe49e9d9

sha512: 215d323bb50aa15f9ebe0f34d870822b0d0137f61b2cd28eceb1beea67e5e7b4eec5cf55a61000ba6bcd9657abf708b16dad15dd2f08d4e487f41a925b2e1e0f

PublicKey Algorithm: rsa

Bit Size: 2048

Fingerprint: ec99ed29a9359d1039bb6d4e271cb9b3ca5710798b242d1b516d0d585e229ee8

Found 1 unique certificates

APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
com.example.mastg_test0015.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	unknown	Unknown permission	Unknown permission from android reference

APKID ANALYSIS

FILE	DETAILS	
classes.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MANUFACTURER check
	Compiler	r8

NETWORK SECURITY

NO	SCOPE	SEVERITY	DESCRIPTION
----	-------	----------	-------------

CERTIFICATE ANALYSIS

HIGH: 1 | WARNING: 0 | INFO: 1

TITLE	SEVERITY	DESCRIPTION
Signed Application	info	Application is signed with a code signing certificate
Application signed with debug certificate	high	Application signed with a debug certificate. Production application must not be shipped with a debug certificate.

MANIFEST ANALYSIS

HIGH: 0 | WARNING: 2 | INFO: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	DESCRIPTION
1	App can be installed on a vulnerable Android version 8.0, minSdk=26]	warning	This application can be installed on an older version of android that has multiple vulnerabilities. Support an Android version => 10, API 29 to receive reasonable security updates.
2	Broadcast Receiver (androidx.profileinstaller.ProfileInstallReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

CODE ANALYSIS

HIGH: 1 | WARNING: 0 | INFO: 0 | SECURE: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	STANDARDS	FILES
1	Calling Cipher.getInstance("AES") will return AES ECB mode by default. ECB mode is known to be weak as it results in the same ciphertext for identical blocks of plaintext.	high	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-2	com/example/mastg_test0015/CryptoUtil.java

NIAP ANALYSIS v1.3

NO	IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION
----	------------	-------------	---------	-------------

BEHAVIOUR ANALYSIS

RULE ID	BEHAVIOUR	LABEL	FILES
00013	Read file and put it into a stream	file	com/example/mastg_test0015/MainActivity.java com/example/mastg_test0015/Profile.java

ABUSED PERMISSIONS

TYPE	MATCHES	PERMISSIONS
Malware Permissions	0/25	

TYPE	MATCHES	PERMISSIONS
Other Common Permissions	0/44	

Malware Permissions:

Top permissions that are widely abused by known malware.

Other Common Permissions:

Permissions that are commonly abused by known malware.

 SCAN LOGS

Timestamp	Event	Error
2026-05-10 05:27:11	Generating Hashes	OK
2026-05-10 05:27:11	Extracting APK	OK
2026-05-10 05:27:11	Unzipping	OK
2026-05-10 05:27:12	Parsing APK with androguard	OK
2026-05-10 05:27:12	Extracting APK features using aapt/aapt2	OK

2026-05-10 05:27:12	Getting Hardcoded Certificates/Keystores	OK
2026-05-10 05:27:17	Parsing AndroidManifest.xml	OK
2026-05-10 05:27:17	Extracting Manifest Data	OK
2026-05-10 05:27:17	Manifest Analysis Started	OK
2026-05-10 05:27:17	Performing Static Analysis on: MASTG-TEST0015 (com.example.mastg_test0015)	OK
2026-05-10 05:27:19	Fetching Details from Play Store: com.example.mastg_test0015	OK
2026-05-10 05:27:20	Checking for Malware Permissions	OK
2026-05-10 05:27:20	Fetching icon path	OK
2026-05-10 05:27:20	Library Binary Analysis Started	OK
2026-05-10 05:27:20	Reading Code Signing Certificate	OK
2026-05-10 05:27:21	Running APKiD 3.0.0	OK

2026-05-10 05:27:25	Detecting Trackers	OK
2026-05-10 05:27:29	Decompiling APK to Java with JADX	OK
2026-05-10 05:28:10	Converting DEX to Smali	OK
2026-05-10 05:28:10	Code Analysis Started on - java_source	OK
2026-05-10 05:28:10	Android SBOM Analysis Completed	OK
2026-05-10 05:28:19	Android SAST Completed	OK
2026-05-10 05:28:19	Android API Analysis Started	OK
2026-05-10 05:28:25	Android API Analysis Completed	OK
2026-05-10 05:28:25	Android Permission Mapping Started	OK
2026-05-10 05:28:26	Android Permission Mapping Completed	OK
2026-05-10 05:28:26	Android Behaviour Analysis Started	OK

2026-05-10 05:28:30	Android Behaviour Analysis Completed	OK
2026-05-10 05:28:30	Extracting Emails and URLs from Source Code	OK
2026-05-10 05:28:30	Email and URL Extraction Completed	OK
2026-05-10 05:28:30	Extracting String data from APK	OK
2026-05-10 05:28:30	Extracting String data from Code	OK
2026-05-10 05:28:30	Extracting String values and entropies from Code	OK
2026-05-10 05:28:32	Performing Malware check on extracted domains	OK
2026-05-10 05:28:32	Saving to Database	OK

Report Generated by - MobSF v4.5.0

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

© 2026 Mobile Security Framework - MobSF | [Ajin Abraham](#) | [OpenSecurity](#).



ANDROID STATIC ANALYSIS REPORT

app_icon

 MASTG-TEST-0014 (1.0)


File Name: MASTG-TEST0014.apk

Package Name: com.example.mastg_test_0014

Scan Date: May 10, 2026, 5:25 a.m.

App Security Score: 44/100 (MEDIUM RISK)

Grade:



FINDINGS SEVERITY

 HIGH	 MEDIUM	 INFO	 SECURE	 HOTSPOT
2	2	0	1	0

FILE INFORMATION

File Name: MASTG-TEST0014.apk

Size: 4.41MB

MD5: a68b76a959a27dbc66c17b7b377f29e8

SHA1: 9723adb8a1fa71b7dbe92e0dc11a1203754bc372

SHA256: 0a2b0affa8587ddc607fa7003ae533757464f6f0341f28452d56f79df62883e6

APP INFORMATION

App Name: MASTG-TEST-0014

Package Name: com.example.mastg_test_0014

Main Activity: com.example.mastg_test_0014.MainActivity

Target SDK: 33

Min SDK: 24

Max SDK:

Android Version Name: 1.0

Android Version Code: 1

APP COMPONENTS

Activities: 2

Services: 0

Receivers: 1

Providers: 1

Exported Activities: 0

Exported Services: 0

Exported Receivers: 1

Exported Providers: 0

CERTIFICATE INFORMATION

Binary is not signed

Missing certificate

v1 signature: False

v2 signature: False

v3 signature: False

v4 signature: False

APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
com.example.mastg_test_0014.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	unknown	Unknown permission	Unknown permission from android reference

APKID ANALYSIS

FILE	DETAILS	
classes.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MANUFACTURER check
	Compiler	r8

NETWORK SECURITY

NO	SCOPE	SEVERITY	DESCRIPTION
----	-------	----------	-------------

CERTIFICATE ANALYSIS

HIGH: 1 | WARNING: 0 | INFO: 0

TITLE	SEVERITY	DESCRIPTION
Missing Code Signing certificate	high	Code signing certificate not found

MANIFEST ANALYSIS

HIGH: 1 | WARNING: 1 | INFO: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	DESCRIPTION
1	App can be installed on a vulnerable unpatched Android version 7.0, [minSdk=24]	high	This application can be installed on an older version of android that has multiple unfixed vulnerabilities. These devices won't receive reasonable security updates from Google. Support an Android version => 10, API 29 to receive reasonable security updates.
2	Broadcast Receiver (androidx.profileinstaller.ProfileInstallReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

</> CODE ANALYSIS

HIGH: 0 | WARNING: 1 | INFO: 0 | SECURE: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	STANDARDS	FILES
1	MD5 is a weak hash known to have hash collisions.	warning	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	com/example/mastg_test_0014/Profile.java

👤 NIAP ANALYSIS v1.3

NO	IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION
----	------------	-------------	---------	-------------

 BEHAVIOUR ANALYSIS

RULE ID	BEHAVIOUR	LABEL	FILES
00013	Read file and put it into a stream	file	com/example/mastg_test_0014/Profile.java

 ABUSED PERMISSIONS

TYPE	MATCHES	PERMISSIONS
Malware Permissions	0/25	
Other Common Permissions	0/44	

Malware Permissions:
Top permissions that are widely abused by known malware.

Other Common Permissions:
Permissions that are commonly abused by known malware.

 SCAN LOGS

Timestamp	Event	Error
2026-05-10 05:25:19	Generating Hashes	OK

2026-05-10 05:25:19	Extracting APK	OK
2026-05-10 05:25:19	Unzipping	OK
2026-05-10 05:25:19	Parsing APK with androguard	OK
2026-05-10 05:25:19	Extracting APK features using aapt/aapt2	OK
2026-05-10 05:25:19	Getting Hardcoded Certificates/Keystores	OK
2026-05-10 05:25:23	Parsing AndroidManifest.xml	OK
2026-05-10 05:25:23	Extracting Manifest Data	OK
2026-05-10 05:25:23	Manifest Analysis Started	OK
2026-05-10 05:25:23	Performing Static Analysis on: MASTG-TEST-0014 (com.example.mastg_test_0014)	OK
2026-05-10 05:25:25	Fetching Details from Play Store: com.example.mastg_test_0014	OK
2026-05-10 05:25:26	Checking for Malware Permissions	OK

2026-05-10 05:25:26	Fetching icon path	OK
2026-05-10 05:25:26	Library Binary Analysis Started	OK
2026-05-10 05:25:26	Reading Code Signing Certificate	OK
2026-05-10 05:25:26	Running APKiD 3.0.0	OK
2026-05-10 05:25:30	Detecting Trackers	OK
2026-05-10 05:25:31	Decompiling APK to Java with JADX	OK
2026-05-10 05:26:11	Converting DEX to Smali	OK
2026-05-10 05:26:11	Code Analysis Started on - java_source	OK
2026-05-10 05:26:12	Android SBOM Analysis Completed	OK
2026-05-10 05:26:25	Android SAST Completed	OK
2026-05-10 05:26:25	Android API Analysis Started	OK

2026-05-10 05:26:31	Android API Analysis Completed	OK
2026-05-10 05:26:31	Android Permission Mapping Started	OK
2026-05-10 05:26:31	Android Permission Mapping Completed	OK
2026-05-10 05:26:32	Android Behaviour Analysis Started	OK
2026-05-10 05:26:36	Android Behaviour Analysis Completed	OK
2026-05-10 05:26:36	Extracting Emails and URLs from Source Code	OK
2026-05-10 05:26:36	Email and URL Extraction Completed	OK
2026-05-10 05:26:36	Extracting String data from APK	OK
2026-05-10 05:26:36	Extracting String data from Code	OK
2026-05-10 05:26:36	Extracting String values and entropies from Code	OK
2026-05-10 05:26:38	Performing Malware check on extracted domains	OK

2026-05-10 05:26:38	Saving to Database	OK
---------------------	--------------------	----

Report Generated by - MobSF v4.5.0

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.



ANDROID STATIC ANALYSIS REPORT

app_icon

 MASTG-TEST0011 (1.0)


File Name: MASTG-TEST0011.apk

Package Name: com.example.mastg_test0011

Scan Date: May 10, 2026, 5:22 a.m.

App Security Score: 54/100 (MEDIUM RISK)

Grade:



FINDINGS SEVERITY

 HIGH	 MEDIUM	 INFO	 SECURE	 HOTSPOT
1	3	1	1	1

FILE INFORMATION

File Name: MASTG-TEST0011.apk

Size: 4.47MB

MD5: 00848182eeff50a00968bae1569ee665

SHA1: 9c862cd00627a36faa41385a1c348089c71b71dc

SHA256: 59ff5e336719f444b479cc972c1be8b21150a200e3f09c5e169a5356fda4b86d

APP INFORMATION

App Name: MASTG-TEST0011

Package Name: com.example.mastg_test0011

Main Activity: com.example.mastg_test0011.MainActivity

Target SDK: 34

Min SDK: 26

Max SDK:

Android Version Name: 1.0

Android Version Code: 1

APP COMPONENTS

Activities: 2

Services: 0

Receivers: 1

Providers: 1

Exported Activities: 0

Exported Services: 0

Exported Receivers: 1

Exported Providers: 0

CERTIFICATE INFORMATION

Binary is signed

v1 signature: False

v2 signature: True

v3 signature: True

v4 signature: False

X.509 Subject: C=US, ST=US, L=US, O=US, OU=Android, CN=Android Debug

Signature Algorithm: rsassa_pkcs1v15

Valid From: 2016-10-23 20:10:05+00:00

Valid To: 2044-03-10 20:10:05+00:00

Issuer: C=US, ST=US, L=US, O=US, OU=Android, CN=Android Debug

Serial Number: 0x56c1a15

Hash Algorithm: sha256

md5: ffd6314a83f267ac4f9407fd2e5a0480

sha1: 5d08264b44e0e53fbccc70b4f016474cc6c5ab5c

sha256: 1e08a903aef9c3a721510b64ec764d01d3d094eb954161b62544ea8f187b5953

sha512: 428b549823a4f3010218b270db81b8dea32f9115edcf58898a38839826ed3a5ece86fe792c4e0db47aab7c940e3968220bb16dfcca36052070d6e6ab2c482b96

PublicKey Algorithm: rsa

Bit Size: 2048

Fingerprint: 5ae9c127f99536cc5371c0a638c92ffcd60c770d30ddc58bd1721fba7e0d321f

Found 1 unique certificates

APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.SYSTEM_ALERT_WINDOW	dangerous	display system-level alerts	Allows an application to show system-alert windows. Malicious applications can take over the entire screen of the phone.
com.example.mastg_test0011.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	unknown	Unknown permission	Unknown permission from android reference

APKID ANALYSIS

FILE	DETAILS	
classes.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MANUFACTURER check
	Compiler	r8

NETWORK SECURITY

NO	SCOPE	SEVERITY	DESCRIPTION
----	-------	----------	-------------

CERTIFICATE ANALYSIS

HIGH: 1 | WARNING: 0 | INFO: 1

TITLE	SEVERITY	DESCRIPTION
Signed Application	info	Application is signed with a code signing certificate
Application signed with debug certificate	high	Application signed with a debug certificate. Production application must not be shipped with a debug certificate.

MANIFEST ANALYSIS

HIGH: 0 | WARNING: 2 | INFO: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	DESCRIPTION
1	App can be installed on a vulnerable Android version 8.0, minSdk=26]	warning	This application can be installed on an older version of android that has multiple vulnerabilities. Support an Android version => 10, API 29 to receive reasonable security updates.
2	Broadcast Receiver (androidx.profileinstaller.ProfileInstallReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

</> CODE ANALYSIS

HIGH: 0 | WARNING: 1 | INFO: 1 | SECURE: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	STANDARDS	FILES
1	The App logs information. Sensitive information should never be logged.	info	CWE: CWE-532: Insertion of Sensitive Information into Log File OWASP MASVS: MSTG-STORAGE-3	com/example/mastg_test0011/MainActivity.java com/example/mastg_test0011/Note.java
2	Files may contain hardcoded sensitive information like usernames, passwords, keys etc.	warning	CWE: CWE-312: Cleartext Storage of Sensitive Information OWASP Top 10: M9: Reverse Engineering OWASP MASVS: MSTG-STORAGE-14	com/example/mastg_test0011/Note.java

👤 NIAP ANALYSIS v1.3

NO	IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION
----	------------	-------------	---------	-------------

🏗️ BEHAVIOUR ANALYSIS

RULE ID	BEHAVIOUR	LABEL	FILES
00013	Read file and put it into a stream	file	com/example/mastg_test0011/MainActivity.java com/example/mastg_test0011/Note.java

⚙️ ABUSED PERMISSIONS

TYPE	MATCHES	PERMISSIONS
Malware Permissions	1/25	android.permission.SYSTEM_ALERT_WINDOW
Other Common Permissions	0/44	

Malware Permissions:

Top permissions that are widely abused by known malware.

Other Common Permissions:

Permissions that are commonly abused by known malware.

☰ SCAN LOGS

Timestamp	Event	Error
2026-05-10 05:22:28	Generating Hashes	OK
2026-05-10 05:22:28	Extracting APK	OK
2026-05-10 05:22:28	Unzipping	OK
2026-05-10 05:22:28	Parsing APK with androguard	OK

2026-05-10 05:22:29	Extracting APK features using aapt/aapt2	OK
2026-05-10 05:22:29	Getting Hardcoded Certificates/Keystores	OK
2026-05-10 05:22:33	Parsing AndroidManifest.xml	OK
2026-05-10 05:22:33	Extracting Manifest Data	OK
2026-05-10 05:22:33	Manifest Analysis Started	OK
2026-05-10 05:22:33	Performing Static Analysis on: MASTG-TEST0011 (com.example.mastg_test0011)	OK
2026-05-10 05:22:34	Fetching Details from Play Store: com.example.mastg_test0011	OK
2026-05-10 05:22:35	Checking for Malware Permissions	OK
2026-05-10 05:22:35	Fetching icon path	OK
2026-05-10 05:22:36	Library Binary Analysis Started	OK
2026-05-10 05:22:36	Reading Code Signing Certificate	OK

2026-05-10 05:22:36	Running APKiD 3.0.0	OK
2026-05-10 05:22:40	Detecting Trackers	OK
2026-05-10 05:22:42	Decompiling APK to Java with JADX	OK
2026-05-10 05:23:38	Converting DEX to Smali	OK
2026-05-10 05:23:38	Code Analysis Started on - java_source	OK
2026-05-10 05:23:39	Android SBOM Analysis Completed	OK
2026-05-10 05:23:50	Android SAST Completed	OK
2026-05-10 05:23:51	Android API Analysis Started	OK
2026-05-10 05:23:56	Android API Analysis Completed	OK
2026-05-10 05:23:57	Android Permission Mapping Started	OK
2026-05-10 05:24:00	Android Permission Mapping Completed	OK

2026-05-10 05:24:01	Android Behaviour Analysis Started	OK
2026-05-10 05:24:05	Android Behaviour Analysis Completed	OK
2026-05-10 05:24:05	Extracting Emails and URLs from Source Code	OK
2026-05-10 05:24:05	Email and URL Extraction Completed	OK
2026-05-10 05:24:05	Extracting String data from APK	OK
2026-05-10 05:24:05	Extracting String data from Code	OK
2026-05-10 05:24:05	Extracting String values and entropies from Code	OK
2026-05-10 05:24:06	Performing Malware check on extracted domains	OK
2026-05-10 05:24:06	Saving to Database	OK

Report Generated by - MobSF v4.5.0

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.



ANDROID STATIC ANALYSIS REPORT

app_icon

 MASTG-TEST-0009 (1.0)


File Name: MASTG-TEST0009.apk

Package Name: com.example.mastg_test_0009

Scan Date: May 10, 2026, 5:19 a.m.

App Security Score: 54/100 (MEDIUM RISK)

Grade:



FINDINGS SEVERITY

 HIGH	 MEDIUM	 INFO	 SECURE	 HOTSPOT
1	3	1	1	0

FILE INFORMATION

File Name: MASTG-TEST0009.apk

Size: 10.19MB

MD5: 12977ade58d51bab564fc82212d924c4

SHA1: ed1ee28a7943d3991dfd368ae35b5f0fc2c7f569

SHA256: 1d073791a54bfe510567b7cade5fd0284b63d2a320719e178adf9d9e6e91b0e7

APP INFORMATION

App Name: MASTG-TEST-0009

Package Name: com.example.mastg_test_0009

Main Activity: com.example.mastg_test_0009.MainActivity

Target SDK: 33

Min SDK: 28

Max SDK:

Android Version Name: 1.0

Android Version Code: 1

APP COMPONENTS

Activities: 3

Services: 0

Receivers: 1

Providers: 1

Exported Activities: 0

Exported Services: 0

Exported Receivers: 1

Exported Providers: 0

CERTIFICATE INFORMATION

Binary is signed

v1 signature: False

v2 signature: False

v3 signature: True

v4 signature: False

X.509 Subject: C=US, ST=US, L=US, O=US, OU=Android, CN=Android Debug

Signature Algorithm: rsassa_pkcs1v15

Valid From: 2016-10-23 20:10:05+00:00

Valid To: 2044-03-10 20:10:05+00:00

Issuer: C=US, ST=US, L=US, O=US, OU=Android, CN=Android Debug

Serial Number: 0x56c1a15

Hash Algorithm: sha256

md5: ffd6314a83f267ac4f9407fd2e5a0480

sha1: 5d08264b44e0e53fbccc70b4f016474cc6c5ab5c

sha256: 1e08a903aef9c3a721510b64ec764d01d3d094eb954161b62544ea8f187b5953

sha512: 428b549823a4f3010218b270db81b8dea32f9115edcf58898a38839826ed3a5ece86fe792c4e0db47aab7c940e3968220bb16dfcca36052070d6e6ab2c482b96

PublicKey Algorithm: rsa

Bit Size: 2048

Fingerprint: 5ae9c127f99536cc5371c0a638c92ffcd60c770d30ddc58bd1721fba7e0d321f

Found 1 unique certificates

 APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.INTERNET	normal	full Internet access	Allows an application to create network sockets.
com.example.mastg_test_0009.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	unknown	Unknown permission	Unknown permission from android reference

 APKID ANALYSIS

FILE	DETAILS	
classes.dex	FINDINGS	DETAILS
	yara_issue	yara issue - dex file recognized by apkid but not yara module
	Anti-VM Code	Build.FINGERPRINT check Build.MANUFACTURER check
	Compiler	unknown (please file detection issue!)

 NETWORK SECURITY

NO	SCOPE	SEVERITY	DESCRIPTION
----	-------	----------	-------------

CERTIFICATE ANALYSIS

HIGH: 1 | WARNING: 0 | INFO: 1

TITLE	SEVERITY	DESCRIPTION
Signed Application	info	Application is signed with a code signing certificate
Application signed with debug certificate	high	Application signed with a debug certificate. Production application must not be shipped with a debug certificate.

MANIFEST ANALYSIS

HIGH: 0 | WARNING: 3 | INFO: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	DESCRIPTION
1	App can be installed on a vulnerable Android version 9, minSdk=28]	warning	This application can be installed on an older version of android that has multiple vulnerabilities. Support an Android version => 10, API 29 to receive reasonable security updates.
2	Application Data can be Backed up [android:allowBackup=true]	warning	This flag allows anyone to backup your application data via adb. It allows users who have enabled USB debugging to copy application data off of the device.

NO	ISSUE	SEVERITY	DESCRIPTION
3	Broadcast Receiver (androidx.profileinstaller.ProfileInstallReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

</> CODE ANALYSIS

HIGH: 0 | WARNING: 0 | INFO: 1 | SECURE: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	STANDARDS	FILES
1	The App logs information. Sensitive information should never be logged.	info	CWE: CWE-532: Insertion of Sensitive Information into Log File OWASP MASVS: MSTG-STORAGE-3	com/example/mastg_test_0009/Login.java

👤 NIAP ANALYSIS v1.3

NO	IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION
----	------------	-------------	---------	-------------

🔗 BEHAVIOUR ANALYSIS

RULE ID	BEHAVIOUR	LABEL	FILES
00013	Read file and put it into a stream	file	com/example/mastg_test_0009/Login.java

🔗 ABUSED PERMISSIONS

TYPE	MATCHES	PERMISSIONS
Malware Permissions	1/25	android.permission.INTERNET
Other Common Permissions	0/44	

Malware Permissions:

Top permissions that are widely abused by known malware.

Other Common Permissions:

Permissions that are commonly abused by known malware.

! OFAC SANCTIONED COUNTRIES

This app may communicate with the following OFAC sanctioned list of countries.

DOMAIN	COUNTRY/REGION
--------	----------------

🔍 DOMAIN MALWARE CHECK

DOMAIN	STATUS	GEOLOCATION
example.com	ok	IP: 104.20.23.154 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map

SCAN LOGS

Timestamp	Event	Error
2026-05-10 05:19:53	Generating Hashes	OK
2026-05-10 05:19:53	Extracting APK	OK
2026-05-10 05:19:53	Unzipping	OK
2026-05-10 05:19:53	Parsing APK with androguard	OK
2026-05-10 05:19:53	Extracting APK features using aapt/aapt2	OK

2026-05-10 05:19:54	Getting Hardcoded Certificates/Keystores	OK
2026-05-10 05:20:00	Parsing AndroidManifest.xml	OK
2026-05-10 05:20:00	Extracting Manifest Data	OK
2026-05-10 05:20:00	Manifest Analysis Started	OK
2026-05-10 05:20:00	Performing Static Analysis on: MASTG-TEST-0009 (com.example.mastg_test_0009)	OK
2026-05-10 05:20:01	Fetching Details from Play Store: com.example.mastg_test_0009	OK
2026-05-10 05:20:02	Checking for Malware Permissions	OK
2026-05-10 05:20:02	Fetching icon path	OK
2026-05-10 05:20:02	Library Binary Analysis Started	OK
2026-05-10 05:20:02	Reading Code Signing Certificate	OK
2026-05-10 05:20:03	Running APKiD 3.0.0	OK

2026-05-10 05:20:05	Detecting Trackers	OK
2026-05-10 05:20:07	Decompiling APK to Java with JADX	OK
2026-05-10 05:20:56	Converting DEX to Smali	OK
2026-05-10 05:20:56	Code Analysis Started on - java_source	OK
2026-05-10 05:20:57	Android SBOM Analysis Completed	OK
2026-05-10 05:21:07	Android SAST Completed	OK
2026-05-10 05:21:07	Android API Analysis Started	OK
2026-05-10 05:21:13	Android API Analysis Completed	OK
2026-05-10 05:21:13	Android Permission Mapping Started	OK
2026-05-10 05:21:18	Android Permission Mapping Completed	OK

2026-05-10 05:21:18	Android Behaviour Analysis Started	OK
2026-05-10 05:21:22	Android Behaviour Analysis Completed	OK
2026-05-10 05:21:22	Extracting Emails and URLs from Source Code	OK
2026-05-10 05:21:23	Email and URL Extraction Completed	OK
2026-05-10 05:21:23	Extracting String data from APK	OK
2026-05-10 05:21:23	Extracting String data from Code	OK
2026-05-10 05:21:23	Extracting String values and entropies from Code	OK
2026-05-10 05:21:24	Performing Malware check on extracted domains	OK
2026-05-10 05:21:29	Saving to Database	OK

Report Generated by - MobSF v4.5.0

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.



ANDROID STATIC ANALYSIS REPORT

app_icon

 MASTG-TEST-0008 (1.0)


File Name: MASTG-TEST0008.apk

Package Name: com.example.mastg_test0008

Scan Date: May 10, 2026, 5:17 a.m.

App Security Score: 56/100 (MEDIUM RISK)

Grade:



FINDINGS SEVERITY

 HIGH	 MEDIUM	 INFO	 SECURE	 HOTSPOT
1	1	0	1	1

FILE INFORMATION

File Name: MASTG-TEST0008.apk

Size: 9.58MB

MD5: 3e8ae2037e4d847cad2357077d8ad81c

SHA1: 39300708c195cf3868e9de5013e1d9647729ad7f

SHA256: f7d1c4945bf4fce23f95198531022c269ebd2b0e42a1b589d2da23726c0cdc95

APP INFORMATION

App Name: MASTG-TEST-0008

Package Name: com.example.mastg_test0008

Main Activity: com.example.mastg_test0008.MainActivity

Target SDK: 33

Min SDK: 29

Max SDK:

Android Version Name: 1.0

Android Version Code: 1

APP COMPONENTS

Activities: 1

Services: 0

Receivers: 1

Providers: 1

Exported Activities: 0

Exported Services: 0

Exported Receivers: 1

Exported Providers: 0

CERTIFICATE INFORMATION

Binary is signed

v1 signature: False

v2 signature: False

v3 signature: True

v4 signature: False

X.509 Subject: C=US, ST=US, L=US, O=US, OU=Android, CN=Android Debug

Signature Algorithm: rsassa_pkcs1v15

Valid From: 2016-10-23 20:10:05+00:00

Valid To: 2044-03-10 20:10:05+00:00

Issuer: C=US, ST=US, L=US, O=US, OU=Android, CN=Android Debug

Serial Number: 0x56c1a15

Hash Algorithm: sha256

md5: ffd6314a83f267ac4f9407fd2e5a0480

sha1: 5d08264b44e0e53fbccc70b4f016474cc6c5ab5c

sha256: 1e08a903aef9c3a721510b64ec764d01d3d094eb954161b62544ea8f187b5953

sha512: 428b549823a4f3010218b270db81b8dea32f9115edcf58898a38839826ed3a5ece86fe792c4e0db47aab7c940e3968220bb16dfcca36052070d6e6ab2c482b96

PublicKey Algorithm: rsa

Bit Size: 2048

Fingerprint: 5ae9c127f99536cc5371c0a638c92ffcd60c770d30ddc58bd1721fba7e0d321f

Found 1 unique certificates

 APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.POST_NOTIFICATIONS	dangerous	allows an app to post notifications.	Allows an app to post notifications
com.example.mastg_test0008.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	unknown	Unknown permission	Unknown permission from android reference

 APKID ANALYSIS

FILE	DETAILS	
classes.dex	FINDINGS	DETAILS
	yara_issue	yara issue - dex file recognized by apkid but not yara module
	Anti-VM Code	Build.FINGERPRINT check Build.MANUFACTURER check
	Compiler	unknown (please file detection issue!)

 NETWORK SECURITY

NO	SCOPE	SEVERITY	DESCRIPTION
----	-------	----------	-------------

 CERTIFICATE ANALYSIS

HIGH: 1 | WARNING: 0 | INFO: 1

TITLE	SEVERITY	DESCRIPTION
Signed Application	info	Application is signed with a code signing certificate
Application signed with debug certificate	high	Application signed with a debug certificate. Production application must not be shipped with a debug certificate.

 MANIFEST ANALYSIS

HIGH: 0 | WARNING: 1 | INFO: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	DESCRIPTION
1	Broadcast Receiver (androidx.profileinstaller.ProfileInstallReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

 CODE ANALYSIS

NO	ISSUE	SEVERITY	STANDARDS	FILES
----	-------	----------	-----------	-------

 NIAP ANALYSIS v1.3

NO	IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION
----	------------	-------------	---------	-------------

 ABUSED PERMISSIONS

TYPE	MATCHES	PERMISSIONS
Malware Permissions	0/25	
Other Common Permissions	0/44	

Malware Permissions:
Top permissions that are widely abused by known malware.

Other Common Permissions:
Permissions that are commonly abused by known malware.

 SCAN LOGS

Timestamp	Event	Error
-----------	-------	-------

2026-05-10 05:17:23	Generating Hashes	OK
2026-05-10 05:17:23	Extracting APK	OK
2026-05-10 05:17:23	Unzipping	OK
2026-05-10 05:17:23	Parsing APK with androguard	OK
2026-05-10 05:17:24	Extracting APK features using aapt/aapt2	OK
2026-05-10 05:17:24	Getting Hardcoded Certificates/Keystores	OK
2026-05-10 05:17:29	Parsing AndroidManifest.xml	OK
2026-05-10 05:17:29	Extracting Manifest Data	OK
2026-05-10 05:17:29	Manifest Analysis Started	OK
2026-05-10 05:17:29	Performing Static Analysis on: MASTG-TEST-0008 (com.example.mastg_test0008)	OK
2026-05-10 05:17:31	Fetching Details from Play Store: com.example.mastg_test0008	OK

2026-05-10 05:17:32	Checking for Malware Permissions	OK
2026-05-10 05:17:32	Fetching icon path	OK
2026-05-10 05:17:32	Library Binary Analysis Started	OK
2026-05-10 05:17:32	Reading Code Signing Certificate	OK
2026-05-10 05:17:32	Running APKiD 3.0.0	OK
2026-05-10 05:17:35	Detecting Trackers	OK
2026-05-10 05:17:36	Decompiling APK to Java with JADX	OK
2026-05-10 05:18:24	Converting DEX to Smali	OK
2026-05-10 05:18:24	Code Analysis Started on - java_source	OK
2026-05-10 05:18:25	Android SBOM Analysis Completed	OK
2026-05-10 05:18:35	Android SAST Completed	OK

2026-05-10 05:18:35	Android API Analysis Started	OK
2026-05-10 05:18:41	Android API Analysis Completed	OK
2026-05-10 05:18:41	Android Permission Mapping Started	OK
2026-05-10 05:18:45	Android Permission Mapping Completed	OK
2026-05-10 05:18:45	Android Behaviour Analysis Started	OK
2026-05-10 05:18:49	Android Behaviour Analysis Completed	OK
2026-05-10 05:18:49	Extracting Emails and URLs from Source Code	OK
2026-05-10 05:18:51	Email and URL Extraction Completed	OK
2026-05-10 05:18:51	Extracting String data from APK	OK
2026-05-10 05:18:53	Extracting String data from Code	OK
2026-05-10 05:18:53	Extracting String values and entropies from Code	OK

2026-05-10 05:18:59	Performing Malware check on extracted domains	OK
2026-05-10 05:18:59	Saving to Database	OK

Report Generated by - MobSF v4.5.0

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

© 2026 Mobile Security Framework - MobSF | [Ajin Abraham](#) | [OpenSecurity](#).



ANDROID STATIC ANALYSIS REPORT

app_icon

 MASTG-TEST0007 (1.0)


File Name: MASTG-TEST0007.apk

Package Name: com.example.mastg_test0007

Scan Date: May 10, 2026, 5:13 a.m.

App Security Score: 45/100 (MEDIUM RISK)

Grade:



FINDINGS SEVERITY

 HIGH	 MEDIUM	 INFO	 SECURE	 HOTSPOT
2	4	1	1	0

FILE INFORMATION

File Name: MASTG-TEST0007.apk

Size: 5.82MB

MD5: 404319dfcb0120640a4d2c7d741068fe

SHA1: 882e26762209aa811e3e85c86de1141fa609190f

SHA256: e1d4f7a922a978d27cccf7bce500846e2b2859d455cc687703dc5290e942012e

APP INFORMATION

App Name: MASTG-TEST0007

Package Name: com.example.mastg_test0007

Main Activity: com.example.mastg_test0007.MainActivity

Target SDK: 34

Min SDK: 24

Max SDK:

Android Version Name: 1.0

Android Version Code: 1

APP COMPONENTS

Activities: 1

Services: 1

Receivers: 1

Providers: 2

Exported Activities: 0

Exported Services: 0

Exported Receivers: 1

Exported Providers: 1

CERTIFICATE INFORMATION

Binary is signed

v1 signature: False

v2 signature: True

v3 signature: True

v4 signature: False

X.509 Subject: C=US, ST=US, L=US, O=US, OU=Android, CN=Android Debug

Signature Algorithm: rsassa_pkcs1v15

Valid From: 2016-10-23 20:10:05+00:00

Valid To: 2044-03-10 20:10:05+00:00

Issuer: C=US, ST=US, L=US, O=US, OU=Android, CN=Android Debug

Serial Number: 0x56c1a15

Hash Algorithm: sha256

md5: ffd6314a83f267ac4f9407fd2e5a0480

sha1: 5d08264b44e0e53fbccc70b4f016474cc6c5ab5c

sha256: 1e08a903aef9c3a721510b64ec764d01d3d094eb954161b62544ea8f187b5953

sha512: 428b549823a4f3010218b270db81b8dea32f9115edcf58898a38839826ed3a5ece86fe792c4e0db47aab7c940e3968220bb16dfcca36052070d6e6ab2c482b96

PublicKey Algorithm: rsa

Bit Size: 2048

Fingerprint: 5ae9c127f99536cc5371c0a638c92ffcd60c770d30ddc58bd1721fba7e0d321f

Found 1 unique certificates

APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
com.example.mastg_test0007.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	unknown	Unknown permission	Unknown permission from android reference

APKID ANALYSIS

FILE	DETAILS	
classes.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MANUFACTURER check
	Compiler	r8
classes2.dex	FINDINGS	DETAILS
	Compiler	r8 without marker (suspicious)

NETWORK SECURITY

NO	SCOPE	SEVERITY	DESCRIPTION
----	-------	----------	-------------

CERTIFICATE ANALYSIS

HIGH: 1 | WARNING: 0 | INFO: 1

TITLE	SEVERITY	DESCRIPTION
Signed Application	info	Application is signed with a code signing certificate
Application signed with debug certificate	high	Application signed with a debug certificate. Production application must not be shipped with a debug certificate.

MANIFEST ANALYSIS

HIGH: 1 | WARNING: 2 | INFO: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	DESCRIPTION
1	App can be installed on a vulnerable unpatched Android version 7.0, [minSdk=24]	high	This application can be installed on an older version of android that has multiple unfixed vulnerabilities. These devices won't receive reasonable security updates from Google. Support an Android version => 10, API 29 to receive reasonable security updates.
2	Content Provider (com.example.mastg_test0007.MyContentProvider) is not Protected. [android:exported=true]	warning	A Content Provider is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
3	Broadcast Receiver (androidx.profileinstaller.ProfileInstallReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

</> CODE ANALYSIS

HIGH: 0 | WARNING: 2 | INFO: 1 | SECURE: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	STANDARDS	FILES
1	Files may contain hardcoded sensitive information like usernames, passwords, keys etc.	warning	CWE: CWE-312: Cleartext Storage of Sensitive Information OWASP Top 10: M9: Reverse Engineering OWASP MASVS: MSTG-STORAGE-14	io/reactivex/internal/schedulers/SchedulerPoolFactory.java io/reactivex/rxjava3/internal/schedulers/SchedulerPoolFactory.java
2	The App logs information. Sensitive information should never be logged.	info	CWE: CWE-532: Insertion of Sensitive Information into Log File OWASP MASVS: MSTG-STORAGE-3	com/example/mastg_test0007/Main Activity.java com/example/mastg_test0007/MyContentProvider.java
3	App uses SQLite Database and execute raw SQL query. Untrusted user input in raw SQL queries can cause SQL Injection. Also sensitive information should be encrypted and written to the database.	warning	CWE: CWE-89: Improper Neutralization of Special Elements used in an SQL Command ('SQL Injection') OWASP Top 10: M7: Client Code Quality	com/example/mastg_test0007/MyContentProvider.java

NIAP ANALYSIS v1.3

NO	IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION
----	------------	-------------	---------	-------------

BEHAVIOUR ANALYSIS

RULE ID	BEHAVIOUR	LABEL	FILES
00191	Get messages in the SMS inbox	sms	com/example/mastg_test0007/MainActivity.java

ABUSED PERMISSIONS

TYPE	MATCHES	PERMISSIONS
Malware Permissions	0/25	
Other Common Permissions	0/44	

Malware Permissions:

Top permissions that are widely abused by known malware.

Other Common Permissions:

Permissions that are commonly abused by known malware.

OFAC SANCTIONED COUNTRIES

This app may communicate with the following OFAC sanctioned list of countries.

DOMAIN	COUNTRY/REGION
--------	----------------

DOMAIN MALWARE CHECK

DOMAIN	STATUS	GEOLOCATION
github.com	ok	IP: 140.82.121.3 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map

SCAN LOGS

Timestamp	Event	Error
2026-05-10 05:13:53	Generating Hashes	OK
2026-05-10 05:13:53	Extracting APK	OK
2026-05-10 05:13:53	Unzipping	OK

2026-05-10 05:13:54	Parsing APK with androguard	OK
2026-05-10 05:13:54	Extracting APK features using aapt/aapt2	OK
2026-05-10 05:13:54	Getting Hardcoded Certificates/Keystores	OK
2026-05-10 05:13:58	Parsing AndroidManifest.xml	OK
2026-05-10 05:13:58	Extracting Manifest Data	OK
2026-05-10 05:13:58	Manifest Analysis Started	OK
2026-05-10 05:13:58	Performing Static Analysis on: MASTG-TEST0007 (com.example.mastg_test0007)	OK
2026-05-10 05:13:59	Fetching Details from Play Store: com.example.mastg_test0007	OK
2026-05-10 05:14:00	Checking for Malware Permissions	OK
2026-05-10 05:14:00	Fetching icon path	OK
2026-05-10 05:14:00	Library Binary Analysis Started	OK

2026-05-10 05:14:00	Reading Code Signing Certificate	OK
2026-05-10 05:14:01	Running APKiD 3.0.0	OK
2026-05-10 05:14:05	Detecting Trackers	OK
2026-05-10 05:14:08	Decompiling APK to Java with JADX	OK
2026-05-10 05:15:07	Converting DEX to Smali	OK
2026-05-10 05:15:07	Code Analysis Started on - java_source	OK
2026-05-10 05:15:09	Android SBOM Analysis Completed	OK
2026-05-10 05:15:35	Android SAST Completed	OK
2026-05-10 05:15:35	Android API Analysis Started	OK
2026-05-10 05:15:42	Android API Analysis Completed	OK
2026-05-10 05:15:42	Android Permission Mapping Started	OK

2026-05-10 05:15:43	Android Permission Mapping Completed	OK
2026-05-10 05:15:43	Android Behaviour Analysis Started	OK
2026-05-10 05:15:50	Android Behaviour Analysis Completed	OK
2026-05-10 05:15:50	Extracting Emails and URLs from Source Code	OK
2026-05-10 05:15:52	Email and URL Extraction Completed	OK
2026-05-10 05:15:52	Extracting String data from APK	OK
2026-05-10 05:15:52	Extracting String data from Code	OK
2026-05-10 05:15:52	Extracting String values and entropies from Code	OK
2026-05-10 05:15:54	Performing Malware check on extracted domains	OK
2026-05-10 05:16:00	Saving to Database	OK

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

© 2026 Mobile Security Framework - MobSF | [Ajin Abraham](#) | [OpenSecurity](#).



ANDROID STATIC ANALYSIS REPORT

app_icon

 MASTG-TEST-0006 (1.0)


File Name: MASTG-TEST0006.apk

Package Name: com.example.mastg_test_0006

Scan Date: May 10, 2026, 5:10 a.m.

App Security Score: 55/100 (MEDIUM RISK)

Grade:



FINDINGS SEVERITY

 HIGH	 MEDIUM	 INFO	 SECURE	 HOTSPOT
1	2	0	1	0

FILE INFORMATION

File Name: MASTG-TEST0006.apk

Size: 4.47MB

MD5: 6baf646d9f727f089f1702dc328dca82

SHA1: e42d21b326233cb143c97b58a7f540376b187993

SHA256: 9f5db7ffd2aeecc76079fc96472bc03e8bb75af1de6691008e492ab4428402d9c

APP INFORMATION

App Name: MASTG-TEST-0006

Package Name: com.example.mastg_test_0006

Main Activity: com.example.mastg_test_0006.MainActivity

Target SDK: 33

Min SDK: 26

Max SDK:

Android Version Name: 1.0

Android Version Code: 1

APP COMPONENTS

Activities: 2

Services: 0

Receivers: 1

Providers: 1

Exported Activities: 0

Exported Services: 0

Exported Receivers: 1

Exported Providers: 0

CERTIFICATE INFORMATION

Binary is signed

v1 signature: False

v2 signature: True

v3 signature: True

v4 signature: False

X.509 Subject: C=US, ST=US, L=US, O=US, OU=Android, CN=Android Debug

Signature Algorithm: rsassa_pkcs1v15

Valid From: 2016-10-23 20:10:05+00:00

Valid To: 2044-03-10 20:10:05+00:00

Issuer: C=US, ST=US, L=US, O=US, OU=Android, CN=Android Debug

Serial Number: 0x56c1a15

Hash Algorithm: sha256

md5: ffd6314a83f267ac4f9407fd2e5a0480

sha1: 5d08264b44e0e53fbccc70b4f016474cc6c5ab5c

sha256: 1e08a903aef9c3a721510b64ec764d01d3d094eb954161b62544ea8f187b5953

sha512: 428b549823a4f3010218b270db81b8dea32f9115edcf58898a38839826ed3a5ece86fe792c4e0db47aab7c940e3968220bb16dfcca36052070d6e6ab2c482b96

PublicKey Algorithm: rsa

Bit Size: 2048

Fingerprint: 5ae9c127f99536cc5371c0a638c92ffcd60c770d30ddc58bd1721fba7e0d321f

Found 1 unique certificates

 APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.INTERNET	normal	full Internet access	Allows an application to create network sockets.
com.example.mastg_test_0006.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	unknown	Unknown permission	Unknown permission from android reference

 APKID ANALYSIS

FILE	DETAILS	
classes.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MANUFACTURER check
	Compiler	r8

 NETWORK SECURITY

NO	SCOPE	SEVERITY	DESCRIPTION
----	-------	----------	-------------

CERTIFICATE ANALYSIS

HIGH: 1 | WARNING: 0 | INFO: 1

TITLE	SEVERITY	DESCRIPTION
Signed Application	info	Application is signed with a code signing certificate
Application signed with debug certificate	high	Application signed with a debug certificate. Production application must not be shipped with a debug certificate.

MANIFEST ANALYSIS

HIGH: 0 | WARNING: 2 | INFO: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	DESCRIPTION
1	App can be installed on a vulnerable Android version 8.0, minSdk=26]	warning	This application can be installed on an older version of android that has multiple vulnerabilities. Support an Android version => 10, API 29 to receive reasonable security updates.
2	Broadcast Receiver (androidx.profileinstaller.ProfileInstallReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

CODE ANALYSIS

NO	ISSUE	SEVERITY	STANDARDS	FILES
----	-------	----------	-----------	-------

NIAP ANALYSIS v1.3

NO	IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION
----	------------	-------------	---------	-------------

BEHAVIOUR ANALYSIS

RULE ID	BEHAVIOUR	LABEL	FILES
00091	Retrieve data from broadcast	collection	com/example/mastg_test_0006/Activity2.java

ABUSED PERMISSIONS

TYPE	MATCHES	PERMISSIONS
Malware Permissions	1/25	android.permission.INTERNET
Other Common Permissions	0/44	

Malware Permissions:

Top permissions that are widely abused by known malware.

Other Common Permissions:

Permissions that are commonly abused by known malware.

! OFAC SANCTIONED COUNTRIES

This app may communicate with the following OFAC sanctioned list of countries.

DOMAIN	COUNTRY/REGION
--------	----------------

🔍 DOMAIN MALWARE CHECK

DOMAIN	STATUS	GEOLOCATION
www.example.com	ok	IP: 172.66.147.243 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map

☰ SCAN LOGS

Timestamp	Event	Error
2026-05-10 05:10:17	Generating Hashes	OK

2026-05-10 05:10:17	Extracting APK	OK
2026-05-10 05:10:17	Unzipping	OK
2026-05-10 05:10:17	Parsing APK with androguard	OK
2026-05-10 05:10:18	Extracting APK features using aapt/aapt2	OK
2026-05-10 05:10:18	Getting Hardcoded Certificates/Keystores	OK
2026-05-10 05:10:23	Parsing AndroidManifest.xml	OK
2026-05-10 05:10:23	Extracting Manifest Data	OK
2026-05-10 05:10:23	Manifest Analysis Started	OK
2026-05-10 05:10:23	Performing Static Analysis on: MASTG-TEST-0006 (com.example.mastg_test_0006)	OK
2026-05-10 05:10:24	Fetching Details from Play Store: com.example.mastg_test_0006	OK
2026-05-10 05:10:25	Checking for Malware Permissions	OK

2026-05-10 05:10:25	Fetching icon path	OK
2026-05-10 05:10:25	Library Binary Analysis Started	OK
2026-05-10 05:10:25	Reading Code Signing Certificate	OK
2026-05-10 05:10:26	Running APKiD 3.0.0	OK
2026-05-10 05:10:29	Detecting Trackers	OK
2026-05-10 05:10:32	Decompiling APK to Java with JADX	OK
2026-05-10 05:11:17	Converting DEX to Smali	OK
2026-05-10 05:11:17	Code Analysis Started on - java_source	OK
2026-05-10 05:11:17	Android SBOM Analysis Completed	OK
2026-05-10 05:11:26	Android SAST Completed	OK

2026-05-10 05:11:26	Android API Analysis Started	OK
2026-05-10 05:11:31	Android API Analysis Completed	OK
2026-05-10 05:11:31	Android Permission Mapping Started	OK
2026-05-10 05:11:36	Android Permission Mapping Completed	OK
2026-05-10 05:11:36	Android Behaviour Analysis Started	OK
2026-05-10 05:11:40	Android Behaviour Analysis Completed	OK
2026-05-10 05:11:40	Extracting Emails and URLs from Source Code	OK
2026-05-10 05:11:40	Email and URL Extraction Completed	OK
2026-05-10 05:11:40	Extracting String data from APK	OK
2026-05-10 05:11:40	Extracting String data from Code	OK
2026-05-10 05:11:40	Extracting String values and entropies from Code	OK

2026-05-10 05:11:41	Performing Malware check on extracted domains	OK
2026-05-10 05:11:45	Saving to Database	OK

Report Generated by - MobSF v4.5.0

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

© 2026 Mobile Security Framework - MobSF | [Ajin Abraham](#) | [OpenSecurity](#).



ANDROID STATIC ANALYSIS REPORT

app_icon



MASTG-TEST0001 (1.0)


File Name: MASTG-TEST0001.apk

Package Name: com.example.mastg_test0001

Scan Date: May 10, 2026, 5:06 a.m.

App Security Score: 46/100 (MEDIUM RISK)

Grade:



FINDINGS SEVERITY

 HIGH	 MEDIUM	 INFO	 SECURE	 HOTSPOT
2	5	2	1	1

FILE INFORMATION

File Name: MASTG-TEST0001.apk
Size: 10.33MB
MD5: 4a6d5d9ede02635c134e1752797e84e6
SHA1: cb076d984040c9c977efc2c2541aea2b845ad527
SHA256: 4ddcdb1a36be8ec0cac1cbbab2e66cdad336546c32e17be060c68ce7f32daa0c

APP INFORMATION

App Name: MASTG-TEST0001
Package Name: com.example.mastg_test0001
Main Activity: com.example.mastg_test0001.MainActivity
Target SDK: 34
Min SDK: 21
Max SDK:
Android Version Name: 1.0
Android Version Code: 1

APP COMPONENTS

Activities: 2
Services: 0
Receivers: 1
Providers: 1
Exported Activities: 0
Exported Services: 0
Exported Receivers: 1
Exported Providers: 0

CERTIFICATE INFORMATION

Binary is not signed
Missing certificate
v1 signature: False
v2 signature: False
v3 signature: False
v4 signature: False

APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.WRITE_EXTERNAL_STORAGE	dangerous	read/modify/delete external storage contents	Allows an application to write to external storage.
com.example.mastg_test0001.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	unknown	Unknown permission	Unknown permission from android reference

APKID ANALYSIS

FILE	DETAILS	
classes.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MANUFACTURER check
	Compiler	r8

 NETWORK SECURITY

NO	SCOPE	SEVERITY	DESCRIPTION
----	-------	----------	-------------

 CERTIFICATE ANALYSIS

HIGH: 1 | WARNING: 0 | INFO: 0

TITLE	SEVERITY	DESCRIPTION
Missing Code Signing certificate	high	Code signing certificate not found

 MANIFEST ANALYSIS

HIGH: 1 | WARNING: 2 | INFO: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	DESCRIPTION
1	App can be installed on a vulnerable unpatched Android version 5.0-5.0.2, [minSdk=21]	high	This application can be installed on an older version of android that has multiple unfixed vulnerabilities. These devices won't receive reasonable security updates from Google. Support an Android version => 10, API 29 to receive reasonable security updates.
2	Application Data can be Backed up [android:allowBackup=true]	warning	This flag allows anyone to backup your application data via adb. It allows users who have enabled USB debugging to copy application data off of the device.
3	Broadcast Receiver (androidx.profileinstaller.ProfileInstallReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

</> CODE ANALYSIS

HIGH: 0 | WARNING: 2 | INFO: 2 | SECURE: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	STANDARDS	FILES
----	-------	----------	-----------	-------

NO	ISSUE	SEVERITY	STANDARDS	FILES
1	The App logs information. Sensitive information should never be logged.	info	CWE: CWE-532: Insertion of Sensitive Information into Log File OWASP MASVS: MSTG-STORAGE-3	com/example/mastg_test0001/SecureDatabaseHelper.java net/sqlcipher/AbstractCursor.java net/sqlcipher/BulkCursorToCursorAdapter.java net/sqlcipher/DatabaseUtils.java net/sqlcipher/DefaultDatabaseErrorHandler.java net/sqlcipher/database/SQLiteCompiledSql.java net/sqlcipher/database/SQLiteContentHelper.java net/sqlcipher/database/SQLiteDatabase.java net/sqlcipher/database/SQLiteDebug.java net/sqlcipher/database/SQLiteOpenHelper.java net/sqlcipher/database/SQLiteProgram.java net/sqlcipher/database/SQLiteQuery.java net/sqlcipher/database/SQLiteQueryBuilder.java net/sqlcipher/database/SQLiteWrapper.java
2	This App uses SQL Cipher. SQLCipher provides 256-bit AES encryption to sqlite database files.	info	OWASP MASVS: MSTG-CRYPTO-1	com/example/mastg_test0001/SecureDatabaseHelper.java net/sqlcipher/database/SupportHelper.java
3	Files may contain hardcoded sensitive information like usernames, passwords, keys etc.	warning	CWE: CWE-312: Cleartext Storage of Sensitive Information OWASP Top 10: M9: Reverse Engineering OWASP MASVS: MSTG-STORAGE-14	com/example/mastg_test0001/SecureDatabaseHelper.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
4	App uses SQLite Database and execute raw SQL query. Untrusted user input in raw SQL queries can cause SQL Injection. Also sensitive information should be encrypted and written to the database.	warning	CWE: CWE-89: Improper Neutralization of Special Elements used in an SQL Command ('SQL Injection') OWASP Top 10: M7: Client Code Quality	net/sqlcipher/database/SQLiteDatabase.java

SHARED LIBRARY BINARY ANALYSIS

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
----	---------------	----	-----	-----------------	-------	-------	---------	---------	---------------------

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
1	x86_64/libsqlcipher.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__memcpy_chk', '__memset_chk', '__strlen_chk', '__vsprintf_chk', '__vsnprintf_chk', '__memmove_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
2	x86/libsqlcipher.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
3	arm64-v8a/libsqlcipher.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__memcpy_chk', '__memset_chk', '__strlen_chk', '__vsprintf_chk', '__vsnprintf_chk', '__memmove_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
4	armeabi-v7a/libsqlcipher.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
5	x86_64/libsqlcipher.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__memcpy_chk', '__memset_chk', '__strlen_chk', '__vsprintf_chk', '__vsnprintf_chk', '__memmove_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
6	x86/libsqlcipher.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
7	arm64-v8a/libsqlcipher.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__memcpy_chk', '__memset_chk', '__strlen_chk', '__vsprintf_chk', '__vsnprintf_chk', '__memmove_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
8	armeabi-v7a/libsqlcipher.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NIAP ANALYSIS v1.3

NO	IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION
----	------------	-------------	---------	-------------

BEHAVIOUR ANALYSIS

RULE ID	BEHAVIOUR	LABEL	FILES
00091	Retrieve data from broadcast	collection	com/example/mastg_test0001/Activity2.java

ABUSED PERMISSIONS

TYPE	MATCHES	PERMISSIONS
Malware Permissions	1/25	android.permission.WRITE_EXTERNAL_STORAGE
Other Common Permissions	0/44	

Malware Permissions:

Top permissions that are widely abused by known malware.

Other Common Permissions:

Permissions that are commonly abused by known malware.

OFAC SANCTIONED COUNTRIES

This app may communicate with the following OFAC sanctioned list of countries.

DOMAIN	COUNTRY/REGION
--------	----------------

DOMAIN MALWARE CHECK

DOMAIN	STATUS	GEOLOCATION
github.com	ok	IP: 140.82.121.4 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
www.zetetic.net	ok	IP: 108.139.200.112 Country: United States of America Region: Washington City: Seattle Latitude: 47.606209 Longitude: -122.332069 View: Google Map

HARDCODED SECRETS

POSSIBLE SECRETS
"pwd_super_secret" : "Talos2024"
"library_android_database_sqlcipher_authorWebsite" : "https://www.zetetic.net/sqlcipher/"

SCAN LOGS

Timestamp	Event	Error
-----------	-------	-------

2026-05-10 05:06:53	Generating Hashes	OK
2026-05-10 05:06:53	Extracting APK	OK
2026-05-10 05:06:53	Unzipping	OK
2026-05-10 05:06:53	Parsing APK with androguard	OK
2026-05-10 05:06:54	Extracting APK features using aapt/aapt2	OK
2026-05-10 05:06:54	Getting Hardcoded Certificates/Keystores	OK
2026-05-10 05:07:00	Parsing AndroidManifest.xml	OK
2026-05-10 05:07:00	Extracting Manifest Data	OK
2026-05-10 05:07:00	Manifest Analysis Started	OK
2026-05-10 05:07:00	Performing Static Analysis on: MASTG-TEST0001 (com.example.mastg_test0001)	OK
2026-05-10 05:07:01	Fetching Details from Play Store: com.example.mastg_test0001	OK

2026-05-10 05:07:02	Checking for Malware Permissions	OK
2026-05-10 05:07:02	Fetching icon path	OK
2026-05-10 05:07:02	Library Binary Analysis Started	OK
2026-05-10 05:07:02	Analyzing lib/x86_64/libsqlcipher.so	OK
2026-05-10 05:07:02	Analyzing lib/x86/libsqlcipher.so	OK
2026-05-10 05:07:02	Analyzing lib/arm64-v8a/libsqlcipher.so	OK
2026-05-10 05:07:02	Analyzing lib/armeabi-v7a/libsqlcipher.so	OK
2026-05-10 05:07:03	Analyzing apktool_out/lib/x86_64/libsqlcipher.so	OK
2026-05-10 05:07:03	Analyzing apktool_out/lib/x86/libsqlcipher.so	OK
2026-05-10 05:07:03	Analyzing apktool_out/lib/arm64-v8a/libsqlcipher.so	OK
2026-05-10 05:07:03	Analyzing apktool_out/lib/armeabi-v7a/libsqlcipher.so	OK

2026-05-10 05:07:03	Reading Code Signing Certificate	OK
2026-05-10 05:07:03	Running APKiD 3.0.0	OK
2026-05-10 05:07:07	Detecting Trackers	OK
2026-05-10 05:07:09	Decompiling APK to Java with JADX	OK
2026-05-10 05:08:01	Converting DEX to Smali	OK
2026-05-10 05:08:01	Code Analysis Started on - java_source	OK
2026-05-10 05:08:02	Android SBOM Analysis Completed	OK
2026-05-10 05:08:14	Android SAST Completed	OK
2026-05-10 05:08:14	Android API Analysis Started	OK
2026-05-10 05:08:20	Android API Analysis Completed	OK
2026-05-10 05:08:20	Android Permission Mapping Started	OK

2026-05-10 05:08:24	Android Permission Mapping Completed	OK
2026-05-10 05:08:24	Android Behaviour Analysis Started	OK
2026-05-10 05:08:29	Android Behaviour Analysis Completed	OK
2026-05-10 05:08:29	Extracting Emails and URLs from Source Code	OK
2026-05-10 05:08:29	Email and URL Extraction Completed	OK
2026-05-10 05:08:29	Extracting String data from APK	OK
2026-05-10 05:08:29	Extracting String data from SO	OK
2026-05-10 05:08:30	Extracting String data from Code	OK
2026-05-10 05:08:30	Extracting String values and entropies from Code	OK
2026-05-10 05:08:31	Performing Malware check on extracted domains	OK
2026-05-10 05:08:35	Saving to Database	OK

Report Generated by - MobSF v4.5.0

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

© 2026 Mobile Security Framework - MobSF | [Ajin Abraham](#) | [OpenSecurity](#).



ANDROID STATIC ANALYSIS REPORT

app_icon

 MASTG-TEST0013 (1.0)

File Name: MASTG-TEST0013.apk

Package Name: com.example.mastg_test0013

Scan Date: May 10, 2026, 4:10 a.m.

App Security Score: 36/100 (HIGH RISK)

Grade:



FINDINGS SEVERITY

 HIGH	 MEDIUM	 INFO	 SECURE	 HOTSPOT
3	2	1	1	0

FILE INFORMATION

File Name: MASTG-TEST0013.apk

Size: 4.39MB

MD5: 011c7abb7df436074332d99e997e2c64

SHA1: 6f88a9b89042d0fcb453790eee1755963050206d

SHA256: 59bb55a851365e7a3d4399bbb8e46d5df2f063df7e80aa9afe70aa6cb1ab64a3

APP INFORMATION

App Name: MASTG-TEST0013

Package Name: com.example.mastg_test0013

Main Activity: com.example.mastg_test0013.MainActivity

Target SDK: 34

Min SDK: 26

Max SDK:

Android Version Name: 1.0

Android Version Code: 1

APP COMPONENTS

Activities: 2

Services: 0

Receivers: 1

Providers: 1

Exported Activities: 0

Exported Services: 0

Exported Receivers: 1

Exported Providers: 0

CERTIFICATE INFORMATION

Binary is not signed

Missing certificate

v1 signature: False

v2 signature: False

v3 signature: False

v4 signature: False

APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
com.example.mastg_test0013.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	unknown	Unknown permission	Unknown permission from android reference

APKID ANALYSIS

FILE	DETAILS	
classes.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MANUFACTURER check
	Compiler	r8

 NETWORK SECURITY

NO	SCOPE	SEVERITY	DESCRIPTION
----	-------	----------	-------------

 CERTIFICATE ANALYSIS

HIGH: 1 | WARNING: 0 | INFO: 0

TITLE	SEVERITY	DESCRIPTION
Missing Code Signing certificate	high	Code signing certificate not found

 MANIFEST ANALYSIS

HIGH: 0 | WARNING: 2 | INFO: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	DESCRIPTION
1	App can be installed on a vulnerable Android version 8.0, minSdk=26]	warning	This application can be installed on an older version of android that has multiple vulnerabilities. Support an Android version => 10, API 29 to receive reasonable security updates.
2	Broadcast Receiver (androidx.profileinstaller.ProfileInstallReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

</> CODE ANALYSIS

HIGH: 2 | WARNING: 0 | INFO: 1 | SECURE: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	STANDARDS	FILES
1	The App logs information. Sensitive information should never be logged.	info	CWE: CWE-532: Insertion of Sensitive Information into Log File OWASP MASVS: MSTG-STORAGE-3	com/example/mastg_test0013/Decrypt.java com/example/mastg_test0013/MainActivity.java
2	Calling Cipher.getInstance("AES") will return AES ECB mode by default. ECB mode is known to be weak as it results in the same ciphertext for identical blocks of plaintext.	high	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-2	com/example/mastg_test0013/Decrypt.java com/example/mastg_test0013/MainActivity.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
3	Weak Encryption algorithm used	high	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	com/example/mastg_test0013/Decrypt.java com/example/mastg_test0013/MainActivity.java

NIAP ANALYSIS v1.3

NO	IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION
----	------------	-------------	---------	-------------

ABUSED PERMISSIONS

TYPE	MATCHES	PERMISSIONS
Malware Permissions	0/25	
Other Common Permissions	0/44	

Malware Permissions:

Top permissions that are widely abused by known malware.

Other Common Permissions:

Permissions that are commonly abused by known malware.

SCAN LOGS

Timestamp	Event	Error
2026-05-10 04:10:41	Generating Hashes	OK
2026-05-10 04:10:41	Extracting APK	OK
2026-05-10 04:10:41	Unzipping	OK
2026-05-10 04:10:42	Parsing APK with androguard	OK
2026-05-10 04:10:44	Extracting APK features using aapt/aapt2	OK
2026-05-10 04:10:45	Getting Hardcoded Certificates/Keystores	OK
2026-05-10 04:10:54	Parsing AndroidManifest.xml	OK
2026-05-10 04:10:54	Extracting Manifest Data	OK
2026-05-10 04:10:54	Manifest Analysis Started	OK
2026-05-10 04:10:54	Performing Static Analysis on: MASTG-TEST0013 (com.example.mastg_test0013)	OK

2026-05-10 04:10:56	Fetching Details from Play Store: com.example.mastg_test0013	OK
2026-05-10 04:10:56	Checking for Malware Permissions	OK
2026-05-10 04:10:56	Fetching icon path	OK
2026-05-10 04:10:56	Library Binary Analysis Started	OK
2026-05-10 04:10:56	Reading Code Signing Certificate	OK
2026-05-10 04:10:57	Running APKiD 3.0.0	OK
2026-05-10 04:11:01	Detecting Trackers	OK
2026-05-10 04:11:03	Decompiling APK to Java with JADX	OK
2026-05-10 04:11:48	Converting DEX to Smali	OK
2026-05-10 04:11:48	Code Analysis Started on - java_source	OK
2026-05-10 04:11:48	Android SBOM Analysis Completed	OK

2026-05-10 04:11:58	Android SAST Completed	OK
2026-05-10 04:11:58	Android API Analysis Started	OK
2026-05-10 04:12:04	Android API Analysis Completed	OK
2026-05-10 04:12:05	Android Permission Mapping Started	OK
2026-05-10 04:12:05	Android Permission Mapping Completed	OK
2026-05-10 04:12:05	Android Behaviour Analysis Started	OK
2026-05-10 04:12:13	Android Behaviour Analysis Completed	OK
2026-05-10 04:12:13	Extracting Emails and URLs from Source Code	OK
2026-05-10 04:12:14	Email and URL Extraction Completed	OK
2026-05-10 04:12:14	Extracting String data from APK	OK
2026-05-10 04:12:15	Extracting String data from Code	OK

2026-05-10 04:12:15	Extracting String values and entropies from Code	OK
2026-05-10 04:12:16	Performing Malware check on extracted domains	OK
2026-05-10 04:12:16	Saving to Database	OK

Report Generated by - MobSF v4.5.0

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

© 2026 Mobile Security Framework - MobSF | [Ajin Abraham](#) | [OpenSecurity](#).