Threads and Concurrency

ECE 373

Threads of Execution

- Thread – smallest unit of processing that can be scheduled by the OS
  - UNIX-like systems are typically process oriented
  - WinNT-like systems are thread oriented

- Single CPU core
  - single line of instructions at any one time
- Multiple CPU cores
  - multiple simultaneous threads of execution

Threads

- Kernel threads
  - Jobs the kernel itself is doing for internal [projects]
  - All have access to the same kernel data
- User context
  - Threads running user jobs, might be running kernel code to service system calls from user code
  - Collected into specific user processes, see only the individual process space data
- Interrupts
  - Not really full threads, but in the mix
- See ps -ef

Linux process tree

Thread simple



OS Scheduler

- Chooses which to process/thread to run next on which CPU
  - Ready queue
  - Wait queue
  - Thread priority
  - Time slice
  - Preemption
  - CPU core affinity
  - Etc



OS Scheduler

- Chooses which to process/thread to run next on which CPU
  - Ready queue
  - Wait queue
  - Thread priority
  - Time slice
  - Preemption
  - CPU core affinity
  - Etc



- Interrupts mess with scheduler plans

Thread, interrupted



Concurrency and conflict

- Multiple threads could hit data at same time



Concurrency and conflict

- Multiple CPU threads could hit data at same time



Order matters

Instance 1	Instance 2	Value
`read very_important_count`		5
`add 5 + 1 = 6`		6
`write very_important_count`		6
	`read very_important_count`	6
	`add 6 + 1 = 7`	7
	`write very_important_count`	7

Order matters

Instance 1	Instance 2	Value
read very_important_count		5
add 5 + 1 = 6		6
write very_important_count		6
	read very_important_count	6
	add 6 + 1 = 7	7
	write very_important_count	7

Instance 1	Instance 2	Value
read very_important_count		5
	read very_important_count	5
add 5 + 1 = 6		6
	add 5 + 1 = 6	6
write very_important_count		6
	write very_important_count	6

Order matters

Instance 1	Instance 2	Value
`read very_important_count`		5
`add 5 + 1 = 6`		6
`write very_important_count`		6
	`read very_important_count`	6
	`Add 6 + 1 = 7`	7
	`write very_important_count`	7

Instance 1	Instance 2	Value
`read very_important_count`		5
	`read very_important_count`	5
`add 5 + 1 = 6`		6
	`Add 5 + 1 = 6`	6
`write very_important_count`		6
	`write very_important_count`	6

Concurrency and conflict

- Multiple threads could hit data at same time

- Coordination needed
  - Completions
  - Semaphore
  - Atomic action – increment, decrement
  - Mutex
  - Spin lock
  - RCU

Reading Hints

- LDD3 – Chapter 5: Concurrency

- ELDD – Chapter 2: Concurrency, pgs 39-48
- ELDD – Chapter 3: Kernel Facilities