Prompt:

I want you to create a Business Process Model and Notation (BPMN) model for the process described below. Return the model in the following format: task nodes as words, parallel gateways as AND, exclusive gateways as XOR, and arcs as ->. You should number the gateways. You may also label the outgoing arcs of an exclusive gateway to denote the decision criterion, like XOR Gateway -> (condition 1) Task. Additionally, provide a mapping of actors to activities, in the format actor: [activity1, ...]

Process description: A small company manufactures customized bicycles. Whenever the sales department receives an order, a new process instance is created. A member of the sales department can then reject or accept the order for a customized bike. In the former case, the process instance is finished. In the latter case, the storehouse and the engineering department are informed. The storehouse immediately processes the part list of the order and checks the required quantity of each part. If the part is available in-house, it is reserved. If it is not available, it is back-ordered. This procedure is repeated for each item on the part list. In the meantime, the engineering department prepares everything for the assembling of the ordered bicycle. If the storehouse successfully reserved or back-ordered every item of the part list and the preparation activity has finished, the engineering department assembles the bicycle. Afterwards, the sales department ships the bicycle to the customer and finishes the process instance.

Response:

Business Process Model and Notation (BPMN) model:

1. Start -> Receive Order
2. Receive Order -> XOR1
3. XOR1 -> (order rejected) End
4. XOR1 -> (order accepted) Inform Storehouse and Engineering
5. Inform Storehouse and Engineering -> AND1
6. AND1 -> Check and Reserve or Back-order Parts (one per part)
7. Check and Reserve or Back-order Parts -> AND2
8. AND1 -> Prepare for Assembling
9. Prepare for Assembling -> AND2
10. AND2 -> Assemble Bicycle
11. Assemble Bicycle -> Ship Bicycle
12. Ship Bicycle -> End

Mapping of actors to activities:

- Sales Department: [Receive Order, Inform Storehouse and Engineering, Ship Bicycle]

- Storehouse: [Check and Reserve or Back-order Parts]

- Engineering Department: [Prepare for Assembling, Assemble Bicycle]

Prompt:

I want you to create a Business Process Model and Notation (BPMN) model for the process described below. Return the model in the following format: task nodes as words, parallel gateways as AND, exclusive gateways as XOR, and arcs as ->. You should number the gateways. You may also label the outgoing arcs of an exclusive gateway to denote the decision criterion, like XOR Gateway -> (condition 1) Task. Additionally, provide a mapping of actors to activities, in the format actor: [activity1, ...]

Process description: A customer brings in a defective computer and the CRS checks the defect and hands out a repair cost calculation back. If the customer decides that the costs are acceptable, the process continues, otherwise she takes her computer home unrepaired. The ongoing repair consists of two activities, which are executed, in an arbitrary order. The first activity is to check and repair the hardware, whereas the second activity checks and configures the software. After each of these activities, the proper system functionality is tested. If an error is detected another arbitrary repair activity is executed, otherwise the repair is finished.

Response:

Business Process Model and Notation (BPMN) model:

1. Start -> Check Defect and Calculate Repair Cost

2. Check Defect and Calculate Repair Cost -> XOR1

3. XOR1 -> (costs not acceptable) End

4. XOR1 -> (costs acceptable) AND1

5. AND1 -> Check and Repair Hardware

6. AND1 -> Check and Configure Software

7. Check and Repair Hardware -> Test System Functionality 1

8. Check and Configure Software -> Test System Functionality 2

9. Test System Functionality 1 -> XOR2

10. XOR2 -> (error detected) AND1

11. XOR2 -> (no error) AND2

12. Test System Functionality 2 -> XOR3

13. XOR3 -> (error detected) AND1

14. XOR3 -> (no error) AND2

15. AND2 -> End (Repair finished)

Mapping of actors to activities:

- CRS: [Check Defect and Calculate Repair Cost]

- Customer: []

- Repair Staff: [Check and Repair Hardware, Check and Configure Software, Test System Functionality 1, Test System Functionality 2]

Prompt:

I want you to create a Business Process Model and Notation (BPMN) model for the process described below. Return the model in the following format: task nodes as words, parallel gateways as AND, exclusive gateways as XOR, and arcs as ->. You should number the gateways. You may also label the outgoing arcs of an exclusive gateway to denote the decision criterion, like XOR Gateway -> (condition 1) Task. Additionally, provide a mapping of actors to activities, in the format actor: [activity1, ...]

Process description: The Evanstonian is an upscale independent hotel. When a guest calls room service at The Evanstonian, the room-service manager takes down the order. She then submits an order ticket to the kitchen to begin preparing the food. She also gives an order to the sommelier (i.e., the wine waiter) to fetch wine from the cellar and to prepare any other alcoholic beverages. Eighty percent of room-service orders include wine or some other alcoholic beverage. Finally, she assigns the order to the waiter. While the kitchen and the sommelier are doing their tasks, the waiter readies a cart (i.e., puts a tablecloth on the cart and gathers silverware). The waiter is also responsible for nonalcoholic drinks. Once the food, wine, and cart are ready, the waiter delivers it to the guests room. After returning to the room-service station, the waiter debits the guests account. The waiter may wait to do the billing if he has another order to prepare or deliver.

Response:

Business Process Model and Notation (BPMN) model:

1. Start -> Take Down Order

2. Take Down Order -> Submit Order to Kitchen

3. Take Down Order -> XOR1

4. XOR1 -> (includes alcoholic beverages) Submit Order to Sommelier

5. XOR1 -> (no alcoholic beverages) Assign Order to Waiter

6. Submit Order to Kitchen -> AND1

7. Submit Order to Sommelier -> AND1

8. Assign Order to Waiter -> Prepare Cart and Nonalcoholic Drinks

9. Prepare Cart and Nonalcoholic Drinks -> AND1

10. AND1 -> Deliver Order to Guest's Room

11. Deliver Order to Guest's Room -> XOR2

12. XOR2 -> (has another order) Prepare or Deliver Next Order

13. XOR2 -> (no other order) Debit Guest's Account

14. Prepare or Deliver Next Order -> XOR2

15. Debit Guest's Account -> End

Mapping of actors to activities:

- Room-Service Manager: [Take Down Order, Submit Order to Kitchen, Submit Order to Sommelier]

- Sommelier: [Submit Order to Sommelier]

- Waiter: [Assign Order to Waiter, Prepare Cart and Nonalcoholic Drinks, Deliver Order to Guest's Room, Debit Guest's Account, Prepare or Deliver Next Order]

Prompt:

I want you to create a Business Process Model and Notation (BPMN) model for the process described below. Return the model in the following format: task nodes as words, parallel gateways as AND, exclusive gateways as XOR, and arcs as ->. You should number the gateways. You may also label the outgoing arcs of an exclusive gateway to denote the decision criterion, like XOR Gateway -> (condition 1) Task. Additionally, provide a mapping of actors to activities, in the format actor: [activity1, ...]

Process description: Whenever a company makes the decision to go public, its first task is to select the underwriters. Underwriters act as financial midwives to a new issue. Usually they play a triple role: First they provide the company with procedural and financial advice, then they buy the issue, and finally they resell it to the public. Established underwriters are careful of their reputation and will not handle a new issue unless they believe the facts have been presented fairly. Thus, in addition to handling the sale of a companys issue, the underwriters in effect give their seal of approval to it. They prepare a registration statement for the approval of the Securities and Exchange Commission (SEC). In addition to registering the issue with the SEC, they need to check that the issue complies with the so-called blue-sky laws of each state that regulate sales of securities within the state. While the registration statement is awaiting approval, underwriters begin to firm up the issue price. They arrange a road show to talk to potential investors. Immediately after they receive clearance from the SEC, underwriters fix the issue price. After

that they enter into a firm commitment to buy the stock and then offer it to the public, when they havent still found any reason not to do it.

Response:
Business Process Model and Notation (BPMN) model:

1. Start -> Select Underwriters
2. Select Underwriters -> Provide Procedural and Financial Advice
3. Provide Procedural and Financial Advice -> Buy the Issue
4. Buy the Issue -> Resell the Issue
5. Resell the Issue -> AND1
6. AND1 -> Prepare SEC Registration Statement
7. AND1 -> Check Compliance with Blue-Sky Laws
8. Prepare SEC Registration Statement -> Await SEC Approval
9. Check Compliance with Blue-Sky Laws -> Await SEC Approval
10. Await SEC Approval -> XOR1
11. XOR1 -> (SEC clearance received) Fix Issue Price
12. XOR1 -> (SEC clearance not received) End
13. Fix Issue Price -> Arrange Road Show
14. Arrange Road Show -> Firm Commitment to Buy the Stock
15. Firm Commitment to Buy the Stock -> XOR2
16. XOR2 -> (no reason not to proceed) Offer Stock to the Public
17. XOR2 -> (reason found not to proceed) End
18. Offer Stock to the Public -> End

Mapping of actors to activities:

- Company: [Select Underwriters]
- Underwriters: [Provide Procedural and Financial Advice, Buy the Issue, Resell the Issue, Prepare SEC Registration Statement, Check Compliance with Blue-Sky Laws, Await SEC Approval, Fix Issue Price, Arrange Road Show, Firm Commitment to Buy the Stock, Offer Stock to the Public]

Prompt:

I want you to create a Business Process Model and Notation (BPMN) model for the process described below. Return the model in the following format: task nodes as words, parallel gateways as AND, exclusive gateways as XOR, and arcs as ->. You should number the gateways. You may also label the outgoing arcs of an exclusive gateway to denote the decision criterion, like XOR Gateway -> (condition 1) Task. Additionally, provide a mapping of actors to activities, in the format actor: [activity1, ...]

Process description: At the beginning the customer perceives that her subscribed service has degraded. A list with all the problem parameters is then sent to the Customer Service department of TELECO. At the customer service an employee enters (based on the received data) a problem report into system T.. Then the problem report is compared to the customer SLA to identify what the extent and the details of the service degradation are. Based on this, the necessary counter measures are determined including their respective priorities. An electronic service then determines the significance of the customer based on information that has been collected during the history of the contractual relationship. In case the customer is premium, the process will link to an extra problem fix process (this process will not be detailed here). In case the customer is of certain significance which would affect the counter measures previously decided upon, the process goes back to re-prioritize these measures otherwise the process continues. Taking together the information (i.e. contract commitment data + prioritized actions) a detailed problem report is created. The detailed problem report is then sent to Service Management. Service Management deals on a first level with violations of quality in services that are provided to customers. After receiving the detailed problem report, Service management investigates whether the problem is analyzable at the level of their department or whether the problem may be located at Resource Provisioning. In case Service Management assesses the problem to be not analyzable by themselves, the detailed problem report is sent out to Resource Provisioning. If Service Management is sure they can analyze it, they perform the analysis and based on the outcome they create a trouble report that indicates the type of problem. After Resource Provisioning receives the detailed problem report, it is checked whether there are any possible problems. If no problems are detected, a notification about the normal service execution is created. If a problem is detected this will be analyzed by Resource Provisioning and a trouble report is created. Either trouble report or the normal execution notification will be included in a status report and sent back to Service Management. Service Management then prepares the final status report based on the received information. Subsequently it has to be determined what counter measures should be taken depending on the information in the final status report. Three alternative process paths may be taken. For the case that no problem was detected at all, the actual service performance is sent back to the Customer Service. For the case that minor corrective actions are required, Service Management will undertake corrective actions by themselves. Subsequently, the problem resolution report is created and then sent out to Customer Service. After sending, this process path of Service Management ends. For the case that automatic resource restoration from Resource Provisioning is required, Service Management must create a request for automatic resource restoration. This message is then sent to Resource Provisioning. Resource Provisioning has been on-hold and waiting for a restoration request but this must happen within 2 days after the status report was sent out, otherwise Resource Provisioning terminates the process. After the restoration request is received, all possible errors are tracked. Based on the tracked errors, all necessary corrective actions are undertaken by Resource Provisioning. Then a trouble-shooting report is created. This report is sent out to Service Management; then the process ends. The trouble-shooting report is received by Service Management and this information goes then into the creation of the problem resolution report just as

described for ii). Customer Service either receives the actual service performance (if there was no problem) or the problem resolution report. Then, two concurrent activities are triggered, i.e. i) a report is created for the customer which details the current service performance and the resolution of the problem, and ii) an SLA violation rebate is reported to Billing & Collections who will adjust the billing. The report for the customer is sent out to her. After all three activities are completed the process ends within Customer Service. After the customer then receives the report about service performance and problem resolution from Customer Service, the process flow at the customer also ends.

Response:

Business Process Model and Notation (BPMN) model:

1. Start -> Report Problem to Customer Service
2. Report Problem to Customer Service -> Enter Problem Report into System T
3. Enter Problem Report into System T -> Compare Problem to Customer SLA
4. Compare Problem to Customer SLA -> Determine Counter Measures and Priorities
5. Determine Counter Measures and Priorities -> Determine Customer Significance
6. Determine Customer Significance -> XOR1
7. XOR1 -> (customer is premium) Link to Extra Problem Fix Process
8. XOR1 -> (customer is significant) Re-prioritize Counter Measures
9. XOR1 -> (customer is not significant) Continue Process
10. Continue Process -> Create Detailed Problem Report
11. Create Detailed Problem Report -> Send Report to Service Management
12. Send Report to Service Management -> XOR2
13. XOR2 -> (problem analyzable at this level) Analyze Problem and Create Trouble Report
14. XOR2 -> (problem not analyzable at this level) Send Report to Resource Provisioning
15. Analyze Problem and Create Trouble Report -> AND1
16. Send Report to Resource Provisioning -> XOR3
17. XOR3 -> (problem detected) Analyze Problem and Create Trouble Report
18. XOR3 -> (no problem detected) Create Normal Service Execution Notification
19. Analyze Problem and Create Trouble Report -> AND1
20. Create Normal Service Execution Notification -> AND1
21. AND1 -> Prepare Final Status Report

22. Prepare Final Status Report -> Determine Counter Measures

23. Determine Counter Measures -> XOR4

24. XOR4 -> (no problem detected) Send Actual Service Performance to Customer Service

25. XOR4 -> (minor corrective actions required) Perform Corrective Actions and Create Problem Resolution Report

26. XOR4 -> (automatic resource restoration required) Send Restoration Request to Resource Provisioning

27. Perform Corrective Actions and Create Problem Resolution Report -> Send Report to Customer Service

28. Send Restoration Request to Resource Provisioning -> Track Errors and Perform Corrective Actions

29. Track Errors and Perform Corrective Actions -> Create Trouble-shooting Report

30. Create Trouble-shooting Report -> Send Report to Service Management

31. Send Report to Service Management -> Create Problem Resolution Report

32. Create Problem Resolution Report -> Send Report to Customer Service

33. Send Report to Customer Service -> AND2

34. AND2 -> Create Report for Customer

35. AND2 -> Report SLA Violation Rebate to Billing & Collections

36. Create Report for Customer -> Send Report to Customer

37. Send Report to Customer -> End

Mapping of actors to activities:

- Customer: [Report Problem to Customer Service]

- Customer Service: [Enter Problem Report into System T, Compare Problem to Customer SLA, Determine Counter Measures and Priorities, Determine Customer Significance, Create Detailed Problem Report]

- Electronic Service: [Determine Customer Significance]

- Service Management: [Analyze Problem and Create Trouble Report, Prepare Final Status Report, Determine Counter Measures, Perform Corrective Actions and Create Problem Resolution Report, Create Problem Resolution Report]

- Resource Provisioning: [Analyze Problem and Create Trouble Report, Create Normal Service Execution Notification, Track Errors and Perform Corrective Actions, Create Trouble-shooting Report]

- Billing & Collections: [Report SLA Violation Rebate to Billing & Collections]

Prompt:

I want you to create a Business Process Model and Notation (BPMN) model for the process described below. Return the model in the following format: task nodes as words, parallel gateways as AND, exclusive gateways as XOR, and arcs as ->. You should number the gateways. You may also label the outgoing arcs of an exclusive gateway to denote the decision criterion, like XOR Gateway -> (condition 1) Task. Additionally, provide a mapping of actors to activities, in the format actor: [activity1, ...]

Process description: The process is initiated by a switch-over request. In doing so, the customer transmits his data to the customer service department of the company. Customer service is a shared service center between the departments Sales and Distribution. The customer data is received by customer service and based on this data a customer data object is entered into the CRM system. After customer data has been entered it should then be compared with the internal customer data base and checked for completeness and plausibility. In case of any errors these should be corrected on the basis of a simple error list. The comparison of data is done to prevent individual customer data being stored multiple times. In case the customer does not exist in the customer data base, a new customer object is being created which will remain the data object of interest during the rest of the process flow. This object consists of data elements such as the customers name and address and the assigned power gauge. The generated customer object is then used, in combination with other customer data to prepare the contract documents for the power supplier switch (including data such as bank connection, information on the selected rate, requested date of switch-over). In the following an automated check of the contract documents is carried out within the CIS (customer information system) in order to confirm their successful generation. In case of a negative response, i.e. the contract documents are not (or incorrectly) generated, the causing issues are being analyzed and resolved. Subsequently the contract documents are generated once again. In case of a positive response a confirmation document is sent out to the customer stating that the switch-over to the new supplier can be executed. A request to the grid operator is automatically sent out by the CIS. It puts the question whether the customer may be supplied by the selected supplier in the future. The switch-over request is checked by the grid operator for supplier concurrence, and the grid operator transmits a response comment. In the case of supplier concurrence the grid operator would inform all involved suppliers and demand the resolution of the conflict. The grid operator communicates with the old supplier and carries out the termination of the sales agreement between the customer and the old supplier (i.e. the customer service (of the new supplier) does not have to interact with the old supplier regarding termination). If there are not any objections by the grid operator (i.e. no supplier concurrence), customer service creates a CIS contract. The customer then has the chance to check the contract details and based on this check may decide to either withdraw from the switch contract or confirm it. Depending on the customers acceptance/rejection the process flow at customer service either ends (in case of withdrawal) or continues (in case of a confirmation). An additional constraint is that the customer can only withdraw from the offered contract within 7 days after the 7th day the contract will be regarded as accepted and the process continues. The confirmation message by the customer is therefore not absolutely necessary (as it will count as accepted after 7 days in any way) but it can speed up the switch process. On the switch-date, but no later than 10 days after power supply has begun, the grid operator transmits the power meter data to the customer service and the old supplier via messages containing a services consumption report. At the same time, the grid operator computes the final billing based on the meter data and sends it to the old supplier. Likewise the old supplier creates and sends the final billing to the customer. For the customer as well as the grid operator the process ends then. After receiving the meter data customer service imports the meter data to systems that require the information. The process of winning a new customer ends here.

Response:
Business Process Model and Notation (BPMN) model:

1. Start -> Customer Sends Switch-over Request to Customer Service
2. Customer Sends Switch-over Request to Customer Service -> Enter Customer Data into CRM
3. Enter Customer Data into CRM -> Check and Correct Customer Data
4. Check and Correct Customer Data -> XOR1
5. XOR1 -> (customer exists in database) Continue with Existing Customer Object
6. XOR1 -> (customer doesn't exist in database) Create New Customer Object
7. Continue with Existing Customer Object -> Prepare Contract Documents
8. Create New Customer Object -> Prepare Contract Documents
9. Prepare Contract Documents -> Automated Check of Contract Documents in CIS
10. Automated Check of Contract Documents in CIS -> XOR2
11. XOR2 -> (documents not correctly generated) Analyze and Resolve Issues
12. XOR2 -> (documents correctly generated) Send Confirmation Document to Customer
13. Analyze and Resolve Issues -> Prepare Contract Documents
14. Send Confirmation Document to Customer -> Send Switch-over Request to Grid Operator
15. Send Switch-over Request to Grid Operator -> XOR3
16. XOR3 -> (supplier concurrence) Resolve Conflict with Grid Operator
17. XOR3 -> (no supplier concurrence) Create CIS Contract
18. Create CIS Contract -> Customer Checks Contract Details
19. Customer Checks Contract Details -> XOR4
20. XOR4 -> (customer withdraws) End
21. XOR4 -> (customer confirms or 7 days pass) Continue Process
22. Continue Process -> Receive Power Meter Data from Grid Operator
23. Receive Power Meter Data from Grid Operator -> Import Meter Data to Relevant Systems
24. Import Meter Data to Relevant Systems -> End

Mapping of actors to activities:

- Customer: [Send Switch-over Request to Customer Service, Check Contract Details]

- Customer Service: [Enter Customer Data into CRM, Check and Correct Customer Data, Prepare Contract Documents, Analyze and Resolve Issues, Send Confirmation Document to Customer, Create CIS Contract, Import Meter Data to Relevant Systems]

- Grid Operator: [Resolve Conflict with Grid Operator, Send Power Meter Data to Customer Service]