Prompt:

I want you to create a Business Process Model and Notation (BPMN) model for the process described below. Return the model in the following format: task nodes as words, parallel gateways as AND, exclusive gateways as XOR, and arcs as ->. You should number the gateways. You may also label the outgoing arcs of an exclusive gateway to denote the decision criterion, like XOR Gateway -> (condition 1) Task. Additionally, provide a mapping of actors to activities, in the format actor: [activity1, ...]

Process description: A small company manufactures customized bicycles. Whenever the sales department receives an order, a new process instance is created. A member of the sales department can then reject or accept the order for a customized bike. In the former case, the process instance is finished. In the latter case, the storehouse and the engineering department are informed. The storehouse immediately processes the part list of the order and checks the required quantity of each part. If the part is available in-house, it is reserved. If it is not available, it is back-ordered. This procedure is repeated for each item on the part list. In the meantime, the engineering department prepares everything for the assembling of the ordered bicycle. If the storehouse successfully reserved or back-ordered every item of the part list and the preparation activity has finished, the engineering department assembles the bicycle. Afterwards, the sales department ships the bicycle to the customer and finishes the process instance.

Response:

Here's the BPMN model based on the process description:

1. Start -> Receive Order -> XOR1
2. XOR1 -> (Order Accepted) AND1, XOR1 -> (Order Rejected) End
3. AND1 -> Check Part Availability -> XOR2
4. XOR2 -> (Part Available) Reserve Part -> AND2, XOR2 -> (Part Not Available) Back-Order Part -> AND2
5. AND1 -> Prepare for Assembly -> AND2
6. AND2 -> Assemble Bicycle -> Ship Bicycle -> End

And here's the actor to activity mapping:

- Sales department: [Receive Order, Ship Bicycle]
- Storehouse: [Check Part Availability, Reserve Part, Back-Order Part]
- Engineering department: [Prepare for Assembly, Assemble Bicycle]

Prompt:

I want you to create a Business Process Model and Notation (BPMN) model for the process described below. Return the model in the following format: task nodes as words, parallel gateways as AND, exclusive gateways as XOR, and arcs as ->. You should number the gateways. You may also label the outgoing arcs of an exclusive gateway to denote the decision criterion, like XOR Gateway -> (condition 1) Task. Additionally, provide a mapping of actors to activities, in the format actor: [activity1, ...]

Process description: A customer brings in a defective computer and the CRS checks the defect and hands out a repair cost calculation back. If the customer decides that the costs are acceptable, the process continues, otherwise she takes her computer home unrepaired. The ongoing repair consists of two activities, which are executed, in an arbitrary order. The first activity is to check and repair the hardware, whereas the second activity checks and configures the software. After each of these activities, the proper system functionality is tested. If an error is detected another arbitrary repair activity is executed, otherwise the repair is finished.

Response:

Here's the BPMN model based on the process description:

1. Start -> Check Defect and Calculate Repair Cost -> XOR1
2. XOR1 -> (Costs Accepted) AND1, XOR1 -> (Costs Rejected) End
3. AND1 -> Check and Repair Hardware -> Test System Functionality -> XOR2
4. XOR2 -> (Error Detected) AND1, XOR2 -> (No Error) AND2
5. AND1 -> Check and Configure Software -> Test System Functionality -> XOR3
6. XOR3 -> (Error Detected) AND1, XOR3 -> (No Error) AND2
7. AND2 -> Finish Repair -> End

And here's the actor to activity mapping:

- CRS (Customer Repair Service): [Check Defect and Calculate Repair Cost, Check and Repair Hardware, Test System Functionality, Check and Configure Software, Finish Repair]

Prompt:

I want you to create a Business Process Model and Notation (BPMN) model for the process described below. Return the model in the following format: task nodes as words, parallel gateways as AND, exclusive gateways as XOR, and arcs as ->. You should number the gateways. You may also label the outgoing arcs of an exclusive gateway to denote the decision criterion, like XOR Gateway -> (condition 1) Task. Additionally, provide a mapping of actors to activities, in the format actor: [activity1, ...]

Process description: The Evanstonian is an upscale independent hotel. When a guest calls room service at The Evanstonian, the room-service manager takes down the order. She then submits an order ticket to the kitchen to begin preparing the food. She also gives an order to the sommelier (i.e., the wine waiter) to fetch wine from the cellar and to prepare any other alcoholic beverages. Eighty percent of room-service orders include wine or some other alcoholic beverage. Finally, she assigns the order to the waiter. While the kitchen and the sommelier are doing their tasks, the waiter readies a cart (i.e., puts a tablecloth on the cart and gathers silverware). The waiter is also responsible for nonalcoholic drinks. Once the food, wine, and cart are ready, the waiter delivers it to the guests room. After returning to the room-service station, the waiter debits the guests account. The waiter may wait to do the billing if he has another order to prepare or deliver.

Response:

Here's the BPMN model based on the process description:

1. Start -> Take Order -> AND1

2. AND1 -> Submit Order to Kitchen -> AND2

3. AND1 -> Assign Order to Waiter -> Prepare Cart -> AND2

4. AND1 -> XOR1

5. XOR1 -> (Order Includes Alcohol) Assign Order to Sommelier -> Fetch Wine -> AND2, XOR1 -> (Order Doesn't Include Alcohol) AND2

6. AND2 -> Deliver Order -> XOR2

7. XOR2 -> (Has Another Order) Start, XOR2 -> (No More Orders) Debit Guest's Account -> End

And here's the actor to activity mapping:

- Room-service manager: [Take Order, Submit Order to Kitchen, Assign Order to Waiter]

- Sommelier: [Fetch Wine]

- Waiter: [Prepare Cart, Deliver Order, Debit Guest's Account]

Prompt:

I want you to create a Business Process Model and Notation (BPMN) model for the process described below. Return the model in the following format: task nodes as words, parallel gateways as AND, exclusive gateways as XOR, and arcs as ->. You should number the gateways. You may also label the outgoing arcs of an exclusive gateway to denote the decision criterion, like XOR Gateway -> (condition 1) Task. Additionally, provide a mapping of actors to activities, in the format actor: [activity1, ...]

Process description: Whenever a company makes the decision to go public, its first task is to select the underwriters. Underwriters act as financial midwives to a new issue. Usually they play a triple role: First they provide the company with procedural and financial advice, then they buy the issue, and finally they resell it to the public. Established underwriters are careful of their reputation and will not handle a new issue unless they believe the facts have been presented fairly. Thus, in addition to handling the sale of a companys issue, the underwriters in effect give their seal of approval to it. They prepare a registration statement for the approval of the Securities and Exchange Commission (SEC). In addition to registering the issue with the SEC, they need to check that the issue complies with the so-called blue-sky laws of each state that regulate sales of securities within the state. While the registration statement is awaiting approval, underwriters begin to firm up the issue price. They arrange a road show to talk to potential investors. Immediately after they receive clearance from the SEC, underwriters fix the issue price. After that they enter into a firm commitment to buy the stock and then offer it to the public, when they havent still found any reason not to do it.

Response:

Here's the BPMN model based on the process description:

1. Start -> Select Underwriters -> Provide Advice -> XOR1

2. XOR1 -> (Facts Presented Fairly) Buy Issue -> AND1, XOR1 -> (Facts Not Presented Fairly) End

3. AND1 -> Prepare Registration Statement -> AND2

4. AND1 -> Check Compliance with Blue-Sky Laws -> AND2

5. AND2 -> Await SEC Approval -> Firm Up Issue Price -> Arrange Road Show -> Receive SEC Clearance -> Fix Issue Price -> XOR2

6. XOR2 -> (No Reason Not to Proceed) Buy Stock and Offer to Public -> End, XOR2 -> (Reason Found Not to Proceed) End

And here's the actor to activity mapping:

- Company: [Select Underwriters]

- Underwriters: [Provide Advice, Buy Issue, Prepare Registration Statement, Check Compliance with Blue-Sky Laws, Await SEC Approval, Firm Up Issue Price, Arrange Road Show, Receive SEC Clearance, Fix Issue Price, Buy Stock and Offer to Public]

Prompt:

I want you to create a Business Process Model and Notation (BPMN) model for the process described below. Return the model in the following format: task nodes as words, parallel gateways as AND, exclusive gateways as XOR, and arcs as ->. You should number the gateways. You may also label the outgoing arcs of an exclusive gateway to denote the decision criterion, like XOR Gateway -> (condition 1) Task. Additionally, provide a mapping of actors to activities, in the format actor: [activity1, ...]

Process description: At the beginning the customer perceives that her subscribed service has degraded. A list with all the problem parameters is then sent to the Customer Service department of TELECO. At the customer service an employee enters (based on the received data) a problem report into system T.. Then the problem report is compared to the customer SLA to identify what the extent and the details of the service degradation are. Based on this, the necessary counter measures are determined including their respective priorities. An electronic service then determines the significance of the customer based on information that has been collected during the history of the contractual relationship. In case the customer is premium, the process will link to an extra problem fix process (this process will not be detailed here). In case the customer is of certain significance which would affect the counter measures previously decided upon, the process goes back to re-prioritize these measures otherwise the process continues. Taking together the information (i.e. contract commitment data + prioritized actions) a detailed problem report is created. The detailed problem report is then sent to Service Management. Service Management deals on a first level with violations of quality in services that are provided to customers. After receiving the detailed problem report, Service management investigates whether the problem is analyzable at the level of their department or whether the problem may be located at Resource Provisioning. In case Service Management assesses the problem to be not analyzable by themselves, the detailed problem report is sent out to Resource Provisioning. If Service Management is sure they can analyze it, they perform the analysis and based on the outcome they create a trouble report that indicates the type of problem. After Resource Provisioning receives the detailed problem report, it is checked whether there are any possible problems. If no problems are detected, a notification about the normal service execution is created. If a problem is detected this will be analyzed by Resource Provisioning and a trouble report is created. Either trouble report or the normal execution notification will be included in a status report and sent back to Service Management. Service Management then prepares the final status report based on the received information. Subsequently it has to be determined what counter measures should be taken depending on the information in the final status report. Three alternative process paths may be taken. For the case that no problem was detected at all, the actual service performance is sent back to the Customer Service. For the case that minor corrective actions are required, Service Management will undertake corrective actions by themselves. Subsequently, the problem resolution report is created and then sent out to Customer Service. After sending, this process path of Service Management ends. For the case that automatic resource restoration from Resource Provisioning is required, Service Management must create a request for automatic resource restoration. This message is then sent to Resource Provisioning. Resource Provisioning has been on-hold and waiting for a restoration request but this must happen within 2 days after the status report was sent out, otherwise Resource Provisioning terminates the process. After the restoration request is received, all possible errors are tracked. Based on the tracked errors, all necessary corrective actions are undertaken by Resource Provisioning. Then a trouble-shooting report is created. This report is sent out to Service Management; then the process ends. The trouble-shooting report is received by Service Management and this information goes then into the creation of the problem resolution report just as described for ii). Customer Service either receives the actual service performance (if there was no problem) or the problem resolution report. Then, two concurrent activities are triggered, i.e. i) a report is created

for the customer which details the current service performance and the resolution of the problem, and ii) an SLA violation rebate is reported to Billing & Collections who will adjust the billing. The report for the customer is sent out to her. After all three activities are completed the process ends within Customer Service. After the customer then receives the report about service performance and problem resolution from Customer Service, the process flow at the customer also ends.

Response:
Here's the BPMN model based on the process description:

1. Start -> Perceive Service Degradation -> Send Problem Parameters -> Enter Problem Report -> Compare Report to SLA -> Determine Counter Measures -> Determine Customer Significance -> XOR1

2. XOR1 -> (Premium Customer) Link to Extra Problem Fix Process -> End, XOR1 -> (Significant Customer) Re-prioritize Measures -> AND1, XOR1 -> (Regular Customer) AND1

3. AND1 -> Create Detailed Problem Report -> Send Report to Service Management -> XOR2

4. XOR2 -> (Problem Analyzable) Analyze Problem -> Create Trouble Report -> AND2, XOR2 -> (Problem Not Analyzable) Send Report to Resource Provisioning -> XOR3

5. XOR3 -> (Problem Detected) Analyze Problem -> Create Trouble Report -> AND2, XOR3 -> (No Problem Detected) Create Normal Service Execution Notification -> AND2

6. AND2 -> Create Status Report -> Prepare Final Status Report -> Determine Counter Measures -> XOR4

7. XOR4 -> (No Problem Detected) Send Service Performance to Customer Service -> AND3, XOR4 -> (Minor Corrective Actions Required) Undertake Corrective Actions -> Create Problem Resolution Report -> AND3, XOR4 -> (Automatic Restoration Required) Request Automatic Resource Restoration -> Track Errors -> Undertake Corrective Actions -> Create Trouble-Shooting Report -> AND3

8. AND3 -> Create Customer Report and SLA Violation Rebate -> Send Customer Report -> End

And here's the actor to activity mapping:

- Customer: [Perceive Service Degradation, Send Problem Parameters]

- Customer Service: [Enter Problem Report, Compare Report to SLA, Determine Counter Measures, Determine Customer Significance, Send Service Performance to Customer Service, Create Customer Report and SLA Violation Rebate, Send Customer Report]

- Service Management: [Analyze Problem, Create Trouble Report, Prepare Final Status Report, Determine Counter Measures, Undertake Corrective Actions, Create Problem Resolution Report]

- Resource Provisioning: [Analyze Problem, Create Trouble Report, Request Automatic Resource Restoration, Track Errors, Undertake Corrective Actions, Create Trouble-Shooting Report]

Prompt:

I want you to create a Business Process Model and Notation (BPMN) model for the process described below. Return the model in the following format: task nodes as words, parallel gateways as AND, exclusive gateways as XOR, and arcs as ->. You should number the gateways. You may also label the outgoing arcs of an exclusive gateway to denote the decision criterion, like XOR Gateway -> (condition 1) Task. Additionally, provide a mapping of actors to activities, in the format actor: [activity1, ...]

Process description: The process is initiated by a switch-over request. In doing so, the customer transmits his data to the customer service department of the company. Customer service is a shared service center between the departments Sales and Distribution. The customer data is received by customer service and based on this data a customer data object is entered into the CRM system. After customer data has been entered it should then be compared with the internal customer data base and checked for completeness and plausibility. In case of any errors these should be corrected on the basis of a simple error list. The comparison of data is done to prevent individual customer data being stored multiple times. In case the customer does not exist in the customer data base, a new customer object is being created which will remain the data object of interest during the rest of the process flow. This object consists of data elements such as the customers name and address and the assigned power gauge. The generated customer object is then used, in combination with other customer data to prepare the contract documents for the power supplier switch (including data such as bank connection, information on the selected rate, requested date of switch-over). In the following an automated check of the contract documents is carried out within the CIS (customer information system) in order to confirm their successful generation. In case of a negative response, i.e. the contract documents are not (or incorrectly) generated, the causing issues are being analyzed and resolved. Subsequently the contract documents are generated once again. In case of a positive response a confirmation document is sent out to the customer stating that the switch-over to the new supplier can be executed. A request to the grid operator is automatically sent out by the CIS. It puts the question whether the customer may be supplied by the selected supplier in the future. The switch-over request is checked by the grid operator for supplier concurrence, and the grid operator transmits a response comment. In the case of supplier concurrence the grid operator would inform all involved suppliers and demand the resolution of the conflict. The grid operator communicates with the old supplier and carries out the termination of the sales agreement between the customer and the old supplier (i.e. the customer service (of the new supplier) does not have to interact with the old supplier regarding termination). If there are not any objections by the grid operator (i.e. no supplier concurrence), customer service creates a CIS contract. The customer then has the chance to check the contract details and based on this check may decide to either withdraw from the switch contract or confirm it. Depending on the customers acceptance/rejection the process flow at customer service either ends (in case of withdrawal) or continues (in case of a confirmation). An additional constraint is that the customer can only withdraw from the offered contract within 7 days after the 7th day the contract will be regarded as accepted and the process continues. The confirmation message by the customer is therefore not absolutely necessary (as it will count as accepted after 7 days in any way) but it can speed up the switch process. On the switch-date, but no later than 10 days after power supply has begun, the grid operator transmits the power meter data to the customer service and the old supplier via messages containing a services consumption report. At the same time, the grid operator computes the final billing based on the meter data and sends it to the old supplier. Likewise the old supplier creates and sends the final billing to the customer. For the customer as well as the grid operator the process ends then. After receiving the meter data customer service imports the meter data to systems that require the information. The process of winning a new customer ends here.

Response:
Here's the BPMN model based on the process description:

1. Start -> Receive Switch-over Request -> Enter Customer Data into CRM -> Compare Data with Internal Database -> XOR1

2. XOR1 -> (Errors Found) Correct Errors -> XOR1, XOR1 -> (No Errors Found) Create Customer Object -> Prepare Contract Documents -> Check Contract Documents -> XOR2

3. XOR2 -> (Documents Incorrect) Analyze and Resolve Issues -> Prepare Contract Documents -> XOR2, XOR2 -> (Documents Correct) Send Confirmation Document to Customer -> Send Request to Grid Operator -> Check Switch-over Request -> XOR3

4. XOR3 -> (Supplier Concurrence) Inform Suppliers, Terminate Old Agreement -> Create CIS Contract -> Customer Checks Contract -> XOR4, XOR3 -> (No Supplier Concurrence) Create CIS Contract -> Customer Checks Contract -> XOR4

5. XOR4 -> (Withdrawal) End, XOR4 -> (Confirmation/No Response after 7 Days) Await Switch-date -> Receive Power Meter Data -> Import Meter Data -> End

And here's the actor to activity mapping:

- Customer: [Send Switch-over Request, Check Contract, (Optional) Confirm Contract]

- Customer Service: [Receive Switch-over Request, Enter Customer Data into CRM, Compare Data with Internal Database, Correct Errors, Create Customer Object, Prepare Contract Documents, Check Contract Documents, Analyze and Resolve Issues, Send Confirmation Document to Customer, Create CIS Contract, Receive Power Meter Data, Import Meter Data]

- Grid Operator: [Check Switch-over Request, Inform Suppliers, Terminate Old Agreement, Send Power Meter Data]

- Old Supplier: [Receive Termination Notice, Create and Send Final Billing]