API Documentation

Last updated on *June 23, 2022*

Version: 2.1 ▾

Introduction

API Keys

Authentication

Scrambled API

Testing Seasons and Games

Projections

Pricing

Available Formats

PUSH Notifications

Compression

Conventions

Throttling

Response Codes

Available Stats

Wrapper Libraries

Charting Play Locations

Available Feeds:

NHL ▾

2025-2026 Regular ▾

CORE

Seasonal Games

Daily Games

Current Season

Latest Updates

Seasonal Venues

STATS addon

Daily Player Gamelogs

Daily Team Gamelogs

Seasonal Team Stats

Seasonal Player Stats

Seasonal Standings

DETAILED addon

Game Boxscore

Game Play-By-Play

Game Lineup

Player Injuries

Players

Injury History

ODDS addon

Daily Game Lines (Odds)

Daily Futures (Odds)

PROJECTIONS addon

Daily Player Gamelogs Projections

Daily DFS Projections

Seasonal Player Stats Projections

DFS addon

Daily DFS

EXTRAS addon

Drafts

Daily Team Gamelogs (v2.1)

All team game logs for a date including game and stats.

Addon Required: STATS

URL Examples:

CSV:

https://api.mysportsfeeds.com/v2.1/pull/nhl/2025-2026-regular/date/20251007/team_gamelogs.csv?
team=det (https://api.mysportsfeeds.com/v2.1/pull/nhl/2025-2026-
regular/date/20251007/team_gamelogs.csv?team=det)

JSON:

https://api.mysportsfeeds.com/v2.1/pull/nhl/2025-2026-regular/date/20251007/team_gamelogs.json?
team=det (https://api.mysportsfeeds.com/v2.1/pull/nhl/2025-2026-
regular/date/20251007/team_gamelogs.json?team=det)

XML:

https://api.mysportsfeeds.com/v2.1/pull/nhl/2025-2026-regular/date/20251007/team_gamelogs.xml?
team=det (https://api.mysportsfeeds.com/v2.1/pull/nhl/2025-2026-
regular/date/20251007/team_gamelogs.xml?team=det)

XSD (for XML):

https://api.mysportsfeeds.com/v2.1/xsd/nhl/daily_team_gamelogs
(https://api.mysportsfeeds.com/v2.1/xsd/nhl/daily_team_gamelogs)

| PULL URL Syntax | Response | Code Samples |

Issue a HTTPS GET request to:

```
https://api.mysportsfeeds.com/v2.1/pull/nhl/{season}/date/{date}/team_gamelogs.
{format}
```

with optional parameters:

```
team={list-of-teams} (filter teams)
game={list-of-games} (filter on games)
stats={list-of-stats} (filter stats)
sort={sort-specifier} (sort the feed's content)
offset={offset-specifier} (filter results starting at the given offset)
limit={limit-specifier} (limit the maximum # of results)
force={force-if-not-modified} (force content)
```

where:

Parameter	Description
`{season}`	a value obtained by concatenating ```\n(season start year) + "-" +\n(season end year) + "-" +\neither "regular" or "playoff", depending on the season's type\n``` *Note:* if the starting and ending years are the same, you can just specify the single year. You can also use the special keywords **current**, **latest** or **upcoming**. Using **current** relates to the current in-progress season (whether regular or playoff). If a current season is not in progress (offseason), you'll receive an empty response with response code **400**. Using **latest** will return the latest season (whether regular or playoff). Note that **current** and **latest** will in fact apply to the same season if a season is in progress. Using **upcoming** will only apply to a season which has been added, but has not yet actually started. This applies in cases where the upcoming season's game schedule is available, but there is no curent season underway (offseason, or between regular and playoff seasons). If no applicable season is available, an empty 400 response is returned. Valid examples are: • `2016-2017-regular` • `2016-playoff` • `current` • `latest` • `upcoming`
`{date}`	a valid date in the form of **YYYYMMDD**
`{format}`	one of **csv**, **xml**, or **json**

Parameter	Description

`game={game-identifier}`	Must represent a valid game. Specify this value by concatenating
	
	`(game date as YYYYMMDD) + "-" +`
	`(away team abbreviation) + "-" +`
	`(home team abbreviation)`
	
	Optionally, in cases where multiple games are scheduled on the same day between the same teams (MLB double-headers in particular), you will also need to specify the index of the game based on start time. This is only required if there are multiple applicable games between the teams on the same day.
	
	`(game date as YYYYMMDD) + "-" +`
	`(away team abbreviation) + "-" +`
	`(home team abbreviation) + "-" (game index)`
	
	Note: If you specify a non-existent game, or an exact match cannot be otherwise found, then a 404 response code will be returned. Valid examples are:
	
	- **20161221-BAL-DET**
	- **20161221-BAL-DET-1**
	- **20161221-BAL-DET-2**

`team={list-of-teams}`	(*optional*) comma-delimited list of one or more teams. If this parameter is omitted, by default ALL teams are included. In addition, for either the **player_gamelogs** or **team_gamelogs**, at least one player, team, or game MUST be specified. There are several acceptable formats for a team. Each is case-insensitive, and strips out any punctuation. Team ID: **24** Team abbreviation: **bos** City and team name: **boston-celtics**

Parameter	Description
`game={list-of-games}`	(*optional*) comma-delimited list of one or more games. If this parameter is omitted, by default ALL games are included. Must represent a valid game. Specify this value by concatenating ```\n(game date as YYYYMMDD) + "-" +\n(away team abbreviation) + "-" +\n(home team abbreviation)\n``` In addition, for either the **player_gamelogs** or **team_gamelogs**, at least one player, team, or game MUST be specified.
`stats={list-of-stats}`	(*optional*) comma-delimited list with one or more stat abbreviations. If this parameter is omitted, by default ALL stats are included. To include NO stats, set to **none**. A full list of available stats and their abbreviations can be obtained by requesting the **Current Season** feed.
`sort={sort-specifier}`	(*optional*) Specifies a sorting order for the results. Format is: `{prefix}.{value}.{sort-order}` The `{sort-order}` is optional, and must be either "**A**" for Ascending, or "**D**" for descending. Valid values for this feed are: **game.starttime** **team.city** **team.name** **team.abbr**
`offset= {offset-specifier}`	(*optional*) Specifies the starting offset for the results. Defaults to 0.
`limit={limit-specifier}`	(*optional*) Specifies the maxmimum number of results. If not specified, all results are returned.

Parameter	Description
`force={force-if-not-modified}`	(*optional*) Valid values are **true** or **false**. Specifies whether to "force" content to be returned and avoid an empty 304 response. (See Response Codes section for more details) Defaults to "true", which will always return the most up-to-date content based on your subscription level. Specifying "false" will also avoid any throttling restrictions on your requests. See the Throttling section for more.

FAQ (/faq/)

Member Rewards (/member-rewards/)

Terms of Service (/terms-use/)

Privacy Policy (/privacy-policy/)

About Us (/about-us/)

Affiliate Logos (/logos/)

✉ Contact Us (https://www.mysportsfeeds.com/contact-us)

(https://github.com/ (https://twitter

MySportsFeeds is an unofficial and independent source of information not affiliated with the National Hockey League (NHL), National Football League (NFL), Major League Baseball (MLB), National Basketball Association (NBA), or any of their sub-affiliates.