

twitter_testing

Michael Huang

2022-12-04

```
library(twitterR)
library(rjson)
library(jsonlite)
```

```
##
## Attaching package: 'jsonlite'
```

```
## The following objects are masked from 'package:rjson':
##
##   fromJSON, toJSON
```

```
library(tidyverse)
```

```
## -- Attaching packages ----- tidyverse 1.3.1 --
```

```
## v ggplot2 3.4.0    v purrr  0.3.4
## v tibble  3.1.8    v dplyr  1.0.8
## v tidyr   1.2.0    v stringr 1.4.0
## v readr   2.1.2    v forcats 0.5.1
```

```
## -- Conflicts ----- tidyverse_conflicts() --
```

```
## x dplyr::filter()      masks stats::filter()
## x purrr::flatten()     masks jsonlite::flatten()
## x jsonlite::fromJSON() masks rjson::fromJSON()
## x dplyr::id()          masks twitterR::id()
## x dplyr::lag()         masks stats::lag()
## x dplyr::location()    masks twitterR::location()
## x jsonlite::toJSON()   masks rjson::toJSON()
```

```
library(ROAuth)
```

```
reqURL <- "https://api.twitter.com/oauth/request_token"
accessURL <- "https://api.twitter.com/oauth/access_token"
authURL <- "https://api.twitter.com/oauth/authorize"
consumer_key <- "JcrxIFV9qiPsEERpTQtnwdQl"
consumer_secret <- "xuHfLGXnHzOBQA3duwxsXPBx0e4uXeZxqAqTsYvY25y4FDFX7U"
access_token <- "3442624097-s4Wyi9bCEFPoYA6yEegHP6XvZRuFgFWAAqwU4rE"
access_secret <- "z7UYfJCef6DgyKp8tizEljmQDjvrfvfjmooBs0vZ9tGdD"
```

```
setup_twitter_oauth(consumer_key, consumer_secret, access_token, access_secret)

## [1] "Using direct authentication"

tweets1 <- searchTwitter("XinhuaUrdu", n=1000)
df <- twListToDF(tweets1)

tweets2 <- searchTwitter("xinhua_hindi", n=1000, since= "2022-10-08", until = "2022-12-10")
df2 <- twListToDF(tweets2)
```