

Melitta Caffeo Solo & Milk

Maintenance Guide

Display Indicators



Power

Ready / Heating



Drip Tray

Empty
required →



Clean

Run cleaning →



Beans

Refill beans →



Steam

Steam pipe →



Descal

Run descaling
→



Water

Fill reservoir →



Filter

Replace filter →



Daily Maintenance

Daily

① Empty drip tray and coffee grounds container

② Refill beans if low

③ Fill water reservoir with fresh water

④ Wipe exterior with soft damp cloth





Steam Pipe Cleaning

After Each Use

Rinse the steam pipe after every use to prevent milk residue buildup.

- 1 Fill vessel with clear water, immerse steam pipe tip
- 2 Press  button, wait for  to illuminate
- 3 Turn valve clockwise (5 sec), close, wait (30 sec)

Deep Clean (Weekly)



① **Twist off** steam pipe (turn in arrow direction)

② **Pull nozzle** out of steam pipe



③ **Clean nozzle** with pointed object or brush

④ **Rinse all parts** with water, reassemble

Brewing Unit Cleaning

Weekly

Switch off appliance and unplug before cleaning!



- ① **Remove cover** (pull right side panel off)
- ② **Press red button** on handle, turn clockwise, pull out
- ③ **Rinse thoroughly** with clear water on all sides
- ④ **Let dry**, remove coffee residues from machine
- ⑤ **Reinsert** brewing unit, turn counterclockwise until locked




Cleaning Program

Every 2 months / 200 cups

~15 min

Required: Melitta Cleaning Tabs

Do not interrupt the program.

- ① **Switch off**, fill water reservoir to MAX
- ② Hold   +  for 2 sec →  flashes
- ③ **Empty drip tray**, reinsert without grounds container
- ④ When  lights: **remove brewing unit**, insert cleaning tab, reinstall

- ⑤ **Refill water** to MAX, press  to continue (~5 min)
- ⑥ When complete: **empty and reinsert** drip tray + grounds container



Descaling Program

Every 3 months

~30 min

Required: Melitta ANTI CALC descaler

Descaling agent can cause skin irritation. Follow safety instructions on packaging.



- 1 **Attach hose** to steam pipe, place in grounds container
- 2 **Remove water filter** if installed
- 3 Hold  +  for 3 sec →  flashes
- 4 **Empty and reinsert** drip tray
- 5 **Empty water reservoir**, add 100ml descaler + fill to MAX (Melitta ANTI CALC)
- 6 Press  to start (~15 min)
- 7 When  lights: **turn valve clockwise** until stop (~10 min)
- 8 **Empty all containers**, rinse reservoir, fill with fresh water
- 9 Press  for final rinse, **close valve** when  lights
- 10 When  lights: **done!** Reinstall water filter if used



Water Filter Replacement

Every 2 months


Required: Melitta Claris Water Filter

- ① **Soak new filter** in glass of water for several minutes
- ② **Switch off**, hold  +  for 3 sec
- ③ **Empty drip tray**, reinsert without grounds container
- ④ **Remove & empty** water reservoir, screw filter onto thread at bottom
- ⑤ **Fill reservoir** to MAX, reinsert
- ⑥ **Place container** under steam pipe, turn valve clockwise until water flows
- ⑦ When  lights: **close valve** → Ready!

Water may be cloudy during first rinse (activated carbon). This is normal.



Steam Pipe Positions



Position 1

(Down)



For frothing
milk

Position 2

(Up)



For heating
milk / hot water

Based on Melitta Caffeo Solo & Milk Operating Instructions
For complete instructions, refer to the original manual