<u>Cisc332: Assignment 1</u>
<u>Group 51</u>
Andrew Grebenisan, Michael Krakovsky, Matthew Nicastro

Assumptions:
We did not have to handle the min/max amount of students in a hotel room because our PHP code will take care of that
There will be a separate PHP check which makes sure that the chair member for a committee is also a member of the committee
When we add new IDs, the first digit in the integer represents whether the attendee is a speaker, student, etc.
- 1 is indicative of a student
- 2 is indicative of a sponsor attendee
- 3 is indicative of a professional
- 4 is indicative of a speaker

We will make sure to add a constraint that each type of attendee gets IDs of this form
We did not include Price in our ER model because we are going to program that in PHP
We are also assuming that there is only one hotel and is solely distinguished by its room number. That is, there cannot be two different rooms in the hotel with the same room number.
We will make sure that the max number of emails a company is allowed to send is checked in our php code.
We are assuming that the number of emails does not get reset at the end of the day
We didn't include just a basic attendees table since you can easily get that by joining all the tables around Session on the SessionID (this increases the modularity of our design).

<u>Table of Contents</u>

**Committee_Members**
- FirstName VARCHAR(45)
- LastName VARCHAR(45)
- MemberID INT

Indexes

**Membership**
- SubCommittee VARCHAR(45)
- MemberID INT

Indexes

**Committee_...**
- SubCommittee VARCH...
- ChairMemberID INT

Indexes

**Sponsor_Atte...**
- SponsorID INT
- CompanyID INT
- FirstName VARCHAR(45)
- LastName VARCHAR(45)

Indexes

**Sponsors**
- SponsorType VARCHA...
- NumEmails INT
- CompanyID INT
- CompanyName VARCH...

Indexes

**Students**
- StudentID INT
- FirstName VARCHAR(45)
- LastName VARCHAR(45)
- HotelRoom VARCHAR(10)

Indexes

**HotelRoom**
- RoomNumber VARCHAR(10)
- NumberOfBeds INT

Indexes

**Session**
- StartTime DATETIME
- EndTime DATETIME
- RoomLocation VARCHAR(40)
- Name VARCHAR(40)
- SessionID INT

Indexes

**Sponsor_Session_Schedule**
- SponsorID INT
- SessionID INT

Indexes

**JobAdds**
- CompanyID INT
- JobTitle VARCHAR(40)
- Location VARCHAR(40)
- PayRate INT

**Student_Sessio...**
- AttendeeID INT
- SessionID INT

Indexes

**Professionals**
- ProfessionalID INT
- FirstName VARCHAR(45)
- LastName VARCHAR(45)

Indexes

**Speakers**
- FirstName VARCHAR(40)
- LastName VARCHAR(40)
- SpeakerID INT

Indexes

**Speaker_Sessi...**
- SpeakerID INT
- SessionID INT

Indexes

**Professional_Session_Schedule**
- ProfessionalId INT
- SessionId INT

Indexes

```
-- MySQL Workbench Forward Engineering

SET @OLD_UNIQUE_CHECKS=@@UNIQUE_CHECKS, UNIQUE_CHECKS=0;
SET @OLD_FOREIGN_KEY_CHECKS=@@FOREIGN_KEY_CHECKS,
FOREIGN_KEY_CHECKS=0;
SET @OLD_SQL_MODE=@@SQL_MODE,
SQL_MODE='ONLY_FULL_GROUP_BY,STRICT_TRANS_TABLES,NO_ZERO_IN_DATE,NO
_ZERO_DATE,ERROR_FOR_DIVISION_BY_ZERO,NO_ENGINE_SUBSTITUTION';


-- -----------------------------------------------------
-- Schema Assn_1_Committee_And_Attendees
-- -----------------------------------------------------


-- -----------------------------------------------------
-- Schema Assn_1_Committee_And_Attendees
-- -----------------------------------------------------
CREATE SCHEMA IF NOT EXISTS `Assn_1_Committee_And_Attendees` DEFAULT
CHARACTER SET utf8 ;
USE `Assn_1_Committee_And_Attendees` ;

-- -----------------------------------------------------
-- Table `Assn_1_Committee_And_Attendees`.`Committee_Members`
-- -----------------------------------------------------
CREATE TABLE IF NOT EXISTS `Assn_1_Committee_And_Attendees`.`Committee_Members`
(
  `FirstName` VARCHAR(45) NOT NULL,
  `LastName` VARCHAR(45) NOT NULL,
  `MemberID` INT NOT NULL,
  PRIMARY KEY (`MemberID`))
ENGINE = InnoDB;


-- -----------------------------------------------------
-- Table `Assn_1_Committee_And_Attendees`.`HotelRoom`
-- -----------------------------------------------------
CREATE TABLE IF NOT EXISTS `Assn_1_Committee_And_Attendees`.`HotelRoom` (
  `RoomNumber` VARCHAR(10) NOT NULL,
  `NumberOfBeds` INT NOT NULL,
  PRIMARY KEY (`RoomNumber`))
ENGINE = InnoDB;
```

```
-- ------------------------------------------------------
-- Table `Assn_1_Committee_And_Attendees`.`Students`
-- ------------------------------------------------------
CREATE TABLE IF NOT EXISTS `Assn_1_Committee_And_Attendees`.`Students` (
  `StudentID` INT NOT NULL,
  `FirstName` VARCHAR(45) NOT NULL,
  `LastName` VARCHAR(45) NOT NULL,
  `HotelRoom` VARCHAR(10) NULL,
  PRIMARY KEY (`StudentID`),
  INDEX `RoomNumber_idx` (`HotelRoom` ASC) VISIBLE,
  CONSTRAINT `RoomNumber`
    FOREIGN KEY (`HotelRoom`)
    REFERENCES `Assn_1_Committee_And_Attendees`.`HotelRoom` (`RoomNumber`)
    ON DELETE SET NULL
    ON UPDATE NO ACTION)
ENGINE = InnoDB;


-- ------------------------------------------------------
-- Table `Assn_1_Committee_And_Attendees`.`Session`
-- ------------------------------------------------------
CREATE TABLE IF NOT EXISTS `Assn_1_Committee_And_Attendees`.`Session` (
  `StartTime` DATETIME NOT NULL,
  `EndTime` DATETIME NOT NULL,
  `RoomLocation` VARCHAR(40) NOT NULL,
  `Name` VARCHAR(40) NOT NULL,
  `SessionID` INT NOT NULL,
  PRIMARY KEY (`SessionID`))
ENGINE = InnoDB;


-- ------------------------------------------------------
-- Table `Assn_1_Committee_And_Attendees`.`Student_Session_Schedule`
-- ------------------------------------------------------
CREATE TABLE IF NOT EXISTS
`Assn_1_Committee_And_Attendees`.`Student_Session_Schedule` (
  `AttendeeID` INT NOT NULL,
  `SessionID` INT NOT NULL,
  PRIMARY KEY (`AttendeeID`, `SessionID`),
  INDEX `SessionID_idx` (`SessionID` ASC) VISIBLE,
  CONSTRAINT `SessionStudentsID`
```

```
    FOREIGN KEY (`SessionID`)
    REFERENCES `Assn_1_Committee_And_Attendees`.`Session` (`SessionID`)
    ON DELETE CASCADE
    ON UPDATE NO ACTION,
  CONSTRAINT `AttendeeID`
    FOREIGN KEY (`AttendeeID`)
    REFERENCES `Assn_1_Committee_And_Attendees`.`Students` (`StudentID`)
    ON DELETE CASCADE
    ON UPDATE NO ACTION)
ENGINE = InnoDB;


-- -----------------------------------------------------
-- Table `Assn_1_Committee_And_Attendees`.`Speakers`
-- -----------------------------------------------------
CREATE TABLE IF NOT EXISTS `Assn_1_Committee_And_Attendees`.`Speakers` (
  `FirstName` VARCHAR(40) NOT NULL,
  `LastName` VARCHAR(40) NOT NULL,
  `SpeakerID` INT NOT NULL,
  PRIMARY KEY (`SpeakerID`))
ENGINE = InnoDB;


-- -----------------------------------------------------
-- Table `Assn_1_Committee_And_Attendees`.`Sponsors`
-- -----------------------------------------------------
CREATE TABLE IF NOT EXISTS `Assn_1_Committee_And_Attendees`.`Sponsors` (
  `SponsorType` VARCHAR(20) NOT NULL,
  `NumEmails` INT NOT NULL,
  `CompanyID` INT NOT NULL,
  `CompanyName` VARCHAR(45) NOT NULL,
  PRIMARY KEY (`CompanyID`))
ENGINE = InnoDB;


-- -----------------------------------------------------
-- Table `Assn_1_Committee_And_Attendees`.`Sponsor_Attendee`
-- -----------------------------------------------------
CREATE TABLE IF NOT EXISTS `Assn_1_Committee_And_Attendees`.`Sponsor_Attendee` (
  `SponsorID` INT NOT NULL,
  `CompanyID` INT NOT NULL,
  `FirstName` VARCHAR(45) NOT NULL,
  `LastName` VARCHAR(45) NOT NULL,
```

```
  PRIMARY KEY (`SponsorID`),
  INDEX `ComapnyID_idx` (`CompanyID` ASC) VISIBLE,
  CONSTRAINT `ComapnyID`
    FOREIGN KEY (`CompanyID`)
    REFERENCES `Assn_1_Committee_And_Attendees`.`Sponsors` (`CompanyID`)
    ON DELETE CASCADE
    ON UPDATE NO ACTION)
ENGINE = InnoDB;



-- -----------------------------------------------------
-- Table `Assn_1_Committee_And_Attendees`.`JobAdds`
-- -----------------------------------------------------
CREATE TABLE IF NOT EXISTS `Assn_1_Committee_And_Attendees`.`JobAdds` (
  `CompanyID` INT NOT NULL,
  `JobTitle` VARCHAR(40) NOT NULL,
  `Location` VARCHAR(40) NOT NULL,
  `PayRate` INT UNSIGNED NOT NULL,
  CONSTRAINT `ComapanyID`
    FOREIGN KEY (`CompanyID`)
    REFERENCES `Assn_1_Committee_And_Attendees`.`Sponsors` (`CompanyID`)
    ON DELETE CASCADE
    ON UPDATE NO ACTION)
ENGINE = InnoDB;



-- -----------------------------------------------------
-- Table `Assn_1_Committee_And_Attendees`.`Committee_List`
-- -----------------------------------------------------
CREATE TABLE IF NOT EXISTS `Assn_1_Committee_And_Attendees`.`Committee_List` (
  `SubCommittee` VARCHAR(45) NOT NULL,
  `ChairMemberID` INT NOT NULL,
  PRIMARY KEY (`SubCommittee`),
  UNIQUE INDEX `SubCommittee_UNIQUE` (`SubCommittee` ASC) VISIBLE,
  INDEX `ChairMemberID_idx` (`ChairMemberID` ASC) VISIBLE,
  CONSTRAINT `ChairMemberID`
    FOREIGN KEY (`ChairMemberID`)
    REFERENCES `Assn_1_Committee_And_Attendees`.`Committee_Members` (`MemberID`)
    ON DELETE NO ACTION
    ON UPDATE NO ACTION)
ENGINE = InnoDB;
```

```
-- -----------------------------------------------------
-- Table `Assn_1_Committee_And_Attendees`.`Membership`
-- -----------------------------------------------------
CREATE TABLE IF NOT EXISTS `Assn_1_Committee_And_Attendees`.`Membership` (
  `SubCommittee` VARCHAR(45) NOT NULL,
  `MemberID` INT NOT NULL,
  INDEX `MemberID_idx` (`MemberID` ASC) VISIBLE,
  INDEX `SubCommittee_idx` (`SubCommittee` ASC) VISIBLE,
  PRIMARY KEY (`SubCommittee`, `MemberID`),
  CONSTRAINT `MemberID`
    FOREIGN KEY (`MemberID`)
    REFERENCES `Assn_1_Committee_And_Attendees`.`Committee_Members` (`MemberID`)
    ON DELETE CASCADE
    ON UPDATE NO ACTION,
  CONSTRAINT `SubCommittee`
    FOREIGN KEY (`SubCommittee`)
    REFERENCES `Assn_1_Committee_And_Attendees`.`Committee_List` (`SubCommittee`)
    ON DELETE CASCADE
    ON UPDATE NO ACTION)
ENGINE = InnoDB;


-- -----------------------------------------------------
-- Table `Assn_1_Committee_And_Attendees`.`Sponsor_Session_Schedule`
-- -----------------------------------------------------
CREATE TABLE IF NOT EXISTS
`Assn_1_Committee_And_Attendees`.`Sponsor_Session_Schedule` (
  `SponsorID` INT NOT NULL,
  `SessionID` INT NOT NULL,
  PRIMARY KEY (`SponsorID`, `SessionID`),
  INDEX `SessionDropID_idx` (`SessionID` ASC) VISIBLE,
  CONSTRAINT `SponsorID`
    FOREIGN KEY (`SponsorID`)
    REFERENCES `Assn_1_Committee_And_Attendees`.`Sponsor_Attendee` (`SponsorID`)
    ON DELETE CASCADE
    ON UPDATE NO ACTION,
  CONSTRAINT `SessionSponsors!D`
    FOREIGN KEY (`SessionID`)
    REFERENCES `Assn_1_Committee_And_Attendees`.`Session` (`SessionID`)
    ON DELETE CASCADE
    ON UPDATE NO ACTION)
ENGINE = InnoDB;
```

```sql
-- -----------------------------------------------------
-- Table `Assn_1_Committee_And_Attendees`.`Speaker_Session_Schedule`
-- -----------------------------------------------------
CREATE TABLE IF NOT EXISTS
`Assn_1_Committee_And_Attendees`.`Speaker_Session_Schedule` (
  `SpeakerID` INT NOT NULL,
  `SessionID` INT NOT NULL,
  PRIMARY KEY (`SpeakerID`, `SessionID`),
  CONSTRAINT `SpeakerID`
    FOREIGN KEY (`SpeakerID`)
    REFERENCES `Assn_1_Committee_And_Attendees`.`Speakers` (`SpeakerID`)
    ON DELETE CASCADE
    ON UPDATE NO ACTION,
  CONSTRAINT `SessionSpeakerID`
    FOREIGN KEY (`SessionID`)
    REFERENCES `Assn_1_Committee_And_Attendees`.`Session` (`SessionID`)
    ON DELETE CASCADE
    ON UPDATE NO ACTION)
ENGINE = InnoDB;


-- -----------------------------------------------------
-- Table `Assn_1_Committee_And_Attendees`.`Professionals`
-- -----------------------------------------------------
CREATE TABLE IF NOT EXISTS `Assn_1_Committee_And_Attendees`.`Professionals` (
  `ProfessionalID` INT NOT NULL,
  `FirstName` VARCHAR(45) NOT NULL,
  `LastName` VARCHAR(45) NOT NULL,
  PRIMARY KEY (`ProfessionalID`))
ENGINE = InnoDB;


-- -----------------------------------------------------
-- Table `Assn_1_Committee_And_Attendees`.`Professional_Session_Schedule`
-- -----------------------------------------------------
CREATE TABLE IF NOT EXISTS
`Assn_1_Committee_And_Attendees`.`Professional_Session_Schedule` (
  `ProfessionalId` INT NOT NULL,
  `SessionId` INT NOT NULL,
  PRIMARY KEY (`SessionId`, `ProfessionalId`),
  INDEX `ProfessionalID_idx` (`ProfessionalId` ASC) VISIBLE,
  CONSTRAINT `ProfessionalSessionID`
```

```
    FOREIGN KEY (`SessionId`)
    REFERENCES `Assn_1_Committee_And_Attendees`.`Session` (`SessionID`)
    ON DELETE CASCADE
    ON UPDATE NO ACTION,
  CONSTRAINT `ProfessionalID`
    FOREIGN KEY (`ProfessionalId`)
    REFERENCES `Assn_1_Committee_And_Attendees`.`Professionals` (`ProfessionalID`)
    ON DELETE NO ACTION
    ON UPDATE NO ACTION)
ENGINE = InnoDB;


SET SQL_MODE=@OLD_SQL_MODE;
SET FOREIGN_KEY_CHECKS=@OLD_FOREIGN_KEY_CHECKS;
SET UNIQUE_CHECKS=@OLD_UNIQUE_CHECKS;
```

```
# Insert Values Here

#Committee inserts
Insert Into `committee_members` values ("Michael", "Krakovsky", 1);
Insert Into `committee_members` values ("Andrew", "Greb", 2);
Insert Into `committee_members` values ("Matthew", "Nat", 3);
Insert Into `committee_members` values ("John", "Krack", 4);
Insert Into `committee_members` values ("Chris", "Wallace", 5);
Insert Into `committee_members` values ("Two", "Pac", 6);
Insert Into `committee_members` values ("Tom", "Brady", 7);
Insert Into `committee_members` values ("Michael", "Jordan", 8);
Insert Into `committee_members` values ("Michael", "Shue", 9);
Insert Into `committee_members` values ("The nameless", "The nameless", 10);

#Committee List
Insert into `committee_list` values ("AI Committee", 3);
Insert into `committee_list` values ("The Goat Communitte", 7);
Insert into `committee_list` values ("Stellar", 1);
Insert into `committee_list` values ("SuperBowl Committee", 7);

#Membership inserts
Insert into `membership` values ("The Goat Communitte", 2);
Insert into `membership` values ("Stellar", 3);
Insert into `membership` values ("SuperBowl Committee", 1);
Insert into `membership` values ("The Goat Communitte", 1);
Insert into `membership` values ("The Goat Communitte", 10);
Insert into `membership` values ("Stellar", 9);
Insert into `membership` values ("SuperBowl Committee", 5);
Insert into `membership` values ("The Goat Communitte", 5);
Insert into `membership` values ("AI Committee", 3);
Insert into `membership` values ("The Goat Communitte", 7);
Insert into `membership` values ("Stellar", 1);
Insert into `membership` values ("SuperBowl Committee", 7);
Insert into `membership` values ("The Goat Communitte", 6);
Insert into `membership` values ("Stellar", 4);
Insert into `membership` values ("SuperBowl Committee", 4);

# Hotel Room
insert into HotelRoom values ("205A", 2);
insert into HotelRoom values ("212A", 2);
```

```
# Students
insert into Students values (123123, "Dude 1", "nooooooo", "205A");
insert into Students values (124324, "Dude 2", "another", "205A");
insert into Students values (123421, "Person 2", "last", "205A");
insert into Students values (1234243, "Girl 1", "meee", "205A");
insert into Students values (1309342, "Girl 31", "andi", "212A");
insert into Students values (18765, "Damn 31", "andi", "212A");

# Session
insert into `Session` values ('2019-02-08 12:00:00', '2019-02-08 12:30:00', "Big Room", "Learn",
123456);
insert into `Session` values ('2019-02-08 13:00:00', '2019-02-08 13:30:00', "Small Room",
"Learn more", 98456);
insert into `Session` values ('2019-02-09 16:00:00', '2019-02-08 16:30:00', "Big Room",
"Closing", 743456);

# Student_Session_Schedule
insert into Student_Session_Schedule values (123123, 743456);
insert into Student_Session_Schedule values (18765, 743456);

insert into Student_Session_Schedule values (18765, 98456);
insert into Student_Session_Schedule values (123421, 98456);
insert into Student_Session_Schedule values (123421, 123456);
insert into Student_Session_Schedule values (1309342, 123456);

#Sponsors
insert into Sponsors values ("Platinum", 5, 35345, "The company");
insert into Sponsors values ("Gold", 4, 92348, "Dominate");
insert into Sponsors values ("Silver", 3, 1293, "Goat");
insert into Sponsors values ("Bronze", 0, 7534, "Sacrafice");

# Job Adds
insert into JobAdds values (35345, "Manager", "To", 23);
insert into JobAdds values (92348, "Clegery", "Atl", 53);
insert into JobAdds values (92348, "CEO", "LA", 67);
insert into JobAdds values (7534, "CFO", "por", 65);

#Sponsor Attendee
insert into Sponsor_Attendee values (2000, 35345, "Tony", "TheTiger");
insert into Sponsor_Attendee values (2001, 92348, "Rudolph", "TheRedNosedReindeer");
insert into Sponsor_Attendee values (2002, 1293, "Bob", "TheBuilder");
insert into Sponsor_Attendee values (2003, 7534, "Margarita", "Lamborghini");
```

```
#Sponsor Session Schedule
insert into Sponsor_Session_Schedule values (2000, 123456);
insert into Sponsor_Session_Schedule values (2001, 123456);
insert into Sponsor_Session_Schedule values (2002, 98456);
insert into Sponsor_Session_Schedule values (2003, 743456);

#Speakers
insert into Speakers values ("Wendy","Powley", 4000);
insert into Speakers values ("Michael","Krakovspee", 4001);
insert into Speakers values ("Matt","RoccoNicNicastro", 4002);

#SpeakersAttendees
insert into Speaker_Session_Schedule values (4000, 123456);
insert into Speaker_Session_Schedule values (4001, 98456);
insert into Speaker_Session_Schedule values (4002, 743456);

#Professionals
insert into Professionals values (30000, "Terry", "Larry");

#Professional Session Schedule
insert into Professional_Session_Schedule values (30000, 123456);
```