APPLICATION OVERVIEW DOCUMENT

# Comprehensive Patient Care Management

Congratulations on completing your application definition! This document presents a summary overview of your application as defined in the Pega platform. It encapsulates the key elements of your application's design, highlighting its core functionalities and overall structure.

Please note that this is a high-level view and does not include granular details like data models or sample data. It's an ideal resource for a quick reference, facilitating discussions among team members and stakeholders, and for guiding strategic decisions in your application development process.

Blueprint ID: BP-1345354

# Application Context

| Organization name | Location | Industry | Industry subsegment | Department/function |
|---|---|---|---|---|
| Internet Service Provider | United States | Healthcare | Healthcare Services (Provider) | Other |

**Language**
English


**Application purpose**
Comprehensive Patient Care Management

**Functional description**
This application is designed to provide a comprehensive, standardized, and accurate system for managing patient care, assessments, and documentation across diverse healthcare settings, including acute care, home health, and palliative care. Its primary objective is to address challenges related to inconsistent documentation, incomplete assessments, and lack of structured care planning, ultimately ensuring high-quality patient outcomes, regulatory compliance, and efficient healthcare delivery. The application's core functionality includes robust patient data capture for demographics (name, sex, DOB, age, room, physician, admission date, diagnoses), vital signs (BP, HR, RR, SpO2, Temp), lab values (NA, K, CL, HCO3, Glucose, CR, BUN, WBC, PLT, HCT), and medical history (fall risk, isolation, restraints). It offers comprehensive assessment tools covering physical systems (neurological status including alertness, orientation, confusion, lethargy, sedation level, PERRLA, drift, grip strength, facial drooping, swallowing, sensation; cardiovascular status including edema, rhythm, heart rate, chest pain, palpitations, JVD, color, warmth, pulses, capillary refill; respiratory health including room air, ET/trach size, breath sounds, O2 delivery, cough, SOB; GI status including last BM, bowel sounds, appetite, nausea, vomiting, abdomen inspection/auscultation/palpation; GU status including voiding, incontinence, catheter, pain, burning, urgency, frequency; skin integrity including warm/dry, pale, mottled, extremities temp, wound location/dressing, color, moisture, turgor, pressure ulcer; and head & face examination including teeth/gum, glasses, hearing aids, dentures, vision/hearing issues, oral cavity). Symptom management is detailed with pain scores (0-10, before/after medication, reassessment), tiredness, nausea, depression, anxiety, drowsiness, appetite, wellbeing, dyspnea, and other problem scores (ESAS). Functional assessments include the Palliative Performance Scale (PPS) and Functional Assessment Staging of Alzheimer's Disease (FAST). Cognitive evaluations cover orientation (year, season, month, day, date, country, state, city, building, floor), registration (object recall), attention and calculations (counting backward by 7s), language (naming, repetition, 3-step command, read/obey, write sentence, copy design), and delirium screening (Non-ICU CAM, ICU CAM). Risk assessments include the Morse Fall Risk Assessment and detailed pressure ulcer/injury documentation (stage, location, treatment, hospital-acquired status). Furthermore, it facilitates detailed care planning and management, allowing for the documentation of specific plans, PRN medications, procedures, labs, and the tracking of home health tasks (hygiene, nutrition, chores, outings, social) with a weekly schedule and time records. The system also supports psychosocial and spiritual care by assessing patient/family stress factors, coping mechanisms, spiritual orientation, involvement in spiritual community, use of spiritual leader, and the need for chaplaincy support. Critical advanced care planning features are integrated, including documentation of advanced directives, living wills, surrogate decision-makers, and resuscitation status. It also manages referrals to specialists and tracks discharge dispositions. The application automates the structured capture of diverse patient data, minimizing manual errors and ensuring consistency across various assessment types. It orchestrates workflows for comprehensive patient evaluations, guiding healthcare professionals through required steps and managing the tracking of patient progress, care plans, and task completion for timely interventions. By leveraging structured templates, it inherently automates the organization and categorization of complex medical information, streamlining documentation for regulatory compliance and reimbursement, especially for critical areas like pain and pressure ulcers. Expected outcomes include significantly improved accuracy and completeness of patient documentation, leading to better patient outcomes and reduced risks of errors or penalties. It will establish standardized assessment practices across different care settings, enhancing consistency and quality. The application will enable early detection and proactive management of patient health problems, including pain, cognitive decline, delirium, and fall risks. Enhanced communication and collaboration among healthcare providers will be fostered through a centralized and structured data repository. Ultimately, it will lead to more efficient and effective delivery of home health and palliative care services, better support for advanced care planning, and streamlined processes for regulatory compliance and billing.

# Workflows (Case Types)

## Patient Care

This case type encompasses the comprehensive management of patient care, including assessments, documentation, and care planning across various healthcare settings. It aims to standardize patient data capture, ensuring accuracy and completeness in vital signs, medical history, and symptom management, ultimately leading to improved patient outcomes and regulatory compliance.




### Case Data Model

| Field Name | Description | Type | Primary |
|---|---|---|---|
| Attending Physician | The name of the physician responsible for the patient's care, allowing for clear communica... | User Refe... | |
| Chief Complaint | The primary complaint or reason for the patient's visit, which guides the assessment and c... | Text | |
| Date of Birth | The date of birth of the patient, which is crucial for age-related assessments and treatment... | Date | |
| Patient Name | The full name of the patient, which is essential for identifying the individual receiving care a... | Text | |
| Admission Date | The date when the patient was admitted to the healthcare facility, which is critical for tracki... | Text | |
| Advanced Directive S... | The type of advanced directive or living will the patient has, which is essential for respectin... | Text | |
| Current Medications | The patient's current medications, including type and dosage, which is crucial for managing... | Text | |
| Fall Risk | Indicates whether the patient is at risk of falling, which is important for safety assessments ... | Boolean | |
| Pain Score | The patient's pain score on a scale from 0 to 10, which helps in assessing the effectiveness ... | Decimal | |
| Pressure Ulcer Locat... | The specific location of any pressure ulcers or injuries on the patient's body, which is vital f... | Text | |
| Advanced Directives | Reference to the patient's advanced care planning documents. | (Data) | |
| Case ID | Unique identifier for this individual case instance | Text | |
| Case Label | Label for this individual case instance | Text | |
| Cognitive Status | Reference to the patient's cognitive evaluation results. | (Data) | |
| Created by | User that created the case | User Refe... | |
| Created date/time | Date/time case was created | DateTime | |
| Current Vital Signs | Reference to the patient's current vital signs. | (Data) | |
| Description | Description for this individual case instance | Text | |
| Fall and Pressure Ulc... | Reference to the patient's risk assessment for falls and pressure ulcers. | (Data) | |
| Functional Status | Reference to the patient's functional assessment results. | (Data) | |
| Pain Level and Medi... | Reference to the patient's pain assessment details. | (Data) | |


| Field Name | Description | Type | Primary |
|---|---|---|---|
| Patient Record | Reference to the patient whose care is being managed. | (Data) | |
| Recent Lab Results | Reference to the patient's most recent lab values. | (Data) | |
| Resolved by | User that resolved the case | User Refe... | |
| Resolved date/time | Date/time case was resolved | DateTime | |
| Spiritual and Emotio... | Reference to the patient's psychosocial and spiritual care needs. | (Data) | |
| Urgency | Priority/urgency of the case | Decimal | |
| Work Status | Work status of the case | Text | |

### Business Rules

| Name | Description |
|---|---|
| Is Fall Risk? | Is the patient at fall risk? |
| Is Improvement Not... | Is the patient showing improvement? |

## Symptom Assessment

This case type focuses on the systematic assessment of patient symptoms and health status, including pain, cognitive function, and risk factors. It integrates various evaluation tools to provide a holistic view of the patient's condition, facilitating timely interventions and effective care management.




### Case Data Model

| Field Name | Description | Type | Primary |
|---|---|---|---|
| Assessing Clinician | The name of the healthcare provider responsible for conducting the symptom assessment, ... | User Ref... | |
| Assessment Date | The date on which the symptom assessment is conducted, providing a timeline for patient e... | Date | |
| Fall Risk | Indicates whether the patient is at risk of falls, which is critical for safety assessments and pr... | Boolean | |
| Mobility Status | The patient's current mobility status, indicating whether they are mobile, require assistance,... | Text | |
| Pain Score | A score representing the patient's pain level on a scale from 0 to 10, where 0 indicates no pa... | Integer | |
| Admission Diagnosis | The patient's admission diagnosis, providing context for the symptom assessment and influ... | Text | |
| Chief Complaint | A detailed description of the patient's chief complaint, capturing the primary reason for the ... | Text | |
| Pain Medication | The type of pain medication administered to the patient, including dosage, which is importa... | Text | |
| Pain Response | The patient's response to pain medication, indicating the effectiveness of the treatment and ... | Text | |
| Pressure Ulcer Locat... | The specific location of any pressure ulcers or injuries, which is essential for treatment plann... | Text | |
| Advanced Directives | Reference to the patient's advanced care planning documents. | (Data) | |
| Case ID | Unique identifier for this individual case instance | Text | |
| Case Label | Label for this individual case instance | Text | |
| Cognitive Status | Reference to the patient's cognitive evaluation results. | (Data) | |
| Created by | User that created the case | User Ref... | |
| Created date/time | Date/time case was created | DateTime | |
| Current Vital Signs | Reference to the patient's vital signs as part of the symptom assessment. | (Data) | |


| Field Name | Description | Type | Primary |
|---|---|---|---|
| Description | Description for this individual case instance | Text | |
| Fall and Pressure Inj... | Reference to the patient's risk assessment details. | (Data) | |
| Functional Status | Reference to the patient's functional assessment results. | (Data) | |
| Pain Level and Medi... | Reference to the patient's pain assessment details. | (Data) | |
| Patient Details | Reference to the patient whose symptoms are being assessed. | (Data) | |
| Psychosocial Well-be... | Reference to the patient's psychosocial and spiritual care needs. | (Data) | |
| Recent Lab Results | Reference to the patient's lab values as part of the symptom assessment. | (Data) | |
| Resolved by | User that resolved the case | User Ref... | |
| Resolved date/time | Date/time case was resolved | DateTime | |
| Urgency | Priority/urgency of the case | Decimal | |
| Work Status | Work status of the case | Text | |

### Business Rules

| Name | Description |
|---|---|
| Assess Fall Risk | Is the patient at fall risk? |

## Advanced Care

This case type involves the detailed documentation and management of advanced care planning, including advanced directives, living wills, and resuscitation status. It ensures that patient preferences are respected and communicated effectively among healthcare providers, enhancing the quality of care during critical situations.




### Case Data Model

| Field Name | Description | Type | Primary |
|---|---|---|---|
| Advanced Directives | A detailed account of the patient's preferences regarding their advanced directives, includi... | Text | |
| Date of Advanced Ca... | The date when the advanced care planning documentation is initiated, which helps in tracki... | Date | |
| Patient Name | The name of the patient receiving advanced care, which is essential for identifying the indivi... | User Ref... | |
| Resuscitation Status | The resuscitation status of the patient, indicating their preferences for life-sustaining treat... | Text | |
| Attending Clinician | The name of the attending clinician responsible for the patient's care, which helps in tracki... | Text | |
| Attitude Towards Pla... | The preferences of the patient regarding their place of death, which is crucial for aligning ca... | Text | |
| Date of Admission | The date when the patient was admitted into the healthcare facility, which is important for ... | Text | |
| Location of Advance... | The location where the advanced directives or living wills are documented, ensuring that th... | Text | |
| Reason for Consultat... | The reason for the patient's consultation, providing context for the advanced care planning ... | Text | |
| Surrogate Decision-... | The name of the surrogate decision-maker, if applicable, who will make healthcare decision... | Text | |
| Advanced Care Direc... | Details of the patient's advanced directives and resuscitation status. | (Data) | |
| Case ID | Unique identifier for this individual case instance | Text | |
| Case Label | Label for this individual case instance | Text | |
| Cognitive Status Eval... | Evaluation of the patient's cognitive abilities and mental status. | (Data) | |
| Created by | User that created the case | User Ref... | |
| Created date/time | Date/time case was created | DateTime | |
| Current Vital Signs | Current vital signs of the patient. | (Data) | |
| Description | Description for this individual case instance | Text | |
| Functional Ability Sc... | Assessment of the patient's functional abilities and performance scale. | (Data) | |
| Pain Assessment Rec... | Assessment of the patient's pain levels and medication effectiveness. | (Data) | |
| Patient Details | Details of the patient's medical information and demographics. | (Data) | |
| Psychosocial Suppor... | Information on the patient's psychosocial and spiritual needs and support. | (Data) | |
| Recent Lab Results | Most recent lab values for the patient. | (Data) | |


| Field Name | Description | Type | Primary |
|---|---|---|---|
| Resolved by | User that resolved the case | User Ref... | |
| Resolved date/time | Date/time case was resolved | DateTime | |
| Risk Assessment Det... | Assessment of the patient's risk factors, including falls and pressure ulcers. | (Data) | |
| Urgency | Priority/urgency of the case | Decimal | |
| Work Status | Work status of the case | Text | |

### Business Rules

| Name | Description |
|---|---|
| Is Fall Risk? | Is the patient at fall risk? |
| Is Patient Responding? | Is the patient responding to the care plan? |

## Home Health

This case type is dedicated to the management of home health tasks, including hygiene, nutrition, and social activities. It provides a structured approach to tracking patient care in home settings, ensuring that all necessary tasks are completed and documented for optimal patient support.




### Case Data Model

| Field Name | Description | Type | Primary |
|---|---|---|---|
| End Date of Service | The end date of the home health services provided to the patient, which helps in documenti... | Date | |
| Hygiene Task Descri... | A detailed description of the specific hygiene tasks performed for the patient, ensuring that ... | Text | |
| Nutrition Task Descri... | A detailed description of the nutritional tasks performed, including meal preparation and as... | Text | |
| Patient Name | The name of the patient receiving home health care services, which is essential for identifyi... | User Ref... | |
| Start Date of Service | The start date of the home health services provided to the patient, which is crucial for tracki... | Date | |
| Additional Notes | Any additional notes or comments regarding the patient's condition or care provided during... | Text | |
| Attended By | The name of the caregiver or healthcare professional who attended to the patient during th... | User Ref... | |
| Chores Task Descrip... | A record of any chores completed during the home health visit, such as laundry or light hou... | Text | |
| Social Activity Descri... | A record of any social activities engaged in with the patient, such as reading or scheduling a... | Text | |
| Total Time Spent on ... | The total time spent on each task category during the home health visit, which is important ... | Text | |
| Assigned Home Heal... | Reference to the specific home health tasks assigned to the patient. | (Data) | |
| Case ID | Unique identifier for this individual case instance | Text | |
| Case Label | Label for this individual case instance | Text | |
| Created by | User that created the case | User Ref... | |
| Created date/time | Date/time case was created | DateTime | |
| Description | Description for this individual case instance | Text | |
| Home Advanced Car... | Reference to the patient's advanced care planning documents. | (Data) | |
| Home Cognitive Eval... | Reference to the patient's cognitive evaluation during home health care. | (Data) | |
| Home Functional As... | Reference to the patient's functional assessment during home health care. | (Data) | |
| Home Health Patient | Reference to the patient receiving home health services. | (Data) | |
| Home Pain Assessm... | Reference to the patient's pain assessment during home health care. | (Data) | |
| Home Psychosocial ... | Reference to the patient's psychosocial and spiritual care needs. | (Data) | |


| Field Name | Description | Type | Primary |
|---|---|---|---|
| Home Risk Assessm... | Reference to the patient's risk assessment in the home environment. | (Data) | |
| Home Vitals | Reference to the patient's vital signs being monitored at home. | (Data) | |
| Resolved by | User that resolved the case | User Ref... | |
| Resolved date/time | Date/time case was resolved | DateTime | |
| Urgency | Priority/urgency of the case | Decimal | |
| Work Status | Work status of the case | Text | |

### Business Rules

| Name | Description |
|---|---|
| Is Patient at Fall Risk? | Is the patient at fall risk? |
| Is Patient in Isolation? | Is the patient in isolation? |

## Psychosocial Care

This case type addresses the comprehensive evaluation of psychosocial and spiritual factors affecting patient care. It includes assessments of stress factors, coping mechanisms, and the need for spiritual support, ensuring that holistic care is provided to patients and their families.




### Case Data Model

| Field Name | Description | Type | Primary |
|---|---|---|---|
| Assessor Name | The name of the healthcare professional responsible for conducting the psychosocial asses... | User Ref... | |
| Need for Spiritual Su... | The need for spiritual support as expressed by the patient or family, which may include req... | Text | |
| Patient Coping Mech... | The coping mechanisms employed by the patient to manage stress, which may include sup... | Text | |
| Patient Stress Factors | The primary stress factors affecting the patient, which may include financial issues, family d... | Text | |
| Comforting Spiritual ... | The specific spiritual practices that provide comfort to the patient, which can be integral to t... | Text | |
| Discharge Disposition | The discharge disposition plan for the patient, detailing the next steps in their care journey, ... | Text | |
| Family Involvement | The involvement of significant others or family members in the patient's care, which can im... | Text | |
| Patient Awareness o... | The patient's awareness of their illness and its implications, which can influence their emoti... | Text | |
| Patient Concerns | The concerns and feelings expressed by the patient regarding their illness, which are crucial... | Text | |
| Referrals Made | The documentation of referrals made to specialists or support services, which is essential fo... | Text | |
| Advanced Care Plan | Reference to the patient's advanced care plan, if any, as it relates to their psychosocial and ... | (Data) | |
| Case ID | Unique identifier for this individual case instance | Text | |
| Case Label | Label for this individual case instance | Text | |
| Cognitive Status | Reference to the patient's cognitive status as it may impact psychosocial well-being. | (Data) | |
| Created by | User that created the case | User Ref... | |
| Created date/time | Date/time case was created | DateTime | |
| Description | Description for this individual case instance | Text | |
| Functional Ability | Reference to the patient's functional abilities as they relate to psychosocial needs. | (Data) | |
| Identified Psychosoci... | Reference to the specific psychosocial and spiritual care needs identified for the patient. | (Data) | |
| Psychosocial Care Pa... | Reference to the patient involved in the psychosocial care assessment. | (Data) | |
| Resolved by | User that resolved the case | User Ref... | |
| Resolved date/time | Date/time case was resolved | DateTime | |
| Urgency | Priority/urgency of the case | Decimal | |


| Field Name | Description | Type | Primary |
|---|---|---|---|
| Work Status | Work status of the case | Text | |

### Business Rules

| Name | Description |
|---|---|
| Assess Fall Risk | Is the patient at risk for falls? |
| Assess Improvement | Is the patient showing improvement? |

## Wound Management

This case type focuses on the structured capture and management of pressure ulcer and injury documentation. It includes assessments of stage, location, treatment, and hospital-acquired status, ensuring compliance with regulatory standards and enhancing patient safety.




### Case Data Model

| Field Name | Description | Type | Primary |
|---|---|---|---|
| Pressure Ulcer Stage | The specific stage of the pressure ulcer as classified by the National Pressure Injury Advisory... | Data Re... | |
| Wound Care Manager | The name of the healthcare professional responsible for managing the wound care process, ... | User Ref... | |
| Wound Description | A detailed description of the pressure ulcer or injury, including characteristics such as size, c... | Text | |
| Wound Location | The exact location of the pressure ulcer or injury on the patient's body, which is critical for m... | Text | |
| Additional Notes | Any additional notes or observations made by the healthcare provider regarding the wound'... | Text | |
| Hospital-Acquired St... | Indicates whether the pressure ulcer or injury was acquired during the patient's hospital sta... | Boolean | |
| Last Assessment Dat... | The date and time when the last assessment of the wound was conducted, ensuring timely f... | DateTime | |
| Wound Care Plan | The specific care plan or interventions scheduled for the patient regarding their wound man... | Text | |
| Wound Documentati... | The date when the wound was first documented, which is essential for tracking healing prog... | Date | |
| Wound Treatment Pl... | The treatment plan prescribed for the wound, including any medications, dressings, or proc... | Text | |
| Case ID | Unique identifier for this individual case instance | Text | |
| Case Label | Label for this individual case instance | Text | |
| Created by | User that created the case | User Ref... | |
| Created date/time | Date/time case was created | DateTime | |
| Description | Description for this individual case instance | Text | |
| Pressure Ulcer/Injur... | Reference to the risk assessment, specifically focusing on pressure ulcer/injury documentati... | (Data) | |
| Resolved by | User that resolved the case | User Ref... | |
| Resolved date/time | Date/time case was resolved | DateTime | |

| Field Name | Description | Type | Primary |
|---|---|---|---|
| Urgency | Priority/urgency of the case | Decimal | |
| Work Status | Work status of the case | Text | |
| Wound Managemen... | Reference to the patient associated with the wound management case. | (Data) | |

### Business Rules

| Name | Description |
|---|---|
| Is Pressure Ulcer Pre... | Is there a pressure ulcer present? |
| Is Wound Healing Ex... | Is the wound healing as expected? |

## Data Objects & Integrations

### Patient

Represents the Patient data object and holds values like Name, Sex, DOB, Age, Room, Physician, Admission Date, and Diagnoses. It is ideally connecting to the Patient Management System for real-time data synchronization.

| Field Name | Description | Type | Primary |
|---|---|---|---|
| Patient Name | Full legal name of the patient | Text | |
| Admission Date | Date when patient was admitted to facility | Date | |
| Age | Patient's age in years | Integer | |
| Diagnoses | Medical diagnoses of the patient | Text | |
| DOB | Patient's date of birth | Date | |
| Physician | Name of the physician responsible for patient care | Text | |
| Room/Bed | Patient's room and bed assignment | Text | |
| Sex | Patient's biological sex | Text | |
| Advanced Directives/Living Wills | Patient's advanced directives or living will | Text | |
| Alcohol Use | Indicates if patient uses alcohol | Boolean | |
| Alert | Indicates if patient is alert | Boolean | |
| Anxiety Score | Anxiety score on ESAS scale | Integer | |
| Appetite Score | Appetite score on ESAS scale | Integer | |
| Attended By | Name of healthcare provider attending to patient | Text | |
| Attitude Towards Place of Death | Patient's preferred place of death | Text | |
| B/P | Blood pressure measurement | Integer | |
| Bowel Sounds | Description of bowel sounds on auscultation | Text | |
| Breath Sounds | Description of breath sounds on auscultation | Text | |
| BUN | Blood urea nitrogen lab value | Decimal | |
| Catheter | Type of catheter in place | Text | |
| Central Line | Type of central line in place | Text | |
| CL | Chloride lab value | Decimal | |
| Code Status | Code status of the patient | Text | |
| Complaint | Patient's complaint or reason for visit | Text | |
| Confused | Indicates if patient is confused | Boolean | |
| Contact Droplet Airborne | Type of isolation precautions required | Text | |
| CR | Creatinine lab value | Decimal | |
| Depression Score | Depression score on ESAS scale | Integer | |
| Dressing Changed | Date when dressing was last changed | Date | |
| Drowsiness Score | Drowsiness score on ESAS scale | Integer | |

| Field Name | Description | Type | Primary |
|---|---|---|---|
| Durable Power of Attorney | Patient's durable power of attorney | Text | |
| Dyspnea Score | Dyspnea (shortness of breath) score on ESAS scale | Integer | |
| Edema | Degree of edema present (0+ to 4+) | Text | |
| Education | Patient's educational background | Text | |
| Employment Status | Patient's employment status | Text | |
| ET/Trach Size | Size of endotracheal or tracheostomy tube | Text | |
| Extremities Are Cold | Indicates if extremities are cold | Boolean | |
| Extremities Are Warm | Indicates if extremities are warm | Boolean | |
| Fall Risk | Indicates if patient is at risk for falls | Boolean | |
| Family Awareness of Illness | Family's awareness of patient's illness | Text | |
| Family Composition | Composition of patient's family | Text | |
| Family Coping | Description of how family is coping | Text | |
| Family Support | Description of family support available to patient | Text | |
| FAST Stage Assessment | Functional Assessment Staging of Alzheimer's Disease stage | Text | |
| Forgetful | Indicates if patient is forgetful | Boolean | |
| Funeral Arrangements/Wishes | Patient's funeral arrangements or wishes | Text | |
| Gauge # | Gauge size of IV catheter | Text | |
| Glucose | Blood glucose level | Decimal | |
| HCO3 | Bicarbonate lab value | Decimal | |
| HCT | Hematocrit percentage | Decimal | |
| Heart Rate | Heart rate in beats per minute | Integer | |
| Hobbies/Joys | Patient's hobbies and sources of joy | Text | |
| House Location and Dwelling | Patient's housing situation and location | Text | |
| HR | Heart rate measurement | Integer | |
| Incontinent | Indicates if patient is incontinent | Boolean | |
| Information Preferences | Patient's information preferences | Text | |
| Insertion Date | Date of IV insertion | Date | |
| Insurance Status | Patient's insurance status | Text | |
| Involvement in Spiritual Community | Patient's involvement in spiritual community | Text | |
| Isolation | Indicates if patient requires isolation precautions | Boolean | |
| IV Site | Location of intravenous access | Text | |
| K | Potassium lab value | Decimal | |
| Labs | Laboratory tests ordered or to be ordered | Text | |
| Last BM | Date of last bowel movement | Date | |

| Field Name | Description | Type | Primary |
|---|---|---|---|
| Lethargic | Indicates if patient is lethargic | Boolean | |
| Location of Advanced Directives/Living Wills | Location of advanced directives or living will documents | Text | |
| Location of Surrogate Decision-Maker Document | Location of surrogate decision-maker document | Text | |
| Marital Status | Patient's marital status | Text | |
| Mottled | Indicates if skin appears mottled | Boolean | |
| NA | Sodium lab value | Decimal | |
| Nausea Score | Nausea score on ESAS scale | Integer | |
| O2 | Oxygen delivery method and rate | Text | |
| Oriented | Patient's orientation status (e.g., x3, x4) | Text | |
| Other Problem Score | Score for other problems on ESAS scale | Integer | |
| Pain Score | Patient's pain score on a scale of 0-10 | Integer | |
| Pale | Indicates if skin appears pale | Boolean | |
| Palliative Performance Scale Score | Palliative Performance Scale score | Integer | |
| Patient Coping | Description of how patient is coping | Text | |
| Patient's Awareness of Illness | Patient's awareness of illness | Text | |
| Plan of Care | Plan of care for the patient | Text | |
| PLT | Platelet count | Decimal | |
| PRN | PRN (as needed) medications | Text | |
| Procedures | Procedures planned or performed | Text | |
| Recreational Drug Use | Indicates if patient uses recreational drugs | Boolean | |
| Religious/Spiritual Orientation | Patient's religious or spiritual orientation | Text | |
| Restraints | Indicates if patient requires restraints | Boolean | |
| Resuscitation Status | Patient's resuscitation status | Text | |
| Rhythm | Heart rhythm pattern | Text | |
| Room Air | Oxygen delivery method | Text | |
| RR | Respiratory rate in breaths per minute | Integer | |
| Sedation Level | Level of sedation of the patient | Text | |
| SPO2 | Oxygen saturation percentage | Integer | |
| Support System | Patient's support system | Text | |
| Surrogate Decision-Maker | Name of surrogate decision-maker for patient | Text | |
| Temp | Body temperature | Decimal | |
| Tiredness Score | Tiredness score on ESAS scale | Integer | |
| Tobacco Use | Indicates if patient uses tobacco | Boolean | |
| Use of Spiritual Leader | Patient's use of spiritual leader | Text | |

| Field Name | Description | Type | Primary |
|---|---|---|---|
| Voiding | Voiding amount in milliliters per hour | Text | |
| Warm & Dry | Indicates if skin is warm and dry | Boolean | |
| WBC | White blood cell count | Decimal | |
| Wellbeing Score | Wellbeing score on ESAS scale | Integer | |
| Wish/Need for Further Chaplaincy Support | Patient's need for chaplaincy support | Text | |
| Wound | Indicates presence of wound | Boolean | |
| Wound Dressing Last Changed | Date when wound dressing was last changed | Date | |
| Wound Location | Location of wound on body | Text | |

## Vital Signs

Represents the Vital Signs data object and holds values like Blood Pressure (BP), Heart Rate (HR), Respiratory Rate (RR), SpO2, and Temperature (Temp). It is ideally connecting to the Vital Signs Monitoring System for real-time data synchronization.

| Field Name | Description | Type | Primary |
|---|---|---|---|
| B/P | Blood pressure measurement | Text | |
| HR | Heart rate measurement | Text | |
| RR | Respiratory rate measurement | Text | |
| SPO2 | Oxygen saturation level | Text | |
| TEMP | Body temperature measurement | Text | |
| CENTRAL LINE | Type of central line | Text | |
| DRESSING CHANGED | Date when dressing was changed | Date | |
| GAUGE # | Gauge number of IV | Text | |
| INSERTION DATE | Date of IV insertion | Date | |
| IV SITE | Location of IV site | Text | |

## Lab Values

Represents the Lab Values data object and holds values like Sodium (NA), Potassium (K), Chloride (CL), Bicarbonate (HCO3), Glucose, Creatinine (CR), Blood Urea Nitrogen (BUN), White Blood Cells (WBC), Platelets (PLT), and Hematocrit (HCT). It is ideally connecting to the Laboratory Information System for real-time data synchronization.

| Field Name | Description | Type | Primary |
|---|---|---|---|
| NA | Sodium level in blood | Text | |
| BUN | Blood urea nitrogen level | Text | |
| CL | Chloride level in blood | Text | |
| CR | Creatinine level in blood | Text | |
| GLUCOSE | Blood glucose level | Text | |
| HC03 | Bicarbonate level in blood | Text | |
| HCT | Hematocrit level | Text | |
| K | Potassium level in blood | Text | |
| PLT | Platelet count | Text | |
| WBC | White blood cell count | Text | |
| CL Reference Range | Reference range for chloride level | Text | |
| Collection Date | Date when lab values were collected | Date | |
| Collection Time | Time when lab values were collected | Text | |
| K Reference Range | Reference range for potassium level | Text | |
| NA Reference Range | Reference range for sodium level | Text | |

## Pain Assessment

Represents the Pain Assessment data object and holds values like Pain Score (before medication), Pain Medication (Type, Dosage), Pain Score (after medication), and Reassessment Time. It is ideally connecting to the Pain Management System for real-time data synchronization.

| Field Name | Description | Type | Primary |
|---|---|---|---|
| Pain Score | Patient's current pain level on a scale of 0-10 | Integer | |
| Pain Location | The specific location of pain in the patient's body | Text | |
| Associated Signs and Symptoms | Other symptoms that occur alongside the pain | Text | |
| Pain Context | Circumstances or situations in which the pain occurs | Text | |
| Pain Duration | How long the patient has been experiencing the pain | Text | |
| Pain Level After Medication | Pain level recorded after administration of pain medication | Integer | |
| Pain Modifying Factors | Factors that make the pain better or worse | Text | |
| Pain Onset | When the pain started or pattern of occurrence | Text | |
| Pain Quality | Description of the quality or character of the pain (e.g., sharp, dull, burning, etc.) | Text | |
| Pain Reassessment Time | Time when pain was reassessed following intervention | DateTime | |

## Cognitive Evaluation

Represents the Cognitive Evaluation data object and holds values like Orientation (year, season, month, day, date, country, state, city, building, floor), Registration (object recall), Attention and Calculations (counting backward by 7s), Language (naming, repetition, 3-step command, read/obey, write sentence, copy design), and Delirium Screening (Non-ICU CAM, ICU CAM). It is ideally connecting to the Cognitive Assessment System for real-time data synchronization.

| Field Name | Description | Type | Primary |
|---|---|---|---|
| Year Orientation | Patient's orientation to the current year | Text | |
| Building Orientation | Patient's orientation to the current building | Text | |
| City Orientation | Patient's orientation to the current city | Text | |
| Cognitive Assessment Sco... | Total score from cognitive assessment | Integ... | |
| Country Orientation | Patient's orientation to the current country | Text | |
| Date Orientation | Patient's orientation to today's date | Text | |
| Day Orientation | Patient's orientation to the current day of the week | Text | |
| Month Orientation | Patient's orientation to the current month | Text | |
| Object Recall | Patient's ability to recall the three objects named during registration | Text | |
| Object Registration | Patient's ability to name three objects (APPLE, PENNY, TABLE) during registration assessm... | Text | |
| Season Orientation | Patient's orientation to the current season | Text | |
| Serial Sevens | Patient's ability to count backward from 100 by 7s to assess attention and calculation skills | Text | |
| State Orientation | Patient's orientation to the current state | Text | |
| Command Following | Patient's ability to follow a three-step command | Text | |
| Design Copying | Patient's ability to copy a geometric design | Text | |
| Floor Orientation | Patient's orientation to the current floor of the building | Text | |
| Object Naming | Patient's ability to name common objects like pencil and watch | Text | |
| Phrase Repetition | Patient's ability to repeat a phrase like 'No ifs, ands, or buts' | Text | |
| Reading Comprehension | Patient's ability to read and obey a simple command like 'CLOSE YOUR EYES' | Text | |
| Sentence Writing | Patient's ability to write a sentence with a subject and verb | Text | |

## Risk Assessment

Represents the Risk Assessment data object and holds values like Morse Fall Risk Assessment and detailed Pressure Ulcer/Injury documentation (stage, location, treatment, hospital-acquired status). It is ideally connecting to the Risk Management System for real-time data synchronization.

| Field Name | Description | Type | Primary |
|---|---|---|---|
| Patient Name | Patient's full name | Text | |
| Age | Patient's current age | Integer | |
| Date of Birth | Patient's date of birth | Date | |
| Diagnoses | Primary and secondary diagnoses | Text | |
| Sex | Patient's biological sex | Text | |
| Admission Date | Date patient was admitted to facility | Date | |
| Advanced Directives | Advanced directives or living will information | Text | |
| Advanced Directives Location | Location of advanced directives/living will documents | Text | |
| Alertness | Patient's level of alertness | Text | |
| Anxiety Score | Anxiety score on ESAS scale | Integer | |
| Appetite Score | Appetite score on ESAS scale | Integer | |
| Bicarbonate (HCO3) | Bicarbonate lab value | Decimal | |
| Blood Pressure | Blood pressure measurement | Text | |
| Bowel Sounds | Assessment of bowel sounds | Text | |
| Breath Sounds | Assessment of breath sounds | Text | |
| BUN | Blood Urea Nitrogen lab value | Decimal | |
| CAM Acute Onset | Indicates acute onset or fluctuating course in CAM assessment | Boolean | |
| CAM Altered LOC | Indicates altered level of consciousness in CAM assessment | Boolean | |
| CAM Disorganized Thinking | Indicates disorganized thinking in CAM assessment | Boolean | |
| CAM Inattention | Indicates inattention in CAM assessment | Boolean | |
| Catheter Present | Indicates if patient has catheter | Boolean | |
| Central Line Type | Type of central line | Text | |
| Chaplaincy Support Needed | Indicates if further chaplaincy support is needed | Boolean | |
| Chloride (CL) | Chloride lab value | Decimal | |
| Code Status | Code status of the patient | Text | |
| Cold Extremities | Indicates if extremities are cold | Boolean | |
| Community Minister Contact | Indicates if patient wants to contact community/faith minister | Boolean | |
| Confused | Indicates if patient is confused | Boolean | |
| Creatinine (CR) | Creatinine lab value | Decimal | |
| Delirium Suspected | Indicates if delirium is suspected based on CAM assessment | Boolean | |
| Depression Score | Depression score on ESAS scale | Integer | |
| Discharge Disposition | Discharge plan or disposition | Text | |

| Field Name | Description | Type | Primary |
|---|---|---|---|
| Dressing Change Date | Date dressing was last changed | Date | |
| Drowsiness Score | Drowsiness score on ESAS scale | Integer | |
| Durable Power of Attorney | Name of durable power of attorney | Text | |
| Dyspnea Score | Dyspnea score on ESAS scale | Integer | |
| Edema | Degree of edema present (0+, 1+, 2+, 3+, 4+) | Text | |
| Encounter Type | Type of encounter conducted | Text | |
| ET/Trach Size | Size of endotracheal or tracheostomy tube | Text | |
| Faith Impact | How faith/support system is affected by illness | Text | |
| Fall Risk | Indicates if patient is at risk for falls | Boolean | |
| Fall Risk Score | Total score from Morse Fall Risk Assessment | Integer | |
| Family Coping | Family's coping mechanisms | Text | |
| Family Illness Awareness | Family's awareness of illness status | Text | |
| Family Stress Factors | Family's stress factors | Text | |
| FAST Stage | Functional Assessment Staging of Alzheimer's Disease | Text | |
| Forgetful | Indicates if patient is forgetful | Boolean | |
| Funeral Arrangements | Funeral arrangements and wishes | Text | |
| Glucose | Glucose lab value | Decimal | |
| Heart Rate | Heart rate measurement | Integer | |
| Heart Rhythm | Heart rhythm assessment | Text | |
| Hematocrit (HCT) | Hematocrit percentage | Decimal | |
| Hospital-Acquired Pressure Ulcer | Indicates if pressure ulcer was acquired in hospital | Boolean | |
| Illness Awareness | Patient's awareness of illness status | Text | |
| Illness Concerns | Patient's concerns about illness | Text | |
| Incontinent | Indicates if patient is incontinent | Boolean | |
| Information Preferences | Patient's information preferences | Text | |
| Isolation Required | Indicates if patient requires isolation precautions | Boolean | |
| Isolation Type | Type of isolation precautions required | Text | |
| IV Gauge | Gauge size of IV catheter | Text | |
| IV Insertion Date | Date of IV insertion | Date | |
| IV Site | Location of IV site | Text | |
| Labs | Laboratory tests to be performed | Text | |
| Language Assessment | Performance on language tests | Text | |
| Last BM | Date of last bowel movement | Date | |
| Lethargic | Indicates if patient is lethargic | Boolean | |

| Field Name | Description | Type | Primary |
|---|---|---|---|
| Nausea Score | Nausea score on ESAS scale | Integer | |
| Object Recall | Performance on object recall test | Text | |
| Object Registration | Performance on object naming test | Text | |
| Orientation Status | Patient's orientation status (e.g., x3, x4) | Text | |
| Orientation to Building | Patient's response to building orientation question | Text | |
| Orientation to City | Patient's response to city orientation question | Text | |
| Orientation to Country | Patient's response to country orientation question | Text | |
| Orientation to Date | Patient's response to date orientation question | Text | |
| Orientation to Day | Patient's response to day of week orientation question | Text | |
| Orientation to Floor | Patient's response to floor orientation question | Text | |
| Orientation to Month | Patient's response to month orientation question | Text | |
| Orientation to Season | Patient's response to season orientation question | Text | |
| Orientation to State | Patient's response to state orientation question | Text | |
| Orientation to Year | Patient's response to year orientation question | Text | |
| Other Problem Score | Score for other symptoms on ESAS scale | Integer | |
| Out-of-Hospital Orders | Indicates if out-of-hospital medical orders are in place | Boolean | |
| Oxygen Delivery | Oxygen delivery method and amount | Text | |
| Pain Medication | Type and dosage of pain medication administered | Text | |
| Pain Reassessment Time | Time of pain reassessment after medication | Time | |
| Pain Score | Patient's reported pain score (0-10) | Integer | |
| Patient Coping | Patient's coping mechanisms | Text | |
| Patient Stress Factors | Patient's stress factors | Text | |
| Physician | Attending physician's name | Text | |
| Plan of Care | Plan for patient care | Text | |
| Platelets (PLT) | Platelet count | Decimal | |
| Post-Medication Pain Level | Pain level after medication administration | Integer | |
| Potassium (K) | Potassium lab value | Decimal | |
| PPS Score | Palliative Performance Scale score | Integer | |
| Pre-Medication Pain Level | Pain level before medication administration | Integer | |
| Preferred Death Location | Patient's preferred place of death | Text | |
| Pressure Ulcer Location | Location of pressure ulcer/injury on body | Text | |
| Pressure Ulcer Stage | Stage of pressure ulcer/injury | Text | |
| Pressure Ulcer Treatment | Treatment for pressure ulcer/injury | Text | |
| PRN Medications | PRN medications | Text | |

| Field Name | Description | Type | Primary |
|---|---|---|---|
| Procedures | Planned procedures | Text | |
| Referrals Made | Referrals made to specialists or services | Text | |
| Religious Orientation | Religious or spiritual orientation | Text | |
| Respiratory Rate | Respiratory rate measurement | Integer | |
| Restraints Required | Indicates if patient requires restraints | Boolean | |
| Resuscitation Status | Resuscitation status details | Text | |
| Risk Assessment | Risk assessment findings and recommendations | Text | |
| Room Air | Room air status assessment | Text | |
| Room/Bed | Patient's room and bed assignment | Text | |
| Sedation Level | Patient's sedation level | Text | |
| Serial 7s | Performance on counting backward by 7s | Text | |
| Significant People | Significant people in patient's life | Text | |
| Skin Mottled | Indicates if skin appears mottled | Boolean | |
| Skin Pale | Indicates if skin appears pale | Boolean | |
| Skin Warm and Dry | Indicates if skin is warm and dry | Boolean | |
| Sodium (NA) | Sodium lab value | Decimal | |
| Spiritual Care Requested | Indicates if patient wants spiritual care visits | Boolean | |
| Spiritual Community | Involvement in spiritual community | Text | |
| Spiritual Leader | Use of spiritual leader | Text | |
| Spiritual Practices | Comforting spiritual practices for patient | Text | |
| SpO2 | Oxygen saturation percentage | Decimal | |
| Surrogate Decision-Maker | Name of surrogate decision-maker | Text | |
| Surrogate Document Location | Location of surrogate decision-maker document | Text | |
| Temperature | Body temperature measurement | Decimal | |
| Tiredness Score | Tiredness score on ESAS scale | Integer | |
| Treatments Forgone | Treatments patient has decided to forgo | Text | |
| Voiding | Voiding status and amount | Text | |
| Warm Extremities | Indicates if extremities are warm | Boolean | |
| WBC | White Blood Cell count | Decimal | |
| Wellbeing Score | Wellbeing score on ESAS scale | Integer | |
| Wound Dressing Change Date | Date wound dressing was last changed | Date | |
| Wound Location | Location of wound on body | Text | |
| Wound Present | Indicates presence of wound | Boolean | |

## Advanced Care Planning

Represents the Advanced Care Planning data object and holds values like Advanced Directives, Living Wills, Surrogate Decision-Makers, and Resuscitation Status. It is ideally connecting to the Advanced Care Planning System for real-time data synchronization.

| Field Name | Description | Type | Primary |
|---|---|---|---|
| Surrogate Decision-Maker | Surrogate decision-maker for the patient in advanced care planning | Text | |
| Advanced Directives/Living Wills | Type of advanced directives or living wills in place for the patient | Text | |
| Durable Power of Attorney | Person designated as durable power of attorney for healthcare decisions | Text | |
| Patient Illness Awareness | Patient's awareness level of their illness | Text | |
| Resuscitation Status | Resuscitation status and specific interventions to be withheld | Text | |
| Surrogate Decision-Maker Document Loc... | Location where the surrogate decision-maker document is stored | Text | |
| Advanced Directives/Living Wills Location | Location where advanced directives or living wills documents are stored | Text | |
| Family Illness Awareness | Family's awareness level of patient's illness | Text | |
| Funeral Arrangements/Wishes | Patient's funeral arrangements or wishes | Text | |
| Information Preferences | Patient's preferences for receiving medical information | Text | |
| Out of Hospital Medical Orders | Indicates if out of hospital medical orders are in place to reflect resuscitati... | Boole... | |
| Preferred Place of Death | Patient's preference regarding place of death | Text | |

## Functional Assessment

Represents the Functional Assessment data object and holds values like the Palliative Performance Scale (PPS) and Functional Assessment Staging of Alzheimer’s Disease (FAST). It is ideally connecting to the Functional Assessment System for real-time data synchronization.

| Field Name | Description | Type | Primary |
|---|---|---|---|
| FAST Stage Assessment | The stage of functional decline using the FAST system for patients with Alzheimer's or oth... | Text | |
| Palliative Performance Scale ... | The score on the Palliative Performance Scale indicating level of function | Text | |
| Building Orientation | Patient's response to orientation question about what building they are in | Text | |
| Calculation Responses | Patient's responses when counting backward from 100 by 7s | Text | |
| City Orientation | Patient's response to orientation question about what city they are in | Text | |
| Country Orientation | Patient's response to orientation question about what country they are in | Text | |
| Date Orientation | Patient's response to orientation question about what date it is | Text | |
| Day Orientation | Patient's response to orientation question about what day of the week it is | Text | |
| Floor Orientation | Patient's response to orientation question about what floor of the building they are on | Text | |
| Month Orientation | Patient's response to orientation question about what month it is | Text | |
| Object Recall | Number of objects correctly recalled by patient from registration test | Text | |
| Object Registration | Patient's performance on naming three objects (APPLE, PENNY, TABLE) | Text | |
| Season Orientation | Patient's response to orientation question about what season it is | Text | |
| State Orientation | Patient's response to orientation question about what state they are in | Text | |
| Year Orientation | Patient's response to orientation question about what year it is | Text | |

## Home Health Task

Represents the Home Health Task data object and holds values like Hygiene, Nutrition, Chores, Outings, Social, and Weekly Schedule and Time Records. It is ideally connecting to the Home Health Management System for real-time data synchronization.

| Field Name | Description | Type | Primary |
|---|---|---|---|
| Task Type | The type of task to be performed for home health care | Text | |
| Patient | Reference to the patient receiving the home health care task | Referen... | |
| Task Category | The specific category the home health task falls under (Hygiene, Nutrition, Chores, Outings, Social, ... | Text | |
| Attended By | The healthcare provider assigned to perform the task | Referen... | |
| Day of Week | The day of the week when the task is scheduled | Text | |
| Finish Time | The scheduled date and time when the task should be completed | DateTime | |
| Start Time | The scheduled date and time when the task should begin | DateTime | |
| Task Descripti... | Detailed description of the specific task to be performed | Text | |
| Task Notes | Any notes or comments related to the task execution | Text | |
| Task Status | The status of the task (Scheduled, In Progress, Completed, Cancelled) | Text | |
| Total Time (hrs) | The total time in hours spent on the task | Decimal | |
| Total Time (min) | The total time in minutes spent on the task | Integer | |

## Psychosocial and Spiritual Care

Represents the Psychosocial and Spiritual Care data object and holds values like Patient/Family Stress Factors, Coping Mechanisms, Spiritual Orientation, Involvement in Spiritual Community, Use of Spiritual Leader, and Need for Chaplaincy Support. It is ideally connecting to the Psychosocial and Spiritual Care System for real-time data synchronization.

| Field Name | Description | Type | Primary |
|---|---|---|---|
| Encounter Type | Identifies the type of spiritual or psychosocial encounter with the patient | Text | |
| Patient Coping | Description of patient's coping mechanisms | Text | |
| Religious/Spiritual Orientation | Patient's religious or spiritual orientation | Text | |
| Significant People | Significant people in patient's life for spiritual/emotional support | Text | |
| Chaplain Visit Requested | Indicates if patient would like spiritual care visits from hospital chaplain | Boolean | |
| Comforting Spiritual Practices | Comforting spiritual practices in patient's life | Text | |
| Community Minister Contact | Indicates if patient would like to contact community or faith minister | Boolean | |
| Faith Impact | How faith and/or support system is affected by illness | Text | |
| Family Coping | Description of family's coping mechanisms | Text | |
| Family Stress Factors | Family stress factors affecting psychosocial wellbeing | Text | |
| Illness Concerns | Patient's concerns, feelings, or thoughts about illness | Text | |
| Involvement in Spiritual Community | Level of involvement in spiritual community | Text | |
| Need for Chaplaincy Support | Indicates if patient wishes or needs further chaplaincy support | Boolean | |
| Patient Stress Factors | Patient's stress factors affecting psychosocial wellbeing | Text | |
| Use of Spiritual Leader | Information about patient's use of spiritual leader | Text | |

## Patient Demographics

Represents the Patient Demographics data object and holds values like Name, DOB, Age, Sex, Room, Physician, Admission Date, and Diagnoses. It is ideally connecting to the Patient Management System for real-time data synchronization.

| Field Name | Description | Type | Primary |
|---|---|---|---|
| Patient Name | Full legal name of the patient | Text | |
| Admission Date | Date when the patient was admitted to the healthcare facility | Date | |
| Age | Patient's age in years | Integer | |
| Diagnoses | Medical conditions diagnosed in the patient | Text | |
| DOB | Patient's date of birth | Date | |
| Physician | Name of the healthcare provider responsible for patient care | Text | |
| Primary Physician | Main physician caring for the patient | Text | |
| Room | Room assignment of the patient within healthcare facility | Text | |
| Secondary Diagnoses | Any additional conditions diagnosed in the patient | Text | |
| Sex | Patient's biological sex | Text | |

## Vital Signs Monitoring

Represents the Vital Signs Monitoring data object and holds values like Blood Pressure (BP), Heart Rate (HR), Respiratory Rate (RR), SpO2, and Temperature (Temp). It is ideally connecting to the Vital Signs Monitoring System for real-time data synchronization.

| Field Name | Description | Type | Primary |
|---|---|---|---|
| Patient Name | Full legal name of the patient being monitored | Text | |
| Alerts | Any critical alerts related to patient's vital signs | Boolean | |
| Blood Pressure | Measurement of patient’s blood pressure | Text | |
| Body Temperature | Measurement of patient’s body temperature | Decimal | |
| Heart Rate | Measurement of patient’s heart rate | Integer | |
| Measurement Device | Device used to measure the vital signs | Text | |
| Measurement Time | Timestamp of when the vital signs were measured | DateTime | |
| Nursing Notes | Notes by attending nurse regarding vital signs | Text | |
| Respiratory Rate | Measurement of patient’s respiratory rate | Integer | |
| SpO2 Level | Measurement of patient’s oxygen saturation level | Percentage | |

## Laboratory Results

Represents the Laboratory Results data object and holds values like Sodium (NA), Potassium (K), Chloride (CL), Bicarbonate (HCO3), Glucose, Creatinine (CR), Blood Urea Nitrogen (BUN), White Blood Cells (WBC), Platelets (PLT), and Hematocrit (HCT). It is ideally connecting to the Laboratory Information System for real-time data synchronization.

| Field Name | Description | Type | Primary |
|---|---|---|---|
| Sodium | Sodium level in the patient's blood | Text | |
| Bicarbonate | Bicarbonate level in the patient's blood | Text | |
| Blood Urea Nitrogen | Blood Urea Nitrogen level in the patient's blood | Text | |
| Chloride | Chloride level in the patient's blood | Text | |
| Creatinine | Creatinine level in the patient's blood | Text | |
| Glucose | Glucose level in the patient's blood | Text | |
| Hematocrit | Hematocrit percentage in the patient's blood | Text | |
| Platelets | Platelets count in the patient's blood | Text | |
| Potassium | Potassium level in the patient's blood | Text | |
| White Blood Cells | White Blood Cells count in the patient's blood | Text | |

## Care Plans

Represents the Care Plans data object and holds values like specific plans, PRN medications, procedures, labs, and the tracking of home health tasks (hygiene, nutrition, chores, outings, social) with a weekly schedule and time records. It is ideally connecting to the Care Management System for real-time data synchronization.

| Field Name | Description | Type | Primary |
|---|---|---|---|
| Care Plan Name | Name of the care plan | Text | |
| Assigned Caregiver | Caregiver assigned to the care plan | Text | |
| Care Plan Description | Detailed description of the care plan | Text | |
| Patient Name | Full legal name of the patient | Text | |
| Plan Status | Current status of the care plan | Text | |
| Care Plan Notes | Notes and comments related to the care plan | Text | |
| Plan End Date | End date of the care plan | Date | |
| Plan Start Date | Start date of the care plan | Date | |
| Target Outcomes | Target outcomes for the care plan | Text | |
| Tasks | Tasks included in the care plan | Text | |

## Advanced Directives

Represents the Advanced Directives data object and holds values like Living Wills, Surrogate Decision-Makers, and Resuscitation Status. It is ideally connecting to the Advanced Care Planning System for real-time data synchronization.

| Field Name | Description | Type | Primary |
|---|---|---|---|
| Advanced Directive Type | Type of advanced directive, such as living will or durable power of attorney | Text | |
| Resuscitation Status | Patient's preferences for resuscitation, such as do not resuscitate (DNR) | Text | |
| Surrogate Decision-Maker | Name of the designated surrogate decision-maker | Text | |
| Consultation Notes | Notes from the consultation when the advanced directive was created or discussed | Text | |
| Directive Date | Date when the advanced directive was documented | Date | |
| Directive Location | Location where the advanced directive document is stored | Text | |
| Living Will | Indicates if the patient has a living will and its details | Boolean | |
| Physician | Name of the physician who discussed or documented the advanced directive | Text | |
| Witness Name | Name of the witness to the advanced directive document | Text | |
| Witness Signature Date | Date when the witness signed the advanced directive document | Date | |

# Personas

## Clinical Assessment Nurse

The healthcare professional responsible for conducting comprehensive patient assessments, including physical, cognitive, and psychosocial evaluations. They utilize the application to document vital signs, lab values, and medical history, ensuring accurate and complete patient records for effective care planning.

## Patient Care Coordinator

The patient care coordinator who oversees the management of patient care plans and ensures that all necessary assessments and documentation are completed. They interact with the application to track patient progress, manage referrals, and facilitate communication among healthcare providers.

## Palliative Care APRN

The advanced practice registered nurse (APRN) specializing in palliative care who uses the application to document complex patient needs, including symptom management and advanced care planning. They ensure that care is tailored to meet the unique needs of patients with serious illnesses.

## Home Health Aide

The home health aide responsible for providing direct patient care and assistance with daily living activities. They utilize the application to record tasks performed, document patient responses, and communicate any changes in the patient's condition to the healthcare team.

## Pain Management Specialist

The healthcare provider who specializes in managing patients' pain and symptoms. They use the application to assess pain levels, document interventions, and track the effectiveness of pain management strategies, ensuring optimal patient comfort.

## Patient Caregiver

The family member or caregiver who interacts with the application to provide essential information about the patient's condition and needs. They play a critical role in supporting the patient and ensuring that their preferences and values are incorporated into the care plan.

## Healthcare Administrator

The healthcare administrator responsible for overseeing the implementation and compliance of the application within the healthcare facility. They ensure that the application meets regulatory standards and supports efficient healthcare delivery.

## Patient Transport Coordinator

A healthcare professional responsible for managing patient transports within and between healthcare facilities. They utilize the application to track patient movement, ensure timely arrivals, arrange necessary medical equipment for transport, and maintain communication with the receiving healthcare teams to ensure smooth and safe patient transfers.

## Mental Health Specialist

A specialist dedicated to assessing and documenting patients' mental health conditions. They use the application to record patient histories, evaluate mental health status, track treatment plans, and collaborate with other healthcare providers to ensure integrated care for patients with mental health needs.

## Quality Assurance Specialist

A healthcare worker focused on ensuring the safety and quality of patient care through rigorous health data review. They leverage the application to audit patient records, validate compliance with healthcare regulations, and provide feedback to the clinical team to maintain and enhance care standards.

## Clinical Nutritionist

A healthcare professional responsible for managing patients' nutritional needs. They use the application to create dietary plans, monitor patients' nutritional intake, assess the impact of diets on patients' health outcomes, and adjust nutritional plans based on patients' medical conditions and progress.

## End-of-Life Care Coordinator

A dedicated professional overseeing the care of terminally ill patients. They use the application to document palliative care plans, manage symptom relief strategies, coordinate with interdisciplinary teams, and provide emotional support to patients and families during end-of-life care.

*By utilizing this file, you agree that the file and the contents are confidential and are provided solely for use with Pegasystems applications and products. Information in this file may have been generated by artificial intelligence and should be validated by a human prior to use. This file is provided as is. ©2026 Pegasystems Inc.*

©2026 Pegasystems Inc.