Attachment 4

ITEMS LISTING

A4.1. General Requirements. This attachment contains:

A4.1.1. An alphabetical listing of the hazardous materials subject to the requirements of this manual. See paragraph A3.1.16. for material determined to be nonhazardous.

A4.1.2. Classification criteria for hazard classes. See Attachment 1 for definitions.

A4.1.3. Identification of items prohibited for military air transportation.

A4.1.4. Listing of Hazardous Substances and applicable Reportable Quantities.

A4.1.5. Quantity limits in this manual may not follow other HMR (with state approval when required) requirements/limits.

A4.2. Classifying Hazardous Materials.

A4.2.1. Hazard Class Names. The hazard class and division is a numerical identification which describes the class (type) of primary hazard involved and if appropriate, its division within the class. Use the Hazardous Material Information Resource System (HMIRS), product Safety Data Sheet, or other manufacturer's information if assistance in determining the hazard classification is needed. Figure A4.1 lists class and division numbers and the corresponding class and division names.

Figure A4.1. Hazard Classes.

HAZARD CLASS/ DIVISION NUMBER	HAZARD CLASS/ DIVISION NAME	HAZARD CLASS/ DIVISION NUMBER	HAZARD CLASS/ DIVISION NAME
1.1	Explosives (with mass explosion hazard)	4.1	Flammable solid
1.2	Explosives (with a projection hazard)	4.2	Spontaneously combustible material
1.3	Explosives (with predominately a fire hazard)	4.3	Dangerous when wet material
1.4	Explosives (with no significant blast hazard)	5.1	Oxidizer
1.5	Very insensitive explosives; blasting agents	5.2	Organic peroxide
1.6	Extremely insensitive detonating substances	6.1	Poisonous (toxic) material
2.1	Flammable gas	6.2	Infectious substances (etiologic agents)
2.2	Nonflammable gas	7	Radioactive material
2.3	Poisonous gas	8	Corrosive material
3	Flammable liquid	9	Miscellaneous hazardous material

A4.2.2. Items Not Specifically Listed. If a material is not specifically listed in Table A4.1., determine the PSN by comparing the characteristics of the items with the definitions of the various hazard classes in this manual. Assign a "Not Otherwise Specified" (N.O.S.) name based on the hazard class of the material. Examples are: "FLAMMABLE LIQUID, N.O.S.; CORROSIVE SOLID, N.O.S." Attachment 1 contains hazardous class definitions. Determine the appropriate technical name according to A4.5.2.

A4.2.3. Articles containing dangerous goods N.O.S. Classify articles which do not have an existing proper shipping name and which contain only one or more dangerous goods as a residue or as an integral element of the machinery or apparatus that cannot be removed for the purpose of transport as follows:

A4.2.3.1. When the article meets the provisions of UN3363, Dangerous goods in apparatus or Dangerous goods in machinery, use UN3363

A4.2.3.2. When the article cannot meet the UN3363 provision, use “articles containing ***” classified under the proper shipping name for the dangerous goods they contain. For the purposes of this section “article” means machinery, apparatus or other devices containing dangerous goods (or residues thereof) that are an integral element of the article, necessary for its functioning. An inner packaging is not an article.

A4.2.3.3. Articles may in addition contain batteries. Lithium batteries that are integral to the article must be of a type proven to meet the testing requirements of the UN Manual of Tests and Criteria, Part III, subsection 38.3. **(T-0).** Pre-production prototype articles containing lithium batteries or for a small production run, consisting of not more than 100 such articles, areauthorized without the running the 38.3 tests.

A4.2.3.4. This section does not apply to articles for which a more specific proper shipping name already exists in Table A4.1.

A4.2.3.5. This section does not apply to dangerous goods of Class 1, Division 6.2, Class 7 or radioactive material contained in articles.

A4.2.3.6. Assign articles containing dangerous goods to the appropriate class or division determined by the hazards present using the precedence of hazard from paragraph A4.2.4. for each of the dangerous goods contained in the article. If dangerous goods classified as Class 9 are contained within the article, all other dangerous goods present in the article are considered to present a higher hazard.

A4.2.3.7. Subsidiary hazards are representative of the primary hazard posed by the other dangerous goods contained within the article. If the article contains more than one item of dangerous goods and these could react dangerously with one another during transport, ensure each of the dangerous goods are enclosed separately.

A4.2.4. Tentative PSN Assignment. A material for which the hazard class is determined by testing, or a material that is a hazardous waste, the shipper may assign a tentative shipping name.

A4.2.4.1. Base the tentative PSN on:

A4.2.4.1.1. The defining criteria of the hazard class.

A4.2.4.1.2. The hazard precedence prescribed in **A4.2.4**.

A4.2.4.1.3. The shipper's knowledge of the material.

A4.2.4.1.4. **A3.3.1.4** for new explosives.

A4.2.4.2. For a sample of a material other than a waste, meet the following:

A4.2.4.2.1. Except when the word “Sample” already appears in the proper shipping name, ensure the word “Sample” appears as part of the proper shipping name or in association with the basic description on the Shipper's Declaration for Dangerous Goods;

A4.2.4.2.2. When the proper shipping description for a sample is assigned a "★"(star) in Column (1) of Table A4.1, and the primary constituent(s) for which the tentative classification is based are not known, the provisions requiring a technical name for the constituent(s) do not apply; and

A4.2.4.2.3. Transport samples in combination packaging that conforms to the requirements of this manual that are applicable to the tentative packing group assigned, and may not exceed a net mass of 2.5 kg (5.5 pounds) per package.

A4.2.5. Precedence of Hazard. Assign any material specifically identified and listed in **Table A4.1**. the hazard class identified in column 3 of **Table A4.1**. Use other resources identified in **A4.2.1**. to determine the appropriate hazardous material description. If required, classify a hazardous material that is not specifically identified and listed in **Table A4.1** (or is a mixture of materials), and meets the definition of more than one hazard, according to the following order of precedence:

A4.2.5.1. Class 7 (Radioactive material, other than limited quantities and shipments of UN 3507, Uranium hexafluoride, radioactive material, excepted package). When limited quantities are involved the other hazardous properties take precedence.

A4.2.5.2. Class 1 (explosives).

A4.2.5.3. Class 2.3 (poisonous gas).

A4.2.5.4. Class 2.1 (flammable gas). See also Class 9.

A4.2.5.5. Class 2.2 (nonflammable gas). See also Class 9.

A4.2.5.6. Class 5.2 (organic peroxide).

A4.2.5.7. Class 6.2 (infectious substances).

A4.2.5.8. Class 4.1 (flammable solid). Only self-reactive substances and wetted explosives.

A4.2.5.9. Class 4.2 (substances liable to spontaneous combustion). Only pyrophoric substances.

A4.2.5.10. Class 6.1 (poisonous substances), PG I, poisonous by inhalation only.

A4.2.5.11. Small quantities of compressed gas such as starter fluid (Class 2.1) or fire extinguisher (Class 2.2) installed on a vehicle do not take precedence over the flammable liquid (Class 3).

A4.2.5.12. If required, classify other hazardous materials not identified above according to 49 CFR Section 173.2a.

A4.2.6. Hazard Classification of Class 5.2 Organic Peroxides. Class 5.2 organic peroxides are categorized into one of seven "types" in a system of generic proper shipping names. The generic PSN for the organic peroxide describes the physical state of the material (e.g., liquid or solid), provides an indication of controlled temperature requirements, and includes the

"type" of the organic peroxide. The seven types of organic peroxides are described in Attachment 1. Transport all Class 5.2 material under one of the generic proper shipping names listed in Table A4.1. beginning with the words "ORGANIC PEROXIDE". Technical names are listed below each PSN in lower case letters. To determine the correct PSN:

A4.2.6.1. Find the Technical Name in 49 CFR (173.224 Self-Reactive Materials Table, Column 5) (173.225(c) Organic Peroxide Table column 8)delut and select the UN identification number assigned to the technical name that best describes the item (in terms of concentration ranges, physical characteristics, etc.).

A4.2.6.2. Turn to the "ORGANIC PEROXIDE" listed in Table A4.1. These entries constitute the "generic" organic peroxide proper shipping names.

A4.2.6.3. Match the UN identification number for the technical name with a UN identification number associated with the generic PSN.

A4.2.6.4. Include the "type" under which the organic peroxide falls for generic PSN associated with organic peroxides. Organic peroxide types are defined in Attachment 1.

A4.3. Determining Degree of Hazard. For most material, the degree of hazard is identified as the Packing Group (PG), and is assigned in column 6 of Table A4.1. PG I (great danger), PG II (medium danger), and PG III (minor danger) indicate the degree of hazard associated with the materials and are used to identify the severity of UN specification performance tests associated with the packaging for the item. Poisonous by inhalation material are assigned hazard zones (see Attachment 1) in Table A4.1. If unknown, the PG or hazard zone may be determined according to this paragraph. Hazard Classes, 1, 2, and 7 do not have packing groups.

A4.3.1. Class 2 Hazard Zone. The hazard zone of a Class 2.3 material is given in column 7 of Table A4.1. When column 7 of Table A4.1. provides more than one hazard zone or is blank, determine the hazard zone from Figure A4.2. There are no hazard zones for Class 2.1 and 2.2.

Figure A4.2. Determination of Hazard Zone for Class 2.3.

Hazard Zone	Inhalation Toxicity (parts per million)
A	LC_{50} less than or equal to 200 ppm
B	LC_{50} greater than 200 ppm and less than or equal to 1000 ppm
C	LC_{50} greater than 1000 ppm and less than or equal to 3000 ppm
D	LC_{50} greater than 3000 ppm or less than or equal to 5000 ppm

A4.3.2. Class 3 Packing Groups. When Table A4.1. lists more than one PG for a material, or indicates that the PG is to be determined on the basis of the PG criteria for Class 3, determine the PG by using Figure A4.3. To use Figure A4.3., match the initial boiling point and flash point of the material to the corresponding PG. Flash points may be determined from the safety data sheet, the Hazardous Material Information Resource System (HMIRS), the National Fire Protection Guide, or markings on the package. For example, a Class 3 material with an initial boiling point of 38 degrees C (100 degrees F) and a flash point of 25 degrees C (77 degrees F)

would be assigned a PG III. If the initial boiling point is less than or equal to 35 degrees C (95 degrees F), assign PG I. Viscous Class 3 material (e.g., paints, varnishes, enamels, lacquers, adhesives, and polishes) in PG II with a flash point of less than 23 degrees C (73 degrees F) may be grouped in PG III provided the requirements of 49 CFR Paragraph 173.121(b) are met.

Figure A4.3. Criteria for Class 3 PG.

PG	Flash Point (closed-cup)	Initial Boiling Point
I		less than or equal to 35°C (95°F)
II	less than 23°C (73°F)	greater than 35°C (95°F)
III	equal to or greater than 23°C (73°F) but less than or equal to 60°C (140°F)	greater than 35°C (95°F)

A4.3.3. Class 4 Packing Groups. When Table A4.1. indicates that the PG of the material is to be determined on the basis of test criteria for Class 4 material, ensure the test methods and appropriate criteria complies with 49 CFR Section 173.125.

A4.3.4. Class 5 Packing Groups. When column 5 of Table A4.1. is blank for a solid or liquid in Class 5.1, determine the PG based on the test criteria found in 49 CFR Section 173.127.

A4.3.5. Class 6 Packing Groups and Hazard Zone. When Table A4.1., column 5 provides more than one PG and hazard zone for a specific Class 6.1 material, determine the PG and hazard zone by applying the following criteria:

A4.3.5.1. Determine the PG assignment for other than inhalation of vapors by using Figure A4.4.

A4.3.5.2. Determine the PG and hazard zone assignments for inhalation of vapors by using Figure A4.5.

Figure A4.4. PG Assignment For Other Than Inhalation of Vapors.

PG	Oral Toxicity LD_{50}(mg/kg)	Dermal Toxicity LD_{50} (mg/kg)	Inhalation Toxicity by Dusts and Mists LC_{50} (mg/L)
I	≤ 5	≤ 50	≤ 0.2
II	> 5 and ≤ 50	> 50 and ≤ 200	> 0.2 and ≤ 2.0
III	> 50 and ≤ 300	> 200 and ≤ 1000	> 2 and ≤ 4.0

Figure A4.5. Inhalation Toxicity.

Packing Group	Vapor Concentration and Toxicity
I (Hazard Zone A)	$V \geq 500\ LC_{50}$ and $LC_{50} \leq 200\ mL/m^3$
I (Hazard Zone B)	$V \geq 10\ LC_{50}$ and $LC_{50} \leq 1000\ mL/m^3$, and the criteria for PG I, Hazard Zone A are not met
II	$V \geq LC_{50}$ and $LC_{50} \leq 3000\ mL/m^3$, and the criteria for PG I are not met
III	$V \geq .2\ LC_{50}$ and $LC_{50} \leq 5000\ mL/m^3$, and the criteria for PG I and PG II are not met

A4.3.5.3. "V" is the saturated vapor concentration in air of the material in mL/m^3 at 20 degrees C (68 degrees F) and standard atmospheric pressure.

A4.3.5.4. When the PG determined by Figure A4.4. and Figure A4.5. is different for two or more (oral, dermal, inhalation) routes of administration, the PG assigned to the material corresponds to the route of the highest degree of toxicity identified.

A4.3.5.5. Compute the PG and hazard zone for Class 6.1 mixtures that are poisonous (toxic) by inhalation as identified in 49 CFR Paragraph 173.133(b).

A4.3.6. Class 8 Packing Groups. When Table A4.1. lists more than one PG for a material, determine the PG as follows:

A4.3.6.1. Packing Group I. Substances that cause irreversible damage to intact skin tissue within an observation period of up to 60 minutes starting after an exposure time of 3 minutes or less.

A4.3.6.2. Packing Group II. Substances that cause irreversible damage to intact skin tissue within an observation period of up to 14 calendar days starting after an exposure time of more than 3 minutes, but not more than 60 minutes.

A4.3.6.3. Packing Group III. Substances are assigned to Packing Group III if they meet one of the following:

A4.3.6.3.1. Substances that cause irreversible damage to intact skin tissue within an observation period of up to 14 calendar days starting after an exposure time of more than 60 minutes but less than 4 hours.

A4.3.6.3.2. Substances which are judged not to cause irreversible damage to intact skin tissue but which exhibit a corrosion rate on steel or aluminum surfaces exceeding 6.25 mm (1/4 inch) a year at a test temperature of 55 degrees C (130 degrees F).

A4.3.6.4. 49 CFR Section 173.137 has additional information and alternative methods for assignment of Class 8 packing groups. Those alternative methods are authorized for use but not duplicated in this manual.

A4.4. Hazardous Substances. Table A4.3. identifies materials that are designated hazardous substances as defined in 49 CFR, Section 172.101, Appendix A, *List of Hazardous Substances and Reportable Quantities*. See Attachment 1 for a detailed definition of a hazardous substance. Ensure review of Table A4.3 to determine if a material is a hazardous substance.

A4.4.1. Determine if the material is a hazardous substance by identifying the reportable quantity (RQ) in Table A4.3. The RQ is used to determine if material is a hazardous substance. The material is a

hazardous substance if the amount in one package equals or exceeds the RQ quantity. Table A4.3. specifies, in pounds and kilograms, the minimum quantity of the material that constitutes an RQ. For example: sodium arsenate (RQ-1.0/0.454) means the RQ is 1.0 pound or 0.454 kilograms. ?

A4.4.2. A substance or solution is a "hazardous substance" when the concentration by weight equals or exceeds the concentration listed in Figure A1.1.

A4.4.3. If the technical name of the hazardous substance appears in Table A4.1., then the technical name is the PSN. If the hazardous substance does not appear in Table A4.1. and is not a forbidden material, select an appropriate generic (N.O.S.) PSN. Specify the technical name in parenthesis after the PSN. See Attachment 17 for certification requirements.

A4.4.4. For Radionuclides, see 49 CFR Section 172.101, Appendix A.

A4.5. Using Table A4.1. Table A4.1**.** identifies "hazardous materials" for the purpose of military air transportation. To use Table A4.1**.** locate the proper shipping name (PSN) of the hazardous material and follow the information identified on the same line with the PSN. Use Table A4.1**.** to identify the following: eligibility of material for shipment, identification number, proper shipping name (PSN), hazard class and division, subsidiary hazard, packing group (PG), special provisions applicable to the material (including passenger eligibility), and packaging paragraph.

A4.5.1. Column 1: Symbols. Column 1 contains symbols that pertain to the PSN.

A4.5.1.1. The letter "D" means that the PSN applies only to domestic shipments. These items are also identified by "NA" numbers in column 4. For international shipments, select an alternate PSN that is not preceded by a "D".

A4.5.1.2. The "★" (star) identifies that a technical name is required in association with the PSN.

A4.5.1.3. The "+" (plus) fixes the proper shipping name, hazard class and packing group for that entry without regard to whether the material meets the definition of that class or packing group or meets any other hazard class definition.

A4.5.2. Column 2: Identification Number. Column 2 lists the identification number assigned to each PSN.

A4.5.2.1. Ship items identified with "UN" or "ID" (identification) numbers domestically or internationally.

A4.5.2.2. Ship items identified with "NA" (North American) numbers domestically only. Use of "UN" numbers is preferred even for domestic shipment.

A4.5.2.3. New or revised UN or NA numbers in 49 CFR Part 172, ICAO, or IATA are recognized for use with this manual.

A4.5.3. Column 3: Proper Shipping Names (PSN). PSNs are listed alphabetically in all bold capital letters in Table A4.1. Use either singular or plural wording. New and revised PSNs in 49 CFR Part 172, ICAO, or IATA are authorized PSNs under this manual, provided the packaging requirements do not change. Alternate accepted spelling may be used provided the correct associated UN/ID number is used (e.g., "UN1350, SULFUR" vice "UN1350, SULPHUR"). A

PSN modifier which appears as lower case italicized letters are descriptive words which may be used, but are not required as part of the PSN.

A4.5.3.1. Technical or Chemical Group Names. Provide a technical or chemical group name in association with the PSN when required by an "★" (star) in column 1.

A4.5.3.1.1. Organic Peroxides. Use technical names listed below the appropriate generic PSN (in lower case letters) in Table A4.1. See A4.2.5. for PSN assignment based on technical name.

A4.5.3.1.2. Mixtures and Solutions. If the hazardous material is a mixture or solution of two or more hazardous materials, enter the technical names of at least two components most contributing to the hazards of the mixture or solution in parentheses after the PSN.

A4.5.3.2. The Word "OR" in Table A4.1. The word "or" in a sequence of PSNs means that PSNs in the sequence are synonymous. Therefore, use of any one of the PSNs in the series is appropriate. Select only one PSN in the series when classifying the shipment. For Class 1 material, use the PSN listed in the JHCS.

A4.5.3.3. The Word "SEE" in Table A4.1. When one item references another item (by use of the word "see") and both names are in capital letters, use either name as the PSN. Forbidden designations and passenger restrictions applicable to the referenced entry also apply to the "see" entry.

A4.5.3.4. The Words "SOLUTION" or "MIXTURE". Identify a mixture or solution containing a hazardous material listed by name in Table A4.1. together with one or more materials not subject to this manual by the PSN of the hazardous material. Add the qualifying word "solution" or "mixture" to the PSN. (See 49 CFR Subparagraph 172.101(c) (10))

A4.5.3.5. Concentration Ranges. When a shipping name includes a concentration range as part of the shipping description, the actual concentration shipped (if it is in the range stated) may be used in place of the concentration range. For example, ship a hydrogen peroxide solution containing 30 percent peroxide as either "Hydrogen peroxide aqueous solution (with not less than 20 percent but not more than 40 percent hydrogen peroxide)" or "Hydrogen peroxide aqueous solution (with 30 percent hydrogen peroxide)."

A4.5.3.6. Hazardous Wastes. The PSN for a hazardous material that is a hazardous waste must include the word "WASTE" preceding the name of the material (e.g., WASTE, ACETONE). **(T-0).** Comply with all requirements of this manual identified for the hazardous material when shipped as waste.

A4.5.4. Column 4: Hazard Class/Division. Column 4 contains:

A4.5.4.1. Primary hazard class and division numbers. When this manual references hazard class, that includes any division number if appropriate. For Class 1 (explosives), the compatibility group is also given. See A4.2. for additional information on class/divisions.

A4.5.4.2. Some items that contain explosive material may be assigned to a classification other than Class 1 by DOD explosives hazard classification approval authorities due to the predominant hazard (see A3.3.4.4). Compatibility group letters assigned to non-Class 1 material do not apply to military air transportation.

A4.5.5. Column 5: Subsidiary. Column 5 identifies the hazard class/division of any subsidiary hazard posed by a material. Subsidiary hazard may vary, depending on the applicable PG.

A4.5.6. Column 6: Packing Group (PG). Column 6 specifies one or more packing groups assigned to each PSN and hazard class. Hazard classes 1, 2, and 7 do not have packing groups. See A4.3. for additional information on PG.

A4.5.7. Column 7: Special Provisions. Column 7 specifies codes for special provisions that are applicable for each PSN, hazard class, and PG. Special provision codes may vary, depending on the PG. Requirements of the special provision codes are identified in Table A4.2. The codes reflect five categories: numeric codes, codes beginning with "A", codes beginning with "N", codes beginning with a “P” and codes with “IA”.

A4.5.7.1. Use codes beginning with a “P” to determine passenger eligibility for transport with hazardous materials.

A4.5.7.2. Use all other codes to determine packaging provisions, restrictions, and exceptions from requirements for particular quantities or forms of materials.

A4.5.7.3. When an additional packaging requirement is prescribed, the requirement is mandatory.

A4.5.8. Column 8: Packaging Paragraph. This column lists the applicable packaging paragraph. “FORBIDDEN” items are also identified in this column. Do not transport "FORBIDDEN" items by military aircraft unless waived in accordance with paragraph 2.3.1.

A4.5.8.1. Except when otherwise identified, prepare hazardous material shipments according to the specified packaging paragraph.

A4.5.8.2. Packaging paragraphs in each attachment provide titles as a guide for PSNs covered by that paragraph. These titles are a guide only and are not all-inclusive.

A4.5.8.3. If a packaging paragraph in Table A4.1. specifies packaging that is not applicable to the form of the material (e.g., the packaging specified is for a solid material and the material shipped is in liquid form) use the following guidance to select the appropriate paragraph:

A4.5.8.3.1. Use either packaging paragraph A8.2. for liquids or A8.3. for solids (as appropriate).

A4.5.8.3.2. Use either packaging paragraph A9.5. for liquids or A9.6. for solids (as appropriate).

A4.5.8.3.3. Use either packaging paragraph A10.4. for liquids or A10.5. for solids (as appropriate).

A4.5.8.3.4. Use either packaging paragraph A12.2. for liquids or A12.3. for solids (as appropriate).

Table A4.1. Alphabetical Listing of Items.

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
		Accellerene, see **p-NITROSODIMETHYLANILINE** (UN 1369)					
		Accumulators, electric, see **BATTERIES, WET, FILLED WITH ACID** (UN2794), **BATTERIES, WET, FILLED WITH ALKALI** (UN2795), **BATTERIES, WET, NON-SPILLABLE** (UN2800)					
		Accumulators, pressurized, hydraulic (containing nonflammable gas), see **ARTICLES, PRESSURIZED, HYDRAULIC** (UN3164)					
		Accumulators, pressurized, pneumatic, see **ARTICLES, PRESSURIZED, PNEUMATIC** (UN3164)					
	UN1088	**ACETAL**	3		II	P5	A7.2.
	UN1089	**ACETALDEHYDE**	3		I	P3	A7.2.
	UN1841	**ACETALDEHYDE AMMONIA**	9		III	P5	A13.14.
	UN2332	**ACETALDEHYDE OXIME**	3		III	P5	A7.2.
	UN2789	**ACETIC ACID, GLACIAL** *or* **ACETIC ACID SOLUTION**, *with more than 80% acid, by mass*	8	3	II	P5, A3, A7, A10	A12.2.
	UN2790	**ACETIC ACID SOLUTION**, *with not less than 50%, but not more than 80% acid, by mass*	8		II	P5, 148, A3, A7, A10	A12.2.
	UN2790	**ACETIC ACID SOLUTION**, *with more than10%, but less than 50% acid, by mass*	8		III	P5, 148	A12.2.
	UN1715	**ACETIC ANHYDRIDE**	8	3	II	P5, A3, A7, A10	A12.2.
		Acetic oxide, see **ACETIC ANHYDRIDE (UN1715)**					
		Acetoin, see **ACETYL METHYL CARBINOL (UN2621)**					
	UN1090	**ACETONE**	3		II	P5	A7.2.
	UN1541	**ACETONE CYANOHYDRIN, STABILIZED**	6.1		I	P2, 2, N34	A10.6.
	UN1091	**ACETONE OILS**	3		II	P5	A7.2.
	UN1648	**ACETONITRILE**	3		II	P5	A7.2.
		Acetyl acetone peroxide with more than 9% by mass active oxygen					FORBIDDEN
		Acetyl benzoyl peroxide, solid, or with more than 40% in solution					FORBIDDEN
	UN1716	**ACETYL BROMIDE**	8		II	P5	A12.2.
	UN1717	**ACETYL CHLORIDE**	3	8	II	P5, A3, A7, N34	A7.2.
		Acetyl cyclohexanesulphonyl peroxide,with more than 82% wetted with less than 12% water					FORBIDDEN
		Acetylene dichloride, see **1,2-DICHLOROETHYLENE** (UN1140)					
	UN1001	**ACETYLENE, DISSOLVED**	2.1			P4 , N86, N88	A6.9.
		Acetylene (liquefied)					FORBIDDEN
		Acetylene silver nitrate					FORBIDDEN
	UN3374	**ACETYLENE, SOLVENT FREE**	2.1			P4, N86, N88	A6.9.
		Acetylene tetrabromide, see **TETRABROMOETHANE** (UN2504)					
		Acetylene tetrachloride; *see* 1,1,2,2-**TETRACHLOROETHANE** (UN1702)					
	UN1898	**ACETYL IODIDE**	8		II	P5	A12.2.
	UN2621	**ACETYL METHYL CARBINOL**	3		III	P5	A7.2.
		Acetyl oxide, see **ACETIC ANHYDRIDE** (UN1715)					
		Acetyl peroxide, solid or with more than 25% in solution					FORBIDDEN
		Acid butyl phosphate, see **BUTYL ACID PHOSPHATE** (UN1718)					
		Acid, liquid, N.O.S., see **CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (UN3264)**, *or* **CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (UN3265)**					

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
		Acid mixture, hydrofluoric and sulphuric, see **HYDROFLUORIC AND SULPHURIC ACID MIXTURE** (UN1786)					
		Acid mixture, nitrating acid, see **NITRATING ACID MIXTURE (UN1796)**					
		Acid mixture, spent, nitrating acid, see **NITRATING ACID, MIXTURE SPENT** (UN1896)					
		Acid, picric, see **TRINITROPHENOL (UN0154)** *or* **PICRIC ACID (UN0154)**					
		Acid potassium sulphate, see **POTASSIUM HYDROGEN SULPHATE** (UN2509)					
		Acid, sludge, see **Sludge Acid** (UN1906)					
		Acraldehyde, stabilized, see **ACROLEIN, STABILIZED** (UN1092)					
	UN2713	**ACRIDINE**	6.1		III	P5	A10.5.
	UN2607	**ACROLEIN DIMER, STABILIZED**	3		III	P5	A7.2.
		Acrolein dimer, unstabilized					FORBIDDEN
	UN1092	**ACROLEIN, STABILIZED**	6.1	3	I	P1, 1	A10.6.
		Acrolein, unstabilized					FORBIDDEN
	UN2074	**ACRYLAMIDE, SOLID**	6.1		III	P5	A10.5.
	UN3426	**ACRYLAMIDE SOLUTION**	6.1		III	P5	A10.4
	UN2218	**ACRYLIC ACID, STABILIZED**	8	3	II	P5	A12.2.
		Acrylic acid, unstabilized					FORBIDDEN
	UN1093	**ACRYLONITRILE, STABILIZED**	3	6.1	I	P3	A7.2.
		Acrylonitrile, unstabilized					FORBIDDEN
		Actinolite, see **ASBESTOS AMPHIBOLE** (UN2212)					
		Activated carbon or Activated charcoal, see **CARBON, ACTIVATED** (UN1362)					
		Actuating cartridge, explosive, see **CARTRIDGES, POWER DEVICE,** (UN0275, UN0276, UN0323, UN0381).					
	UN1133	**ADHESIVES**, *containing flammable liquid*	3		I II III	P3 P5, 149 P5	A7.2. A7.2. A7.2.
	UN2205	**ADIPONITRILE**	6.1		III	P5	A10.4.
★	UN 3511	**ADSORBED GAS N.O.S.**	2.2			P5	A6.27
★	UN 3510	**ADSORBED GAS, FLAMMABLE N.O.S.**	2.1			P4	A6.27
★	UN 3513	**ADSORBED GAS, OXIDIZING N.O.S.**	2.2	5.1		P4	A6.27
★	UN 3516	**ADSORBED GAS, TOXIC CORROSIVE N.O.S.** *Inhalation Hazard Zone A*	2.3	8		P1, 1	A6.15
★	UN 3516	**ADSORBED GAS, TOXIC CORROSIVE N.O.S.** *Inhalation Hazard Zone B*	2.3	8		P2, 2	A6.27
★	UN 3516	**ADSORBED GAS, TOXIC CORROSIVE N.O.S.** *Inhalation Hazard Zone C*	2.3	8		P2, 3	A6.27
★	UN 3516	**ADSORBED GAS, TOXIC CORROSIVE N.O.S.** *Inhalation Hazard Zone D*	2.3	8		P2, 4	A6.27
★	UN 3514	**ADSORBED GAS, TOXIC FLAMMABLE N.O.S.** *Inhalation Hazard Zone A*	2.3	2.1		P1, 1	A6.15
★	UN 3514	**ADSORBED GAS, TOXIC FLAMMABLE N.O.S.** *Inhalation Hazard Zone B*	2.3	2.1		P2, 2	A6.27
★	UN 3514	**ADSORBED GAS, TOXIC FLAMMABLE N.O.S.** *Inhalation Hazard Zone C*	2.3	2.1		P2, 3	A6.27
★	UN 3514	**ADSORBED GAS, TOXIC FLAMMABLE N.O.S.** *Inhalation Hazard Zone D*	2.3	2.1		P2, 4	A6.27
★	UN 3517	**ADSORBED GAS, TOXIC FLAMMABLE, CORROSIVE N.O.S.** *Inhalation Hazard Zone A*	2.3	2.1, 8		P1, 1	A6.15
★	UN 3517	**ADSORBED GAS, TOXIC FLAMMABLE, CORROSIVE N.O.S.** *Inhalation Hazard Zone B*	2.3	2.1, 8		P2, 2	A6.27
★	UN 3517	**ADSORBED GAS, TOXIC FLAMMABLE, CORROSIVE N.O.S.** *Inhalation Hazard Zone C*	2.3	2.1, 8		P2, 3	A6.27
★	UN 3517	**ADSORBED GAS, TOXIC FLAMMABLE, CORROSIVE N.O.S.** *Inhalation Hazard Zone D*	2.3	2.1, 8		P2, 4	A6.27

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
★	UN 3515	**ADSORBED GAS, TOXIC FLAMMABLE, OXIDIZING N.O.S.** *Inhalation Hazard Zone A*	2.3	2.1, 5.1		P1, 1	A6.15
★	UN 3515	**ADSORBED GAS, TOXIC FLAMMABLE, OXIDIZING N.O.S.** *Inhalation Hazard Zone B*	2.3	2.1, 5.1		P2, 2	A6.27
★	UN 3515	**ADSORBED GAS, TOXIC FLAMMABLE, OXIDIZING N.O.S.** *Inhalation Hazard Zone C*	2.3	2.1, 5.1		P2, 3	A6.27
★	UN 3515	**ADSORBED GAS, TOXIC FLAMMABLE, OXIDIZING N.O.S.** *Inhalation Hazard Zone D*	2.3	2.1, 5.1		P2, 4	A6.27
★	UN 3512	**ADSORBED GAS, TOXIC N.O.S.** *Inhalation Hazard Zone A*	2.3			P1, 1	A6.15
★	UN 3512	**ADSORBED GAS, TOXIC N.O.S.** *Inhalation Hazard Zone B*	2.3			P2, 2	A6.27
★	UN 3518	**ADSORBED GAS, TOXIC, OXIDIZING, CORROSIVE N.O.S.** *Inhalation Hazard Zone A*	2.3	5.1, 8		P1, 1	A6.15
★	UN 3518	**ADSORBED GAS, TOXIC, OXIDIZING, CORROSIVE N.O.S.** *Inhalation Hazard Zone B*	2.3	5.1, 8		P2, 2	A6.27
★	UN 3518	**ADSORBED GAS, TOXIC, OXIDIZING, CORROSIVE N.O.S.** *Inhalation Hazard Zone C*	2.3	5.1, 8		P2, 3	A6.27
★	UN 3518	**ADSORBED GAS, TOXIC, OXIDIZING, CORROSIVE N.O.S.** *Inhalation Hazard Zone D*	2.3	5.1, 8		P2, 4	A6.27
	UN 3512	**ADSORBED GAS, TOXIC N.O.S.** *Inhalation Hazard Zone C*	2.3			P2, 3	A6.27
	UN 3512	**ADSORBED GAS, TOXIC N.O.S.** *Inhalation Hazard Zone D*	2.3			P2, 4	A6.27
		Aeroplane flares see **FLARES,** AERIAL (UN0093, UN0403, UN0404, UN0420, UN0421)					
	UN1950	**AEROSOLS** *or* **AEROSOLS, FLAMMABLE**	2.1			P5, N82	A6.2.
		AEROSOLS, *flammable, containing substances in Class 8, Packing Group I*					FORBIDDEN
	UN1950	**AEROSOLS, FLAMMABLE, CONTAINING SUBSTANCES IN CLASS 8, PACKING GROUP II**	2.1	8			FORBIDDEN
	UN1950	**AEROSOLS, FLAMMABLE, CONTAINING SUBSTANCES IN CLASS 8, PACKING GROUP III**	2.1	8		P5	A6.2
	UN1950	**AEROSOLS,** *flammable, containing substances in Division 6.1, Packing Group I*					FORBIDDEN
	UN1950	**AEROSOLS**, *flammable containing substances in Division 6.1, Packing Group II*	2.1	6.1			FORBIDDEN
	UN1950	**AEROSOLS**, *flammable containing substances in Division 6.1, Packing Group III*	2.1	6.1		P5	A6.2
	UN1950	**AEROSOLS,** *flammable, containing substances in Division 6.1, Packing Group III and substances in Class 8, Packing Group III*	2.1	6.1, 8		P5	A6.2.
	UN1950	**AEROSOLS,** *flammable, containing toxic gas*	2.3	2.1			FORBIDDEN
	UN1950	**AEROSOLS, FLAMMABLE (ENGINE STARTING FLUID)** *or* **AEROSOLS, FLAMMABLE, N.O.S.** *(engine starting fluid)*	2.1			P5, N82	A6.2
	UN1950	**AEROSOLS** *or* **AEROSOLS, NON-FLAMMABLE**	2.2			P5	A6.2.
	UN1950	**AEROSOLS, NON-FLAMMABLE** *(containing biological products or a medicinal preparation which will be deteriorated by a heat test)*	2.2			P5	A6.2.
	UN1950	**AEROSOLS,** *non-flammable, (tear gas devices)*	2.2	6.1		P5	A6.2.
	UN1950	**AEROSOLS,** *non-flammable, containing substances in Class 8, Packing Group I*	2.2	8			FORBIDDEN
	UN1950	**AEROSOLS,** *non-flammable, containing substances in Class 8, Packing Group II*	2.2	8		A34	FORBIDDEN
	UN1950	**AEROSOLS,** *non-flammable, containing substances in Class 8, Packing Group III*	2.2	8		P5, A34	A6.2
	UN1950	**AEROSOLS**, *non-flammable, containing substances in Division 6.1, Packing Group I or II*					FORBIDDEN
	UN1950	**AEROSOLS**, *non-flammable, containing substances in Division 6.1, Packing Group III*	2.2	6.1		P5	A6.2

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
	UN1950	**AEROSOLS,** *non-flammable, containing substances in Division 6.1, Packing Group III and substances in Class 8, Packing Group III*	2.2	6.1, 8		P5	A6.2.
	UN1950	**AEROSOLS,** *non-flammable, containing toxic gas*	2.3				FORBIDDEN
	UN1950	**AEROSOLS,** *non-flammable, oxidizing*	2.2	5.1		P5	A6.2
	UN0331	**AGENT, BLASTING TYPE B**	1.5D			P4, 105, 106	A5.11.
	UN0332	**AGENT, BLASTING TYPE E**	1.5D			P4, 105, 106	A5.11.
		air bag inflators or air bag modules or seat-belt pretensioners, see **SAFETY DEVICES,** *electrically initiated, UN3268) or* **SAFETY DEVICES,** *pyrotechnic (UN0503)*					
	UN1002	**AIR, COMPRESSED**	2.2			P5, 78	A6.3., A6.5**.**
	UN1003	**AIR, REFRIGERATED LIQUID** *(cryogenic liquid)*	2.2	5.1		P4	A6.11.
	UN1003	**AIR, REFRIGERATED LIQUID** *(cryogenic liquid)* n*on-pressurized*	2.2	5.1		P4	A6.11.
		Aircraft, see **VEHICLE, FLAMMABLE GAS POWERED** (UN3166) *or* **VEHICLE FLAMMABLE LIQUID POWERED** (UN3166)					
		Aircraft Engines (including turbines), see **ENGINE, INTERNAL COMBUSTION, FLAMMABLE GAS POWERED** (UN3529), *or* **ENGINES INTERNAL COMBUSTION, FLAMMABLE LIQUID POWERED** (UN3528) or **ENGINE INTERNAL COMBUSTION** (UN3530)					
		Aircraft evacuation slides or Aircraft survival kits, see **LIFE-SAVING APPLIANCES, SELF-INFLATING** (UN2990) *or* **LIFE-SAVING APPLIANCES, NOT SELF-INFLATING** (UN3072)					
	UN3165	**AIRCRAFT HYDRAULIC POWER UNIT FUEL TANK** *(containing a mixture of anhydrous hydrazine and monomethyl hydrazine) (M86 fuel)*	3	6.1, 8	I	P3, A501	A7.4.
★	UN3274	**ALCOHOLATES SOLUTION, N.O.S.** *in alcohol*	3	8	II	P5	A7.2.
		Alcohol, denatured, see **ALCOHOLS, FLAMMABLE TOXIC N.O.S.** (UN1986) *or* **ALCOHOLS, N.O.S.** (UN1987)					
	UN3065	**ALCOHOLIC BEVERAGES**	3		II III	P5, 24, 149 P5, 24, N11	A7.2. A7.2.
		Alcohol, industrial, see **ALCOHOLS, FLAMMABLE, TOXIC, N.O.S.** (UN1986**)** *or* **ALCOHOLS, N.O.S.** (UN1987)					
★	UN1987	**ALCOHOLS, N.O.S.**	3		I II III	P3, 172 P5, 172 P5, 172	A7.2. A7.2. A7.2.
★	UN1986	**ALCOHOLS, FLAMMABLE, TOXIC, N.O.S.**	3	6.1 6.1 6.1	I II III	P3 P4 P5	A7.2. A7.2. A7.2.
		Aldehyde, see **ALDEHYDES, N.O.S.** (UN1989)					
		Aldehyde ammonia, see **ACETALDEHYDE AMMONIA** (UN1841)					
★	UN1989	**ALDEHYDES, N.O.S.**	3		I II III	P3 P5 P5	A7.2. A7.2. A7.2.
★	UN1988	**ALDEHYDES, FLAMMABLE, TOXIC, N.O.S**	3	6.1 6.1 6.1	I II III	P3 P4 P5	A7.2. A7.2. A7.2.
	UN2839	**ALDOL**	6.1		II	P5	A10.4.
★	UN3206	**ALKALI METAL ALCOHOLATES, SELF-HEATING, CORROSIVE, N.O.S.**	4.2	8 8	II III	P4, 64, A7 P5, 64, A7	A8.3. A8.3.
	UN1421	**ALKALI METAL ALLOYS, LIQUID, N.O.S**	4.3		I	P3, A2, A7, N34	A8.2.
	UN1389	**ALKALI METAL AMALGAM, LIQUID**	4.3		I	P3, A2, A7, N34	A8.2.
	UN3401	**ALKALI METAL AMALGAM, SOLID**	4.3		I	P3, N40	A8.3.

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
	UN1390	**ALKALI METAL AMIDES**	4.3		II	P5, A6, A7, A8, A19, A20	A8.3.
	UN1391	**ALKALI METAL DISPERSIONS** *or* **ALKALINE EARTH METAL DISPERSIONS**	4.3		I	P3, A2, A7	A8.2.
	UN3482	**ALKALI METAL DISPERSIONS, FLAMMABLE** *or* **ALKALINE EARTH METAL DISPERSIONS, FLAMMABLE**	4.3	3	I	P3, A2, A7	A8.2.
		Alkaline corrosive battery fluid, see **BATTERY FLUID, ALKALI** (UN2797)					
		Alkaline corrosive liquids, N.O.S., see **CAUSTIC ALKALI LIQUIDS, N.O.S.** (UN1719)					
		Alkaline corrosive solid N.O.S., see **CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.***(*UN3262) *or* **CORROSIVE SOLID, BASIC ORGANIC, N.O.S.** (UN3263)					
★	UN3205	**ALKALINE EARTH METAL ALCOHOLATES, N.O.S**	4.2		II III	P4, 65, A7 P5, 65, A7	A8.3. A8.3.
	UN1393	**ALKALINE EARTH METAL ALLOYS, N.O.S**.	4.3		II	P5, A19	A8.3.
	UN1392	**ALKALINE EARTH METAL AMALGAMS LIQUID**	4.3		I	P3, A19, N34, N40	A8.2.
	UN3402	**ALKALINE EARTH METAL AMALGAMS SOLID**	4.3		I	P3, A19, N34, N40	A8.3
★	UN3140	**ALKALOIDS, LIQUID, N.O.S.** *or* **ALKALOID SALTS, LIQUID**, **N.O.S.**	6.1		I II III	P3, A4 P5 P5	A10.4. A10.4. A10.4.
★	UN1544	**ALKALOIDS, SOLID**, **N.O.S.** *or* **ALKALOID SALTS, SOLID, N.O.S**.	6.1		I II III	P5 P5 P5	A10.5. A10.5. A10.5.
	UN3145	**ALKYLPHENOLS, LIQUID, N.O.S.** *(including C2-C12 homologues)*	8		I II III	P3 P5 P5	A12.2. A12.2. A12.2.
	UN2430	**ALKYLPHENOLS, SOLID, N.O.S.** *(including C2-C12 homologues)*	8		I II III	P5 P5 P5	A12.3. A12.3. A12.3.
	UN2584	**ALKYLSULFONIC ACIDS, LIQUID** *or* **ARYLSULFONIC ACIDS, LIQUID** *with more than 5% free sulphuric acid*	8		II	P5	A12.2.
	UN2586	**ALKYLSULFONIC ACIDS, LIQUID** *or* **ARYLSULFONIC ACIDS, LIQUID** *with not more than 5% free sulfuric acid*	8		III	P5	A12.2.
	UN2583	**ALKYLSULFONIC ACIDS, SOLID**, *or* **ARYLSULFONIC ACIDS, SOLID,** *with more than 5% free sulfuric acid*	8		II	P5	A12.3.
	UN2585	**ALKYLSULFONIC ACIDS, SOLID**, *or* **ARYLSULFONIC ACIDS, SOLID,** *with not more than 5% free sulfuric acid*	8		III	P5	A12.3.
	UN2571	**ALKYLSULFURIC ACIDS**	8		II	P4	A12.2.
		Allene, see **PROPADIENE, STABILIZED** (UN2200)					
		Allethrin, see **PESTICIDES, LIQUID, TOXIC, N.O.S.** (UN2902)					
	UN2333	**ALLYL ACETATE**	3	6.1	II	P4	A7.2.
	UN1098	**ALLYL ALCOHOL**	6.1	3	I	P2, 2	A10.6.
	UN2334	**ALLYLAMINE**	6.1	3	I	P2, 2	A10.6.
	UN1099	**ALLYL BROMIDE**	3	6.1	I	P3	A7.2.
	UN1100	**ALLYL CHLORIDE**	3	6.1	I	P3	A7.2.
		Allyl chlorocarbonate, *see* **ALLYL CHLOROFORMATE** (UN1722)					
	UN1722	**ALLYL CHLOROFORMATE**	6.1	3, 8	I	P2, 2, N41	A10.6.
	UN2335	**ALLYL ETHYL ETHER**	3	6.1	II	P4	A7.2.
	UN2336	**ALLYL FORMATE**	3	6.1	I	P3	A7.2.
	UN2219	**ALLYL GLYCIDYL ETHER**	3		III	P5	A7.2.

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
	UN1723	**ALLYL IODIDE**	3	8	II	P5, A3, N34	A7.2.
	UN1545	**ALLYL ISOTHIOCYANATE, STABILIZED**	6.1	3	II	P4, 387, A3, A7	A10.4.
		Allyl Isothiocyanate, unstabilized					FORBIDDEN
	UN1724	**ALLYLTRICHLOROSILANE, STABILIZED**	8	3	II	P5, 387, A7, N34	A12.2.
		Allyltrichlorosilane, unstabilized					FORBIDDEN
		Aluminium alkyl halides, liquid, see **ORGANOMETALLIC SUBSTANCE, LIQUID, PYROPHORIC, WATER-REACTIVE ★** (UN3394)					
		Aluminium alkyl halides, solid, see **ORGANOMETALLIC SUBSTANCE, SOLID, PYROPHORIC, WATER-REACTIVE ★** (UN3394)					
		Aluminium alkyl hydrides, see **ORGANOMETALLIC SUBSTANCE, LIQUID, PYROPHORIC, WATER-REACTIVE ★** (UN3394)					
		Aluminium alkyls, see **ORGANOMETALLIC SUBSTANCE, LIQUID, PYROPHORIC, WATER-REACTIVE ★** (UN3394)					
	UN2870	**ALUMINIUM BOROHYDRIDE** *or* **ALUMINIUM BOROHYDRIDE IN DEVICES**	4.2	4.3	I	P3	A8.5.
	UN1725	**ALUMINIUM BROMIDE, ANHYDROUS**	8		II	P5	A12.3.
	UN2580	**ALUMINIUM BROMIDE, SOLUTION**	8		III	P5	A12.2.
	UN1394	**ALUMINIUM CARBIDE**	4.3		II	P4, A20, N41	A8.3.
	UN1726	**ALUMINIUM CHLORIDE, ANHYDROUS**	8		II	P5	A12.3.
	UN2581	**ALUMINIUM CHLORIDE, SOLUTION**	8		III	P5	A12.2.
		Aluminum dross, see **ALUMINUM SMELTING BY-PRODUCTS** (UN3170)*or* **ALUMINUM REMELTING BY-PRODUCTS** (UN3170)					
		Aluminum dross, wet or hot					FORBIDDEN
	UN1395	**ALUMINIUM FERROSILICON POWDER**	4.3	6.1 6.1	II III	P4, A19 P5, A19, A20	A8.3. A8.3.
	UN2463	**ALUMINIUM HYDRIDE**	4.3		I	P3, A19, N40	A8.3.
		Aluminum liquid or aluminum paint, see **PAINT** (UN1363)					
D	NA9260	**ALUMINUM, MOLTEN**	9				FORBIDDEN
	UN1438	**ALUMINIUM NITRATE**	5.1		III	P5, A1, A29	A9.6.
		Aluminium phosphate solution, see **CORROSIVE LIQUIDS, N.O.S.** (UN1760)					
	UN1397	**ALUMINIUM PHOSPHIDE**	4.3	6.1	I	P3, A8, A19, N40	A8.3.
	UN3048	**ALUMINIUM PHOSPHIDE PESTICIDES**	6.1		I	P5, A8	A10.5.
	UN1309	**ALUMINIUM POWDER, COATED**	4.1		II III	P5 P5	A8.3. A8.3.
	UN1396	**ALUMINIUM POWDER, UNCOATED**	4.3		II III	P4, A19, A20 P5, A19, A20	A8.3. A8.3.
	UN2715	**ALUMINIUM RESINATE**	4.1		III	P5	A8.3.
		Aluminium silicon powder, coated (Not Restricted)					
	UN1398	**ALUMINIUM SILICON POWDER, UNCOATED**	4.3		III	P5, A1, A19	A8.3.
	UN3170	**ALUMINIUM SMELTING BY-PRODUCTS** *or* **ALUMINIUM REMELTING BY-PRODUCTS**	4.3		II III	P4 P5	A8.3. A8.3.
		Amatols, see **EXPLOSIVE, BLASTING, TYPE B** (UN0082), (UN0331)					
★	UN2733	**AMINES, FLAMMABLE, CORROSIVE N.O.S.** *or* **POLYAMINES**, **FLAMMABLE, CORROSIVE N.O.S.**	3	8 8 8	I II III	P3 P4 P4	A7.2. A7.2. A7.2.
★	UN2734	**AMINES, LIQUID, CORROSIVE, FLAMMABLE N.O.S**. *or* **POLYAMINES, LIQUID, CORROSIVE**, **FLAMMABLE, N.O.S**.	8	3 3	I II	P3, N34 P4	A12.2. A12.2.

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
★	UN2735	**AMINES, LIQUID, CORROSIVE, N.O.S.** *or* **POLYAMINES, LIQUID, CORROSIVE, N.O.S.**	8		I II III	P3, N34 P4 P5	A12.2. A12.2. A12.2.
★	UN3259	**AMINES, SOLID, CORROSIVE, N.O.S.** *or* **POLYAMINES, SOLID, CORROSIVE N.O.S.**	8		I II III	P5 P5 P5	A12.3. A12.3. A12.3.
		Aminobenzene, see **ANILINE** (UN1547)					
		2-Amino benzotrifluoride, **see 2-TRIFLUOROMETHYLANILINE** (UN2942)					
		3-Amino benzotrifluoride, **see 3-TRIFLUOROMETHYLANILINE** (UN2948)					
		***Aminobenzene,see* n-BUTYLAMINE** (UN1125)					
	UN2673	**2-AMINO-4-CHLOROPHENOL**	6.1		II	P5	A10.5.
	UN3317	**2-AMINO-4, 6-DINITROPHENOL, WETTED** *with not less than 20% water by mass*	4.1		I	P4, 23, A8, A19, A20, N41	A8.3.
	UN2946	**2-AMINO-5-DIETHYLAMINOPENTANE**	6.1		III	P5	A10.4.
	UN3055	**2-(2-AMINOETHOXY) ETHANOL**	8		III	P5	A12.2.
	UN2815	**N-AMINOETHYLPIPERAZINE**	8	6.1	III	P5	A12.2.
		1-Amino-2-nitrobenzene or 1-Amino-3-nitrobenzene or 1-Amino-4-nitrobenzene, see **NITROANILINES** (UN1661)					
	UN2512	**AMINOPHENOLS** *(o-; m-; p-)*	6.1		III	P5	A10.5.
		Aminopropyldiethanolamine or n-Aminopropylmorpholine, *see* **AMINES, LIQUID, CORROSIVE, N.O.S.★** (UN2735)					
	UN2671	**AMINOPYRIDINES** *(o-; m-; p)*	6.1		II	P5	A10.5.
D	UN1005	**AMMONIA, ANHYDROUS**	2.2			P2, 13	A6.4.
	UN1005	**AMMONIA, ANHYDROUS**	2.3	8		P2, 4, 13, N87	A6.4.
D	UN3318	**AMMONIA SOLUTION ,** *relative density less than 0.880 at 15 degrees C in water, with more than 50% ammonia*	2.2			P2, 13	A6.4.
	UN3318	**AMMONIA SOLUTION,** *relative density less than 0.880 at 15 degrees C in water, with more than 50% ammonia*	2.3	8		P2, 4, N87	A6.4.
	UN2672	**AMMONIA SOLUTION**, *relative density between 0.880 and 0.957 at 15 degrees C in water, with more than 10%, but not more than 35% ammonia*	8		III	P5, 336	A12.2.
	UN2073	**AMMONIA SOLUTION**, *relative density less than 0.880 at 15 degrees C in water, with more than 35%, but not more than 50% ammonia*	2.2			P5, N87	A6.3., A6.4.
	UN1546	**AMMONIUM ARSENATE**	6.1		II	P5	A10.5.
		Ammonium azide					FORBIDDEN
		Ammonium bichromate, see **AMMONIUM DICHROMATE** (UN1439)					
		Ammonium bifluoride, solid, see **AMMONIUM HYDROGENDIFLUORIDE, SOLID** (UN1727)					
		Ammonium bifluoride, solution, see **AMMONIUM HYDROGENDIFLUORIDE, SOLUTION** (UN2817)					
		Ammonium bisulphate, see **AMMONIUM HYDROGEN SULPHATE** (UN2506)					
		Ammonium bisulphite solution or bisulfite, see **BISULFITES or -BISULPHITES, AQUEOUS SOLUTION, N.O.S. ★** (UN2693)					
		Ammonium bromate					FORBIDDEN
		Ammonium chlorate					FORBIDDEN
	UN1439	**AMMONIUM DICHROMATE**	5.1		II	P5	A9.6.
	UN1843	**AMMONIUM DINITRO-O-CRESOLATE, SOLID**	6.1		II	P5	A10.5.
	UN3424	**AMMONIUM DINITRO-O-CRESOLATE, SOLUTION**	6.1		II III	P5 P5	A10.4 A10.4
	UN2505	**AMMONIUM FLUORIDE**	6.1		III	P5	A10.5.

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
	UN2854	**AMMONIUM FLUOROSILICATE**	6.1		III	P5	A10.5.
		Ammonium fulminate					FORBIDDEN
		Ammonium hexafluorosilicate, see **AMMONIUM FLUOROSILICATE** (UN2854)					
		Ammonium hydrate, see **AMMONIA SOLUTION,** (UN2073, UN2672, UN3318)					
	UN2506	**AMMONIUM HYDROGEN SULPHATE**	8		II	P5	A12.3.
	UN1727	**AMMONIUM HYDROGENDIFLUORIDE, SOLID**	8		II	P5, N34	A12.3.
	UN2817	**AMMONIUM HYDROGENDIFLUORIDE, SOLUTION**	8	6.1 6.1	II III	P4, N34 P5, N3	A12.2. A12.2.
		Ammonium hydrosulphide solution, see **AMMONIUM SULPHIDE SOLUTION** (UN2683)					
		Ammonium hydroxide, see **AMMONIA SOLUTION**, (UN2073, UN2672, UN3318)					
		Ammonium hydroxide, see **AMMONIA SOLUTION**, *etc.*					
	UN2859	**AMMONIUM METAVANADATE**	6.1		II	P5	A10.5.
	UN0222	**AMMONIUM NITRATE,** *with more than 0.2% combustible substances, including any organic substance calculated as carbon to the exclusion of any other added substance*	1.1D			P4, 370	A5.7.
	UN1942	**AMMONIUM NITRATE**, *with not more than 0.2% total combustible material, including any organic substance calculated as carbon, to the exclusion of any other added substance*	5.1		III	P5, 148, A1, A29	A9.6.
	UN2067	**AMMONIUM NITRATE BASED FERTILIZER**	5.1		III	P5, 34, 52, 148, 150	A9.6.
	UN2071	**AMMONIUM NITRATE BASED FERTILIZER**	9		III	P5, 34, 132, 150	A13.2.
	UN3375	**AMMONIUM NITRATE EMULSION,** *or* **AMMONIUM NITRATE SUSPENSION,** *or* **AMMONIUM NITRATE GEL,** *intermediate for blasting explosives*	5.1		II	147, 148, 163	FORBIDDEN
	UN2426	**AMMONIUM NITRATE, LIQUID** *(hot concentrated solution)*	5.1				FORBIDDEN
		Ammonium nitrate explosives, see **EXPLOSIVE, BLASTING, TYPE B** (UN0082, UN0331)					
D	NA0331	**AMMONIUM NITRATE-FUEL OIL MIXTURE** *(containing only prilled Ammonium Nitrate and fuel oil)*	1.5D			P4, 148	A5.11.
	UN2426	**AMMONIUM NITRATE LIQUID**, *hot concentrated solution*	5.1			148	FORBIDDEN
		Ammonium nitrite					FORBIDDEN
	UN0402	**AMMONIUM PERCHLORATE**	1.1D			P4, 107	A5.7.
	UN1442	**AMMONIUM PERCHLORATE**	5.1		II	P5, 107, A9	A9.6.
		Ammonium Permanganate					FORBIDDEN
	UN1444	**AMMONIUM PERSULPHATE**	5.1		III	P5, A1, A29	A9.6.
	UN0004	**AMMONIUM PICRATE,** *dry or wetted with less than 10% water, by mass*	1.1D			P4	A5.6.
	UN1310	**AMMONIUM PICRATE, WETTED** *with not less than 10% water, by mass*	4.1		I	P4, 23, A2, N41	A8.3.
	UN2818	**AMMONIUM POLYSULPHIDE, SOLUTION**	8	6.1 6.1	II III	P4 P5	A12.2. A12.2.
	UN2861	**AMMONIUM POLYVANADATE**	6.1		II	P5	A10.5.
		Ammonium silicofluoride, see **AMMONIUM FLUOROSILICATE** (UN2854)					
	UN2683	**AMMONIUM SULPHIDE SOLUTION**	8	6.1, 3	II	P4	A12.2.
		Ammonium tetrachloromercurate, see **MERCURY AMMONIUM CHLORIDE** (UN1630)					
		Ammunition, blank, see **CARTRIDGES FOR WEAPONS, BLANK** (UN0014, UN0326, UN0327, UN0338, UN0413)					

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
		Ammunition, fixed, semi-fixed or separate loading; see **CARTRIDGES FOR WEAPONS** (UN0005, UN0006, UN0007, UN0321, UN0348, UN0412)					
	UN0171	**AMMUNITION, ILLUMINATING,** *with or without burster, expelling charge or propelling charge*	1.2G			P4	A5.12.
	UN0254	**AMMUNITION, ILLUMINATING**, *with or without burster, expelling charge or propelling charge*	1.3G			P4	A5.12.
	UN0297	**AMMUNITION, ILLUMINATING,** *with or without burster, expelling charge or propelling charge*	1.4G			P5	A5.12.
	UN0247	**AMMUNITION, INCENDIARY** *liquid or gel, with burster, expelling charge or propelling charge*	1.3J			P3	A5.12.
		Ammunition, incendiary (water-activated contrivances) with burster, expelling charge or propelling charge; see **CONTRIVANCES, WATER-ACTIVATED**. (UN0248, UN0249)					
	UN0243	**AMMUNITION, INCENDIARY, WHITE PHOSPHOROUS**, *with burster expelling charge or propelling charge*	1.2H			P3	A5.12.
	UN0244	**AMMUNITION, INCENDIARY, WHITE PHOSPHOROUS,** *with burster expelling charge or propelling charge*	1.3H			P3	A5.12.
	UN0009	**AMMUNITION, INCENDIARY**, *with or without burster, expelling charge, or propelling charge*	1.2G			P4	A5.12.
	UN0010	**AMMUNITION, INCENDIARY**, *with or without burster, expelling charge, or propelling charge*	1.3G			P4	A5.12.
	UN0300	**AMMUNITION, INCENDIARY**, *with or without burster, expelling charge, or propelling charge*	1.4G			P5	A5.12.
		Ammunition, industrial, see **CARTRIDGES, POWER DEVICE** (UN0275, UN0276, UN0323, UN0381)*or* **CARTRIDGES, OIL WELL** (UN0277, UN0278)					
		Ammunition, lachrymatory, see **AMMUNITION, TEAR-PRODUCING** (UN0018, UN0019, UN0301)					
	UN0362	**AMMUNITION, PRACTICE**	1.4G			P5	A5.12.
	UN0488	**AMMUNITION, PRACTICE**	1.3G			P4	A5.12.
	UN0363	**AMMUNITION, PROOF**	1.4G			P5	A5.12.
		Ammunition, rocket, see **WARHEADS, ROCKET** (UN0286, UN0287, UN0369, UN0370, UN0371)					
		Ammunition, SA (small arms), see **CARTRIDGES FOR WEAPONS INERT PROJECTILE** (UN0012, UN0328, UN0339, UN0417)					
		Ammunition, smoke (water-activated contrivances), white phosphorus, with burster, expelling charge or propelling charge; see **CONTRIVANCES, WATER-ACTIVATED** (UN0248)					
		Ammunition, smoke (water-activated contrivances), without white phosphorus or phosphides, with burster, expelling charge or propelling charge; see **CONTRIVANCES, WATER-ACTIVATED** (UN0249)					
	UN0015	**AMMUNITION, SMOKE**, *with or without burster, expelling charge or propelling charge*	1.2G			P4	A5.12.
	UN0016	**AMMUNITION, SMOKE,** *with or without burster, expelling charge or propelling charge*	1.3G			P4	A5.12.
	UN0303	**AMMUNITION, SMOKE,** *with or without burster, expelling charge or propelling charge*	1.4G			P5	A5.12.
	UN0245	**AMMUNITION, SMOKE, WHITE PHOSPHORUS,** *with burster, expelling charge, or propelling charge*	1.2H			P3	A5.12.
	UN0246	**AMMUNITION, SMOKE, WHITE PHOSPHORUS,** *with burster, expelling charge, or propelling charge*	1.3H			P3	A5.12.

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
		Ammunition, sporting, see **CARTRIDGES FOR WEAPONS, INERT PROJECTILE** (UN0012,UN0328, UN0339, UN0417)					
	UN2017	**AMMUNITION, TEAR-PRODUCING**, **NONEXPLOSIVE**, *without burster or expelling charge, non-fuzed*	6.1	8	II	P4	A10.5.
	UN0018	**AMMUNITION, TEAR-PRODUCING**, *with burster expelling charge or propelling charge*	1.2G	8, 6.1		P4	A5.12.
	UN0019	**AMMUNITION, TEAR-PRODUCING**, *with burster expelling charge or propelling charge*	1.3G	8, 6.1		P4	A5.12.
	UN0301	**AMMUNITION, TEAR-PRODUCING**, *with burster expelling charge or propelling charge*	1.4G	8, 6.1		P5	A5.12.
★	UN0020	**AMMUNITION, TOXIC**, *with burster, expelling charge, or propelling charge*	1.2K	6.1		P1	A5.3.
★	UN0021	**AMMUNITION, TOXIC,** *with burster, expelling charge, or propelling charge*	1.3K	6.1		P1	A5.3.
		Ammunition, toxic (water-activated contrivances), with burster, expelling charge or propelling charge; see **CONTRIVANCES, WATER-ACTIVATED, ★** (UN0248, UN0249)					
	UN2016	**AMMUNITION, TOXIC, NON-EXPLOSIVE,** *without burster or expelling charge, nonfuzed*	6.1		II	P2	A10.5.
		Amorces, see **FIREWORKS** (UN0333, UN0336, UN0337)					
		Amosite, or Amphibole asbestos, see **ASBESTOS AMPHIBOLE, ★** (UN2212)					
	UN1104	**AMYL ACETATES**	3		III	P5	A7.2.
	UN2819	**AMYL ACID PHOSPHATE**	8		III	P5	A12.2.
		Amyl alcohols, see **PENTANOLS** (UN1105)					
		Amyl aldehyde, see **VALERALDEHYDE** (UN2058)					
	UN1106	**AMYLAMINES**	3	8 8	II III	P5 P5	A7.2. A7.2.
	UN2620	**AMYL BUTYRATES**	3		III	P5	A7.2.
	UN1107	**AMYL CHLORIDE**	3		II	P5	A7.2.
	UN1108	**n-AMYLENE**	3		I	P3	A7.2.
	UN1109	**AMYL FORMATES**	3		III	P5	A7.2.
	UN1111	**AMYL MERCAPTAN**	3		II	P5, A3	A7.2.
	UN1110	**n-AMYL METHYL KETONE**	3		III	P5	A7.2.
	UN1112	**AMYL NITRATE**	3		III	P5	A7.2.
	UN1113	**AMYL NITRITE**	3		II	P5	A7.2.
		tert-Amylperoxy-3,5,5-trimethylhexanoate, see **ORGANIC PEROXIDE TYPE D, LIQUID, ★** (UN3105)					
	UN1728	**AMYLTRICHLOROSILANE**	8		II	P5, A7, N34	A12.2.
		Anaesthetic ether, see **DIETHYL ETHER** (UN1155)					
		Anhydrous ammonia, see **AMMONIA, ANHYDROUS**, (UN1005)					
		Anhydrous hydrazine, see **HYDRAZINE, ANHYDROUS** (UN2029)					
		Anhydrous hydriodic acid, see **HYDROGEN IODIDE, ANHYDROUS,** (UN2197)					
		Anhydrous hydrofluoric acid, see **HYDROGEN FLUORIDE, ANHYDROUS,** (UN1052)					
+	UN1547	**ANILINE**	6.1		II	P5	A10.4.
		Aniline chloride, see **ANILINE HYDROCHLORIDE,** (UN1548)					
	UN1548	**ANILINE HYDROCHLORIDE**	6.1		III	P5	A10.5.
		Aniline oil, see **ANILINE,** (UN1547)					
		Aniline salt, see **ANILINE HYDROCHLORIDE,** (UN1548)					
	UN2431	**ANISIDINES**	6.1		III	P5	A10.4.
	UN2222	**ANISOLE**	3		III	P5	A7.2.
	UN1729	**ANISOYL CHLORIDE**	8		II	P5	A12.2.

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
		Anti-freeze liquid, see **FLAMMABLE LIQUIDS, N.O.S.** ★ (UN1993)					
		Anti-knock compound, mixture, see **MOTOR FUEL ANTI-KNOCK MIXTURES** (UN1649)					
		Antimonious chloride, see **ANTIMONY TRICHLORIDE** (UN1733)					
		Anthophtllite,see **ASBESTOS AMPHIBOLE** ★ (UN2212)					
★	UN3141	**ANTIMONY COMPOUNDS, INORGANIC, LIQUID, N.O.S.**	6.1		III	P5	A10.4.
★	UN1549	**ANTIMONY COMPOUNDS, INORGANIC, SOLID, N.O.S.**	6.1		III	P5, 35	A10.5.
		Antimony hydride, see **STIBINE** (UN2676)					
		Antimony (III) lactate, see **ANTIMONY LACTATE** (UN1550)					
	UN1550	**ANTIMONY LACTATE**	6.1		III	P5	A10.5.
		Antimony oxide, see **ANTIMONY COMPOUND, INORGANIC, SOLID, N.O.S.** ★ (UN1549)					
	UN1730	**ANTIMONY PENTACHLORIDE, LIQUID**	8		II	P5	A12.2.
	UN1731	**ANTIMONY PENTACHLORIDE, SOLUTIONS**	8		II III	P5 P5	A12.2. A12.2.
	UN1732	**ANTIMONY PENTAFLUORIDE**	8	6.1	II	P4, A3, A7, A10, N3, N36	A12.2.
		Antimony pentasulphide, see **ANTIMONY COMPOUND, INORGANIC, SOLID, N.O.S.** ★ (UN1549)					
		Antimony perchloride, liquid, see **ANTIMONY PENTACHLORIDE, LIQUID** (UN1730)					
	UN1551	**ANTIMONY POTASSIUM TARTRATE**	6.1		III	P5	A10.5.
	UN2871	**ANTIMONY POWDER**	6.1		III	P5	A10.5.
		Antimony sulphide and chlorate, mixture of					FORBIDDEN
		Antimony sulphide, solid, see **ANTIMONY COMPOUNDS, INORGANIC, N.O.S.** ★ (UN1549)					
	UN1733	**ANTIMONY TRICHLORIDE, LIQUID**	8		II	P5	A12.2.
	UN1733	**ANTIMONY TRICHLORIDE, SOLID**	8		II	P5	A12.3.
		Antu, see **NAPTHYLTHIOUREA** (UN1651)					
		Aqua ammonia, see **AMMONIA SOLUTION** (UN2073, UN2672, UN3318)					
	UN1006	**ARGON, COMPRESSED**	2.2			P5	A6.3., A6.5.
	UN1951	**ARGON, REFRIGERATED LIQUID** *(cryogenic liquid*)	2.2		I	P4	A6.11.
		Aromatic liquids, see **EXTRACTS, AROMATIC, LIQUID (UN1169)** *or* **EXTRACTS, FLAVOURING, LIQUID** (UN1197)					
		Arsenate of lead, see **LEAD ARSENATES** (UN1617)					
		Arsenates N.O.S., see **ARSENIC COMPOUND, LIQUID, N.O.S.** (UN1556) *or* **ARSENIC COMPOUND, SOLID** (UN1557)					
	UN1558	**ARSENIC**	6.1		II	P5	A10.5.
	UN1553	**ARSENIC ACID, LIQUID**	6.1		I	P3	A10.4.
	UN1554	**ARSENIC ACID, SOLID**	6.1		II	P5	A10.5.
	UN1555	**ARSENIC BROMIDE**	6.1		II	P5	A10.5
	UN1562	**ARSENICAL DUST**	6.1		II	P5	A10.5.
★	UN2760	**ARSENICAL PESTICIDES, LIQUID**, **FLAMMABLE, TOXIC,** *flashpoint less than 23 degrees* C	3	6.1 6.1	I II	P3 P4	A7.2. A7.2.
★	UN2994	**ARSENICAL PESTICIDES, LIQUID, TOXIC**	6.1		I II III	P3 P5 P5	A10.4. A10.4. A10.4.

Table A4.1		PROPER SHIPPING NAME/ DESCRIPTION	HAZARD CLASS/ DIV	SUBSIDIARY RISK	PG	SPECIAL PROVISION	PACKAGING PARAGRAPH
	UN/ID NUMBER						
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
★	UN2993	**ARSENICAL PESTICIDES, LIQUID, TOXIC, FLAMMABLE, N.O.S.,** *flashpoint not less than 23 degrees C*	6.1	3 3 3	I II III	P3 P4 P5	A10.4. A10.4. A10.4.
★	UN2759	**ARSENICAL PESTICIDES, SOLID, TOXIC**	6.1		I II III	P5 P5 P5	A10.5. A10.5. A10.5.
		Arsenious acid, solid, see **ARSENIC TRIOXIDE** (UN1561)					
		Arsenious and mercuric iodide solution, see **ARSENIC COMPOUNDS, LIQUID, N.O.S.** (UN1556)					
	UN1555	**ARSENIC BROMIDE**	6.1		II	P5	A10.5.
		Arsenic (III) bromide, see **ARSENIC BROMIDE** (UN1555)					
		Arsenic chloride, see **ARSENIC TRICHLORIDE (UN1560)**					
★	UN1556	**ARSENIC COMPOUNDS, LIQUID, N.O.S.** *inorganic, including Arsenates, N.O.S., Arsenites, N.O.S., Arsenic sulphides*, N.O.S., *and Organic compounds of arsenic, N.O.S.*	6.1		I II III	P3 P5 P5	A10.4. A10.4. A10.4.
★	UN1557	**ARSENIC COMPOUNDS, SOLID, N.O.S.,** *including Arsenates, N.O.S., Arsenites, N.O.S., Arsenic sulphides, N.O.S., and Organic compounds of arsenic, N.O.S.*	6.1		I II III	P5 P5 P5	A10.5. A10.5. A10.5.
		Arsenic, fuming liquid, see **ARSENIC TRICHLORIDE** (UN1560)					
		Arsenic hydride, see **ARSINE** (UN2188)					
		Arsenic (III) oxide, **ARSENIC TRIOXIDE** (UN1561)					
		Arsenic (V) oxide, see **ARSENIC PENTOXIDE** (UN1559)					
	UN1559	**ARSENIC PENTOXIDE**	6.1		II	P5	A10.5.
		Arsenic sulphide and a chlorate, mixtures of					FORBIDDEN
		Arsenic sulphides, N.O.S., see, **ARSENIC COMPOUND, LIQUID, N.O.S.** (UN1556)*or* **ARSENIC COMPOUND SOLID N.O.S.** (UN1557)					
	UN1560	**ARSENIC TRICHLORIDE**	6.1		I	P2, 2	A10.6.
	UN1561	**ARSENIC TRIOXIDE**	6.1		II	P5	A10.5.
		Arsenic, white, solid, see **ARSENIC TRIOXIDE** (UN1561)					
		Arsenious chloride, see **ARSENIC TRICHLORIDE** (UN1560)					
		Arsenites, N.O.S., see **ARSENIC COMPOUND LIQUID, N.O.S.** ★ (UN1556) *or* **ARSENIC COMPOUND, SOLID, N.O.S.** ★ (UN1557)					
		Arsenous and mercuric iodide solution, see **ARSENIC COMPOUND LIQUID, N.O.S.** ★ (UN1556)					
		Arsenous chloride, see **ARSENIC TRICHLORIDE** (UN1560)					
	UN2188	**ARSINE**	2.3	2.1		P1, 1	A6.15.
	UN3522	**ARSINE, ADSORBED**	2.3	2.1		P1, 1	A6.15.
★	UN3542	**ARTICLES CONTAINING A SUBSTANCE LIABLE TO SPONTANEOUS COMBUSTION, N.O.S.**	4.2			131, 391	FORBIDDEN
★	UN3543	**ARTICLES CONTAINING A SUBSTANCE WHICH EMITS FLAMMABLE GAS IN CONTACT WITH WATER, N.O.S.**	4.3			131, 391	FORBIDDEN
★	UN3547	**ARTICLES CONTAINING CORROSIVE SUBSTANCE, N.O.S.**	8			P5, 391	A12.6
★	UN3537	**ARTICLES CONTAINING FLAMMABLE GAS, N.O.S.**	2.1			P4, 391	A6.28
★	UN3540	**ARTICLES CONTAINING FLAMMABLE LIQUID, N.O.S.**	3			P5, 391	A7.12
★	UN3541	**ARTICLES CONTAINING FLAMMABLE SOLID, N.O.S.**	4.1			P5, 391	A8.15

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
★	UN3548	**ARTICLES CONTAINING MISCELLANEOUS DANGEROUS GOODS, N.O.S.**	9			P5, 391	A13.5
★	UN3538	**ARTICLES CONTAINING NON FLAMMABLE, NON TOXIC GAS, N.O.S.**	2.2			P5, 391	A6.28
★	UN3545	**ARTICLES CONTAINING ORGANIC PEROXIDE, N.O.S.**	5.2			131, 391	FORBIDDEN
★	UN3544	**ARTICLES CONTAINING OXIDIZING SUBSTANCE, N.O.S.**	5.1			131, 391	FORBIDDEN
★	UN3539	**ARTICLES CONTAINING TOXIC GAS, N.O.S.**	2.3			131, 391	FORBIDDEN
★	UN3546	**ARTICLES CONTAINING TOXIC SUBSTANCE, N.O.S.**	6.1			P5, 391	A10.13
★	UN0486	**ARTICLES, EXPLOSIVE, EXTREMELY INSENSITIVE** *or* **ARTICLES, EEI**	1.6N			P5	A5.3.
★	UN0349	**ARTICLES, EXPLOSIVE, N.O.S.**	1.4S			P5, 101, 148, 347, 382	A5.3.
★	UN0350	**ARTICLES, EXPLOSIVE, N.O.S.**	1.4B			P5, 101	A5.3.
★	UN0351	**ARTICLES, EXPLOSIVE, N.O.S**.	1.4C			P5, 101	A5.3.
★	UN0352	**ARTICLES, EXPLOSIVE, N.O.S.**	1.4D			P5, 101	A5.3.
★	UN0353	**ARTICLES, EXPLOSIVE, N.O.S.**	1.4G			P5, 101	A5.3.
★	UN0354	**ARTICLES, EXPLOSIVE, N.O.S.**	1.1L			P3, 101	A5.3.
★	UN0355	**ARTICLES, EXPLOSIVE, N.O.S.**	1.2L			P3, 101	A5.3.
★	UN0356	**ARTICLES, EXPLOSIVE, N.O.S.**	1.3L			P3, 101	A5.3.
★	UN0462	**ARTICLES, EXPLOSIVE, N.O.S.**	1.1C			P4, 101	A5.3.
★	UN0463	**ARTICLES, EXPLOSIVE, N.O.S.**	1.1D			P4, 101	A5.3.
★	UN0464	**ARTICLES, EXPLOSIVE, N.O.S.**	1.1E			P4, 101	A5.3.
★	UN0465	**ARTICLES, EXPLOSIVE, N.O.S.**	1.1F			P4, 101	A5.3.
★	UN0466	**ARTICLES, EXPLOSIVE, N.O.S.**	1.2C			P4, 101	A5.3.
★	UN0467	**ARTICLES, EXPLOSIVE, N.O.S.**	1.2D			P4, 101	A5.3.
★	UN0468	**ARTICLES, EXPLOSIVE, N.O.S.**	1.2E			P4, 101	A5.3.
★	UN0469	**ARTICLES, EXPLOSIVE, N.O.S.**	1.2F			P4, 101	A5.3.
★	UN0470	**ARTICLES, EXPLOSIVE, N.O.S.**	1.3C			P4, 101	A5.3.
★	UN0471	**ARTICLES, EXPLOSIVE, N.O.S.**	1.4E			P5, 101	A5.3.
★	UN0472	**ARTICLES, EXPLOSIVE, N.O.S.**	1.4F			P5, 101	A5.3.
	UN3164	**ARTICLES, PRESSURIZED, PNEUMATIC** *or* **ARTICLES, PRESSURIZED, HYDRAULIC** or *hydraulic containing nonflammable gas*	2.2			P5, 371	A6.4., A6.5., A6.8.
	UN0380	**ARTICLES, PYROPHORIC**	1.2L			P3	A5.3.
	UN0428	**ARTICLES, PYROTECHNIC** *for technical purposes*	1.1G			P4	A5.18.
	UN0429	**ARTICLES, PYROTECHNIC** *for technical purposes*	1.2G			P4	A5.18.
	UN0430	**ARTICLES, PYROTECHNIC** *for technical purposes*	1.3G			P4	A5.18.
	UN0431	**ARTICLES, PYROTECHNIC** *for technical purposes*	1.4G			P5	A5.18.
	UN0432	**ARTICLES, PYROTECHNIC** *for technical purposes*	1.4S			P5	A5.18.
	UN2586	**ARYLSULPHONIC ACIDS. LIQUID,** *with 5% or less free sulphuric acid*	8		III	P5	A12.2.
	UN2584	**ARYLSULPHONIC ACIDS. LIQUID,** *with more than 5% free sulphuric acid*	8		II	P5	A12.2.
	UN2585	**ARYLSULPHONIC ACIDS. SOLID,** *with 5% or less free sulphuric acid*	8		III	P5	A12.3.
	UN2583	**ARYLSULPHONIC ACIDS. SOLID,** *with more than 5% free sulphuric acid*	8		II	P5	A12.3.
D	NA2212	**ASBESTOS**	9		III	P5, 156	A13.15
★	UN2212	**ASBESTOS, AMPHIBOLE** *amosite, tremolite, actinolite, anthopphylite, or crocidolite*	9		II	P5, 156	A13.15
		Asbestos blue or Asbestos brown, see **ASBESTOS AMPHIBOLE ★** (UN2212)					
	UN2590	**ASBESTOS, CHRYSOTILE**	9		III	P5, 156	A13.15
		Asbestos, white, see **ASBESTOS, CHRYSOTILE** (UN2590)					

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
		Ascaridole (organic peroxide)					FORBIDDEN
		Asphalt, cut back, see **TARS, LIQUID** (UN1999)					
		Automobile, see **VEHICLE, FLAMMABLE LIQUID POWERED** (UN3166), **or VEHICLE, FLAMMABLE GAS POWERED** (UN3166), **or BATTERY-POWERED VEHICLE** (UN3171)					
D	NA1999	**ASPHALT**, *at or above its flashpoint*	9		III		FORBIDDEN
		Asphalt, cut back; see **TARS, LIQUID, (UN1999)**					
		Automobile, motorcycle, tractor, other self-propelled vehicle, engine, or other mechanical apparatus, see **VEHICLES** (UN3166) *or* **BATTERY,** (UN3292, UN3028, UN3496, UN3496, UN2794, UN2795, UN2800, UN2796, UN2797, UN3171).					
★	UN3334	**AVIATION REGULATED LIQUID, N.O.S.**	9			P5, A35, A189	A13.14.
★	UN3335	**AVIATION REGULATED SOLID, N.O.S.**	9			P5, A35	A13.14.
		Azaurolic Acid (salt of) (dry)					FORBIDDEN
		Azidodithiocarbonic acid					FORBIDDEN
		Azidoethyl nitrate					FORBIDDEN
		Azido guanidine picrate (dry)					FORBIDDEN
		5-Azido-1-hydroxy tetrazole					FORBIDDEN
		Azido hydroxy tetrazole (mercury and silver salts)					FORBIDDEN
		3-Azido-1, 2-propylene glycol dinitrate					FORBIDDEN
		1-Aziridinylphosphine oxide-(tris), see **TRIS-(1-AZIRIDINYL) PHOSPHINE OXIDE**, **SOLUTION** (UN2501)					
	UN3242	**AZODICARBONAMIDE**	4.1		II	38	FORBIDDEN
		Azodicarbonamide formulation type b, temperature controlled					FORBIDDEN
		*2,2'-Azodi-(2,4-dimethyl-4-*methoxyvaleronitrile) *see* **SELF-REACTIVE SOLID TYPE D, TEMPERATURE CONTROLLED** (UN3236)					
		2,2'-Azodi-(2,4 *dimethylvaleronitrile) see* **SELF-REACTIVE SOLID TYPE D TEMPERATURE CONTROLLED** (UN3236)					
		1,1'-Azodi-(hexahydrobenzonitrile) see **SELF-REACTIVE SOLID TYPE D** (UN3226)					
		Azodiisobutyronitrile, see **SELF-REACTIVE SOLID TYPE C, TEMPERATURE CONTROLLED** (UN3234)					
		2,2'-Azodi-(2-methylbutyronitrile), see **SELF-REACTIVE SOLID TYPE D, TEMPERATURE CONTROLLED** (UN3236)					
		Azotetrazole (dry)					FORBIDDEN
		Bag charges, see **CHARGES, PROPELLING, FOR CANNON,** (UN0242, UN0279, UN0414*)*					
		Ballistite, see **POWDER, SMOKELESS,** (UN0160, UN0161)					
		Bangalore torpedoes, see **MINES,** (UN0136, UN0137, UN0138, UN0294)					
	UN1400	**BARIUM**	4.3		II	P4, A19	A8.3.
		Barium alloys, see **ALKALINE EARTH METAL ALLOY, N.O.S.** (UN1393)					
	UN1854	**BARIUM ALLOYS, PYROPHORIC**	4.2		I	P3	A8.5.
	UN0224	**BARIUM AZIDE**, *dry or wetted with less than 50% water, by mass*	1.1A	6.1		P3, 111, 117	A5.4.
	UN1571	**BARIUM AZIDE,** *wetted with not less than 50% water, by mass*	4.1	6.1	I	P4, 162, A2	A8.10.
		Barium dioxide, see **BARIUM PEROXIDE** (UN1449)					
	UN2719	**BARIUM BROMATE**	5.1	6.1	II	P4	A9.6.
	UN1445	**BARIUM CHLORATE**, **SOLID**	5.1	6.1	II	P4, A9, N34	A9.6.
	UN3405	**BARIUM CHLORATE SOLUTION**	5.1	6.1 6.1	II III	P4, A9, N34 P4, A9, N34	A9.5. A9.5.

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
★	UN1564	**BARIUM COMPOUNDS, N.O.S**.	6.1		II III	P5 P5	A10.5. A10.5.
	UN1565	**BARIUM CYANIDE**	6.1		I	P3, N74, N75	A10.5.
		Barium binoxide, see **BARIUM PEROXIDE** (UN1449)					
	UN2741	**BARIUM HYPOCHLORITE** *with more than 22% available chlorine*	5.1	6.1	II	P5, A7, A9, N34	A9.6.
	UN1446	**BARIUM NITRATE**	5.1	6.1	II	P5	A9.6.
	UN1884	**BARIUM OXIDE**	6.1		III	P5	A10.5.
	UN1447	**BARIUM PERCHLORATE**, **SOLID**	5.1	6.1	II	P5	A9.6.
	UN3406	**BARIUM PERCHLORATE, SOLUTION**	5.1	6.1 6.1	II III	P5 P5	A9.5. A9.5.
	UN1448	**BARIUM PERMANGANATE**	5.1	6.1	II	P5	A9.6.
	UN1449	**BARIUM PEROXIDE**	5.1	6.1	II	P5, A9	A9.6.
		Barium selenate see **SELENATES** *or* **SELENITES** ★ (UN2630)					
		Barium selenite, see **SELENATES** *or* **SELENITES**					
		*Barium sulphate, (*Not Regulated)					
		Barium superoxide, see **BARIUM PEROXIDE** (UN1449)					
	UN3292	**BATTERIES, CONTAINING SODIUM**	4.3			P5	A8.18.
		Batteries, Dry , not regulated				130	
	UN3028	**BATTERIES, DRY, CONTAINING POTASSIUM HYDROXIDE SOLID,** *electric storage*	8			P5	A12.4.
		Batteries, lithium, see **LITHIUM METAL BATTERIES** (UN3090) *or* **LITHIUM ION BATTERIES** (UN3480)					
	UN3496	**BATTERIES, NICKEL-METAL HYDRIDE**	9			P5, 130, 340	
	UN2794	**BATTERIES, WET, FILLED WITH ACID**, *electric storage*	8			P5, A51	A12.4.
	UN2795	**BATTERIES, WET, FILLED WITH ALKALI**, *electric storage*	8			P5, A51	A12.4.
	UN2800	**BATTERIES, WET, NON-SPILLABLE**, *electric storage*	8			P5,	A12.4.
	UN2796	**BATTERY FLUID, ACID**	8		II	P5, A3, A7, N6, N34	A12.2., A12.4.
	UN2797	**BATTERY FLUID, ALKALI**	8		II	P5, N6	A12.2., A12.4.
	UN3171	**BATTERY-POWERED EQUIPMENT**	9			P5, 134, 135, 182, 360	A13.6.
	UN3171	**BATTERY-POWERED VEHICLE**	9			P5, 134, 135, 182, 360	A13.6.
		Battery, wet filled with acid or alkali with vehicle or mechanical equipment containing an internal combustion engine, see **VEHICLE**, *etc. or* **ENGINES, INTERNAL COMBUSTION,** (UN3528, UN3529) **or VEHICLE, FLAMMABLE GAS POWERED or VEHICLE, FLAMMABLE LIQUID POWERED,** (UN3166)					
		Benzal chloride, see **BENZYLIDENE CHLORIDE** (UN1886)					
+	UN1990	**BENZALDEHYDE**	9		III	P5	A13.2.
	UN1114	**BENZENE**	3		II	P5	A7.2.
		Benzene diazonium chloride (dry)					FORBIDDEN
		Benzene diazonium nitrate (dry)					FORBIDDEN
		Benzene-1,3-disulpho hydrazide, not more than 52% as a paste see **SELF- REACTIVE SOLID TYPE D** (UN3226)					
		Benzene-1,3-disulphonyl hydrazide, more than 52% as a paste					FORBIDDEN
		Benzene phosphorus dichloride; *see* **PHENYLPHOSPHORUS DICHLORIDE** (UN2798)					

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
		Benzene phosphorus thiodichloride, see **PHENYLPHOSPHORUS THIODICHLORIDE** (UN2799)					
	UN2225	**BENZENESULPHONYL CHLORIDE**	8		III	P5	A12.2.
		Benzenesulphonyl hydrazide, see **SELF-REACTIVE SOLID TYPE D** (UN3226)					
		Benzenethiol, see **PHENYL MERCAPTAN** (UN2337)					
		Benzene triozonide					FORBIDDEN
	UN1885	**BENZIDINE**	6.1		II	P5	A10.5.
		1,3,2-Benzodiaxaborole				A210	FORBIDDEN
		Benzol, see **BENZENE (UN1114)**					
		Benzolene, see **PETROLEUM DISTILLATES, N.O.S.** (UN1268)					
	UN2224	**BENZONITRILE**	6.1		II	P5	A10.4.
	UN2587	**BENZOQUINONE**	6.1		II	P5	A10.5.
		Benzosulphochloride, see **BENZENESULPHONYL CHLORIDE** (UN2225)					
	UN2226	**BENZOTRICHLORIDE**	8		II	P5	A12.2.
	UN2338	**BENZOTRIFLUORIDE**	3		II	P5	A7.2.
		Benzoxidiazoles (dry)					FORBIDDEN
		Benzoyl azide					FORBIDDEN
	UN1736	**BENZOYL CHLORIDE**	8		II	P5	A12.2.
	UN1737	**BENZYL BROMIDE**	6.1	8	II	P4, A3, A7, N33, N34	A10.4.
	UN1738	**BENZYL CHLORIDE**	6.1	8	II	P4, A3, A7, N33, N42	A10.4.
	UN1738	**BENZYL CHLORIDE,** *unstabilized*	6.1	8	II	P4, A3, A7, N33, N34, N43	A10.4.
		Benzyl chlorocarbonate, see **BENZYL CHLOROFORMATE** (UN1739)					
	UN1739	**BENZYL CHLOROFORMATE**	8		I	P3, N41	A12.2.
		Benzyl cyanide, see **PHENYLACETONITRILE, LIQUID** (UN2470)					
	UN2619	**BENZYLDIMETHYLAMINE**	8	3	II	P5	A12.2.
		4-(benzyl(ethyl)amino)-3-ethoxybenzenediazonium zinc chloride see **SELF-REACTIVE SOLID TYPE D** ★ (UN3226)					
	UN1886	**BENZYLIDENE CHLORIDE**	6.1		II	P5	A10.4.
	UN2653	**BENZYL IODIDE**	6.1		II	P5	A10.4.
		4-(benzyl(methyl)amino)3-ethoxybenzenediazonium zinc chloride see **SELF-REACTIVE SOLID TYPE D, TEMPERATURE CONTROLLED** ★ (UN3236)					
★	UN1566	**BERYLLIUM COMPOUNDS, N.O.S.**	6.1		II III	P5 P5	A10.5. A10.5.
	UN2464	**BERYLLIUM NITRATE**	5.1	6.1	II	P5	A9.6.
	UN1567	**BERYLLIUM, POWDER**	6.1	4.1	II	P5	A10.5.
		Beverage extract (concentrate), see **CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.** ★ (UN3264)					
	UN 1327	**BHUSA**	4.1			See IATA A2, A198	FORBIDDEN
	UN2251	**BICYCLO [2,2,1] HEPTA-2-5-DIENE, STABILIZED** *or* **2,5-NORBORNADIENE, STABILIZED**	3		II	P5, 387	A7.3
		Bifluorides, solid, n.o.s. see **HYDROGENDIFLUORIDES, SOLID, N.O.S.** (UN1740)					
		Bifluorides n.o.s., see **HYDROGENDIFLUORIDES, SOLUTION, N.O.S.** (UN3471)					

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
		Biological products, known or reasonably believed to contain infectious substances and which meet the criteria for inclusion in Category A or Category B and which do not meet the criteria of IATA 3.6.2.3.1(a), see **INFECTIOUS SUBSTANCE, AFFECTING HUMANS ★** (UN2814) *or* **INFECTIOUS SUBSTANCE, AFFECTING ANIMALS ★** (UN2900) *or* **BIOLOGICAL SUBSTANCE, CATEGORY B,** (UN3373)					
		Biological products, manufactured and packaged in accordance with the requirements of national governmental health authorities and transported for the purposes of final packaging or distribution, and use for personal health care by medical professionals or individuals. (NOT REGULATED)					
	UN3373	**BIOLOGICAL SUBSTANCE, CATEGORY B**	6.2			P5, A508	A10.9
	UN3291	**BIOMEDICAL WASTE, N.O.S.**	6.2		II	P5, 337, A13	A10.10.
		Biphenyl triozonide					FORBIDDEN
★	UN2782	**BIPYRIDILIUM PESTICIDES, LIQUID**, **FLAMMABLE, TOXIC,** *flashpoint less than 23 degrees C*	3 6.1	6.1 6.1	I II	P3 P4	A7.2. A7.2.
★	UN3016	**BIPYRIDILIUM PESTICIDES, LIQUID, TOXIC**	6.1		I II III	P3 P4 P5	A10.4. A10.4. A10.4.
★	UN3015	**BIPYRIDILIUM PESTICIDES, LIQUID**, **TOXIC, FLAMMABLE,** *flashpoint not less than 23 degrees C*	6.1	3 3 3	I II III	P3 P4 P5	A10.4. A10.4. A10.4.
		Bis (Aminopropyl) piperazine, see ***CORROSIVE LIQUID N.O.S.*** ★ (UN1760)					
★	UN2781	**BIPYRIDILIUM PESTICIDES, SOLID, TOXIC**	6.1		I II III	P5 P5 P5	A10.5. A10.5. A10.5.
	UN2837	**BISULFATES, AQUEOUS SOLUTION**	8		II III	P5, A7, N34 P5, A7, N34	A12.2. A12.2.
	UN2693	**BISULFITES, AQUEOUS SOLUTIONS, N.O.S.**	8		III	P5	A12.2.
	UN0027	**BLACK POWDER** *or* **GUNPOWDER,** *granular or as a meal*	1.1D			P4	A5.8.
	UN0028	**BLACK, POWDER, COMPRESSED** *or* **GUNPOWDER, COMPRESSED** *or* **BLACK POWDER, IN PELLETS** *or* **GUNPOWDER, IN PELLETS**	1.1D			P4	A5.8.
	NA0027	**BLACK POWDER FOR SMALL ARMS**	4.1		I	70	FORBIDDEN
		Blasting agent, N.O.S., see **EXPLOSIVES, BLASTING** (UN0081, UN0082, UN0331, UN0083, UN0084, UN0241, UN0332)					
		Blasting cap, assemblies; *see* **DETONATOR ASSEMBLIES NON-ELECTRIC,** *for blasting* (UN0360, UN0361, UN0500)					
		Blasting caps, electric, see **DETONATORS, ELECTRIC,** *for blasting* (UN0030, UN0255, UN0456)					
		Blasting caps, nonelectric, see **DETONATORS, NON-ELECTRIC,** *for blasting* (UN0029, UN0267, UN0455)					
		Bleach, bleach liquor or Bleach solutions, see **HYPOCHLORITE SOLUTION** (UN1791)					
		Bleaching powder, see **CALCIUM HYPOCHLORITE MIXTURES**, **DRY** (UN1748, UN2208)					
	UN0033	**BOMBS,** *with bursting charge*	1.1F			P4	A5.12.
	UN0034	**BOMBS,** *with bursting charge*	1.1D			P4	A5.12.
	UN0035	**BOMBS,** *with bursting charge*	1.2D			P4	A5.12.
	UN0291	**BOMBS,** *with bursting charge*	1.2F			P4	A5.12.

Table A4.1		PROPER SHIPPING NAME/ DESCRIPTION	HAZARD CLASS/ DIV	SUBSIDIARY RISK	PG	SPECIAL PROVISION	PACKAGING PARAGRAPH
	UN/ID NUMBER						
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
		Bombs, illuminating or Bombs, target identification, see **AMMUNITION, ILLUMINATING** (UN0171, UN0254, UN0297)					
	UN0038	**BOMBS, PHOTO-FLASH**	1.1D			P4	A5.12.
	UN0037	**BOMBS, PHOTO-FLASH**	1.1F			P4	A5.12.
	UN0039	**BOMBS, PHOTO-FLASH**	1.2G			P4	A5.12.
	UN0299	**BOMBS, PHOTO-FLASH**	1.3G			P4	A5.12.
	UN2028	**BOMBS, SMOKE, NON-EXPLOSIVE**, *with corrosive liquid, without initiating device*	8		II	P4	A12.5.
	UN0399	**BOMBS WITH FLAMMABLE LIQUID**, *with bursting charge*	1.1J			P3	A5.3.
	UN0400	**BOMBS WITH FLAMMABLE LIQUID,** *with bursting charge*	1.2J			P3	A5.3.
	UN0042	**BOOSTERS**, *without detonator*	1.1D			P4, 148	A5.15.
	UN0283	**BOOSTERS**, *without detonator*	1.2D			P4	A5.15.
	UN0225	**BOOSTERS WITH DETONATOR**	1.1B			P4, 115	A5.16.
	UN0268	**BOOSTERS WITH DETONATOR**	1.2B			P4, 115	A5.16.
		Borate and chlorate mixture, see **CHLORATE AND BORATE MIXTURE** (UN1458)					
	UN1312	**BORNEOL**	4.1		III	P5, A1	A8.3.
+	UN2692	**BORON TRIBROMIDE**	8	6.1	I	P2, 2, N34	A12.11.
	UN1741	**BORON TRICHLORIDE**	2.3	8		P2, 3	A6.4.
	UN1008	**BORON TRIFLUORIDE**	2.3	8		P2, 2, 238	A6.5.
	UN1742	**BORON TRIFLUORIDE ACETIC ACID COMPLEX, LIQUID**	8		II	P4	A12.2.
	UN3419	**BORON TRIFLUORIDE ACETIC ACID COMPLEX, SOLID**	8		II	P5	A12.4.
	UN3519	**BORON TRIFLUORIDE, ADSORBED**	2.3	8		P2, 2	A6.5.
	UN2604	**BORON TRIFLUORIDE DIETHYL ETHERATE**	8	3	I	P3, A19	A12.2.
	UN2851	**BORON TRIFLUORIDE DIHYDRATE**	8		II	P5	A12.3.
	UN2965	**BORON TRIFLUORIDE DIMETHYL ETHERATE**	4.3	8, 3	I	P3, A19	A8.2.
	UN1743	**BORON TRIFLUORIDE PROPIONIC ACID COMPLEX, LIQUID**	8		II	P4	A12.2.
	UN3420	**BORON TRIFLUORIDE PROPRIONIC ACID COMPLEX, SOLID**	8		II	P5	A12.4.
		Box toe gum, see **NITROCELLULOSE** (UN0341)					
★	UN1450	**BROMATES, INORGANIC, N.O.S.**	5.1		II	P5, 350	A9.6.
★	UN3213	**BROMATES, INORGANIC, AQUEOUS SOLUTION, N.O.S.**	5.1		II III	P4, 350 P4, 350	A9.5. A9.5.
+	UN1744	**BROMINE** *or* **BROMINE SOLUTIONS**	8	6.1	I	P1, 1, A3, A6, N34, N43	A12.11.
		Bromine azide					FORBIDDEN
	UN2901	**BROMINE CHLORIDE**	2.3	5.1, 8		P2, 2, N86	A6.4.
+	UN1745	**BROMINE PENTAFLUORIDE**	5.1	6.1, 8	I	P1, 1	A9.9.
+	UN1746	**BROMINE TRIFLUORIDE**	5.1	6.1, 8	I	P2, 2	A9.9.
	UN3425	**BROMOACETIC ACID, SOLID**	8		II	P5, A7, N34	A12.3.
	UN1938	**BROMOACETIC ACID**, **SOLUTION**	8		II III	P4, A7 P5	A12.2. A12.2
+	UN1569	**BROMOACETONE**	6.1	3	II	P2, 2	A10.3.
		omega-Bromoacetophenone, see **PHENACYL BROMIDE** (UN2645)					
	UN2513	**BROMOACETYL BROMIDE**	8		II	P5	A12.2.
	UN2514	**BROMOBENZENE**	3		III	P5	A7.2.
		p-Bromobenzyl cyanide (NOT REGULATED)					
	UN1694	**BROMOBENZYL CYANIDES**, **LIQUID**	6.1		I	P3	A10.4.
	UN3449	**BROMOBENZYL CYANIDES, SOLID**	6.1		I	P5	A10.5.
	UN1126	**1-BROMOBUTANE**	3		II	P5	A7.2
	UN2339	**2-BROMOBUTANE**	3		II	P5	A7.2.
	UN1887	**BROMOCHLOROMETHANE**	6.1		III	P5	A10.4.
	UN2688	**1-BROMO-3-CHLOROPROPANE**	6.1		III	P5	A10.4.
		4-Bromo-1, 2-dinitrobenzene					FORBIDDEN

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
		1-Bromo-2,3-epoxypropane, see **EPIBROMOHYDRIN** (UN2558)					
		Bromoethane, see **ETHYL BROMIDE** (UN1891)					
	UN2340	**2-BROMOETHYL ETHYL ETHER**	3		II	P5	A7.2.
	UN2515	**BROMOFORM**	6.1		III	P5	A10.4.
		Bromoethane, see **METHYL BROMIDE** (UN1062)					
	UN2341	**1-BROMO-3-METHYLBUTANE**	3		III	P5	A7.2.
	UN2342	**BROMOMETHYLPROPANES**	3		II	P5	A7.2.
	UN3241	**2-BROMO-2-NITROPROPANE-1,3,-DIOL**	4.1		III	P5, 46	A8.3.
		1Bromo-3-Nitrobenzene (unstable at 56 degrees C)					FORBIDDEN
	UN2343	**2-BROMOPENTANE**	3		II	P5	A7.2.
	UN2344	**BROMOPROPANES**	3		II III	P5 P5	A7.2. A7.2.
	UN2345	**3-BROMOPROPYNE**	3		II	P5	A7.2.
		Bromosilane					FORBIDDEN
		Bromotoluene-alpha; see **BENZYL BROMIDE** (UN1737)					
	UN2419	**BROMOTRIFLUOROETHYLENE**	2.1			P4	A6.4.
	UN1009	**BROMOTRIFLUOROMETHANE** *(R13B1)*	2.2			P5	A6.3., A6.4.
	UN1570	**BRUCINE**	6.1		I	P3	A10.5.
	UN0043	**BURSTERS,** *explosive*	1.1D			P4	A5.16.
	UN1010	**BUTADIENES AND HYDROCARBON MIXTURE, STABILIZED,** ***containing more than 40% butadienes***	2.1			P4	A6.3., A6.4.
	UN1010	**BUTADIENES, STABILIZED**	2.1			P4, 387	A6.3., A6.4.
		Butadienes, unstabilized					FORBIDDEN
	UN1011	**BUTANE,** *see also* **PETROLEUM GASES, LIQUEFIED**	2.1			P4	A6.3., A6.6.
		Butane, butane mixtures and mixtures having similar properties in cartridges each not exceeding 500 grams see **RECEPTACLES, SMALL, CONTAINING GAS,** (UN2037)					
	UN2346	**BUTANEDIONE**	3		II	P5	A7.2.
		Butane-1-thiol, see **BUTYL MERCAPTAN** (UN2347)					
		1,2,4-Butanetriol trinitrate					FORBIDDEN
		1-Butanol, see **BUTANOLS** (UN1120)					
		Butan-2-ol or 1-Butanol, see **BUTANOLS** (UN11020)					
	UN1120	**BUTANOLS**	3		II III	P5 P5	A7.2. A7.2.
		Butanol, secondary or Butanol tertiary, see **BUTANOLS (UN1120)**					
		Butanone, see **ETHYL METHYL KETONE** (UN1193)					
		2-Butenal, see **CROTONALDEHYDE** *or* **CROTONALDEHYDE, STABILIZED** (UN 1143)					
		Butene, see **BUTYLENE (UN1012)**					
		But-1-ene-3-one, see **METHYL VINYL KETONE STABILIZED** (UN1251)					
		1,2-Buteneoxide, see **1,2-BUTYLENE OXIDE, STABILIZED** (UN3022)					
		2-Buten-1-ol, see **METHALLYL ALCOHOL** (UN2614)					
		Tert-Butoxycarbonyl azide					FORBIDDEN
		Butter of antimony, see **ANTIMONY TRICHLORIDE** (UN1733)					
		Butter of arsenic, see **ARSENIC TRICHLORIDE** (UN1560)					
		Butyl acetate, iso, see **BUTYL ACETATES**					
	UN1123	**BUTYL ACETATES**	3		II III	P5 P5	A7.2. A7.2.
		Butyl acetates, secondary, see **BUTYL ACETATES** (UN1123)					

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
	UN1718	**BUTYL ACID PHOSPHATE**	8		III	P5	A12.2.
	UN2348	**BUTYL ACRYLATES, STABILIZED**	3		III	P5, 387	A7.2.
		Butyl alcohols, see **BUTANOLS** (UN1120)					
		Butyl alcohol, secondary, see **BUTANOLS** (UN1120)					
		Butyl alcohol, tertiary, see **BUTANOLS** (UN1120)					
	UN1125	**N-BUTYLAMINE**	3	8	II	P5	A7.2.
	UN2738	**N-BUTYLANILINE**	6.1		II	P5	A10.4.
		sec-Butylbenzene, see **BUTYLBENZENES** (UN2709)					
	UN2709	**BUTYL BENZENES**	3		III	P5	A7.2.
		n-Butyl bromide, see **1-BROMOBUTANE** (UN1126)					
		n-Butyl chloride, see **CHLOROBUTANES** (UN1127)					
	UN2743	**N-BUTYL CHLOROFORMATE**	6.1	8, 3	I	P2, 2	A10.6.
	UN2747	**TERT-BUTYLCYCLOHEXYL-CHLOROFOR MATE**	6.1		III	P5	A10.4.
	UN1012	**BUTYLENE**	2.1			P4,	A6.6.
	UN3022	**1,2-BUTYLENE OXIDE, STABILIZED**	3		II	P5, 387	A7.2.
		Butyl ethers, see **DIBUTYL ETHERS** (UN1149)					
		Butyl ethyl ether, see **ETHYL BUTYL ETHER** (UN1179)					
	UN1128	**N-BUTYL FORMATE**	3		II	P5	A7.2.
		tert-Butyl Hydroperoxide, more than 90% with water					FORBIDDEN
	UN3255	**TERT-BUTYL HYPOCHLORITE**	4.2	8	I	P3	A8.3.
	UN2690	**N-n-BUTYL IMIDAZOLE**	6.1		II	P5	A10.4.
		N-n-Butyl iminazole see **N,n- BUTYLIMIDAZOLE** (UN2690)					
	UN2484	**tert-BUTYL ISOCYANATE**	6.1	3	I	P1, 1	A10.6.
	UN2485	**n-BUTYL ISOCYANATE**	6.1	3	I	P2, 2	A10.6.
	UN2347	**BUTYL MERCAPTAN**	3		II	P5, A3	A7.2.
	UN2227	**n-BUTYL METHACRYLATE, STABILIZED**	3		III	P5, 387	A7.2.
	UN2350	**BUTYL METHYL ETHER**	3		II	P5	A7.2.
		tert-Butyl menoperoxymaleate, more than 52%					FORBIDDEN
		tert-Butyl monoperoxyphthalate					FORBIDDEN
	UN2351	**BUTYL NITRITES**	3		I II III	P3 P5 P5	A7.2. A7.2. A7.2.
		tert-Butyl peroxyacetate, more than 52% and less than 77%, when with more than 23% diluent type B					FORBIDDEN
		tert-Butyl peroxyisobutyrate, more than 52% and less or equal to 77%, when with more than or equal to 23% diluent type B					FORBIDDEN
		tert-Butyl peroxy acetate, with more than 75% in solution					FORBIDDEN
		n-Butyl peroxydicarbonate with more than 52% in solution					FORBIDDEN
		tert- Butyl peroxyisobutyrate with more than 77% in solution¬>52% and ≤ 77%, when with ≥ 23% diluent Type B					FORBIDDEN
		Butylphenols, liquid, see **ALKYLPHENOLS, LIQUID, N.O.S.** (UN3145)					
		Butylphenols, solid, see **ALKYLPHENOLS, SOLID, N.O.S.** (UN2430)					
		Butyl phosphoric acid, see **BUTYL ACID PHOSPHATE** (UN1718)					
	UN1914	**BUTYL PROPIONATES**	3		III	P5	A7.2.
		p-tert-Butyl-toluene, see **BUTYLTOLUENES** (UN2667)					
	UN2667	**BUTYLTOLUENES**	6.1		III	P5	A10.4.
	UN1747	**BUTYLTRICHLOROSILANE**	8	3	II	P4, A7, N34	A12.2.
	UN2956	**5-TERT-BUTYL-2,4,6-TRINITRO-M-XYLENE** *or* **MUSK XYLENE**	4.1		III	P5, 159	A8.4.
	UN2352	**BUTYL VINYL ETHER, STABILIZED**	3		II	P5, 387	A7.2.
		Butyl vinyl ether, unstabilized					FORBIDDEN

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
		But-1-yne, see **ETHYLACETYLENE, STABILIZED** (UN2452)					
		2-Butyne-1,4-diol, see **1,4-BUTYNEDIOL** (UN2716)					
	UN2716	**1,4-BUTYNEDIOL**	6.1		III	P5, A1	A10.5.
	UN1129	**BUTYRALDEHYDE**	3		II	P5	A7.2.
	UN2840	**BUTYRALDOXIME**	3		III	P5	A7.2.
	UN2820	**BUTYRIC ACID**	8		III	P5	A12.2.
	UN2739	**BUTYRIC ANHYDRIDE**	8		III	P5	A12.2.
		Butyrone, see **DIPROPYL KETONE** (UN2710)					
	UN2411	**BUTYRONITRILE**	3	6.1	II	P4	A7.2.
		Butyroyl chloride, see **BUTYRYL CHLORIDE** (UN2353)					
	UN2353	**BUTYRYL CHLORIDE**	3	8	II	P5	A7.2.
		Cable cutters, explosive, see **CUTTERS, CABLE, EXPLOSIVE** (UN0070)					
	UN1572	**CACODYLIC ACID**	6.1		II	P5	A10.5.
★	UN2570	**CADMIUM COMPOUNDS**	6.1		I II III	P5 P5 P5	A10.5. A10.5. A10.5.
	UN1407	**CAESIUM** *or CESIUM*	4.3		I	P3, A19, N34, N40	A8.3.
		Caffeine, see **ALKALOIDS, SOLID, N.O.S.** ★ (UN1544) *or* **ALKALOIDS, LIQUID, N.O.S.** ★ (UN3140)					
		Cajeputene, see **DIPENTENE** (UN2052)					
	UN2682	**CAESIUM HYDROXIDE**	8		II	P5	A12.3.
	UN2681	**CAESIUM HYDROXIDE SOLUTION**	8		II III	P5 P5	A12.2. A12.2.
	UN1451	**CAESIUM NITRATE** *or* **CESIUM NTIRATE**	5.1		III	P5, A1, A29	A9.6.
	UN1401	**CALCIUM**	4.3		II	P5	A8.3.
		Calcium alloys, see **ALKALINE EARTH METAL ALLOY, N.O.S.** (UN1393)					
	UN1855	**CALCIUM ALLOYS, PYROPHORIC**	4.2		I	P3	A8.11.
	UN1573	**CALCIUM ARSENATE**	6.1		II	P5	A10.5.
	UN1574	**CALCIUM ARSENATE AND CALCIUM ARSENITE MIXTURES, SOLID**	6.1		II	P5	A10.5.
		Calcium bisulfite solutions, see **BISULFITES, INORGANIC, AQUEOUS SOLUTIONS, N.O.S.** or **BISULPHITES, AQUEOUS SOLUTION, N.O.S.** ★ (UN2693)					
	UN1402	**CALCIUM CARBIDE**	4.3		I II	P3, A1, A8, N34 P5, A1, A8, N34	A8.3. A8.3.
	UN1452	**CALCIUM CHLORATE**	5.1		II	P5, A9, N34	A9.6.
	UN2429	**CALCIUM CHLORATE, AQUEOUS SOLUTION**	5.1		II III	P5, A2, N41 P5, A2, N41	A9.5. A9.5.
	UN1453	**CALCIUM CHLORITE**	5.1		II	P5, A9, N34	A9.6.
	UN1403	**CALCIUM CYANAMIDE** *with more than 0.1% of calcium carbide*	4.3		III	P5, A1, A19	A8.3.
		Calcium with 0.1% or less calcium carbide (Not Restricted)					
	UN1575	**CALCIUM CYANIDE**	6.1		I	P5, N79	A10.5.
	UN1923	**CALCIUM DITHIONITE** *or* **CALCIUM HYDROSULPHITE**	4.2		II	P5, A19, A20	A8.3.
	UN1404	**CALCIUM HYDRIDE**	4.3		I	P3, A19, N40	A8.3.
		CALCIUM HYDROSULPHITE, *see* **CALCIUM DITHIONITE**					
	UN1748	**CALCIUM HYPOCHLORITE, DRY** *or* **CALCIUM HYPOCHLORITE MIXTURES, DRY** *with more than 39% available chlorine (8.8% available oxygen)*	5.1		II III	P5, 165, 166, A7, A9, N34 P5, 171, A7, A9, N34	A9.6. A9.6.

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
	UN3485	**CALCIUM HYPOCHLORITE, DRY, CORROSIVE** *or* **CALCIUM HYPOCHLORITE MIXTURES, DRY,CORROSIVE** *with more than 39% available chlorine (8.8% available oxygen)*	5.1	8	II	P5, 165, 166, A7, A9, N34	A9.6.
	UN2880	**CALCIUM HYPOCHLORITE**, **HYDRATED** *or* **CALCIUM HYPOCHLORITE, HYDRATED MIXTURES**, *with not less than 5.5% but not more than 16% water*	5.1		II III	P5, 165 P5, 165, 171	A9.6. A9.6.
	UN3487	**CALCIUM HYPOCHLORITE**, **HYDRATED, CORROSIVE** *or* **CALCIUM HYPOCHLORITE, HYDRATED MIXTURES, CORROSIVE** *with not less than 5.5% but not more than 16% water*	5.1	8	II III	P5, 165 P5, 165	A9.6. A9.6.
	UN2208	**CALCIUM HYPOCHLORITE MIXTURES, DRY** *with more than 10%, but not more than 39% available chlorine*	5.1		III	P5, 165, A1, A29, N34	A9.6.
	UN3486	**CALCIUM HYPOCHLORITE MIXTURE, DRY, CORROSIVE** *with > 10% but ≤ 39% available chlorine*	5.1	8	III	P5, 165	A9.6
	UN2844	**CALCIUM MANGANESE SILICON**	4.3		III	P5, A1, A19	A8.3.
	UN1454	**CALCIUM NITRATE**	5.1		III	P5, 34	A9.6.
	UN1910	**CALCIUM OXIDE**	8		III	P5	A12.3.
	UN1455	**CALCIUM PERCHLORATE**	5.1		II	P5	A9.6.
	UN1456	**CALCIUM PERMANGANATE**	5.1		II	P5	A9.6.
	UN1457	**CALCIUM PEROXIDE**	5.1		II	P5	A9.6.
	UN1360	**CALCIUM PHOSPHIDE**	4.3	6.1	I	P3, A8, A19, N40	A8.3.
	UN1855	**CALCIUM, PYROPHORIC** *or* **CALCIUM ALLOYS, PYROPHORIC**	4.2		I	P3	A8.11.
	UN1313	**CALCIUM RESINATE**	4.1		III	P5, A1, A19	A8.3.
	UN1314	**CALCIUM RESINATE, FUSED**	4.1		III	P5, A1, A19	A8.3.
		Calcium selenate or selenite; see **SELENATES** *or* **SELENITES** (UN2630)					
	UN1405	**CALCIUM SILICIDE**	4.3		II III	P5, A19 P5, A1, A19	A8.3. A8.3.
		Calcium silicon, see **CALCIUM SILICIDE** (UN1405)					
		Calcium superoxide, see **CALCIUM PEROXIDE** (UN1457)					
		Calor gas, see **HYDROCARBON GAS MIXTURE, COMPRESSED, N.O.S.** ★ (UN1964) *or* **HYDROCARBON GAS MIXTURE, LIQUEFIED, N.O.S.** ★ (UN1965)					
		Camphanone, see **CAMPHOR** (UN2717)					
	UN2717	**CAMPHOR,** *synthetic*	4.1		III	P5, A1	A8.3.
	UN1130	**CAMPHOR OIL**	3		III	P5	A7.2.
		Camping gas, see **RECEPTACLES, SMALL, CONTAINING GAS** (UN2037)					
		Candles, gas, see **LIGHTERS** (UN1057)					
		Cannon primers, see **PRIMERS, TUBULAR** (UN0319) (UN0320) (UN0376)					
	UN3508	**CAPACITOR**, **ASYMMETRIC** *with an energy storage capacity greater than 0.3 Wh*	9			P5	A13.19.
	UN3499	**CAPACITOR**, **ELECTRIC DOUBLE LAYER** *with an energy storage capacity greater than 0.3 Wh*	9			P5	A13.19.
	UN2829	**CAPROIC ACID**	8		III	P5	A12.2.
		Caps, blasting, see **DETONATORS, ELECTRIC** (UN0030, UN0255, UN0456)					
		Caps, prime, see **PRIMERS, CAP TYPE** (UN0044, UN0377, UN0378)					
		Caps, toy, see **FIREWORKS** (UN0333, UN0336, UN0337)					
★	UN2758	**CARBAMATE PESTICIDES, LIQUID, FLAMMABLE**, **TOXIC**, *flashpoint less than 23 degrees C*	3	6.1 6.1	I II	P3 P4	A7.2. A7.2.

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
★	UN2992	**CARBAMATE PESTICIDES**, **LIQUID, TOXIC**	6.1		I II III	P3 P4 P5	A10.4. A10.4. A10.4.
★	UN2991	**CARBAMATE PESTICIDES, LIQUID, TOXIC, FLAMMABLE,** *flashpoint not less than 23 degrees C*	6.1	3 3 3	I II III	P3 P4 P5	A10.4. A10.4. A10.4.
★	UN2757	**CARBAMATE PESTICIDES, SOLID, TOXIC**	6.1		I II III	P5 P5 P5	A10.5. A10.5. A10.5.
		Carbolic acid, see **PHENOL, SOLID**, (UN1671) *or* **PHENOL, MOLTEN** (UN2312)					
		Carbolic acid solutions, see **PHENOL SOLUTIONS** (UN2821)					
	UN1361	**CARBON**, *animal or vegetable origin*	4.2		II III	P5 P5	A8.3. A8.3.
	UN1362	**CARBON, ACTIVATED**	4.2		III	P5	A8.3.
		Carbon bisulfide, see **CARBON DISULFIDE** (UN1131)					
		Carbon black (animal or vegetable origin);see **CARBON** (UN1361)					
	UN1013	**CARBON DIOXIDE**	2.2			P5	A6.3., A6.4., A6.5.
		Carbon dioxide and ethylene oxide mixture, see **ETHYLENE OXIDE AND CARBON DIOXIDE MIXTURE,** (UN1041, UN1952, UN3300)					
	UN2187	**CARBON DIOXIDE, REFRIGERATED LIQUID** *(cryogenic liquid)*	2.2			P5	A6.3., A6.11.
	UN1845	**CARBON DIOXIDE, SOLID** *or* **DRY ICE**	9			P5	A13.10.
	UN1131	**CARBON DISULFIDE**	3	6.1	I		FORBIDDEN
		Carbonic anhydride, see **CARBON DIOXIDE (UN1013)**					
	UN1016	**CARBON MONOXIDE, COMPRESSED**	2.3	2.1		P2, 4	A6.5.
		Carbon, non-activated, mineral origin (Not Restricted)					
		Carbon oxysulfide, see **CARBONYL SULPHIDE** (UN2204)					
		Carbon paper, see **PAPER, UNSATURATED OIL TREATED** (UN1379)					
D	NA9202	**CARBON MONOXIDE, REFRIGERATED LIQUID** *(cryogenic liquid)*	2.3	2.1		P2, 4	A6.11.
	UN2516	**CARBON TETRABROMIDE**	6.1		III	P5	A10.5.
	UN1846	**CARBON TETRACHLORIDE**	6.1		II	P5, N36	A10.4.
		Carbonyl chloride, see **PHOSGENE** (UN1076)					
	UN2417	**CARBONYL FLUORIDE**	2.3	8		P2, 2	A6.5.
	UN2204	**CARBONYL SULFIDE**	2.3	2.1		P2, 3	A6.4.
		Cartridge cases, empty primed, see **CASES, CARTRIDGE, EMPTY WITH PRIMER** (UN0055, UN0379)					
		Cartridges, actuating for aircraft ejector seat catapult, fire extinguisher, canopy removal or apparatus, see **CARTRIDGES, POWER DEVICE** (UN0275, UN0276, UN0323, UN0381)					
		Cartridges, explosive, see **CHARGES, DEMOLITION** (UN0048)					
	UN0049	**CARTRIDGES, FLASH**	1.1G			P4	A5.18.
	UN0050	**CARTRIDGES, FLASH**	1.3G			P4	A5.18.
	UN0005	**CARTRIDGES FOR WEAPONS**, *with bursting charge*	1.1F			P4	A5.12.
	UN0007	**CARTRIDGES FOR WEAPONS**, *with bursting charge*	1.2F			P4	A5.12.
	UN0348	**CARTRIDGES FOR WEAPONS**, *with bursting charge*	1.4F			P5	A5.12.
	UN0412	**CARTRIDGES FOR WEAPONS**, *with bursting charge*	1.4E			P5	A5.12.

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
	UN0006	**CARTRIDGES FOR WEAPONS,** *with bursting charge*	1.1E			P4	A5.12.
	UN0321	**CARTRIDGES FOR WEAPONS**, *with bursting charge*	1.2E			P4	A5.12.
	UN0326	**CARTRIDGES FOR WEAPONS, BLANK**	1.1C			P4	A5.12.
	UN0413	**CARTRIDGES FOR WEAPONS, BLANK**	1.2C			P4	A5.12.
	UN0327	**CARTRIDGES FOR WEAPONS, BLANK;** *or* **CARTRIDGES, SMALL ARMS, BLANK**	1.3C			P4	A5.12.
	UN0338	**CARTRIDGES FOR WEAPONS, BLANK**; *or* **CARTRIDGES, SMALL ARMS, BLANK**	1.4C			P5	A5.12.
	UN0014	**CARTRIDGES FOR WEAPONS, BLANK***; or* **CARTRIDGES, SMALL ARMS, BLANK;** *or* **CARTRIDGES FOR TOOLS, BLANK**	1.4S			P5	A5.12.
	UN0328	**CARTRIDGES FOR WEAPONS, INERT PROJECTILE**	1.2C			P4	A5.12.
	UN0417	**CARTRIDGES FOR WEAPONS, INERT PROJECTILE** *or* **CARTRIDGES, SMALL ARMS**	1.3C			P4	A5.12.
	UN0339	**CARTRIDGES FOR WEAPONS, INERT PROJECTILE** *or* **CARTRIDGES, SMALL ARMS**	1.4C			P5	A5.12.
	UN0012	**CARTRIDGES FOR WEAPONS, INERT PROJECTILE** *or* **CARTRIDGES, SMALL ARMS**	1.4S			P5	A5.12.
		Cartridges, illuminating, see **AMMUNITION ILLUMINATING**, (UN0171, UN0254, UN0297)					
	UN0277	**CARTRIDGES, OIL WELL**	1.3C			P4	A5.17.
	UN0278	**CARTRIDGES, OIL WELL**	1.4C			P5	A5.17.
	UN0275	**CARTRIDGES, POWER DEVICE**	1.3C			P4	A5.17.
	UN0276	**CARTRIDGES, POWER DEVICE**	1.4C			P5, 110	A5.17.
	UN0381	**CARTRIDGES, POWER DEVICE**	1.2C			P4	A5.17.
	UN0323	**CARTRIDGES, POWER DEVICE**	1.4S			P5, 110, 347	A5.17.
		Cartridges, safety, blank, see **CARTRIDGES FOR WEAPONS, BLANK** (UN0014)					
		Cartridges, safety, see **CARTRIDGES, FOR WEAPONS, INERT PROJECTILES,** (UN0012) *or* **CARTRIDGES, SMALL ARMS,** (UN0012**)** *or* **CARTRIDGES POWER DEVICE,** (UN0323)					
	UN0054	**CARTRIDGES, SIGNAL**	1.3G			P4	A5.18.
	UN0312	**CARTRIDGES, SIGNAL**	1.4G			P5	A5.18.
	UN0405	**CARTRIDGES, SIGNAL**	1.4S			P5	A5.18.
	UN0417	**CARTRIGES, SMALL ARMS**	1.3C				FORBIDDEN
	UN0339	**CARTRIGES, SMALL ARMS**	1.4C			P3	
	UN0012	**CARTRIGES, SMALL ARMS**	1.4S			P5	
	UN0327	**CARTRIGES, SMALL ARMS, BLANK**	1.3C				FORBIDDEN
	UN0338	**CARTRIGES, SMALL ARMS, BLANK**	1.4C			P3	
	UN0014	**CARTRIGES, SMALL ARMS, BLANK**	1.4S			P5	
		Cartridges, sporting, see **CARTRIDGES FOR WEAPONS, INERT PROJECTILE,** (UN0012) *or* **CARTRIDGES, SMALL ARMS** (UN0012)					
		Cartridges, starter, jet engine, see **CARTRIDGES, POWER DEVICE** (UN075, UN0276, UN0323, UN0381)					
		Case oil, see **MOTOR SPIRIT** (UN1203) *or* **PETROLEUM DISTILLATES, N.O.S.** (UN1268)					
	UN0379	**CASES, CARTRIDGE, EMPTY WITH PRIMER**	1.4C			P5	A5.19.
	UN0055	**CASES, CARTRIDGE, EMPTY WITH PRIMER**	1.4S			P5	A5.19.
	UN0447	**CASES, COMBUSTIBLE, EMPTY WITHOUT PRIMER**	1.3C			P4	A5.19.
	UN0446	**CASES, COMBUSTIBLE, EMPTY WITHOUT PRIMER**	1.4C			P5	A5.19.
		Casinghead gasoline, see **MOTOR SPIRITS,** *or* **GASOLINE** *or* **PETROL** (UN1203)					
	UN2969	**CASTOR BEANS** *or* **CASTOR MEAL** *or* **CASTOR POMACE** *or* **CASTOR FLAKE**	9		II	P5	A13.2.
		Catecholborane				A210	FORBIDDEN

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
★	UN1719	**CAUSTIC ALKALI LIQUIDS, N.O.S.**	8		II III	P4 P5	A12.2. A12.2.
		Caustic antimony, see **ANTIMONY TRICHLORIDE SOLID** *or* **ANTIMONY TRICHLORIDE LIQUID (UN1733),**					
		Caustic arsenic chloride, see **ARSENIC TRICHLORIDE** (UN1560)					
		Caustic oil of arsenic, see **ARSENIC TRICHLORIDE** (UN1560)					
		Caustic potash, see **POTASSIUM HYDROXIDE, SOLUTION,** (UN1814)					
		Caustic soda, see **SODIUM HYDROXIDE, SOLID** (UN1823) *or* **SODIUM HYDROXIDE SOLUTION** (UN1824)					
		Caustic soda liquor, see **SODIUM HYDROXIDE SOLUTION** (UN1824)					
		Cellosolve, see **ETHYLENE GLYCOL MONOETHYL ETHER** (UN1171)					
		Cellosolve acetate, see **ETHYLENE GLYCOL MONOETHYL ETHER ACETATE** (UN1172)					
	UN3292	**CELLS, CONTAINING SODIUM**	4.3		II	P4	A8.18.
	UN2000	**CELLULOID,** *in blocks, rods, rolls, sheets, tubes, etc. except scrap*	4.1		III	P5	A8.3.
	UN2002	**CELLULOID, SCRAP**	4.2		III	P5	A8.3.
		Cement flammable, see **ADHESIVES** *containing flammable liquid* (UN1133)					
	UN1333	**CERIUM**, *slabs, ingots, or rods*	4.1		II	P5, N34	A8.3.
	UN3078	**CERIUM**, *turnings or gritty powder*	4.3		II	P5, A1	A8.3.
		Cer mischmetall, see **FERROCERIUM** (UN1323)					
	UN1407	**CESIUM or CAESIUM**	4.3		I	P3, A7, A19, N34, N40	A8.3.
	UN1451	**CESIUM NITRATE** *or* **CAESIUM NITRATE**	5.1		III	P5, A1, A29	A9.6.
		Charcoal activated, see **CARBON ACTIVATED** (UN1362)					
		Charcoal non-activated, see **CARBON** (UN1361)					
		Charcoal screenings, wet					FORBIDDEN
		Charcoal, wet					FORBIDDEN
D	NA1361	**CHARCOAL** *briquettes, shell, screenings, wood, etc.*	4.2		III	P5	A8.3.
		Charcoal, wet					FORBIDDEN
	UN0457	**CHARGES, BURSTING, PLASTICS BONDED**	1.1D			P4	A5.12.
	UN0458	**CHARGES, BURSTING, PLASTICS BONDED**	1.2D			P4	A5.12.
	UN0459	**CHARGES, BURSTING, PLASTICS BONDED**	1.4D			P5	A5.12.
	UN0460	**CHARGES, BURSTING, PLASTICS BONDED**	1.4S			P5, 347	A5.12.
	UN0048	**CHARGES, DEMOLITION**	1.1D			P4	A5.12.
	UN0056	**CHARGES, DEPTH**	1.1D			P4	A5.12.
		Charges, expelling, explosive, for fire extinguishers, see **CARTRIDGES, POWER DEVICE** (UN0275, UN0276, UN0323, UN0381)					
	UN0442	**CHARGES, EXPLOSIVE, COMMERCIAL** *without detonator*	1.1D			P4	A5.20.
	UN0443	**CHARGES, EXPLOSIVE, COMMERCIAL** *without detonator*	1.2D			P4	A5.20.
	UN0444	**CHARGES, EXPLOSIVE, COMMERCIAL** *without detonator*	1.4D			P5	A5.20.
	UN0445	**CHARGES, EXPLOSIVE, COMMERCIAL** *without detonator*	1.4S			P5, 347	A5.20.
	UN0271	**CHARGES, PROPELLING**	1.1C			P4	A5.26.
	UN0415	**CHARGES, PROPELLING**	1.2C			P4	A5.26.
	UN0272	**CHARGES, PROPELLING**	1.3C			P4	A5.26.
	UN0491	**CHARGES, PROPELLING**	1.4C			P5	A5.26.
	UN0279	**CHARGES, PROPELLING, FOR CANNON**	1.1C			P4	A5.12.
	UN0414	**CHARGES, PROPELLING, FOR CANNON**	1.2C			P4	A5.12.
	UN0242	**CHARGES, PROPELLING, FOR CANNON**	1.3C			P4	A5.12.

Table A4.1		PROPER SHIPPING NAME/ DESCRIPTION	HAZARD CLASS/ DIV	SUBSIDIARY RISK	PG	SPECIAL PROVISION	PACKAGING PARAGRAPH
	UN/ID NUMBER						
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
	UN0059	**CHARGES, SHAPED,** *without detonator*	1.1D			P4	A5.20.
	UN0439	**CHARGES, SHAPED,** *without detonator*	1.2D			P4	A5.20.
	UN0440	**CHARGES, SHAPED,** *without detonator*	1.4D			P5	A5.20.
	UN0441	**CHARGES, SHAPED,** *without detonator*	1.4S			P5, 347	A5.20.
	UN0288	**CHARGES, SHAPED, FLEXIBLE, LINEAR**	1.1D			P4	A5.21.
	UN0237	**CHARGES, SHAPED, FLEXIBLE, LINEAR**	1.4D			P5	A5.21.
	UN0060	**CHARGES, SUPPLEMENTARY, EXPLOSIVE**	1.1D			P4	A5.15.
	UN3316	**CHEMICAL KIT**	9			P5, 15	A13.18.
	UN3315	**CHEMICAL SAMPLE, TOXIC**	2.2				FORBIDDEN
★	UN3500	**CHEMICAL UNDER PRESSURE, N.O.S.**	2.2			P5, 362	A6.22.
★	UN3503	**CHEMICAL UNDER PRESSURE, CORROSIVE, N.O.S.**	2.2	8		P4, 362	A6.22.
★	UN3505	**CHEMICAL UNDER PRESSURE, FLAMMABLE, CORROSIVE, N.O.S.**	2.1	8		P4, 362	A6.22.
★	UN3501	**CHEMICAL UNDER PRESSURE, FLAMMABLE, N.O.S.**	2.1			P4, 362	A6.22.
★	UN3504	**CHEMICAL UNDER PRESSURE, FLAMMABLE, TOXIC, N.O.S.**	2.1	6.1		P4, 362	A6.22.
★	UN3502	**CHEMICAL UNDER PRESSURE, TOXIC, N.O.S.**	2.2	6.1		P4, 362	A6.22.
		Chile saltpeter, see **SODIUM NITRATE** (UN1498)					
	UN2075	**CHLORAL, ANHYDROUS, STABILIZED**	6.1		II	P5	A10.5.
		Chloral, anhydrous, unstabilized					FORBIDDEN
	UN1458	**CHLORATE AND BORATE MIXTURES**	5.1		II III	P5, A9, N34 P5, A9, N34	A9.6. A9.6.
	UN1459	**CHLORATE AND MAGNESIUM CHLORIDE MIXTURE, SOLID**	5.1		II III	P5, A9, N34 P5, A9, N34	A9.6. A9.6.
	UN3407	**CHLORATE AND MAGNESIUM CHLORIDE MIXTURE SOLUTION**	5.1		II III	P5, A9, N34 P5, A9, N34	A9.5. A9.5.
		Chlorate of potash, see **POTASSIUM CHLORATE** (UN1485)					
		Chlorate of soda, see **SODIUM CHLORATE** (UN1495)					
	UN1461	**CHLORATES, INORGANIC, N.O.S.**	5.1		II	P5, 351, A9, N34	A9.6.
	UN3210	**CHLORATES, INORGANIC, AQUEOUS SOLUTION, N.O.S.**	5.1		II III	P5, 351 P5, 351	A9.5. A9.5.
	UN2626	**CHLORIC ACID, AQUEOUS SOLUTION,** *with not more than 10% chloric acid*	5.1		II		FORBIDDEN
		Chloric acid, aqueous solution with more than 10% chloric acid					FORBIDDEN
		Chloride of phosphourous, see **PHOSPHORUS TRICHLORIDE** (UN1809)					
		Chloride of sulphur, see **SULPHUR CHLORIDE** (UN1828)					
		Chlorinated lime, see **CALCIUM HYPOCHLORITE MIXTURES** *or* **CALCIUM HYPOCHLORITE, DRY** (UN1748) *or* **CALCIUM HYPOCHLORITE HYDRATED** (UN2880)					
	UN1017	**CHLORINE**	2.3	5.1, 8		P2, 2, N86	A6.4.
	UN3520	**CHLORINE, ADSORBED**	2.3	5.1, 8		P2, 2, N86	A6.4.
		Chlorine azide					FORBIDDEN
		Chlorine dioxide (not hydrate)					FORBIDDEN
D	NA9191	**CHLORINE DIOXIDE HYDRATE, FROZEN**	5.1	6.1			FORBIDDEN
	UN2548	**CHLORINE PENTAFLUORIDE**	2.3	5.1, 8		P1, 1, N86	A6.15.
	UN1749	**CHLORINE TRIFLUORIDE**	2.3	5.1, 8		P2, 2, N86	A6.4.
	UN1908	**CHLORITE SOLUTION**	8		II III	P5, A3, A7, N34 P5, A3, A7, N34	A12.2. A12.2.
		Chloroacetaldehyde, see **2-CHLOROETHANAL** (UN2232)					
	UN1462	**CHLORITES, INORGANIC, N.O.S.**	5.1		II	P5, 352, A7, N34	A9.6.

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
	UN2517	**1-CHLORO-1, 1-DIFLUOROETHANES** *or* **REFRIGERANT GAS R142B**	2.1			P4	A6.3., A6.4.
	UN2236	**3-CHLORO-4-METHYLPHENYL ISOCYANATE**, **LIQUID**	6.1		II	P5	A10.4.
	UN3428	**3-CHLORO-4-METHYLPHENYL ISOCYANATE**, **SOLID**	6.1		II	P5	A10.5
		1-Chloro-2-methylpropane, see **CHLOROBUTANES** (UN1127)					
		2 Chloro-2-methylopropane, see **CHLOROBUTANES** (UN1127)					
		3-Chloro-2-methylprop-1-ene, see **METHYLALLYL CHLORIDE** (UN2554)					
	UN1021	**1-CHLORO-1,2,2,2-TETRAFLUOROETHANE *or* REFRIGERANT GAS R124**	2.2			P5	A6.3., A6.4.
	UN1579	**4-CHLORO-O-TOLUIDINE HYDROCHLORIDE**, **SOLID**	6.1		III	P5	A10.5.
	UN3410	**4-CHLORO-O-TOLUIDINE HYDROCHLORIDE**, **SOLUTION**	6.1		III	P5	A10.4
	UN1983	**1-CHLORO-2,2,2-TRIFLUOROETHANE** *or* **REFRIGERANT GAS R133A**	2.2			P5	A6.3., A6.4.
	UN3250	**CHLOROACETIC ACID, MOLTEN**	6.1	8	II		FORBIDDEN
	UN1751	**CHLOROACETIC ACID, SOLID**	6.1	8	II	P5, A3, A7, N34	A10.5.
	UN1750	**CHLOROACETIC ACID, SOLUTION**	6.1	8	II	P4, A7, N34	A10.4.
	UN1695	**CHLOROACETONE, STABILIZED**	6.1	3, 8	I	P5, 2, N12, N32, N34	A10.6.
		Chloroacetone (unstabilized)					FORBIDDEN
+	UN2668	**CHLOROACETONITRILE**	6.1	3	II	P2, 2	A10.6.
	UN3416	**CHLOROACETOPHENONE, LIQUID** *(CN)*	6.1		II	P5, A3, N12, N32, N33	A10.4.
	UN1697	**CHLOROACETOPHENONE, SOLID** *(CN)*	6.1		II	P5, A3, N12, N32, N33, N34	A10.5.
	UN1752	**CHLOROACETYL CHLORIDE**	6.1	8	I	P2, 2, A7, N34, N43	A12.11.
	UN2019	**CHLOROANILINES, LIQUID**	6.1		II	P5	A10.4.
	UN2018	**CHLOROANILINES, SOLID**	6.1		II	P5	A10.5.
	UN2233	**CHLOROANISIDINES**	6.1		III	P5	A10.5.
	UN1134	**CHLOROBENZENE**	3		III	P5	A7.2.
		Chlorobenzol, see **CHLOROBENZENE** (UN1134)					
	UN2234	**CHLOROBENZOTRIFLUORIDES**	3		III	P5	A7.2.
	UN2235	**CHLOROBENZYL CHLORIDES, LIQUID**	6.1		III	P5	A10.4.
	UN3427	**CHLOROBENZYL CHLORIDES, SOLID**	6.1		III		A10.5
		Chlorobromomethane, see **BROMOCHLOROMETHANE** (UN1887)					
		1-Chloro-3-bromopropane, see **1-BROMO-3-CHLOROPROPANE** (UN2688)					
		1-Chlorobutane or 2-Chlorobutane, see **CHLOROBUTANES** (UN1127)					
	UN2688	**1-CHLORO-3-BROMOPROPANE**	6.1		III	P5	A10.4.
	UN1127	**CHLOROBUTANES**	3		II	P5	A7.2.
	UN3437	**CHLOROCRESOLS,SOLID**	6.1		II	P5	A10.4.
	UN2669	**CHLOROCRESOLS, SOLUTION**	6.1		II III	P5 P5	A10.6. A10.6.
		3-Chloro-4-diethylaminobenzenediazonium zinc chloride,see **SELF-REACTIVE SOLID TYPE D** (UN3226)					
	UN1974	**CHLORODIFLUOROBROMOMETHANE** *or* **REFRIGERANT GAS R12B1**	2.2			P5	A6.3., A6.4.
	UN1018	**CHLORODIFLUOROMETHANE** *or* **REFRIGERANT GAS R22**	2.2			P5	A6.3., A6.4.

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
	UN1973	**CHLORODIFLUOROMETHANE AND CHLOROPENTAFLUOROETHANE MIXTURE** *or* **REFRIGERANT GAS R502** *with fixed boiling point, with approximately 49% chlorodifluoromethane*	2.2			P5	A6.3., A6.4.
		3-Chloro-1,2-dihydroxypropane, see **GLYCEROL ALPHA-MONOCHLOROHYDRIN** (UN2689)					
		Chlorodimethyl, see **METHYL CHLOROMETHYL ETHER** (UN1239)					
+	UN1577	**CHLORODINITROBENZENES, LIQUID**	6.1		II	P5	A10.4.
+	UN3441	**CHLORODINITROBENZENES, SOLID**	6.1		II	P5	A10.5.
		Chlorodinitrobenzol, see **CHLORODINITROBENZENES LIQUID** *or* **SOLID** (UN1577, UN3441)					
	UN2232	**2-CHLOROETHANAL**	6.1		I	P2, 2	A10.6.
		Chloroethane, see **ETHYL CHLORIDE** (UN1037)					
		Chloroethane nitrile, see **CHLOROACETONITRILE** (UN2668)					
		2-Choloroethanol, see **ETHYLENE CHLOROHYDRIN** (UN1135)					
	UN1888	**CHLOROFORM**	6.1		III	P5, N36	A10.4.
★	UN3277	**CHLOROFORMATES, TOXIC, CORROSIVE, N.O.S.**	6.1	8	II	P3	A10.4.
	UN2742	**CHLOROFORMATES**, **TOXIC, CORROSIVE, FLAMMABLE, N.O.S.**	6.1	8, 3	II	P2, 5	A10.4.
		Chloromethane, see **METHYL CHLORIDE** (UN1063)					
		1-Chloro-3-methylbutane, see **AMYL CHLORIDE** (UN1107)					
		2-Chloro-2-methylbutane, see **AMYL CHLORIDE** (UN1107)					
	UN2745	**CHLOROMETHYL CHLOROFORMATE**	6.1	8	II	P4	A10.4.
		Chloromethyl cyanide, see **CHLOROACETONEITRILE** (UN2668)					
	UN2354	**CHLOROMETHYL ETHYL ETHER**	3	6.1	II	P4	A7.2.
		Chloromethyl methyl ether, see **METHYL CHLOROMETHYL ETHER** (UN1239)					
	UN2237	**CHLORONITROANILINES**	6.1		III	P5	A10.5.
+	UN3409	**CHLORONITROBENZENES, LIQUID**	6.1		II	P4	A10.4.
+	UN1578	**CHLORONITROBENZENES, SOLID,** *meta or para,*	6.1		II	P5	A10.5.
	UN2433	**CHLORONITROTOLUENES, LIQUID**	6.1		III	P5	A10.4.
	UN3457	**CHLORONITROTOLUENES, SOLID**	6.1		III	P5	A10.5.
	UN1020	**CHLOROPENTAFLUOROETHANE** *or* **REFRIGERANT GAS R115**	2.2			P5	A6.3., A6.4.
		3-Chloroperoxybenzoic acid,not less than 57% and no more than 86%, when with more or equal to ≥ 14% inert.					FORBIDDEN
	UN2904	**CHLOROPHENOLATES, LIQUID,** *or* **PHENOLATES, LIQUID**	8		III	P5	A12.2.
	UN2905	**CHLOROPHENOLATES, SOLID** *or* **PHENOLATES SOLID**	8		III	P5	A12.3.
	UN2021	**CHLOROPHENOLS, LIQUID**	6.1		III	P5	A10.4.
	UN2020	**CHLOROPHENOLS, SOLID**	6.1		III	P5	A10.5.
	UN1753	**CHLOROPHENYLTRICHLOROSILANE**	8		II	P4, A7, N34	A12.2.
+	UN1580	**CHLOROPICRIN**	6.1		I	P2, 2	A10.6.
	UN1581	**CHLOROPICRIN AND METHYL BROMIDE MIXTURES** *with more than 2% chloropicrin*	2.3			P2, 2, N86	A6.16.
	UN1582	**CHLOROPICRIN AND METHYL CHLORIDE MIXTURES**	2.3			P2, 2, N86	A6.16.
		Chloropicrun mixture, flammable (pressure not exceeding 14.7 psia at 115 degrees F flashpoint below 100 degrees F); see **TOXIC LIQUIDS**, **FLAMMABLE,** *etc* (UN2929)					

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
	UN1583	**CHLOROPICRIN MIXTURES, N.O.S.**	6.1		I II III	P2, 5 P3 P5	A10.4. A10.4. A10.4.
D	NA9263	**CHLOROPIVALOYL CHLORIDE**	6.1	8	I	P2, 2	A10.6.
	UN2507	**CHLOROPLATINIC ACID, SOLID**	8		III	P5	A12.3.
	UN1991	**CHLOROPRENE, STABILIZED**	3	6.1	I	P3, 387	A7.2.
		Chloroprene, unstabilized or uninhibited					FORBIDDEN
	UN1278	**1-CHLOROPROPANE**	3		II	P5, N34	A7.2.
	UN2356	**2-CHLOROPROPANE**	3		I	P3, N36	A7.2.
		3-Chloro-propanediol-1,2, see **GLYCEROL ALPHA-MONOCHLOROHYDRIN** (UN2689)					
	UN2849	**3-CHLOROPROPANOL-1**	6.1		III	P5	A10.4.
		3-Choloropropene or 3-Chloroprop-1-ene , see **ALLYL CHLORIDE** (UN1100)					
	UN2456	**2-CHLOROPROPENE**	3		I	P3, N36	A7.2.
	UN2511	**2-CHLOROPROPIONIC ACID**	8		III	P5	A12.2 A12.3
	UN2822	**2-CHLOROPYRIDINE**	6.1		II	P5	A10.4.
	UN2987	**CHLOROSILANES, CORROSIVE N.O.S**.	8		II	P4	A12.15.
	UN2986	**CHLOROSILANES, CORROSIVE, FLAMMABLE, N.O.S**	8	3	II	P4	A12.15.
	UN2985	**CHLOROSILANES, FLAMMABLE, CORROSIVE, N.O.S.**	3	8	II	P4	A7.10.
	UN3361	**CHLOROSILANES, TOXIC, CORROSIVE, N.O.S.**	6.1	8	II	P5	A10.11.
	UN3362	**CHLOROSILANES, TOXIC, CORROSIVE, FLAMMABLE N.O.S.**	6.1	3, 8	II	P5	A10.11.
	UN2988	**CHLOROSILANES, WATER REACTIVE, CORROSIVE, FLAMMABLE N.O.S.**	4.3	3, 8	I	P3, A2	A8.2.
+	UN1754	**CHLOROSULPHONIC ACID** *(with or without sulphur trioxide)*	8	6.1	I	P2, 2	A12.11.
	UN1021	**1-CHLORO-1,2,2,2-TETRAFLUOROETHANE** *or* **REFRIGERANT GAS R124**	2.2			P5	A6.3., A6.4.
	UN2238	**CHLOROTOLUENES**	3		III	P5	A7.2.
	UN3429	**CHLOROTOLUIDINES, LIQUID**	6.1		III	P5	A10.4
	UN2239	**CHLOROTOLUIDINES**, **SOLID**	6.1		III	P5	A10.4., A10.5.
		Chlorotrifluoroethylene, see **TRIFLUOROCHLOROETHYLENE, STABILIZED** (UN1082)					
	UN1022	**CHLOROTRIFLUOROMETHANE** *or* **REFRIGERANT GAS R13**	2.2			P5	A6.3., A6.4.
	UN2599	**CHLOROTRIFLUOROMETHANE AND TRIFLUOROMETHANE AZEOTROPIC MIXTURE** *or* **REFRIGERANT GAS R503** *with approximately 60% Chlorotrifluoromethane*	2.2			P5	A6.3., A6.4.
		Chromic acid, solid, see **CHROMIUM TRIOXIDE, ANHYDROUS** (UN1463)					
	UN1755	**CHROMIC ACID, SOLUTION**	8		II III	P5 P5	A12.2. A12.2.
		Chromic anhydride, see **CHROMIUM TRIOXIDE, ANHYDROUS** (UN1463)					
	UN1756	**CHROMIC FLUORIDE, SOLID**	8		II	P5	A12.3.
	UN1757	**CHROMIC FLUORIDE, SOLUTION**	8		II III	P5 P5	A12.2. A12.2.
		Chromic nitrate, see **CHROMIUM NITRATE** (UN2720)					
		Chromic trioxide, see **CHROMIUM TRIOXIDE ANHYDROUS** (UN1463)					
		Chromium (III) fluoride, solid, see **CHROMIC FLUORIDE, SOLID** (UN1756)					
		Chromium (III) nitrate, see **CHROMIUM NITRATE (UN2720)**					
	UN2720	**CHROMIUM NITRATE**	5.1		III	P5, A1, A29	A9.6.
	UN1758	**CHROMIUM OXYCHLORIDE**	8		I	P3, A7, N34	A12.2.

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
	UN1463	**CHROMIUM TRIOXIDE, ANHYDROUS**	5.1	6.1, 8	II	P5	A9.6.
		Chromiun (VI) dichloride dioxide, see **CHROMIUM OXYCHLORIDE** (UN1758)					
	UN2240	**CHROMOSULFURIC ACID**	8		I	P3, A7, N34	A12.2.
		Chromyl chloride, see **CHROMIUM OXYCHLORIDE** (UN1758)					
		Chrysotile, see **ASBESTOS, CHRYSOTILE** (UN2590)					
		Cigar and cigarette lighter fluid, see **FLAMMABLE LIQUID, N.O.S.** (UN1993)					
		Cigar and cigarette lighters, charged with fuel, see **LIGHTERS,** *or* **LIGHTER REFILLS** *containing flammable gas.* (UN1057)					
		Cinene, see **DIPENTENE** (UN2052)					
		Cinnabar (not restricted)					
		Cinnamene or Cinnamol, see **STYRENE MONOMER, STABILIZED** (UN2055)					
		Cleaning fluid or liquid, see **FLAMMABLE LIQUID, TOXIC, N.O.S.** (UN1992) *or* **FLAMMABLE LIQUID, N.O.S.** (UN1993) *or* **FLAMMABLE LIQUID, CORROSIVE, N.O.S.** (UN2924)					
	UN3291	**CLINICAL WASTE, UNSPECIFIED, N.O.S.**	6.2		II	P5	A10.10.
		Coal briquettes, hot					FORBIDDEN
	UN1023	**COAL GAS, COMPRESSED**	2.3	2.1		P2, 3	A6.5.
		Coal tar, crude and solvent, see **PETROLEUM, PRODUCTS, NO.S.** (UN1268)					
	UN1136	**COAL TAR DISTILLATES, FLAMMABLE**	3		II III	P5 P5	A7.2. A7.2.
		Coal tar dye, corrosive, liquid N.O.S., see **DYE, LIQUID, CORROSIVE, N.O.S.** (UN2801) **SOLID N.O.S.** *(UNor* **DYE INTERMEDIATE, LIQUID,** *or* **SOLID, CORROSIVE N.O.S.** (UN2801)					
		Coal tar naphtha, see **PETROLEUM DISTILLATES, N.O.S.** *(UN1268)or* **PETROLEUM PRODUCTS, N.O.S.** (UN1268)					
		Coal tar oil, see **COAL TAR DISTILLATES, FLAMMABLE** (UN1136)					
	UN1139	**COATING SOLUTION** *(includes surface treatments or coatings used for industrial or other purposes such as vehicle undercoating, drum or barrel lining)*	3		I II III	P3 P5, 149, 383 P5	A7.2. A7.2. A7.2.
		Cobalt catalyst, see **METAL CATALYST, WETTED (UN1378)** *or* **METAL CATALYST, DRY** (UN2881)					
	UN3550	**COBALT DIHYDROXIDROXIDE POWDER,** *containing not less than 10% respirable particles*	6.1		I	P4, 1, 13, A5	A10.1.
	UN2001	**COBALT NAPHTHENATES, POWDER**	4.1		III	P5, A19	A8.3.
	UN1318	**COBALT RESINATE, PRECIPITATED**	4.1		III	P5, A1, A19	A8.3.
		Cocculus, see **TOXINS, EXTRACTED FROM LIVING SOURCES, LIQUID★** (UN3172) *or* **TOXINS, EXTRACTED FROM LIVING SOURCES, LIQUID SOLID, N.O.S. ★** (UN3462)					
		Coir, see **FABRICS, VEGETABLE, N.O.S.** (UN1373) *or* **FIBERS FIBRES, VEGETABLE, N.O.S. (UN1373)**					
		Coke, hot					FORBIDDEN
		Collodion cottons, see **NITROCELLULOSE**, *.(*UN0340) *or* **NITROCELLULOSE MIXTURE WITH PLASTICIZER, WITHOUT PIGMENT** (UN2557) or **NITROCELLULOSE MIXTURE WITH PLASTICIZER, WITH PIGMENT** (UN2557)					

Table A4.1		PROPER SHIPPING NAME/ DESCRIPTION	HAZARD CLASS/ DIV	SUBSIDIARY RISK	PG	SPECIAL PROVISION	PACKAGING PARAGRAPH
	UN/ID NUMBER						
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
		Cologne spirits, see **PERFUMERY PRODUCTS** (UN1266)					
D	NA1993	**COMBUSTIBLE LIQUID N.O.S.**	COMBUSTIBLE LIQUID		III	P5, 148	A7.2.
★	UN0461	**COMPONENTS, EXPLOSIVE TRAIN, N.O.S.**	1.1B			P4, 101	A5.3.
★	UN0382	**COMPONENTS, EXPLOSIVE TRAIN, N.O.S**.	1.2B			P4, 101	A5.3.
★	UN0383	**COMPONENTS, EXPLOSIVE TRAIN, N.O.S.**	1.4B			P5, 101	A5.3.
★	UN0384	**COMPONENTS, EXPLOSIVE TRAIN, N.O.S.**	1.4S			P5, 101, 347	A5.3.
		Composition B, see **HEXOLITE** *or* **HEXOTOL** (UN0118)					
		Compound, anti-freeze, see **FLAMMABLE LIQUID, N.O.S.** ★ (UN1993)					
★	NA1760	**COMPOUNDS, CLEANING LIQUID**	8		I II III	P3, A7 P5, N37 P5, N37	A12.2. A12.2. A12.2.
	NA1993	**COMPOUNDS, CLEANING LIQUID**	3		I II III	P3 P5 P5	A12.2 A12.2 A12.2
		Compound, cleaning liquid, see **CORROSIVE LIQUID, N.O.S.** ★ (UN1760)					
		Compound, cleaning liquid, flammable, see **FLAMMABLE LIQUID, N.O.S.** ★ (UN1993)					
		Compounds, enamel, see **PAINT**, (UN1263)					
★	NA1760	**COMPOUNDS, TREE KILLING, LIQUID** *or* **COMPOUNDS WEED KILLING, LIQUID**	8		I II III	P3, A7 P5, N37 P5, N37	A12.2. A12.2. A12.2.
★	NA1993	**COMPOUNDS, TREE KILLING LIQUID** *or* **COMPOUNDS, WEED KILLING, LIQUID**	3		I II III	P3 P5 P5	A7.2. A7.2. A7.2.
★	NA2810	**COMPOUNDS, TREE KILLING LIQUID** *or* **COMPOUNDS, WEED KILLING, LIQUID**	6.1		I II III	P3 P5 P5	A10.4. A10.4. A10.4.
★	UN1956	**COMPRESSED GAS, N.O.S.**	2.2			P5	A6.3., A6.5.
		Compressed gas and hexaethyl tetraphosphate mixture, see **HEXAETHYL TETRAPHOSPHATE AND COMPRESSED GAS MIXTURE** (UN1612)					
★	UN1954	**COMPRESSED GAS, FLAMMABLE, N.O.S.**	2.1			P4	A6.3., A6.5.
★	UN3156	**COMPRESSED GAS, OXIDIZING, N.O.S.**	2.2	5.1		P5, A14	A6.3., A6.5.
★	UN1955	**COMPRESSED GAS, TOXIC, N.O.S.,** *Inhalation Hazard Zone A*	2.3			P1, 1	A6.15.
★	UN1955	**COMPRESSED GAS, TOXIC, N.O.S**., *Inhalation Hazard Zone B*	2.3			P2, 2	A6.5.
★	UN1955	**COMPRESSED GAS, TOXIC, N.O.S.,** *Inhalation Hazard Zone C*	2.3			P2, 3	A6.5.
★	UN1955	**COMPRESSED, GAS, TOXIC, N.O.S.,** *Inhalation Hazard Zone D*	2.3			P2, 4	A6.5.
★	UN3304	**COMPRESSED GAS, TOXIC, CORROSIVE, N.O.S.** *Inhalation Hazard Zone A*	2.3	8		P1, 1	A6.15.
★	UN3304	**COMPRESSED GAS, TOXIC, CORROSIVE, N.O.S.** *Inhalation Hazard Zone B*	2.3	8		P2, 2	A6.5.
★	UN3304	**COMPRESSED GAS, TOXIC, CORROSIVE, N.O.S.** *Inhalation Hazard Zone C*	2.3	8		P2, 3	A6.5.
★	UN3304	**COMPRESSED GAS, TOXIC, CORROSIVE, N.O.S.** *Inhalation Hazard Zone D*	2.3	8		P2, 4	A6.5.
★	UN3305	**COMPRESSED GAS, TOXIC, FLAMMABLE, CORROSIVE, N.O.S.** *Inhalation Hazard Zone A*	2.3	2.1, 8		P1, 1	A6.15.
★	UN3305	**COMPRESSED GAS, TOXIC, FLAMMABLE, CORROSIVE, N.O.S.** *Inhalation Hazard Zone B*	2.3	2.1, 8		P2, 2	A6.5.
★	UN3305	**COMPRESSED GAS, TOXIC, FLAMMABLE, CORROSIVE, N.O.S.** *Inhalation Hazard Zone C*	2.3	2.1, 8		P2, 3	A6.5.
★	UN3305	**COMPRESSED GAS, TOXIC, FLAMMABLE, CORROSIVE, N.O.S.** *Inhalation Hazard Zone D*	2.3	2.1, 8		P2, 4	A6.5.

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
★	UN1953	**COMPRESSED GAS, TOXIC, FLAMMABLE, N.O.S.,** *Inhalation Hazard Zone A*	2.3	2.1		P1, 1	A6.15.
★	UN1953	**COMPRESSED GAS, TOXIC, FLAMMABLE**, **N.O.S**., *Inhalation Hazard Zone B*	2.3	2.1		P2, 2	A6.5.
★	UN1953	**COMPRESSED GAS, TOXIC, FLAMMABLE**, **N.O.S.**, *Inhalation Hazard Zone C*	2.3	2.1		P2, 3	A6.5.
★	UN1953	**COMPRESSED GAS, TOXIC, FLAMMABLE, N.O.S.,** *Inhalation Hazard Zone D*	2.3	2.1		P2, 4	A6.5.
★	UN3306	**COMPRESSED, GAS, TOXIC, OXIDING, CORROSIVE, N.O.S.** *Inhalation Hazard Zone A*	2.3	5.1, 8		P1, 1	A6.15.
★	UN3306	**COMPRESSED, GAS, TOXIC, OXIDING, CORROSIVE, N.O.S.** *Inhalation Hazard Zone B*	2.3	5.1, 8		P2, 2	A6.5.
★	UN3306	**COMPRESSED, GAS, TOXIC, OXIDING, CORROSIVE, N.O.S.** *Inhalation Hazard Zone C*	2.3	5.1, 8		P2, 3	A6.5.
★	UN3306	**COMPRESSED, GAS, TOXIC, OXIDING, CORROSIVE, N.O.S.** *Inhalation Hazard Zone D*	2.3	5.1, 8		P2, 4	A6.5.
★	UN3303	**COMPRESSED, GAS, TOXIC, OXIDING, N.O.S.** *Inhalation Hazard Zone A*	2.3	5.1		P1, 1	A6.15.
★	UN3303	**COMPRESSED, GAS, TOXIC, OXIDING, N.O.S.** *Inhalation Hazard Zone B*	2.3	5.1		P2, 2	A6.5.
★	UN3303	**COMPRESSED, GAS, TOXIC, OXIDING, N.O.S.** *Inhalation Hazard Zone C*	2.3	5.1		P2, 3	A6.5.
★	UN3303	**COMPRESSED, GAS, TOXIC, OXIDING, N.O.S.** *Inhalation Hazard Zone D*	2.3	5.1		P2, 4	A6.5.
	ID8000	**CONSUMER COMMODITY**	9			P5, A503	A13.3.
★	UN0248	**CONTRIVANCES, WATER-ACTIVATED**, *with burster, expelling charge or propelling charge*	1.2L			P3	A5.27.
★	UN0249	**CONTRIVANCES, WATER-ACTIVATED**, *with burster, expelling charge or propelling charge*	1.3L			P3	A5.27.
	UN1585	**COPPER ACETOARSENITE**	6.1		II	P5	A10.5.
		Copper acetylide					FORBIDDEN
		Copper amine azide					FORBIDDEN
	UN1586	**COPPER ARSENITE**	6.1		II	P5	A10.5.
★	UN2776	**COPPER BASED PESTICIDES, LIQUID**, **FLAMMABLE, TOXIC,** *flashpoint less than 23 degrees C*	3	6.1 6.1	I II	P3 P4	A7.2. A7.2.
★	UN3009	**COPPER BASED PESTICIDES, LIQUID, TOXIC, FLAMMABLE,** *flashpoint not less than 23 degrees C*	6.1	3 3 3	I II III	P3 P4 P5	A10.4. A10.4. A10.4.
★	UN3010	**COPPER BASED PESTICIDES, LIQUID**, **TOXIC**	6.1		I II III	P3 P5 P5	A10.4. A10.4. A10.4.
★	UN2775	**COPPER BASED PESTICIDES, SOLID**, **TOXIC**	6.1		I II III	P5 P5 P5	A10.5. A10.5. A10.5.
	UN2721	**COPPER CHLORATE**	5.1		II	P5, A1	A9.6.
	UN2802	**COPPER CHLORIDE**	8		III	P5	A12.3.
	UN1587	**COPPER CYANIDE**	6.1		II	P5	A10.5.
		Copper (II) arsenite, see **COPPER ARSENITE** (UN1586)					
		Copper (II) chlorate, see **COPPER CHLORATE** (UN2721)					
		Copper orthoarsenite, see **COPPER ARSENITE** (UN1586)					
		Copper selenate, see **SELENATES** *or* **SELENITES** (UN2630)					
		Copper selenites, see **SELENATES** *or* **SELENITES** (UN2630)					
		Copper tetramine nitrate					FORBIDDEN
	UN1363	**COPRA**	4.2		III		FORBIDDEN
	UN0065	**CORD, DETONATING**, *flexible*	1.1D			P4, 102, 148	A5.22.
	UN0289	**CORD, DETONATING**, *flexible*	1.4D			P5, 148	A5.22.

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
	UN0102	**CORD**, **DETONATING** *or* **FUSE, DETONATING**, *metal clad*	1.2D			P4	A5.22.
	UN0290	**CORD, DETONATING** *or* **FUSE, DETONATING,** *metal clad*	1.1D			P4	A5.22.
	UN0104	**CORD**, **DETONATING, MILD EFFECT** *or* **FUSE, DETONATING, MILD EFFECT**, *metal clad*	1.4D			P5	A5.22.
	UN0066	**CORD, IGNITER**	1.4G			P5	A5.23.
		Cordeau detonant fuse, see **CORD, DETONATING, or FUSE DETONATING METAL CLAD,** (UN0102, UN0290) *or* **CORD, DETONATING,** *flexible* (UN0065, UN0289)					
		Cordite, see **POWDER, SMOKELESS, (UN0160, UN0161)**					
		Corrosive battery fluid, see **BATTERY FLUID**, **ACID** (UN2796) *or* **BATTERY FLUID, ALKALI** (UN2797)					
★	UN1760	**CORROSIVE LIQUID, N.O.S.**	8		I II III	P3, A7 P4 P5	A12.2. A12.2. A12.2.
★	UN3264	**CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.**	8		I II III	P3 P4 P5	A12.2. A12.2. A12.2.
★	UN3265	**CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.**	8		I II III	P3 P4, 148 P5, 386	A12.2. A12.2. A12.2.
★	UN3266	**CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.**	8		I II III	P3 P4 P5	A12.2. A12.2. A12.2.
★	UN3267	**CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.**	8		I II III	P3 P4 P5	A12.2. A12.2. A12.2.
★	UN3301	**CORROSIVE LIQUID, SELF-HEATING, N.O.S.**	8	4.2 4.2	I II	P3 P4	A12.2. A12.2.
★	UN2920	**CORROSIVE LIQUIDS, FLAMMABLE, N.O.S.**	8	3 3	I II	P3 P4	A12.2. A12.2.
★	UN3093	**CORROSIVE LIQUIDS, OXIDIZING, N.O.S.**	8	5.1 5.1	I II	P3, A7 P4, A6, A7	A12.2. A12.2.
★	UN2922	**CORROSIVE LIQUIDS, TOXIC N.O.S.**	8	6.1 6.1 6.1	I II III	P3, A7 P4 P5	A12.2. A12.2. A12.2.
★	UN3094	**CORROSIVE LIQUIDS, WATER-REACTIVE**, **N.O.S.**	8	4.3 4.3	I II	P3, A7 P4, A6, A7	A12.2. A12.2.
★	UN3260	**CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.**	8		I II III	P5 P5 P5	A12.3. A12.3. A12.3.
★	UN3261	**CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.**	8		I II III	P5 P5 P5	A12.3. A12.3. A12.3.
★	UN3262	**CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.**	8		I II III	P5 P5 P5	A12.3. A12.3. A12.3.
★	UN3263	**CORROSIVE SOLID, BASIC, ORGANIC, N.O.S.**	8		I II III	P5 P5 P5	A12.3. A12.3. A12.3.
★	UN2921	**CORROSIVE SOLIDS, FLAMMABLE, N.O.S.**	8	4.1 4.1	I II	P3 P4	A12.3. A12.3.
★	UN1759	**CORROSIVE SOLIDS, N.O.S.**	8		I II III	P5 P5 P5	A12.3. A12.3. A12.3.
★	UN3084	**CORROSIVE SOLIDS, OXIDIZING, N.O.S.**	8	5.1 5.1	I II	P5 P5	A12.3. A12.3.
★	UN3095	**CORROSIVE SOLIDS, SELF-HEATING, N.O.S.**	8	4.2 4.2	I II	P5 P5	A12.3. A12.3.

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
★	UN2923	**CORROSIVE SOLIDS, TOXIC N.O.S.**	8	6.1 6.1 6.1	I II III	P5 P5 P5	A12.3. A12.3. A12.3.
★	UN3096	**CORROSIVE SOLIDS, WATER-REACTIVE, N.O.S.**	8	4.3 4.3	I II	P3 P4	A12.3. A12.3.
		Cosmetics, corrosive, liquid, N.O.S., see **CORROSIVE LIQUID, N.O.S**. (UN1760)					
		Cosmetics, corrosive solid, N.O.S., see **CORROSIVE SOLID, N.O.S.** (UN1759)					
		Cosmetics, flammable, liquid, N.O.S., see **PERFUMERY PRODUCTS** (UN1266) *or* **FLAMMABLE LIQUID, N.O.S.** (UN1993)					
		Cosmetics, flammable, solid, N.O.S., see **FLAMMABLE SOLID, ORGANIC, N.O.S.** (UN1325) *or* **FLAMMABLE SOLID, INORGANIC, N.O.S.** (UN3178)					
		Cosmetics, N.O.S., in small inner packagings containing flammable aerosol and/or non-flammable aerosol and/or flammable liquid, N.O.S., see **CONSUMER COMMODITY** (ID8000)					
		Cosmetics, oxidizing material, liquid, N.O.S., see **OXIDIZING LIQUID, N.O.S.** (UN3139)					
		Cosmetics, oxidizing material, solid, N.O.S., see **OXIDIZING SOLID, N.O.S.** (UN1479)					
		Cotton seed, cut linters, hull fibers, pulp, waste and shavings, with animal or vegetable oil, see **FABRICS VEGETABLE, N.O.S.** (UN1373) *or* **FIBERS, VEGETABLE, N.O.S.** (UN1373)					
	NA1365	**COTTON**	9			P5, 137	A27.
	UN1364	**COTTON WASTE, OILY**	4.2		III	P5	A8.3.
	UN1365	**COTTON, WET**			III		FORBIDDEN
★	UN3024	**COUMARIN DERIVATIVE PESTICIDES, LIQUID**, **FLAMMABLE, TOXIC,** *flashpoint not less than 23 degrees C*	3	6.1 6.1	I II	P3 P4	A7.2. A7.2.
★	UN3026	**COUMARIN DERIVATIVE PESTICIDES, LIQUID**, **TOXIC**	6.1		I II III	P3 P5 P5	A10.4. A10.4. A10.4.
★	UN3025	**COUMARIN DERIVATIVE PESTICIDES, LIQUID, TOXIC, FLAMMABLE,** *flashpoint less than 23 degrees C*	6.1	3 3 3	I II III	P3 P5 P5	A10.4. A10.4. A10.4.
★	UN3027	**COUMARIN DERIVATIVE PESTICIDES, SOLID, TOXIC**	6.1		I II III	P5 P5 P5	A10.5. A10.5. A10.5.
		Creosote, see **TOXIC, LIQUID, ORGANIC, N.O.S.** (UN2810)					
		Creosote salts, see **NAPHTHALENE, CRUDE** (UN1334) *or* **REFINED** (UN1334)					
	UN2076	**CRESOLS, LIQUID**	6.1	8	II	P5	A10.4.
	UN3455	**CRESOLS, SOLID**	6.1	8	II	P5	A10.**5**.
	UN2022	**CRESYLIC ACID**	6.1	8	II	P5	A10.4.
		Crocidolite, see **ASBESTOS AMPHIBOLE** (UN2212)					
	UN1143	**CROTONALDEHYDE** *or* **CROTONALDEHYDE STABILIZED**	6.1	3	I	P2, 2, 175, 387	A10.6.
		Crotonnaldehyde, unstabilized					FORBIDDEN
	UN3472	**CROTONIC ACID, LIQUID**	8		III	P5	A12.2
	UN2823	**CROTONIC ACID, SOLID**	8		III	P5	A12.3.
		Crotonic aldehyde, stabilized, see **CROTONALDEHYDE (UN1143) or CROTONALDEHYDE, STABILIZED (UN1143)**					
	UN1144	**CROTONYLENE**	3		I	P3	A7.2.
		Crude napththa, see **PETROLEUM DISTILLATES, N.O.S.** (UN1268)					
		Cryogenic liquid, see entry for specific gas					

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
		Cumeme, see **ISOPROPYLBENZENE** (UN1918)					
		Cupric chlorate, see **COPPER CHLORATE** (UN2721)					
		Cupric cyanide, see **COPPER CYANIDE** (UN1587)					
	UN1761	**CUPRIETHYLENEDIAMINE SOLUTION**	8	6.1 6.1	II III	P4 P5	A12.2. A12.2.
	UN0070	**CUTTERS, CABLE, EXPLOSIVE**	1.4S			P5	A5.17.
		Cyanide of calcium, see **CALCIUM CYANIDE** (UN1575)					
		Cyanide of potassium, see **POTASSIUM CYANIDE SOLID** (UN1680) *or* **POTASSIUM CYANIDE SOLUTION** (UN3413)					
		Cyanide of sodium, see **SODIUM CYANIDE, SOLID** (UN1689) **OR SODIUM CYANIDE SOLUTION** (UN3414) **CYANIDES, INORGANIC, SOLID, N.O.S.** (UN1588)					
		Cyanide or cyanide mixtures, dry, see **CYANIDES, INORGANIC, SOLID N.O.S.** (UN1588)					
★	UN1588	**CYANIDES, INORGANIC, SOLID N.O.S.**	6.1		I II III	P5, N74, N75 P5, N74, N75 P5, N74, N75	A10.5. A10.5. A10.5.
	UN1935	**CYANIDE SOLUTIONS, N.O.S.**	6.1		I II III	P3 P4 P5	A10.4. A10.4. A10.4.
		Cyanides, organic, flammable , toxic, N.O.S., see **NITRILES, FLAMMABLE, N.O.S.** (UN3273)					
		Cyanides, organic, toxic, N.O.S., see **NITRILES, LIQUID, TOXIC** (UN3276) *or* **NITRILES, SOLID, TOXIC N.O.S.** (UN3439)					
		Cyanides, organic, toxic, flammable, N.O.S., see **NITRILES, TOXIC, FLAMMABLE, N.O.S.** (UN3275)					
		Cyanoacetonitrile, see **MALONONITRILE** (UN2647)					
	UN1026	**CYANOGEN**	2.3	2.1		P2, 2	A6.15.
	UN1889	**CYANOGEN BROMIDE**	6.1	8	I	P3, A6, A8	A10.5.
	UN1589	**CYANOGEN CHLORIDE, STABILIZED**	2.3	8		P1, 1, 387	A6.15.
		Cyanogen Chloride, unstabilized					FORBIDDEN
	UN2670	**CYANURIC CHLORIDE**	8		II	P5	A12.3.
		Cyanuric triazide					FORBIDDEN
	UN2601	**CYCLOBUTANE**	2.1			P4	A6.3., A6.4.
	UN2744	**CYCLOBUTYL CHLOROFORMATE**	6.1	3, 8	II	P4	A10.4.
	UN2518	**1,5,9-CYCLODODECATRIENE**	6.1		III	P5	A10.4.
	UN2241	**CYCLOHEPTANE**	3		II	P5	A7.2.
		1,3,5-Cycloheptatriene, see **CYCLOHEPTATRIENE**(UN2603)					
	UN2603	**CYCLOHEPTATRIENE**	3	6.1	II	P5	A7.2.
	UN2242	**CYCLOHEPTENE**	3		II	P5	A7.2.
		1,4-Cyclohexadienedione, see **BENZOQUINONE** (UN2587)					
	UN1145	**CYCLOHEXANE**	3		II	P5	A7.2.
		Cyclohexanethiol, see **CYCLOHEXYL MERCAPTAN** (UN3054)					
	UN1915	**CYCLOHEXANONE**	3		III	P5	A7.2.
	UN2256	**CYCLOHEXENE**	3		II	P5	A7.2.
	UN1762	**CYCLOHEXENYLTRICHLOROSILANE**	8		II	P4, A7, N34	A12.2.
	UN2243	**CYCLOHEXYL ACETATE**	3		III	P5	A7.2.
	UN2488	**CYCLOHEXYL ISOCYANATE**	6.1	3	I	P2, 2	A10.6.
	UN3054	**CYCLOHEXYL MERCAPTAN**	3		III	P5	A7.2.
	UN2357	**CYCLOHEXYLAMINE**	8	3	II	P5	A12.2.
	UN1763	**CYCLOHEXYLTRICHLOROSILANE**	8		II	P4, A7, N34	A12.2.

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
		CYCLONITE AND CYCLOTETRAMETHYLENETETRANITRAMINE MIXTURES, WETTED *or* **DESENSITIZED** *see* **RDX** (UN0391) **AND HMX MIXTURES, WETTED** (UN0226) *or* **DESENSITIZED** (UN0484) *etc.*	1.1D				FORBIDDEN
		CYCLONITE AND HMX MIXTURES, WETTED *or* **DESENSITIZED** *see* **RDX** (UN0391) **AND HMX MIXTURES, WETTED** (UN0226) *or* **DESENSITIZED** (UN0484) *etc.*	1.1D				FORBIDDEN
		CYCLONITE ***and*** **OCTOGEN MIXTURES, WETTED** *or* **DESENSITIZED** *see* **RDX** (UN0391) **AND HMX MIXTURES, WETTED** (UN0226) *or* **DESENSITIZED** (UN0484) *etc.*	1.1D				FORBIDDEN
		CYCLONITE, *see* **CYCLOTRIMETHYLENETRINITRAMINE,** (UN0391) *etc.*	1.1D				FORBIDDEN
		CYCLOOCTADIENE PHOSPHINES, *see* **9-PHOSPHABICYCLONONANES**					
	UN2520	**CYCLOOCTADIENES**	3		III	P5	A7.2.
	UN2358	**CYCLOOCTATETRAENE**	3		II	P5	A7.2.
	UN1146	**CYCLOPENTANE**	3		II	P5	A7.2.
		Cyclopentane, methyl, see **METHYLCYCLOPENTANE** (UN2298)					
	UN2244	**CYCLOPENTANOL**	3		III	P5	A7.2.
	UN2245	**CYCLOPENTANONE**	3		III	P5	A7.2.
	UN2246	**CYCLOPENTENE**	3		II	P5	A7.2.
	UN1027	**CYCLOPROPANE**	2.1			P4	A6.3., A6.4.
		Cyclotetramrtylene tetranitramine (dry or unphlegmatized) (HMX)					FORBIDDEN
	UN0484	**CYCLOTETRAMETHYLENETETRANITRAMINE, DESENSITIZED,** *or* **OCTOGEN, DESENSITIZED,** *or* **HMX, DESENSITIZED**	1.1D			P4	A5.6.
	UN0226	**CYCLOTETRAMETHYLENETETRANITRAMINE, WETTED,** *or* **HMX, WETTED** *or* **OCTOGEN, WETTED** *with not less than 15% water, by mass*	1.1D			P4	A5.6.
		CYCLOTRIMETHYLENETRINITRAMINE AND CYCLOTETRAMETHYLENETETRANITRA-MINE MIXTURES, WETTED *or* **DESENSITIZED** *see* **RDX AND HMX MIXTURES, WETTED** *or* **DESENSITIZED** *etc*					
		CYCLOTRIMETHYLENETRINITRAMINE AND HMX MIXTURES, WETTED *or* **DESENSITIZED** *see* **RDX AND HMX MIXTURES, WETTED** *or* **DESENSITIZED** *etc*					
		CYCLOTRIMETHYLENENITRAMINE AND OCTOGEN, MIXTURES, WETTED *or* **DESENSITIZED** *see* **RDX AND HMX MIXTURES, WETTED** *or* **DESENSITIZED** *etc*					
	UN0483	**CYCLOTRIMETHYLENETRINITRAMINE, DESENSITIZED,** *or* **CYCLONITE, DESENSITIZED,** *or* **HEXOGEN, DESENSITIZED,** *or* **RDX, DESENSITIZED**	1.1D			P4	A5.6
	UN0072	**CYCLOTRIMETHYLENETRINITRAMINE, WETTED,** *or* **CYCLONITE, WETTED,** *or* **HEXOGEN, WETTED,** *or* **RDX, WETTED,** *with not less than 15 percent water by mass*	1.1D			P4	A5.6.
	UN2940	**CYCLOOCTADIENE PHOSPHINES**	4.2		II	P5, A19	A8.3.
		Cyclotetramethylenetetranitramine (dry)					FORBIDDEN

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
	UN0391	**CYCLOTRIMETHYLENETRINITRAMINE AND CYCLOTETRAMETHYLENE-TETRANITRAMINE MIXTURE, DESENSITIZED** *with not less than 10% phlegmatizer by mass*	1.1D			P4	A5.6.
	UN0391	**CYCLOTRIMETHYLENETRINITRAMINE AND CYCLOTETRAMETHYLENE-TETRANITRAMINE MIXTURE, WETTED** *with not less than 15% water by mass*	1.1D			P4	A5.6.
	UN2046	**CYMENES**	3		III	P5	A7.2.
		Cymol, see **CYMEMES** (UN2046)					
	UN3363	**DANGEROUS GOODS IN APPARATUS** *or* **DANGEROUS GOODS IN MACHINERY** *or* **DANGEROUS GOODS IN ARTICLES,** Dangerous goods in excepted quantities, see Attachment A19	9			P5, 136, A105	A13.13., A19
		Dead oil, see **TARS, LIQUID** (UN1999)					
		Deanol, see **2-DIMETHYLAMINOETHANOL** (UN2051)					
	UN1868	**DECABORANE**	4.1	6.1	II	P5, A19, A20	A8.3.
	UN1147	**DECAHYDRONAPHTHALENE**	3		III	P5	A7.2.
		Decalin, see **DECAHYDRONAPHTHALENE** (UN1147)					
	UN2247	**n-DECANE**	3		III	P5	A7.2.
	UN0132	**DEFLAGRATING METAL SALTS OF AROMATIC NITRODERIVATIVES, N.O.S.**	1.3C			P4	A5.9.
		De-icing fluid, see **FLAMMABLE LIQUID, N.O.S.** (UN1993)					
		Delay electric igniter, see **IGNITERS** (UN0121, UN0314, UN0315, UN0325, UN0454)					
D	NA1987	**DENATURED ALCOHOL**	3		II III	P4, 172 P5, 172	A7.2. A7.2.
		Depth Charges, see **CHARGES DEPTH** (UN0056)					
	UN3379	**DESENSITIZED EXPLOSIVE, LIQUID, N.O.S.**	3		I	164	FORBIDDEN
	UN3380	**DESENSITIZED EXPLOSIVE, SOLID, N.O.S.**	4.1		I	164, 197	FORBIDDEN
		Detonating relays, see **DETONATORS NON-ELECTRIC** (UN0029, UN0267, UN0455) *or* **DETONATORS ASSEMBLIES NON-ELECTRIC** (UN0360, UN0361, UN0500)					
	UN0360	**DETONATOR ASSEMBLIES, NON-ELECTRIC** *for blasting*	1.1B			P4	A5.14.
	UN0361	**DETONATOR ASSEMBLIES, NON-ELECTRIC** *for blasting*	1.4B			P5, 148	A5.14.
	UN0500	**DETONATOR ASSEMBLIES, NON-ELECTRIC** *for blasting*	1.4S			P5, 148, 347	A5.14.
	UN0030	**DETONATORS, ELECTRIC**, *for blasting*	1.1B			P4, 148	A5.13.
	UN0255	**DETONATORS, ELECTRIC**, *for blasting*	1.4B			P5, 148	A5.13.
	UN0456	**DETONATORS, ELECTRIC**, *for blasting*	1.4S			P5, 148, 347	A5.13.
	UN0511	**DETONATORS, ELECTRIC** *programmable for blasting*	1.1B			P4, 148	A5.13
	UN0512	**DETONATORS, ELECTRIC** *programmable for blasting*	1.4B			P5	A5.13
	UN0513	**DETONATORS, ELECTRIC** *programmable for blasting*	1.4S			P5, 148, 347	A5.13
	UN0073	**DETONATORS FOR AMMUNITION**	1.1B			P4	A5.16.
	UN0364	**DETONATORS FOR AMMUNTION**	1.2B			P4	A5.16.
	UN0365	**DETONATORS FOR AMMUNITION**	1.4B			P5	A5.16.
	UN0366	**DETONATORS FOR AMMUNITION**	1.4S			P5, 347	A5.16.
	UN0029	**DETONATORS, NON-ELECTRIC**, *for blasting*	1.1B			P4	A5.14.
	UN0267	**DETONATORS, NON-ELECTRIC**, *for blasting*	1.4B			P5	A5.14.
	UN0455	**DETONATORS, NON-ELECTRIC**, *for blasting*	1.4S			P5, 347	A5.14.
	UN1957	**DEUTERIUM, COMPRESSED**	2.1			P4, N89	A6.3., A6.5.

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
	UN3150	**DEVICES, SMALL, HYDROCARBON GAS POWERED** *or* **HYDROCARBON GAS REFILLS FOR SMALL DEVICES** *with release device*	2.1			P5	A6.3., A6.4.
	UN2841	**DI-N-AMYLAMINE**	3	6.1	III	P5	A7.2.
		p-Diazidobenzene					FORBIDDEN
		1,2-Diazidoethane					FORBIDDEN
		Diazoaminotetrazole (dry)					FORBIDDEN
		Diazodinitrophenol (dry)					FORBIDDEN
		1,1'-Diazoaminonaphthalene					FORBIDDEN
		Di-2,4-Dichlorobenzoyl peroxide, with more than 75% with water					FORBIDDEN
	UN2372	**1,2-DI-(DIMETHYLAMINO) ETHANE**	3		II	P5	A7.2.
		Di-2-ethylhexyl phosphoric acid, see **DIISOOCTYL ACID PHOSPHATE** (UN1902)					
		Di-(naphthoyl) peroxide					FORBIDDEN
		a,a-Di-(nitroxy) methyether					FORBIDDEN
		Di-(beta-nitroxyethyl) ammonium nitrate					FORBIDDEN
	UN1148	**DIACETONE ALCOHOL**	3		II III	P5 P5	A7.2. A7.2.
		Diacetone alcohol peroxides, with more than 57 percent in solution with more than 9 percent hydrogen peroxide, less than 26 percent diacetone alcohol and less than 9 percent water; total active oxygen content more than 9 percent by mass					FORBIDDEN
		Diacetyl, see **BUTANEDIONE** (UN2346)					
		Diacetyl peroxide, solid, or with more than 25 percent in solution					FORBIDDEN
		Diagnostic specimens, see **BIOLOGICAL SUBSTANCES, CATEGORY B** (UN3373)					
	UN2359	**DIALLYLAMINE**	3	6.1, 8	II	P4	A7.2.
	UN2360	**DIALLYL ETHER**	3	6.1	II	P4, N12	A7.2.
		m-Diaminobenzene, see **PHENYLENEDIAMINES** (UN1673, UN1604)					
	UN2651	**4,4'-DIAMINODIPHENYL METHANE**	6.1		III	P5	A10.5.
		1,2-Diaminoethane, see **PHENYLENEDIAMINES** (UN1673) **or ETHYLENEDIAMINE** (UN1604)					
		Diaminopropylamine, see **3,3'-IMINODIPROPYLAMINE (**UN2269)					
		Di-(aminopropyl)-piperazine, see **AMINES, LIQUID, CORROSIVE, N.O.S.** (UN2735)					
	UN0074	**DIAZODINITROPHENOL, WETTED** *with not less than 40% water, or mixture of alcohol and water, by mass*	1.1A			P4, 111, 117	A5.4.
		Diazodiphenylmethane					FORBIDDEN
		2-Diazo-1-naphthal sulphonic acid ester mixture type d, see **SELF-REACTIVE SOLID TYPE D** (UN3226)					
		2-Diazo-1-naphthol-5-sulphonyl chloride					FORBIDDEN
		2-Diazo-1-naphthol-4-sulphonyl chloride					FORBIDDEN
		Diazonium nitrates (dry)					FORBIDDEN
		Diazonium perchlorates (dry)					FORBIDDEN
		1,3-Diazopropane					FORBIDDEN
		Dibenzopyridine, see **ACRIDINE** (UN2713)					
		Dibenzoyl peroxide, with more than 51% when with less than or equal 48% inert solid					FORBIDDEN
		Dibenzoyl peroxide, with more than 77% and with less than 94% when with more or equal 6% water					FORBIDDEN
	UN2434	**DIBENZYLDICHLOROSILANE**	8		II	P5	A12.2.
		Dibenzyl peroxydicarbonate, with more than 87 percent with water					FORBIDDEN
		Dibenzyl perxoxydicarbonate, not more than 87% when with 13% or more water					FORBIDDEN
	UN1911	**DIBORANE**	2.3	2.1		P1, 1, N89	A6.15.

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
D	NA1911	**DIBORANE MIXTURES**	2.1				FORBIDDEN
		Dibromoacetylene					FORBIDDEN
	UN2648	**1,2-DIBROMOBUTAN-3-ONE**	6.1		II	P5	A10.4.
		1,2-Dibromo-3-chloropane, see **DIBROMOCHLOROPROPANES** (UN2872)					
	UN2872	**DIBROMOCHLOROPROPANES**	6.1		II III	P5 P5	A10.4. A10.4.
	UN1941	**DIBROMODIFLUOROMETHANE, R12B2**	9		III	P5	A13.2.
		1,2-Dibromoethane, see **ETHYLENE DIBROMIDE**(UN1065)					
	UN2664	**DIBROMOMETHANE**	6.1		III	P5	A10.4.
		Dibromotetrafluoroethane (Not Restricted)					
		2,5-Dibutoxy-4 (4-morpholinyl)-benzenediazonium, tetrachlorozincote (2:1), see **SELF-REACTIVE SOLID TYPE E ★** (UN3228)					
	UN2248	**DI-N-BUTYLAMINE**	8	3	II	P5	
		2-Dibutylaminoethanol, see **DIBUTYLAMINOETHANOL** (UN2873)					
		N,N-Di-n-butylaminoethanol, see **DIBUTYLAMINOETHANOL** (UN2873)					
	UN2873	**DIBUTYLAMINOETHANOL**	6.1		III	P5	A10.4.
	UN1149	**DIBUTYL ETHERS**	3		III	P5	A7.2.
		2,2-Di-(tert-butylperoxy) butane, more than 55% in solution					FORBIDDEN
		Di-(tert-butylperoxy) phthalate, more than 55% in solution					FORBIDDEN
		2,2-Di-(4,4-tert-butylperoxycyclohexyl) propane, with more than 42 percent with inert solid					FORBIDDEN
		1,1-Di-(tert-butylperoxy) cyclohexane, more than 80%					FORBIDDEN
		Di-n-butyl peroxydicarbonate, more than 52% in solution					FORBIDDEN
		1,1-Di-(tert-butylperoxy)-3,3,5-trimethylcyclo hexane, more than 90%					FORBIDDEN
		N,N'-Dichlorazodicarbonamidine (salts of) (dry)					FORBIDDEN
D	NA9264	**3,5 DICHLORO-2,4,6 TRIFLUOROPYRIDINE**	6.1		I	P2, 2	A10.6.
	UN1764	**DICHLOROACETIC ACID**	8		II	P5, A3, A7, N34	A12.2.
	UN2649	**1,3-DICHLOROACETONE**	6.1		II	P5	A10.5.
	UN1765	**DICHLOROACETYL CHLORIDE**	8		II	P5, A3, A7, N34	A12.2.
		Dichloroacetylene					FORBIDDEN
+	UN1590	**DICHLOROANILINES, LIQUID**	6.1		II	P5	A10.4.
	UN3442	**DICHLOROANILINES, SOLID**	6.1		II	P5	A10.5.
+	UN1591	**o-DICHLOROBENZENE**	6.1		III	P5	A10.4.
		Di-4-chlorobenzoyl peroxide, less than or equal to 77%, when with greater or equal to 23% water					FORBIDDEN
	UN1916	**2,2'-DICHLORODIETHYL ETHER**	6.1	3	II	P5, N33, N34	A10.4.
	UN1028	**DICHLORODIFLUOROMETHANE** *or* **REFRIGERANT GAS R12**	2.2			P5	A6.3., A6.4.
	UN2602	**DICHLORODIFLUOROMETHANE AND DIFLUOROETHANE AZEOTROPIC MIXTURE** *or* **REFRIGERANT GAS R500** *with approximately 74% dichlorodifluoromethane*	2.2			P5	A6.3., A6.4.
		Dichlorodifluoromethane and ethylene oxide mixtures, see **ETHYLENE OXIDE AND DICHLORODIFLUOROMETHANE MIXTURE** (UN3070)					
	UN2249	**DICHLORODIMETHYL ETHER, SYMMETRICAL**	6.1	3	I	P3	A10.4.
	UN2362	**1,1-DICHLOROETHANE**	3		II	P5	A7.2.
		1,2-Dichloroethane, see **ETHYLENE DICHLORIDE** (UN1184)					

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
	UN1150	**1,2-DICHLOROETHYLENE**	3		II	P5	A7.2.
		Di(2-chlorethyl) ether, see **2-2'-DICHLORODIETHYL ETHER** (UN1916)					
		Dichloroethyl sulphide					FORBIDDEN
		1,1-Dichloro- 1-fluoroethane (R141b) (Not Restricted)					
	UN1029	**DICHLOROFLUOROMETHANE** *or* **REFRIGERANT GAS R21**	2.2			P5	A6.3., A6.4.
		Alpha-Dichlorohydrin, see **1,3-DICHLOROPROPANOL-2** (UN2750)					
		Dichloroisocyanuric acid, as dehydrated sodium salt (Not Restricted)					
	UN2465	**DICHLOROISOCYANURIC ACID, DRY** *or* **DICHLOROISOCYANURIC ACID SALTS**	5.1		II	P5, 28	A9.6.
	UN2490	**DICHLOROISOPROPYL ETHER**	6.1		II	P5	A10.4.
	UN1593	**DICHLOROMETHANE**	6.1		III	P5, N36	A10.4.
	UN2650	**1,1-DICHLORO-1-NITROETHANE**	6.1		II	P5	A10.4.
	UN1152	**DICHLOROPENTANES**	3		III	P5	A7.2.
		Dichlorophenols, see **CHLOROPHENOLS, SOLID** (UN2020) *or* **CHLOROPHENOLS, LIQUID** (UN2021)					
	UN2250	**DICHLOROPHENYL ISOCYANATES**	6.1		II	P5	A10.5.
	UN1766	**DICHLOROPHENYLTRICHLOROSILANE**	8		II	P4, A7, N34	A12.2.
	UN1279	**1,2-DICHLOROPROPANE**	3		II	P5, N36	A12.2.
	UN2750	**1,3-DICHLOROPROPANOL-2**	6.1		II	P5	A10.4.
		1,3-Dichloro-2-propanone, see, **1,3-DICHLOROACETONE** (UN2649)					
		Dichloropropene and propylene dichloride mixture, see **1,2-DICHLOROPROPANE** (UN1279)					
	UN2047	**DICHLOROPROPENES**	3		II III	P5 P5	A7.2. A7.2.
	UN2189	**DICHLOROSILANE**	2.3	2.1, 8		P2, 2	A6.4.
		Dichloro-s-triazine-2,4,6,-trione, see **DICHLOROISOCYANURIC ACID SALTS or ACID DRY,** (UN2465)					
	UN1958	**1,2-DICHLORO-1,1,2,2-TETRAFLUOROETHANE** *or* **REFRIGERANT GAS R114**	2.2			P5	A6.3., A6.4.
		Dichlorovinylchloroarsine					FORBIDDEN
		Dicycloheptadiene, see **BICYCLO[2,2,1] HEPTA-2,5-DIENE,STABILIZED** (UN2251)					
		1,4-Dicyanobutane, see **ADIPONITRILE** (UN2205)					
		dicycloheptadiene, see **2,5-NORBORNADIENE STABILIZED** (UN2251) *or* **BICYCLO [2,2,1] HEPTA-2-5-DIENE, STABILIZED** (UN2251)					
	UN2565	**DICYCLOHEXYLAMINE**	8		III	P5	A12.2.
		Dicyclohexylaminenitrite, see **DICYCLOHEXYLAMMONIUM NITRITE** (UN2687)					
	UN2687	**DICYCLOHEXYLAMMONIUM NITRITE**	4.1		III	P5	A8.3.
		Dicyclohexyl perxoxydicarbonate more than 91%					FORBIDDEN
	UN2048	**DICYCLOPENTADIENE**	3		III	P5	A7.2.
		2,2-Di-(4,4-di-tert-butylperoxycyclohexyl) propane, more than 42% with inert solid					FORBIDDEN
		Di-2,4-dichlorobenzoyl peroxide, less than 77%, when with 23% or more water					FORBIDDEN
	UN2372	**1,2-DI-(DIMETHYLAMINO) ETHANE**	3		II	P5	A7.2.
	UN1465	**DIDYMIUM NITRATE**	5.1		III	P5, A1	A9.6.
D	NA1993	**DIESEL FUEL**	3		III	P5, 144	A7.2.
	UN1202	**DIESEL FUEL**	3		III	P5, 144	A7.2.
		Diethanol nitrosamine dinitrate (dry)					FORBIDDEN
		1,1-Diethoxyethane, see **ACETAL** (UN1088)					
		1,2-Diethoxyethane, see **ETHYLENE GLYCOL DIETHYL ETHER** (UN1153)					

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
	UN2373	**DIETHOXYMETHANE**	3		II	P5	A7.2.
		2,5-Diethoxy-4-morpholinobenzenediazonium zinc chloride, see **SELF-REACTIVE SOLID TYPE D, TEMPERATURE CONTROLLED** (UN3236)					
		2,5-Diethoxy-4-(4-morpholinyl)-benzenediazonium sulfate, see **SELF-REACTIVE SOLID TYPE D** (UN3226)					
	UN2374	**3,3-DIETHOXYPROPENE**	3		II	P5	A7.2.
		Diethyl acetal, see **ACETAL** (UN1088)					
	UN2366	**DIETHYL CARBONATE**	3		III	P5	A7.2.
		Diethyl cellosolve, see **ETHYLENE GLYCOL DIETHYL ETHER** (UN1153)					
	UN1155	**DIETHYL ETHER** *or* **ETHYL ETHER**	3		I	P3	A7.2.
	UN1156	**DIETHYL KETONE**	3		II	P5	A7.2.
		Diethyl peroxydicarbonate, more than 27% in solution					FORBIDDEN
	UN1594	**DIETHYL SULPHATE**	6.1		II	P5	A10.4.
	UN2375	**DIETHYL SULFIDE**	3		II	P5	A7.2.
	UN1154	**DIETHYLAMINE**	3	8	II	P4, A3, N34	A7.2.
		Diethylaminoethanol, see **2-DIETHYLAMINOETHANOL** (UN2686)					
	UN2686	**2-DIETHYLAMINOETHANOL**	8	3	II	P5	A12.2.
	UN2684	**3-DIETHYLAMINOPROPYLAMINE**	3	8	III	P5	A7.2.
+	UN2432	**N,N-DIETHYLANILINE**	6.1		III	P5	A10.4.
	UN2049	**DIETHYLBENZENE**	3		III	P5	A7.2.
		Diethylcarbinol, see PENTANOLS (UN1105)					
	UN1767	**DIETHYLDICHLOROSILANE**	8	3	II	P4, A7, N34	A12.2.
		Diethyldimethyl lead mixture, see **MOTOR FUEL ANTI-KNOCK MIXTURE** (UN1649)					
		Diethylenediamine, see **PIPERAZINE** (UN2579)					
	UN0075	**DIETHYLENEGLYCOL DINITRATE, DESENSITIZED** *with not less than 25% non-volatile water-insoluble phlegmatizer, by mass*	1.1D				FORBIDDEN
		Diethylene dinitrate, desensitized, with less than 25% phlegmatizer					FORBIDDEN
		Diethyleneglycol dinitrate (dry)					FORBIDDEN
		Diethylene oxide, see **DIOXANE** (UN1165)					
	UN2079	**DIETHYLENETRIAMINE**	8		II	P5	A12.2.
		N,N-Diethylethanolamine, see **2-DIETHYLAMINOETHANOL** (UN2686)					
	UN2685	**N,N-DIETHYLETHYLENEDIAMINE**	8	3	II	P5	A12.2.
		Diethylgold bromide					FORBIDDEN
		Di-(2-ethylhexyl) phosphoric acid, see **DIISOOCTYL ACID PHOSPHATE** (UN1902)					
	UN2751	**DIETHYLTHIOPHOSPHORYL CHLORIDE**	8		II	P5	A12.3.
		2,4-Difluorochloroethane, see **1-CHLORO-1,1-DIFLUOROETHANE** (UN2517)					
		-Difluorochloroethane, 2,4-Difluoroaniline, see **FLUOROANILINES** (UN2941)					
		Diethylzinc,see **ORANOMETALLIC SUBSTANCE, LIQUID, PYROPHORIC, WATER-REACTIVE ★** (UN3394)					
		Difluorochloroethanes, see **1-CHLORO-1,1-DIFLUOROETHANES** (UN2517)					
	UN1030	**1,1- DIFLUOROETHANE** *or* **REFRIGERANT GAS R152A**	2.1			P4	A6.3., A6.4.
	UN1959	**1,1-DIFLUOROETHYLENE** *or* **REFRIGERANT GAS R1132A**	2.1			P4	A6.3., A6.4.
	UN3252	**DIFLUOROMETHANE** *or* **REFRIGERANT GAS R32**	2.1			P4	A6.3., A6.4.
		Difluoromethane, pentafluoromethane and 1,1,1,2 tetrafluoroethane azeotropic mixture with approximately 10% difluoromethane and 70% pentafluoroethane, see **REFRIGERANT GAS R 407B** (UN3339)					

Table A4.1		PROPER SHIPPING NAME/ DESCRIPTION	HAZARD CLASS/ DIV	SUBSIDIARY RISK	PG	SPECIAL PROVISION	PACKAGING PARAGRAPH
	UN/ID NUMBER						
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
		Difluoromethane, pentafluoromethane and 1,1,1,2 tetrafluoroethane azeotropic mixture with approximately 20% difluoromethane and 40% pentafluoroethane, see **REFRIGERANT GAS R 407A** (UN3338)					
		Difluoromethane, pentafluoromethane and 1,1,1,2 tetrafluoroethane azeotropic mixture with approximately 23% difluoromethane and 25% pentafluoroethane, see **REFRIGERANT GAS R 407C** (UN3340)					
	UN1768	**DIFLUOROPHOSPHORIC ACID, ANHYDROUS**	8		II	P5, A7, N5, N34	A12.2.
		2,2-Dihydroperoxypropane, not more than 27% when with 73% or more inert solid					FORBIDDEN
	UN2376	**2,3-DIHYDROPYRAN**	3		II	P5	A7.2.
		1,8-Dihydroxy-2,4,5,7-tetranitroanthraquinone (chrysamminic acid)					FORBIDDEN
		Di-(1-hydroxytetrazole) (dry)					FORBIDDEN
		Diiodoacetyline					FORBIDDEN
	UN1157	**DIISOBUTYL KETONE**	3		III	P5	A7.2.
		Diisobutyryl peroxide, more than 32% and less than 52%, when with 48% or more diluent type A or B					FORBIDDEN
	UN2361	**DIISOBUTYLAMINE**	3	8	III	P5	A7.2.
		Alpha-Diisobutylene or beta-Diisobutylene, see **DIISOBUTYLENE, ISOMERIC COMPOUNDS** (UN2050)					
	UN2050	**DIISOBUTYLENE, ISOMERIC COMPOUNDS**	3		II	P5	A7.2.
	UN1902	**DIISOOCTYL ACID PHOSPHATE**	8		III	P5	A12.2.
	UN1159	**DIISOPROPYL ETHER**	3		II	P5	A7.2.
		Diisopropyl oxide, see **DIISOPROPYL ETHER** (UN1159)					
		Diisopropyl peroxydicarbonate, more than 52%					FORBIDDEN
	UN1158	**DIISOPROPYLAMINE**	3	8	II	P4	A7.2.
		Diispopropylbenzene hydroperoxide, with more than 72 percent solution					FORBIDDEN
	UN2521	**DIKETENE, STABILIZED**	6.1	3	I	P2, 2, 387	A10.6.
		Diketene, Unstabilized					FORBIDDEN
	UN2377	**1,1-DIMETHOXYETHANE**	3		II	P3	A7.2.
	UN2252	**1,2-DIMETHOXYETHANE**	3		II	P3	A7.2.
		Dimethoxymethane, see **METHYLAL** (UN1234)					
		Dimethosystrychnine, see **BRUCINE** (UN1570)					
	UN1161	**DIMETHYL CARBONATE**	3		II	P5	A7.2.
		Dimethyl chlorothiophosphate, see **DIMETHYL THIOPHOSPHORYL CHLORIDE**					
	UN2381	**DIMETHYL DISULFIDE**	3		II	P5	A7.2.
		Dimethylethanolamine, see **2-DIMETHYLAMINOETHANOL** (UN2051)					
	UN1033	**DIMETHYL ETHER**	2.1			P4	A6.3., A6.4.
	UN2266	**DIMETHYL-N-PROPYLAMINE**	3	8	II	P5	A7.2.
	UN1595	**DIMETHYL SULPHATE**	6.1	8	I	P2, 2	A10.6.
	UN1164	**DIMETHYL SULPHIDE**	3		II	P5	A7.2.
	UN2267	**DIMETHYL THIOPHOSPHORYL CHLORIDE**	6.1	8	II	P5	A10.4.
		Dimethylzinc, see **ORGANOMETALLIC,SUBSTANCE, LIQUID,PYROPHORIC, WATER-REACTIVE ★** (UN3394)					
		Di-(1-naphthoy) peroxide					FORBIDDEN
	UN1032	**DIMETHYLAMINE, ANHYDROUS**	2.1			P4, N87	A6.4.
	UN1160	**DIMETHYLAMINE SOLUTION**	3	8	II	P4	A7.2.
	UN2378	**2-DIMETHYLAMINOACETONITRILE**	3	6.1	II	P4	A7.2.
		4-(Dimethylamino)-benzenediazonium trichlozincate (-1), see **SELF-REACTIVE SOLID TYPE E,** (UN3228)					

Table A4.1		PROPER SHIPPING NAME/ DESCRIPTION	HAZARD CLASS/ DIV	SUBSIDIARY RISK	PG	SPECIAL PROVISION	PACKAGING PARAGRAPH
	UN/ID NUMBER						
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
		4-dimethylamino-6-(2-dimethylaminoethoxy) toluene-2-diazonium zinc chloride; see **SELF-RELATIVE SOLID TYPE D, TEMPERATURE CONTROLLED** (UN3236)					
	UN2051	**2-DIMETHYLAMINOETHANOL**	8	3	II	P5	A12.2.
	UN3302	**2-DIMETHYLAMINOETHYL ACRYLATE, STABILIZED**	6.1		II	P5, 387	A10.4.
	UN2522	**2-DIMETHYLAMINOETHYL METHACRYLATE**	6.1		II	P5	A10.4.
	UN2253	**N,N-DIMETHYLANILINE**	6.1		II	P5	A10.4.
		Dimethylarsenic acid, see **CACODYLIC ACID** (UN1572)					
		Dimethyl benzene, see **XYLENES** (UN1307)					
		Di-(2-methylbenzol) peroxide, not more than 87% when with 13% or more water					FORBIDDEN
		N,N-Dimethylbenzylamine, see **BENZYLDIMETHYLAMINE** (UN2619)					
	UN2457	**2,3-DIMETHYLBUTANE**	3		II	P5	A7.2.
	UN2379	**1,3-DIMETHYLBUTYLAMINE**	3	8	II	P5	A7.2.
	UN2262	**DIMETHYLCARBAMOYL CHLORIDE**	8		II	P5	A12.2.
	UN2263	**DIMETHYLCYCLOHEXANES**	3		II	P5	A7.2.
	UN2264	**N,N-DIMETHYLCYCLOHEXYLAMINE**	8	3	II	P5	A12.2.
		2,5-Dimethyl-2,5-di-(benzoylperoxy)hexane, more than 82%					FORBIDDEN
		2,5-Dimethyl-2,5-di(tert-butylperoxy)hexyne-3more than 86%					FORBIDDEN
	UN1162	**DIMETHYLDICHLOROSILANE**	3	8	II	P5	A7.2.
	UN2380	**DIMETHYLDIETHOXYSILANE**	3		II	P5	A7.2.
		2,5-Dimethyl-2,5-dihydroperoxy hexane, more than 82% with water					FORBIDDEN
		2,5-Dimethyl-1,4-dioxane, see **DIMETHYLDIOXANES** (UN2707)					
		4,4-Dimethyldioxane-1,3, see **DIMETHYLOXANES (UN2707)**					
	UN2707	**DIMETHYLDIOXANES**	3		II III	P5 P5	A7.2. A7.2.
	UN2265	**N,N-DIMETHYFORMAMIDE**	3		III	P5	A7.2.
		Dimethyhexane dihyproperoxide (dry)					FORBIDDEN
		Dimethylhexane dihydroperoxide, more than 82% with water					FORBIDDEN
		1,1-Dimethylhydrazine, see **DIMETHYLHYDRAZINE, UNSYMMETRICAL** (UN1163)					
	UN2382	**DIMETHYLHYDRAZINE, SYMMETRICAL**	6.1	3	I	P2, 2, A7	A10.6.
	UN1163	**DIMETHYLHYDRAZINE, UNSYMMETRICAL**	6.1	3, 8	I	P2, 2	A10.6.
		N,N-Dimethyl-4-nitroaniline, see **p-NITROSODIMETHYLANILINE,** (UN1369)					
	UN2044	**2,2-DIMETHYLPROPANE**	2.1			P4	A6.3., A6.4.
		Dimethylzinc see **ORGANOMETALLIC SUBSTANCE, LIQUID, PYROPHORIC, WATER-REACTIVE** (UN3394)					
	UN0489	**DINGU** *or* **DINITROGLYCOLURIL**	1.1D			P4	A5.7.
	UN1598	**DINITRO-O-CRESOL**, **SOLID** *or* **DINITRO-O-CRESOL, SOLUTION**	6.1		II	P5	A10.4., A10.5.
		1,3-Dinitro-5,5-dimethylhydantoin					FORBIDDEN
		Dinitro-7,8-dimethylglycoluril (dry)					FORBIDDEN
		1,3-Dinitro-4,5-dinitrosobenzene					FORBIDDEN
		1,4-Dinitro-1,1,4,4-tetramethylolbutanetetranitrate (dry)					FORBIDDEN
		2,4-Dinitro-1,3,5-trimethylbenzene					FORBIDDEN
		1,2-Dinitroethane					FORBIDDEN
		1,1-Dinitroethane (dry)					FORBIDDEN
	UN1596	**DINITROANILINES**	6.1		II	P5	A10.5.

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
	UN1597	**DINITROBENZENES**, **LIQUID**	6.1		II III	P5 P5	A10.4 A10.4
	UN3443	**DINITROBENZENES, SOLID**	6.1		II	P5	A10.6
		Dinitrocholorobenzenes, see **CHLORODINITROBENZENE LIQUID** (UN1577) *or* **CHLORODINITROBENZENE SOLID** (UN3441)					
	UN1067	**DINITROGEN TETROXIDE**	2.3	5.1, 8			FORBIDDEN
	UN0489	**DINITROGLYCOLURIL** *or* **DINGU**	1.1D			P4	A5.7.
		Dinitromethane					FORBIDDEN
	UN0076	**DINITROPHENOL**, *dry or wetted with less than 15% water, by -weight*	1.1D	6.1		P4	A5.6.
	UN1599	**DINITROPHENOL SOLUTIONS**	6.1		II III	P5 P5	A10.4. A10.4.
	UN1320	**DINITROPHENOL, WETTED** *with not less than 15% water, by mass*	4.1	6.1	I	P4, 23, A8, A19, A20, N41	A8.3.
	UN0077	**DINITROPHENOLATES**, *alkali metals, dry or wetted with less than 15% water, by mass*	1.3C	6.1		P4	A5.9.
	UN1321	**DINITROPHENOLATES, WETTED** *with not less than 15% water, by mass*	4.1	6.1	I	P4, 23, A8, A19, A20, N41	A8.3.
		Dinitropropylene glycol					FORBIDDEN
	UN0078	**DINITRORESORCINOL,** *dry or wetted with less than 15% water, by mass*	1.1D			P4	A5.6.
		2,4-Dinitroresorcinol (heavy metal salts of) (dry)					FORBIDDEN
		4,6-Dinitroresorcinol (heavy metal salts of) (dry)					FORBIDDEN
	UN1322	**DINITRORESORCINOL, WETTED** *with not less than 15% water, by mass*	4.1		I	P4, 23, A8, A19, A20, N41	A8.3.
		3,5-Dinitrosalicylic acid (lead salt) (dry)					FORBIDDEN
	UN0406	**DINITROSOBENZENE**	1.3C			P4	A5.9.
		Dinitrosobenzylamidine and salts of (dry)					FORBIDDEN
		N,N'-Dinitroso-N,N'-dimethyl terephthalamide, 72% or less as a paste, see **SELF-REACTIVE SOLID TYPE C** (UN3224)					
		N,N'-Dinitrosopentamethylene tetramine, 82% or less with phlegmatizer, see **SELF-REACTIVE SOLID TYPE C** (UN3224)					
		2,2-Dinitrostilbene					FORBIDDEN
		1,4-Dinitro-1,1,4,4-tetramethylolbutane tetranitrate (dry)					FORBIDDEN
		Dinitrotoluene mixed with sodium chlorate, see **EXPLOSIVE, BLASTING, TYPE C** (UN0083)					
	UN2038	**DINITROTOLUENES, LIQUID**	6.1		II	P5	A10.4.
	UN1600	**DINITROTOLUENES, MOLTEN**					FORBIDDEN
	UN3454	**DINITROTOLUENES, SOLID**	6.1		II	P5	A10.5.
		2,4-Dinitro-1,3,5-trimethylbenzene					FORBIDDEN
		Di-(beta-nitroxyethyl)ammonium nitrate					FORBIDDEN
		a,a-Di-(nitroxy) methylether					FORBIDDEN
		1,9-Dinitroxy pentamethylene-2,4,6,8-tetramine (dry)					FORBIDDEN
	UN1165	**DIOXANE**	3		II	P5	A7.2.
	UN1166	**DIOXOLANE**	3		II	P5	A7.2.
	UN2052	**DIPENTENE**	3		III	P5	A7.2.
		Di-(2-phenoxyethyl) peroxydicarbonate, more than 85%					FORBIDDEN
	UN1698	**DIPHENYLAMINE CHLOROARSINE**	6.1		I	P3	A10.4.
	UN1699	**DIPHENYLCHLOROARSINE, LIQUID**	6.1		I	P3, A8, N33, N34	A10.4.
	UN3450	**DIPHENYLCHLOROARSINE, SOLID**	6.1		I	P3, A8, N33, N34	A10.5.
	UN1769	**DIPHENYLDICHLOROSILANE**	8		II	P4, A7, N34	A12.2.
		Diphenylmethane-4,4'-diisocyanate, liquid (NOT RESTRICTED)					

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
		Diphenylmethane-4,4'-diisocyanate, solid (NOT RESTRICTED)					
	UN1770	**DIPHENYLMETHYL BROMIDE**	8		II	P5	A12.3.
		Diphenyloxide-4,4'-disulphonyl hydrazide, see **SELF-REACTIVE SOLID TYPE D ★** (UN3226)					
	UN0401	**DIPICRYL SULPHIDE**, *dry or wetted with less than 10% water, by mass*	1.1D			P4	A5.6.
	UN2852	**DIPICRYL SULPHIDE, WETTED** *with not less than 10% water, by mass*	4.1		I	P4, A2, N41, N84	A8.3.
	UN0079	**DIPICRYLAMINE** *or* **HEXANITRODIPHENYLAMINE**	1.1D			P4	A5.6.
		Dipropionyl peroxide, with more than 28 percent in solution					FORBIDDEN
	UN2384	**DI-N-PROPYL ETHER**	3		II	P5	A7.2.
	UN2710	**DIPROPYL KETONE**	3		III	P5	A7.2.
	UN2383	**DIPROPYLAMINE**	3	8	II	P4	A7.2.
		4-Dipropylaminobenzenediazonium zinc chloride, see **SELF-REACTIVE SOLID TYPE D ★** (UN3226)					
		Dipropylene triamine, see **3,3'-IMINODIPROPYLAMINE** (UN2269)					
★	UN1903	**DISINFECTANTS, LIQUID, CORROSIVE, N.O.S**	8		I II III	P3, A7 P5 P5	A12.2. A12.2. A12.2.
★	UN3142	**DISINFECTANTS, LIQUID, TOXIC, N.O.S.**	6.1		I II III	P3, A4 P5 P5	A10.4. A10.4. A10.4.
★	UN1601	**DISINFECTANTS, SOLID, TOXIC, N.O.S.**	6.1		I II III	P3 P5 P5	A10.5 A10.5. A10.5.
	UN3253	**DISODIUM TRIOXOSILICATE**	8		III	P5	A12.3.
★		*Dispersant gas*, n.**o.s.** *see* **REFRIGERANT GASES, N.O.S**. (UN1078), (NA1954) or **COMPRESSED GAS , TOXIC, FLAMMABLE, N.O.S. ★** (UN1953) or **COMPRESSED GAS , FLAMMABLE, N.O.S. ★** (UN1954) or **COMPRESSED GAS , TOXIC, N.O.S. ★** (UN1955) or **COMPRESSED GAS, N.O.S. ★** (UN1956) or **COMPRESSED GAS , OXIDIZING, N.O.S. ★** (UN3156) or **LIQUIFIED GAS, OXDIZING, N.O.S. ★** (UN3157) **LIQUIFIED GAS, TOXIC, FLAMMABLE, N.O.S. ★** (UN3160) *or* **LIQUIFIED GAS, FLAMMABLE, N.O.S ★** (UN3161) *or* **LIQUIFIED GAS, TOXIC, N.O.S ★** (UN3162**) or LIQUEFIED GAS N.O.S. ★** (UN3163) *or* **COMPRESSED GAS, TOXIC, OXIDIZING, N.O.S. ★** (UN3303) **or COMPRESSED GAS, TOXIC, CORROSIVE, N.O.S. ★** (UN3304) **or COMPRESSED GAS, TOXIC, FLAMMABLE, CORROSIVE, N.O.S. ★** (UN3305) **or COMPRESSED GAS, TOXIC, OXIDIZING, CORROSIVE, N.O.S. ★** (UN3306) **or LIQUIFIED GAS, TOXIC, OXIDIZING, N.O.S. ★** (UN3307) **or LIQUIFIED GAS, TOXIC, CORROSIVE, N.O.S. ★** (UN3308) **or LIQUIFIED GAS, TOXIC, FLAMMABLE, CORROSIVE, N.O.S. ★** (UN3309) **or LIQUIFIED GAS, TOXIC, OXIDIZING, CORROSIVE, N.O.S. ★** (UN3310)					
		Disuccinic acid peroxide 72% or more					FORBIDDEN
		Dithiocarbamate pesticide, etc., see **THIOCARBAMATE PESTICIDE, SOLID, TOXIC ★** (UN2771) *or* **THIOCARBAMATE PESTICIDE, LIQUID, FLAMMABLE, TOXIC ★** (UN2772) *or* **THIOCARBAMATE PESTICIDE, LIQUID, TOXIC, FLAMMABLE ★** (UN3005) *or* **THIOCARBAMATE PESTICIDE, LIQUID, TOXIC ★** (UN3006)					

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
	UN1167	**DIVINYL ETHER, STABILIZED**	3		I	P3, 387, A7	A7.2.
		Divinyl ether, unstabilized					FORBIDDEN
		DNOC, see **DINITRO-O-CRESOL** (UN1598) **SOLID** *or* **DINITRO-O-CRESOL, SOLUTION**					
	UN1771	**DODECYLTRICHLOROSILANE**	8		II	P4, A7, N34	A12.2.
		Dressing leather, see **FLAMMABLE LIQUID, N.O.S.** ★ (UN1993)					
		Driers, paint or varnish liquid, N.O.S., see **FLAMMABLE LIQUID, N.O.S.** ★ (UN1993)					
		Driers, paint, varnish solid, N.O.S., see **FLAMMABLE SOLID, ORGANIC N.O.S.** ★ (UN1325) *or* **FLAMMABLE SOLID, INORGANIC N.O.S.** ★ (UN3178)					
		Drugs, corrosive, liquid or solid N.O.S., see **CORROSIVE LIQUID, N.O.S.** ★ (UN1760) *or* **CORROSIVE SOLID N.O.S.** ★ (UN1759)					
		Drugs, flammable, liquid N.O.S., see **FLAMMABLE LIQUID, N.O.S.** ★ (UN1993)					
		Drugs, flammable, solid, N.O.S., see **FLAMMABLE, SOLID, ORGANIC** ★ (UN1325) *or* **FLAMMABLE, SOLID, INORGANIC, N.O.S.** ★ (UN3178)					
		Drugs, N.O.S., in small inner packagings containing flammable aerosol and/or non-flammable aerosol and/or flammable liquid and/or toxic substance N.O.S., see **CONSUMER COMMODITY** (ID8000)					
		Drugs, oxidizing, liquid or solid N.O.S., see **OXIDIZING LIQUID N.O.S.** ★ (UN3139) *or* **OXIDIZING SOLID N.O.S.** ★ (UN1479)					
		Drugs, toxic, liquid or solid, N.O.S., see **MEDICINE, LIQUID, TOXIC, N.O.S.** ★ (UN1851) *or* **MEDICINE, LIQUID, FLAMMABLE, TOXIC SOLID, N.O.S.** ★ (UN3248)					
		Drug, toxic, solid, n.o.s. see **MEDICINE, SOLID, TOXIC, N.O.S.** ★ (UN3249)					
	UN1845	**DRY ICE** *or* **CARBON DIOXIDE SOLID**	9			P5	A13.10.
		Dye dye intermediate, n.o.s., Flammable liquid, see **FLAMMABLE LIQUID, N.O.S.** ★ (UN1993)					
★	UN2801	**DYES**, **LIQUID, CORROSIVE, N.O.S.,** *or* **DYE INTERMEDIATES**, **LIQUID, CORROSIVE, N.O.S**	8		I II III	P5, 11 P5, 11 P5, 11	A12.2. A12.2. A12.2.
★	UN1602	**DYES, LIQUID, TOXIC, N.O.S.,** *or* **DYE INTERMEDIATES, LIQUID, TOXIC, N.O.S**	6.1		I II III	P4 P4 P5	A10.4 A10.4. A10.4.
★	UN3147	**DYES, SOLID, CORROSIVE, N.O.S.,** *or* **DYE INTERMEDIATES, SOLID, CORROSIVE N.O.S.**	8		I II III	P5 P5 P5	A12.3. A12.3. A12.3.
★	UN3143	**DYE, SOLID, TOXIC, N.O.S.,** *or* **DYE INTERMEDIATE**, **SOLID, TOXIC, N.O.S.**	6.1		I II III	P5, A5 P5 P5	A10.5. A10.5. A10.5.
		Dynamite, see **EXPLOSIVE, BLASTING, TYPE A** (UN0081)					
		Electric squibs, see **IGNITERS**, (UN0325, UN0454)					
		Electric storage batteries, see **BATTERIES, WET, FILLED WITH ACID** (UN2794) *or* **BATTERIES, WET, FILLED WITH ALKALI** (UN2795) *or* **BATTERIES,WET,NON-SPILLABLE** (UN2800) *or* **BATTERIES, DRY, CONTAINING POTASSIUM HYDROXIDE, SOLID** (UN3028)					
		Electrolyte (acid or alkali) for batteries, see **BATTERY FLUID, ACID** (UN2796) *or* **BATTERY FLUID, ALKALI** (UN2797)					

Table A4.1		PROPER SHIPPING NAME/ DESCRIPTION	HAZARD CLASS/ DIV	SUBSIDIARY RISK	PG	SPECIAL PROVISION	PACKAGING PARAGRAPH
	UN/ID NUMBER						
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
		Electron tubes containing mercury, see **MERCURY CONTAINED IN MANUFACTURED ARTICLES** (UN3506)					
★	UN3257	**ELEVATED TEMPERATURE LIQUID, N.O.S.**, *at or above100 C, and below its flashpoint (including molten metals, molten salts, etc.)*					FORBIDDEN
★	UN3256	**ELEVATED TEMPERATURE LIQUID, FLAMMABLE, N.O.S.**, *with flashpoint above* ***60C*** *38.8C, at or above its flashpoint*					FORBIDDEN
★	UN3258	**ELEVATED TEMPERATURE SOLID, N.O.S.**, *at or above 240 C*					FORBIDDEN
	UN3529	**ENGINE, INTERNAL COMBUSTION, FLAMMABLE GAS POWERED** *or* **ENGINE, FUEL CELL, FLAMMABLE GAS POWERED** *or* **MACHINERY, INTERNAL COMBUSTION, FLAMMABLE GAS POWERED** *or* **MACHINERY, FUEL CELL, FLAMMABLE GAS POWERED**	2.1			P5, 135	A6.27
	UN3528	**ENGINE, INTERNAL COMBUSTION, FLAMMABLE LIQUID POWERED** *or* **ENGINE, FUEL CELL, FLAMMABLE LIQUID POWERED** *or* **MACHINERY, INTERNAL COMBUSTION, FLAMMABLE LIQUID POWERED** *or* **MACHINERY, FUEL CELL, FLAMMABLE LIQUID POWERED**	3			P5, 135	A7.11
	UN3530	**ENGINE, INTERNAL COMBUSTION** *or* **MACHINERY, INTERNAL COMBUSTION**	9			P5, 135	A13.20
		Engines, rocket, see **ROCKET MOTORS** (UN0186, UN0280, UN0281) *or* **ROCKET MOTORS WITH HYPERGOLIC LIQUIDS** (UN0250, UN0322) *or* **ROCKET, MOTORS, LIQUID FUELLED** (UN0395, UN0396)					
★	UN3082	**ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.**	9		III	P5, 8, 146, 173, 335, 384, 441	A13.2.
★	UN3077	**ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.**	9		III	P5, 8, 146, 335, 384, 441, A112, N20, N91	A13.2.
	UN2558	**EPIBROMOHYDRIN**	6.1	3	I	P3	A10.4.
+	UN2023	**EPICHLOROHYDRIN**	6.1	3	II	P5	A10.4.
		1,2-Epoxybutane, stabilized, see **1,2-BUTYLENE OXIDE, STABILIZED** (UN3022)					
		Epoxyethane, see **ETHYLENE OXIDE** (UN1040)					
	UN2752	**1,2-EPOXY-3-ETHOXYPROPANE**	3		III	P5	A7.2.
		2,3-Epoxy-1-propanal, see **GLYCILALDEHYDE** (UN2622)					
		2,3-epoxypropyl ethyl ether, see **1,2-EPOXY-3-ETHOXYPROPANE** (UN2752)					
★	UN3272	**ESTERS, N.O.S.**	3		II III	P5 P5	A7.2. A7.2.
		Etching acid, liquid, N.O.S., see **HYDROFLUORIC ACID,** *(*UN1790)					
	UN1035	**ETHANE**	2.1			P4	A6.3., A6.4.
D	NA1961	**ETHANE-PROPANE MIXTURE, REFRIGERATED LIQUID**	2.1				FORBIDDEN
	UN1961	**ETHANE, REFRIGERATED LIQUID**	2.1				FORBIDDEN
		Ethanethiol, see **ETHYL MERCAPTAN (UN2363)**					

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
	UN1170	**ETHANOL** *or* **ETHANOL SOLUTIONS** or **ETHYL ALCOHOL** *or* **ETHYL ALCOHOL SOLUTIONS**	3		II III	P5 P5	A7.2. A7.2.
	UN3475	**ETHANOL AND GASOLINE MIXTURE** *or* **ETHANOL AND MOTOR SPIRIT MIXTURE** *or* **ETHANOL AND PETROL MIXTURE (***with more than 10% ethanol)*	3		II	P5, 144	A7.2
	UN2491	**ETHANOLAMINE** *or* **ETHANOLAMINE SOLUTIONS**	8		III	P5	A12.2.
		Ethanol amine dinitrate					FORBIDDEN
		Ether, see **DIETHYL ETHER** (UN1155)					
		Ether acetate, see **ETHYLENE GLYCOL MONOETHYL ETHER ACETATE** (UN1172)					
		Ether, ethyl, see **DIETHYL ETHER** (UN1155)					
★	UN3271	**ETHERS, N.O.S.**	3		II III	P5 P5	A7.2. A7.2.
		2-Ethoxyethanol, see **ETHYLENE GLYCOL MONOETHYL ETHER** (UN1171)					
		2-Ethoxyethyl acetate, see **ETHYLENE GLYCOL MONOETHYL ETHER ACETATE** (UN1172)					
		Ethoxypropane-1, see **ETHYL PROPYL ETHER** (UN2615)					
	UN1173	**ETHYL ACETATE**	3		II	P5	A7.2.
	UN2452	**ETHYLACETYLENE, STABLIZED**	2.1			P4, 387, N88	A6.4
		Ethylacetylene, unstabilized					FORBIDDEN
	UN1917	**ETHYL ACRYLATE, STABILIZED**	3		II	P5, 387	A7.2.
		Ethyl acrylate, unstabilized					FORBIDDEN
	UN1170	**ETHYL ALCOHOL** *see* **ETHANOL**					
		Ethyl aldehyde, see **ACETALDEHYDE** (UN1089)					
	UN1036	**ETHYLAMINE**	2.1			P4, N87	A6.14.
	UN2270	**ETHYLAMINE, AQUEOUS SOLUTIONS** *with not less than 50%, but not more than 70% ethylamine*	3	8	II	P5	A7.2.
	UN2271	**ETHYL AMYL KETONE**	3		III	P5	A7.2.
	UN2272	**N-ETHYLANILINE**	6.1		III	P5	A10.4.
	UN2273	**2-ETHYLANILINE**	6.1		III	P5	A10.4.
	UN1175	**ETHYLBENZENE**	3		II	P5	A7.2.
	UN2274	**N-ETHYL-N-BENZYLANILINE**	6.1		III	P5	A10.4.
	UN2753	**N-ETHYLBENZYLTOLUIDINES LIQUID**	6.1		III	P5	A10.4.
	UN3460	**N-ETHYLBENZYLTOLUIDINES SOLID**	6.1		III	P5	A10.5
	UN2275	**2-ETHYLBUTANOL**	3		III	P5	A7.2.
	UN1177	**2-ETHYLBUTYL ACETATE**	3		III	P5	A7.2.
	UN1178	**2-ETHYLBUTYRALDEHYDE**	3		II	P5	A7.2.
	UN1176	**ETHYL BORATE**	3		II	P5	A7.2.
	UN1891	**ETHYL BROMIDE**	3	6.1	II	P5	A10.4.
	UN1603	**ETHYL BROMOACETATE**	6.1	3	II	P4	A10.4.
	UN1179	**ETHYL BUTYL ETHER**	3		II	P5	A7.2.
	UN1180	**ETHYL BUTYRATE**	3		III	P5	A7.2.
	UN1037	**ETHYL CHLORIDE** (*Ampoules in boxes) or (cylinders)*	2.1			P4, N86	A6.12.
	UN1181	**ETHYL CHLOROACETATE**	6.1	3	II	P5	A10.4.
		Ethyl chlorocarbonate, see **ETHYL CHLOROFORMATE (UN1182)**					
	UN1182	**ETHYL CHLOROFORMATE**	6.1	3, 8	I	P3, 2, N34	A10.6.
		Ethyl-alpha-chloropropionate, see **ETHYL 2-CHLOROPROPIONATE** (UN2935)					
	UN2935	**ETHYL 2-CHLOROPROPIONATE**	3		III	P5	A7.2.
+	UN2826	**ETHYL CHLOROTHIOFORMATE**	8	3, 6.1	II	P2, 2	A12.11.
	UN1862	**ETHYL CROTONATE**	3		II	P5	A7.2.
	UN1892	**ETHYLDICHLOROARSINE**	6.1		I	P2, 2	A10.6.
	UN1183	**ETHYLDICHLOROSILANE**	4.3	3, 8 3	I	P3, A2, A7, N34	A8.2.
		ETHYL ETHER, *see* **DIETHYL ETHER** (UN1155)					
	UN1155	**ETHYL ETHER**	3		I	P3	A7.2.

Table A4.1		PROPER SHIPPING NAME/ DESCRIPTION	HAZARD CLASS/ DIV	SUBSIDIARY RISK	PG	SPECIAL PROVISION	PACKAGING PARAGRAPH
	UN/ID NUMBER						
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
		Ethyl fluid, see **MOTOR FUEL ANTI-KNOCK MIXTURE** (UN1649)					
	UN2453	**ETHYL FLUORIDE** *or* **REFRIGERANT GAS R161**	2.1			P4	A6.3., A6.4.
	UN1190	**ETHYL FORMATE**	3		II	P5	A7.2.
	UN2385	**ETHYL ISOBUTYRATE**	3		II	P5	A7.2.
+	UN2481	**ETHYL ISOCYANATE**	6.1	3	I	P1, 1, A7	A10.6.
	UN1192	**ETHYL LACTATE**	3		III	P5	A7.2.
	UN2363	**ETHYL MERCAPTAN**	3		I	P3	A7.2.
	UN2277	**ETHYL METHACRYLATE, STABILIZED**	3		II	P5, 387	A7.2.
	UN1039	**ETHYL METHYL ETHER**	2.1			P4	A6.21.
	UN1193	**ETHYL METHYL KETONE** *or* **METHYL ETHYL KETONE**	3		II	P5	A7.2.
		Ethyl nitrate					FORBIDDEN
		Ethyl nitrite					FORBIDDEN
	UN1194	**ETHYL NITRITE SOLUTIONS**	3	6.1			FORBIDDEN
	UN2524	**ETHYL ORTHOFORMATE**	3		III	P5	A7.2.
	UN2525	**ETHYL OXALATE**	6.1		III	P5	A10.4.
		Ethyl perchlorate					FORBIDDEN
D	NA2927	**ETHYL PHOSPHONOTHIOIC DICHLORIDE, ANHYDROUS**	6.1	8	I	P2, 2	A10.6.
D	NA2845	**ETHYL PHOSPHONOUS DICHLORIDE, ANHYDROUS** *pyrophoric liquid*	6.1	4.2	I	P2, 2	A10.6.
D	NA2927	**ETHYL PHOSPHORODICHLORIDATE**	6.1	8	I	P2, 2	A10.6.
	UN1195	**ETHYL PROPIONATE**	3		II	P5	A7.2.
	UN2615	**ETHYL PROPYL ETHER**	3		II	P5	A7.2.
		Ethyl silicate, see **TETRAETHYL SILICATE** (UN1292)					
		Ethyl sulphate, see **DIETHYL SULPHATE** (UN1594)					
		Ethylsulphuric acid, see **ALKYLSULPHURIC ACIDS** (UN2571)					
	UN2452	**ETHYLACETYLENE, STABILIZED**	2.1			P4, 387, N88	A6.4.
		Ethylacetylene, unstabilized					FORBIDDEN
	UN1962	**ETHYLENE**	2.1			P4	A6.3., A6.4.
	UN3138	**ETHYLENE, ACETYLENE AND PROPYLENE IN MIXTURES, REFRIGERATED LIQUID** *(cryogenic liquids) with at least 71.5% ethylene with not more than 22.5% acetylene and not more than 6% propylene*	2.1				FORBIDDEN
	UN1135	**ETHYLENE CHLOROHYDRIN**	6.1	3	I	P2, 2	A10.6.
		Ethylene diamine diperchlorate					FORBIDDEN
	UN1604	**ETHYLENEDIAMINE**	8	3	II	P5	A12.2.
	UN1605	**ETHYLENE DIBROMIDE**	6.1		I	P2, 2	A10.6.
		Ethylene diobromide and methyl bromide liquid mixtures, see **METHYL BROMIDE AND ETHYLENE DIBROMIDE, LIQUID MIXTURES or MIXTURE, LIQUID** (UN1647)					
	UN1184	**ETHYLENE DICHLORIDE**	3	6.1	II	P4	A7.2.
	UN1153	**ETHYLENE GLYCOL DIETHYL ETHER**	3		II III	P5 P5	A7.2. A7.2.
		Ethylene glycol dinitrate					FORBIDDEN
	UN1171	**ETHYLENE GLYCOL MONOETHYL ETHER**	3		III	P5	A7.2.
	UN1172	**ETHYLENE GLYCOL MONOETHYL ETHER ACETATE**	3		III	P5	A7.2.
	UN1188	**ETHYLENE GLYCOL MONOMETHYL ETHER**	3		III	P5	A7.2.
	UN1189	**ETHYLENE GLYCOL MONOMETHYL ETHER ACETATE**	3		III	P5	A7.2.
	UN1040	**ETHYLENE OXIDE**, *or* **ETHYLENE OXIDE WITH NITROGEN** up to a total pressure of 1 MPA (10 bar) at 50 degrees C	2.3	2.1		P2, 4, 342	A6.13.

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
	UN1041	**ETHYLENE OXIDE AND CARBON DIOXIDE MIXTURES** *with more than 9% but not more than 87% ethylene oxide*	2.1			P4	A6.3., A6.4.
	UN1952	**ETHYLENE OXIDE AND CARBON DIOXIDE MIXTURES** *with not more than 9% ethylene oxide*	2.2			P5	A6.3., A6.4.
	UN3300	**ETHYLENE OXIDE AND CARBON DIOXIDE MIXTURES** *with more than 87% ethylene oxide*	2.3	2.1		P2, 4	A6.4.
	UN3297	**ETHYLENE OXIDE AND CHLOROTETRAFLUOROETHANE MIXTURE** *with not more than 8.8% ethylene oxide*	2.2			P5	A6.3., A6.4.
	UN3070	**ETHYLENE OXIDE AND DICHLORODIFLUOROMETHANE MIXTURE** *with not more than 12.5% ethylene oxide*	2.2			P5	A6.3., A6.4.
	UN3298	**ETHYLENE OXIDE AND PENTAFLUOROETHANE MIXTURE** *with not more than 7.9% ethylene oxide*	2.2			P5	A6.3., A6.4.
	UN2983	**ETHYLENE OXIDE AND PROPYLENE OXIDE MIXTURES**, *not more than 30% ethylene oxide*	3	6.1	I	P2, 5, A11, N4, N34	A7.2.
		Ethylene oxide and propylene oxide mixture, more than 30% ethylene oxide					FORBIDDEN
	UN3299	**ETHYLENE OXIDE AND TETRAFLUOROETHANE MIXTURE** *with not more than 5.6% ethylene oxide*	2.2			P5	A6.3., A6.4.
	UN1038	**ETHYLENE, REFRIGERATED LIQUID** *(cryogenic liquid)*	2.1			P3	A6.11.
	UN1604	**ETHYLENEDIAMINE**	8	3	II	P5	A12.2.
	UN1185	**ETHYLENEIMINE, STABILIZED**	6.1	3	I	P1, 1, 387, N25, N32	A10.6.
		Ethyleneimine, unstabilized					FORBIDDEN
		Ethylhexaldehyde, see **OCTYL ALDEHYDES**, (UN1191) *etc.*					
	UN2748	**2-ETHYLHEXYL CHLOROFORMATE**	6.1	8	II	P5	A10.4.
		Ethyl hydroperoxide					FORBIDDEN
		Ethylidene chloride, see **1,1-DICHLOROETHANE** (UN2362)					
	UN2276	**2-ETHYLHEXYLAMINE**	3	8	III	P5	A7.2.
	UN2435	**ETHYLPHENYLDICHLOROSILANE**	8		II	P5, A7, N34	A12.2.
		Ethyl phosphonous dichloride, anhydrous, see **PYROPHORIC LIQUID, ORGANIC, N.O.S. ★** (UN2845)					
	UN2386	**1-ETHYLPIPERIDINE**	3	8	II	P5	A7.2.
	UN2754	**N-ETHYLTOLUIDINES**	6.1		II	P5	A10.4.
	UN1196	**ETHYLTRICHLOROSILANE**	3	8	II	P4, A7, N34	A7.2.
		Ethyl trimethyl lead mixture lead mixture, see **MOTOR FUEL ANTI-KNOCK MIXTURE** (UN1649)					
		Etiologic agent, see **INFECTIOUS SUBSTANCES, AFFECTING HUMANS ★ (UN2814)** *or* **INFECTIOUS SUBSTANCES, AFFECTING ANIMALS ★** (UN2900)					
		Explosive articles, see **ARTICLES, EXPLOSIVE, N.O.S., ★** (UN0349, UN0350, UN0351, UN0352, UN0353, UN0354, UN0355, UN0356, UN0462, UN0463, UN0464, UN0465, UN0466, UN0467, UN0468, UN0469, UN0470, UN0471, UN0472)					
	UN0081	**EXPLOSIVE, BLASTING,TYPE A**	1.1D			P4, 148	A5.11.
	UN0082	**EXPLOSIVE, BLASTING,TYPE B**	1.1D			P4	A5.11.
	UN0331	**EXPLOSIVE, BLASTING,TYPE B** *or* **AGENT BLASTING TYPE B**	1.5D			P4, 105, 106, 148	A5.11.
	UN0083	**EXPLOSIVE, BLASTING,TYPE C**	1.1D			P4, 123	A5.11.
	UN0084	**EXPLOSIVE, BLASTING,TYPE D**	1.1D			P4	A5.11.
	UN0241	**EXPLOSIVE, BLASTING,TYPE E**	1.1D			P4, 148	A5.11.

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
	UN0332	**EXPLOSIVE, BLASTING,TYPE E** *or* **AGENT BLASTING TYPE E**	1.5D			P4, 105, 106, 148	A5.11.
		Explosive, emulsion or slurry, see **EXPLOSIVE, BLASTING, TYPE E** (UN0241, UN0332)					
		Explosive seismic, see **EXPLOSIVE, BLASTING, TYPE A** (UN0081)*or* **TYPE B** (UN0082, UN0331)*or* **TYPE C** (UN0083)					
		Explosive substances, see **SUBSTANCES, EXPLOSIVE, N.O.S.★** (UN0357, UN0358, UN0359, UN0473, UN0474, UN0475, UN0476, UN0477, UN0478, UN0479, UN0480, UN0481, UN0485)					
		Explosives, water gels, see **EXPLOSIVE, BLASTING, TYPE E** (UN0241, UN0332)					
		Extract, aromatic or flavoring, not falling under the definitions of classes 1-8, see **AVIATION REGULATED LIQUID, N.O.S. ★** (UN3334)*or* **AVIATION REGULATED SOLID N.O.S. ★** (UN3335)					
	UN1169	**EXTRACTS, AROMATIC, LIQUID**	3		II III	P5, 149 P5	A7.2. A7.2.
	UN1197	**EXTRACTS, FLAVORING, LIQUID**	3		II III	P5, 149 P5	A7.2. A7.2.
		Fabric with animal or vegetable oil, see **FIBERS** (UN1373) *or* **FABRICS,** (UN1373) *etc.*					
	UN1606	**FERRIC ARSENATE**	6.1		II	P5	A10.5.
	UN1607	**FERRIC ARSENITE**	6.1		II	P5	A10.5.
	UN1773	**FERRIC CHLORIDE, ANHYDROUS**	8		III	P5	A12.3.
	UN2582	**FERRIC CHLORIDE, SOLUTION**	8		III	P5	A12.2.
	UN1466	**FERRIC NITRATE**	5.1		III	P5, A1, A29	A9.6.
	UN1323	**FERROCERIUM**	4.1		II	P5, A19	A8.3.
	UN1408	**FERROSILICON**, *with 30% or more, but less than 90% silicon*	4.3	6.1	III	P5, A1, A19	A8.3.
		Ferrosilicon, with less than 30% or more than 90% silicon (not restricted)					
	UN1608	**FERROUS ARSENATE**	6.1		II	P5	A10.5.
D	NA1759	**FERROUS CHLORIDE, SOLID**	8		II	P5	A12.3
D	NA1760	**FERROUS CHLORIDE, SOLUTION**	8		II	P5	A12.2
	UN2793	**FERROUS METAL BORINGS,** *or* **FERROUS METAL SHAVINGS** *or* **FERROUS METAL TURNINGS** *or* **FERROUS METAL CUTTINGS** *in a form liable to self-heating*	4.2		III	P5, A1, A19	A8.3.
	UN1043	**FERTILIZER AMMONIATING SOLUTION** *with free ammonia*	2.2			P5, N87	A6.3., A6.4.
		Fertilizers ammonium nitrate based, see **AMMONIUM NITRATE BASED FERTILIZER** (UN2067, UN2071)					
		Fiberglass repair kit, see **POLYESTER RESIN KIT** (UN3269)					
	UN1372	**FIBERS, ANIMAL** *or* **FIBRES, VEGETABLE** *burnt, wet or damp*	4.2		III		FORBIDDEN
	UN3360	**FIBERS, or FIBRES VEGETABLE, DRY**	4.1		III	P5, 137	A8.3.
	UN1373	**FIBERS** *or* **FABRES ANIMAL** *or* **VEGETABLE,** *or* **SYNTHETIC N.O.S.** *with animal or vegetable oil*	4.2		III	P5, 137	A8.3.
	UN1353	**FIBERS** *or* **FABRES** *or* **FIBER IMPREGNATED WITH WEAKLY NITRATED NITROCELLULOSE, N.O.S**	4.1		III	P5, A1	A8.3.
	UN1324	**FILMS, NITROCELLULOSE BASE**, *gelatine coated (except scrap)*	4.1		III	P5	A8.12.
		Filler,liquid, see **PAINT** (UN1263)					
		Films, nitrocellulose base, from which gelatine has been removed, film scrap, see **CELLULOID SCRAP** (UN2002)					
	UN1774	**FIRE EXTINGUISHER CHARGES**, *corrosive liquid*	8		II	P5, N41	A12.2.

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
		Fire extinguisher charges, expelling, explosive, see **CARTRIDGES, POWER DEVICE,** (UN0275, UN0276, UN0323, UN0381)					
	UN1044	**FIRE EXTINGUISHERS** *containing compressed or liquefied gas*	2.2			P5, 110	A6.7
	UN2623	**FIRELIGHTERS, SOLID** *with flammable liquid*	4.1		III	P5, A1, A19	A8.3.
	UN0333	**FIREWORKS**	1.1G			P4, 108	A5.18.
	UN0334	**FIREWORKS**	1.2G			P4, 108	A5.18.
	UN0335	**FIREWORKS**	1.3G			P4, 108	A5.18.
	UN0336	**FIREWORKS**	1.4G			P5, 108, 200	A5.18.
	UN0337	**FIREWORKS**	1.4S			P5, 108	A5.18.
	UN3316	**FIRST AID KIT**	9			P5, 15	A13.18.
	UN2216	**FISH MEAL, STABILIZED** *or* **FISH SCRAP, STABILIZED**	9		III	P5, 155	A13.2
	UN1374	**FISH MEAL**, **UNSTABILZED,** *or* **FISH SCRAP, UNSTABILIZED**	4.2		II	P5, 155, A1, A19	A8.3.
		Flammable compressed gas, see **COMPRESSED GAS FLAMMABLE N.O.S** ★ (UN1954*) or* **LIQUEFIED GAS, FLAMMABLE N.O.S.** ★ (UN3161)					
		Flammable compressed gas (small receptacles not fitted with a dispersion device, not refillable), see **RECEPTACLES, RECEPTICLES, SMALL, CONTAINING GAS** (UN2037)					
		Flammable gas in lighters, see **LIGHTERS (UN1057)** *or* **LIGHTER REFILLS,** *cigarettes, containing flammable gas* UN1057)					
★	UN3286	**FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S.**	3	6.1, 8 6.1, 8	I II	P3 P4	A7.2. A7.2.
★	UN1993	**FLAMMABLE LIQUIDS, N.O.S.**	3		I II III	P3 P5 P5	A7.2. A7.2. A7.2.
★	UN2924	**FLAMMABLE LIQUIDS, CORROSIVE, N.O.S.**	3	8 8 8	I II III	P3 P5 P5	A7.2. A7.2. A7.2.
		Flammable liquid preparations, n.o.s., see ***FLAMMABLE LIQUID N.O.S.*** ★ *(UN1993)*					
★	UN1992	**FLAMMABLE LIQUIDS, TOXIC, N.O.S.**	3	6.1 6.1 6.1	I II III	P3 P4 P5	A7.2. A7.2. A7.2.
★	UN3180	**FLAMMABLE SOLID, CORROSIVE, INORGANIC, N.O.S.**	4.1	8 8	II III	P5, A1 P5, A1	A8.3. A8.3.
★	UN3178	**FLAMMABLE SOLID, INORGANIC, N.O.S.**	4.1		II III	P5, A1 P5, A1	A8.3. A8.3.
★	UN3176	**FLAMMABLE SOLID, ORGANIC, MOLTEN, N.O.S.**					FORBIDDEN
★	UN3097	**FLAMMABLE SOLID, OXIDIZING, N.O.S.**	4.1	5.1	II III	131 131	FORBIDDEN FORBIDDEN
★	UN3179	**FLAMMABLE SOLID, TOXIC, INORGANIC, N.O.S.**	4.1	6.1 6.1	II III	P5, A1 P5, A1	A8.3. A8.3.
★	UN2925	**FLAMMABLE SOLIDS, CORROSIVE, ORGANIC, N.O.S.**	4.1	8 8	II III	P5, A1 P5, A1	A8.3. A8.3.
★	UN1325	**FLAMMABLE SOLIDS, ORGANIC, N.O.S.**	4.1		II III	P5, A1 P5, A1	A8.3. A8.3.
★	UN2926	**FLAMMABLE SOLIDS, TOXIC, ORGANIC, N.O.S.**	4.1	6.1 6.1	II III	P5, A1 P5, A1	A8.3. A8.3.
	UN0420	**FLARES, AERIAL**	1.1G			P4	A5.18.
	UN0421	**FLARES, AERIAL**	1.2G			P4	A5.18.
	UN0093	**FLARES, AERIAL**	1.3G			P4	A5.18.
	UN0403	**FLARES, AERIAL**	1.4G			P5	A5.18.
	UN0404	**FLARES, AERIAL**	1.4S			P5	A5.18.
		Flares, airplane, see **FLARES, AERIAL** (UN0093, UN0403, UN0404, UN0420, UN0421)					

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
		Flares, distress, small, see **SIGNAL DEVICES HAND** (UN0191, UN0373)					
		Flares, signal, see **CARTRIDGES, SIGNAL** (UN0054, UN0312, UN0405)					
		Flares, highway or railway, see **SIGNAL DEVICES, HAND** (UN0191, UN0373)					
	UN0418	**FLARES, SURFACE**	1.1G			P4	A5.18.
	UN0419	**FLARES, SURFACE**	1.2G			P4	A5.18.
	UN0092	**FLARES, SURFACE**	1.3G			P4	A5.18.
		Flares, water-activated, see **CONTRIVANCES, WATER-ACTIVATED,** (UN0248, UN0249)					
	UN0094	**FLASH POWDER**	1.1G			P4	A5.8.
	UN0305	**FLASH POWDER**	1.3G			P4	A5.8.
		Flavoring liquids, see **EXTRACTS, LIQUID** (UN1197)					
		Flue dusts, toxic, see **ARSENICAL DUST** (UN1562)					
		Fluoric acid, see **HYDROFLUORIC ACID,** *(*UN1790)					
	UN1045	**FLUORINE, COMPRESSED**	2.3	5.1, 8		P1, 1, N86	A6.15.
	UN2642	**FLUOROACETIC ACID**	6.1		I	P5	A10.5.
		2-Fluoroaniline or 4-Fluoroaniline or p-Fluoroaniline or o-Fluoroaniline, see **FLUOROANILINES** (UN2941)					
	UN2941	**FLUOROANILINES**	6.1		III	P5	A10.4.
	UN2387	**FLUOROBENZENE**	3		II	P5	A7.2.
	UN1775	**FLUOROBORIC ACID**	8		II	P5, A7, N3, N34	A12.2.
		Fluoroethane, see **ETHYL FLUORIDE** (UN2453)					
		Fluoroform, see **TRIFLUOROMETHANE** (UN1984)					
		Fluoromethane, see **METHYL FLUORIDE** (UN2454)					
	UN1776	**FLUOROPHOSPHORIC ACID, ANHYDROUS**	8		II	P5, A7, N3, N34	A12.2.
	UN2856	**FLUOROSILICATES, N.O.S**.	6.1		III	P5	A10.5.
	UN1778	**FLUOROSILICIC ACID**	8		II	P5, A7, N3, N34	A12.2.
	UN1777	**FLUOROSULFONIC ACID**	8		I	P3, A7, A10, N3	A12.2.
	UN2388	**FLUOROTOLUENES**	3		II	P5	A7.2.
	UN2209	**FORMALDEHYDE SOLUTIONS** *with not less than 25% formaldehyde*	8		III	P5	A12.2.
	UN1198	**FORMALDEHYDE SOLUTIONS, FLAMMABLE**	3	8	III	P5, 176	A7.2.
		Formaldehyde solution with less than 25% more and no more than 25% formaldehyde, see **AVIATION REGULATED LIQUID, N.O.S.** ★ (UN3334)					
		Formalin, see **FORMALDEHYDE, SOLUTIONS**, **FLAMMABLE** (UN1198) *or* **FORMALDEHYDE SOLUTIONS** (UN2209)					
		Formamidine sulphinic acid, see **THIOUREA DIOXIDE** (UN3341)					
	UN3412	**FORMIC ACID** *with not less than 10% but no more than 85% acid by mass*	8		II	P5	A12.2
	UN3412	**FORMIC ACID** *with not less than 5% but less than 10% acid by mass*	8		III	P5	A12.2
	UN1779	**FORMIC ACID** *with more than 85% acid by mass*	8	3	II	P5	A12.2.
		Formic aldehyde, see **FORMALDEHYDE, SOLUTIONS, FLAMMABLE** (UN1198) *or* **FOMALDEHYDE SOLUTION** (UN2209)					
		Formic ether, see **ETHYL FORMATE (UN1190)**					
		2-Formyl-3,4-dihydro-2H-pyran, see **ACROLEIN DIMER, STABILIZED** (UN2607)					
	UN0099	**FRACTURING DEVICES, EXPLOSIVE**, *without detonators for oil wells*	1.1D			P4	A5.17.

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
		Freon, see appropriate chemical name or see listing under the appropriate "Refrigerant gas" proper shipping name					
	UN1863	**FUEL, AVIATION, TURBINE ENGINE**	3		I II III	P3, 144 P5, 144 P5, 144	A7.2. A7.2. A7.2.
	UN3473	**FUEL CELL CARTRIDGES** *or* **FUEL CELL CARTRIDGES CONTAINED IN EQUIPMENT** *or* **FUEL CELL CARTRIDGES PACKED WITH EQUIPMENT** *containing flammable liquids*	3		II	P5, 328	A7.7., A7.8., A7.9.
	UN3479	**FUEL CELL CARTRIDGES** *or* **FUEL CELL CARTRIDGES CONTAINED IN EQUIPMENT** *or* **FUEL CELL CARTRIDGES PACKED WITH EQUIPMENT** *containing hydrogen in metal hydride*	2.1		II	P5, 328	A6.23., A6.24., A6.25.
	UN3478	**FUEL CELL CARTRIDGES** *or* **FUEL CELL CARTRIDGES CONTAINED IN EQUIPMENT** *or* **FUEL CELL CARTRIDGES PACKED WITH EQUIPMENT** *containing liquefied flammable gas*	2.1		II	P5, 328	A6.23., A6.24., A6.25.
	UN3476	**FUEL CELL CARTRIDGES** *or* **FUEL CELL CARTRIDGES CONTAINED IN EQUIPMENT** *or* **FUEL CELL CARTRIDGES PACKED WITH EQUIPMENT** *containing water- reactive substances*	4.3		II	P5, 328	A8.20., A8.21., A8.22.
	UN3477	**FUEL CELL CARTRIDGES CONTAINED IN EQUIPMENT** *or* **FUEL CELL CARTRIDGES CONTAINED IN EQUIPMENT** *or* **FUEL CELL CARTRIDGES PACKED WITH EQUIPMENT** *containing corrosive substances*	8		II	P5, 328	A12.12., A12.13., A12.14.
		Fuel system components(including fuel control units (FCU), carburators, fuel lines, fuel pumps), see **DANGEROUS GOODS IN APPARATUS** (UN3363) *or* **DANGEROUS GOODS IN MACHINERY** (UN3363) or DANGEROUS GOODS IN ARTICLES (UN3363					
		Fuel oil, see **GAS OIL** (UN1202)					
D	NA1993	**FUEL OIL** *(No, 1, 2, 3, 4, 5, or 6)*	3		III	P5, 144	A7.2.
		Fulminate of mercury (dry)					FORBIDDEN
		Fulminate of mercury, wet, see **MERCURY FULMINATE, WETTED** *(UN0135)*					
		Fulminating gold					FORBIDDEN
		Fulminating mercury					FORBIDDEN
		Fulminating platinum					FORBIDDEN
		Fulminating silver					FORBIDDEN
		Fulminic acid					FORBIDDEN
		Fumaroyl dichloride, see **FUMARYL CHLORIDE** (UN1780)					
	UN1780	**FUMARYL CHLORIDE**	8		II	P5	A12.2.
		Fuming liquid arsenic, see **ARSENIC TRICHLORIDE** (UN1560)					
		Fumigant,or fungicide, see appropriate pesticide					
	UN3359	**FUMIGATED CARGO TRANSPORT UNIT**					FORBIDDEN
	UN1199	**FURALDEHYDE**	6.1	3	II	P2	A10.4.
	UN2389	**FURAN**	3		I	P3	A7.2.
	UN2874	**FURFURYL ALCOHOL**	6.1		III	P5	A10.4.
	UN2526	**FURFURYLAMINE**	3	8	III	P5	A7.2.
		Furyl carbinol, see **FURFURYL ALCOHOL** (UN2874)					
		FUSE, DETONATING, *mild effect,metal clad***,** *see* **CORD, DETONATING MILD EFFECT,** *metal clad*					
	UN0290	**FUSE, DETONATING**, *metal clad*	1.1D			P4	A5.22.
	UN0102	**FUSE, DETONATING,** *metal clad*	1.2D			P4	A5.22.
	UN0104	**FUSE DETONATING, MILD EFFECT**, *metal clad*	1.4D			P5	A5.22.
	UN0103	**FUSE, IGNITER**, *tubular metal clad*	1.4G			P5	A5.23.

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
	UN0101	**FUSE, NON-DETONATING** *(instantaneous or quickmatch)*	1.3G			P4	A5.23.
	UN0105	**FUSE, SAFETY**	1.4S			P5	A5.23.
		Fusee, matches, see **MATCHES, FUSEE** (UN2254)					
		Fusees, railway or highway, explosive, see **SIGNAL DEVICES, HAND** (UN0191, UN0373)					
D	NA1325	**FUSEE** *(railway or highway)*	4.1		II	P5	A8.13.
	UN1201	**FUSEL OIL**	3		II III	P5 P5	A7.2. A7.2.
		Fuses, tracer, see **TRACERS FOR AMMUNITION** (UN0212, UN0306)					
		Fuzes, combination, percussion and time, see **FUZES, DETONATING** (UN0257, UN0367) *or* **FUZES, IGNITING** (UN0317, UN0368)					
	UN0106	**FUZES, DETONATING**	1.1B			P4	A5.24.
	UN0107	**FUZES, DETONATING**	1.2B			P4	A5.24.
	UN0257	**FUZES, DETONATING**	1.4B			P5, 116	A5.24.
	UN0367	**FUZES, DETONATING**	1.4S			P5, 116, 347	A5.24.
	UN0408	**FUZES, DETONATING**, *with protective features*	1.1D			P4	A5.24.
	UN0409	**FUZES, DETONATING**, *with protective features*	1.2D			P4	A5.24.
	UN0410	**FUZES, DETONATING**, *with protective features*	1.4D			P5, 116	A5.24.
	UN0316	**FUZES, IGNITING**	1.3G			P4	A5.24.
	UN0317	**FUZES, IGNITING**	1.4G			P5	A5.24.
	UN0368	**FUZES, IGNITING**	1.4S			P5	A5.24.
		Galactan trinitrate					FORBIDDEN
	UN2803	**GALLIUM**	8		III	P3	A12.7.
		Gas candles, charged with flammable gas, see **DEVICES, SMALL, HYDROCARBON GAS POWERED** (UN3150)					
	UN2037	**GAS CARTRIDGE,** *(flammable) without a release device, non-refillable*	2.1			P4	A6.3., A6.4.
	UN2037	**GAS CARTRIDGES,** *(non-flammable) without release device, non-refillable*	2.2			P5	A6.3., A6.4.
	UN2037	**GAS CARTRIDGES,** *(oxidizing) without a release device, non-refillable*	2.2	5.1		P5	A6.3., A6.4.
	UN2037	**GAS CARTRIDGES,** *(toxic) without a release device, non-refillable*	2.3				FORBIDDEN
	UN2037	**GAS CARTRIDGES,** *(toxic and corrosive) without a release device, non-refillable*	2.3	8			FORBIDDEN
	UN2037	**GAS CARTRIDGES,** *(toxic and flammable) without a release device, non-refillable*	2.3	2.1			FORBIDDEN
	UN2037	**GAS CARTRIDGES,** *(toxic and oxidizing) without a release device, non-refillable*	2.3	5.1			FORBIDDEN
	UN2037	**GAS CARTRIDGES,** *(toxic, flammable and corrosive) without a release device non-refillable*	2.3	2.1, 8			FORBIDDEN
	UN2037	**GAS CARTRIDGES**	2.3	5.1, 8			FORBIDDEN
		Gas generator assemblies (aircraft), containing a nonflammable, nontoxic gas and a propellant cartridge, see **LIFE SAVING APPLIANCES, SELF INFLATING**					
D	NA9035	**GAS IDENTIFICATION SET**	2.3			P2, 6	A6.16.
		Gas compressed, see **COMPRESSED GAS, TOXIC, FLAMMABLE, N.O.S.** ★ (UN1953) *or* **COMPRESSED GAS, FLAMMABLE, N.O.S.** ★ (UN1954) *or* **COMPRESSED GAS, N.O.S.** ★ (UN1956) **or COMPRESSED GAS, TOXIC, N.O.S.** ★ (UN1955) *or* **COMPRESSED GAS, OXIDIZING N.O.S.** ★ (UN3156) **or COMPRESSED GAS, TOXIC, OXIDIZING, N.O.S.** ★ (UN3303) *or* **COMPRESSED GAS, TOXIC, CORROSIVE, N.O.S.** ★ (UN3304) *or* **COMPRESSED GAS, TOXIC, FLAMMABLE, CORROSIVE, N.O.S.** ★ (UN3305) *or* **COMPRESSED GAS, TOXIC, OXIDIZING, CORROSIVE, N.O.S.** ★ (UN3306)					

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
		Gas drips, hydrocarbon, see **HYDROCARBONS, LIQUID, N.O.S.** ★ (UN3295)					
		Gas Liquefied see, **LIQUEFIED GAS, OXIDIZING, N.O.S.** ★ (UN3157) *or* **LIQUEFIED GAS, TOXIC, FLAMMABLE, N.O.S.** ★ (UN3160) *or* **LIQUEFIED GAS, FLAMMABLE, N.O.S.** ★ (UN3161) *or* **LIQUEFIED GAS N.O.S.** ★ (UN3163) **or LIQUEFIED GAS, TOXIC, N.O.S.** ★ (UN3162) *or* **LIQUEFIED GAS, TOXIC, OXIDIZING, N.O.S.** ★ (UN3307) *or* **LIQUEFIED GAS, TOXIC, CORROSIVE, N.O.S.** ★ (UN3308) *or* **LIQUEFIED GAS, TOXIC, FLAMMABLE, CORROSIVE, N.O.S.** ★ (UN3309) *or* **LIQUEFIED GAS, TOXIC, OXIDIZING, CORROSIVE, N.O.S.** ★ (UN3310)					
	UN1202	**GAS OIL** *or* **DIESEL FUEL** *or* **HEATING OIL, LIGHT**	3		III	P5, 144	A7.2.
★	UN3158	**GAS, REFRIGERATED LIQUID, N.O.S.** *(cryogenic liquid)*	2.2			P4	A6.11.
★	UN3312	**GAS, REFRIGERATED LIQUID, FLAMMABLE, N.O.S.** *(cryogenic liquid)*	2.1			P3	A6.11.
★	UN3311	**GAS, REFRIGERATED LIQUID, OXIDIZING, N.O.S.** *(cryogenic liquid)*	2.2	5.1		P4	A6.11.
	UN3167	**GAS SAMPLE, NON-PRESSURIZED, FLAMMABLE, N.O.S.,** *not refrigerated liquid*	2.1			P4	A6.3., A6.4., A6.5.
	UN3169	**GAS SAMPLE, NON-PRESSURIZED, TOXIC, N.O.S.,** *not refrigerated liquid*	2.3			P4, 6	A6.3., A6.4., A6.5.
	UN3168	**GAS SAMPLE, NON-PRESSURIZED, TOXIC, FLAMMABLE, N.O.S.,** *not refrigerated liquid*	2.3	2.1		P3	A6.3., A6.4.
		Gas turbine engines, see **ENGINES, INTERNAL COMBUSTION, FLAMMABLE LIQUID POWERED** (UN3528)					
D	NA1203	**GASOHOL** *gasoline mixed with ethyl alcohol, with not more than 10 percent alcohol*	3		II	P5, 177	A7.2.
	UN1203	**GASOLINE** *includes gasoline mixed with ethyl alcohol, with not more than 10 percent alcohol*	3		II	P5, 144, 177	A7.2.
		Gasoline, casinghead, see **GASOLINE** (UN1203) **or MOTOR SPIRIT** (UN1203) **or PETROL** (UN1203)					
		Gelatine, blasting, see **EXPLOSIVE**, **BLASTING, TYPE A** (UN0081)					
		Gelatine dynamites, see **EXPLOSIVE, BLASTING, TYPE A** (UN0081)					
	UN3245	**GENETICALLY MODIFIED MICRO-ORGANISMS** *or* **GENETICALLY MODIFIED ORGANISMS**	9			P5	A10.8
	UN2192	**GERMANE**	2.3	2.1		P2, 2	A6.15.
	UN3523	**GERMANE, ADSORBED**	2.3	2.1		P2, 2	A6.15.
		Germanium hydride, see **GERMANE** (UN2192)					
		Glycerol-1,3-dichlorohydrin, see **1,3-DICHLOROPROPANOL-2** (UN2750)					
		Glycerol-1,3-dinitrate					FORBIDDEN
		Glycerol gluconate trinitrate					FORBIDDEN
		Glycerol lactate trinitrate					FORBIDDEN
	UN2689	**GLYCEROL ALPHA-MONOCHLOROHYDRIN**	6.1		III	P5	A10.4.
		Glyceryl trinitrate, see **NITROGLYCERIN, DESENSITIZED** (UN0143)					
	UN2622	**GLYCIDALDEHYDE**	3	6.1	II	P5	A7.2.
	UN0284	**GRENADES**, *hand or rifle, with bursting charge*	1.1D			P4	A5.24.
	UN0285	**GRENADES**, *hand or rifle, with bursting charge*	1.2D			P4	A5.24.
	UN0292	**GRENADES,** *hand or rifle, with bursting charge*	1.1F			P4	A5.24.
	UN0293	**GRENADES**, *hand or rifle, with bursting charge*	1.2F			P4	A5.24.
		Grenades, illuminating, see **AMMUNITION, ILLUMINATING,** (UN0171, UN0254, UN029)					
	UN0372	**GRENADES, PRACTICE**, *hand or rifle*	1.2G			P4	A5.24.
	UN0318	**GRENADES, PRACTICE**, *hand or rifle*	1.3G			P4	A5.24.

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
	UN0452	**GRENADES, PRACTICE**, *hand or rifle*	1.4G			P5	A5.24.
	UN0110	**GRENADES, PRACTICE**, *hand or rifle*	1.4S			P5	A5.24.
		Grenades, smoke, see **AMMUNITION, SMOKE**, *etc. (UN0015) (UN0016) (UN0303)*					
	UN1467	**GUANIDINE NITRATE**	5.1		III	P5, A1	A9.6.
		Guanyl nitrosaminoguanylidene hydrazine (dry)					FORBIDDEN
	UN0113	**GUANYL NITROSAMINOGUANYLIDENE HYDRAZINE, WETTED** *with not less than 30% water, by mass*	1.1A			P3, 111, 117	A5.4.
		Guanyl nitrosaminoguanylidene hydrazine, wetted with less than 30% water					FORBIDDEN
		Guanyl nitrosaminoguanyltetrazene (dry)					FORBIDDEN
	UN0114	**GUANYL NITROSAMINOGUANYLTETRAZENE**, **WETTED,** *or* **TETRAZENE, WETTED** *with not less than 30% water, or mixture of alcohol and water, by mass*	1.1A			P3, 111, 117	A5.4.
		Guanyl nitrosaminoguanyltetrazene, wetted with less than 30% water or mixture of alcohol and water					FORBIDDEN
		GUNPOWDER, COMPRESSED *or* **GUNPOWDER IN PELLETS,** *see* **BLACK POWDER** *(UN0028)*					
	UN0027	**GUNPOWDER,** *granular or as meal*	1.1D			P4	A5.8.
	UN0028	**GUNPOWDER, COMPRESSED** *or* **GUNPOWDER, IN PELLETS**	1.1D			P4	A5.8.
		Gutta percha solution, see **RUBBER SOLUTION** (UN1287)					
	UN2545	**HAFNIUM POWDER, DRY**	4.2		I II III	P3 P5, A19, A20, N34 P5	A8.3. A8.3. A8.3.
	UN1326	**HAFNIUM POWDER, WETTED** *with not less than 25% water (a visible excess of water must be present) (a) mechanically produced, particle size less than 53 microns; (b) chemically produced, particle size less than 840 microns*	4.1		II	P5, A6, A19, A20, N34	A8.3.
		Hair, wet, see **FIBERS or FIBRES, SYNTHETIC, N.O.S.** ★ (UN1373) *or* **FIBERS or FIBRES, ANIMAL, N.O.S.** ★ (UN1373) *or* **FIBERS, or FIBRES, VEGETABLE, N.O.S.** ★ (UN1373)					
	UN3151	**HALOGENATED MONOMETHYLDIPHENYLMETHANES, LIQUID**	9		II	P5	A13.2
	UN3152	**HALOGENATED MONOMETHYLDIPHENYLMETHANES, SOLID**	9		II	P5	A13.2
		Hand signal device, see **SIGNAL DEVICES, HAND** (UN0191, UN0373)					
		Hazardous substances, liquid or solid, N.O.S., see **ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID N.O.S.,** ★ (UN3082) **or ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.** ★ (UN3077)					
D ★	NA3082	**HAZARDOUS WASTE, LIQUID, N.O.S.**	9		III	P5, A189	A13.2**.**
D ★	NA3077	**HAZARDOUS WASTE, SOLID, N.O.S**.	9		III	P5	A13.2**.**
	UN1327	**HAY**	4.1			A520, A524	FORBIDDEN
	UN1202	**HEATING OIL, LIGHT**	3		III	P5	A7.2**.**
		Heat producing article battery operated equipment, such as underwater torches or soldering equipment, which, if accidentally activated, will generate extreme heat and cause fire	9				FORBIDDEN

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
		Heavy hydrogen, see **DEUTERIUM, COMPRESSED** (UN1957)					
	UN1046	**HELIUM, COMPRESSED**	2.2			P5	A6.3., A6.5.
		Helium, liquid, non-pressurized					FORBIDDEN
	UN1963	**HELIUM, REFRIGERATED LIQUID***(cryogenic liquid)*	2.2			P5	A6.11.
	UN3296	**HEPTAFLUOROPROPANE** *or* **REFRIGERANT GAS R227**	2.2			P5	A6.3., A6.4.
	UN3056	**N-HEPTALDEHYDE**	3		III	P5	A7.2.
		n-Heptanal; *see* **N-HEPTALDEHYDE** (UN3056)					
	UN1206	**HEPTANES**	3		II	P5	A7.2.
		4-Hepatanone, see **DIPROPYL KETONE** (UN2710)					
	UN2278	**N-HEPTENE**	3		II	P5	A7.2.
	UN2661	**HEXACHLOROACETONE**	6.1		III	P5	A10.4.
	UN2729	**HEXACHLOROBENZENE**	6.1		III	P5	A10.4.
		Hexachloro-1,3-butadiene, see **HEXACHLOROBUTADIENE** (UN2279)					
	UN2279	**HEXACHLOROBUTADIENE**	6.1		III	P5	A10.4.
	UN2646	**HEXACHLOROCYCLOPENTADIENE**	6.1		I	P2, 2	A10.6.
	UN2875	**HEXACHLOROPHENE**	6.1		III	P5	A10.5.
		Hexachloro-2-propanone, see **HEXACHLOROACETONE** (UN2661)					
	UN1781	**HEXADECYLTRICHLOROSILANE**	8		II	P4, A7, N34	A12.2.
	UN2458	**HEXADIENES**	3		II	P5	A7.2.
	UN1612	**HEXAETHYL TETRAPHOSPHATE AND COMPRESSED GAS MIXTURE**	2.3			P2, 3	A6.18.
	UN1611	**HEXAETHYL TETRAPHOSPHATE, LIQUID** *or* **HEXAETHYL TETRAPHOSPHATE, SOLID**	6.1		II	P5, N76	A10.4., A10.5**.**
	UN2420	**HEXAFLUOROACETONE**	2.3	8		P2, 2	A6.4**.**
	UN2552	**HEXAFLUOROACETONE HYDRATE**, **LIQUID**	6.1		II	P5	A10.4.
	UN3436	**HEXAFLUOROACETONE HYDRATE**, **SOLID**	6.1		II	P5	A10.5**.**
	UN2193	**HEXAFLUOROETHANE** *or* **REFRIGERANT GAS R116**	2.2			P5	A6.3., A6.4**.**
	UN1782	**HEXAFLUOROPHOSPHORIC ACID**	8		II	P5, A7, N3, N34	A12.2**.**
	UN1858	**HEXAFLUOROPROPYLENE, COMPRESSED** o*r* **REFRIGERANT GAS R1216**	2.2			P5	A6.3., A6.4**.**
		Hexahydrobenzene, see **CYCLOHEXANE (UN1145)**					
		Hexahydrocresol or Hexahydromethyl phenol, see **METHYLCYCLOHEXANOLS** (UN2617)					
		Hexahydrotoluene, see **METHYLCYCLOHEXANE** (UN2296)					
	UN1207	**HEXALDEHYDE**	3		III	P5	A7.2**.**
		Hexamethylene, see **CYCLOHEXANE** (UN1145)					
	UN2281	**HEXAMETHYLENE DIISOCYANATE**	6.1		II	P5	A10.4**.**
	UN2280	**HEXAMETHYLENEDIAMINE, SOLID**	8		III	P5	A12.3**.**
	UN1783	**HEXAMETHYLENEDIAMINE SOLUTION**	8		II III	P5 P5	A12.2**.** A12.2**.**
	UN2493	**HEXAMETHYLENEIMINE**	3	8	II	P5	A7.2**.**
	UN1328	**HEXAMETHYLENETETRAMINE**	4.1		III	P5, A1	A8.3.
		Hexamethylene triperoxide diamine (dry)					FORBIDDEN
		Hexamethylol benzene hexanitrate					FORBIDDEN
		3,3,6,6,9,9-Hexamethyl-1,2,4,5-tetraoxacyclononane, more than 52%					FORBIDDEN
		Hexamine, see **HEXAMETHYLENETETRAMINE** (UN1328)					
	UN1208	**HEXANES**	3		II	P5	A7.2**.**
		Hexanitroazoxy benzene					FORBIDDEN
		2,2,4,4,6,6-Henanitro-3,3-dihyroxyazobenzene (dry)					FORBIDDEN
	UN0079	**HEXANITRODIPHENYLAMINE** *or* **DIPICRYLAMINE** *or* **HEXYL**	1.1D			P4	A5.6.
		2,3,4,4,6,6-Henanitrodiphenylether					FORBIDDEN
		N,N'-(Hexanitrodiphenyl) ethylene dinitramine (dry)					FORBIDDEN

Table A4.1		PROPER SHIPPING NAME/ DESCRIPTION	HAZARD CLASS/ DIV	SUBSIDIARY RISK	PG	SPECIAL PROVISION	PACKAGING PARAGRAPH
	UN/ID NUMBER						
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
		2,2,3,4,4,6- Hexanitrodiphenylamine					FORBIDDEN
		Hexanitrodiphenyl urea					FORBIDDEN
		Hexanitroethane					FORBIDDEN
		Hexanitrooxanilide					FORBIDDEN
	UN0392	**HEXANITROSTILBENE**	1.1D			P4	A5.6.
		Hexanoic acid, see **CAPROIC ACID** *or* **CORROSIVE LIQUIDS, N.O.S.** (UN2829)					
	UN2282	**HEXANOLS**	3		III	P5	A7.2.
	UN2370	**1-HEXENE**	3		II	P5	A7.2.
	UN0391	**HEXOGEN AND CYCLOTETRAMETHYLENETETRANITRAMIN- MIXTURE, DESENSITIZED** *with not less than 10% phlegmatizer, by mass*	1.1D			P4	A5.6.
	UN0391	**HEXOGEN AND CYCLOTETRAMETHYLENETETRANITRAMIN MIXTURE, WETTED** *with not less than 15% water, by mass*	1.1D			P4	A5.6.
	UN0483	**HEXOGEN, DESENSITIZED**	1.1D			P4	A5.6.
	UN0072	**HEXOGEN, WETTED,** *with not less than 15% water, by weight*	1.1D			P4	A5.6.
	UN0118	**HEXOLITE**, *or* **HEXOTOL** *dry or wetted with less than 15% water, by mass*	1.1D			P4	A5.6.
	UN0393	**HEXOTONAL**	1.1D			P4	A5.6.
	UN0079	**HEXYL or HEXANITRODIPHENYLAMINE** or **DIPICRYLAMINE**	1.1D			P4	A5.6.
	UN1784	**HEXYLTRICHLOROSILANE**	8		II	P4, A7, N34	A12.2.
		High explosives, see individual explosives' entries					
	UN0484	**HMX, DESENSITIZED**	1.1D			P4	A5.6.
		Hmx (dry or unphlegmatized)					FORBIDDEN
	UN0226	**HMX, WETTED,** *with not less than 15% water, by weight*	1.1D			P4	A5.6.
	UN2029	**HYDRAZINE, ANHYDROUS**	8	3, 6.1	I	P3, A7, A10	A12.2.
		Hydrazine azide					FORBIDDEN
		Hydrazine chlorate					FORBIDDEN
		Hydrazine dicarbonic acid diazide					FORBIDDEN
	UN3293	**HYDRAZINE, AQUEOUS SOLUTION** *with not more than 37% hydrazine, by mass*	6.1		III	P5	A10.4.
	UN2030	**HYDRAZINE AQUEOUS SOLUTION**, *with more than 37% hydrazine by mass*	8	6.1 6.1 6.1	I II III	P3, A510 P4, A510 P4	A12.2 A12.2. A12.2
	UN3484	**HYDRAZINE AQUEOUS SOLUTION**, **FLAMMABLE** *with more than 37% hydrazine by mass*	8	3, 6.1	I	P3	A12.2
		Hydrazine dicarbonic acid diazide					FORBIDDEN
		Hydrazine perchlorate					FORBIDDEN
		Hydrazine selenate					FORBIDDEN
		Hydrides, metal, water-reactive, N.O.S., see **METAL HYDRIDES, WATER-REACTIVE, N.O.S.** ★ (UN1409)					
	UN1787	**HYDRIODIC ACID**	8		II III	P5, A3, N41 P5	A12.2. A12.2.
		Hydriodic acid, anhydrous, see **HYDROGEN IODIDE, ANHYDROUS** (UN2197)					
		Hydrobromic acid, anhydrous, see **HYDROGEN BROMIDE, ANHYDROUS** (UN1048)					
	UN1788	**HYDROBROMIC ACID** *with more than 49% hydrobromic acid*	8		II III	P4, N41 P5	A12.2. A12.2.
	UN1788	**HYDROBROMIC ACID** *with not more than 49% hydrobromic acid*	8		IIII I	P5, A3, N41 P5	A12.2. A12.2.
		Hydrobromic, acid, anhydrous, see **HYDROGEN BROMIDE, ANHYDROUS**					

Table A4.1		PROPER SHIPPING NAME/ DESCRIPTION	HAZARD CLASS/ DIV	SUBSIDIARY RISK	PG	SPECIAL PROVISION	PACKAGING PARAGRAPH
	UN/ID NUMBER						
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
		Hydrobromic ether, see **ETHYL BROMIDE (UN1891)**					
★	UN1964	**HYDROCARBON GAS, MIXTURES COMPRESSED, N.O.S.**	2.1			P4	A6.3., A6.5.
★	UN1965	**HYDROCARBON GAS, MIXTURES, LIQUEFIED**, **N.O.S**	2.1			P4	A6.3., A6.4.
		Hydrocarbon gas-powered small devices, see **DEVICES, SMALL, HYDROCARBON GAS POWERED** (UN3150)					
	UN3150	**HYDROCARBON GAS REFILLS FOR SMALL DEVICES,** *with release devices*	2.1			P5	A6.3., A6.4.
	UN3295	**HYDROCARBONS, LIQUID, N.O.S.**	3		I II III	P3, 144 P5, 144 P5, 144	A7.2. A7.2. A7.2.
	UN1789	**HYDROCHLORIC ACID**	8		II III	P4, A3, N41 P5, A3	A12.2. A12.2.
		Hydrochloric acid, anhydrous, see **HYDROGEN CHLORIDE, ANHYDROUS** (UN1050)					
		Hydrocyanic acid, anhydrous, see **HYDROGEN CYANIDE, STABILIZED** (UN1051, UN1614)					
	UN1613	**HYDROCYANIC ACID, AQUEOUS SOLUTIONS** *or* **HYDROGEN CYANIDE, AQUEOUS SOLUTIONS** *not more than 20% hydrogen cyanide*	6.1		I		FORBIDDEN
		Hydrocyanic acid, aqueous solution, more than 20% hydrogen cyanide					FORBIDDEN
		Hydrofluboric acid, see **FLUOROBORIC ACID (**UN1775)					
D	NA1613	**HYDROCYANIC ACID, AQUEOUS SOLUTIONS** *with less than 5% hydrogen cyanide*					FORBIDDEN
		HYDROCYANIC ACID (PRUSSIC) UNSTABILIZED					FORBIDDEN
	UN1790	**HYDROFLUORIC ACID,** *with more than 60% strength*	8	6.1	I	P3, A7, N5, N34	A12.2.
	UN1790	**HYDROFLUORIC ACID,** *with not more than 60% strength*	8	6.1	II	P4, A7, N5, N34	A12.2.
	UN1786	**HYDROFLUORIC ACID AND SULPHURIC ACID MIXTURES**	8	6.1	I	P3, A7, N5, N34	A12.2.
		Hydrofluoric acid, anhydrous, see **HYDROGEN FLUORIDE, ANHYDROUS** (UN1052)					
		Hydrofluosilicic acid, see **FLUOROSILICIC ACID** (UN1778)					
	UN2034	**HYDROGEN AND METHANE MIXTURES**, **COMPRESSED**	2.1			P4, N89	A6.3., A6.5.
		Hydrogen arsenide, see **ARSINE** (UN2188)					
	UN1048	**HYDROGEN BROMIDE, ANHYDROUS**	2.3	8		P2, 3, N86, N89	A6.4.
		Hydrogen bromide solution, see **HYDROBROMIC ACID** (UN1788)					
	UN1050	**HYDROGEN CHLORIDE, ANHYDROUS**	2.3	8		P2, 3, N86, N89	A6.4.
	UN2186	**HYDROGEN CHLORIDE, REFRIGERATED LIQUID**	2.3	8			FORBIDDEN
	UN1049	**HYDROGEN, COMPRESSED**	2.1			P4, N89	A6.3., A6.5.
	UN3294	**HYDROGEN CYANIDE, SOLUTION IN ALCOHOL,** *with not more than 45% of hydrogen cyanide*	6.1	3	I		FORBIDDEN
	UN1051	**HYDROGEN CYANIDE, STABILIZED,** *with less than 3% water*	6.1	3	I		FORBIDDEN
	UN1614	**HYDROGEN CYANIDE, STABILIZED,** *containing less than 3% water and absorbed in a porous inert material*	6.1		I		FORBIDDEN

Table A4.1		PROPER SHIPPING NAME/ DESCRIPTION	HAZARD CLASS/ DIV	SUBSIDIARY RISK	PG	SPECIAL PROVISION	PACKAGING PARAGRAPH
	UN/ID NUMBER						
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
		Hydrogen cyanide, unstabilized					FORBIDDEN
	UN1052	**HYDROGEN FLUORIDE, ANHYDROUS**	8	6.1	I	P2, 3, N86	A12.8.
		Hydrogen fluoride solution, see **HYDROFLUORIC ACID (UN1790)**					
	UN3468	**HYDROGEN IN A METAL HYDRIDE STORAGE SYSTEM** *or* **HYDROGEN IN A METAL HYDRIDE STORAGE SYSTEM CONTAINED IN EQUIPMENT** *or* **HYDROGEN IN A METAL HYDRIDE STORAGE SYSTEM PACKED WITH EQUIPMENT**	2.1			P4, 167	A6.26
	UN2197	**HYDROGEN IODIDE, ANHYDROUS**	2.3	8		P2, 3, N86, N89	A6.4.
		Hydrogen iodide solution, see **HYDRIODIC ACID, SOLUTION** (UN1787)					
		Hydrogen liquid, see **HYDROGEN, REFRIGERATED LIQUID** (UN1966)					
	UN3149	**HYDROGEN PEROXIDE AND PEROXYACETIC ACID MIXTURES**, **STABILIZED** *with acids, water and not more than 5% peroxyacetic acid,*	5.1	8	II	P5, 145, A2, A3	A9.5.
	UN2014	**HYDROGEN PEROXIDE, AQUEOUS SOLUTIONS** *with more than 40%, but not more than 60% hydrogen peroxide (stabilized as necessary)*	5.1	8	II	12, A60	FORBIDDEN
	UN2014	**HYDROGEN PEROXIDE, AQUEOUS SOLUTIONS** *with not less than 20%, but not more than 40% hydrogen peroxide (stabilized as necessary)*	5.1	8	II	P5, A2, A3	A9.5.
	UN2984	**HYDROGEN PEROXIDE, AQUEOUS SOLUTIONS** *with not less than 8%, but less than 20% hydrogen peroxide(stabilized as necessary)*	5.1		III	P5, A1	A9.5.
	UN2015	**HYDROGEN PEROXIDE, STABILIZED** *or* **HYDROGEN PEROXIDE AQUEOUS SOLUTIONS, STABILIZED** *with more than 60% hydrogen peroxide*	5.1	8			FORBIDDEN
		Hydrogen phosphide, see **PHOSPHINE** (UN2199)					
		Hydrogen peroxide, aqueous solution with less than 8% hydrogen peroxide (stabilized as necessary) **(Not Restricted)**					
	UN1966	**HYDROGEN, REFRIGERATED LIQUID***(cryogenic liquid)*	2.1			P3	A6.11.
	UN2202	**HYDROGEN SELENIDE, ANHYDROUS**	2.3	2.1			FORBIDDEN
	UN3526	**HYDROGEN SELENIDE, ADSORBED**	2.3	2.1			FORBIDDEN
		Hydrogen silicide, see **SILANE** (UN2203)					
		Hydrogen sulfate, see **SULFURIC ACID** (UN1830)					
	UN1053	**HYDROGEN SULFIDE**	2.3	2.1		P2, 2, N89	A6.4**.**
		Hydroselenic acid, see **HYDROGEN SELENIDE** (UN2202)					
		Hydrosilicofluoric acid, see **FLUOROSILICIC ACID** (UN1778)					
		Hydroxybenzene, see **PHENOL, SOLID** (UN1671)					
		3-Hydroxybutan-2-one, see **ACETYL METHYL CARBINOL** (UN2621)					
		3-(2-Hydroxyethoxy(-4-pyrrolidin-1-ylbenzenediazonium zinc chloride, see **SELF-REACTIVE SOLID TYPE D, TEMPERATURE CONTROLLED** (UN3236)					
		Hydroxyl Amine iodide					FORBIDDEN
	UN1740	**HYDROGENDIFLUORIDES, SOLID N.O.S.**	8		II III	P5, N3, N34 P5, N3, N34	A12.3. A12.3.
	UN3471	**HYDROGENDIFLUORIDES, SOLUTION N.O.S.**	8	6.1	II III	P5, N3, N34 P5, N3, N34	A12.2. A12.2.
		Hydrosilicofluoric acid, see **FLUOROSILICIC ACID** (UN1778)					
	UN2865	**HYDROXYLAMINE SULFATE**	8		III	P5	A12.3.

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
		1-Hydroxy-3-methyl-2-penten-4-yne, see **1-PENTOL** (UN2705)					
		3-Hydroxyphenol, see **RESORCINOL** (UN2876)					
	UN0508	**1-HYDROXYBENZOTRIAZOLE ANHYDROUS** *dry or wetted with less than 20%, by mass*					FORBIDDEN
	UN3474	**1-HYDROXYBENZOTRIAZOLE ANHYDROUS, MONOHYDRATE**	4.1		I	P4, N90	A8.3.
	UN1791	**HYPOCHLORITE SOLUTIONS**	8		II III	P5, 148, A7, N34 P5, 386, N34	A12.2. A12.2.
★	UN3212	**HYPOCHLORITES, INORGANIC, N.O.S.**	5.1		II	P5, 349, A9	A9.6.
		Hyponitrous acid					FORBIDDEN
		Igniter fuse, metal clad, see **FUSE, IGNITER**, *tubular, metal clad* (UN0103)					
	UN0121	**IGNITERS**	1.1G			P4	A5.25.
	UN0314	**IGNITERS**	1.2G			P4	A5.25.
	UN0315	**IGNITERS**	1.3G			P5	A5.25.
	UN0325	**IGNITERS**	1.4G			P5	A5.25.
	UN0454	**IGNITERS**	1.4S			P5	A5.25.
		Ignition element for lighter, containing pyrophoric liquid					FORBIDDEN
	UN2269	**3,3'-IMINODIPROPYLAMINE**	8		III	P5	A12.2.
		Indiarubber, see **RUBBER SOLUTION** (UN1287)					
★	UN2900	**INFECTIOUS SUBSTANCES, AFFECTING ANIMALS**, *liquid or solid*	6.2			P3, A117	A10.8
★	UN2814	**INFECTIOUS SUBSTANCES, AFFECTING HUMANS**, *liquid or solid*	6.2			P1, A117, A502	A10.8
		Inflammable, see **FLAMMABLE,**					
		Ink, Printer's, Flammable, see **PRINTING INK** (UN1210)					
		Initiating explosives (dry)					FORBIDDEN
		Inositol hexanitrate (dry)					FORBIDDEN
	UN1967	**INSECTICIDE GAS, TOXIC, N.O.S.**	2.3				FORBIDDEN
★	UN1968	**INSECTICIDE GASES**, **N.O.S**, *(aerosols in boxes) or (cylinders)*	2.2			P5	A6.3., A6.5.
★	UN3354	**INSECTICIDE GASES**, **FLAMMABLE, N.O.S**	2.1			P4	A6.3., A6.5.
★	UN3355	**INSECTICIDE GAS, TOXIC, FLAMMABLE, N.O.S.**	2.3	2.1			FORBIDDEN
	UN3355	**INSECTICIDE GASES**, **TOXIC, FLAMMABLE, N.O.S** *Inhalation hazard Zone A*	2.3	2.1			FORBIDDEN
★	UN3355	**INSECTICIDE GASES**, **TOXIC, FLAMMABLE, N.O.S** *Inhalation hazard Zone B*	2.3	2.1			FORBIDDEN
★	UN3355	**INSECTICIDE GASES**, **TOXIC, FLAMMABLE, N.O.S** *Inhalation hazard Zone C*	2.3	2.1			FORBIDDEN
★	UN3355	**INSECTICIDE GASES**, **TOXIC, FLAMMABLE, N.O.S** *Inhalation hazard Zone D*	2.3	2.1			FORBIDDEN
		Inulin trinate (dry)					FORBIDDEN
		Iodine azide (dry)					FORBIDDEN
+	UN3495	**IODINE**	8	6.1	III	P5	A12.3.
	UN3498	**IODINE MONOCHLORIDE, LIQUID**	8		II	P4, N41	A12.2.
	UN1792	**IODINE MONOCHLORIDE, SOLID**	8		II	P4, N41	A12.3.
	UN2495	**IODINE PENTAFLUORIDE**	5.1	6.1, 8	I	P3	A9.7.
	UN2390	**2-IODOBUTANE**	3		II	P5	A7.2.
		Iodomethane, see **METHYL IODIDE** (UN2644)					
	UN2391	**IODOMETHYLPROPANES**	3		II	P5	A7.2.
	UN2392	**IODOPROPANES**	3		III	P5	A7.2.
		alpha-Iodotoluene, see **BENZYL IODIDE** (UN2653)					
		Iodoxy compounds (dry)					FORBIDDEN
		IDPI, see **ISOPHORONE DIISOCYANATE** (UN2290)					
		Iridium nitratopentamine iridium nitrate					FORBIDDEN
		Iron arsenate, see **FERROUS ARSENATE** (UN1608)					

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
		Iron chloride anhydrous, see **FERRIC CHLORIDE ANHYDROUS** (UN1773)					
		Iron chloride solution, see **FERRIC CHLORIDE SOLUTION** (UN2582)					
		Iron (III) chloride, anhydrous, see **FERRIC CHLORIDE, ANHYDROUS** (UN1773)					
	UN1376	**IRON OXIDE, SPENT**, *or* **IRON SPONGE, SPENT** *obtained from coal gas purification*	4.2		III		FORBIDDEN
	UN1994	**IRON PENTACARBONYL**	6.1	3	I	P1, 1	A10.6.
		Iron perchloride, anhydrous, see **FERRIC CHLORIDE, ANHYDROUS** (UN1773)					
		Iron powder, pyrophoric, see **PYROPHORIC METAL, N.O.S.** *or* **PYROPHORIC ALLOY, N.O.S.** (UN1383)					
		Iron sesquichloride, see **FERRIC CHLORIDE** (UN1773)					
		Iron swarf, see **FERROUS METAL SHAVINGS** *or* **FERROUS METAL** *or* **FERROUS METAL TURNINGS CUTTINGS** *or* **FERROUS METAL BORINGS** (UN2793)					
		Irritating agents or materials, see **TEAR GAS SUBSTANCE LIQUID** (UN1693) ***or*** **TEAR GAS SUBSTANCE, SOLID, N.O.S.** (UN3448)					
	UN1969	**ISOBUTANE** *or* **PETROLEUM GASES, LIQUEFIED**	2.1			P4,	A6.3., A6.4.
	UN1212	**ISOBUTANOL** *or* **ISOBUTYL ALCOHOL**	3		III	P5	A7.2.
		Isobutene, see **ISOBUTYLENE** (UN1055)					
	UN1213	**ISOBUTYL ACETATE**	3		II	P5	A7.2.
	UN2527	**ISOBUTYL ACRYLATE, STABILIZED**	3		III	P5, 387	A7.2.
		Isobutyl Alcohol, see **ISOBUTANOL**					
		Isobutyl Aldehyde, see **ISOBUTYRALDEHYDE** (UN2045)					
	UN2045	**ISOBUTYL ALDEHYDE** *or* **ISOBUTYRALDEHYDE**	3		II	P5	A7.2.
	UN2393	**ISOBUTYL FORMATE**	3		II	P5	A7.2.
	UN2528	**ISOBUTYL ISOBUTYRATE**	3		III	P5	A7.2.
+	UN2486	**ISOBUTYL ISOCYANATE**	6.1	3	I	P1, 1	A10.6.
	UN2283	**ISOBUTYL METHACRYLATE, STABILIZED**	3		III	P5	A7.2.
	UN2394	**ISOBUTYL PROPIONATE**	3		III	P5	A7.2.
	UN1214	**ISOBUTYLAMINE**	3	8	II	P5	A7.2.
	UN1055	**ISOBUTYLENE** *or* **PETROLEUM GASES, LIQUEFIED**	2.1			P4	A6.3., A6.4.
	UN2529	**ISOBUTYRIC ACID**	3	8	III	P5	A7.2.
	UN2284	**ISOBUTYRONITRILE**	3	6.1	II	P5	A7.2.
	UN2395	**ISOBUTYRYL CHLORIDE**	3	8	II	P5	A7.2.
		Isocrotonic acid, see **CROTONIC ACID, LIQUID (UN3472)**					
★	UN2478	**ISOCYANATES, FLAMMABLE, TOXIC, N.O.S**. *or* **ISOCYANATE SOLUTIONS, FLAMMABLE, TOXIC, N.O.S.,** *flashpoint less than 23 degrees C*	3	6.1	II III	P2, 5, A3, A7 P4, 5, A3, A7	A7.2.
★	UN3080	**ISOCYANATES, TOXIC, FLAMMABLE N.O.S.** *or* **ISOCYANATE SOLUTIONS, TOXIC, FLAMMABLE, N.O.S.,** *flashpoint not less than 23 degrees C but not more than 61 degrees C and boiling point less than 300 degrees C*	6.1	3	II	P4	A10.4.
★	UN2206	**ISOCYANATES, TOXIC N.O.S**. *or* **ISOCYANATE SOLUTIONS, TOXIC N.O.S.,** *flashpoint more than 61 degrees C and boiling point less than 300 degrees C*	6.1		II III	P4 P4	A10.4. A10.4.
	UN2285	**ISOCYANATOBENZOTRIFLUORIDES**	6.1	3	II	P2, 5	A10.4.
		3-Isocyanatomethyl-3,5,5-trimethylcyclohexyl isocyanate, see **ISOPHORONE DIISOCYANATE** (UN2290)					

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
		Isododecane, see **PENTAMETHYLHEPTANE** (UN2286)					
	UN2287	**ISOHEPTENES**	3		II	P5	A7.2.
	UN2288	**ISOHEXENES**	3		II	P5	A7.2.
		Isooctane, see **OCTANES** (UN1262)					
	UN1216	**ISOOCTENES**	3		II	P5	A7.2.
		Isonpentane, see **PENTANES** (UN1265)					
		Isopentanoic acid, see **CORROSIVE LIQUIDS N.O.S.** (UN1760)					
	UN2371	**ISOPENTENES**	3		I	P3	A7.2.
		Isopentyl nitrite, see **AMYL NITRITE** (UN1113)					
		Isopentylamine, see **AMYLAMINE** (UN1106)					
	UN2290	**ISOPHORONE DIISOCYANATE**	6.1		III	P5	A10.4.
	UN2289	**ISOPHORONEDIAMINE**	8		III	P5	A12.2.
	UN1218	**ISOPRENE, STABILIZED**	3		I	P3, 387	A7.2.
		Isoprene, unstabilized					FORBIDDEN
	UN1219	**ISOPROPANOL** *or* **ISOPROPYL ALCOHOL**	3		II	P5	A7.2.
	UN2403	**ISOPROPENYL ACETATE**	3		II	P5	A7.2.
	UN2303	**ISOPROPENYLBENZENE**	3		III	P5	A7.2.
	UN1220	**ISOPROPYL ACETATE**	3		II	P5	A7.2.
	UN1793	**ISOPROPYL ACID PHOSPHATE**	8		III	P5	A12.3.
		Isopropyl Alcohol, see **ISOPROPANOL** ((UN1219)					
	UN2405	**ISOPROPYL BUTYRATE**	3		III	P5	A7.2.
		Isopropyl chloride, see **2-CHLOROPROPANE** (UN2356)					
	UN2947	**ISOPROPYL CHLOROACETATE**	3		III	P5	A7.2.
	UN2407	**ISOPROPYL CHLOROFORMATE**	6.1	3, 8	I	P2, 2	A10.6.
		Isopropyl-alpha-chloropropionate, see **ISOPROPYL 2-CHLOROPROPIONATE** (UN2934)					
	UN2934	**ISOPROPYL 2-CHLOROPROPIONATE**	3		III	P5	A7.2.
		Isopropylcumyl hydroperoxide, more than 72% in solution					FORBIDDEN
		Isopropyl ether, see **DIISOPROPYL ETHER** (UN1159)					
		Isopropylethylene, see **3-METHYL-1-BUTENE** (UN2561)					
		Isopropyl formate, see **PROPYL FORMATES** (UN1281)					
	UN2406	**ISOPROPYL ISOBUTYRATE**	3		II	P5	A7.2.
+	UN2483	**ISOPROPYL ISOCYANATE**	6.1	3	I	P1, 1	A10.6.
		Isopropyl mercaptan, see **PROPANETHIOLS** (UN2402)					
	UN1222	**ISOPROPYL NITRATE**	3		II	P5	A7.2.
		Isopropyl phosphoric acid, see **ISOPROPYL ACID PHOSPHATE** (UN1793)					
	UN2409	**ISOPROPYL PROPIONATE**	3		II	P5	A7.2.
		Isopropyltoluene or Isopropyltoluol, see **CYMENES** (UN2046)					
	UN1221	**ISOPROPYLAMINE**	3	8	I	P3	A7.2.
	UN1918	**ISOPROPYLBENZENE**	3		III	P5	A7.2.
		Isopropyl bromide, see **BROMOPROPANES**					
		Isopropyl sec-butyl peroxydicarbonate, not more than 52%, with di-sec-butyl peroxydicarbonate, not more than 28%, with di-isopropyl peroxydicarbonate, not more than 22%					FORBIDDEN
	UN2907	**ISOSORBIDE DINITRATE MIXTURE** *with not less than 60% lactose, mannose, starch or calcium hydrogen phosphate*	4.1		II	P5	A8.3.
		Isosorbide dinitrate mixture with less than 60% lactose, mannose, starch or calcium hydrogen phosphate					FORBIDDEN
	UN3251	**ISOSORBIDE-5-MONONITRATE**	4.1		III	P5, 66, 159	A8.3.
		Isothiocyanic acid					FORBIDDEN

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
		Isovaleradelhyde, see **VALERADEHYDE** (UN2058)					
		Jet fuel, see **FUEL, AVIATION, TURBINE ENGINE** (UN1863)					
D	NA0124	**JET PERFORATING GUNS, CHARGED** *oil well, with detonator*	1.1D			55, 56	FORBIDDEN
D	NA0494	**JET PERFORATING GUNS, CHARGED** *oil well, with detonator*	1.4D			P5, 55, 56	A5.3.
	UN0124	**JET PERFORATING GUNS, CHARGED** *oil well, without detonator*	1.1D			55, 56	FORBIDDEN
	UN0494	**JET PERFORATING GUNS, CHARGED** *oil well, without detonator*	1.4D			P5, 55, 56, 114	A5.3.
		Jet perforators, see **CHARGES, SHAPED,** (UN0059, UN0439, UN0440, UN0441)					
		Jet tappers, *without detonator, see* **CHARGES**, **SHAPED,** (UN0059, UN0439, UN0440, UN0441)					
		Jet thrust igniters, for rocket motors or Jato, see **IGNITERS,** (UN0121, UN0314, UN0315, UN0325, UN0454**)**					
		Jet thrust unit (Jato), see **ROCKET MOTORS** (UN0186, UN0280, UN0281)					
		Jute or Kapok, see **FIBERS, ANIMAL, N.O.S.** (UN1373)					
	UN1223	**KEROSENE**	3		III	P5, 144	A7.2.
		Ketone oils, see **ACETONE OILS** (UN1091)					
★	UN1224	**KETONES, LIQUID, N.O.S.**	3		I II III	P3 P5 P5	A7.2. A7.2. A7.2.
	UN3497	**KRILL MEAL**	4.2		II III	P5, 155 P5, 155	A8.3. A8.3.
	UN1056	**KRYPTON, COMPRESSED**	2.2			P5	A6.3., A6.5.
	UN1970	**KRYPTON, REFRIGERATED LIQUID***(cryogenic liquid)*	2.2			P4	A6.11.
		Lacquer base or lacquer chips,nitrocellulose, dry, see **NITROCELLULOSE**, **MIXTURE WITH PLASTICIZER, WITHOUT PIGMENT** (UN2557) or **NITROCELLULOSE**, **MIXTURE WITHOUT PLASTICIZER, WITH PIGMENT** (UN2557) or **NITROCELLULOSE**, **MIXTURE WITH PLASTICIZER, WITH PIGMENT** (UN2557)					
		Lacquer base or lacquer chips, plastic, wet with alcohol or solvent,lacquer liquids see **NITROCELLULOSE SOLUTION, FLAMMABLE** (UN2056) or *see* **NITROCELLULOSE WITH WATER** (UN2055) *or* **PAINT**, (UN1263)(UN3066)					
		Lamp black, see **CARBON** (UN1361)					
	UN1616	**LEAD ACETATE**	6.1		III	P5	A10.5.
	UN1617	**LEAD ARSENATES**	6.1		II	P5	A10.5.
	UN1618	**LEAD ARSENITES**	6.1		II	P5	A10.5.
		Lead azide (dry)					FORBIDDEN
	UN0129	**LEAD AZIDE,** *wetted with not less than 20% water or mixture of alcohol and water, by mass*	1.1A			P3, 111, 117	A5.4.
		Lead azide, wetted, with less than 20% water or mixture of alcohol and water					FORBIDDEN
		Lead chloride, solid, see **LEAD COMPOUND, SOLUBLE, N.O.S.** ★ (UN2291)					
★	UN2291	**LEAD COMPOUNDS, SOLUBLE, N.O.S.**	6.1		III	P5, 138	A10.5.
	UN1620	**LEAD CYANIDE**	6.1		II	P5	A10.5.
	UN1872	**LEAD DIOXIDE**	5.1		III	P5, A1	A9.6.
		Lead (II) acetate, see **LEAD ACETATE** (UN1616)					
		Lead (II) cyanide, see **LEAD CYANIDE** (UN1620)					
		Lead dross, see **LEAD SULFATE**, *with more than 3% free acid* (UN1794)					
		Lead (II) nitrate, see **LEAD NITRATE** (UN1469)					

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
		Lead (II) perchlorate, see **LEAD PERCHLORATE, SOLID** (UN1470) *or* **LEAD PERCHLORATE SOLUTION** (UN3408)					
	UN1469	**LEAD NITRATE**	5.1	6.1	II	P5	A9.6.
		Lead nitroresorcinate (dry)					FORBIDDEN
	UN1470	**LEAD PERCHLORATE SOLID**	5.1	6.1	II	P5	A9.6.
	UN3408	**LEAD PERCHLORATE SOLUTION**	5.1	6.1	II III	P5 P5	A9.5. A9.5.
		Lead peroxide, see **LEAD DIOXIDE** (UN1872)					
	UN2989	**LEAD PHOSPHITE, DIBASIC**	4.1		II III	P5 P5	A8.3. A8.3.
		Lead picrate (dry)					FORBIDDEN
		Lead styphnate (dry)					FORBIDDEN
	UN0130	**LEAD STYPHNATE, WETTED** *or* **LEAD TRINITRORESORCINATE, WETTED** *with not less than 20% water or mixture of alcohol and water, by mass*	1.1A			P3, 111, 117	A5.4.
		Lead styphnate, wetted with less than 20% water or mixture of alcohol and water					FORBIDDEN
	UN1794	**LEAD SULFATE** *with more than 3% free acid*	8		II	P5	A12.3.
		Lead tetraethyl or Lead tetramethyl, see **MOTOR FUEL ANTI-KNOCK MIXTURE** (UN1649)					
		Lead trinitroresorcinate (dry)					FORBIDDEN
		LEAD TRINITRORESORCINATE, *see* **LEAD STYPHNATE**, *etc.*					
		Leather bleach or dressing, see **FLAMMABLE LIQUID, TOXIC, N.O.S. ★** (UN1992) *or* **FLAMMABLE LIQUID, N.O.S. ★** (UN1993) *or* **FLAMMABLE LIQUID, CORROSIVE, N.O.S. ★** (UN2924)					
	UN3072	**LIFE-SAVING APPLIANCES, NOT SELF INFLATING** *containing dangerous goods as equipment*	9			P5, 182	A13.12.
	UN2990	**LIFE-SAVING APPLIANCES, SELF INFLATING**	9			P5, 338	A13.12.
		Lighter flints, see **FERROCERIUM** (UN1323)					
		Lighter fluid,see **FLAMMABLE LIQUID, N.O.S. ★** (UN1993)					
	UN1057	**LIGHTER REFILLS** *containing flammable gas no more than 4 fluid ounces (7.22 cubic inches) and 65 grams of flammable gas*	2.1			P5, 169	A6.10.
		Lighter replacement cartridges containing liquefied petroleum gases see **LIGHTER REFILL** *refills containing flammable gas,* (UN1057)					
		Lighters (cigarettes), with lighter fluids					FORBIDDEN
	UN1057	**LIGHTERS** *containing flammable gas*	2.1			P5, 168	A6.10.
		Lighters (cigarettes), containing pyrophoric liquid					FORBIDDEN
D	NA1057	**LIGHTERS,** *non-pressurized containing flammable liquid*	3		II	168	
	UN0131	**LIGHTERS, FUSE**	1.4S			P5	A5.25.
		Lime-nitrogen, see **CALCIUM CYANAMIDE** (UN1403)					
		Lime, unslaked, see **CALCIUM OXIDE** (UN1910)					
		Limonene, inactive, see **DIPENTENE** (UN2052)					
		Linoleates, see **FLAMMABLE LIQUID, N.O.S. ★** (UN1993)					
★	UN3163	**LIQUEFIED GAS, N.O.S**	2.2			P5	A6.3., A6.4.
★	UN3157	**LIQUEFIED GAS OXIDIZING, N.O.S**	2.2	5.1		P5, A14	A6.3., A6.4.
★	UN3308	**LIQUEFIED GAS, TOXIC, CORROSIVE, N.O.S,** *Inhalation Hazard Zone A*	2.3	8		P1, 1	A6.15.
★	UN3308	**LIQUEFIED GAS, TOXIC, CORROSIVE, N.O.S,** *Inhalation Hazard Zone B*	2.3	8		P2, 2	A6.4.

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
★	UN3308	**LIQUEFIED GAS, TOXIC, CORROSIVE, N.O.S,** *Inhalation Hazard Zone C*	2.3	8		P2, 3	A6.4.
★	UN3308	**LIQUEFIED GAS, TOXIC, CORROSIVE, N.O.S,** *Inhalation Hazard Zone D*	2.3	8		P2, 4	A6.4.
★	UN3309	**LIQUEFIED GAS, TOXIC, FLAMMABLE, CORROSIVE, N.O.S,** *Inhalation Hazard Zone A*	2.3	2.1, 8		P1, 1	A6.15.
★	UN3309	**LIQUEFIED GAS, TOXIC, FLAMMABLE, CORROSIVE, N.O.S,** *Inhalation Hazard Zone B*	2.3	2.1, 8		P2, 2	A6.4.
★	UN3309	**LIQUEFIED GAS, TOXIC, FLAMMABLE, CORROSIVE, N.O.S,** *Inhalation Hazard Zone C*	2.3	2.1, 8		P2, 3	A6.4.
★	UN3309	**LIQUEFIED GAS, TOXIC, FLAMMABLE, CORROSIVE, N.O.S,** *Inhalation Hazard Zone D*	2.3	2.1, 8		P2, 4	A6.4.
★	UN3160	**LIQUEFIED GAS, TOXIC, FLAMMABLE, N.O.S,** *Inhalation Hazard Zone A*	2.3	2.1		P1, 1	A6.15.
★	UN3160	**LIQUEFIED GAS, TOXIC, FLAMMABLE, N.O.S,** *Inhalation Hazard Zone B*	2.3	2.1		P2, 2	A6.4.
★	UN3160	**LIQUEFIED GAS, TOXIC, FLAMMABLE, N.O.S,** *Inhalation Hazard Zone C*	2.3	2.1		P2, 3	A6.4.
★	UN3160	**LIQUEFIED GAS, TOXIC, FLAMMABLE, N.O.S,** *Inhalation Hazard Zone D*	2.3	2.1		P2, 4	A6.4.
★	UN3162	**LIQUEFIED GAS, TOXIC, N.O.S,** *Inhalation Hazard Zone A*	2.3			P1, 1	A6.15.
★	UN3162	**LIQUEFIED GAS, TOXIC, N.O.S,** *Inhalation Hazard Zone B*	2.3			P2, 2	A6.4.
★	UN3162	**LIQUEFIED GAS, TOXIC, N.O.S,** *Inhalation Hazard Zone C*	2.3			P2, 3	A6.4.
★	UN3162	**LIQUEFIED GAS, TOXIC, N.O.S,** *Inhalation Hazard Zone D*	2.3			P2, 4	A6.4.
★	UN3310	**LIQUEFIED GAS, TOXIC, OXIDIZING, CORROSIVE, N.O.S,** *Inhalation Hazard Zone A*	2.3	5.1, 8		P1, 1	A6.15.
★	UN3310	**LIQUEFIED GAS, TOXIC, OXIDIZING, CORROSIVE, N.O.S,** *Inhalation Hazard Zone B*	2.3	2.1, 8		P2, 2	A6.4.
★	UN3310	**LIQUEFIED GAS, TOXIC, OXIDIZING, CORROSIVE, N.O.S,** *Inhalation Hazard Zone C*	2.3	2.1, 8		P2, 3	A6.4.
★	UN3310	**LIQUEFIED GAS, TOXIC, OXIDIZING, CORROSIVE, N.O.S,** *Inhalation Hazard Zone D*	2.3	2.1, 8		P2, 4	A6.4.
★	UN3307	**LIQUEFIED GAS, TOXIC, OXIDIZING, N.O.S,** *Inhalation Hazard Zone A*	2.3	5.1		P1, 1	A6.15.
★	UN3307	**LIQUEFIED GAS, TOXIC, OXIDIZING, N.O.S,** *Inhalation Hazard Zone B*	2.3	5.1		P2, 2	A6.4.
★	UN3307	**LIQUEFIED GAS, TOXIC, OXIDIZING, N.O.S,** *Inhalation Hazard Zone C*	2.3	5.1		P2, 3	A6.4.
★	UN3307	**LIQUEFIED GAS, TOXIC, OXIDIZING, N.O.S,** *Inhalation Hazard Zone D*	2.3	5.1		P2, 4	A6.4.
	UN1058	**LIQUEFIED GASES**, *nonflammable charged with nitrogen, carbon dioxide or air*	2.2			P5	A6.3., A6.4.
★	UN3161	**LIQUEFIED GASES, FLAMMABLE, N.O.S.**	2.1			P4	A6.3., A6.4.
		Liquefied hydrocarbon gas, see **HYDROCARBON GAS MIXTURE, LIQUIFIED N.O.S.** ★ (UN1965)					
		Liquefied natural gas, see **METHANE, REFRIGERATED LIQUID** (UN1972) or **NATURAL GAS, REFRIGERATED LIQUID** (UN1972)					
		Liquefied petroleum gas, see **PETROLEUM GASES, LIQUEFIED** (UN1075)					
		Liquids, other than those classified as flammable, corrosive, or toxic, charged with nitrogen, carbon, dioxide or air, see **COMPRESSED GAS, N.O.S.** ★ (UN1956)					
		Liquor, see **ALCOHOLIC BEVERAGES** (UN3065)					
	UN1415	**LITHIUM**	4.3		I	P3, A7, A19, N45	A8.3.
		Lithium acetylide ethylenediamine complex, see **WATER-REACTIVE SOLID, N.O.S.** ★ (UN2813)					

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
		Lithium alkyls, liquid, *see* **ORGANOMETALLIC SUBSTANCE, LIQUID,PYROPHORIC,WATER-REATIVE ★** (UN3394)					
		Lithium alkyls, solid, see **ORGANOMETALLIC SUBSTANCE, SOLID, PYROPHORIC, WATER-REACTIVE ★** (UN3393)					
	UN1410	**LITHIUM ALUMINIUM HYDRIDE**	4.3		I	P3, A19	A8.3.
	UN1411	**LITHIUM ALUMINIUM HYDRIDE, ETHEREAL**	4.3	3	I	P3, A2, A11, N34	A8.2.
		Lithium amide, see **ALKALI METAL AMIDES** (UN1390)					
	UN3536	**LITHIUM BATTERIES INSTALLED IN A CARGO TRANSPORT UNIT** *lithium ion batteries or lithium metal batteries*	9			P5, 389	A13.8
	UN1413	**LITHIUM BOROHYDRIDE**	4.3		I	P3, A19, N40	A8.3.
	UN2830	**LITHIUM FERROSILICON**	4.3		II	P5, A19	A8.3.
	UN1414	**LITHIUM HYDRIDE**	4.3		I	P3, A19, N40	A8.3.
	UN2805	**LITHIUM HYDRIDE, FUSED SOLID**	4.3		II	P5, A8, A19, A20	A8.3.
	UN2680	**LITHIUM HYDROXIDE**	8		II	P5	A12.3.
	UN2679	**LITHIUM HYDROXIDE, SOLUTION**	8		II III	P5 P5	A12.2. A12.2.
	UN1471	**LITHIUM HYPOCHLORITE, DRY** *or* **LITHIUM HYPOCHLORITE MIXTURE**	5.1		II III	P5, A9, N34 P5, N34	A9.6. A9.6
		Lithium in cartridges or cartouches; see **LITHIUM (UN1415)**					
	UN3480	**LITHIUM ION BATTERIES** *including lithium polymer batteries*	9			P5, 388, 422, A54	A13.7.
	UN3481	**LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT** *including lithium polymer batteries*	9			P5, 181, 360, 388, 422, A54	A13.8.
	UN3481	**LITHIUM ION BATTERIES PACKED WITH EQUIPMENT** *including lithium polymer batteries*	9			P5, 181, 360, 388, 422, A54	A13.9.
	UN3090	**LITHIUM METAL BATTERIES** *including lithium alloy batteries*	9			P4, 388, 422, A54, A101	A13.7.
	UN3091	**LITHIUM METAL BATTERIES CONTAINED IN EQUIPMENT** *including lithium alloy batteries*	9			P4, 181, 360, 388, 422, A54 101	A13.8.
	UN3091	**LITHIUM METAL BATTERIES PACKED WITH EQUIPMENT** *including lithium alloy batteries*	9			P4, 181, 360, 388, 422, A54, A101	A13.9
	UN2722	**LITHIUM NITRATE**	5.1		III	P5, A1	A9.6.
	UN2806	**LITHIUM NITRIDE**	4.3		I	P3, A19, N40	A8.3.
	UN1472	**LITHIUM PEROXIDE**	5.1		II	P5, A9, N34	A9.6.
		Lithium silicide, see **LITHIUM SILICON**					
	UN1417	**LITHIUM SILICON**	4.3		II	P5, A19, A20	A8.3.
		LNG, see **NATURAL GAS, REFRIGERATED LIQUID** (UN1972) *or* **METHANE, REFRIGERATED LIQUID** (UN1972)					
	UN1621	**LONDON PURPLE**	6.1		II	P5	A10.5.
		LPG, see **PETROLEUM GASES, LIQUEFIED** (UN1075)					
		Lye solid, see **SODIUM HYDROXIDE, SOLID** (UN1823)					
		Lye solution , see **SODIUM HYDROXIDE, SOLUTIONS** (UN1824)					
		Lythene, see **PETROLEUM DISTILLATES, N.O.S. ★** (UN1268)					
	UN3529	**MACHINERY, FUEL CELL, FLAMMABLE GAS POWERED,** or **MACHINERY, INTERNAL COMBUSTION, FLAMMABLE GAS POWERED,** see **ENGINE, FUEL CELL, FLAMMABLE GAS POWERED** or **ENGINE, INTERNAL COMBUSTION, FLAMMABLE GAS POWERED**	2.1			P5, 135, A200	A6.27

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
	UN3528	**MACHINERY, FUEL CELL, FLAMMABLE LIQUID POWERED,** or **MACHINERY, INTERNAL COMBUSTION, FLAMMABLE LIQUID POWERED,** see **ENGINE, FUEL CELL, FLAMMABLE LIQUID POWERED** or **ENGINE, INTERNAL COMBUSTION, FLAMMABLE LIQUID POWERED**	3			P5, 135, A200	A7.11
	UN3530	**MACHINERY, INTERNAL COMBUSTION,** see **ENGINE, INTERNAL COMBUSTION**	9			P5, 135, A200	A13.20
	UN1869	**MAGNESIUM** *or* **MAGNESIUM ALLOYS** *with more than 50% magnesium in pellets, turnings or ribbons*	4.1		III	P5, A1	A8.3.
		Magnesium alloys with 50% or less magnesium in pellets, turnings or ribbons (Not Restricted)					
		Magnesium Alkyls, see **ORGANOMETALLIC SUBSTANCEE, LIQUID, PYROPHORIC, WATER-REACTIVE ★** (UN3394)					
	UN1419	**MAGNESIUM ALUMINIUM PHOSPHIDE**	4.3	6.1	I	P3, A19, N34, N40	A8.3.
+	UN1622	**MAGNESIUM ARSENATE**	6.1		II	P5	A10.5.
		Magnesium bisulfite solution, see **BISULFITES AQUEOUS SOLUTIONS, N.O.S. ★** (UN2693)					
	UN1473	**MAGNESIUM BROMATE**	5.1		II	P5, A1	A9.6.
	UN2723	**MAGNESIUM CHLORATE**	5.1		II	P5	A9.6.
		Magnesium chloride and chlorate mixture, see **CHLORATE AND MAGNESIUM CHLORIDE MIXTURE, SOLID** (UN1459) *or* **CHLORATE AND MAGNESIUM CHLORIDE MIXTURE SOLUTION** (UN3407)					
	UN2004	**MAGNESIUM DIAMIDE**	4.2		II	P5, A8, A19, A20	A8.3.
		MAGNESIUM DIPHENYL see **ORGANOMETALLIC, SUBSTANCE, SOLID, PYROPHORIC, WATER-REACTIVE ★** (UN3393)					
		Magnesium dross, wet or hot					FORBIDDEN
	UN2853	**MAGNESIUM FLUOROSILICATE**	6.1		III	P5	A10.5.
	UN2950	**MAGNESIUM GRANULES, COATED**, *particle size not less than 149 Microns*	4.3		III	P5, A1, A19	A8.3.
	UN2010	**MAGNESIUM HYDRIDE**	4.3		I	P3, A19, N40	A8.3.
	UN1474	**MAGNESIUM NITRATE**	5.1		III	P5, 332, A1	A9.6.
	UN1475	**MAGNESIUM PERCHLORATE**	5.1		II	P5	A9.6.
	UN1476	**MAGNESIUM PEROXIDE**	5.1		II	P5	A9.6.
	UN2011	**MAGNESIUM PHOSPHIDE**	4.3	6.1	I	P3, A19, N40	A8.3.
	UN1418	**MAGNESIUM, POWDER** *or* **MAGNESIUM ALLOYS**, **POWDER**	4.3	4.2 4.2 4.2	I II III	P3, A19 P5, A19 P5, A19	A8.3. A8.3. A8.3.
		Magnesium scrap, see **MAGNESIUM** *or* **MAGNESIUM ALLOYS** (UN1869)					
	UN2624	**MAGNESIUM SILICIDE**	4.3		II	P5, A19, A20	A8.3.
		Magnesium silicofluoride, see **MAGNESIUM FLUOROSILICATE** (UN2853)					
	UN2807	**MAGNETIZED MATERIAL**	9			P5	A13.11.
	UN2215	**MALEIC ANHYDRIDE**	8		III	P5	A12.3.
	UN2215	**MALEIC ANHYDRIDE**, **MOLTEN**	8				FORBIDDEN
		Malonic dinitrile or Malonodinitrile, see **MALONONITRILE** (UN2647)					
	UN2647	**MALONONITRILE**	6.1		II	P5	A10.5.
		Mancozeb (manganese, ethylenebisdithiocarbamate complex with zinc) see **MANEB** (UN2210)					
	UN2210	**MANEB** *or* **MANEB PREPARATIONS** *with not less than 60% maneb*	4.2	4.3	III	P5, 54, 57, A1, A19	A8.3.

Table A4.1		PROPER SHIPPING NAME/ DESCRIPTION	HAZARD CLASS/ DIV	SUBSIDIARY RISK	PG	SPECIAL PROVISION	PACKAGING PARAGRAPH
	UN/ID NUMBER						
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
	UN2968	**MANEB STABILIZED** *or* **MANEB PREPARATIONS**, **STABILIZED** *against self-heating*	4.3		III	P5, 54, 57, A1, A19	A8.3.
		Manganese ethylene-di-dithiocarbamate or Manganese ethylene-1,2-di-dithiocarbamate, see **MANEB** (UN2210) *or* **MANEB PREPARATION** (UN2210) **or MANEB, STABILIZED** (UN2968) *or* **MANEB PREPARATION, STABILIZED** (UN2968)					
		Manganese (II) nitrate, see **MANGANESE NITRATE** (UN2724)					
	UN2724	**MANGANESE NITRATE**	5.1		III	P5, A1	A9.6.
	UN1330	**MANGANESE RESINATE**	4.1		III	P5, A1	A8.3.
		Manganous nitrate, see **MANGANESE NITRATE** (UN2724)					
		Mannitan tetranitrate					FORBIDDEN
		Mannitol hexanitrate (dry)					FORBIDDEN
	UN0133	**MANNITOL HEXANITRATE, WETTED** *or* **NITROMANNITE, WETTED** *with not less than 40% water, or mixture of alcohol and water, by mass*	1.1D			P4	A5.6.
		Marine pollutants, liquid, or solid, N.O.S., see **ENVIRONMENTALLY HAZARDOUS SUBSTANCES LIQUID, N.O.S.** (UN3082) *or* **ENVIRONMENTALLY HAZARDOUS SUBSTANCES SOLID N.O.S**. (UN3077)					
		Mannitol hexanitrate, wetted with less than 40% water or mixture of alcohol and water					FORBIDDEN
		Matches, block, see **MATCHES, STRIKE ANYWHERE** (UN1331)					
	UN2254	**MATCHES, FUSEE**	4.1		III	P4	A8.14.
		Matches, Safety, see **MATCHES, STRIKE ANYWHERE** (UN1331) or **MATCHES SAFETY** (UN1944)					
	UN1944	**MATCHES, SAFETY***(book, card or strike on box)*	4.1		III	P5	A8.14
	UN1331	**MATCHES, STRIKE ANYWHERE**	4.1		III	P4	A8.14
		Matches trick, see **FIREWORKS** (UN0333, UN0334, UN0335, UN0336, UN0337)					
	UN1945	**MATCHES, WAX, VESTA**	4.1		III	P5	A8.14
		Matting Acid, see **SULFURIC ACID** (UN1830, UN2796)					
	UN3291	**MEDICAL WASTE, N.O.S.**	6.2		II	P5	A10.10.
	UN3549	**MEDICAL WASTE, Catoregory A,** affecting animals only, solid	6.2			P1, 131, 430, A117, A502	FORBIDDEN
	UN3549	**MEDICAL WASTE, Category A,** affecting humans solid	6.2			P1, 131, 430, A117, A502	FORBIDDEN
		Medicine, N.O.S. in small inner packagings containing flammable aerosol and/or non-flammable aerosol and/or flammable liquid and/or toxic substance, N.O.S., see **CONSUMER COMMODITY** (ID8000)					
	UN3248	**MEDICINE, LIQUID, FLAMMABLE**, **TOXIC, N.O.S**.	3 6.1	6.1	II III	P4 P5	A7.2. A7.2.
	UN1851	**MEDICINE, LIQUID TOXIC, N.O.S.**	6.1		II III	P5 P5	A10.4. A10.4.
	UN3249	**MEDICINE, SOLID, TOXIC, N.O.S.**	6.1		II III	P5 P5	A10.5. A10.5.
		Memtetrahydrophthalic anhydride, see **CORROSIVE LIQUIDS, N.O.S.** (UN1760)					
		p-Mentha-1,8-diene, see **DIPENTENE** (UN2052)					
★	UN3336	**MERCAPTANS, LIQUID, FLAMMABLE, N.O.S.** *or* **MERCAPTAN MIXTURE, LIQUID, FLAMMABLE, N.O.S.**	3		I II III	P3 P5 P5	A7.2. A7.2. A7.2.

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
★	UN1228	**MERCAPTANS, LIQUID, FLAMMABLE, TOXIC, N.O.S.** *or* **MERCAPTAN MIXTURES, LIQUID, FLAMMABLE, TOXIC, N.O.S.**	3 6.1	6.1 6.1	II III	P4 P5	A7.2. A7.2.
★	UN3071	**MERCAPTANS, LIQUID, TOXIC, FLAMMABLE, N.O.S**. *or* **MERCAPTAN MIXTURES, LIQUID, TOXIC, FLAMMABLE, N.O.S.,** *flashpoint not less than 23 degrees C*	6.1	3	II	P5	A10.4.
		2-Mercaptoethanol see **THIOGLYCOL** (UN2966)					
		2-Mercaptopropionic acid, see **THIOLACTIC ACID** (UN2936)					
	UN0448	**5-MERCAPTOTETRAZOL-1-ACETIC ACID**	1.4C			P5	A5.9.
	UN1623	**MERCURIC ARSENATE**	6.1		II	P5	A10.5.
	UN1624	**MERCURIC CHLORIDE**	6.1		II	P5	A10.5.
		Mercuric compound, see **MERCURY COMPOUNDS LIQUID, N.O.S.** ★ (UN2024) *or* **MERCURY COMPOUNDS SOLID, N.O.S.** ★ (UN2025)					
	UN1625	**MERCURIC NITRATE**	6.1		II	P5, N73	A10.5.
+	UN1626	**MERCURIC POTASSIUM CYANIDE**	6.1		I	P5, N74, N75	A10.5.
		Mercuric salt, see **MERCURY COMPOUND, LIQUID, N.O.S.** ★ (UN2024) **or MERCURY COMPOUND SOLID, N.O.S.** ★ (UN2025)					
		THIOCYANATE (UN1646)					
		Mercuric sulphate or sulfate, see **MERCURY SULPHATE or SULFATE** (UN1645)					
		Mercurol, see **MERCURY NUCLEATE** (UN1639)					
		Mercurous azide					FORBIDDEN
		Mercurous bisulphate, see MERCURY SULPHATE (UN1645)					
		Mercurous chloride,see MERCURY COMPOUND, SOLID, N.O.S. ★ (UN2025)					
		Mercurous compound, see **MERCURY COMPOUND LIQUID N.O.S** ★ (UN2024) *or* **MERCURY COMPOUND SOLID, N.O.S.** (UN2025)					
	UN1627	**MERCUROUS NITRATE**	6.1		II	P5	A10.5.
		Mercurous sulfate, see **MERCURY SULPHATE or SULFATE** (UN1645)					
	UN2809	**MERCURY**	8	6.1	III	P5, 365	A12.9.
	UN1629	**MERCURY ACETATE**	6.1		II	P5	A10.5.
		M*ercury acetylide*					FORBIDDEN
	UN1630	**MERCURY AMMONIUM CHLORIDE**	6.1		II	P5	A10.5.
★	UN2778	**MERCURY BASED PESTICIDES, LIQUID, FLAMMABLE, TOXIC,** *flashpoint less than 23 degrees C*	3	6.1 6.1	I II	P3 P4	A7.2. A7.2
★	UN3012	**MERCURY BASED PESTICIDES, LIQUID, TOXIC**	6.1		I II III	P3 P4 P5	A10.4. A10.4. A10.4.
★	UN3011	**MERCURY BASED PESTICIDES, LIQUID, TOXIC, FLAMMABLE,** *flashpoint not less than 23 degrees C*	6.1	3	I II III	P3 P4 P5	A10.4. A10.4. A10.4.
★	UN2777	**MERCURY BASED PESTICIDES, SOLID, TOXIC**	6.1		I II III	P5 P5 P5	A10.5. A10.5. A10.5.
	UN1631	**MERCURY BENZOATE**	6.1		II	P5	A10.5.
		Mercury bichloride, see **MERCURIC CHLORIDE** (UN1624)					
		Mercury bisulphate, or bisulfate, see **MERCURY SULPHATE, or SULFATE** (UN1645)					
	UN1634	**MERCURY BROMIDES**	6.1		II	P5	A10.5.
	UN2024	**MERCURY COMPOUNDS, LIQUID, N.O.S.**	6.1		I II III	P3 P4 P5	A10.4. A10.4. A10.4.

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
	UN2025	**MERCURY COMPOUNDS, SOLID, N.O.S.**	6.1		I II III	P5 P5 P5	A10.5. A10.5. A10.5.
	UN3506	**MERCURY CONTAINED IN MANUFACTURED ARTICLES**	8	6.1	III	P5, A191	A12.9
	UN1636	**MERCURY CYANIDE**	6.1		II	P5, N74, N75	A10.5.
	UN0135	**MERCURY FULMINATE, WETTED** *with not less than 20% water, or mixture of alcohol and water, by mass*	1.1A			P3, 111, 117	A5.4.
		Mercury fulminate, wetted with less than 20% water or mixture of alcohol and water					FORBIDDEN
	UN1637	**MERCURY GLUCONATE**	6.1		II	P5	A10.5.
	UN1638	**MERCURY IODIDE**, **SOLUTION** *or* **MERCURY IODIDE, SOLID**	6.1		II	P5	A10.4., A10.5.
		Mercury iodine aquabasic ammonobasic (Iodide of Millon's base)					FORBIDDEN
		Mercury Nitride					FORBIDDEN
	UN1639	**MERCURY NUCLEATE**	6.1		II	P5	A10.5.
	UN1640	**MERCURY OLEATE**	6.1		II	P5	A10.5.
	UN1641	**MERCURY OXIDE**	6.1		II	P5	A10.5.
	UN1642	**MERCURY OXYCYANIDE, DESENSITIZED**	6.1		II	P5	A10.5.
		Mercury oxycyanide, not desensitized					FORBIDDEN
	UN1643	**MERCURY POTASSIUM IODIDE**	6.1		II	P5	A10.5.
	UN1644	**MERCURY SALICYLATE**	6.1		II	P5	A10.5.
+	UN1645	**MERCURY SULFATES**	6.1		II	P5	A10.5.
	UN1646	**MERCURY THIOCYANATE**	6.1		II	P5	A10.5.
		Mercury vapour tubes, see **MERCURY CONTAINED IN MANUFACTURED ARTICLES** (UN3506)					
		Mesitylene, see **1,3,5-TRIMETHYLBENZENE** (UN2325)					
	UN1229	**MESITYL OXIDE**	3		III	P5	A7.2.
★	UN3281	**METAL CARBONYLS, LIQUID, N.O.S.**	6.1		I II III	P3, 5 P4 P5	A10.4. A10.4. A10.4.
	UN3466	**METAL CARBONYLS, SOLID, N.O.S.**	6.1		I II III	P3, 5 P4 P5	A10.5 A10.5 A10.5
★	UN2881	**METAL CATALYST, DRY**	4.2		I II III	P3, N34 P5, N34 P5, N34	A8.11. A8.11. A8.11.
	UN1378	**METAL CATALYST, WETTED** *with a visible excess of liquid*	4.2		II	P5, A2, A8, N34	A8.3.
		Metal catalyst, wetted without a visible excess of liquid					FORBIDDEN
	UN1332	**METALDEHYDE**	4.1		III	P5, A1	A8.3.
★	UN3182	**METAL HYDRIDES, FLAMMABLE, N.O.S**.	4.1		II III	P5, A1 P5, A1	A8.3. A8.3.
★	UN1409	**METAL HYDRIDES, WATER-REACTIVE, N.O.S.**	4.3		I II	P3, A19, N34, N40 P5, A19, N34, N40	A8.3. A8.3.
★	UN3208	**METALLIC SUBSTANCE, WATER-REACTIVE, N.O.S.**	4.3		I II III	P3, A7 P5, A7 P5, A7	A8.3. A8.3. A8.3.
★	UN3209	**METALLIC SUBSTANCE, WATER-REACTIVE, SELF-HEATING, N.O.S.**	4.3	4.2 4.2 4.2	I II III	P3, A7 P4, A7 P5, A7	A8.3. A8.3. A8.3.
	UN3089	**METAL POWDERS, FLAMMABLE, N.O.S.**	4.1		II III	P5 P5	A8.3. A8.3.
★	UN3189	**METAL POWDER, SELF-HEATING, N.O.S.**	4.2		II III	P5 P5	A8.3. A8.3.
		Metal salts of methyl nitramine (dry)					FORBIDDEN

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
★	UN3181	**METAL SALTS OF ORGANIC COMPOUNDS, FLAMMABLE, N.O.S.**	4.1		II III	P4, A1 P4, A1	A8.3. A8.3.
	UN1332	**METALDEHYDE**	4.1		III	P5, A1	A8.3.
★	UN3208	**METALLIC SUBSTANCE, WATER-REACTIVE, N.O.S.**	4.3		I II III	P3, A7 P5, A7 P5, A7	A8.3. A8.3. A8.3.
★	UN3209	**METALLIC SUBSTANCE, WATER-REACTIVE, SELF-HEATING, N.O.S.**	4.3	4.2 4.2 4.2	I II III	P3, A7 P4, A7 P5, A7	A8.3. A8.3. A8.3.
	UN2396	**METHACRYLALDEHYDE, STABILIZED**	3	6.1	II	P5, 387	A7.2.
	UN2531	**METHACRYLIC ACID, STABILIZED**	8		III	P5, 45, 387	A12.2.
		Methacrylic acid, unstabilized					FORBIDDEN
+	UN3079	**METHACRYLONITRILE, STABILIZED**	6.1	3	I	P2, 2, 387	A10.6.
	UN2614	**METHALLYL ALCOHOL**	3		III	P5	A7.2.
		Methanal, see **FORMALDEHYDE SOLUTION, FLAMMABLE** (UN1198) *or* **FORMALDEHYDE SOLUTION** (UN2209)					
		Methane and hydrogen mixtures, see **HYDROGEN AND METHANE, MIXTURES, COMPRESSED** (UN2034)					
	UN1971	**METHANE, COMPRESSED** *or* **NATURAL GAS, COMPRESSED** *(with high methane content)*	2.1			P4	A6.3., A6.5.
	UN1972	**METHANE, REFRIGERATED LIQUID***(cryogenic liquid) or* **NATURAL GAS, REFRIGERATED LIQUID** *(cryogenic liquid, with high methane content)*	2.1			P3	A6.11.
	UN3246	**METHANESULPHONYL CHLORIDE**	6.1	8	I	P2, 2	A10.6.
D	UN1230	**METHANOL**	3		II	P4	A7.2.
+	UN1230	**METHANOL**	3	6.1	II	P4	A7.2.
		Methazoic acid					FORBIDDEN
		2-Methoxyethyl acetate, see **ETHYLENE GLYCOL MONOMETHYL ETHER ACETATE** (UN1189)					
	UN2293	**4-METHOXY-4-METHYLPENTAN-2-ONE**	3		III	P5	A7.2.
		1-Methioxy-2-nitrobenzene or 1-Methoxy-3-nitrobenzene or 1-Methoxy-4-nitrobenzene, see **NITROANISOLES, LIQUID** (UN2730) *or* **NITROANISOLES SOLID** (UN3458)					
	UN3092	**1-METHOXY-2-PROPANOL**	3		III	P5	A7.2.
+	UN2605	**METHOXYMETHYL ISOCYANATE**	6.1	3	I	P1, 1	A10.6.
	UN1231	**METHYL ACETATE**	3		II	P5	A7.2.
		Methylacetylene and propadiene mixture, non-stabilized					FORBIDDEN
	UN1060	**METHYL ACETYLENE AND PROPADIENE MIXTURES, STABILIZED**	2.1			P4, 387, N88	A6.3., A6.4.
		beta-Methyl acrolein, see **CROTONALDEHYDE** (UN1143) or **CROTONALDEHYDE, STABILIZED** (UN1143)					
	UN1919	**METHYL ACRYLATE, STABILIZED**	3		II	P5, 387	A7.2.
		Methyl acrylate, unstabilized					FORBIDDEN
		Methyl Alcohol, see **METHANOL** (UN1230)					
		Methylally alcohol, see METHALLYL ALCOHOL (UN2614)					
	UN1234	**METHYLAL**	3		II	P5	A7.2.
	UN2554	**METHYLALLYL CHLORIDE**	3		II	P5	A7.2.
		Methyl amyl ketone, see **n-AMYL METHYL KETONE** (UN1110)					
	UN1061	**METHYLAMINE, ANHYDROUS**	2.1			P4, N87	A6.3., A6.4.
	UN1235	**METHYLAMINE, AQUEOUS SOLUTION**	3	8	II	P4	A7.2.
		M*ethylamine dinitramine and dry salts thereof*					FORBIDDEN
		Methylamine nitroform					FORBIDDEN
		Methylamine perchlorate (dry)					FORBIDDEN
	UN1233	**METHYLAMYL ACETATE**	3		III	P5	A7.2.
		Methyl amyl alcohol, see **METHYLISOBUTYL CARBINOL (**UN2053)					

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
	UN2294	**N-METHYLANILINE**	6.1		III	P5	A10.4.
		Methylated spirit, see **ALCOHOLS, FLAMMABLE, TOXIC, N.O.S. ★** (UN1986) or **ALCOHOLS, N.O.S. ★** (UN1987)					
	UN2937	**ALPHA-METHYLBENZYL ALCOHOL, LIQUID**	6.1		III	P5	A10.4.
	UN3438	**ALPHA-METHYLBENZYL ALCOHOL, SOLID**	6.1		III	P5	A10.5
		Mine rescue equipment containing carbon dioxide, see **CARBON DIOXIDE** (UN1013)					
	UN1062	**METHYL BROMIDE** with not more than 2% chloropicrin	2.3			P2, 3, N86	A6.16.
		Methyl bromide and chloropicrin mixture, see CHLOROPICRIN AND MENTHYL BROMIDE MIXTURE (UN1581)					
	UN1647	**METHYL BROMIDE AND ETHYLENE DIBROMIDE MIXTURES, LIQUID**	6.1		I	P2, 2, N65	A10.6.
	UN2643	**METHYL BROMOACETATE**	6.1		II	P5	A10.4.
	UN3371	**2-METHYLBUTANAL**	3		II	P5	A7.2.
	UN2397	**3-METHYLBUTAN-2-ONE**	3		II	P5	A7.2.
	UN2459	**2-METHYL-1-BUTENE**	3		I	P3	A7.2.
	UN2460	**2-METHYL-2-BUTENE**	3		II	P5	A7.2.
	UN2561	**3-METHYL-1-BUTENE**	3		I	P3	A7.2.
	UN2945	**N-METHYLBUTYLAMINE**	3	8	II	P4	A7.2.
	UN2398	**METHYL-TERT-BUTYL ETHER**	3		II	P5	A7.2.
	UN1237	**METHYL BUTYRATE**	3		II	P5	A7.2.
	UN1063	**METHYL CHLORIDE** *or* **REFRIGERANT GAS R40**	2.1			P4, N86	A6.3., A6.4.
		Methyl chloride and chloropicrin mixtures, see **CHLOROPICRIN AND METHYL CHLORIDE MIXTURES** (UN1582)					
	UN1912	**METHYL CHLORIDE AND METHYLENE CHLORIDE MIXTURE**	2.1			P4, N86	A6.3., A6.4.
	UN2295	**METHYL CHLOROACETATE**	6.1	3	I	P5	A10.4.
		Methyl chlorocarbonate, see **METHYL CHLOROFORMATE** (UN1238)					
		Methyl chloroform, see **1,1,1-TRICHLOROETHANE** (UN2831)					
	UN1238	**METHYL CHLOROFORMATE**	6.1	3, 8	I	P1, 1, N34	A10.6.
		Methyl bromide and chloropicrin mixtures see **CHLOROPICRIN AND METHYL BROMIDE MIXTURES**					
	UN1239	**METHYL CHLOROMETHYL ETHER**	6.1	3	I	P1, 1	A10.6.
		Methyl-alpha-chloropropionate, see **METHYL 2-CHLOROPROPIONATE** (UN2933)					
	UN2933	**METHYL-2-CHLOROPROPIONATE**	3		III	P5	A7.2.
	UN2534	**METHYLCHLOROSILANE**	2.3	2.1, 8		P2, 2, A2, A7, N34	A6.19.
		Methyl Cyanide, see **ACETONITRILE** (UN1648)					
	UN2296	**METHYLCYCLOHEXANE**	3		II	P5	A7.2.
	UN2617	**METHYLCYCLOHEXANOLS**, *flammable*	3		III	P5	A7.2.
		Methylcyclohexanols, flash point more than 60 degrees C (Not Restricted)					
	UN2297	**METHYLCYCLOHEXANONE**	3		III	P5	A7.2.
	UN2298	**METHYLCYCLOPENTANE**	3		II	P5	A7.2.
	UN2299	**METHYL DICHLOROACETATE**	6.1		III	P5	A10.4.
		Methyldichloroarsine					FORBIDDEN
D	NA1556	**METHYLDICHLOROARSINE**	6.1		I	P2, 2	A10.2
	UN1242	**METHYLDICHLOROSILANE**	4.3	3, 8	I	P3, A2, A7, N34	A8.2.
		Methylene bromide, see **DIBROMETHANE** (UN2664)					
		Methylene chloride, see **DICHLOROMETHANE** (UN1593)					

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
		Methylene chloride and methyl chloride mixture, see **METHYL CHLORIDE AND METHYLENE CHLORIDE MIXTURE** (UN1912)					
		Methylene cyanide, see **MALONONITRILE** (UN2647)					
		p,p'-Methylene dianiline, see **4,4'-DIAMINODIPHENYLMETHANE** (UN2651)					
		Methylene dibromide, see **DIBROMOMETHANE** (UN2664)					
		2,2-methylene-di-(3,4,6-trichlorophenol), see **HEXACHLOROPHENE** (UN2875)					
		Methylene glycol dinitrate					FORBIDDEN
		Methyl ethyl ether, see **ETHYL METHYL ETHER** (UN1039)					
	UN1193	**METHYL ETHYL KETONE**, *or* **ETHYL METHYL KETONE**	3		II	P5	A7.2.
		Methyl ethyl ketone peroxide(s), 48% or more if available oxygen above 10% and not more than 10.7% with or without water					FORBIDDEN
		Methyl ethyl ketone peroxide(s), not more than 52% when with 48% or more diluent type A					FORBIDDEN
	UN2300	**2-METHYL-5-ETHYLPYRIDINE**	6.1		III	P5	A10.4.
	UN2454	**METHYL FLUORIDE** *or* **REFRIGERANT GAS R41**	2.1			P4	A6.3., A6.4.
	UN1243	**METHYL FORMATE**	3		I	P3	A7.2.
	UN2301	**2-METHYLFURAN**	3		II	P5	A7.2.
		a-Methylglucoside Tetranitrate					FORBIDDEN
		a-Methylglycerol Trinitrate					FORBIDDEN
		Methyl glycol, see **ETHYLENE GLYCOL MONOMETHYL ETHER** (UN1188)					
		Methyl glycol acetate, see **ETHYLENE GLYCOL MONOMETHYL ETHER ACETATE** (UN1189)					
	UN3023	**2-METHYL-2-HEPTANETHIOL**	6.1	3	I	P2, 2	A10.6.
	UN2302	**5-METHYLHEXAN-2-ONE**	3		III	P5	A7.2.
		Methyl hydrate, see **METHANOL** (UN1230)					
	UN1244	**METHYLHYDRAZINE**	6.1	3, 8	I	P1, 1, N34	A10.6.
		Methyl hydroxide, see **METHANOL** (UN1230)					
		1-Methylimidazole, see **CORROSIVE LIQUID, N.O.S.** ★ (UN2922)					
	UN2644	**METHYL IODIDE**	6.1		I	P2, 2	A10.6.
		Methyl isoamyl ketone, see **5-METHYLHEXAN-2-ONE** (UN2302)					
	UN2053	**METHYL ISOBUTYL CARBINOL**	3		III	P5	A7.2.
	UN1245	**METHYL ISOBUTYL KETONE**	3		II	P5	A7.2.
		Methyl isobutyl ketone peroxide, in solution with more than 9% by mass active oxygen					FORBIDDEN
	UN2480	**METHYL ISOCYANATE**	6.1	3	I	P1, 1	A10.6.
	UN1246	**METHYL ISOPROPENYL KETONE, STABILIZED**	3		II	P5, 387	A7.2.
		Methyl isopropenyl ketone, unstabilized					FORBIDDEN
	UN2477	**METHYL ISOTHIOCYANATE**	6.1	3	I	P2, 2	A10.6.
	UN2400	**METHYL ISOVALERATE**	3		II	P5	A7.2.
	UN1928	**METHYL MAGNESIUM BROMIDE IN ETHYL ETHER**	4.3	3	I	P3	A8.2.
	UN1064	**METHYL MERCAPTAN**	2.3	2.1		P2, 3, N89	A6.4.
		Methyl mercaptopropionaldehyde, see **4-THIAPENTANAL** (UN2785)					
	UN1247	**METHYL METHACRYLATE MONOMER**, **STABILIZED**	3		II	P5, 387	A7.2.
		Methyl methacrylate monomer, unstabilized					FORBIDDEN
	UN2535	**4-METHYLMORPHOLINE** *or* **N-METHYLMORPHOLINE**	3	8	II	P5	A7.2.
		Methyl nitramine (dry), metal salts of					FORBIDDEN

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
		Methyl nitrate					FORBIDDEN
		Methyl nitrite					FORBIDDEN
		Methyl norbornene dicarboxylic anhydride, see **CORROSIVE LIQUID N.O.S.** (UN1760)					
	UN2606	**METHYL ORTHOSILICATE**	6.1	3	I	P2, 2	A10.6.
		Methyl oxide, see **DIMETHYL ETHER** (UN1033)					
D	NA9206	**METHYL PHOSPHONIC DICHLORIDE**	6.1	8	I	P2, 2, A3 N34, N43	A10.6.
	UN2461	**METHYLPENTADIENES**	3		II	P5	A7.2.
		Methylpentanes, see **HEXANES** (UN1208)					
		4-methylpentan-2-ol, see **METHYL ISOBUTYL CARBINOL** (UN2053)					
	UN2560	**2-METHYLPENTAN-2-OL**	3		III	P5	A7.2.
		3-Methyl-2-penten-4-one-ol, see **1-PENTOL** (UN2705)					
	UN2437	**METHYLPHENYLDICHLOROSILANE**	8		II	P5	A12.2.
		2-Methyl-2-phenylpropane, see **BUTYLBENZENES** (UN2709)					
		Methyl phosphonothioic dichloride, anhydrous, *see* **CORROSIVE LIQUID, N.O.S.** (UN1760)					
		Methyl phosphonous dichloride, see **PYROPHORIC LIQUID, ORGANIC, N.O.S.** ★ (UN2845)					
		Methyl picric acid (heavy metal salts of)					FORBIDDEN
D	NA2845	**METHYL PHOSPHONOUS DICHLORIDE,** *pyrophoric liquid*	6.1	4.2	I	P2, 2	A10.6.
	UN2399	**1-METHYLPIPERIDINE**	3	8	II	P4	A7.2.
		Methylpropane,see ISOBUTANE (UN1969)					
		2-Methyl-2-propanol, see **BUTANOLS** (UN1120)					
		2-Methylpropan-1-ol, see **ISOBUTANOL** (UN1212)					
	UN1248	**METHYL PROPIONATE**	3		II	P5	A7.2.
		Mehylpropylbenzene, see **CYMENES** (UN2046)					
	UN2612	**METHYL PROPYL ETHER**	3		II	P5	A7.2.
	UN1249	**METHYL PROPYL KETONE**	3		II	P5	A7.2.
		Methyl pyridines, see **PICOLINES** (UN2313)					
		alpha- Methylstyrene, see **ISOPROPENYLBENZENE** (UN2303)					
		Methylstyrene, stabilized, see **VINYLTOULENES, STABILIZED** (UN2618)					
		Methyl sulphate or sulfate, see **DIMETHYL SULPHATE, or SULFATE** (UN1595)					
		Methyl sulphate sulfide, see **DIMETHYL SULPHIDE or SULFIDE** (UN1164)					
	UN2536	**METHYLTETRAHYDROFURAN**	3		II	P5	A7.2.
	UN2533	**METHYL TRICHLOROACETATE**	6.1		III	P5	A10.4.
	UN1250	**METHYLTRICHLOROSILANE**	3	8	II	P3, A7, N34	A7.2.
		Methyl trimethylol methane trinitrate					FORBIDDEN
	UN2367	**ALPHA-METHYLVALERALDEHYDE**	3		II	P5	A7.2.
		Methyl vinyl benzene, stabilized, see **VINYLTOULENES, STABILIZED** (UN2618)					
	UN1251	**METHYL VINYL KETONE, STABILIZED**	6.1	3, 8	I	P1, 1, 387	A10.6.
		Metramine, see **HEXAMETHYLENETETRAMINE** (UN1328)					
		MIBC, see **METHYL ISOBUTYL CARBINOL** (UN2053)					
	UN1235	**METHYLAMINE, AQUEOUS SOLUTION**	3	8	II	P4	A7.2.
		M*ethylamine dinitramine and dry salts thereof*					FORBIDDEN
		Methylamine nitroform					FORBIDDEN
		Methylamine perchlorate (dry)					FORBIDDEN
	UN1233	**METHYLAMYL ACETATE**	3		III	P5	A7.2.
	UN2294	**N-METHYLANILINE**	6.1		III	P5	A10.4.
	UN2937	**ALPHA-METHYLBENZYL ALCOHOL, LIQUID**	6.1		III	P5	A10.4.
	UN3438	**ALPHA-METHYLBENZYL ALCOHOL, SOLID**	6.1		III	P5	A10.5

Table A4.1		PROPER SHIPPING NAME/ DESCRIPTION	HAZARD CLASS/ DIV	SUBSIDIARY RISK	PG	SPECIAL PROVISION	PACKAGING PARAGRAPH
	UN/ID NUMBER						
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
		Mine rescue equipment containing carbon dioxide, see **CARBON DIOXIDE** (UN1013)					
	UN0137	**MINES** *with bursting charge*	1.1D			P4	A5.12.
	UN0136	**MINES** *with bursting charge*	1.1F			P4	A5.12.
	UN0138	**MINES** *with bursting charge*	1.2D			P4	A5.12.
	UN0294	**MINES** *with bursting charge*	1.2F			P4	A5.12.
		Mirbane, see **NITROBENZENE** (UN1662)					
		Missiles guided, see **ROCKETS** (UN0180, UN0181, UN0182, UN0183, UN0295, UN0436, UN0437, UN0438) *or* **ROCKETS, LIQUID FUELLED** (UN0397, UN0398)					
		Mixed acid, see **NITRATING ACID, MIXTURES,** *etc.(*UN1826, UN1796)					
		Mobility aids, see **BATTERY – POWERED EQUIPMENT** (UN3171) *or* **BATTERY POWERED VEHICLE** (UN3171)					
D	NA0276	**MODEL ROCKET MOTOR**	1.4C			P5, 51, 62	A5.12.
D	NA0323	**MODEL ROCKET MOTOR**	1.4S			P5, 51, 62	A5.12.
	UN2508	**MOLYBDENUM PENTACHLORIDE**	8		III	P5	A12.3.
		Monochloroacetic acid, see **CHLOROACETIC ACID SOLUTION** (UN1750) *or* **CHLOROACETIC ACID SOLID** (UN1751)					
		Monochloroacetone (unstabilized)					FORBIDDEN
		Monochlorobenzene, see **CHLOROBENZENE** (UN1134)					
		Monochlorodifluoromethane, see **CHLORODIFLUOROMETHANE** (UN1018)					
		Monochlorodifluoromethane and monochloropentafluoroethanemixture (R502) see **CHLORODIFLUOROMETHANE AND CHLOROPENTAFLUOROMETHANE MIXTURE** (UN1973)					
		Monochlorodifluoromonobromomethane, see **CHLORODIFLUOROBROMOMETHANE** (UN1974)					
		Monochloropentafluoroethane and monochlorodifluoromethane mixture, see **CHLORODIFLUOROMETHANE AND CHLOROPENTAFLUOROETHANE MIXTURE** (UN1973)					
		Monochloroethylene, see **VINYL CHLORIDE, STABILIZED** (UN1086)					
		Monoethanolamine, see **ETHANOLAMINE, SOLUTIONS** (UN2491)					
		Monoethylamine, see **ETHYLAMINE** (UN1036)					
		Monopropylamine, see **PROPYLAMINE** (UN1277)					
	UN2054	**MORPHOLINE**	8	3	I	P5	A12.2.
		Morpholine, aqueous, mixture, see **CORROSIVE LIQUID, N.O.S.** (UN1760)					
+	UN1649	**MOTOR FUEL ANTI-KNOCK MIXTURE**	6.1		I	P3, 14	A10.4.
	UN3483	**MOTOR FUEL ANTI-KNOCK MIXTURE, FLAMMABLE**	6.1	3	I	P3, 14	A10.4.
	UN1203	**MOTOR SPIRIT** *or* **GASOLINE** *or* **PETROL**	3		II	P5	A7.2.
		Motorcycle, see **VEHICLE, FLAMMABLE GAS POWERED** (UN3166) *or* **VEHICLE, FLAMMABLE LIQUID POWERED** (UN3166)					
		Muriatic acid, see **HYDROCHLORIC ACID** (UN1789)					
	UN2956	**MUSK XYLENE** *or* **5-TERT-BUTYL-2,4,6-TRINITO-M-XYLENE**	4.1		III	P5, 159	A8.4.
		Mysorite, see **ASBESTOS, AMPHIBOLE** ★ (UN2212)					
		Naphtha, see **PETROLEUM DISTILLATE N.O.S** ★ (UN1268)					

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
	UN1334	**NAPHTHALENE, CRUDE** *or* **REFINED**	4.1		III	P5, A1	A8.3.
		Naphthalene diozonide					FORBIDDEN
	UN2304	**NAPHTHALENE, MOLTEN**	4.1		III		FORBIDDEN
		Naphtha petroleum, see **PETROLEUM DISTILLATES, N.O.S.** ★ (UN1268)					
		Naphtha solvent, see **PETROLEUM PRODUCTS, N.O.S.** ★ (UN1268)					
		Naphthenates, see **FLAMMABLE LIQUID, N.O.S.** ★ (UN1993)					
		Naphthene, see **CYCLOHEXANE** (UN1145)					
	UN2077	**ALPHA-NAPHTHYLAMINE**	6.1		III	P5	A10.5.
		Naphthy amineperchlorate					FORBIDDEN
	UN1650	**BETA-NAPHTHYLAMINE, SOLID**	6.1		II	P5	A10.5.
	UN3411	**BETA- NAPHTHYLAMINE SOLUTION**	6.1		II III	P5 P5	A10.4 A10.4
		1-Naphthylthiourea, see **NAPHTHYLTHIOUREA** (UN1651)					
	UN1651	**NAPHTHYLTHIOUREA**	6.1		II	P5	A10.5.
	UN1652	**NAPHTHYLUREA**	6.1		II	P5	A10.5.
	UN1971	**NATURAL GAS, COMPRESSED, w**ith methane content	2.1			P4	A6.3., A6.5.
		Natural gasoline, see **MOTOR SPIRIT** (UN1203) *or* **GASOLINE** (UN1203) *or* **PETROL** (UN1203)					
	UN1972	**NATURAL GAS, REFRIGERATED LIQUID**, *with high methane content*	2.1			P3	A6.11.
		Neohexane, see **HEXANES** (UN1208)					
	UN1065	**NEON, COMPRESSED**	2.2			P5	A6.3., A6.5.
		Neon, liquid, non-pressurized					FORBIDDEN
	UN1913	**NEON, REFRIGERATED LIQUID**	2.2			P4	A6.11.
		Neopentane, see **2,2-DIMETHYLPROPANE** (UN2044)					
		Neothyl, see **METHYL PROPYL ETHER** (UN2612)					
		Nickel arsenate, solid, see **ARSENIC COMPOUND, SOLID, N.O.S.** ★ **(**UN1557)					
	UN1259	**NICKEL CARBONYL**	6.1	3	I		FORBIDDEN
		Nickel catalyst, see METAL CATALYST, WETTED ★ (UN1378) **or METAL CATALYST, DRY** ★ (UN2881)					
	UN1653	**NICKEL CYANIDE**	6.1		II	P5, N74, N75	A10.5.
		Nickel (II) cyanide, see **NICKEL CYANIDE** (UN1653)					
		Nickel (II) nitrate, see **NICKEL NITRATE** (UN2725)					
		Nickel (II) nitrite, see **NICKEL NITRITE** (UN2726)					
	UN2725	**NICKEL NITRATE**	5.1		III	P5, A1	A9.6.
	UN2726	**NICKEL NITRITE**	5.1		III	P5, A1	A9.6.
		Nickelous nitrate, see **NICKEL NITRATE** (UN2725)					
		Nickelous nitrite, see **NICKEL NITRITE** (UN2726)					
		Nickel Picrate					FORBIDDEN
		Nickel tetracarbonyl, see **NICKEL CARBONYL** (UN1259)					
	UN1654	**NICOTINE**	6.1		II	P5	A10.4.
★	UN3144	**NICOTINE COMPOUNDS, LIQUID, N.O.S**. *or* **NICOTINE PREPARATIONS, LIQUID, N.O.S.**	6.1		I II III	P3, A4 P5 P5	A10.4. A10.4. A10.4.
★	UN1655	**NICOTINE COMPOUNDS, SOLID, N.O. S.** *or* **NICOTINE PREPARATIONS, SOLID, N.O.S.**	6.1		I II III	P5 P5 P5	A10.5. A10.5. A10.5.
	UN1656	**NICOTINE HYDROCHLORIDE LIQUID** *or* **NICOTINE HYDROCHLORIDE SOLUTION**	6.1		II	P5	A10.4.
	UN3444	**NICOTINE HYDROCHLORIDE, SOLID**	6.1		II	P5	A10.6
	UN1657	**NICOTINE SALICYLATE**	6.1		II	P5	A10.5.
	UN3445	**NICOTINE SULFATE, SOLID**	6.1		II	P5	A10.6

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
	UN1658	**NICOTINE SULFATE, SOLUTION**	6.1		II	P5	A10.4
	UN1659	**NICOTINE TARTRATE**	6.1		II	P5	A10.5.
		Nitrated Paper (unstable)					FORBIDDEN
	UN3218	**NITRATES, INORGANIC, AQUEOUS SOLUTIONS, N.O.S.**	5.1		II III	P5 P5	A9.5. A9.5.
	UN1477	**NITRATES, INORGANIC**, **N.O.S**.	5.1		II III	P5 P5	A9.6. A9.6.
		Nitrates of diazonium compounds					FORBIDDEN
	UN1796	**NITRATING ACID MIXTURES** *with* not *more than 50% nitric acid*	8		II	P4, A7	A12.10.
	UN1796	**NITRATING ACID MIXTURES** *with more than 50% nitric acid*	8	5.1	I	P3, A7	A12.10.
	UN1826	**NITRATING ACID MIXTURES, SPENT** *with not more than 50% or less nitric acid*	8		II	P4, A7	A12.10.
	UN1826	**NITRATING ACID MIXTURES, SPENT** *with more than 50% nitric acid*	8	5.1	I	P3, A7	A12.10.
		Nitrating acid mixture, spent, all concentrations, unstable					FORBIDDEN
	UN2031	**NITRIC ACID** *other than red fuming, with more than 20% and less than 65% nitric acid*	8		II	P4, A212	A12.10.
	UN2031	**NITRIC ACID** *other than red fuming, with at least 65% but with not more than 70% nitric acid*	8	5.1	II	P4	A12.10.
	UN2031	**NITRIC ACID**, *other than red fuming, with not more than 20% or less nitric acid*	8		II	P4	A12.10.
	UN2031	**NITRIC ACID ,** *other than red fuming, with more than 70% nitric acid*	8	5.1	I	P3	A12.10.
+	UN2032	**NITRIC ACID, RED FUMING**	8	5.1, 6.1	I	P2, 2	A12.11.
	UN1975	**NITRIC OXIDE AND DINITROGEN TETROXIDE MIXTURES *or* NITRIC OXIDE AND NITROGEN DIOXIDE MIXTURES**	2.3	5.1, 8			FORBIDDEN
	UN1660	**NITRIC OXIDE, COMPRESSED**	2.3	5.1, 8		P1, 1	A6.20.
		Nitric oxide, compressed contained in gas cartridges for use in sterilization devices, see **RECEPTACLES, SMALL, CONTAINING GAS** (UN2037) or **GAS CARTRIDGES** (UN2037)					
★	UN3273	**NITRILES, FLAMMABLE, TOXIC, N.O.S.**	3	6.1 6.1	I II	P3 P4	A7.2. A7.2.
★	UN3275	**NITRILES, TOXIC, FLAMMABLE, N.O.S.**	6.1	3 3	I II	P3, 5 P4	A10.4. A10.4.
★	UN3276	**NITRILES, LIQUID, TOXIC, N.O.S.**	6.1		I II III	P3, 5 P4 P5	A10.4. A10.4. A10.4.
★	UN3439	**NITRILES, SOLID, TOXIC, N.O.S.**	6.1		I II III	P3, 5 P4 P5	A10.5. A10.5. A10.5.
★	UN3219	**NITRITES, INORGANIC, AQUEOUS SOLUTION, N.O.S.**	5.1		II III	P5, 148 P5	A9.5. A9.5.
★	UN2627	**NITRITES, INORGANIC, N.O.S.**	5.1		II	P5, 33	A9.6.
		N-Nitroaniline					FORBIDDEN
+	UN1661	**NITROANILINES** *(o-;m-;p-)*	6.1		II	P5	A10.5.
	UN2730	**NITROANISOLES**, **LIQUID**	6.1		III	P5	A10.4.
	UN3458	**NITROANISOLES**, **SOLID**	6.1		III	P5	A10.5.
+	UN1662	**NITROBENZENE**	6.1		II	P5	A10.4.
		Nitrobenzene bromide, see **NITROBROMOBENZENES, LIQUID** (UN2732) *or* **NITROBROMOBENZENES, SOLID** (UN3459)					
		m-Nitrobenzene diazonium perchlorate					FORBIDDEN
	UN2305	**NITROBENZENESULFONIC ACID**	8		II	P5	A12.2.
		Nitrobenzol, see **NITROBENZENE** (UN1662)					
	UN0385	**5-NITROBENZOTRIAZOL**	1.1D			P4	A5.6.
	UN2306	**NITROBENZOTRIFLUORIDES, LIQUID**	6.1		II	P5	A10.4.
	UN3431	**NITROBENZOTRIFLUORIDES, SOLID**	6.1		II	P5	A10.5
	UN2732	**NITROBROMOBENZENES, LIQUID**	6.1		III	P5	A10.4.

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
	UN3459	**NITROBROMOBENZENES, SOLID**	6.1		III	P5	A10.5.
	UN0340	**NITROCELLULOSE,** *dry or wetted with less than 25% water (or alcohol), by mass*	1.1D			P4, 196	A5.6.
	UN0341	**NITROCELLULOSE,** *unmodified or plasticized with less than 18% plasticizing substance, by mass*	1.1D			P4, 196	A5.6.
	UN3270	**NITROCELLULOSE MEMBRANE FILTERS**	4.1		II	P5, 43, A1	A8.3.
	UN2557	**NITROCELLULOSE, MIXTURE WITH** *or* **WITHOUT PLASTICIZER, WITH** *or* **WITHOUT PIGMENT** *with 12.6% or less nitrogen, by dry mass*	4.1		II	P5, 44, 197	A8.3.
	UN0343	**NITROCELLULOSE, PLASTICIZED** *with not less than 18% plasticizing substance, by mass*	1.3C			P4, 196	A5.5.
	UN2059	**NITROCELLULOSE SOLUTION, FLAMMABLE** *with not more than 12.6% nitrogen, by mass, and not more than 55% nitrocellulose*	3		I II III	P4, 198 P5, 198 P5, 198	A7.2 A7.2. A7.2.
	UN0342	**NITROCELLULOSE, WETTED** *with 25% or more alcohol, by mass*	1.3C			P4, 196	A5.9.
	UN2556	**NITROCELLULOSE WITH ALCOHOL** *25% or more alcohol by mass, and 12.6% or less nitrogen, by dry mass*	4.1		II	P5, 197	A8.3.
	UN2555	**NITROCELLULOSE WITH WATER** *with not less than 25% water by mass*	4.1		II	P5, 197	A8.3.
		Nitrochlorobenzene, see **CHLORONITROBENZENES SOLID** (UN1578) *or* **CHLORONITROBENZENES LIQUID** (UN3409)					
	UN2307	**3-NITRO-4-CHLOROBENZOTRIFLUORIDE**	6.1		II	P5	A10.4.
		Nitrochloroform, see **CHLOROPICRIN** (UN1580)					
	UN3434	**NITROCRESOLS, LIQUID**	6.1		III	P5	A10.4.
	UN2446	**NITROCRESOLS**, **SOLID**	6.1		III	P5	A10.5.
		6-Nitro-4-diazotoluene-3-sulfonic acid (dry)					FORBIDDEN
		Nitro isobutene triol trinitrate					FORBIDDEN
		N-Nitro-N-methylglycolamide nitrate					FORBIDDEN
		2-Nitro-2-methylpropanol nitrate					FORBIDDEN
	UN2842	**NITROETHANE**	3		III	P5	A7.2.
		Nitroethyl nitrate					FORBIDDEN
		Nitroethylene polymer					FORBIDDEN
	UN1066	**NITROGEN, COMPRESSED**	2.2			P5	A6.3., A6.5.
	UN1067	**NITROGEN DIOXIDE**	2.3	5.1, 8			FORBIDDEN
		Nitrogen dioxide contained in gas cartriges for use in sterilization devices, see **GAS CARTRIDGE** (UN2037) **or RECEPTACLES, SMALL, CONTAINING GAS** (UN2037)					
		Nitrogen fertilizer solution, see **FERTILIZER AMMONIATING SOLUTION** (UN1043), *etc.*					
		Nitrogen monoxide, see **NITRIC OXIDE, COMPRESSED** (UN1660)					
		Nitrogen peroxide, see **DINITROGEN TETROXIDE,** (UN1067)					
	UN1977	**NITROGEN, REFRIGERATED LIQUID** *(cryogenic liquid)*	2.2			P4 , 345, 346	A6.11.
		Nitrogen tetroxide and nitric oxide mixtures, see **NITRIC OXIDE AND NITROGEN TETROXIDE MIXTURES** (UN1975)					
		Nitrogen tetroxide, see **DINITROGEN TETROXIDE** (UN1067)					
		Nitrogen trichloride					FORBIDDEN
	UN2451	**NITROGEN TRIFLUORIDE**	2.2	5.1		P4	A6.5.
		Nitrogen triiodide					FORBIDDEN
		Nitrogen triiodide monoamine					FORBIDDEN
	UN2421	**NITROGEN TRIOXIDE**	2.3	5.1, 8			FORBIDDEN
	UN0143	**NITROGLYCERIN, DESENSITIZED** *with not less than 40% nonvolatile water insoluble phlegmatizer, by mass*	1.1D	6.1		P4	A5.10.
		Nitroglycerin, desensitized, with less than 40% phlegmatizer, by weight					FORBIDDEN

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
		Nitroglycerin, liquid, not desensitized					FORBIDDEN
★	UN3343	**NITROGLYCERIN, MIXTURE, DESENSITIZED LIQUID, FLAMMABLE, N.O.S.,** *with less than 30% Nitroglycerin by mass*	3			P5	A8.4.
★	UN3357	**NITROGLYCERIN, MIXTURE, DESENSITIZED LIQUID, N.O.S.,** *with less than 30% Nitroglycerin by mass*	3		II	P5, 142	A8.4.
★	UN3319	**NITROGLYCERIN, MIXTURE, DESENSITIZED SOLID, N.O.S.,** *with more than 2% but not more than 10% Nitroglycerin by mass*	4.1		II	P4	A8.4.
		Nitroglycerin, liquid, not desensitized					FORBIDDEN
	UN0144	**NITROGLYCERIN, SOLUTION IN ALCOHOL** *with more than 1%, but not more than 10% nitroglycerin*	1.1D			P4	A5.10.
	UN1204	**NITROGLYCERIN SOLUTION IN ALCOHOL**, *with not more than 1% nitroglycerin*	3		II	P3, N34	A7.2.
	UN3064	**NITROGLYCERIN, SOLUTION IN ALCOHOL**, *with more than 1%, but not more than 5% nitroglycerin*	3		II	P3, N8	A7.2.
	UN0282	**NITROGUANIDINE** *or* **PICRITE**, *dry or wetted with less than 20% water, by mass*	1.1D			P4	A5.6.
		Nitroguanidine nitrate					FORBIDDEN
	UN1336	**NITROGUANIDINE WETTED**, *or* **PICRITE WETTED** *with not less than 20% water, by mass*	4.1		I	P4, 23, A8, A19, A20, N41	A8.3.
		1-Nitro hydantoin					FORBIDDEN
	UN1798	**NITROHYDROCHLORIC ACID**	8		I	P3, N41	A12.2.
		Nitro isobutene triol trinitrate					FORBIDDEN
		Nitromannite (dry)					FORBIDDEN
	UN0133	**NITROMANNITE, WETTED *or* MANNITOL HEXANITRATE, WETTED** *with 40% or more water, or mixture of alcohol and water, by weight*	1.1D			P4	A5.6.
	UN1261	**NITROMETHANE**	3		II	P5	A7.2.
		N-Nitro-N-methylglycolamide nitrate					FORBIDDEN
		2-Nitro-2-methylpropanol nitrate					FORBIDDEN
		Nitromuriatic acid; see **NITROHYDROCHLORIC ACID** (UN1798)					
	UN2538	**NITRONAPHTHALENE**	4.1		III	P5, A1	A8.3.
	UN3376	**4-NITROPHENYLHYDRAZINE** *with 30% or more water, by mass*	4.1		I	P4, 162, A8, A19, A20, N41	A8.3
+	UN1663	**NITROPHENOLS** *(o-,m-,p-,)*	6.1		III	P5	A10.5.
		m-Nitrophenyldinitro methane					FORBIDDEN
	UN2608	**NITROPROPANES**	3		III	P5	A7.2.
	UN1369	**P-NITROSODIMETHYLANILINE**	4.2		II	P5, A19, A20, N34	A8.3.
	UN0146	**NITROSTARCH,** *dry or wetted with less than 20% water, by mass*	1.1D			P4	A5.6.
	UN1337	**NITROSTARCH, WETTED** *with not less than 20% water by mass*	4.1		I	P4, 23, A8, A19, A20, N41	A8.3.
		Nitrosugars (dry)					FORBIDDEN
	UN1069	**NITROSYL CHLORIDE**	2.3	8		P2, 3	A6.4.
	UN2308	**NITROSYLSULFURIC ACID**, **LIQUID**	8		II	P5, A3, A7, N34	A12.2.
	UN3456	**NITROSYLSULFURIC ACID**, **SOLID**	8		II	P5, A7, N34	A12.3.
	UN1664	**NITROTOLUENES, LIQUID**	6.1		II	P5	A10.4.
	UN3446	**NITROTOLUENES, SOLID**	6.1		II	P5	A10.6
	UN2660	**NITROTOLUIDINES (MONO)**	6.1		III	P5	A10.5.
	UN0490	**NITROTRIAZOLONE** *or* **NTO**	1.1D			P4	A5.6.
		Nitrotrichloromethane, see **CHLOROPICRIN** (UN1580)					
	UN0147	**NITRO UREA**	1.1D			P4	A5.6.

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
		Nitrous ether, see **ETHYL NITRITE SOLUTION** (UN1194)					
	UN1070	**NITROUS OXIDE**	2.2	5.1		P5, A14	A6.3., A6.4.
	UN2201	**NITROUS OXIDE, REFRIGERATED LIQUID**	2.2	5.1		P4	A6.4.
		Tri-(b-nitroxyethyl) ammonium nitrate					FORBIDDEN
	UN1665	**NITROXYLENES, LIQUID**	6.1		II	P5	A10.4.
	UN3447	**NITROXYLENES, SOLID**	6.1		II	P5	A10.5
		Nitroxylol, see **NITROXYLENES** (UN1665) (UN3447)					
		Non-activated carbon or Non-activated charcoal, see **CARBON** (UN1361)					
	UN1920	**NONANES**	3		III	P5	A7.2.
		Nonflammable gas, N.O.S., see **COMPRESSED GAS, TOXIC** N.O.S. ★ (UN)1955) **COMPRESSED GAS,** (UN1956) *or* **LIQUEFIED GAS , TOXIC, N.O.S.** ★ (UN3162) **LIQUEFIED GAS** (UN3163)					
		Non-liquefied gases, see **COMPRESSED GAS TOXIC, FLAMMABLE, N.O.S.** ★ (UN1953), **or COMPRESSED GAS, FLAMMABLE, N.O.S.** ★ (UN1954), **or COMPRESSED GAS, TOXIC, N.O.S.** ★ (UN1955), **or COMPRESSED GAS, N.O.S.** ★ (UN1956), **or COMPRESSED GAS, OXIDIZING, N.O.S.** ★ (UN3156), **or COMPRESSED GAS, TOXIC, OXIDIZING, N.O.S.** ★ (UN3303), **or COMPRESSED GAS, TOXIC, CORROSIVE, N.O.S** ★ (UN3304), **or COMPRESSED GAS, TOXIC, FLAMMABLE, CORROSIVE, N.O.S.** ★ (UN3305) **or COMPRESSED GAS, TOXIC, OXIDIZING, CORROSIVE, N.O.S.** ★ (UN3306)					
		Non-liquefied hydrocarbon gas, see **HYDROCARBON GAS, MIXTURE, COMPRESSED**, **N.O.S.** ★ (UN1964)					
	UN1799	**NONYLTRICHLOROSILANE**	8		II	P4, A7, N34	A12.2.
	UN2251	**2,5-NORBORNADIENE, STABILIZED**	3		II	P5	P7.3
		Nordhausen acid, see **SULFURIC or SULPHRIC ACID, FUMING,** (UN1831)					
		Normal propyl alcohol, see **PROPYL ALCOHOL, NORMAL** (UN1274)					
	UN0490	**NTO**	1.1D			P4	A5.6.
	UN1800	**OCTADECYLTRICHLOROSILANE**	8		II	P4, A7, N34	A12.2.
	UN2309	**OCTADIENE**	3		II	P5	A7.2.
		1,7-Octadiene-3,5-diyne-1,8-dimethoxy-9-octadecyn oic acid					FORBIDDEN
	UN2422	**OCTAFLUOROBUT-2-ENE** *or* **REFRIGERANT GAS R1318**	2.2			P5	A6.4.
	UN1976	**OCTAFLUOROCYCLOBUTANE** *or* **REFRIGERANT GAS RC318**	2.2			P5	A6.4.
	UN2424	**OCTAFLUOROPROPANE** *or* **REFRIGERANT GAS R218**	2.2			P5	A6.4.
	UN1262	**OCTANES**	3		II	P5	A7.2.
		Octogen, etc., see **CYCLOTETRAMETHYLENE TETRANITRAMINE,** (UN0484, UN0483, UN0226)					
	UN0484	**OCTOGEN, DESENSITIZED**	1.1D			P4	A5.6.
		Octogen (dry or unphlegmatized)					FORBIDDEN
	UN0226	**OCTOGEN, WETTED** *with not less than 15% water, by mass*	1.1D			P4	A5.6.
	UN0266	**OCTOLITE** *or* **OCTOL** *dry or wetted with less than 15% water by mass*	1.1D			P4	A5.6.
	UN0496	**OCTONAL**	1.1D			P4	A5.7.
	UN1191	**OCTYL ALDEHYDES**	3		III	P5	A7.2.
		Tert-Octyl Mercaptan, see **2-METHYL-2-HEPTANETHIOL** (UN3023)					
	UN1801	**OCTYLTRICHLOROSILANE**	8		II	P4, A7, N34	A12.2.
		Oenanthol, see **n-HEPTALDEHYDE** (UN3056)					

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
	UN1071	**OIL GAS, COMPRESSED**	2.3	2.1		P2, 6	A6.4.
		Oil well sampling device, charged, see **COMPRESSED GAS, FLAMMABLE GAS, N.O.S.** ★ (UN1954) *or* **LIQUEFIED GAS, FLAMMABLE, N.O.S.** ★ (UN3161)					
		Oleum, see **SULFURIC ACID, FUMING** (UN1831)					
		Organic Peroxide Type A, Liquid or Solid					FORBIDDEN
		Organic peroxide type B, liquid					FORBIDDEN
		Organic peroxide type B, liquid, temperature controlled					FORBIDDEN
		Organic peroxide, type B, solid					FORBIDDEN
		Organic peroxide, type B, solid, temperature controlled					FORBIDDEN
★	UN3101	**ORGANIC PEROXIDE TYPE B, LIQUID**	5.2	1	II	P3, 53	A9.2. (173.225)
★	UN3111	**ORGANIC PEROXIDE TYPE B, LIQUID, TEMPERATURE CONTROLLED**	5.2	1	II	P3, 53	A9.2. (173.225)
★	UN3102	**ORGANIC PEROXIDE TYPE B, SOLID**	5.2	1	II	P3, 53	A9.2. (173.225)
		tert-Butyl Monoperoxymaneate					A9.2. (173.225)
		3-Choloroperoxybenzoic Acid					A9.2. (173.225)
		Dibenzoyl Peroxide > 52 < 100					A9.2. (173.225)
		Dibenzoyl Peroxide > 78, < 94					A9.2. (173.225)
		Di-4-Chlorobenzoyl Peroxide					A9.2. (173.225)
		Di-2,4-Dichlorobenzoyl Peroxide					A9.2. (173.225)
		2,2-Dihydroperoxypropane					A9.2. (173.225)
		2,5-Dimethyl -2,5-di-(Benzoyl-Peroxy) Hexane					A9.2. (173.225)
		Di-(2 Phenoxyethyl) Peroxydicarbonate					A9.2. (173.225)
		Disuccinic Acid Peroxide					A9.2. (173.225)
		*3,3,6,6,9,9,-Hexamethyl-1,2,4,5-Tetraoxa*191yclononan*e*					A9.2. (173.225)
★	UN3112	**ORGANIC PEROXIDE TYPE B, SOLID, TEMPERATURE CONTROLLED**	5.2	1	II	P3, 53	A9.2. (173.225)
		Acetyl Cylcohexanesulphonyl Peroxide					A9.2. (173.225)
		Dibenzyl Peroxydicarbonate					A9.2. (173.225)
		Dicyclohexyl Peroxydicarbonate					A9.2. (173.225)
		Diisopropyl Peroxydicarbonate					A9.2. (173.225)
		Di-(2-Methylbenzoyl) Peroxide					A9.2. (173.225)
★	UN3103	**ORGANIC PEROXIDE TYPE C, LIQUID**	5.2		III	P5	A9.2. (173.225)
		tert-Amyl peroxybenzoate					A9.2. (173.225)
		n-Butyl-4,4-di-(Tertcutylperoxy)-Valerate					A9.2. (173.225)
		tert-Butyl Hydroperoxide					A9.2. (173.225)
		tert-Butyl Hydroperoxide and di-tert-Butyl Peroxide					A9.2. (173.225)
		tert-Butyl Monoperoxymaneate					A9.2. (173.225)
		tert-Butyl Peroxyacetate					A9.2. (173.225)
		tert-Butyl Peroxybenzoate					A9.2. (173.225)
		tert-Butylperoxy Isopropyl Carbonate					A9.2. (173.225)
		2,2-Di-(tert-Butylperoxy) Butane					A9.2. (173.225)
		1,1-Di-(tert-Butylperoxy) Cyclohexane					A9.2. (173.225)
		2,5-Dimethyl-2,5-Di-(tert-Butyl-Peroxy)Hexane -3					A9.2. (173.225)
		Ethyl-3,3-Di-(tert-Butylperoxy)-Butyrate					A9.2. (173.225)
		Organic Peroxide, Liquid, Sample					A9.2. (173.225)
★	UN3113	**ORGANIC PEROXIDE TYPE C, LIQUID, TEMPERATURE CONTROLLED**	5.2		II	P3	A9.2. (173.225)
		tert-Amyl Peroxypivalate					A9.2. (173.225)
		tert-Butyl Peroxydiethylacetate					A9.2. (173.225)
		tert-Butyl Peroxy-2-Ethylhexanoate					A9.2. (173.225)
		tert-Butyl Peroxypivalate					A9.2. (173.225)
		Di-sec-Butyl-Peroxydicarbonate					A9.2. (173.225)
		Di-(2-Ethylhexyl) Peroxydicarbonate					A9.2. (173.225)
		Di-n-Propyl Peroxydicarbonate					A9.2. (173.225)
		Organic Peroxide, Liquid Temperature Controlled					A9.2. (173.225)

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
★	UN3104	**ORGANIC PEROXIDE TYPE C, SOLID**	5.2		III	P5	A9.2. (173.225)
		Cyclohexanone Peroxide(s)					A9.2. (173.225)
		Dibenzoyl Peroxide					A9.2. (173.225)
		2,5-Dimethyl-2-5-di-(Benzoyl Peroxy) Hexane					A9.2. (173.225)
		2,5-Dimethyl-2,5-Dihydroperoxyhexane					A9.2. (173.225)
		Organic Peroxide, Solid, Sample					A9.2. (173.225)
★	UN3114	**ORGANIC PEROXIDE TYPE C, SOLID, TEMPERATURE CONTROLLED**	5.2		II	P3	A9.2. (173.225)
		Di-(4-tert-Butylcyclohexyl) Peroxydicarbonate					A9.2. (173.225)
		Dicyclohexyl Peroxydicarbonate					A9.2. (173.225)
		Dideconoyl Peroxide					A9.2. (173.225)
		Di-n-Octanoyl Peroxide					A9.2. (173.225)
		Organic Peroxide, Solid, Temperature Controlled					A9.2. (173.225)
★	UN3105	**ORGANIC PEROXIDE TYPE D, LIQUID**	5.2		III	P5	A9.2. (173.225)
★	UN3115	**ORGANIC PEROXIDE TYPE D, LIQUID, TEMPERATURE CONTROLLED**	5.2		II	P3	A9.2. (173.225)
★	UN3106	**ORGANIC PEROXIDE TYPE D, SOLID**	5.2		III	P5	A9.2. (173.225)
★	UN3116	**ORGANIC PEROXIDE TYPE D, SOLID**, **TEMPERATURE CONTROLLED**	5.2		II	P3	A9.2. (173.225)
★	UN3107	**ORGANIC PEROXIDE TYPE E, LIQUID**	5.2		III	P5, A61	A9.2. (173.225)
★	UN3117	**ORGANIC PEROXIDE TYPE E, LIQUID, TEMPERATURE CONTROLLED**	5.2		II	P3	A9.2. (173.225)
		tert-Butyl peroxy-2-ethylhexanonate					A9.2. (173.225)
		Di-n-butyl peroxydicarbonate					A9.2. (173.225)
		Di-(2-ethylhexyl) peroxydicarbonate as a stable dispersion in water					A9.2. (173.225)
		Di-(2-Ethylhexyl) Peroxydicarbonate as a stable dispersion in water (frozen)					A9.2. (173.225)
		Dipropionyl peroxide					A9.2. (173.225)
★	UN3108	**ORGANIC PEROXIDE TYPE E, SOLID**	5.2		III	P5	A9.2. (173.225)
★	UN3118	**ORGANIC PEROXIDE TYPE E, SOLID, TEMPERATURE CONTROLLED**	5.2		II	P3	A9.2. (173.225)
★	UN3109	**ORGANIC PEROXIDE TYPE F, LIQUID**	5.2		III	P5, A61	A9.2. (173.225)
★	UN3119	**ORGANIC PEROXIDE TYPE F, LIQUID TEMPERATURE CONTROLLED**	5.2		II	P3	A9.2. (173.225)
★	UN3110	**ORGANIC PEROXIDE TYPE F, SOLID** *Dicumyl peroxide*	5.2		III	P5	A9.2. (173.225)
★	UN3120	**ORGANIC PEROXIDE TYPE F, SOLID**, **TEMPERATURE CONTROLLED**	5.2		II	P3	A9.2. (173.225)
D	NA1955	**ORGANIC PHOSPHATE MIXED WITH COMPRESSED GAS, ORGANIC PHOSPHATE COMPOUND MIXED WITH COMPRESSED GAS** *or* **ORGANIC PHOSPHORUS COMPOUND MIXED WITH COMPRESSED GAS**	2.3				FORBIDDEN
	UN3313	**ORGANIC PIGMENTS, SELF-HEATING**	4.2		II III	P5 P5	A8.3. A8.3.
★	UN3280	**ORGANOARSENIC COMPOUND, LIQUID N.O.S.**	6.1		I II III	P5, 5 P5 P5	A10.4. A10.4. A10.4.
★	UN3465	**ORGANOARSENIC COMPOUND, SOLID N.O.S.**	6.1		I II III	P5, 5 P5 P5	A10.5. A10.5. A10.5.
★	UN2762	**ORGANOCHLORINE PESTICIDES LIQUID**, **FLAMMABLE, TOXIC,** *flashpoint less than 23 degrees C*	3	6.1 6.1	I II	P3 P4	A7.2. A7.2.
★	UN2996	**ORGANOCHLORINE PESTICIDES, LIQUID, TOXIC**	6.1		I II III	P3 P4 P5	A10.4. A10.4. A10.4.
★	UN2995	**ORGANOCHLORINE PESTICIDES, LIQUID**, **TOXIC, FLAMMABLE,** *flashpoint not less than 23 degrees C*	6.1	3 3 3	I II III	P3 P4 P5	A10.4. A10.4. A10.4.
★	UN2761	**ORGANOCHLORINE PESTICIDES, SOLID**, **TOXIC**	6.1		I II III	P5 P5 P5	A10.5. A10.5. A10.5.

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
★	UN3282	**ORGANOMETALLIC COMPOUND, LIQUID, TOXIC, N.O.S.**	6.1		I II III	P5 P5 P5	A10.4. A10.4. A10.4.
★	UN3467	**ORGANOMETALLIC COMPOUND, SOLID, TOXIC, N.O.S.**	6.1		I II III	P5 P5 P5	A10.5. A10.5. A10.5.
★	UN3392	**ORGANOMETALLIC SUBSTANCE, LIQUID, PYROPHORIC**	4.2				FORBIDDEN
★	UN3394	**ORGANOMETALLIC SUBSTANCE, LIQUID, PYROPHORIC, WATER-REACTIVE**	4.2	4.3			FORBIDDEN
★	UN3398	**ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE**	4.3		I II III	P3 P4 P5	A8.2. A8.2. A8.2.
★	UN3399	**ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE**	4.3	3 3 3	I II III	P3 P4 P5	A8.2. A8.2. A8.2.
★	UN3391	**ORGANOMETALLIC SUBSTANCE, SOLID, PYROPHORIC**	4.2		I		FORBIDDEN
★	UN3393	**ORGANOMETALLIC SUBSTANCE, SOLID, PYROPHORIC, WATER-REACTIVE**	4.2	4.3	I		FORBIDDEN
★	UN3400	**ORGANOMETALLIC SUBSTANCE, SOLID, SELF-HEATING**	4.2		II III	P4 P5	A8.3. A8.3.
★	UN3395	**ORGANOMETALLIC SUBSTANCE, SOLID, WATER-REACTIVE**	4.3		I II III	P3, N40 P4 P5	A8.3. A8.3. A8.3.
★	UN3396	**ORGANOMETALLIC SUBSTANCE, SOLID, WATER-REACTIVE, FLAMMABLE**	4.3	4.1	I II III	P3, N40 P4 P5	A8.3. A8.3. A8.3.
★	UN3397	**ORGANOMETALLIC SUBSTANCE, SOLID, WATER-REACTIVE, SELF-HEATING**	4.3	4.2	I II III	P3, N40 P4 P5	A8.3. A8.3. A8.3.
★	UN3279	**ORGANOPHOSPHORUS COMPOUND, TOXIC, FLAMMABLE, N.O.S.**	6.1	3 3	I II	P3, 5 P4	A10.4. A10.4.
★	UN3278	**ORGANOPHOSPHORUS COMPOUND, LIQUID, TOXIC, N.O.S.**	6.1		I II III	P3, 5 P4 P5	A10.4. A10.4. A10.4.
★	UN3464	**ORGANOPHOSPHORUS COMPOUND, SOLID, TOXIC, N.O.S.**	6.1		I II III	P3, 5 P4 P5	A10.6. A10.6. A10.6.
★	UN3279	**ORGANOPHOSPHORUS COMPOUND, TOXID, FLAMMABLE, N.O.S.**	6.1	3	I II	P5 P5	A10.4 A10.4
★	UN2784	**ORGANOPHOSPHOROUS PESTICIDES, LIQUID, FLAMMABLE, TOXIC,** *flashpoint less than 23 degrees C*	3	6.1 6.1	I II	P3 P4	A7.2. A7.2.
★	UN3018	**ORGANOPHOSPHORUS PESTICIDES, LIQUID, TOXIC**	6.1		I II III	P3, N76 P4, N76 P5, N76	A10.4. A10.4. A10.4.
★	UN3017	**ORGANOPHOSPHORUS PESTICIDES, LIQUID, TOXIC, FLAMMABLE,** *flashpoint not less than 23 degrees C*	6.1	3 3 3	I II III	P3, N76 P4, N76 P5, N76	A10.4. A10.4. A10.4.
★	UN2783	**ORGANOPHOSPHORUS PESTICIDES, SOLID, TOXIC**	6.1		I II III	P5, N77 P5, N77 P5, N77	A10.5. A10.5. A10.5.
	UN2788	**ORGANOTIN COMPOUNDS, LIQUID, N.O.S.**	6.1		I II III	P3, N33, N34 P4, A3, N33, N34 P5	A10.4. A10.4. A10.4.
	UN3146	**ORGANOTIN COMPOUNDS, SOLID, N.O.S.**	6.1		I II III	P5, A5 P5 P5	A10.5. A10.5. A10.5.

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
★	UN2787	**ORGANOTIN PESTICIDES, LIQUID, FLAMMABLE, TOXIC,** *flashpoint less than 23 degrees C*	3 6.1	6.1 6.1	I II	P3 P4	A7.2. A7.2.
★	UN3020	**ORGANOTIN PESTICIDES, LIQUID, TOXIC**	6.1		I II III	P3 P4 P5	A10.4. A10.4. A10.4.
★	UN3019	**ORGANOTIN PESTICIDES, LIQUID, TOXIC, FLAMMABLE,** *flashpoint more than 23 degrees C*	6.1	3 3 3	I II III	P3 P4 P5	A10.4. A10.4. A10.4.
★	UN2786	**ORGANOTIN PESTICIDES, SOLID, TOXIC**	6.1		I II III	P5 P5 P5	A10.5. A10.5. A10.5.
		Orthonitroaniline, see **NITROANILINES,** *etc.* (UN1661)					
		Orthophosphonic acid, see **PHOSPHORIC ACID, SOLUTION (UN1805)** *or* **PHOSPHONIC ACID, SOLID** (UN3453)					
		Osmic acid anhydride, see **OSMIUM TETROXIDE** (UN2471)					
	UN2471	**OSMIUM TETROXIDE**	6.1		I	P5, A8, N33, N34	A10.5.
		Other regulated substance, aromatic extracts or aromatic flavourings, (not falling under definitions of classes 1-8), see **AVIATION REGULATED LIQUID, N.O.S.** ★ (UN3334) *or* **AVIATION REGULATION SOLID, N.O.S.** ★ (UN3335)					
D	NA3082	**OTHER REGULATED SUBSTANCES, LIQUID, N.O.S.**	9		III	P5	A13.2.
D	NA3077	**OTHER REGULATED SUBSTANCES, SOLID, N.O.S.**	9		III	P5	A13.2.
★	UN3139	**OXIDIZING LIQUID, N.O.S.**	5.1		I II III	P3, 62, 127, A2 P4, 62, 127, 148, A2 P5, 62, 127, 148, A2	A9.5. A9.5. A9.5.
★	UN3098	**OXIDIZING LIQUID, CORROSIVE, N.O.S.**	5.1	8 8 8	I II III	P3, 62 P4, 62 P5, 62	A9.5. A9.5. A9.5.
★	UN3099	**OXIDIZING LIQUID, TOXIC, N.O.S.**	5.1	6.1 6.1 6.1	I II III	P3, 62 P4, 62 P5, 62	A9.5. A9.5. A9.5.
★	UN1479	**OXIDIZING SOLID, N.O.S.**	5.1		I II III	P5, 62 P5, 62 P5, 62, 148	A9.6. A9.6. A9.6.
★	UN3085	**OXIDIZING SOLID, CORROSIVE, N.O.S.**	5.1	8 8 8	I II III	P5, 62 P5, 62 P5, 62	A9.6. A9.6. A9.6.
★	UN3137	**OXIDIZING SOLID, FLAMMABLE, N.O.S.**	5.1	4.1	I	P4, 62	A9.8.
★	UN3100	**OXIDIZING SOLID, SELF-HEATING, N.O.S.**	5.1	4.2 4.2	I II	P3, 62 P4, 62	 A9.8.
★	UN3087	**OXIDIZING SOLID, TOXIC, N.O.S.**	5.1	6.1 6.1 6.1	I II III	P5, 62 P5, 62 P5, 62	A9.6. A9.6. A9.6.
★	UN3121	**OXIDIZING SOLID, WATER-REACTIVE, N.O.S.**	5.1	4.3		P4, 62	A9.8.
		Oxirane, see **ETHYLENE OXIDE** (UN1040)					
	UN1072	**OXYGEN, COMPRESSED**	2.2	5.1		P5, 110, A14, A511	A6.3., A6.5.
	UN2190	**OXYGEN DIFLUORIDE. COMPRESSED**	2.3	5.1, 8		P1, 1, N86	A6.15.
	UN3356	**OXYGEN GENERATORS, CHEMICAL** *(including when contained in associated equipment, e.g., passenger service units (PSU's) portable breathing equipment (PBE) etc.)*	5.1		II	P4, 61	A9.10.

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
+	NA3356	**OXYGEN GENERATOR, CHEMICAL SPENT**	9		III		FORBIDDEN
	UN1073	**OXYGEN, REFRIGERATED LIQUID** *(cryogenic liquid)*	2.2	5.1		P4, A511	A6.11.
		1-Oxy-4-nitrobenzene, **see NITROPHENOLS** (UN1663)					
	UN3509	**PACKAGING DISCARDED, EMPTY, UNCLEANED**	9			P3, A525	FORBIDDEN
	UN1263	**PAINT** *(including paint, lacquer, enamel, stain, shellac solutions, varnish, polish, liquid filler, and liquid lacquer base)*	3		I II III	P3, 367 P5, 149, 367 P5, 367	A7.2. A7.2. A7.2.
	UN3066	**PAINT** *or* **PAINT RELATED MATERIAL**	8		II III	P5, 367 P5, 367	A12.2. A12.2.
	UN3470	**PAINT, CORROSIVE, FLAMMABLE** *(including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base)*	8	3	II	P5, 367	A12.2
		Paint driers, see **FLAMMABLE SOLID, ORGANIC, N.O.S.** *or* **FLAMMABLE SOLID, INORGANIC, N.O.S.**					
	UN3469	**PAINT, FLAMMABLE, CORROSIVE** *(including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base)*	3	8	I II III	P3, 367 P5, 367 P5, 367	A7.2 A7.2 A7.2
	UN1263	**PAINT RELATED MATERIAL** *(including paint thinning, drying, removing, or reducing compound)*	3		I II III	P3, 367 P5, 149, 367 P5, 367	A7.2. A7.2. A7.2.
	UN3470	**PAINT RELATED MATERIAL, CORROSIVE, FLAMMABLE** *(including paint thinning, drying, removing, or reducing compound)*	8	3	II	P5, 367	A12.2.
	UN3469	**PAINT RELATED MATERIAL, FLAMMABLE, CORROSIVE** *(including paint thinning, drying, removing, or reducing compound)*	3	8	I II III	P3, 367 P5, 367 P5, 367	A7.2. A7.2. A7.2.
		Paper stock, wet					Forbidden
	UN1379	**PAPER, UNSATURATED OIL TREATED** *incompletely dried (including carbon paper)*	4.2		III	P5	A8.3.
		Paraffin, see **KEROSENE** (UN1223)					
	UN2213	**PARAFORMALDEHYDE**	4.1		III	P5, A1	A8.3.
	UN1264	**PARALDEHYDE**	3		III	P5	A7.2.
		Paranitroaniline solid, see **NITROANILINES,** *etc.*					
D	NA1967	**PARATHION AND COMPRESSED GAS MIXTURE**	2.3			P2, 3	A6.18.
		Paris green, solid, see **COPPER ACETOARSENITE**					
		PCB, see **POLYCHLORINATED BIPHENYLS LIQUID** (UN2315) *or* **POLYCHLORINATED BIPHENYLS, SOLID** (UN3432)					
+	UN1380	**PENTABORANE**	4.2	6.1	I		FORBIDDEN
	UN1669	**PENTACHLOROETHANE**	6.1		II	P5	A10.4.
	UN3155	**PENTACHLOROPHENOL**	6.1		II	P5	A10.5.
	UN0411	**PENTAERYTHRITE TETRANITRATE** *or* **PENTAERYTHRITOL TETRANITRATE** *or* **PETN** *with not less than 7% wax by mass*	1.1D			P4	A5.6.
★	UN3344	**PENTAERYTHRITE TETRANITRATE MIXTURE, DESENSITIZED SOLID, N.O.S.** *with more than 10% but less than or equal to 20% PETN by mass*	4.1		II	P4, 118, N85	A8.4.
	UN0150	**PENTAERYTHRITE TETRANITRATE, WETTED** *or* **PENTAERYTHRITOL TETRANITRATE, WETTED** *or* **PETN, WETTED** *with not less than 25% water by mass, or* **PETN, DESENSITIZED** *with 15% or more phlegmatizer, by weight or* **PENTAERYTHRITE TETRANITRATE** *or* **PENTAERYTHRITOL TETRANITRATE** *or* **PENTAERYTHRITE TETRANITRATE, DESENSITIZED** *with not less than 15% phlegmatizer by mass* or	1.1D			P4	A5.6.

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
		Pentaerythrite Tetranitrate (dry)					FORBIDDEN
		Pentaerythritol tetranitrate (dry)					FORBIDDEN
		Pentafluroethane, 1,1,1,2-tetrafluoroethaneazeotropic mixture with approximately 44% pentafluoroethane and 52% 1,1,1-trifluoroethane, see **REFRIGERANT GAS R404A** (UN3337)					
	UN3220	**PENTAFLUOROETHANE** *or* **REFRIGERANT GAS R125**	2.2			P5	A6.3., A6.4.
	UN2286	**PENTAMETHYLHEPTANE**	3		III	P5	A7.2.
		Pentanal, see **VALERADEHYDE** (UN2058)					
		n-Pentane, see **PENTANES** (UN1265)					
	UN2310	**PENTANE-2,4-DIONE**	3	6.1	III	P5	A7.2.
		Pentane, methyl, see **HEXANES** (UN1208)					
	UN1265	**PENTANES**	3		I II	P3 P5	A7.2. A7.2.
		Pentanitroaniline (dry)					FORBIDDEN
		3-Pentanol, see **PENTANOLS** (UN1105)					
	UN1105	**PENTANOLS**	3		II III	P5 P5	A7.2. A7.2.
	UN1108	**1-PENTENE (N-AMYLENE)**	3		I	P3	A7.2.
	UN2705	**1-PENTOL**	8		II	P5	A12.2.
	UN0151	**PENTOLITE,** *dry or wetted with less than 15% water by mass*	1.1D			P4	A5.6.
		Pentyl nitrite, see **AMYL NITRITE** (UN1113)					
		Pepper spray, see **AEROSOLS FLAMMABLE** (UN1950) *or* **SELF-DEFENSE SPRAY, NON-PRESSURIZED** (NA3334)					
	UN3211	**PERCHLORATES, INORGANIC, AQUEOUS SOLUTIONS, N.O.S.**	5.1		II III	P5 P5	A9.5. A9.5.
	UN1481	**PERCHLORATES, INORGANIC, N.O.S.**	5.1		II III	P5 P5	A9.6. A9.6.
	UN1873	**PERCHLORIC ACID** with *more than 50% but not more than 72% acid, by mass*	5.1	8	I	P3, A2, N41	A9.5.
		Perchloric Acid, with more than 72% acid by mass					FORBIDDEN
	UN1802	**PERCHLORIC ACID** with *not more than 50% acid by mass*	8	5.1	II	P4, N41	A12.2.
		Perchlorobenzene, see **HEXACHLOROBENZENE** (UN2729)					
		Perchlorocyclopentadiene, see **HEXACHLOROCYCLOPENTADIENE** (UN2646)					
		Perchloroethylene, see **TETRACHLOROETHYLENE** (UN1897)					
		Perchloromethane, see **CARBON TETRACHLORIDE** (UN1846)					
		Perchloroethylene, see **TETRACHLOROETHYLENE** (UN1897)					
	UN1670	**PERCHLOROMETHYL MERCAPTAN**	6.1		I	P2, 2, A3, A7, N34	A10.6.
	UN3083	**PERCHLORYL FLUORIDE**	2.3	5.1		P2, 2	A6.5.
		Percussion Caps; *see* **PRIMERS, CAP TYPE** (UN0044, UN0377, UN0378)					
		Perfluoroacetyl chloride, see **TRIFLUOROACETYL CHLORIDE** (UN3057)					
		Perfluoro-2-butene, see **OCTAFLUOROBUT-2-ENE** (UN2422)					
	UN3154	**PERFLUORO (ETHYL VINYL ETHER)**	2.1			P4	A6.3., A6.4., A6.5.
	UN3153	**PERFLUORO (METHYL VINYL ETHER)**	2.1			P4	A6.3., A6.4., A6.5.
		Perfluoropropane, see **OCTAFLUOROPROPANE** (UN2424)					
		Perfluoro-2-butene, see **OCTAFLUOROBUT-2-ENE** (UN2422)					

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
	UN1266	**PERFUMERY PRODUCTS** *with flammable solvents*	3		II III	P5, 149 P5	A7.2. A7.2.
		Perfumery products in small inner packagings, see **CONSUMER COMMODITY** (ID8000)					
★	UN1482	**PERMANGANATES, INORGANIC, N.O.S.**	5.1		II III	P5, 26, 353, A30 P5, 26, 353, A30	A9.6. A9.6.
★	UN3214	**PERMANGANATES, INORGANIC AQUEOUS SOLUTION, N.O.S.**	5.1		II	P5, 26, 353	A9.5.
		Permeation devices, containing dangerous goods, for calibrating air quality monitoring equipment				A521	
		Peroxide organic, see **ORGANIC PEROXIDE TYPE C, LIQUID ★** (UN3103) **or ORGANIC PEROXIDE TYPE C, SOLID ★** (UN3104), **or ORGANIC PEROXIDE TYPE D, LIQUID ★** (UN3105) **or ORGANIC PEROXIDE TYPE D, SOLID ★** (UN3106) **or ORGANIC PEROXIDE TYPE E, LIQUID ★** (UN3107) **or ORGANIC PEROXIDE TYPE E, SOLID ★** (UN3108) **or ORGANIC PEROXIDE TYPE F, LIQUID ★** (UN3109) **or ORGANIC PEROXIDE TYPE F, SOLID ★** (UN31010) **or ORGANIC PEROXIDE TYPE C, LIQUID, TEMPERATURE CONTROLLED ★** (UN3113) **or ORGANIC PEROXIDE TYPE C, SOLID, TEMPERATURE CONTROLLED ★** (UN3114) **or ORGANIC PEROXIDE TYPE D, LIQUID, TEMPERATURE CONTROLLED ★** (UN3115) **or ORGANIC PEROXIDE TYPE D, SOLID, TEMPERATURE CONTROLLED ★** (UN3116) **or ORGANIC PEROXIDE TYPE E, LIQUID, TEMPERATURE CONTROLLED ★** (UN3117) **or ORGANIC PEROXIDE TYPE E, SOLID, TEMPERATURE CONTROLLED ★** (UN3118) **or ORGANIC PEROXIDE TYPE F, LIQUID, TEMPERATURE CONTROLLED ★** (UN3119) **or ORGANIC PEROXIDE TYPE F, SOLID, TEMPERATURE CONTROLLED ★** (UN3120)					
★	UN1482	**PERMANGANATES, INORGANIC, N.O.S**.	5.1		II III	P5, A30 P5, A30	A9.6. A9.6.
	UN1483	**PEROXIDES, INORGANIC, N.O.S.**	5.1		II III	P5, A7, A20, N34 P5, A7, A20, N34	A9.6. A9.6.
		Peroxyacetic acid, more than 43% and with more than 6% hydrogen peroxide					FORBIDDEN
	UN3216	**PERSULFATES, INORGANIC, AQUEOUS SOLUTIONS, N.O.S.**	5.1		III	P5	A9.5.
	UN3215	**PERSULFATES, INORGANIC, N.O.S.**	5.1		III	P5	A9.6.
★	UN3021	**PESTICIDES, LIQUID, FLAMMABLE, TOXIC,** *flashpoint less than 23 degrees C*	3	6.1 6.1	I II	P3 P4	A7.2. A7.2.
★	UN2902	**PESTICIDES, LIQUID, TOXIC, N.O.S.**	6.1		I II III	P3 P4 P5	A10.4. A10.4. A10.4.
★	UN2903	**PESTICIDES, LIQUID, TOXIC, FLAMMABLE, N.O.S.** *flashpoint not less than 23 degrees C*	6.1	3 3 3	I II III	P3 P4 P5	A10.4. A10.4. A10.4.
★	UN2588	**PESTICIDES, SOLID, TOXIC, N.O.S.**	6.1		I II III	P5 P5 P5	A10.5. A10.5. A10.5.
		Pesticide, toxic, under compressed gas, N.O.S., see **AEROSOLS FLAMMABLE** (UN1950)					
		PETN, *see* **PENTAERYTHRITE TETRANITRATE** (UN0411)					

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
		PETN/TNT, *see* **PENTOLITE,** (UN0151)					
	UN0411	**PETN** *with 7% or more wax, by weight*	1.1D		II	P4	A5.6.
	UN0150	**PETN, DESENSITIZED** *with 15% or more phlegmatizer, by weight or* **PETN, WETTED** *with 25% or more water, by weight*	1.1D		II	P4	A5.6.
★	UN3344	**PETN MIXTURE DESENSITIZED, SOLID, N.O.S.** with greater than 10% but equal to or less than 20% PETN, BY WEIGHT					
	UN1203	**PETROL** *or* **GASOLINE** *or* **MOTOR SPIRIT**	3		II	P5	A7.2.
	UN1267	**PETROLEUM CRUDE OIL**	3		I II III	P3, 144, 357 P5, 144, 357 P5, 144, 357	A7.2. A7.2. A7.2.
	UN1268	**PETROLEUM DISTILLATES, N.O.S.** *or* **PETROLEUM PRODUCTS, N.O.S.**	3		I II III	P3, 144 P5, 144 P5, 144	A7.2. A7.2. A7.2.
		Petroleum ether, see **PETROLEUM DISTILLATES, N.O.S.** (UN1268)					
		Petroleum raffinate, see **PETROLEUM DISTILLATES, N.O.S.** (UN1268)					
		Petroleum spirit, see **PETROLEUM PRODUCTS, N.O.S.** (UN1268)					
	UN1075	**PETROLEUM GASES, LIQUEFIED** *or* **LIQUEFIED PETROLEUM GAS**	2.1			P4, 19, N95	A6.3., A6.6.
		Petroleum naphtha, see **PETROLEUM DISTILLATES, N.O.S.** (UN1268)					
		Petroleum oil, see **PETROLEUM PRODUCTS, N.O.S.** (UN1268)					
D	NA1270	**PETROLEUM OIL**	3		I II III	P3, 144 P5, 144 P5, 144	A7.2. A7.2. A7.2.
	UN3494	**PETROLEUM SOUR CRUDE OIL, FLAMMABLE, TOXIC**	3	6.1	I II III	P3, 343 P5, 343 P5, 343	A7.2. A7.2. A7.2.
	UN2645	**PHENACYL BROMIDE**	6.1		II	P5	A10.5.
+	UN2311	**PHENETIDINES**	6.1		III	P5	A10.4.
	UN2312	**PHENOL, MOLTEN**	6.1				FORBIDDEN
+	UN1671	**PHENOL, SOLID**	6.1		II	P5, N78	A10.5.
	UN2821	**PHENOL SOLUTIONS**	6.1		II III	P5 P5	A10.4. A10.4.
	UN2904	**PHENOLATES, LIQUID**	8		III	P5	A12.2.
	UN2905	**PHENOLATES, SOLID**	8		III	P5	A12.3.
	UN1803	**PHENOLSULFONIC ACID, LIQUID**	8		II	P5, N41	A12.2.
★	UN3346	**PHENOXYACETIC ACID DERIVATIVE PESTICIDE, LIQUID, FLAMMABLE, TOXIC** *(flashpoint less than 23 degrees C)*	3	6.1 6.1	I II	P3 P4	A7.2. A7.2.
★	UN3348	**PHENOXYACETIC ACID DERIVATIVE PESTICIDE, LIQUID, TOXIC**	6.1		I II III	P3 P4 P5	A10.4. A10.4. A10.4.
★	UN3347	**PHENOXYACETIC ACID DERIVATIVE PESTICIDE, LIQUID, TOXIC, FLAMMABLE** *(flashpoint not less than 23 degrees C)*	6.1	3 3 3	I II III	P3 P4 P5	A10.4. A10.4. A10.4.
★	UN3345	**PHENOXYACETIC ACID DERIVATIVE PESTICIDE, SOLID, TOXIC**	6.1		I II III	P5 P5 P5	A10.5. A10.5. A10.5.
	UN2746	**PHENYL CHLOROFORMATE**	6.1	8	II	P4	A10.4.
		Phenyl cyanide, see **BENZONITRILE** (UN2224)					
		Phenyldichloroarsine					FORBIDDEN
		m-Phenylene diaminediperchlorate (dry)					FORBIDDEN
	UN2487	**PHENYL ISOCYANATE**	6.1	3	II	P2, 2, N33, N34	A10.6.
		Phenylisocyanodichloride, see **PHENYLCARBYLAMINE CHLORIDE**					
	UN2337	**PHENYL MERCAPTAN**	6.1	3	I	P2, 2	A10.6.

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
		1-Phenyl-5-mercapto-tetrazol, see **FLAMMABLE SOLID, ORGANIC, N.O.S.**					
	UN2798	**PHENYL PHOSPHORUS DICHLORIDE**	8		II	P4	A12.2.
	UN2799	**PHENYL PHOSPHOROUS THIODICHLORIDE**	8		II	P4	A12.2.
		2-Phenylpropene, see **ISOPROPENYLBENZENE**					
	UN3002	**PHENYL UREA PESTICIDES, LIQUID, TOXIC**	6.1		I II III	P3 P4 P5	A10.4. A10.4. A10.4.
	UN2470	**PHENYLACETONITRILE, LIQUID**	6.1		III	P5	A10.4.
	UN2577	**PHENYLACETYL CHLORIDE**	8		II	P5	A12.2.
		Phenylamine, see **ANILINE** (UN1547)					
		1-Phenylbutane or 2-Phenylbutane, see **BUTYLBENZENES**					
	UN1672	**PHENYLCARBYLAMINE CHLORIDE**	6.1		I	P2, 2	A10.6.
+	UN1673	**PHENYLENEDIAMINES** *(o-,m-,p-)*	6.1		III	P5	A10.5.
		Phenylethylene, see **STYRENE MONOMER, STABILIZED** (UN2055)					
		D(-)alpha Phenylglycine chloride hydrochloride, see **AVIATION REGULATED LIQUID, N.O.S.**					
	UN2572	**PHENYLHYDRAZINE**	6.1		II	P5	A10.4.
	UN1674	**PHENYLMERCURIC ACETATE**	6.1		II	P5	A10.5.
★	UN2026	**PHENYLMERCURIC COMPOUNDS, N.O.S.**	6.1		I II III	P5 P5 P5	A10.5. A10.5. A10.5.
	UN1894	**PHENYLMERCURIC HYDROXIDE**	6.1		II	P5	A10.5.
	UN1895	**PHENYLMERCURIC NITRATE**	6.1		II	P5	A10.5.
	UN1804	**PHENYLTRICHLOROSILANE**	8		II	P4, A7, N34	A12.2.
	UN1076	**PHOSGENE**	2.3	8		P1, 1	A6.15.
	UN2940	**9-PHOSPHABICYCLONONANES** *or* **CYCLOOCTADIENE PHOSPHINES**	4.2		II	P5, A19	A8.3.
	UN2199	**PHOSPHINE**	2.3	2.1		P1, 1	A6.15.
	UN352	**PHOSPHINE, ADSORBED**	2.3	2.1		P1, 1	A6.15.
		Phosphoretted hydrogen, see **PHOSPHINE** (UN2199)					
		Phosphoric acid, anhydrous, see **PHOSPHORUS PENTOXIDE** (UN1807)					
	UN3453	**PHOSPHORIC ACID, SOLID**	8		III	P5	A12.3
	UN1805	**PHOSPHORIC ACID**, **SOLUTION**	8		III	P5, A7, N34	A12.2.
		Phosphoric acid triethyleneimine, see **TRIS-(1-AZIRIDIYL) PHOSPHINE OXIDE, SOLUTION** (UN2501)					
		Phosphoric Anhydride, see **PHOSPHORUS PENTOXIDE** (UN1807)					
	UN2834	**PHOSPHOROUS ACID**	8		III	P5	A12.3.
	UN1338	**PHOSPHORUS, AMORPHOUS**	4.1		III	P5, A1, A19	A8.3.
		Phosphorus bromide, see **PHOSPHORUS TRIBROMIDE** (UN1808)					
		Phosphorus chloride, see **PHOSPHORUS TRICHLORIDE** (UN1809)					
	UN1339	**PHOSPHORUS HEPTASULFIDE,** *free from yellow or white phosphorus*	4.1		II	P5, A20, N34	A8.3.
		Phosphorous pentasulfide or heptasulphide, with yellow and/or white phosphorous					FORBIDDEN
	UN1939	**PHOSPHORUS OXYBROMIDE**	8		II	P5, N41, N43	A12.3.
	UN2576	**PHOSPHORUS OXYBROMIDE, MOLTEN**	8				FORBIDDEN
+	UN1810	**PHOSPHORUS OXYCHLORIDE**	6.1	8	I	P2, 2, N34	A10.6.
	UN2691	**PHOSPHORUS PENTABROMIDE**	8		II	P4, A7, N34	A12.2.
	UN1806	**PHOSPHORUS PENTACHLORIDE**	8		II	P4, A7, N34	A12.2.
	UN2198	**PHOSPHORUS PENTAFLUORIDE**	2.3	8		P1, 2	A6.4., A6.5.
	UN3524	**PHOSPHORUS PENTAFLUORIDE, ADSORBED**	2.3	8		P1, 2	A6.4., A6.5.
	UN1340	**PHOSPHORUS PENTASULFIDE**, *free from yellow or white phosphorus*	4.3	4.1	II	P5, A20	A8.3.
		Phosphorus pentasulfide, with yellow and/or white phosphorus					FORBIDDEN

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
	UN1807	**PHOSPHORUS PENTOXIDE**	8		II	P4, A7, N34	A12.3.
	UN1341	**PHOSPHORUS SESQUISULFIDE**, *free from yellow or white phosphorus*	4.1		II	P5, A20, N34	A8.3.
		Phosphorus sesquisulphide, with yellow and/or white phosphorus					FORBIDDEN
		Phosphorus sulphochloride, see **THIOPHOSPHORYL CHLORIDE** (UN1837)					
	UN1808	**PHOSPHORUS TRIBROMIDE**	8		II	P4, A3, A7, N34, N43	A12.2.
	UN1809	**PHOSPHORUS TRICHLORIDE**	6.1	8	I	P2, 2, N34	A12.11.
	UN2578	**PHOSPHORUS TRIOXIDE**	8		III	P5	A12.3.
	UN1343	**PHOSPHORUS TRISULFIDE,** *free from yellow or white phosphorus*	4.1		II	P5, A20, N34	A8.3.
		Phosphorus trisulphide, with yellow and/or white phosphorus					FORBIDDEN
		Phosphorus (V) sulfide, free from yellow and white phosphorus, see **PHOSPHORUS PENTASULFIDE** (UN1340)					
	UN1381	**PHOSPHORUS, WHITE DRY** *or* **PHOSPHORUS, WHITE, UNDER WATER** *or* **PHOSPHORUS WHITE IN SOLUTION** *or* **PHOSPHORUS YELLOW DRY** *or* **PHOSPHORUS YELLOW UNDER WATER** *or* **PHOSPHORUS YELLOW IN SOLUTION**	4.2	6.1	I	P3, N34	A8.16.
	UN2447	**PHOSPHORUS WHITE, MOLTEN**	4.2	6.1	I		FORBIDDEN
		Phosphorus (white or red) and a chlorate, mixtures of					FORBIDDEN
		Phosphoryl Chloride, see **PHOSPHORUS OXYCHLORIDE** (UN1810)					
	UN2214	**PHTHALIC ANHYDRIDE** *with more than .05% maleic anhydride*	8		III	P5	A12.3.
	UN2313	**PICOLINES**	3		III	P5	A7.2.
	UN0153	**PICRAMIDE**	1.1D		II	P4	A5.7.
	UN0154	**PICRIC ACID** *or* **TRINITROPHENOL dry or wetted with less than 30% water, by weight**	1.1D		II	P4	A5.6.
	UN3364	**PICRIC ACID, WETTED** *with 10% or more water, by weight*	4.1		I	P4, A8, A19, N41	A8.3.
	UN1344	**PICRIC ACID, WETTED** ***with 30% or more water, by weight***	4.1		I	P4, A8, A19, N41	A8.3.
		Picrite, see **NITROGUANIDINE,** *etc.*					
	UN0282	**PICRITE** *dry or wetted with less than 20% water, by weight*	1.1D			P4	A5.6.
	UN1336	**PICRITE, WETTED** *with 20% or more water, by weight*	4.1		I	P4, 23, A8, A19, A20, N41	A8.3.
		Picotroxin, see **TOXINS, EXTRACTED FROM LIVING SOURCES, LIQUID, N.O.S.** ★ (UN3172) *or* **TOXINS, EXTRACTED FROM LIVING SOURCES, SOLID, N.O.S.** ★ (UN3462)					
	UN0155	**PICRYL CHLORIDE** *or* **TRINITROCHLOROBENZENE**	1.1D		II	P4	A5.7.
	UN3365	**PICRYL CHLORIDE, WETTED** *with 10% or more water, by weight*	4.1		I	P4	A8.3.
	UN1272	**PINE OIL**	3		III	P5	A7.2.
	UN2368	**alpha-PINENE**	3		III	P5	A7.2.
	UN2579	**PIPERAZINE**	8		III	P5	A12.3.
	UN2401	**PIPERIDINE**	8	3	I	P4	A12.2.
		Pivaloyl Chloride, see **TRIMETHYLACETYL CHLORIDE** (UN2438)					
		Plastic explosives, see **EXPLOSIVE, BLASTING, TYPE D** (UN0084)					
	UN3314	**PLASTIC MOULDING COMPOUND** *in dough, sheet, or extruded rope form evolving flammable vapor*	9		III	P5	A13.17.
★	UN2006	**PLASTICS, NITROCELLULOSE BASED, SELF-HEATING, N.O.S.**	4.2		III	P2	A8.3.

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
		Plastic solvent, N.O.S., see **FLAMMABLE LIQUIDS, N.O.S**. ★ (UN1993)					
		Plutonium nitrate solution, see IATA 10.5					
		Polish, see **PAINT** (UN1263)					
		Poisonous gases, N.O.S., see **COMPRESSED** (UN1956) *or* **LIQUEFIED GASES, FLAMMABLE** (UN3161) *or* **TOXIC, N.O.S.** (UN3162)					
		Polyalkylamines, N.O.S., see **AMINES,** *etc*. (UN2773)					
★	UN2733	**POLYAMINES, FLAMMABLE, CORROSIVE, N.O.S.** *or* **AMINES, FLAMMABLE, CORROSIVE N.O.S.**	3 8 8	8 8 8	I II III	P3 P5 P5	A7.2. A7.2. A7.2.
★	UN2735	**POLYAMINES, LIQUID, CORROSIVE, N.O.S.** *or* **AMINES, LIQUID, CORROSIVE, N.O.S.**	8		I II III	P3 P4 P5	A12.2. A12.2. A12.2.
★	UN2734	**POLYAMINES, LIQUID, CORROSIVE, FLAMMABLE, N.O.S.** *or* **AMINES, LIQUID, CORROSIVE, FLAMMABLE N.O.S**.	8	3 3	I II	P5 P5	A12.2. A12.2.
★	UN3259	**POLYAMINES, SOLID, CORROSIVE, N.O.S.**	8		I II III	P5 P5 P5	A12.3. A12.3. A12.3.
	UN2315	**POLYCHLORINATED BIPHENYLS, LIQUID**	9		II	P5, 9, 81, 140	A13.2.
	UN3432	**POLYCHLORINATED BIPHENYLS, SOLID**	9		II	P5, 9, 81, 140	A13.2.
	UN3269	**POLYESTER RESIN KIT**, *liquid base material*	3			P5, 149	A7.6.
	UN3527	**POLYESTER RESIN KIT***, solid base material*	4.1			P5, 157	A8.19.
	UN3151	**POLYHALOGENATED BIPHENYLS, LIQUID** *or* **HALOGENATED MONOMETHYLDIPHENYLMETHANES, LIQUID** *or* **POLYHALOGENATED TERPHENYLS, LIQUID**	9		II	P5	A13.2.
	UN3152	**POLYHALOGENATED BIPHENYLS, SOLID,** *or* **HALOGENATED MONOMETHYLDIPHENYLMETHANES, SOLID** *or* **POLYHALOGENATED TERPHENYLS, SOLID**	9		II	P5	A13.2.
	UN2211	**POLYMERIC BEADS, EXPANDABLE,** *evolving flammable vapor*	9		III	P5, 32	A13.17.
	UN3532	**POLYMERIZING SUBSTANCE, LIQUID, STABILIZED, N.O.S.**	4.1		III	P5, 387, N92	A8.2
	UN3534	**POLYMERIZING SUBSTANCE, LIQUID, TEMPERATURE CONTROLLED, N.O.S.**	4.1		III	387, N92	FORBIDDEN
	UN3531	**POLYMERIZING SUBSTANCE, SOLID, STABILIZED, N.O.S.**	4.1		III	P5, 387, N92	A8.3
	UN3533	**POLYMERIZING SUBSTANCE, LIQUID, STABILIZED, N.O.S.**	4.1		III	387, N92	FORBIDDEN
		Polystyrene beads, expandable, etc., see **POLYMERIC BEADS, EXPANDABLE** (UN2211)					
	UN2257	**POTASSIUM**	4.3		I	P3, A7, A19, A20, N6, N34	A8.3.
	UN1677	**POTASSIUM ARSENATE**	6.1		II	P5	A10.5.
	UN1678	**POTASSIUM ARSENITE**	6.1		II	P5	A10.5.
		Potassium bifluoride, see **POTASSIUM HYDROGENDIFLUORIDE, SOLID** (UN1811) *or* **POTASSIUM HYDROGENDIFLUORIDE, SOLUTION** (UN3421)					
		Potassium bisulphate , see **POTASSIUM HYDROGEN SULPHATE** (UN2509)					
		Potassium bisulphite solution, see **BISULFITES, AQUEOUS SOLUTIONS, N.O.S.** ★ (UN2693)					
	UN1870	**POTASSIUM BOROHYDRIDE**	4.3		I	P3, A19, N40	A8.3.
	UN1484	**POTASSIUM BROMATE**	5.1		II	P5	A9.6.
		Potassium carbonyl					FORBIDDEN
	UN1485	**POTASSIUM CHLORATE**	5.1		II	P5, A9, N34	A9.6.

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
	UN2427	**POTASSIUM CHLORATE, AQUEOUS SOLUTION**	5.1		II III	P5, A2 P5, A2	A9.5. A9.5.
		Potassium chlorate mixed with mineral oil, see **EXPLOSIVE BLASTING, TYPE C** (UN0083)					
	UN1679	**POTASSIUM CUPROCYANIDE**	6.1		II	P5	A10.5.
	UN1680	**POTASSIUM CYANIDE**, **SOLID**	6.1		I	P5, N74, N75	A10.5.
	UN3413	**POTASSIUM CYANIDE, SOLUTION**	6.1		I II III	P5, N74, N75 P5, N74, N75 P5, N74, N75	A10.4. A10.4. A10.4.
		Potassium dichloro isocyanurate or Potassium dichloro-s-triazinetrione, see **DICHLOROISOCYANURIC ACID DRY** (UN2465) *or* **DICHLOROISOCYANURIC ACID SALTS** (UN2465), *etc*					
		Potassium dicyanocuprate (I), see **POTTASIUM CUPROCYANIDE** (UN1679)					
	UN1929	**POTASSIUM DITHIONITE** *or* **POTASSIUM HYDROSULFITE**	4.2		II	P5, A8, A19, A20	A8.3.
	UN1812	**POTASSIUM FLUORIDE**, **SOLID**	6.1		III	P5	A10.5.
	UN3422	**POTASSIUM FLUORIDE**, **SOLUTION**	6.1		III	P5	A10.4.
	UN2628	**POTASSIUM FLUOROACETATE**	6.1		I	P5	A10.5.
	UN2655	**POTASSIUM FLUOROSILICATE**	6.1		III	P5	A10.5.
		Potassium hexafluorosilicate, see **POTASSIUM FLUOROSILICATE (UN2655)**					
		Potassium hydrate, see **POTASSIUM HYDROXIDE, SOLID** (UN1813)					
	UN2509	**POTASSIUM HYDROGEN SULPHATE**	8		II	P5, A7 ,N34	A12.3.
	UN1811	**POTASSIUM HYDROGENDIFLUORIDE**, **SOLID**	8	6.1	II	P5, N3, N34	A12.3.
	UN3421	**POTASSIUM HYDROGENDIFLUORIDE, SOLUTION**	8	6.1	II III	P5, N3, N34 P5, N3, N34	A12.2 A12.2
		Potassium hydrogen fluoride, see **POTASSIUM HYDROGENFLUORIDE, SOLID** (UN1811) *or* **POTASSIUM HYDROGENFLUORIDE SOLUTION** (UN3421)					
	UN1929	**POTASSIUM HYDROSULFITE** *or* **POTASSIUM DITHIONITE**	4.2		II	P5, A19, A20, N34	A8.3.
		Potassium hydroxide, liquid, see **POTASSIUM HYDROXIDE SOLUTION** (UN1814)					
	UN1813	**POTASSIUM, HYDROXIDE, SOLID**	8		II	P5	A12.3.
	UN1814	**POTASSIUM HYDROXIDE, SOLUTION**	8		II III	P5 P5	A12.2. A12.2.
		Potassium hypochlorite, solution, see **HYPOCHLORITE SOLUTIONS** (UN1791)					
	UN1420	**POTASSIUM, METAL ALLOYS**, **LIQUID**	4.3		I	P3, A7, A19, A20	A8.2.
	UN3403	**POTASSIUM METAL ALLOYS, SOLID**	4.3		I	P3, A19, A20	A8.3.
		Potassium metal, liquid alloy, see **ALKALI METAL ALLOY, LIQUID, N.O.S.** ★ (UN1421)					
	UN2864	**POTASSIUM METAVANADATE**	6.1		II	P5	A10.5.
	UN2033	**POTASSIUM MONOXIDE**	8		II	P5	A12.3.
	UN1486	**POTASSIUM NITRATE**	5.1		III	P5, A1, A29	A9.6.
		Potassium nitrate and sodium nitrate mixture, see **SODIUM NITRATE AND POTASSIUM NITRATE MIXTURE** (UN1499)					
	UN1487	**POTASSIUM NITRATE AND SODIUM NITRITE MIXTURES**	5.1		II	P5	A9.6.
	UN1488	**POTASSIUM NITRITE**	5.1		II	P5	A9.6.
	UN1489	**POTASSIUM PERCHLORATE**	5.1		II	P5	A9.5., A9.6.
	UN1490	**POTASSIUM PERMANGANATE**	5.1		II	P5	A9.6.
	UN1491	**POTASSIUM PEROXIDE**	5.1		I	P5, A20, N34	A9.6.
	UN1492	**POTASSIUM PERSULFATE**	5.1		III	P5, A1, A29	A9.6.
	UN2012	**POTASSIUM PHOSPHIDE**	4.3	6.1	I	P3, A19, N40	A8.3.

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
		Potassium selenate, see **SELENATES ★** (UN2630) *or* **SELENITES ★** (UN2630)					
		Potassium silicofluoride, see **POTASSIUM FLUOROSILICATE** (UN2655)					
	UN1422	**POTASSIUM SODIUM ALLOYS**, **LIQUID**	4.3		I	P3, A7, A19 N34, N40	A8.2.
	UN3404	**POTASSIUM SODIUM ALLOYS**, **SOLID**	4.3		I	P3, A19 N34, N40	A8.3.
	UN1382	**POTASSIUM SULPHIDE or SULFIDE**, **ANHYDROUS** *or* **POTASSIUM SULPHIDE or SULFIDE** *with less than 30% water of crystallization*	4.2		II	P5, A19, A20, N34	A8.3.
	UN1847	**POTASSIUM SULFIDE, HYDRATED** *with not less than 30% water of crystallization*	8		II	P5	A12.3.
	UN2466	**POTASSIUM SUPEROXIDE**	5.1		I	P5, A20	A9.6.
		Potassium tetracyanomercurate (II) see **MERCURIC POTASSIUM CYANIDE** (UN1626)					
	UN0433	**POWDER CAKE, WETTED**, *or* **POWDER PASTE, WETTED** *with 17% or more alcohol, by mass*	1.1C			P4	A5.5.
	UN0159	**POWDER CAKE, WETTED,** *or* **POWDER PASTE, WETTED** *with not less than 25% water, by mass*	1.3C			P4	A5.5.
		Powder Paste, see **POWDER CAKE,** *etc.*					
	UN0160	**POWDER, SMOKELESS**	1.1C			P4	A5.9.
	UN0161	**POWDER, SMOKELESS**	1.3C			P4	A5.9.
	UN0509	**POWDER, SMOKELESS**	1.4C			P5	A5.9.
		Power device, explosive, see **CARTRIDGES, POWER DEVICE** (UN0275, UN0276, UN0323, UN0381)					
		Pressurized products, see **AEROSOLS, FLAMMABLE** (UN1950)					
	UN0377	**PRIMERS, CAP TYPE**	1.1B			P4	A5.16.
	UN0378	**PRIMERS, CAP TYPE**	1.4B			P5	A5.16.
	UN0044	**PRIMERS, CAP TYPE**	1.4S			P5	A5.16.
		Primers small arms, see **PRIMERS, CAP TYPE** (UN044, UN0377, UN0378)					
	UN0319	**PRIMERS, TUBULAR**	1.3G			P4	A5.16.
	UN0320	**PRIMERS, TUBULAR**	1.4G			P5	A5.16.
	UN0376	**PRIMERS, TUBULAR**	1.4S			P5	A5.16.
	UN1210	**PRINTING INK,** *flammable* or **PRINTING INK RELATED MATERIAL** (including printing ink thinning or reducing compound) flammable	3		I II III	P3, 367 P5, 149, 367 P5, 367	A7.2. A7.2. A7.2.
		Projectiles illuminating, see **AMMUNITION, ILLUMINATING,** (UN0171, UN0254, UN0297)					
	UN0424	**PROJECTILES**, *inert, with tracer*	1.3G			P4	A5.12.
	UN0425	**PROJECTILES**, *inert, with tracer*	1.4G			P5	A5.12.
	UN0345	**PROJECTILES,** *inert with tracer*	1.4S			P5	A5.12.
	UN0346	**PROJECTILES**, *with burster or expelling charge*	1.2D			P4	A5.12.
	UN0347	**PROJECTILES,** *with burster or expelling charge*	1.4D			P5	A5.12.
	UN0426	**PROJECTILES,** *with burster or expelling charge*	1.2F			P4	A5.12.
	UN0427	**PROJECTILES**, *with burster or expelling charge*	1.4F			P5	A5.12.
	UN0434	**PROJECTILES,** *with burster or expelling charge*	1.2G			P4	A5.12.
	UN0435	**PROJECTILES,** *with burster or expelling charge*	1.4G			P5	A5.12.
	UN0168	**PROJECTILES,** *with bursting charge*	1.1D			P4	A5.12.
	UN0167	**PROJECTILES,** *with bursting charge*	1.1F			P4	A5.12.
	UN0169	**PROJECTILES,** *with bursting charge*	1.2D			P4	A5.12.
	UN0324	**PROJECTILES,** *with bursting charge*	1.2F			P4	A5.12.
	UN0344	**PROJECTILES**, *with bursting charge*	1.4D			P5	A5.12.
		Propadiene and methylacetylene mixture, stabilized, see **METHYLACETYLENE AND PROPADIENE MIXTURE, STABLIZED** (UN1060)					
	UN2200	**PROPADIENE, STABILIZED**	2.1			P4, 387	A6.4.

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
	UN1978	**PROPANE,** *see also* **PETROLEUM GASES, LIQUEFIED**	2.1			P4, 19, N95	A6.3., A6.6.
	UN2402	**PROPANETHIOLS**	3		II	P5	A7.2.
	UN1274	**n-PROPANOL** *or* **PROPYL ALCOHOL, NORMAL**	3		II III	P5 P5	A7.2. A7.2.
	UN0497	**PROPELLANT, LIQUID**	1.1C			P4	A5.10.
	UN0495	**PROPELLANT, LIQUID**	1.3C			P4	A5.10.
		Propellant, single, double or triple base, see **POWDER SMOKELESS** (UN0160, UN0161)					
	UN0498	**PROPELLANT, SOLID**	1.1C			P4	A5.9.
	UN0499	**PROPELLANT, SOLID**	1.3C			P4	A5.9.
	UN0501	**PROPELLANT, SOLID**	1.4C				FORBIDDEN
		Propene, see **PROPYLENE** (UN1077)					
	UN1275	**PROPIONALDEHYDE**	3		II	P5	A7.2.
	UN3463	**PROPIONIC ACID** *with 90% or more acid by mass*	8	3	II	P5	A12.2
	UN1848	**PROPIONIC ACID** *with 10% or more and less than 90% acid by mass*	8		III	P5	A12.2.
	UN2496	**PROPIONIC ANHYDRIDE**	8		III	P5	A12.2.
	UN2404	**PROPIONITRILE**	3	6.1	II	P4	A7.2.
	UN1815	**PROPIONYL CHLORIDE**	3	8	II	P5	A7.2.
	UN1276	**n-PROPYL ACETATE**	3		II	P5	A7.2.
		Propyl alcohol, see **PROPANOL**					
	UN1277	**PROPYLAMINE**	3	8	II	P5, N34	A7.2.
	UN2364	**n-PROPYL BENZENE**	3		III	P5	A7.2.
		Propyl chloride, see **1-CHLOROPROPANE**					
	UN2740	**n-PROPYL CHLOROFORMATE**	6.1	3, 8	I	P2, 2, N34	A10.6.
	UN1281	**PROPYL FORMATES**	3		II	P5	A7.2.
	UN2482	**n-PROPYL ISOCYANATE**	6.1	3	I	P1, 1	A10.6.
		Propyl mercaptan, see **PROPANETHIOLS**					
	UN1865	**n-PROPYL NITRATE**	3		II	P5	A7.2.
	UN1277	**PROPYLAMINE**	3	8	II	P5, N34	A7.2.
	UN1077	**PROPYLENE**	2.1			P4	A6.3., A6.4.
	UN2611	**PROPYLENE CHLOROHYDRIN**	6.1	3	II	P5	A10.4.
	UN1280	**PROPYLENE OXIDE**	3		I	P3, N34	A7.2.
	UN2258	**1,2-PROPYLENEDIAMINE**	8	3	II	P5, A3, N34	A12.3.
		Propylene dichloride, see **1,2-DICHLOROPROPANE**					
	UN1921	**PROPYLENEIMINE, STABILIZED**	3	6.1	I	P3, 387, N34	A7.2.
		Propyleneimine, unstabilized					FORBIDDEN
		Propylene or liquefied petroleum gas, see **PETROLEUM GASES, LIQUEFIED**					
	UN2850	**PROPYLENE TETRAMER**	3		III	P5	A7.2.
		Propylene timer, see **TRIPOPYLENE**					
	UN1816	**PROPYLTRICHLOROSILANE**	8	3	II	P5, A7, N34	A12.2.
		Protective breathing equipment (PBE), see **OXYGEN GENERATOR, CHEMICAL** (UN3356)					
		Prussic acid, see **HYDROGEN CYANIDE, STABILIZED** (UN1051, UN1614) *or* **HYDROCYANIC ACID, AQUEOUS SOLUTION** (UN1613) *or* **HYDROGEN CYANIDE, SOLUTION IN ALCOHOL** (UN3294)					
		Pyrazine hexahydride, see **PIPERAZINE** (UN2579)					
	UN3350	**PYRETHROID PESTICIDE, LIQUID, FLAMMABLE, TOXIC** *(flashpoint less than 23 degrees C)*	3	6.1 6.1	I II	P3 P4	A7.2. A7.2.
	UN3352	**PYRETHROID PESTICIDE, LIQUID, TOXIC**	6.1		I II III	P3 P4 P5	A10.5. A10.5. A10.5.
	UN3351	**PYRETHROID PESTICIDE, LIQUID, TOXIC, FLAMMABLE** *(flashpoint not less than 23 degrees C)*	6.1	3 3 3	I II III	P3 P4 P5	A10.5. A10.5. A10.5.

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
	UN3349	**PYRETHROID PESTICIDE, SOLID, TOXIC**	6.1		I II III	P5 P5 P5	A10.5. A10.5. A10.5.
	UN1282	**PYRIDINE**	3		II	P4	A7.2.
		Pyridine perchlorate					FORBIDDEN
★	UN3194	**PYROPHORIC LIQUID, INORGANIC, N.O.S.**	4.2		I	P3	A8.5.
★	UN2845	**PYROPHORIC LIQUID, ORGANIC, N.O.S.**	4.2		I	P3	A8.5.
★	UN1383	**PYROPHORIC METAL, N.O.S.,** *or* **PYROPHORIC ALLOY, N.O.S.**	4.2		I	P3	A8.11.
★	UN3200	**PYROPHORIC SOLID, INORGANIC, N.O.S**.	4.2		I	P3	A8.11.
★	UN2846	**PYROPHORIC SOLID, ORGANIC, N.O.S.**	4.2		I	P3	A8.11.
	UN1817	**PYROSULFURYL CHLORIDE**	8		II	P5	A12.2.
		Pyroxylin cement, see **ADHESIVES** (UN1133)					
		Pyroxylin plastic, see **CELLULOID** (UN2000)					
		Pyroxylin solution, see **NITROCELLULOSE SOLUTION, FLAMMABLE** (UN2059)					
		Pyroxylin solvent N.O.S., see **FLAMMABLE LIQUID, N.O.S. ★** (UN1993)					
	UN1922	**PYRROLIDINE**	3	8	II	P5	A7.2.
		Quebrachitol pentanitrate					FORBIDDEN
		Quicklime, see **CALCIUM OXIDE** (UN1910)					
		Quickmatch, see **FUSE, NON-DETONATING (UN0101)**					
		Quicksilver, see **MERCURY** (UN2809)					
	UN2656	**QUINOLINE**	6.1		III	P5	A10.4.
		Quinone, see **BENZOQUINONE** (UN2587)					
		R114b2, DibromotetrafluoromethanE (Not Restricted)					
		R11, Trichlorofluoromethane (Not Resricted)					
		R12 *or* **R21,** *see* **DICHLORODIFLUOROMETHANE** (UN1028)					
		R12B1, *see* **CHLORODIFLUOROBROMOMETHANE** (UN1974)					
		R13, *see* **CHLOROTRIFLUOROMETHANE** (UN1022)					
		R13B1, *see* **BROMOTRIFLUOROMETHANE** (UN1009)					
		R14, *see* **TETRAFLUOROMETHANE (UN1982)**					
		R22, *see* **CHLORODIFLUOROMETHANE** (UN1018)					
		R114, *see* **1,2-DICHLORO,1,1,2,2-TETRAFLUOROETHANE** (UN1958)					
		R115, *see* **CHLOROPENTAFLUOROETHANE** (UN1020)					
		R116, *see* **HEXAFLUOROETHANE** (UN2193)					
		R124, *see* **CHLOROTETRAFLUOROETHANE** (UN1021)					
		R133a, *see* **1- CHLORO2,2,2-TRIFLUOROETHANE** (UN1983)					
		R152a, *see* **1,1-DIFLUOROETHANE** (UN1030)					
		R500, *see* **DICHLORODIFLUOROMETHANE and DIFLUROETHANE,** *etc.* **(UN2602)**					
		R502, *see* **CHLORODIFLUOROMETHANE** (UN1973)					
		R503, *see* **CHLOROTRIFLUOROMETHANE and TRIFLUOROMETHANE, AZEOTROPIC MIXTURE, with 60% chlorotrifluoromethane** (UN2599)					
	UN2911	**RADIOACTIVE MATERIAL, EXCEPTED PACKAGE-INSTRUMENTS**	7			A507	A11.5.
	UN2911	**RADIOACTIVE MATERIAL, EXCEPTED PACKAGE-ARTICLES**	7			A507	A11.5.

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
	UN2909	**RADIOACTIVE MATERIAL, EXCEPTED PACKAGE-ARTICLES MANUFACTURED FROM DEPLETED URANIUM**	7			A507	A11.5.
	UN2909	**RADIOACTIVE MATERIAL, EXCEPTED PACKAGE-ARTICLES MANUFACTURED FROM NATURAL THORIUM**	7			A507	A11.5.
	UN2909	**RADIOACTIVE MATERIAL, EXCEPTED PACKAGE-ARTICLES MANUFACTURED FROM NATURAL URANIUM**	7			A507	A11.5.
	UN2908	**RADIOACTIVE MATERIAL, EXCEPTED PACKAGE-EMPTY PACKAGING**	7			A507	A11.5.
	UN2910	**RADIOACTIVE MATERIAL, EXCEPTED PACKAGE- LIMITED QUANTITY OF MATERIAL**	7			P5, 368	A11.5.
	UN2912	**RADIOACTIVE MATERIAL, LOW SPECIFIC ACTIVITY (LSA-I)** *non-fissile or fissile-excepted*	7			325, A56, A507	A11.6
	UN3321	**RADIOACTIVE MATERIAL, LOW SPECIFIC ACTIVITY (LSA-II)** *non-fissile or fissile-excepted*	7			325, A56, A507	A11.6
	UN3324	**RADIOACTIVE MATERIAL, LOW SPECIFIC ACTIVITY (LSA-II) FISSILE**	7			A56, A507	A11.6, A11.10.
	UN3322	**RADIOACTIVE MATERIAL, LOW SPECIFIC ACTIVITY (LSA-III)** *non-fissile or fissile-excepted*	7			325, A56, A507	A11.6.
	UN3325	**RADIOACTIVE MATERIAL, LOW SPECIFIC ACTIVITY (LSA-III) FISSILE**	7			A56, A507	A11.6, A11.10.
	UN2913	**RADIOACTIVE MATERIAL, SURFACE CONTAMINATED OBJECTS (SCO-I)** *non-fissile or fissile-excepted*	7			325, A56, A507	A11.6.
	UN2913	**RADIOACTIVE MATERIAL, SURFACE CONTAMINATED OBJECTS (SCO-II)** *non-fissile or fissile-excepted*	7			325, A56, A507	A11.6.
	UN3326	**RADIOACTIVE MATERIAL, SURFACE CONTAMINATED OBJECTS (SCO-I), FISSILE**	7			A56, A507	A11.6.
	UN3326	**RADIOACTIVE MATERIAL, SURFACE CONTAMINATED OBJECTS (SCO-II), FISSILE**	7			A56, A507	A11.6.
	UN2913	**RADIOACTIVE MATERIAL,SURFACE CONTAMINATED OBJECTS (SCO-I or SCO-II)** non-fissile or fissile excepted	7			325, A56, A507	A11.6
	UN2919	**RADIOACTIVE MATERIAL, TRANSPORTED UNDER SPECIAL ARRANGEMENT** *non-fissile or fissile-excepted*	7			325, 139, A56, A507	A11.11.
	UN3331	**RADIOACTIVE MATERIAL, TRANSPORTED UNDER SPECIAL ARRANGEMENT, FISSILE**	7			139, A56, A507	A11.11.
	UN2915	**RADIOACTIVE MATERIAL, TYPE A PACKAGE** *non-special form, non-fissile or fissile-excepted*	7			325, A56, A507	A11.8. , A11.12.
	UN3327	**RADIOACTIVE MATERIAL, TYPE A PACKAGE, FISSILE** *non-special form*	7			A56, A507	A11.10.
	UN3332	**RADIOACTIVE MATERIAL,TYPE A PACKAGE, SPECIAL FORM** *non-fissile or fissile-excepted*	7			A56, A507	A11.8.
	UN3333	**RADIOACTIVE MATERIAL, TYPE A PACKAGE, SPECIAL FORM, FISSILE**	7			A56, A507	A11.10.
	UN2917	**RADIOACTIVE MATERIAL,TYPE B(M) PACKAGE** *non-fissile or fissile-excepted*	7			325, A56, A507	A11.9.
	UN3329	**RADIOACTIVE MATERIAL, TYPE B(M) PACKAGE, FISSILE**	7			A56, A507	A11.10.
	UN2916	**RADIOACTIVE MATERIAL, TYPE B(U) PACKAGE** *non-fissile or fissile-excepted*	7			325, A56, A507	A11.9.
	UN3328	**RADIOACTIVE MATERIAL, TYPE B(U) PACKAGE, FISSILE**	7			A56, A507	A11.10.
	UN3323	**RADIOACTIVE MATERIAL, TYPE C PACKAGE** non-fissile or fissile excepted	7			A56, A507	A11.11
	UN3330	**RADIOACTIVE MATRIAL, TYPE C PACKAGE, FISSILE**	7			A56, A507	A11.11

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
	UN2978	**RADIOACTIVE MATERIAL, URANIUM HEXAFLUORIDE** *non-fissile or fissile-excepted*	7	6.1, 8		A56, A507	A11.7.
	UN2977	**RADIOACTIVE MATERIAL, URANIUM HEXAFLUORIDE, FISSILE**	7	6.1, 8		A507	A11.7., A11.10.
	UN1856	**RAGS, OILY**	4.2		III		FORBIDDEN
		Rags, wet, see **COTTON, WET** (UN1365)					
		Railway torpedo, see **SIGNALS, RAILWAY TRACK, EXPLOSIVE** (UN0192, UN0193)					
		RC138, see **OCTAFLUOROCYCLOBUTANE**					
	UN0391	**RDX AND CYCLOTETRAMETHYLENETETRAMINE MIXTURE, DESENSITIZED D,** *or* **RDX AND HMX MIXTURE, DESENSITIZED** *with not less than 10% phlegmatizer by mass*	1.1D			P4	A5.6.
	UN0391	**RDX AND CYCLOTETRAMETHYLENETETRAMINE MIXTURE, WETTED,** *or* **RDX AND HMX MIXTURE** *with not less than 15% water by mass*	1.1D			P4	A5.6.
	UN0483	**RDX, DESENSITIZED**	1.1D			P4	A5.6.
	UN0072	**RDX, WETTED** *with not less than 15% water by mass*	1.1D			P4	A5.6.
	UN2037	**RECEPTACLES, SMALL, CONTAINING GAS** *or* **GAS CARTRIDGES (***nonflammable) without release device, not refillable(and not exceeding 1L capacity)*	2.2			P5	A6.3., A6.4.
	UN2037	**RECEPTACLES, SMALL, CONTAINING GAS** *or* **GAS CARTRIDGES (***flammable) without release device, not refillable(and not exceeding 1L capacity*)	2.1			P5	A6.3., A6.4.
	UN2037	**RECEPTACLES, SMALL, CONTAINING GAS** *or* **GAS CARTRIDGES (***oxidizing) without a release device, non –refillable (and not exceeding 1L capacity)*	2.2	5.1		P5, A14	A6.3., A6.4.
	UN2037	**RECEPTACLES, SMALL, CONTAINING GAS** ***(toxic)*** *without a release device, non-refillable*	2.3				FORBIDDEN
	UN2037	**RECEPTACLES, SMALL, CONTAINING GAS** *(toxic and corrosive) without a release device, non-refillable*	2.3	8			FORBIDDEN
	UN2037	**RECEPTACLES, SMALL, CONTAINING GAS** *(toxic and flammable) without a release device, non-refillable*	2.3	2.1			FORBIDDEN
	UN2037	**RECEPTACLES, SMALL, CONTAINING GAS** *(toxic and oxidizing) without a release device, non-refillable*	2.3	5.1			FORBIDDEN
	UN2037	**RECEPTACLES, SMALL, CONTAINING GAS** *(toxic, flammable, corrosive) without a release device, non-refillable*	2.3	2.1, 8			FORBIDDEN
	UN2037	**RECEPTACLES, SMALL, CONTAINING GAS** *(toxic, oxidizing and corrosive) without a release device, non-refillable*	2.3	5.1, 8			FORBIDDEN
		Red Phosphorus, see **PHOSPHORUS, AMORPHUS (UN1338)**					
★	UN1078	**REFRIGERANT GAS, N.O.S.**	2.2.			P5	A6.3.,A6.4.
	UN1082	**REFRIGERANT GAS R 1113**	2.3	2.1			FORBIDDEN
	UN1028	**REFRIGERANT GAS R12** *or* **DICHLORODIFLUOROMETHANE**	2.2			P5	A6.3., A6.4.
	UN1974	**REFRIGERANT GAS R12B1** *or* **CHLORODIFLUOROBROMO-METHANE**	2.2			P5	A6.3., A6.4.
	UN1022	**REFRIGERANT GAS R13** *or* **CHLOROTRIFLUOROMETHANE**	2.2			P5	A6.3., A6.4.
	UN1009	**REFRIGERANT GAS R13B1** *or* **BROMOTRIFLUOROMETHANE**	2.2			P5	A6.3., A6.4.
	UN1982	**REFRIGERANT GAS R14** *or* **TETRAFLUOROMETHANE**	2.2			P5	A6.5.
	UN1029	**REFRIGERANT GAS R21** *or* **DICHLOROFLUOROMETHANE**	2.2			P5	A6.3., A6.4.

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
	UN1018	**REFRIGERANT GAS R22** *or* **CHLORODIFLUOROMETHANE**	2.2			P5	A6.3., A6.4.
	UN1984	**REFRIGERANT GAS R23** *or* **TRIFLUOROMETHANE**	2.2			P5	A6.3., A6.4.
	UN3252	**REFRIGERANT GAS R32** *or* **DIFLUOROMETHANE**	2.1			P4	A6.3., A6.5.
	UN1063	**REFRIGERANT GAS R40** *or* **METHYL CHLORIDE**	2.1			P4	A6.3., A6.4.
	UN2454	**REFRIGERANT GAS R41** *or* **METHYL FLUORIDE**	2.1			P4	A6.3., A6.4.
	UN1958	**REFRIGERANT GAS R114** *or* **DICHLOROTETRAFLUOROETHANE**	2.2			P5	A6.3., A6.4.
	UN1020	**REFRIGERANT GAS R115** *or* **CHLOROPENTAFLUOROETHANE**	2.2			P5	A6.3., A6.4.
	UN2193	**REFRIGERANT GAS R116** *or* **HEXAFLUOROETHANE**	2.2			P5	A6.3., A6.4.
	UN1021	**REFRIGERANT GAS R124** or **CHLOROTETRAFLUOROETHANE**	2.2			P5	A6.3., A6.4.
	UN3220	**REFRIGERANT GAS R125** *or* **PENTAFLUOROETHANE**	2.2			P5	A6.3., A6.4.
	UN1983	**REFRIGERANT GAS R133A** *or* **CHLOROTRIFLUOROETHANE**	2.2			P5	A6.3., A6.4.
	UN3159	**REFRIGERANT GAS R134A** *or* **1,1,1,2-TETRAFLUOROETHANE**	2.2			P5	A6.3., A6.4.
	UN2517	**REFRIGERANT GAS 142B** *or* **1-CHLORO-1,1-DIFLUOROETHANE**	2.1			P4	A6.3., A6.4.
	UN2035	**REFRIGERANT GAS 143A** *or* **1,1,1-TRIFLUOROETHANE**	2.1			P4	A6.3., A6.4.
	UN1030	**REFRIGERANT GAS 152A** *or* **DIFLUOROETHANE**	2.1			P4	A6.3., A6.4.
	UN2453	**REFRIGERANT GAS 161** *or* **ETHYL FLUORIDE**	2.1			P4	A6.3., A6.4.
	UN2424	**REFRIGERANT GAS 218** *or* **OCTAFLUOROPROPANE**	2.2			P5	A6.4.
	UN3296	**REFRIGERANT GAS 227** *or* **HEPTAFLUOROPROPANE**	2.2			P5	A6.3., A6.4.
	UN1976	**REFRIGERANT GAS RC318** *or* **OCTAFLUOROCYCLOBUTANE**	2.2			P5	A6.4.
	UN3337	**REFRIGERANT GAS R404A**	2.2			P5	A6.3., A6.4.
	UN3338	**REFRIGERANT GAS R407A**	2.2			P5	A6.3., A6.4.
	UN3339	**REFRIGERANT GAS R407B**	2.2			P5	A6.3., A6.4.
	UN3340	**REFRIGERANT GAS R407C**	2.2			P5	A6.3., A6.4.
	UN2602	**REFRIGERANT GAS R500** *or* **DICHLORODIFLUOROMETHANE AND DIFLUOROETHANE AZEOTROPIC MIXTURE**	2.2			P5	A6.3., A6.4.
	UN1973	**REFRIGERANT GAS R502** *or* **CHLOROPENTAFLUOROETHANE MIXTURE**	2.2			P5	A6.3., A6.4.
	UN2599	**REFRIGERANT GAS R503** *or* **CHLOROTRIFLUOROMETHANE AND TRIFLUOROMETHANE AZEOTROPIC MIXTURE**	2.2			P5	A6.3., A6.4.
	UN1959	**REFRIGERANT GAS R1132A** *or* **1,1-DIFLUOROETHYLENE**	2.1			P4	A6.3., A6.4.
	UN1858	**REFRIGERANT GAS R1216** *or* **HEXAFLUOROPROPYLENE**	2.2			P5	A6.3., A6.4.
	UN2422	**REFRIGERANT GAS R1318** *or* **OCTAFLUOROBUT-2-ENE**	2.2			P5	A6.4.
★	UN1078	**REFRIGERANT GASES, N.O.S.**	2.2			P5	A6.3., A6.4.
D	NA1954	**REFRIGERANT GASES, N.O.S.** *or* **DISPERSANT GASES, N.O.S.**	2.1			P4	A6.3., A6.4.
	UN3358	**REFRIGERATING MACHINES,** *containing flammable, non-toxic, liquefied gas*	2.1			P4, A523	FORBIDDEN
	UN2857	**REFRIGERATING MACHINES,** *containing nonflammable non-toxic, liquefied gas or ammonia solutions* (UN2672)	2.2			P5, A53	A6.3., A6.8.

Table A4.1		PROPER SHIPPING NAME/ DESCRIPTION	HAZARD CLASS/ DIV	SUBSIDIARY RISK	PG	SPECIAL PROVISION	PACKAGING PARAGRAPH
	UN/ID NUMBER						
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
		Refrigerating machines containing toxic liquefied gas or ammonia solution with more than 50% ammonia					FORBIDDEN
		Refrigerating machines With less than 12kg non-flammable, non-toxic, liquified gas or containing less than 12 L ammonia solution with 35% or less ammonia (Not Restricted)					
	UN3291	**REGULATED MEDICAL WASTE N.O.S.**	6.2		II	P5	A10.10.
	UN0173	**RELEASE DEVICES, EXPLOSIVE**	1.4S			P5	A5.17.
		Resinate of cobalt, precipitated, see **COBALT RESINATE, PRECIPITATED (UN1318)**					
		Resinates, liquid, see **FLAMMABLE LIQUID, N.O.S. ★** (UN1993)					
		Resinates, solid, see **FLAMMABLE SOLID, ORGANIC, N.O.S. ★** (UN1325)					
	UN1866	**RESIN SOLUTION,** *flammable*	3		I II III	P3 P5, 149 P5	A7.2. A7.2. A7.2.
		Resorcin, see **RESORCINOL** (UN2876)					
	UN2876	**RESORCINOL**	6.1		III	P5	A10.5.
		Rifle grenade, see **GRENADES,** (UN0284, UN0285, UN0292, UN0293)					
		Rifle powder, see **POWDER, SMOKELESS** (UN0160, UN0161)					
	UN0174	**RIVETS, EXPLOSIVE**	1.4S			P5	A5.17.
		*Road asphalt or tar liquid,see***TARS, LIQUID, (UN1999)**					
	UN 0510	**ROCKET MOTORS**	1.4C			P5, 109	A5.12.
	UN0186	**ROCKET MOTORS**	1.3C			P4, 109	A5.12.
	UN0280	**ROCKET MOTORS**	1.1C			P4, 109	A5.12.
	UN0281	**ROCKET MOTORS**	1.2C			P4, 109	A5.12.
	UN0395	**ROCKET MOTORS, LIQUID FUELED**	1.2J			P3, 109	A5.3.
	UN0396	**ROCKET MOTORS, LIQUID FUELED**	1.3J			P3, 109	A5.3.
	UN0250	**ROCKET MOTORS WITH HYPERGOLIC LIQUIDS** *with or without an expelling charge*	1.3L			P2, 109, 500	A5.3.
	UN0322	**ROCKET MOTORS WITH HYPERGOLIC LIQUIDS** *with or without an expelling charge*	1.2L			P2, 109, 500	A5.3.
	UN0238	**ROCKETS, LINE-THROWING**	1.2G			P4	A5.12.
	UN0240	**ROCKETS, LINE-THROWING**	1.3G			P4	A5.12.
	UN0453	**ROCKETS, LINE-THROWING**	1.4G			P5	A5.12.
	UN0397	**ROCKETS, LIQUID FUELED** *with bursting charge*	1.1J			P3, A500	A5.3.
	UN0398	**ROCKETS, LIQUID FUELED** *with bursting charge*	1.2J			P3, A500	A5.3.
	UN0180	**ROCKETS,** *with bursting charge*	1.1F			P4	A5.12.
	UN0181	**ROCKETS**, *with bursting charge*	1.1E			P4	A5.12.
	UN0182	**ROCKETS,** *with bursting charge*	1.2E			P4	A5.12.
	UN0295	**ROCKETS,** *with bursting charge*	1.2F			P4	A5.12.
	UN0436	**ROCKETS,** *with expelling charge*	1.2C			P4	A5.12.
	UN0437	**ROCKETS,** *with expelling charge*	1.3C			P4	A5.12.
	UN0438	**ROCKETS,** *with expelling charge*	1.4C			P5	A5.12.
	UN0183	**ROCKETS,** *with inert head*	1.3C			P4	A5.12.
	UN0502	**ROCKETS,** *with inert head*	1.2C			P4	A5.12.
	UN1286	**ROSIN OIL**	3		II III	P5 P5	A7.2. A7.2.
	UN1345	**RUBBER SCRAP** *or* **RUBBER SHODDY**, *powdered or granulated, not exceeding 840 microns & rubber Content exceeding 45%*	4.1		II	P5	A8.3
	UN1287	**RUBBER SOLUTION**	3		II III	P5, 149 P5	A7.2. A7.2.
	UN1423	**RUBIDIUM**	4.3		I	P3, 22, A7, A19, N34, N40, N45	A8.3.
	UN2678	**RUBIDIUM HYDROXIDE**	8		II	P5	A12.3.
	UN2677	**RUBIDIUM HYDROXIDE SOLUTION**	8		II III	P5 P5	A12.2. A12.2.

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
	UN3268	**SAFETY DEVICES,** *electrically initiated*	9			P5, 160, A200	A13.15.
	UN0503	**SAFETY DEVICES,** *pyrotechnic*	1.4G			P5, A200	A5.18.
		Safety fuse, see **FUSE, SAFETY** (UN0105)					
		Safety squibs, see **IGNITERS** (UN0325, UN0454)					
		Saltpetre, see **POTASSIUM NITRATE** (UN1486)					
		Sand acid, see **FLUOROSILICIC ACID** (UN1778)					
★	UN0190	**SAMPLES, EXPLOSIVE**, *other than initiating explosives*	use class/division of sample		II	P4, 113	A5.3.
		seat-belt pretensioner, see **SAFETY DEVICES,** (UN3268), **SAFETY DEVICES, PYROTECHNIC** (UN0503)					
	UN3268	*seat-belt pretensioners, see* **SAFETY DEVICES,** *electrically initiated*					
		Security type attaché cases, cash boxes/bags, incorporating dangerous goods such as lithium batteries and/or pyrotechnic material					FORBIDDEN
	UN1386	**SEED CAKE,** *containing vegetable oil solvent extractions and expelled seeds, with not more than 10% of oil and when the amount of moisture is higher than 11%, not more than 20% of oil and moisture combined*	4.2		III	P5, N7	A8.3.
	UN1386	**SEED CAKE** *with more than 1.5% oil and not more than 11% moisture*	4.2		III	P5, N7	A8.3.
	UN2217	**SEED CAKE** *with not more than 1.5% oil and not more than 11% moisture*	4.2		III	P5, N7	A8.3.
		Seed expellers, see **SEED CAKE** (UN1386, UN2217)					
★	UN2630	**SELENATES** *or* **SELENITES**	6.1		I	P5	A10.5.
	UN1905	**SELENIC ACID**	8		I	P3, N34	A12.3.
	UN3440	**SELENIUM COMPOUND, LIQUID, N.O.S.**	6.1		I II III	P3 P4 P5	A10.4. A10.4. A10.4.
★	UN3283	**SELENIUM COMPOUND, SOLID, N.O.S.**	6.1		I II III	P5 P5 P5	A10.5. A10.5. A10.5.
	UN2657	**SELENIUM DISULFIDE**	6.1		II	P5	A10.5.
	UN2194	**SELENIUM HEXAFLUORIDE**	2.3	8		P1, 1	A6.15.
		Selenium nitride					FORBIDDEN
	UN2879	**SELENIUM OXYCHLORIDE**	8	6.1	I	P3, A7, N34	A12.2.
		Self-defense spray, aerosol, see **AEROSOLS,Nonflammable, (not exceeding 1 L capacity)** (UN1950).					
+, D	NA3334	**SELF-DEFENSE SPRAY, NON-PRESSURIZED**	9		III	P5, A37	A13.2.
★	UN3188	**SELF-HEATING LIQUID, CORROSIVE, INORGANIC, N.O.S.**	4.2	8 8	II III	P4 P5	A8.2. A8.2.
★	UN3185	**SELF-HEATING LIQUID, CORROSIVE, ORGANIC**, **N.O.S.**	4.2	8 8	II III	P4 P5	A8.2. A8.2.
★	UN3186	**SELF-HEATING LIQUID, INORGANIC, N.O.S.**	4.2		II III	P4 P5	A8.2. A8.2.
★	UN3183	**SELF-HEATING LIQUID, ORGANIC, N.O.S**.	4.2		II III	P4 P5	A8.2. A8.2.
★	UN3187	**SELF-HEATING LIQUID, TOXIC, INORGANIC**, **N.O.S.**	4.2	6.1 6.1	II III	P4 P5	A8.2. A8.2.
★	UN3184	**SELF-HEATING LIQUID, TOXIC, ORGANIC, N.O.S.**	4.2	6.1 6.1	II III	P4 P5	A8.2. A8.2.
★	UN3192	**SELF-HEATING SOLID, CORROSIVE, INORGANIC**, **N.O.S**.	4.2	8 8	II III	P5 P5	A8.3. A8.3.
★	UN3126	**SELF-HEATING SOLID, CORROSIVE, ORGANIC**, **N.O.S.**	4.2	8 8	II III	P5 P5	A8.3. A8.3.
★	UN3190	**SELF-HEATING SOLID, INORGANIC, N.O.S.**	4.2		II III	P5 P5	A8.3. A8.3.
★	UN3088	**SELF-HEATING SOLID, ORGANIC, N.O.S.**	4.2		II III	P5 P5	A8.3. A8.3.

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
★	UN3127	**SELF-HEATING SOLID, OXIDIZING, N.O.S.**	4.2	5.1		P3	A8.4.
★	UN3191	**SELF-HEATING SOLID, TOXIC, INORGANIC, N.O.S.**	4.2	6.1 6.1	II III	P5 P5	A8.3. A8.3.
★	UN3128	**SELF-HEATING SOLID, TOXIC, ORGANIC, N.O.S.**	4.2	6.1 6.1	II III	P5 P5	A8.3. A8.3.
		Self-inflating passenger restraint systems (air bags) for motor vehicles, see **LIFE-SAVING APPLIANCES, SELF-INFLATING** (UN2990) *or* **AIR BAG INFLATORS** (UN0503) *or* **SEAT-BELT PRETENSIONERS** (UN0503, UN2368) *or* **AIR BAG MODULES** (UN0503) **or SAFETY DEVICES (**UN3268)					
		Self-propelled vehicle, see **VEHICLE, FLAMMABLE GAS POWERED** (UN3166) *or* **VEHICLE, FLAMMABLE LIQUID POWERED** (UN3166) *or* **BATTERY-POWERED VEHICLE** (UN3171)*or* **BATTERY-POWERED EQUIPMENT** (UN3171)					
★	UN3221	**SELF-REACTIVE LIQUID TYPE B**	4.1				FORBIDDEN
★	UN3231	**SELF-REACTIVE LIQUID TYPE B, TEMPERATURE CONTROLLED**	4.1				FORBIDDEN
★	UN3223	**SELF-REACTIVE LIQUID TYPE C**	4.1			P5	A8.7.
★	UN3233	**SELF-REACTIVE LIQUID TYPE C TEMPERATURE CONTROLLED**	4.1				FORBIDDEN
★	UN3225	**SELF-REACTIVE LIQUID TYPE D**	4.1			P5	A8.7.
★	UN3235	**SELF-REACTIVE LIQUID TYPE D, TEMPERATURE CONTROLLED**	4.1				FORBIDDEN
★	UN3227	**SELF-REACTIVE LIQUID TYPE E**	4.1			P5	A8.7.
★	UN3237	**SELF-REACTIVE LIQUID TYPE E, TEMPERATURE CONTROLLED**	4.1				FORBIDDEN
★	UN3229	**SELF-REACTIVE LIQUID TYPE F**	4.1			P5	A8.7.
★	UN3239	**SELF-REACTIVE LIQUID TYPE F, TEMPERATURE CONTROLLED**	4.1				FORBIDDEN
		Self-reactive solid type B					FORBIDDEN
		Self-reactive solid type B temperature controlled					FORBIDDEN
★	UN3222	**SELF-REACTIVE SOLID TYPE B** *(see below for specific technical name)*	4.1			P5, 53	(see technical name below for packaging paragraph reference)
		2-Diazo-1-Naphthol-4-sulphonyl chloride					A8.9.
		2-Diazo-1-Naphthol-5-sulphonyl chloride					A8.9.
★	UN3232	**SELF-REACTIVE SOLID TYPE B, TEMPERATURE CONTROLLED**	4.1				FORBIDDEN
★	UN3224	**SELF-REACTIVE SOLID TYPE C** *(see below for specific technical name)*	4.1			P5	(see technical name below for packaging paragraph reference)
		2,2'-Azodi(isobutyronitrile) as a water base paste					
		N,N'-dinitroso-N,N'-dimethyl-terephthalamide, as a paste					A8.6.
		N,N'-dinitrosopentamethylenetetramine					A8.7.
★	UN3234	**SELF-REACTIVE SOLID TYPE C, TEMPERATURE CONTROLLED***(specific technical name required)*	4.1				FORBIDDEN
★	UN3226	**SELF-REACTIVE SOLID TYPE D** *(see below for specific technical name)*	4.1			P5	(see technical name below for packaging paragraph reference)
		1,1'-azodi-(hexahydrobenzonitrile)					A8.7.
		benzene-1,3-disulphohydrazide as a paste					A8.7.
		benzene sulphohydrazide					A8.7.
		2-Diazo-1-Naphtholsulphonic acid ester mixture					

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
		2,5-Diethoxy-4-(4morpholinyl)-benzene-diazonium sulphate					
		diphenyloxide-4,4'-disulphohydrazide					A8.6.
		4-dipropylaminobenzenediazonium zinc chloride					A8.8.
		4-Methylbenzenesulphonylhydrazide					
		sodium 2-diazo-1-naphthol-4-sulphonate					A8.8.
		sodium 2-diazo-1-naphthol-5-sulphonate					A8.8.
★	UN3236	**SELF-REACTIVE SOLID TYPE D, TEMPERATURE CONTROLLED**	4.1				FORBIDDEN
★	UN3228	**SELF-REACTIVE SOLID TYPE E,** *(see below for specific technical name)*	4.1			P5	(see technical name below for packaging paragraph reference)
		Acetone-pyrogallol copolymer 2- diazo-1-naphthol-5-sulphonate					A8.8.
		2,5-Dibutoxy-4-(4-morpholinyl)-Benzenediazonium, tetrachlorozincate (2:1)					
		4-(Dimethylamino)-benzenediazonium trichlorozincate (-1)					A8.8.
★	UN3238	**SELF-REACTIVE SOLID TYPE E, TEMPERATURE CONTROLLED**	4.1				FORBIDDEN
★	UN3230	**SELF-REACTIVE SOLID TYPE F,**	4.1			P5	A8.8.
★	UN3240	**SELF-REACTIVE SOLID TYPE F, TEMPERATURE CONTROLLED**	4.1				FORBIDDEN
	UN1288	**SHALE OIL**	3		I II III	P3 P5 P5	A7.2. A7.2. A7.2.
		Shaped Charges, commercial, see **CHARGES, SHAPED (UN0059, UN0439, UN0440, UN0441)**					
		Shellac, see **PAINT (UN1263)**					
	UN0191	**SIGNAL DEVICES, HAND**	1.4G			P5	A5.18.
	UN0373	**SIGNAL DEVICES, HAND**	1.4S			P5	A5.18.
	UN0194	**SIGNALS, DISTRESS**, *ship*	1.1G			P4	A5.18.
	UN0195	**SIGNALS, DISTRESS,** *ship*	1.3G			P4	A5.18.
	UN0505	**SIGNALS, DISTRESS** *ship*	1.4G			P5	A5.18.
	UN0506	**SIGNALS, DISTRESS** *ship*	1.4S			P5	A5.18.
		Signals, distress, ship, water-activated, see **CONTRIVANCES, WATER-ACTIVATED ★ (UN0248, UN0249)**					
		Signals, highway, see **SIGNAL DEVICES, HAND** (UN0191, UN0373) or **FIREWORKS** (UN0333, UN0334, UN0335, UN0336, UN0337)					
	UN0192	**SIGNALS, RAILWAY TRACK, EXPLOSIVE**	1.1G			P4	A5.18.
	UN0492	**SIGNALS, RAILWAY TRACK, EXPLOSIVE**	1.3G			P4	A5.18.
	UN0493	**SIGNALS, RAILWAY TRACK, EXPLOSIVE**	1.4G			P5	A5.18.
	UN0193	**SIGNALS, RAILWAY TRACK, EXPLOSIVE**	1.4S			P5	A5.18.
	UN0196	**SIGNALS, SMOKE**	1.1G			P4	A5.18.
	UN0313	**SIGNALS, SMOKE**	1.2G			P4	A5.18.
	UN0487	**SIGNALS, SMOKE**	1.3G			P4	A5.18.
	UN0197	**SIGNALS, SMOKE**	1.4G			P5	A5.18.
	UN0507	**SIGNALS, SMOKE**	1.4S			P5	A5.18
	UN2203	**SILANE**	2.1		II	P4	A6.5.
		Silicofluoric acid, see **FLUOROSILICIC ACID** (UN1778)					
		Silicofluorides, see **FLUOROSILICATES, N.O.S. *** (UN2856)					
		Silicon chloride, see **SILICON TETRACHLORIDE** (UN1818)					
	UN1346	**SILICON POWDER, AMORPHOUS**	4.1		III	P5, A1	A8.3.
	UN1818	**SILICON TETRACHLORIDE**	8		II	P5, A3	A12.2.
	UN1859	**SILICON TETRAFLUORIDE**	2.3	8		P2, 2	A6.6.

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
	UN3521	**SILICON TETRAFLUORIDE, ADSORBED**	2.3	8		P2, 2	A6.6.
		Silver acetylide (dry)					FORBIDDEN
	UN1683	**SILVER ARSENITE**	6.1		II	P5	A10.5.
		Silver azide (dry)					FORBIDDEN
		Silver chlorite (dry)					FORBIDDEN
	UN1684	**SILVER CYANIDE**	6.1		II	P5	A10.5.
		Silver fulminate (dry)					FORBIDDEN
	UN1493	**SILVER NITRATE**	5.1		II	P5	A9.6.
		Silver oxadate (dry)					FORBIDDEN
		Silver picrate (dry)					FORBIDDEN
	UN1347	**SILVER PICRATE, WETTED**, *with not less than 30% water, by mass*	4.1		I	P3	A8.3.
		Silver picrate, wetted with less than 30% water, by weight					FORBIDDEN
		Sisal, see **FIBERS, SYNTHETIC, N.O.S. ★** (UN1373) *or* **FIBERS, VEGETABLE, N.O.S. ★** (UN1373) *or* **FIBERS, ANIMAL, N.O.S. ★** (UN1373)					
	UN1906	**SLUDGE, ACID**	8		II	P5, A3, A7, N34	A12.2.
D	NA3178	**SMOKELESS POWDER FOR SMALL ARMS** *(100 pounds or less)*	4.1		I	P4, 16	A8.17.
	UN1907	**SODA LIME** *with more than 4% sodium hydroxide*	8		III	P5	A12.3.
	UN1428	**SODIUM**	4.3		I	P3, A7, A8, A19, A20, N34	A8.3.
	UN2812	**SODIUM ALUMINATE, SOLID**	8		III	P5	A12.3.
	UN1819	**SODIUM ALUMINATE, SOLUTION**	8		II III	P5 P5	A12.2. A12.2.
	UN2835	**SODIUM ALUMINUM HYDRIDE**	4.3		II	P5, A8, A19, A20	A8.3.
		Sodium amalgam, see **ALKALI METAL AMALGAM, LIQUID** (UN1389) *or* **ALKALI, METAL AMALGAM, SOLID** (UN3401)					
		Sodium amide, see **ALKALI METAL AMIDES** (UN1390)					
	UN2863	**SODIUM AMMONIUM VANADATE**	6.1		II	P5	A10.5.
	UN2473	**SODIUM ARSANILATE**	6.1		III	P5	A10.5.
	UN1685	**SODIUM ARSENATE**	6.1		II	P5	A10.5.
	UN1686	**SODIUM ARSENITE, AQUEOUS SOLUTIONS**	6.1		II III	P5 P5	A10.4. A10.4.
	UN2027	**SODIUM ARSENITE, SOLID**	6.1		II	P5	A10.5.
	UN1687	**SODIUM AZIDE**	6.1		II	P5	A10.5.
		Sodium bifluoride, see **SODIUM HYDROGENDIFLUORIDE,** (UN2439)					
		Sodium binoxide, see **SODIUM PEROXIDE** (UN1504)					
		Sodium bisulfates or bisulphate solution, see **BISULFATES or BISULPHATE, AQUEOUS SOLUTION** (UN2837)					
		Sodium bisulphite or bisulfites , solution, see **BISULFITES or BISULPHITE, AQUEOUS SOLUTIONS N.O.S ★** (UN2693)					
	UN1426	**SODIUM BOROHYDRIDE**	4.3		I	P3, N40	A8.3.
	UN3320	**SODIUM BOROHYDRIDE AND SODIUM HYDROXIDE SOLUTION** *with no more than 12% sodium borohydride and not more than 40% sodium hydroxide by mass*	8		II III	P5, N34 P5, N34	A12.2. A12.2.
	UN1494	**SODIUM BROMATE**	5.1		II	P5	A9.6.
	UN1688	**SODIUM CACODYLATE**	6.1		II	P5	A10.5.
	UN3378	**SODIUM CARBONATE PEROXYHYDRATE**	5.1		II III	P5 P5	A9.6 A9.6
	UN1495	**SODIUM CHLORATE**	5.1		II	P5, A9, N34	A9.6.

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
	UN2428	**SODIUM CHLORATE, AQUEOUS SOLUTION**	5.1		II III	P5, A2 P5, A2	A9.5. A9.5.
		Sodium chlorate mixed with dinitrotoluene, see **EXPLOSIVE BLASTING TYPE C** (UN0083)					
	UN1496	**SODIUM CHLORITE**	5.1		II	P5, A9, N34	A9.6.
		Sodium chlorite solution, see **CHLORITE SOLUTION** (UN1908)					
		Sodium chlorite solution with less than 5% available chlorine, Not Restricted					
	UN2659	**SODIUM CHLOROACETATE**	6.1		III	P5	A10.5.
	UN2316	**SODIUM CUPROCYANIDE, SOLID**	6.1		I	P5	A10.5.
	UN2317	**SODIUM CUPROCYANIDE, SOLUTION**	6.1		I	P3	A10.4.
	UN1689	**SODIUM CYANIDE**, **SOLID**	6.1		I	P3, N74, N75	A10.5.
	UN3414	**SODIUM CYANIDE**, **SOLUTION**	6.1		I II III	P3, N74, N75 P4, N74, N75 P5, N74, N75	A10.4 A10.4 A10.4
		Sodium 2-diazo-1-naphthol-4-sulphonate or Sodium 2-diazo-1-naphthol-5-sulphonate, see **SELF REACTIVE SOLID TYPE D** (UN3226)					
		Sodium dichloroisocyanurate or Sodium dichloro-s-triazine-trione, see **DICHLOROISOCYANURIC ACID,** (UN2465)					
		Sodium dicyanocuprate (I), solid, see **SODIUM CUPROCYANIDE, SOLID** (UN2316)					
		Sodium dicyanocuprate (I), solution, see **SODIUM CUPROCYANIDE, SOLUTION** (UN2317)					
		Sodium dimethylarsenate, **SODIUM CACODYLATE (UN1688)**					
	UN0234	**SODIUM DINITRO-O-CRESOLATE,** *dry or wetted*, *with less than 15% water, by mass*	1.3C			P4	A5.9.
	UN3369	**SODIUM DINITRO-O-CRESOLATE, WETTED**, *with not less than 10% water, by mass*	4.1		I	P4, 23, A8, A19, A20, N41, N84	A8.3.
	UN1348	**SODIUM DINITRO-O-CRESOLATE, WETTED,** *with not less than 15% water, by mass*	4.1	6.1	I	P4, 23, A8, A19, A20, N41	A8.3.
		Sodium dioxide, see SODIUM PEROXIDE (UN1504)					
	UN1384	**SODIUM DITHIONITE** *or* **SODIUM HYDROSULFITE**	4.2		II	P5, A19, A20	A8.3.
	UN1690	**SODIUM FLUORIDE, SOLID**	6.1		III	P5	A10.5.
	UN3415	**SODIUM FLUORIDE, SOLUTION**	6.1		III	P5	A10.4
	UN2629	**SODIUM FLUOROACETATE**	6.1		I	P5	A10.5.
	UN2674	**SODIUM FLUOROSILICATE**	6.1		III	P5	A10.5.
		Sodium hexafluorosilicate, see **SODIUM FLUOROSILICATE** (UN2674)					
		Sodium hydrate solid, see **SODIUM HYDROXIDE, SOLID**					
		Sodium hydrate solution, see **SODIUM HYDROXIDE, SOLUTION** (UN1824)					
	UN1427	**SODIUM HYDRIDE**	4.3		I	P3, A19, N40	A8.3.
		Sodium hydrogen 4-aminophenylarsenate, see **SODIUM ARSANILATE** (UN2473)					
	UN2439	**SODIUM HYDROGENDIFLUORIDE**	8		II	P5, N3, N34	A12.2., A12.3.
		Sodium hydrogen sulphate or sulfate solution, see **BISULFATES or BISULPHATES, AQUEOUS SOLUTION** (UN2837)					
		Sodium hydrogen sulphite in solution, or sulfite solution, see **BISULFITES or BISULPHITES, AQUEOUS SOLUTION N.O.S. ★** (UN2693)					
	UN2318	**SODIUM HYDROSULFIDE**, *with less than 25% water of crystallization*	4. 2		II	P5, A7, A19, A20	A8.3.

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
	UN2949	**SODIUM HYDROSULFIDE**, *with not less than 25% water of crystallization*	8		II	P5, A7	A12.3.
	UN1384	**SODIUM HYDROSULFITE** *or* **SODIUM DITHIONITE**	4.2		II	P5, A19, A20	A8.3.
	UN1823	**SODIUM HYDROXIDE, SOLID**	8		II	P5	A12.3.
	UN1824	**SODIUM HYDROXIDE, SOLUTION**	8		II III	P5, N34 P5, N34	A12.2. A12.2.
		Sodium hypochlorite, solution, see **HYPOCHLORITE SOLUTIONS, (UN1791)** .					
		Sodium metal, liquid alloy, see **ALKALI METAL ALLOY LIQUID, N.O.S.** ★ (UN1421)					
		Sodium metasilicate pentahydrate, see **DISODIUM TRIOXOSILICATE** (UN3253)					
	UN1431	**SODIUM METHYLATE**	4.2	8	II	P5, A7, A19	A8.3.
	UN1289	**SODIUM METHYLATE SOLUTIONS** *in alcohol*	3	8 8	II III	P5 P5	A7.2. A7.2.
	UN1825	**SODIUM MONOXIDE**	8		II	P5	A12.3.
	UN1498	**SODIUM NITRATE**	5.1		III	P5, A1, A29	A9.6.
	UN1499	**SODIUM NITRATE AND POTASSIUM NITRATE MIXTURES**	5.1		III	P5, A1, A29	A9.6.
	UN1500	**SODIUM NITRITE**	5.1	6.1	III	P5, A1, A29	A9.6.
		Sodium nitrite and potassium nitrate mixture, see **POTASSIUM NITRATE AND SODIUM NITRITE MIXTURE** (UN1487)					
	UN2567	**SODIUM PENTACHLOROPHENATE**	6.1		II	P5	A10.5.
	UN3377	**SODIUM PERBORATE MONOHYDRATE**	5.1		III	P5, A1, A29	A9.6.
	UN1502	**SODIUM PERCHLORATE**	5.1		II	P5	A9.6.
	UN1503	**SODIUM PERMANGANATE**	5.1		II	P5	A9.6.
	UN1504	**SODIUM PEROXIDE**	5.1		I	P3, A20, N34	A9.6.
	UN3247	**SODIUM PEROXOBORATE, ANHYDROUS**	5.1		II	P5	A9.6.
	UN1505	**SODIUM PERSULFATE**	5.1		III	P5, A1	A9.6.
		Sodium phenolate, solid, see **PHENOLATES, SOLID** (UN2905)					
	UN1432	**SODIUM PHOSPHIDE**	4.3	6.1	I	P3, A19, N40	A8.3.
	UN0235	**SODIUM PICRAMATE**, *dry or wetted, with less than 20% water, by mass*	1.3C			P3	A5.9.
	UN1349	**SODIUM PICRAMATE, WETTED**, *with not less than 20% water, by mass*	4.1		I	P4, 23, A8, A19, N41	A8.3.
		Sodium picryl peroxide					FORBIDDEN
		Sodium potassium alloys, see **POTASSIUM SODIUM ALLOYS, LIQUID** (UN1422) **or POTASSIUM SODIUM ALLOYS, SOLID** (UN3404)					
		Sodium selenate or selenite, see **SELENATES** *or* **SELENITES** (UN2630)					
		Sodium silicofluoride, see **SODIUM FLUOROSILICATE** (UN2674)					
		Sodium sulphate or sulfate acid solution, see **BISULFATES or BISULPHATE, AQUEOUS SOLUTION** (UN2837)					
	UN1385	**SODIUM SULPHIDE or SULFIDE, ANHYDROUS** *or* **SODIUM SULPHIDE or SULFIDE** *with less than 30% water of crystallization*	4.2		II	P5, A19, A20, N34	A8.3.
	UN1849	**SODIUM SULPHIDE or SULFIDE, HYDRATED** *with not less than 30% water*	8		II	P5	A12.3.
	UN2547	**SODIUM SUPEROXIDE**	5.1		I	P5, A20, N34	A9.6.
		Sodium tetranitride					FORBIDDEN
★	UN3244	**SOLIDS CONTAINING CORROSIVE LIQUID, N.O.S.**	8		II	P5, 49	A12.3.
★	UN3175	**SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.**	4.1		II	P5, 47	A8.3.
		Solvents, flammable, N.O.S., see **FLAMMABLE LIQUID, N.O.S.**					

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
		Solvents, flammable, toxic, N.O.S., see **FLAMMABLE LIQUID, TOXIC, N.O.S.**					
★	UN3243	**SOLIDS CONTAINING TOXIC LIQUID, N.O.S.**	6.1		II	P5, 48	A10.5.
		Solvents, flammable, n.o.s., see **FLAMMABLE LIQUID, N.O.S.** ★ (UN1993)					
		Solvents, flammable, toxic, n.o.s., see **FLAMMABL LIQUID, TOXIC, N.O.S.** ★ (UN1992)					
	UN0374	**SOUNDING DEVICES, EXPLOSIVE**	1.1D			P4	A5.17.
	UN0296	**SOUNDING DEVICES, EXPLOSIVE**	1.1F			P4	A5.17.
	UN0375	**SOUNDING DEVICES, EXPLOSIVE**	1.2D			P4	A5.17.
	UN0204	**SOUNDING DEVICES, EXPLOSIVE**	1.2F			P4	A5.17.
		Spirits of salts, see **HYDROCHLORIC ACID (UN1789)**					
		Squibs, see **IGNITERS** (UN0325, UN0454)					
		Stain, see **PAINT** (UN1263)					
	UN1827	**STANNIC CHLORIDE, ANHYDROUS**	8		II	P5	A12.2.
	UN2440	**STANNIC CHLORIDE, PENTAHYDRATE**	8		III	P5	A12.3.
	UN1433	**STANNIC PHOSPHIDE**	4.3	6.1	I	P3, A19, N40	A8.3.
		Steel swarf, see **FERROUS METAL SHAVINGS (**UN2793) *or* **FERROUS METAL TURNINGS** (UN2793) *or* **FERROUS METAL CUTTINGS** (UN2793) *or* **FERROUS METAL BORINGS** (UN2793)					
	UN2676	**STIBINE**	2.3	2.1		P1, 1	A6.15.
		Storage batteries, wet, see **BATTERIES, WET, FILLED WITH ACID** (UN2794) or **BATTERIES, WET, FILLED WITH ALKALI** (UN2795) or **BATTERIES, WET, NON-SPILLABLE** (UN2800) ,					
	UN1327	**STRAW**	4.1			A520, A524	FORBIDDEN
		Strontium alloy, see **ALKALINE EARTH METAL ALLOY, N.O.S.** ★ (UN1393)					
		Strontium alloy, pyrophoric, see **PYROPHORIC METAL, N.O.S.** ★ (UN1383) *or* **PYROPHORIC ALLOY, N.O.S.** ★ (UN1383)					
	UN1691	**STRONTIUM ARSENITE**	6.1		II	P5	A10.5.
	UN1506	**STRONTIUM CHLORATE**	5.1		II	P5, A1, A9, N34	A9.6.
		Strontium dioxide, see **STROTIUM PEROXIDE (UN1509)**					
	UN1507	**STRONTIUM NITRATE**	5.1		III	P5, A1, A29	A9.6.
	UN1508	**STRONTIUM PERCHLORATE**	5.1		II	P5	A9.6.
	UN1509	**STRONTIUM PEROXIDE**	5.1		II	P5	A9.6.
	UN2013	**STRONTIUM PHOSPHIDE**	4.3	6.1	I	P3, A19, N40	A8.3.
	UN1692	**STRYCHNINE** *or* **STRYCHNINE SALTS**	6.1		I	P5	A10.5.
	UN0219	**STYPHNIC ACID** *or* **TRINITRORESORCINOL** *dry or wetted with no more than 20% water, or mixture of alcohol and water, by weight*	1.1D		II	P4	A5.6.
	UN0394	**STYPHNIC ACID, WETTED** *with more than 20% water, or mixture of alcohol and water, by weight*	1.1D		II	P4	A5.6.
	UN2055	**STYRENE MONOMER, STABILIZED**	3		III	P5, 387	A7.2.
		Styrene monomer, unstabilized					FORBIDDEN
★	UN0482	**SUBSTANCES EVI, N.O.S.** *or* **SUBSTANCES, EXPLOSIVE, VERY INSENSITIVE, N.O.S.**	1.5D		II	P5	A5.3.
★	UN0473	**SUBSTANCES, EXPLOSIVE, N.O.S.**	1.1A			P3, 101, 111	A5.3.
★	UN0474	**SUBSTANCES, EXPLOSIVE, N.O.S.**	1.1C			P4, 101	A5.3.
★	UN0475	**SUBSTANCES, EXPLOSIVE, N.O.S.**	1.1D			P4, 101	A5.3.
★	UN0476	**SUBSTANCES, EXPLOSIVE, N.O.S**.	1.1G			P4, 101	A5.3.
★	UN0357	**SUBSTANCES, EXPLOSIVE, N.O.S.**	1.1L			P3, 101	A5.3.
★	UN0358	**SUBSTANCES, EXPLOSIVE, N.O.S.**	1.2L			P3, 101	A5.3.

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
★	UN0477	**SUBSTANCES, EXPLOSIVE, N.O.S.**	1.3C			P4, 101	A5.3.
★	UN0478	**SUBSTANCES, EXPLOSIVE, N.O.S.**	1.3G			P4, 101	A5.3.
★	UN0359	**SUBSTANCES, EXPLOSIVE, N.O.S.**	1.3L			P3, 101	A5.3.
★	UN0479	**SUBSTANCES, EXPLOSIVE, N.O.S.**	1.4C			P5, 101	A5.3.
★	UN0480	**SUBSTANCES, EXPLOSIVE, N.O.S.**	1.4D			P5, 101	A5.3.
★	UN0485	**SUBSTANCES, EXPLOSIVE, N.O.S.**	1.4G			P5, 101	A5.3.
★	UN0481	**SUBSTANCES, EXPLOSIVE, N.O.S.**	1.4S			P5, 101, 347	A5.3.
★	UN0482	**SUBSTANCES, EXPLOSIVE, VERY INSENSITIVE, N.O.S.** *or* **SUBSTANCES EVI, N.O.S.**	1.5D			P5, 101	A5.3.
		Substances liable to spontaneous combustion, N.O.S., see **PYROPHORIC LIQUID, ORGANIC, N.O.S.** ★ (UN2845) *or* **PYROPHORIC SOLID, ORGANIC, N.O.S.** ★ (UN2846) *or* **SELF-HEATING SOLID, ORGANIC, N.O.S.** ★ (UN3088) *or* **HYDROGEN PEROXIDE AND PEROXYACETIC ACID MIXTURE STABILIZED** (UN3149) *or* **SELF-HEATING LIQUID, ORGANIC, N.O.S.** ★ (UN3183) *or* **SELF-HEATING LIQUID, INORGANIC, N.O.S.** ★ (UN3186) **or SELF-HEATING SOLID, INORGANIC, N.O.S.** ★ (UN3190) *or* **PYROPHORIC LIQUID INORGANIC, N.O.S.** ★ (UN3194) *or* **PYROPHORIC SOLID, INORGANIC,** ★ (UN3200)					
		Substances which in contact with water emit flammable gases, see **WATER-REACTIVE SOLID, N.O.S.** ★ (UN2813) *or* **WATER-REACTIVE LIQUID, CORROSIVE, N.O.S.** ★ (UN3129) *or* **WATER-REACTIVE LIQUID, TOXIC, N.O.S.** ★ (UN3130) *or* **WATER-REACTIVE SOLID, CORROSIVE, N.O.S.** ★ (UN3131) *or* **WATER-REACTIVE SOLID, FLAMMABLE, N.O.S.** ★ (UN3132) *or* **WATER-REACTIVE SOLID, OXIDIZING, N.O.S.** ★ (UN3133) *or* **WATER-REACTIVE SOLID, TOXIC, N.O.S.** ★ (UN3134) *or* **WATER-REACTIVE SOLID, SELF-HEATING, N.O.S.** ★ (UN3135) *or* **WATER-REACTIVE LIQUID, N.O.S.** ★ (UN3148)					
★	UN2780	**SUBSTITUTED NITROPHENOL PESTICIDES, LIQUID, FLAMMABLE, TOXIC** *flashpoint less than 23 degrees C*	3	6.1 6.1	I II	P3 P4	A7.2. A7.2.
★	UN3014	**SUBSTITUTED NITROPHENOL PESTICIDES, LIQUID, TOXIC**	6.1		I II III	P3 P4 P5	A10.4. A10.4. A10.4.
★	UN3013	**SUBSTITUTED NITROPHENOL PESTICIDES, LIQUID, TOXIC, FLAMMABLE** *flashpoint not less than 23 degrees C*	6.1	3 3 3	I II III	P3 P4 P5	A10.4. A10.4. A10.4.
★	UN2779	**SUBSTITUTED NITROPHENOL PESTICIDES, SOLID, TOXIC**	6.1		I II III	P5 P5 P5	A10.5. A10.5. A10.5.
		Sucrose octanitrate (dry)					FORBIDDEN
	UN2967	**SULPHAMIC ACID**	8		III	P5	A12.3.
D	NA1350	**SULFUR**	9		III	P5	A13.2.
	UN1350	**SULPHUR or SULFUR**	4.1		III	P5, 30	A8.3.
		Sulfur and chlorate, loose mixtures of					FORBIDDEN
	UN1828	**SULFUR or SULPHUR CHLORIDES**	8		I	P2, 5, A7, A10, N34	A12.2.
		Sulfur or Sulphur dichloride, see **SULFUR or SULPHUR CHLORIDES** (UN1828)					
	UN1079	**SULPHUR or SULFUR DIOXIDE**	2.3	8		P2, 3	A6.4.
		Sulfur or Sulphur dioxide solution, see **SULFURUS or SULPHURUS ACID** (UN1833)					

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
		Sulfuretted or Sulphuretted hydrogen, see **HYDROGEN SULPHIDE** (UN1053)					
	UN1080	**SULFUR HEXAFLUORIDE**	2.2			P5	A6.3., A6.4.
	UN2796	**SULPHURIC ACID** with 51% or less acid	8		II	P5, A3, A7, A6, N34	A12.2.
	UN1830	**SULPHURIC ACID** with more than 51% acid	8		II	P4, A3, A7, N34	A12.2.
+	UN1831	**SULPHURIC ACID, FUMING** with less than 30% free sulfur trioxide	8		I	P3, A7, N34	A12.2.
	UN1832	**SULPHURIC ACID, SPENT**	8		II	P4, A3, A7, N34	A12.2.
		Sulphuric acid, unstable					FORBIDDEN
		Sulphuric and hydrofluoric acid mixture, see HYDROFLUORIC ACID AND SULPHURIC ACID MIXTURE (UN1786)					
		Sulphuric anhydride, see SULPHUR TRIOXIDE STABILIZED (UN1829)					
D	NA2448	**SULPHUR or SULFUR, MOLTEN**	9				FORBIDDEN
	UN2448	**SULPHUR or SULFUR, MOLTEN**	4.1				FORBIDDEN
		Sulphur monochloride, see **SULPHUR CHLORIDES** (UN1828)					
	UN1833	**SULPHURUS ACID**	8		II	P5	A12.2.
	UN2418	**SULPHUR or SULFUR TETRAFLUORIDE**	2.3	8		P1, 1	A6.15.
+	UN1829	**SULPHUR or SULFUR TRIOXIDE, STABILIZED**	8	6.1	I	P2, 2, 387, N34	A12.11.
		Sulphur or Sulfur trioxide, unstabilized					FORBIDDEN
+	UN1834	**SULFURYL or SULPHURYL CHLORIDE**	6.1	8	I	P1, 1, A3, N34	A12.11.
	UN2191	**SULFURYL or SULPHURYL FLUORIDE**	2.3			P2, 4	A6.4.
		Talcum with tremolite and/or actinolite, see **ASBESTOS AMPHIBOLE** ★ (UN2212)					
	UN1999	**TARS, LIQUID**, *including road oils, bitumen and cut backs* or cutback *bitumens*	3		II III	P5, 149 P5	A7.2. A7.2.
		Tartar emetic, see **ANTIMONY POTASSIUM TARTRATE** (UN1551)					
	UN1700	**TEAR GAS CANDLES**	6.1	4.1		P4	A10.7.
		Tear gas cartridges, see **AMMUNITION, TEAR-PRODUCING**, (UN0018, UN0019, UN0301)					
		Tear gas devices containing tear gas substances, see **AEROSOLS, NON-FLAMMABLE (TEAR GAS DEVICES)** (UN1950)					
		Tear gas grenades, see **TEAR GAS CANDLES** (UN1700)					
D, ★	NA1693	**TEAR GAS DEVICES**, *with more than 2% tear gas substance, by mass*	6.1		I II	P4 P4	A10.7. A10.7.
		Tear gas devices, with not more than 2 percent tear gas substances, by mass, see **AEROSOLS,** (UN1950).					
		Tear gas grenades, see **TEAR GAS CANDLES** (UN1700)					
★	UN1693	**TEAR GAS SUBSTANCES LIQUID, N.O.S.**	6.1		I II	P3 P5	A10.4. A10.4.
★	UN3448	**TEAR GAS SUBSTANCES, SOLID, N.O.S.**	6.1		I II	P5 P5	A10.5. A10.5.
★	UN3284	**TELLURIUM COMPOUND, N.O.S.**	6.1		I II III	P5 P5 P5	A10.5. A10.5. A10.5.
	UN2195	**TELLURIUM HEXAFLUORIDE**	2.3	8		P1, 1	A6.15.
	UN2319	**TERPENE HYDROCARBONS, N.O.S.**	3		III	P5	A7.2.
	UN2541	**TERPINOLENE**	3		III	P5	A7.2.
		Tertiary alcohol, see **ALCOHOLS, N.O.S.** (UN1987)					
		Tetraazido benzene quinone					FORBIDDEN
	UN2504	**TETRABROMOETHANE**	6.1		III	P5	A10.4.

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
		Tetrachlorodinitroethane, see **TOXIC SOLID, ORGANIC, N.O.S.** ★ (UN2811)					
	UN1702	**1,1,2,2-TETRACHLOROETHANE**	6.1		II	P5, N36	A10.4.
	UN1897	**TETRACHLOROETHYLENE**	6.1		III	P5, N36	A10.4.
		Tetrachloromethane, see **CARBON TETRACHLORIDE** (UN1846)					
		Tetraethylammonium perchlorate (dry)					FORBIDDEN
	UN1704	**TETRAETHYL DITHIOPYROPHOSPHATE**	6.1		II	P5	A10.5.
	UN1292	**TETRAETHYL SILICATE**	3		III	P5	A7.2.
		Tetrafluorodichloroethane, see **REFRIGERANT GAS R114** (UN1958)					
	UN2320	**TETRAETYLENEPENTAMINE**	8		III	P5	A12.2.
		Tetraethyl lead, see **MOTOR FUEL ANTI-KNOCK MIXTURE** (UN1649)					
		Tetraethyloxysilane, see **TETRAETHYL SILICATE** (UN1292)					
	UN3159	**1,1,1,2-TETRAFLUOROETHANE** *or* **REFRIGERANT GAS R134A**	2.2			P5	A6.3., A6.4.
	UN1081	**TETRAFLUOROETHYLENE, STABILIZED**	2.1			P4, 387	A6.3., A6.4.
		Tetrafluoroethylene, unstabilized					FORBIDDEN
	UN1982	**TETRAFLUOROMETHANE** *or* **REFRIGERANT GAS R14**	2.2			P5	A6.5.
	UN2498	**1,2,3,6-TETRAHYDROBENZALDEHYDE**	3		III	P5	A7.2.
	UN2056	**TETRAHYDROFURAN**	3		II	P5	A7.2.
	UN2943	**TETRAHYDROFURFURYLAMINE**	3		III	P5	A7.2.
		Tetrahydro-1,4-oxazine, see **MORPHOLINE** (UN2054)					
	UN2698	**TETRAHYDROPHTHALIC ANHYDRIDES** *with more than 0.05% of maleic anhydride*	8		III	P5	A12.3.
	UN2410	**1,2,3,6-TETRAHYDROPYRIDINE**	3		II	P5	A7.2.
	UN2412	**TETRAHYDROTHIOPHENE**	3		II	P5	A7.2.
		Tetramethoxysilane, see **METHYL ORTHOSILICATE** (UN2606)					
	UN3423	**TETRAMETHYLAMMONIUM HYDROXIDE, SOLID**	8		II	P5	A12.3
	UN1835	**TETRAMETHYLAMMONIUM HYDROXIDE, SOLUTION**	8		II III	P5 P5	A12.2. A12.2
		Tetramethylene, see **CYCLOBUTANE** (UN2601)					
		Tetramethylene cyanide, see **ADIPONITRILE** (UN2205)					
		Tetramethylene diperoxide dicarbamide					FORBIDDEN
		Tetramethyl lead, see **MOTOR FUEL ANTI-KNOCK MIXTURE** (UN1649)					
	UN2749	**TETRAMETHYLSILANE**	3		I	P3, A7	A7.2.
	UN0207	**TETRANITROANILINE**	1.1D			P4	A5.7.
		Tetranitro diglycerin					FORBIDDEN
+	UN1510	**TETRANITROMETHANE**	6.1	5.1	I		FORBIDDEN
		2,3,4,6-Tetranitrophenol					FORBIDDEN
		2,3,4,6-Tetranitrophenyl methyl nitramine					FORBIDDEN
		2,3,4,6-Tetranitrophenylnitramine					FORBIDDEN
		Tetranitroresorcinol (dry)					FORBIDDEN
		2,3,5,6-Tetranitroso-1,4-dinitrobenzene					FORBIDDEN
		2,3,5,6-Tetranitroso nitrobenzene (dry)					FORBIDDEN
	UN2413	**TETRAPROPYLORTHOTITANATE**	3		III	P5	A7.2.
		Tetrazene, *see* **GUANYL NITROSAMINOGUANYLTETRAZENE** (UN0113) *or* **TETRAZINE, WETTED**, (UN0114)					FORBIDDEN
		Tetrazine (dry)					FORBIDDEN
	UN0114	**TETRAZENE, WETTED** *with 30% or more water, or mixture of alcohol and water, by weight* **or GUANYL NITROSAMINOGUANYLTETRAZENE, WETTED**	1.1A		II	P3, 111, 117	A5.4.

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
	UN0407	**TETRAZOL-1-ACETIC ACID**	1.4C			P5	A5.9.
	UN0504	**1H-TETRAZOLE**	1.1D				FORBIDDEN
		Tetrazolyl azide (dry)					FORBIDDEN
	UN0208	**TETRYL** *or* **TRINITROPHENYLMETHYL-NITRAMINE**	1.1D			P4	A5.6.
	UN1857	**TEXTILE WASTE, WET**	4.2		III		FORBIDDEN
	UN2573	**THALLIUM CHLORATE**	5.1	6.1	II	P5	A9.6.
	UN1707	**THALLIUM COMPOUNDS, N.O.S**.	6.1		II	P5	A10.5.
		Thallium (I) chlorate, see **THALLIUM CHLORATE** (UN2573)					
		Thallium (I) nitrate, see **THALLIUM NITRATE** (UN2727)					
	UN2727	**THALLIUM NITRATE**	6.1	5.1	II	P5	A10.5.
		Thallous Chlorate, see **THALLIUM CHLORATE** (UN2573)					
		Thermometers, barometers, etc., see **MERCURY CONTAINED IN MANUFACTURED ARTICLES** (UN3506)					
		Thia-4-pentanal, see **4-THIAPENTANAL** (UN2785)					
	UN2785	**4-THIAPENTANAL**	6.1		III	P5	A10.4.
	UN2436	**THIOACETIC ACID**	3		II	P5	A7.2.
★	UN2772	**THIOCARBAMATE PESTICIDE, LIQUID, FLAMMABLE, TOXIC,** *flashpoint less than 23 degrees C*	3	6.1 6.1	I II	P3 P5	A7.2. A7.2.
★	UN3005	**THIOCARBAMATE PESTICIDE, LIQUID, FLAMMABLE, TOXIC,** *flashpoint not less than 23 degrees C*	6.1	3 3 3	I II III	P3 P4 P5	A10.4. A10.4. A10.4.
★	UN3006	**THIOCARBAMATE PESTICIDE, LIQUID, TOXIC**	6.1		I II III	P3 P4 P5	A10.4. A10.4. A10.4.
★	UN2771	**THIOCARBAMATE PESTICIDE, SOLID, TOXIC**	6.1		I II III	P5 P5 P5	A10.5. A10.5. A10.5.
		Thiocarbonylchloride, see **THIOPHOSGENE** (UN2474)					
	UN2966	**THIOGLYCOL**	6.1		II	P5	A10.4.
	UN1940	**THIOGLYCOLIC ACID**	8		II	P5, A7, N34	A12.2.
	UN2936	**THIOLACTIC ACID**	6.1		II	P5	A10.5.
	UN1836	**THIONYL CHLORIDE**	8		I	P3, N34	A12.2.
	UN2414	**THIOPHENE**	3		II	P5	A7.2.
		Thiophenol, see **PHENYL MERCAPTAN** (UN2337)					
+	UN2474	**THIOPHOSGENE**	6.1		I	P2, 2, A7, N33, N34	A10.6.
	UN1837	**THIOPHOSPHORYL CHLORIDE**	8		II	P4, A3, A7, N34	A12.2.
	UN3341	**THIOREA DIOXIDE**	4.2		II III	P5 P5	A8.3. A8.3.
		Tin chloride, fuming, see **STANNIC CHLORIDE, ANHYDROUS** (UN1827)					
		Tin, chloride anhydrous or Tin (IV) chloride anhydrous, see **STANNIC CHLORIDE ANHYDROUS** (UN1827)					
		Tin, chloride pentahydrate or Tin (IV) pentahydrate, see **STANNIC CHLORIDE PENTAHYDRATE** (UN2440)					
		Tin perchloride or Tin tetrachloride, see **STANNIC CHLORIDE, ANHYDROUS** (UN1827)					
	UN1293	**TINCTURES, MEDICINAL**	3		II III	P5 P5	A7.2. A7.2.
		Tinning flux, see **ZINC CHLORIDE, ANHYDROUS** (UN2331)					

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
		Tin tetrachloride, see **STANNIC CHLORIDE, ANHYDROUS** (UN1827)					
		Tire assemblies inflated, unserviceable, damaged or above maximum rated pressure				A522	FORBIDDEN
		Tire assemblies serviceable, inflated to pressure not greater than their rated inflation pressure (Not Restricted)				A522	
		Tire assembly, see Tyre assemblies, see AIR COMPRESSED (UN1002) or **NITROGEN, COMPRESSED** (UN1066)					
	UN3174	**TITANIUM DISULPHIDE**	4.2		III	P5	A8.3.
	UN1871	**TITANIUM HYDRIDE**	4.1		II	P5, A19, A20, N34	A8.3.
	UN2546	**TITANIUM POWDER, DRY**	4.2		I II III	P3 P5, A19, A20, N5, N34 P5	A8.3. A8.3. A8.3.
	UN1352	**TITANIUM POWDER, WETTED**, *with not less than 25% water (a visible excess of water must be present) (a) mechanically produced, particle size less than 53 microns; (b) chemically produced, particle size less than 840 microns)*	4.1		II	P5, A19, A20, N34	A8.3.
	UN2878	**TITANIUM SPONGE GRANULES** *or* **TITANIUM SPONGE POWDERS**	4.1		III	P5, A1	A8.3.
		Titanium sulphate solution with 45% or less sulphric acid, see **CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.** ★ (UN3264)					
+	UN1838	**TITANIUM TETRACHLORIDE**	6.1	8	I	P2, 2	A12.11.
	UN2869	**TITANIUM TRICHLORIDE MIXTURES**	8		II III	P5, A7, N34 P5, A7, N34	A12.3. A12.3.
	UN2441	**TITANIUM TRICHLORIDE, PYROPHORIC**, *or* **TITANIUM TRICHLORIDE MIXTURES, PYROPHORIC**	4.2	8	I	P3, N34	A8.5.
		TNT mixed with aluminium, see **TRITONAL** (UN0390)					
	UN0209	**TNT** *or* **TRINITROTOLUENE** dry or wetted with < 30% water, by weight	1.1D			P4	A5.6.
	UN0388	**TNT AND HEXANITROSTILBENE MIXTURE** *or* **TNT AND TRINITROBENZENE MIXTURE**	1.1D			P4	A5.7.
		TNT mixed with aluminum, see **TRITONAL** (UN0390)					
	UN0389	**TNT MIXTURE CONTAINING TRINITROBENZENE AND HEXANITROSTILBENE**	1.1D			P4	A5.7.
	UN3366	**TNT, WETTED** *with more than 10% but less than 30% water, by weight*	4.1		I	P4, A8, A19, N41, N84	A8.3.
		Toe puffs, nitrocellulose base, see **FABRICS IMPREGNATED WITH WEAKLY NITRATED NITROLLCELLULOSE, N.O.S.**					
	UN1356	**TNT, wetted** with ≥ 30% water, by weight	4.1		I	P4, A8, A19, N41	A8.3.
		Toe puffs, nitrocellulose base, see FABRICS IMPREGNATED WITH WEAKLY NITRATED NITROLLCELLULOSE, N.O.S. ★ (UN1353)					
	UN1294	**TOLUENE**	3		II	P5	A7.2.
+	UN2078	**TOLUENE DIISOCYANATE**	6.1		II	P5	A10.4.
		Toluene sulphonic or sulfonic acid, see **ALKYLSULFONIC or ALKYLSULPHONIC ACIDS, SOLID** (UN2583**,** UN2585) *or* **ARYLSULFONIC or ALKYLSULPHONIC ACIDS, LIQUID** (UN2584, UN2586)					
+	UN1708	**TOLUIDINES, LIQUID**	6.1		II	P5	A10.4.
	UN3451	**TOLUIDINES, SOLID**	6.1		II	P5	A10.5.

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
		Toluol, see **TOLUENE** (UN 1294)					
	UN1709	**2,4-TOLUYLENEDIAMINE, SOLID**	6.1		III	P5	A10.5.
	UN3418	**2,4-TOLUYLENEDIAMINE, SOLUTION**	6.1		III	P5	A10.4
		Toluylene diisocyanate, see **TOLUENE DIISOCYANATE** (UN2078)					
		Tolylene diisocyanate, see **TOLUENE DIISOCYANATE** (UN2078)					
		Tolylethylene see **VINYLTOLUENES, STABILIZED (UN2618)**					
	UN0451	**TORPEDOES**, *with bursting charge*	1.1D			P4	A5.12.
	UN0329	**TORPEDOES**, *with bursting charge*	1.1E			P4	A5.12.
	UN0330	**TORPEDOES,** *with bursting charge*	1.1F			P4	A5.12.
	UN0449	**TORPEDOES, LIQUID FUELED**, *with or without bursting charge*	1.1J			P3	A5.3.
	UN0450	**TORPEDOES, LIQUID FUELED**, *with inert head*	1.3J			P3	A5.3.
★	UN3381	**TOXIC BY INHALATION LIQUID, N.O.S.** *with an LC_{50} lower than or equal to 200 mL/m^3 and saturated vapour concentration greater than or equal to 500 LC_{50}*	6.1				FORBIDDEN
★	UN3382	**TOXIC BY INHALATION LIQUID, N.O.S**. *with an LC_{50} lower than or equal to 1000 mL/m^3 and saturated vapour concentration greater than or equal to 10 LC_{50}*	6.1				FORBIDDEN
★	UN3390	**TOXIC BY INHALATION LIQUID, CORROSIVE, N.O.S.** *with an LC50 lower than or equal to 1000 mL/m3 and saturated vapour concentration greater than or equal to 10 LC50*	6.1	8			FORBIDDEN
★	UN3389	**TOXIC BY INHALATION LIQUID, CORROSIVE, N.O.S.** *with an LC50 lower than or equal to 200 mL/m3 and saturated vapour concentration greater than or equal to 500 LC50*	6.1	8			FORBIDDEN
★	UN3383	**TOXIC BY INHALATION LIQUID, FLAMMABLE, N.O.S.** *with an LC_{50} lower than or equal to 200 mL/m^3 and saturated vapour concentration greater than or equal to 500 LC_{50}*	6.1	3			FORBIDDEN
★	UN3384	**TOXIC BY INHALATION LIQUID, FLAMMABLE, N.O.S.** *with an LC_{50} lower than or equal to 1000 mL/m^3 and saturated vapour concentration greater than or equal to 10 LC_{50}*	6.1	3			FORBIDDEN
★	UN3488	**TOXIC BY INHALATION LIQUID, FLAMMABLE, CORROSIVE N.O.S.** *with an LC_{50} lower than or equal to 200 mL/m^3 and saturated vapor concentration greater than or equal to 500 LC_{50}*	6.1	3,8			FORBIDDEN
★	UN3489	**TOXIC BY INHALATION LIQUID, FLAMMABLE, N.O.S.** *with an LC_{50} lower than or equal to 1000 mL/m^3 and saturated vapor concentration greater than or equal to 10 LC_{50}*	6.1	3,8			FORBIDDEN
★	UN3388	**TOXIC BY INHALATION LIQUID, OXIDIZING N.O.S.** *with an LC50 lower than or equal to 1000 mL/m3 and saturated vapour concentration greater than or equal to 10 LC50*	6.1	5.1			FORBIDDEN
★	UN3387	**TOXIC BY INHALATION LIQUID, OXIDIZING, N.O.S.** *with an LC50 lower than or equal to 200 mL/m3 and saturated vapour concentration greater than or equal to 500 LC50*	6.1	5.1			FORBIDDEN
★	UN3385	**TOXIC BY INHALATION LIQUID, WATER-REACTIVE, N.O.S**. *with an LC_{50} lower than or equal to 200 mL/m^3 and saturated vapour concentration greater than or equal to 500 LC_{50}*	6.1	4.3			FORBIDDEN
★	UN3386	**TOXIC BY INHALATION LIQUID, WATER-REACTIVE, N.O.S.** *with an LC_{50} lower than or equal to 1000 mL/m^3 and saturated vapour concentration greater than or equal to 10 LC_{50}*	6.1	4.3			FORBIDDEN

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
★	UN3490	**TOXIC BY INHALATION LIQUID, WATER-REACTIVE, FLAMMABLE N.O.S.** *with an LC_{50} lower than or equal to 200 mL/m³ and saturated vapour concentration greater than or equal to 500 LC_{50}*	6.1	4.3, 3			FORBIDDEN
		Toxic gas, n.o.s., see **COMPRESSED GASS, TOXIC, FLAMMABLE, N.O.S.** ★ (UN1953) **or COMPRESSED GAS, TOXIC, N.O.S.** ★ **(UN1955 or LIQUEFIED GAS, TOXIC, FLAMMABLE, N.O.S.** ★ (UN3160) **or LIQUEFIED GAS, TOXIC, N.O.S.** ★ (UN3162) **or COMPRESSED GAS, TOXIC, OXIDIZING, N.O.S.** ★ (UN3303) **or COMPRESSED GAS , TOXIC, CORROSIVE, N.O.S.** ★ (UN3304) **or COMPRESSED GAS, TOXIC, FLAMMABLE, CORROSIVE, N.O.S.** ★ (UN3305) **or COMPRESSED GAS, TOXIC, OXIDIZING, CORROSIVE, N.O.S.** ★ (UN3306) **or LIQUEFIED GAS, TOXIC OXIDIZING, N.O.S.** ★ (UN3307) **or LIQUEFIED GAS, TOXIC, CORROSIVE, N.O.S.** ★ (UN3308) **or LIQUEFIED GAS, TOXIC, FLAMMABL, CORROSIVE, N.O.S.** ★ (UN3309) **or LIQUEFIED GAS, TOXIC, OXIDIZING, CORROSIVE, N.O.S.** ★ (UN3310)					
★	UN3491	**TOXIC BY INHALATION LIQUID, WATER-REACTIVE, FLAMMABLE N.O.S.** *with an LC_{50} lower than or equal to 1000 mL/m³ and saturated vapour concentration greater than or equal to 10 LC_{50}*	6.1	4.3, 3			FORBIDDEN
★	UN3289	**TOXIC LIQUID, CORROSIVE, INORGANIC, N.O.S.**	6.1	8 8	I II	P3 P4	A10.4. A10.4.
★	UN3287	**TOXIC LIQUID, INORGANIC, N.O.S.**	6.1		I II III	P3 P4 P5	A10.4. A10.4. A10.4.
★	UN2927	**TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S.**	6.1	8 8	I II	P3 P4	A10.4. A10.4.
★	UN2929	**TOXIC LIQUID, FLAMMABLE, ORGANIC, N.O.S.**	6.1	3 3	I II	P3 P4	A10.4. A10.4.
★	UN2810	**TOXIC LIQUID, ORGANIC, N.O.S.**	6.1		I II III	P3 P4 P5	A10.4. A10.4. A10.4.
★	UN3122	**TOXIC LIQUID, OXIDIZING, N.O.S.**	6.1	5.1 5.1	I II	P3, A4 P4	A10.4. A10.4.
★	UN3123	**TOXIC LIQUID, WATER-REACTIVE, N.O.S.**	6.1	4.3 4.3	I II	P3, A4 P4	A10.4. A10.4.
★	UN3290	**TOXIC SOLID, CORROSIVE, INORGANIC, N.O.S.**	6.1	8 8	I II	P5 P5	A10.5. A10.5.
★	UN2928	**TOXIC SOLID, CORROSIVE, ORGANIC, N.O.S.**	6.1	8 8	I II	P5 P5	A10.5. A10.5.
★	UN3535	**TOXIC SOLID, FLAMMABLE, INORGANIC, N.O.S**.	6.1	4.1 4.1	I II	P5 P5	A10.5 A10.5
★	UN2930	**TOXIC SOLID, FLAMMABLE, ORGANIC, N.O.S**.	6.1	4.1 4.1	I II	P5 P5	A10.5. A10.5.
★	UN3288	**TOXIC SOLID, INORGANIC, N.O.S.**	6.1		I II III	P5 P5 P5	A10.5. A10.5. A10.5.
★	UN2811	**TOXIC SOLID, ORGANIC, N.O.S.**	6.1		I II III	P5 P5 P5	A10.5. A10.5. A10.5.
★	UN3086	**TOXIC SOLID, OXIDIZING, N.O.S.**	6.1	5.1 5.1	I II	P5 P5	A10.5. A10.5.
★	UN3124	**TOXIC SOLID, SELF-HEATING, N.O.S.**	6.1	4.2 4.2	I II	P5, A5 P5	A10.5. A10.5.
★	UN3125	**TOXIC SOLID, WATER-REACTIVE, N.O.S.**	6.1	4.3 4.3	I II	P5, A5 P5	A10.5. A10.5.

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
★	UN3172	**TOXINS, EXTRACTED FROM LIVING SOURCES, LIQUID, N.O.S.**	6.1		I II III	P3, 141 P4, 141 P4, 141	A10.12. A10.12. A10.12.
★	UN3462	**TOXINS, EXTRACTED FROM LIVING SOURCES, SOLID, N.O.S.**	6.1		I II III	P4, 141 P4, 141 P4, 141	A10.12. A10.12. A10.12.
D	NA0337	**TOY CAPS**	1.4S			P5	A5.16.
	UN0212	**TRACERS FOR AMMUNITION**	1.3G			P4	A5.16.
	UN0306	**TRACERS FOR AMMUNITION**	1.4G			P5	A5.16.
		Tractors, see **VEHICLES, FLAMMABLE GAS POWERED (UN3166) or VEHICLE, FLAMMABLE LIQUID POWERED** (UN3166)					
		Tremolite, see **ASBESTOS AMPHIBOLE ★ (**UN2212)					
		Tri-(b-nitroxyethyl) ammonium nitrate					FORBIDDEN
	UN2609	**TRIALLYL BORATE**	6.1		III	P5	A10.4.
	UN2610	**TRIALLYLAMINE**	3	8	III	P5	A7.2.
★	UN2764	**TRIAZINE PESTICIDES, LIQUID, FLAMMABLE**, **TOXIC,** *flashpoint less than 23 degrees C*	3	6.1 6.1	I II	P3 P4	A7.2. A7.2.
★	UN2998	**TRIAZINE PESTICIDES, LIQUID, TOXIC**	6.1		I II III	P3 P4 P5	A10.4. A10.4. A10.4.
★	UN2997	**TRIAZINE PESTICIDES, LIQUID, TOXIC, FLAMMABLE,** *flashpoint not less than 23 degrees C*	6.1	3 3 3	I II III	P3 P4 P5	A10.4. A10.4. A10.4.
★	UN2763	**TRIAZINE PESTICIDES, SOLID, TOXIC**	6.1		I II III	P5 P5 P5	A10.5. A10.5. A10.5.
		Tribromoborane, see **BORON TRIBROMIDE** (UN2692)					
	UN2542	**TRIBUTYLAMINE**	6.1		II	P5	A10.4.
	UN3254	**TRIBUTYLPHOSPHANE**	4.2		I	P3	A8.3.
		Trichloroaceticaldehyde, see **CHLORAL, ANHYDROUS, STABILIZED** (UN2075)					
	UN1839	**TRICHLOROACETIC ACID**	8		II	P5, A7, N34	A12.3.
	UN2564	**TRICHLOROACETIC ACID, SOLUTION**	8		II III	P5, A3, A7, N34 P5, A3, A6 A7, N34	A12.2. A12.2.
+	UN2442	**TRICHLOROACETYL CHLORIDE**	8	6.1	II	P2, 2, A3, A7, N34	A12.11.
	UN2321	**TRICHLOROBENZENES, LIQUID**	6.1		III	P5	A10.4.
	UN2322	**TRICHLOROBUTENE**	6.1		II	P5	A10.4.
	UN2831	**1,1,1-TRICHLOROETHANE**	6.1		III	P5, N36	A10.4.
	UN1710	**TRICHLOROETHYLENE**	6.1		III	P5, N36	A10.4.
	UN2468	**TRICHLOROISOCYANURIC ACID, DRY**	5.1		II	P5	A9.6.
		Trichloromethyl perchlorate					FORBIDDEN
		Trichloronitromethane, see **CHLOROPICRIN** (UN1580)					
	UN1295	**TRICHLOROSILANE**	4.3	3, 8	I	P3, N34	A8.2.
		1,3,5-Trichloro-s-triazine-2,4,6-trione, see **TRICHLOROISOCYANURIC ACID, DRY** (UN2468)					
		2,4,6-Trichloro-1,3,5-triazine, see **CYANURIC CHLORIDE** (UN2670)					
		Trichloro-s-triazinetrione dry, containing over 39% available chlorine, see **TRICHLOROISOCYANURIC ACID, DRY (UN2468)**					
	UN2574	**TRICRESYL PHOSPHATE** *with more than3% ortho isomer*	6.1		II	P5, A3, N33, N34	A10.4.
	UN2323	**TRIETHYL PHOSPHITE**	3		III	P5	A7.2.

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
	UN1296	**TRIETHYLAMINE**	3	8	II	P4	A7.2.
		Triethyl borate, see **ETHYL BORATE** (UN1176)					
	UN2259	**TRIETHYLENETETRAMINE**	8		II	P5	A12.2.
		Triethylmethyl lead mixture, see **MOTOR FUEL ANTI-KNOCK MIXTURE** (UN1649)					
		Triethyl orthoformate, see **ETHYL ORTHOFORMATE** (UN2524)					
	UN2699	**TRIFLUOROACETIC ACID**	8		I	P3, A7, N3, N34, N36	A12.2.
	UN3057	**TRIFLUOROACETYL CHLORIDE**	2.3	8		P2, 2	A6.4.
		Trifluorobromomethane, see **BROMOTRIFLUOROMETHANE(UN1009)**					
		Trifluorochloroethane, see **1-CHLORO-2,2,2-TRIFLUOROETHANE** (UN1983)					
	UN1082	**TRIFLUOROCHLOROETHYLENE, STABILIZED** *or* **REFRIGERANT GAS R1113**	2.3	2.1		P2, 3, 387	A6.3., A6.4.
		Trifluorochloromethane, see **CHLOROTRIFLUOROMETHANE** (UN1022)					
	UN1984	**TRIFLUOROMETHANE** *or* **REFRIGERANT GAS R23**	2.2			P5	A6.3., A6.4.
	UN3136	**TRIFLUOROMETHANE, REFRIGERATED LIQUID**	2.2			P4	A6.3., A6.11.
	UN2035	**1,1,1-TRIFLUOROETHANE, COMPRESSED** *or* **REFRIGERANT GAS R143A**	2.1			P4	A6.3., A6.4.
	UN2942	**2-TRIFLUOROMETHYLANILINE**	6.1		III	P5	A10.4.
	UN2948	**3-TRIFLUOROMETHYLANILINE**	6.1		II	P5	A10.4.
		Triformoxime trinitrate					FORBIDDEN
	UN2324	**TRIISOBUTYLENE**	3		III	P5	A7.2.
	UN2616	**TRIISOPROPYL BORATE**	3		II III	P5 P5	A7.2. A7.2.
D	NA9269	**TRIMETHOXYSILANE**	6.1	3	I	P2, 2	A10.6.
	UN2416	**TRIMETHYL BORATE**	3		II	P5	A7.2.
		Trimethyl carbonyl, see **BUTANOLS** (UN1120)					
	UN2329	**TRIMETHYL PHOSPHITE**	3		III	P5	A7.2.
		1,3,5-Trimethyl-2,4,6-trinitrobenzene					FORBIDDEN
		Trimethyoxy silane					FORBIDDEN
		Trinitroacetic acid					FORBIDDEN
		Trinitroacetonitrile					FORBIDDEN
		Trinitroamine cobalt					FORBIDDEN
	UN2438	**TRIMETHYLACETYL CHLORIDE**	6.1	8, 3	I	P2, 2, N34	A12.11.
	UN1083	**TRIMETHYLAMINE, ANHYDROUS**	2.1			P4, N87	A6.3., A6.4.
	UN1297	**TRIMETHYLAMINE, AQUEOUS SOLUTIONS** *not more than 50% trimethylamine, by mass*	3	8 8 8	I II III	P3 P4 P5	A7.2. A7.2. A7.2.
	UN2325	**1,3,5-TRIMETHYLBENZENE**	3		III	P5	A7.2.
	UN1298	**TRIMETHYLCHLOROSILANE**	3	8	II	P5, A3, A7, N34	A7.2.
	UN2326	**TRIMETHYLCYCLOHEXYLAMINE**	8		III	P5	A12.2.
		Trimethylenechlorobromide, see **1-BROMO-3-CHLOROPROPANE** (UN2688)					
		Trimethylene glycol diperchlorate					FORBIDDEN
	UN2328	**TRIMETHYLHEXAMETHYLENE DIISOCYANATE**	6.1		III	P5	A10.4.
		Trimethylol nitromethane trinitrate					FORBIDDEN
		2,4,4-Trimethylpentene-2 or 2,4,4-Trimethylpentene-1, see **DIISOBUTYLENE, ISOMERIC COMPOUND** (UN2050)					
	UN2327	**TRIMETHYLHEXAMETHYLENEDIAMINES**	8		III	P5	A12.2.
	UN0216	**TRINITRO-M-CRESOL**	1.1D			P4	A5.7.
		2,4,6-Trinitro-1,3-diazobenzene					FORBIDDEN
		2,4,6-Trinitro-1,3,5-triazido benzene (dry)					FORBIDDEN
		Trinitroacetic acid					FORBIDDEN
		Trinitroacetoneitrile					FORBIDDEN

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
		Trinitroamine cobalt					FORBIDDEN
		Trinitroethanol					FORBIDDEN
		Trinitroethylnitrate					FORBIDDEN
	UN0153	**TRINITROANILINE** *or* **PICRAMIDE**	1.1D			P4	A5.7.
	UN0213	**TRINITROANISOLE**	1.1D			P4	A5.7.
	UN3367	**TRINITROBENZENE, WETTED** *with not less than 10% water, by mass*	4.1		I	P4, 162, A8, A19, N41, N84	A8.3.
	UN0214	**TRINITROBENZENE,** *dry or wetted, with less than 30% water, by mass*	1.1D			P4	A5.6.
	UN1354	**TRINITROBENZENE, WETTED** *with not less than 30% water, by mass*	4.1		I	P4, 23, A2, A8, A19, N41	A8.3.
	UN0386	**TRINITROBENZENESULPHONIC ACID**	1.1D			P4	A5.7.
	UN0215	**TRINITROBENZOIC ACID**, *dry or wetted with less than 30% water, by mass*	1.1D			P4	A5.6.
	UN3368	**TRINITROBENZOIC ACID, WETTED** *with not less than 10% water, by mass*	4.1		I	P4, 162, A8, A19, N41, N84	A8.3.
	UN1355	**TRINITROBENZOIC ACID, WETTED** *with not less than 30% water, by mass*	4.1		I	P4, 23, A2, A8, A19, N41	A8.3.
	UN0155	**TRINITROCHLOROBENZENE (picryl chloride)**	1.1D			P4	A5.7.
	UN3365	**TRINITROCHLOROBENZENE, WETTED** (pycryl chloride) *with not less than 10% water, by mass*	4.1		I	P4, 162, A8, A19, N41, N84	A8.3.
	UN0387	**TRINITROFLUORENONE**	1.1D			P4	A5.7.
		Trinitromethane					FORBIDDEN
		1,3,5-Trinitronaphthalene					FORBIDDEN
	UN0217	**TRINITRONAPHTHALENE**	1.1D			P4	A5.7.
	UN0218	**TRINITROPHENETOLE**	1.1D			P4	A5.7.
	UN0154	**TRINITROPHENOL PICRIC ACID,** *dry or wetted with less than 30% water, by mass*	1.1D			P4	A5.6.
	UN3364	**TRINITROPHENOL, WETTED** *with not less than 10% water, by mass (picric acid)*	4.1		I	P4, 23, A8, 19, N41, N84	A8.3.
	UN1344	**TRINITROPHENOL, WETTED** *with not less than 30% water, by mass*	4.1		I	P4, 162, A8, A19, N41	A8.3.
		2,4,6-Trinitrophenyl guanidine (dry)					FORBIDDEN
	UN0208	**TRINITROPHENYLMETHYL-NITRAMINE** *or* **TETRYL**	1.1D			P4	A5.6.
		2,4,6-Trinitrophenyl nitramine					FORBIDDEN
		2,4,6-Trinitrophenyl trimethylol methyl nitramine trinitrate (dry)					FORBIDDEN
	UN0219	**TRINITRORESORCINOL** *or* **STYPHNIC ACID,** *dry or wetted with less than 20% water, or mixture of alcohol and water, by mass*	1.1D			P4	A5.6.
	UN0394	**TRINITRORESORCINOL WETTED** *or* **STYPHNIC ACID, WETTED** *with not less than 20% water, or mixture of alcohol and water, by mass*	1.1D			P4	A5.6.
		2,4,6- Trinitroso-3-methyl nitraminoanisole					FORBIDDEN
		Trinitrotetramine cobalt nitrate					FORBIDDEN
	UN0209	**TRINITROTOLUENE** *or* **TNT,** (*dry or wetted with less than 30% water, by mass)*	1.1D			P4	A5.6.
	UN0388	**TRINITROTOLUENE AND TRINITROBENZENE MIXTURES** *or* **TNT AND TRINITROBENZENE MIXTURES** *or* **TNT AND HEXANITROSTILBENE MIXTURES** *or* **TRINITROTOLUENE AND HEXANITROSTILNENE MIXTURES**	1.1D			P4	A5.7.
	UN0389	**TRINITROTOLUENE MIXTURES, CONTAINING TRINITROBENZENE AND HEXANITROSTILBENE** *or* **TNT MIXTURES CONTAINING TRINITROBENZENE AND HEXANITROSTILBENE**	1.1D			P4	A5.7.

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
	UN3366	**TRINITROTOLUENE (TNT), WETTED** *with not less than 10% water, by mass*	4.1		I	P4, 162, A8, A19, N41, N84	A8.3.
	UN1356	**TRINITROTOLUENE WETTED,** *with not less than 30% water, by mass*	4.1		I	P4, 23, A2, A8, A19, N41	A8.3.
		2,4,6-Trinitro-1,3,5-triazido benzene (dry)					FORBIDDEN
		Tri-(b-nitroxyethyl) ammonium nitrate					FORBIDDEN
	UN2260	**TRIPROPYLAMINE**	3	8	III	P5	A7.2.
	UN2057	**TRIPROPYLENE**	3		II III	P5 P5	A7.2. A7.2.
	UN2501	**TRIS-(1-AZIRIDINYL) PHOSPHINE OXIDE SOLUTION**	6.1		II III	P5 P5	A10.4. A10.4.
		Tris bis-bifluoroamino diethoxy propane (TVOPA)					FORBIDDEN
	UN0390	**TRITONAL**	1.1D			P4	A5.6.
		Tropilidene, see **CYCLOHEPTRATRIENE** (UN2603)					
		Tungates, liquid, see **FLAMMABLE LIQUID, N.O.S.** ★ (UN1993)					
		Tungates, solid, see **FLAMMABLE SOLID, ORGANIC, N.O.S.** ★ (UN1325) *or* **FLAMMABLE SOLID, INORGANIC, N.O.S.** ★ (UN3178)					
	UN2196	**TUNGSTEN HEXAFLUORIDE**	2.3	8			FORBIDDEN
	UN1299	**TURPENTINE**	3		III	P5	A7.2.
	UN1300	**TURPENTINE SUBSTITUTE**	3		I II III	P3 P5 P5	A7.2. A7.2. A7.2.
		Tyre assemblies inflated, above maximum rated pressure	2.2			A522	FORBIDDEN
		Tyre assemblies inflated, unserviceable, damaged or above maximum rated pressure	2.2			A522	FORBIDDEN
		Tyre assemblies serviceable, inflated to pressure not greater than their rated inflation pressure**, (Not Restricted)**				A522	
	UN2330	**UNDECANE**	3		III	P5	A7.2.
	UN3507	**URANIUM HEXAFLUORIDE, RADIOACTIVE MATERIAL EXCEPTED PACKAGE,** *less than 0.1 kg per package, non-fissile or fissile excepted*	6.1	7, 8	I	P4, 369	A11.7
	UN1511	**UREA HYDROGEN PEROXIDE**	5.1	8	III	P5, A1, A7, A29	A9.6.
	UN0220	**UREA NITRATE,** *dry or wetted with less than 20% water, by mass*	1.1D			P4, 119	A5.6.
	UN3370	**UREA NITRATE, WETTED** *with not less than 10% water by mass*	4.1		I	P4, 162, A8, A19, N41, N84	A8.3.
	UN1357	**UREA NITRATE, WETTED** *with not less than 20% water, by mass*	4.1		I	P4, 23, 39, A8, A19, N41	A8.3.
		Urea peroxide, see **UREA HYDROGEN PEROXIDE** (UN1511)					
		Valeral or n-Valeraldehyde, see **VALERALDEHYDE** (UN2058)					
		n-Valeraldehyde, see **VALERALDEHYDE** (UN2058)					
	UN2058	**VALERALDEHYDE**	3		II	P5	A7.2.
		Valeric acid, see **CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.** ★ (UN3265)					
		Valeric aldehyde, see **VALERALDEHYDE** (UN2058)					
	UN2502	**VALERYL CHLORIDE**	8	3	II	P5, A3, A7, N34	A12.2.
★	UN3285	**VANADIUM COMPOUND, N.O.S.**	6.1		I II III	P5 P5 P5	A10.5. A10.5. A10.5.

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
		Vanadium (IV) oxide sulphate or Vanadium oxysulphate or oxysulfate, see **VANADYL SULPHATE or SULFATE** (UN2931)					
	UN2443	**VANADIUM OXYTRICHLORIDE**	8		II	P5, A3, A7, N34	A12.2.
	UN2862	**VANADIUM PENTOXIDE**, *nonfused form*	6.1		III	P5	A10.5.
	UN2444	**VANADIUM TETRACHLORIDE**	8		I	P3, A7, N34	A12.2.
	UN2475	**VANADIUM TRICHLORIDE**	8		III	P5	A12.3.
	UN2931	**VANADYL SULFATE**	6.1		II	P5	A10.5.
		Varnish, see **PAINT** (UN1263)					
		Varnish drier, liquid, see **FLAMMABLE LIQUID, N.O.S.** ★ (UN1993)					
		Varnish drier solid, see **FLAMMABLE SOLID, ORGANIC, N.O.S.** ★ (UN1325) *or* **FLAMMABLE SOLID, INORGANIC, N.O.S.** ★ (UN3178)					
	UN3166	**VEHICLE, FLAMMABLE GAS POWERED** *or* **VEHICLE, FUEL CELL, FLAMMABLE GAS POWERED**	9			P5, 134, 135, 360, A200	A13.4.
	UN3166	**VEHICLE, FLAMMABLE LIQUID POWERED** *or* **VEHICLE, FUEL CELL, FLAMMABLE LIQUID POWERED**	9			P5, 134, 135, 360, A200	A13.4.
		Vehicles, self-propelled, see **VEHICLE, FLAMMABLE GAS POWERED** (UN3166) **or VEHICLE, FLAMMABLE LIQUID POWERED** (UN3166) **or BATTERY-POWERED VEHICLE** (UN3171) **or BATTERY-POWERED EQUIPMENT** (UN3171)					
		Very signal cartridge, see **CARTRIDGES SIGNAL** (UN0054, UN0312, UN0405)					
		Villiaumite, see **SODIUM FLUORIDE, SOLID** (UN1690) *or* **SODIUM FLUORIDE, SOLUTION** (UN3415)					
	UN1301	**VINYL ACETATE, STABILIZED**	3		II	P5, 387	A7.2.
		Vinyl acetate, unstabilized					FORBIDDEN
		Vinyl benzene, see **STYRENE MONOMER, STABILIZED** (UN2055)					
	UN1085	VINYL BROMIDE, STABILIZED	2.1			P4, 387, N86	A6.3., A6.4.
		Vynyl bromide, unstabilized					FORBIDDEN
	UN2838	**VINYL BUTYRATE, STABILIZED**	3		II	P5, 387	A7.2.
		Vinyl butyrate, unstabilized					FORBIDDEN
	UN1086	**VINYL CHLORIDE, STABILIZED**	2.1			P4, 21, 387, N86	A6.3., A6.4.
		Vinyl chloride, unstabilized					FORBIDDEN
	UN2589	**VINYL CHLOROACETATE**	6.1	3	II	P5	A10.4.
		Vinyl cyanide, see **ACRYLONITRILE, STABILIZED** (UN1093)					
	UN1302	**VINYL ETHYL ETHER, STABILIZED**	3		I	P3, 387	A7.2.
		Vinyl ethyl ether, unstabilized					FORBIDDEN
	UN1860	**VINYL FLUORIDE, STABILIZED**	2.1			P4, 387, N86	A6.3., A6.4.
		Vinyl fluoride, unstabilized					FORBIDDEN
	UN1304	**VINYL ISOBUTYL ETHER, STABILIZED**	3		II	P5, 387	A7.2.
		Vinyl isobutyl ether, unstabilized					FORBIDDEN
	UN1087	**VINYL METHYL ETHER, STABILIZED**	2.1			P4, 387	A6.3., A6.4.
		Vinyl methyl ether, unstabilized					FORBIDDEN
		Vinyl nitrate polymer					FORBIDDEN
	UN1303	**VINYLIDENE CHLORIDE, STABILIZED**	3		I	P3, 387	A7.2.
		Vinylidene chloride, unstabilized					FORBIDDEN
		Vinylidene fluoride, see **1,1-DIFLUOROETHYLENE** (UN1959)					
	UN3073	**VINYLPYRIDINES, STABILIZED**	6.1	3, 8	II	P5, 387	A10.4.
		Vinylpyridines, unstabilized					FORBIDDEN
	UN2618	**VINYLTOLUENES, STABILIZED**	3		III	P5, 387	A7.2.

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
		Vinyltoulene, unstabilized					FORBIDDEN
	UN1305	**VINYLTRICHLOROSILANE,**	3	8	II	P5, A3, A7, N34	A7.2.
		Vinyltrichlorosilane, unstabilized					FORBIDDEN
		Warheads for guided missiles, see **WARHEADS, ROCKET** (UN0286, UN0287, UN0369, UN0370, UN0371)					
	UN0370	**WARHEADS, ROCKET** *with burster or expelling charge*	1.4D			P5	A5.12.
	UN0371	**WARHEADS, ROCKET** *with burster or expelling charge*	1.4F			P5	A5.12.
	UN0286	**WARHEADS, ROCKET** *with bursting charge*	1.1D			P4	A5.12.
	UN0287	**WARHEADS, ROCKET** *with bursting charge*	1.2D			P4	A5.12.
	UN0369	**WARHEADS, ROCKET** *with bursting charge*	1.1F			P4	A5.12.
	UN0221	**WARHEADS, TORPEDO** *with bursting charge*	1.1D			P4	A5.12.
★	UN3129	**WATER-REACTIVE LIQUID**, **CORROSIVE, N.O.S.**	4.3	8 8 8	I II III	P3 P4 P5	A8.2. A8.2. A8.2.
★	UN3148	**WATER-REACTIVE LIQUID, N.O.S**.	4.3		I II III	P3 P5 P5	A8.2. A8.2. A8.2.
★	UN3130	**WATER-REACTIVE LIQUID, TOXIC, N.O.S.**	4.3	6.1 6.1 6.1	I II III	P3, A4 P4 P5	A8.2. A8.2. A8.2.
★	UN3131	**WATER-REACTIVE SOLID**, **CORROSIVE, N.O.S.**	4.3	8 8 8	I II III	P3, N40 P5 P5	A8.3. A8.3. A8.3.
★	UN3132	**WATER-REACTIVE SOLID**, **FLAMMABLE, N.O.S.**	4.3	4.1 4.1 4.1	I II III	P3, N40 P5 P5	A8.3. A8.3. A8.3.
★	UN2813	**WATER-REACTIVE SOLID, N.O.S.**	4.3		I II III	P3, N40 P5 P5	A8.3. A8.3. A8.3.
★	UN3133	**WATER-REACTIVE SOLID**, **OXIDIZING, N.O.S.**	4.3	5.1 5.1	II III	P3 P5	A8.4. A8.4.
★	UN3135	**WATER-REACTIVE SOLID, SELF-HEATING, N.O.S**.	4.3	4.2 4.2 4.2	I II III	P3, N40 P5 P5	A8.3. A8.3. A8.3.
★	UN3134	**WATER-REACTIVE SOLID**, **TOXIC, N.O.S.**	4.3	6.1 6.1 6.1	I II III	P3, A8, N40 P5 P5	A8.3. A8.3. A8.3.
		Wheelchair, electric with batteries, see **BATTERY-POWERED EQUIMENT** (UN3171) *or* **BATTERY-POWERED VEHICLE** (UN3171)					
		White acid, see **HYDROFLUORIC ACID** (UN1790)					
		White arsenic, see **ARSENIC TRIOXIDE** (UN1561**)**					
		White spirit, see **TURPENTINE SUBSTITUTE** (UN1300)					
	UN1306	**WOOD PRESERVATIVES, LIQUID**	3		II III	P5, 149 P5	A7.2. A7.2.
	UN1387	**WOOL WASTE, WET**	4.2		III		FORBIDDEN
	UN3342	**XANTHATES**	4.2		II III	P5 P5	A8.3. A8.3.
	UN2036	**XENON**	2.2			P5	A6.3., A6.5.
	UN2591	**XENON, REFRIGERATED LIQUID** *(cryogenic liquid)*	2.2			P4	A6.11.
	UN1307	**XYLENES**	3		II III	P5 P5	A7.2. A7.2.
	UN3430	**XYLENOLS, LIQUID**	6.1		II	P5	A10.4
	UN2261	**XYLENOLS, SOLID**	6.1		II	P5	A10.5.
	UN1711	**XYLIDINES, LIQUID**	6.1		II	P5	A10.4.
	UN3452	**XYLIDINES, SOLID**	6.1		II	P5	A10.6.
		Xylols, see **XYLENES** (UN1307)					

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
	UN1701	**XYLYL BROMIDE, LIQUID**	6.1		II	P4, A3, A7, N33	A10.7.
	UN3417	**XYLYL BROMIDE, SOLID**	6.1		II	P4, A3, A6, A7, N33	A10.7.
		p-Xylyl diazide					FORBIDDEN
	UN1512	**ZINC AMMONIUM NITRITE**	5.1		II	P5	A9.6.
	UN1712	**ZINC ARSENATE** *or* **ZINC ARSENITE** *or* **ZINC ARSENATE AND ZINC ARSENITE MIXTURES**	6.1		II	P5	A10.5.
	UN1435	**ZINC ASHES**	4.3		III	P5, A1, A19	A8.3.
		Zinc bisulfite solution, *see* **BISULFITES, AQUEOUS SOLUTIONS, N.O.S.** ★ (UN2693)					
	UN2469	**ZINC BROMATE**	5.1		III	P5, A1, A29	A9.6.
	UN1513	**ZINC CHLORATE**	5.1		II	P5, A9, N34	A9.6.
	UN2331	**ZINC CHLORIDE, ANHYDROUS**	8		III	P5	A12.3.
	UN1840	**ZINC CHLORIDE, SOLUTION**	8		III	P5	A12.2.
	UN1713	**ZINC CYANIDE**	6.1		I	P5	A10.5.
	UN1931	**ZINC DITHIONITE** *or* **ZINC HYDROSULFITE**	9		III	P5	A13.2.
	UN1436	**ZINC POWDER** *or* **ZINC DUST**	4.3	4.2 4.2 4.2	I II III	P3, A19, N40 P5, A19 P5	A8.3. A8.3. A8.3.
	UN2855	**ZINC FLUOROSILICATE**	6.1		III	P5	A10.5.
		Zinc hexafluorosilicate, see **ZINC FLUOROSILICATE** (UN2855) or **ZINC CHLORIDE SOLUTION** (UN1840)					
		Zinc muriate solution, see **ZINC CHLORIDE, SOLUTION** (UN1840)					
	UN1514	**ZINC NITRATE**	5.1		II	P5	A9.6.
	UN1515	**ZINC PERMANGANATE**	5.1		II	P5	A9.6.
	UN1516	**ZINC PEROXIDE**	5.1		II	P5	A9.6.
	UN1714	**ZINC PHOSPHIDE**	4.3	6.1	I	P3, A19, N40	A8.3.
	UN1436	**ZINC POWDER** or **ZINC DUST**	4.3	4.2 4.2 4.2	I II III	P3, A19, N40 P4, A19 P5	A8.3. A8.3. A8.3.
	UN2714	**ZINC RESINATE**	4.1		III	P5, A1	A8.3.
		Zinc selenates, *see* **SELENATES** ★ *or* **SELENITES** ★ (UN2630)					
		Zinc selenite, *see* **SELENATES** ★ *or* **SELENITES** ★ (UN2630)					
		Zinc silicofluoride, see **ZINC FLUOROSILICATE** (UN2855)					
	UN2858	**ZIRCONIUM, DRY**, *coiled wire, finished metal sheets, strip (thinner than 254 microns but not thinner than 18 microns)*	4.1		III	P5, A1	A8.3.
	UN2009	**ZIRCONIUM, DRY**, *finished sheets, strip, or coiled wire*	4.2		III	P5, A1, A19	A8.3.
	UN1437	**ZIRCONIUM HYDRIDE**	4.1		II	P5, A19, A20, N34	A8.3.
	UN2728	**ZIRCONIUM NITRATE**	5.1		III	P5, A1, A29	A9.6.
	UN0236	**ZIRCONIUM PICRAMATE**, *dry or wetted with less than 20% water, by mass*	1.3C			P4	A5.9.
	UN1517	**ZIRCONIUM PICRAMATE, WETTED** *with not less than 20% water, by mass*	4.1		I	P4, 23, N41	A8.3.
	UN2008	**ZIRCONIUM POWDER, DRY**	4.2		I II III	P3 P5, A19, A20, N5, N34 P5	A8.3. A8.3. A8.3.

Table A4.1		*PROPER SHIPPING NAME/ DESCRIPTION*	*HAZARD CLASS/ DIV*	*SUBSIDIARY RISK*	*PG*	*SPECIAL PROVISION*	*PACKAGING PARAGRAPH*
	UN/ID NUMBER						
(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*
	UN1358	**ZIRCONIUM POWDER, WETTED**, *with not less than 25% water (a visible excess of water must be present (a) mechanically produced, particle size less than 53 microns; (b) chemically produced, particle size less than 840 microns)*	4.1		II	P5, A19, A20, N34	A8.3.
		Zirconium powder, wetted with not less than 25% water (a visible excess of water must be present (a) mechanically produced, particle size more than 53 microns; (b) chemically produced, particle size more than 840 microns)					FORBIDDEN
	UN1932	**ZIRCONIUM SCRAP**	4.2		III	P5, N34	A8.3.
	UN1308	**ZIRCONIUM SUSPENDED IN A LIQUID**	3		I II III	P3 P5 P5	A7.2. A7.2. A7.2.
	UN2503	**ZIRCONIUM TETRACHLORIDE**	8		III	P5	A12.3.

Table A4.2. Special Provisions

When column 7 of Table A4.1. refers to a special provision for a hazardous material, the meaning and requirements of that provision are defined in this Table. The following list identifies the requirements of the special provisions referred to in column 7 of Table A4.1.:
Passenger Eligibility "P" Codes. These provisions apply to passenger movement with hazardous materials (see also Attachment 22).
P1 Transport this material on dedicated airlift (e.g., Special Assignment Airlift Mission) aircraft as identified in Attachment 24. Material authorized on cargo aircraft only. Passenger deviations are not authorized.
P2 Transport this material on cargo aircraft only. Passenger deviations are not authorized.
P3 Transport this material on cargo aircraft only. Deviations are authorized according to paragraph 2.2. and Attachment 22.
P4 Transport this material on cargo aircraft only. Deviations are authorized according to paragraph 2.2. and Attachment 22. DOD duty passengers do not require a deviation.
P5 Transport this material on passenger and cargo aircraft without passenger restriction.
Numeric Special Provisions.
1 This material is poisonous by inhalation in Hazard Zone A, describe as an inhalation hazard.
2 This material is poisonous by inhalation in Hazard Zone B, describe as an inhalation hazard.
3 This material is poisonous by inhalation in Hazard Zone C, describe as an inhalation hazard.
4 This material is poisonous by inhalation in Hazard Zone D, describe as an inhalation hazard.
5 If this material meets the defining criteria for a material poisonous by inhalation (49 CFR Paragraphs 173.116(a) or 173.133(a)) use an appropriate Class 2.3 or Class 6.1 generic PSN that identifies the inhalation hazard.
6 This material is poisonous by inhalation and must be described as an inhalation hazard. **(T-0).**
8 A hazardous substance that is not a hazardous waste may be shipped under the shipping description "Other regulated substance, liquid or solid", as appropriate.
9 EPA in 40 CFR Sections 761.60 and 761.65 prescribes packaging for certain PCBs for disposal and storage.
11 Package material either as a liquid or solid, as appropriate, depending on its physical form at 55 degrees C (131 degrees F) at atmospheric pressure.
12 In concentrations greater than 40 percent, this material has strong oxidizing properties and is capable of starting fires in contact with combustible materials. If applicable, a package containing this material must comply with the subsidiary hazard labeling requirements of Attachment 15. **(T-0).**
13 Enter the words "Inhalation Hazard" on each shipping paper in association with the shipping description.
14 Motor fuel anti-knock mixtures are mixtures of one or more organic lead mixtures (such as tetraethyl lead, triethylmethyl lead, diethyldimethyl lead, ethyltrimethyl lead, and tetramethyl lead) with one or more halogen compounds (such as ethylene dibromide and ethylene dichloride), hydrocarbon solvents or other equally efficient stabilizers; or tetraethyl lead.

15 This entry applies to "Chemical kits" and "First aid kits" containing one or more compatible items of hazardous materials in boxes, cases, *etc.* that, for example, are used for medical, analytical, diagnostic, testing, or repair purposes. Kits that are carried on board transport vehicles for first aid or operating purposes are not subject to the requirements of this subchapter.
16 This description applies to smokeless powder and other solid propellants that are used as powder for small arms and have been classed as Division 1.3C, 1.4C and Division 4.1 in accordance with 49 CFR § 173.56 of this subchapter.
19 For domestic transportation only, the identification number "UN1075" may be used in place of the identification number specified in column (2) of the Table A4.1. The identification number used must be consistent on package markings, shipping papers and emergency response information.
21 This material must be stabilized by appropriate means to prevent dangerous polymerization. **(T-0).**
22 If the hazardous material is in dispersion in organic liquid, the organic liquid must have a flash point above 50 degrees C (122 degrees F). **(T-0).**
23 Classify this material as Cl ass 4.1 only if it is packed so that the percentage of diluent will not fall below that stated in the shipping description at any time during transport.
24 Alcoholic beverages containing more than 70 percent alcohol by volume must be transported as materials in Packing Group II. Alcoholic beverages containing more than 24 percent but not more than 70 percent alcohol by volume must be transported as materials in Packing Group III.
26 This entry does not include ammonium permanganate, the transport of which is prohibited except when approved by the Associate Administrator.
28 The dihydrated sodium salt of dichloroisocyanuric acid does not meet the criteria for inclusion in Division 5.1 (Oxidizer) and is not subject to the requirements of this subchapter unless meeting the criteria for inclusion in another class or division.
30 Sulphur is not regulated if transported in a non-bulk packaging or if formed to a specific shape (e.g., prills, granules, pellets, pastilles, or flakes).
31 Materials which have undergone sufficient heat treatment to render them non-hazardous are not subject to the requirements of this subchapter.
32 Polymeric beads and molding compounds may be made from polystyrene, poly(methyl methacrylate) or other polymeric material.
33 Ammonium nitrites and mixtures of an inorganic nitrite with an ammonium salt are prohibited.
34 The commercial grade of calcium nitrate fertilizer, when consisting mainly of a double salt (calcium nitrate and ammonium nitrate) containing not more than 10 percent ammonium nitrate and at least 12 percent water of crystallization, is not subject to the requirements of this subchapter.
35 Antimony sulphides and oxides which do not contain more than 0.5 percent of arsenic calculated on the total mass do not meet the definition of Division 6.1.
37 Unless it can be demonstrated by testing that the sensitivity of the substance in its frozen state is no greater than in its liquid state, the substance must remain liquid during normal transport conditions. It must not freeze at temperatures above −15 °C (5 °F).

38 If this material shows a violent effect in laboratory tests involving heating under confinement, the labeling requirements of Special Provision 53 apply, and the material must be packaged in accordance with packing method OP6 in § 173.225 of this subchapter. If the SADT of the technically pure substance is higher than 75 °C, the technically pure substance and formulations derived from it are not self-reactive materials and, if not meeting any other hazard class, are not subject to the requirements of this subchapter.
39 This substance may be carried under provisions other than those of Class 1 only if it is so packed that the percentage of water will not fall below that stated at any time during transport. When phlegmatized with water and inorganic inert material, the content of urea nitrate must not exceed 75 percent by mass and the mixture should not be capable of being detonated by test 1(a)(i) or test 1(a)(ii) in the UN Manual of Tests and Criteria (IBR, see § 171.7 of this subchapter).
40 Polyester resin kits consist of two components: A base material (either Class 3 or Division 4.1, Packing Group II or III) and an activator (organic peroxide), each separately packed in an inner packaging. The organic peroxide must be type D, E, or F, not requiring temperature control. The components may be placed in the same outer packaging provided they will not interact dangerously in the event of leakage. The Packing Group assigned will be II or III, according to the classification criteria for either Class 3 or Division 4.1, as appropriate, applied to the base material. Additionally, unless otherwise excepted in this subchapter, polyester resin kits must be packaged in specification combination packagings based on the performance level of the base material contained within the kit.
41 This material at the Packing Group II hazard criteria level may be transported in Large Packagings.
43 The nitrogen content of the nitrocellulose must not exceed 11.5 percent. **(T-0).** Pack each single filter sheet between sheets of glazed paper. Ensure the portion of glazed paper between the filter sheets is not less than 65 percent, by mass. The membrane filters/paper arrangement must not be liable to propagate a detonation. **(T-0).**
44 The formulation must be prepared so that it remains homogenous and does not separate during transport. **(T-0).** Formulations with low nitrocellulose contents and neither showing dangerous properties when tested for their ability to detonate, deflagrate or explode when heated under defined confinement by the appropriate test methods and criteria in the UN Manual of Tests and Criteria, nor classed as a Division 4.1 (flammable solid) when tested in accordance with the procedures specified in 49 CFR Section 173.124 (chips, if necessary, crushed and sieved to a particle size of less than 1.25 mm), are not subject to the requirements of this manual.
45 Temperature should be maintained between 18 °C (64.4 °F) and 40 °C (104 °F). Tanks containing solidified methacrylic acid must not be reheated during transport.
46 During transport, it must be protected from direct sunshine and stored (or kept) in a cool and well-ventilated place, away from all sources of heat. **(T-0).**
47 Mixtures of solids which are not subject to this subchapter and flammable liquids may be transported under this entry without first applying the classification criteria of Division 4.1, provided there is no free liquid visible at the time the material is loaded or at the time the packaging or transport unit is closed. Each packaging must correspond to a design type that has passed a leakproofness test at the Packing Group II level. **(T-0).** Small inner packagings consisting of sealed packets containing less than 10 mL of a Class 3 liquid in Packing Group II

or III absorbed onto a solid material are not subject to this subchapter provided there is no free liquid in the packet.
48 Mixtures of solids which are not subject to this subchapter and toxic liquids may be transported under this entry without first applying the classification criteria of Division 6.1, provided there is no free liquid visible at the time the material is loaded or at the time the packaging or transport unit is closed. Each packaging must correspond to a design type that has passed a leakproofness test at the Packing Group II level. **(T-0).** This entry may not be used for solids containing a Packing Group I liquid.
49 Mixtures of solids which are not subject to this subchapter and corrosive liquids may be transported under this entry without first applying the classification criteria of Class 8, provided there is no free liquid visible at the time the material is loaded or at the time the packaging or transport unit is closed. Each packaging must correspond to a design type that has passed a leakproofness test at the Packing Group II level. **(T-0).**
50 Cases, cartridge, empty with primer which are made of metallic or plastic casings and meeting the classification criteria of Division 1.4 are not regulated for domestic transportation.
51 This description applies to items previously described as “Toy propellant devices, Class C” and includes reloaded kits. Model rocket motors containing 30 grams or less propellant are classed as Division 1.4S and items containing more than 30 grams of propellant but not more than 62.5 grams of propellant are classed as Division 1.4C.
52 This entry may only be used for substances that are too insensitive for acceptance into Class 1 (explosive) when tested in accordance with Test Series 2 in the UN Manual of Tests and Criteria, Part I (incorporated by reference; see § 171.7 of this subchapter).
53 Packages of these materials must bear a subsidiary hazard label, "EXPLOSIVE", unless exempted by the DOT. **(T-0).** A copy of the permit must accompany the shipment. **(T-0).**
54 Maneb or maneb preparations not meeting the definition of Division 4.3 or any other hazard class are not subject to the requirements of this subchapter when transported by motor vehicle, rail car, or aircraft.
55 This device must be approved in accordance with § 173.56 of this subchapter by the Associate Administrator.
56 Ensure a means to interrupt and prevent detonation of the detonator from initiating the detonating cord is installed between each electric detonator and the detonating cord ends of the jet perforating guns.
57 Maneb *or* Maneb preparations stabilized against self-heating need not be classified in Division 4.2 when it can be demonstrated by testing that a volume of 1 m^3 of substance does not self-ignite and that the temperature at the center of the sample does not exceed 200 °C, when the sample is maintained at a temperature of not less than 75 °C ±2 °C for a period of 24 hours, in accordance with procedures set forth for testing self-heating materials in the UN Manual of Tests and Criteria (IBR, see § 171.7 of this subchapter).
58 Aqueous solutions of Division 5.1 inorganic solid nitrate substances are considered as not meeting the criteria of Division 5.1 if the concentration of the substances in solution at the minimum temperature encountered in transport is not greater than 80% of the saturation limit.
59 Ferrocerium, stabilized against corrosion, with a minimum iron content of 10 percent is not subject to the requirements of this subchapter.

61 A chemical oxygen generator is spent if its means of ignition and all or a part of its chemical contents have been expended.
62 Oxygen generators are not authorized for transportation under this entry.
64 The group of alkali metals includes lithium, sodium, potassium, rubidium, and caesium.
65 The group of alkaline earth metals includes magnesium, calcium, strontium, and barium.
66 Formulations of these substances containing not less than 30 percent non-volatile, non-flammable phlegmatizer are not subject to this subchapter.
70 Black powder that has been classed in accordance with the requirements of § 173.56 of this subchapter may be reclassed and offered for domestic transportation as a Division 4.1 material if it is offered for transportation and transported in accordance with the limitations and packaging requirements of § 173.170 of this subchapter.
74 During transport, this material must be protected from direct sunshine and stored or kept in a cool and well-ventilated place, away from all sources of heat.
78 This entry may not be used to describe compressed air which contains more than 23.5 percent oxygen. Compressed air containing greater than 23.5 percent oxygen must be shipped using the description “Compressed gas, oxidizing, n.o.s., UN3156.”
79 This entry may not be used for mixtures that meet the definition for oxidizing gas.
81 Polychlorinated biphenyl items, as defined in 40 CFR 761.3, for which specification packagings are impractical, may be packaged in non-specification packagings meeting the general packaging requirements of subparts A and B of part 173 of this subchapter. Alternatively, the item itself may be used as a packaging if it meets the general packaging requirements of subparts A and B of part 173 of this subchapter.
101 The name of the particular substance or article must be specified.
102 This article may be transported as Class 1.4D if all of the conditions specified in 49 CFR Paragraph 173.63(a) are met. Reclassification requires approval by a DOD Explosive Hazard Classification Authority according to A3.3.1.4.
105 The word "Agents" may be used instead of "Explosives" when approved by the DOT.
106 The recognized name of the particular explosive may be specified in addition to the type.
107 The classification of the substance is expected to vary especially with the particle size and packaging, but the border lines have not been experimentally determined; verify appropriate classifications following the test procedures in 49 CFR Sections 173.57 and 173.58. Reclassification requires approval by a DOD Explosive Hazard Classification Authority according to A3.3.1.4.
108 Fireworks must be constructed and packaged so that loose pyrotechnic composition is not present in packages during transportation. **(T-0).**
109 Rocket motors must be nonpropulsive in transportation unless approved according to A3.3.1.4. **(T-0).** To be considered "nonpropulsive", a rocket motor must be capable of unrestrained burning and must not appreciably move in any direction when ignited by any means. **(T-0).**
110 Fire extinguishers transported under UN1044 and oxygen cylinders transported for emergency use under UN1072 may include installed actuating cartridges (cartridges, power device of Division 1.4C or 1.4S), without changing the classification of Division 2.2 unless listed as a Class 1 material in the JHCS, provided the aggregate quantity of deflagrating (propellant) explosives does not exceed 3.2 grams per cylinder. Oxygen cylinders with installed

actuating cartridges as prepared for transportation must have an effective means of preventing inadvertent activation. **(T-0).**
111 Explosive substances of Class 1.1A are forbidden for transportation if dry or not desensitized, unless incorporated in a device.
113 The sample must be given a tentative approval by an agency or laboratory according to the provisions of 49 CFR Section 173.56. **(T-0).**
114 Jet perforating guns, charged, oil well, without detonator may be reclassed to Division 1.4 Compatibility Group D (1.4D) if the following conditions are met: **a.** The total weight of the explosive contents of the shaped charges assembled in the guns does not exceed 90.5 kg (200 pounds) per vehicle; and **b.** The guns are packaged in accordance with Packing Method US 1 as specified in § 173.62 of this subchapter.
115 Boosters with detonator (detonating primers) in which the total explosive charge per unit does not exceed 25 g, and which will not mass detonate and undergo only limited propagation in the shipping package may be assigned to Class 1.4B. Mass detonate means more than 90 percent of the devices tested in a package explode practically simultaneously. Limited propagation means that if one booster near the center of the package is exploded, the aggregate weight of explosives, excluding ignition and delay charges, in this and all additional boosters in the outer packaging that explode may not exceed 25 g. Reclassification requires approval by a DOD Explosive Hazard Classification Authority according to A3.3.1.4.
116 Fuzes, detonating, may be classed in Class 1.4 if the fuzes do not contain more than 25 g of explosive per fuze and are made and packaged so that they will not cause functioning of other fuzes, explosives, or other explosive devices if one of the fuzes detonates in a shipping packaging or in adjacent packages. Reclassification requires approval by a DOD Explosive Hazard Classification Authority according to A3.3.1.4.
117 If a shipment of the explosive substance is to take place at a time that freezing weather is anticipated, the water contained in the explosive substance must be mixed with denatured alcohol so that freezing will not occur. **(T-0).**
118 This substance may not be transported under the provisions of Division 4.1 unless specifically authorized by the Associate Administrator.
119 This substance, when in quantities of not more than 11.5 kg (25.3 pounds), with not less than 10 percent water, by mass, also may be classed as Division 4.1, provided a negative test result is obtained when tested in accordance with test series 6(c) of the UN Manual of Tests and Criteria (IBR, see § 171.7 of this subchapter).
120 The phlegmatized substance must be significantly less sensitive than dry PETN.
121 This substance, when containing less alcohol, water or phlegmatizer than specified, may not be transported unless approved by the Associate Administrator.
123 Any explosive, blasting, type C containing chlorate must be segregated from explosives containing ammonium nitrate or other ammonium salts. **(T-0).**
125 Lactose or glucose or similar materials may be used as a phlegmatizer provided that the substance contains not less than 90%, by mass, of phlegmatizer. These mixtures may be classified in Division 4.1 when tested in accordance with test series 6(c) of the UN Manual of Tests and Criteria (IBR, see § 171.7 of this subchapter) and approved by the Associate Administrator. Testing must be conducted on at least three packages as prepared for transport.

Mixtures containing at least 98%, by mass, of phlegmatizer are not subject to the requirements of this subchapter. Packages containing mixtures with not less than 90% by mass, of phlegmatizer need not bear a POISON subsidiary risk label.
127 Mixtures containing oxidizing and organic materials transported under this entry may not meet the definition and criteria of a Class 1 material.
128 Regardless of the provisions of § 172.101(c)(12), aluminum smelting by-products and aluminum remelting by-products described under this entry, meeting the definition of Class 8, Packing Group II and III may be classed as a Division 4.3 material and transported under this entry. The presence of a Class 8 hazard must be communicated as required by this part for subsidiary hazards.
129 These materials may not be classified and transported unless authorized by the Associate Administrator on the basis of results from Series 2 Test and a Series 6(c) Test from the UN Manual of Tests and Criteria (IBR, see § 171.7 of this subchapter) on packages as prepared for transport. The packing group assignment and packaging must be approved by the Associate Administrator for Hazardous Materials Safety on the basis of the criteria in § 173.21 of this subchapter and the package type used for the Series 6(c) test.
130 "Batteries, dry, sealed, n.o.s.," commonly referred to as dry batteries, are hermetically sealed and generally utilize metals (other than lead) and/or carbon as electrodes. These batteries are typically used for portable power applications. The rechargeable (and some non-rechargeable) types have gelled alkaline electrolytes (rather than acidic) making it difficult for them to generate hydrogen or oxygen when overcharged and therefore, differentiating them from non-spillable batteries. Dry batteries specifically covered by another entry in the § 172.101 Table must be transported in accordance with the requirements applicable to that entry. For example, nickel-metal hydride batteries transported by vessel in certain quantities are covered by another entry (*see* Batteries, nickel-metal hydride, UN3496). Dry batteries not specifically covered by another entry in the § 172.101 Table are covered by this entry (*i.e.,* Batteries, dry, sealed, n.o.s.) and are not subject to requirements of this subchapter except for the following: **(a)** *Incident reporting.* For transportation by aircraft, a telephone report in accordance with § 171.15(a) is required if a fire, violent rupture, explosion or dangerous evolution of heat (*i.e.,* an amount of heat sufficient to be dangerous to packaging or personal safety to include charring of packaging, melting of packaging, scorching of packaging, or other evidence) occurs as a direct result of a dry battery. For all modes of transportation, a written report submitted, retained, and updated in accordance with § 171.16 is required if a fire, violent rupture, explosion or dangerous evolution of heat occurs as a direct result of a dry battery or battery-powered device. **(b)** *Preparation for transport.* Batteries and battery-powered device(s) containing batteries must be prepared and packaged for transport in a manner to prevent: **(1)** A dangerous evolution of heat; **(2)** Short circuits, including but not limited to the following methods: **(i)** Packaging each battery or each battery-powered device when practicable, in fully enclosed inner packagings made of non-conductive material; **(ii)** Separating or packaging batteries in a manner to prevent contact with other batteries, devices or conductive materials (*e.g.,* metal) in the packagings; or

(iii) Ensuring exposed terminals or connectors are protected with non-conductive caps, non-conductive tape, or by other appropriate means; and **(3)** Damage to terminals. If not impact resistant, the outer packaging should not be used as the sole means of protecting the battery terminals from damage or short circuiting. Batteries must be securely cushioned and packed to prevent shifting which could loosen terminal caps or reorient the terminals to produce short circuits. Batteries contained in devices must be securely installed. Terminal protection methods include but are not limited to the following: **(i)** Securely attaching covers of sufficient strength to protect the terminals; **(ii)** Packaging the battery in a rigid plastic packaging; or **(iii)** Constructing the battery with terminals that are recessed or otherwise protected so that the terminals will not be subjected to damage if the package is dropped. **(c)** *Additional air transport requirements.* For a battery whose voltage (electrical potential) exceeds 9 volts— **(1)** When contained in a device, the device must be packaged in a manner that prevents unintentional activation or must have an independent means of preventing unintentional activation (*e.g.,* packaging restricts access to activation switch, switch caps or locks, recessed switches, trigger locks, temperature sensitive circuit breakers, *etc.*); and **(2)** An indication of compliance with this special provision must be provided by marking each package with the words "not restricted" or by including the words "not restricted" on a transport document such as an air waybill accompanying the shipment. **(d)** *Used or spent battery exception.* Used or spent dry batteries of both non-rechargeable and rechargeable designs, with a marked rating up to 9-volt that are combined in the same package and transported by highway or rail for recycling, reconditioning, or disposal are not subject to this special provision or any other requirement of the HMR. Note that batteries utilizing different chemistries (*i.e.,* those battery chemistries specifically covered by another entry in the § 172.101 Table) as well as dry batteries with a marked rating greater than 9-volt may not be combined with used or spent batteries in the same package. Note also that this exception does not apply to batteries that have been reconditioned for reuse.
131 This material may not be offered for transportation unless approved by the Associate Administrator.
132 This description may only be used for ammonium nitrate-based compound fertilizers. They must be classified in accordance with the procedure as set out in the Manual of Tests and Criteria, part III, section 39. **(T-0).**
134 This entry only applies to vehicles powered by wet batteries, sodium batteries, lithium metal batteries or lithium ion batteries and equipment powered by wet batteries or sodium batteries that are transported with these batteries installed. a. For the purpose of this special provision, vehicles are self-propelled apparatus designed to carry one or more persons or goods. Examples of such vehicles are electrically-powered cars, motorcycles, scooters, three- and four-wheeled vehicles or motorcycles, trucks, locomotives, bicycles (pedal cycles with an electric motor) and other vehicles of this type (e.g., self-balancing vehicles or vehicles not equipped with at least one seating position), lawn tractors, self-propelled farming and construction equipment, boats, aircraft, wheelchairs and other mobility aids. This includes vehicles transported in a packaging. In this case some parts of the vehicle may be detached from its frame to fit into the packaging.

b. Examples of equipment are lawnmowers, cleaning machines or model boats and model aircraft. Equipment powered by lithium metal batteries or lithium ion batteries must be consigned under the entries “Lithium metal batteries contained in equipment” or “Lithium metal batteries packed with equipment” or “Lithium ion batteries contained in equipment” or “Lithium ion batteries packed with equipment” as appropriate. **(T-0).** c. Self-propelled vehicles or equipment that also contain an internal combustion engine must be consigned under the entries “Engine, internal combustion, flammable gas powered” or “Engine, internal combustion, flammable liquid powered” or “Vehicle, flammable gas powered” or “Vehicle, flammable liquid powered,” as appropriate. **(T-0).** These entries include hybrid electric vehicles powered by both an internal combustion engine and batteries. Additionally, self-propelled vehicles or equipment that contain a fuel cell engine must be consigned under the entries “Engine, fuel cell, flammable gas powered” or “Engine, fuel cell, flammable liquid powered” or “Vehicle, fuel cell, flammable gas powered” or “Vehicle, fuel cell, flammable liquid powered,” as appropriate. **(T-0).** These entries include hybrid electric vehicles powered by a fuel cell engine, an internal combustion engine, and batteries. powered” or “Vehicle, fuel cell, flammable liquid powered,” as appropriate.
135 Internal combustion engines installed in a vehicle must be consigned under the entries “Vehicle, flammable gas powered” or “Vehicle, flammable liquid powered,” as appropriate. **(T-0).** If a vehicle is powered by a flammable liquid and a flammable gas internal combustion engine, it must be consigned under the entry “Vehicle, flammable gas powered.” **(T-0).** These entries include hybrid electric vehicles powered by both an internal combustion engine and wet, sodium or lithium batteries installed. If a fuel cell engine is installed in a vehicle, the vehicle must be consigned using the entries “Vehicle, fuel cell, flammable gas powered” or “Vehicle, fuel cell, flammable liquid powered,” as appropriate. **(T-0).** These entries include hybrid electric vehicles powered by a fuel cell, an internal combustion engine, and wet, sodium or lithium batteries installed. For the purpose of this special provision, vehicles are self-propelled apparatus designed to carry one or more persons or goods. Examples of such vehicles are cars, motorcycles, trucks, locomotives, scooters, three- and four-wheeled vehicles or motorcycles, lawn tractors, self-propelled farming and construction equipment, boats and aircraft.
136 This entry applies only to articles, machinery, and apparatus containing hazardous materials as an integral element of the article, machinery, or apparatus. It may not be used to describe articles, machinery, or apparatus for which a proper shipping name exists in the § 172.101 Table. Except when approved by the Associate Administrator, these items may only contain hazardous materials for which exceptions are referenced in Column (8) of the § 172.101 Table and are provided in part 173, subparts D and G, of this subchapter. Hazardous materials shipped under this entry are excepted from the labeling requirements of this subchapter unless offered for transportation or transported by aircraft and are not subject to the placarding requirements of subpart F of this part. Orientation markings as described in § 172.312(a)(2) are required when liquid hazardous materials may escape due to incorrect orientation. The article, machinery, or apparatus, if unpackaged, or the packaging in which it is contained shall be marked “Dangerous goods in articles” or “Dangerous goods in machinery” or “Dangerous goods in apparatus” as appropriate, with the identification number UN3363. For transportation by aircraft, articles, machinery, or apparatus, may not contain any material forbidden for transportation by passenger or cargo aircraft. The Associate Administrator may except from the requirements of this subchapter articles, machinery, and apparatus provided: a. It is shown that it does not pose a significant risk in transportation;

b. The quantities of hazardous materials do not exceed those specified in § 173.4a of this subchapter; and c. The equipment, and machinery or apparatus articles conforms with § 173.222 of this subchapter.
137 Cotton, dry; flax, dry; sisal, dry; and tampico fiber, dry are not subject to the requirements of this subchapter when they are baled in accordance with ISO 8115, "Cotton Bales—Dimensions and Density" (IBR, see § 171.7 of this subchapter) to a density of not less than 360 kg/m^3 (22.1 lb/ft^3) for cotton, 400 kg/m^3 (24.97 lb/ft^3) for flax, 620 kg/m^3 (38.71 lb/ft^3) for sisal and 360 kg/m^3 (22.1 lb/ft^3) for tampico fiber and transported in a freight container or closed transport vehicle.
138 This entry applies to lead compounds which, when mixed in a ratio of 1:1,000 with 0.07 M (Molar concentration) hydrochloric acid and stirred for one hour at a temperature of 23 °C ±2 °C, exhibit a solubility of more than 5%. Lead compounds which, when mixed in a ratio of 1:1,000 with 0.07 M (Molar concentration) hydrochloric acid and stirred for one hour at a temperature of 23 °C ±2 °C, exhibit a solubility of 5% or less are not subject to the requirements of this subchapter unless they meet criteria as another hazard class or division. Lead compounds that have a solubility of 5% or less in accordance with this special provision are not subject to the requirements of this subchapter that pertain to Marine Pollutants.
139 Use of the "special arrangement" proper shipping names for international shipments must be made under an IAEA Certificate of Competent Authority issued by the Associate Administrator in accordance with the requirements in 49 CFR Sections 173.471, 173.472, or 173.473. **(T-0).** Use of these proper shipping names for domestic shipments may be made only under a DOT special permit.
140 This material is regulated only when it meets the defining criteria for a hazardous substance or a marine pollutant. In addition, the column 5 reference is modified to read "III" on those occasions when this material is offered for transportation or transported by highway or rail.
141 A toxin obtained from a plant, animal, or bacterial source containing an infectious substance, or a toxin contained in an infectious substance, must be classed as Division 6.2, described as an infectious substance, and assigned to UN 2814 or UN 2900, as appropriate.
142 These hazardous materials may not be classified and transported unless authorized by the Associate Administrator. The Associate Administrator will base the authorization on results from Series 2 tests and a Series 6(c) test from the UN Manual of Tests and Criteria (IBR, see § 171.7 of this subchapter) on packages as prepared for transport in accordance with the requirements of this subchapter.
144 If transported as a residue in an underground storage tank (UST), as defined in 40 CFR 280.12, that has been cleaned and purged or rendered inert according to the American Petroleum Institute (API) Standard 1604 (IBR, see § 171.7 of this subchapter), then the tank and this material are not subject to any other requirements of this subchapter. However, sediments remaining in the tank that meet the definition for a hazardous material are subject to the applicable regulations of this subchapter.

145 This entry applies to formulations that neither detonate in the cavitated state nor deflagrate in laboratory testing, show no effect when heated under confinement, exhibit no explosive power, and are thermally stable (self-accelerating decomposition temperature (SADT) at 60 °C (140 °F) or higher for a 50 kg (110.2 lbs.) package). Formulations not meeting these criteria must be transported under the provisions applicable to the appropriate entry in the Organic Peroxide Table in § 173.225 of this subchapter.
146 This description may be used for a material that poses a hazard to the environment but does not meet the definition for a hazardous waste or a hazardous substance, as defined in § 171.8 of this subchapter, or any hazard class, as defined in part 173 of this subchapter, if it is designated as environmentally hazardous by another Competent Authority. This provision may be used for both domestic and international shipments.
147 This entry applies to non-sensitized emulsions, suspensions, and gels consisting primarily of a mixture of ammonium nitrate and fuel, intended to produce a Type E blasting explosive only after further processing prior to use. The mixture for emulsions typically has the following composition: 60–85% ammonium nitrate; 5–30% water; 2–8% fuel; 0.5–4% emulsifier or thickening agent; 0–10% soluble flame suppressants; and trace additives. Other inorganic nitrate salts may replace part of the ammonium nitrate. The mixture for suspensions and gels typically has the following composition: 60–85% ammonium nitrate; 0–5% sodium or potassium perchlorate; 0–17% hexamine nitrate or monomethylamine nitrate; 5–30% water; 2–15% fuel; 0.5–4% thickening agent; 0–10% soluble flame suppressants; and trace additives. Other inorganic nitrate salts may replace part of the ammonium nitrate. These substances must satisfy the criteria for classification as an ammonium nitrate emulsion of Test Series 8 of the UN Manual of Tests and Criteria, Part I, Section 18 (IBR, *see* § 171.7 of this subchapter), and may not be classified and transported unless approved by the Associate Administrator.
148 For domestic transportation, this entry directs to § 173.66 for: a. The standards for transporting a single bulk hazardous material for blasting by cargo tank motor vehicles (CTMV); and b. The standards for CTMVs capable of transporting multiple hazardous materials for blasting in bulk and non-bulk packagings (*i.e.,* a multipurpose bulk truck (MBT)).
149 When transported as a limited quantity or a consumer commodity, the maximum net capacity specified in § 173.150(b)(2) of this subchapter for inner packagings may be increased to 5 L (1.3 gallons).
150 This description may only be used for ammonium nitrate-based fertilizers. They must be classified in accordance with the procedure as set out in the Manual of Tests and Criteria, part III, section 39 (IBR, *see* § 171.7 of this subchapter).
151 If this material meets the definition of a flammable liquid in § 173.120 of this subchapter, a FLAMMABLE LIQUID label is also required and the basic description on the shipping paper must indicate the Class 3 subsidiary hazard.
155 Fish meal, fish scrap and krill meal may not be transported if the temperature at the time of loading either exceeds 35 °C (95 °F), or exceeds 5 °C (41 °F) above the ambient temperature, whichever is higher.
156 Asbestos that is immersed or fixed in a natural or artificial binder material, such as cement, plastic, asphalt, resins or mineral ore, or contained in manufactured products is not subject to the requirements of this manual.

157 When transported as a limited quantity or a consumer commodity, the maximum net capacity specified in § 173.151(b)(1)(i) of this subchapter for inner packagings may be increased to 5 kg (11 pounds).
159 This material must be protected from direct sunshine and kept in a cool, well-ventilated place away from sources of heat.
160 This entry applies to safety devices for vehicles, vessels or aircraft, e.g., air bag inflators, air bag modules, seat-belt pretensioners, and pyromechanical devices containing Class 1 (explosive) materials or materials of other hazard classes. These articles must be tested in accordance with Test series 6(c) of Part I of the UN Manual of Tests and Criteria, with no explosion of the device, no fragmentation of device casing or pressure vessel, and no projection hazard or thermal effect that would significantly hinder fire-fighting or other emergency response efforts in the immediate vicinity. **(T-0).** If the air bag inflator unit satisfactorily passes the series 6(c) test, it is not necessary to repeat the test on the air bag module. This entry does not apply to life saving appliances described in 49 CFR Section 173.219 (UN2990 and UN3072).
162 This material may be transported under the provisions of Division 4.1 only if it is packed so that at no time during transport will the percentage of diluent fall below the percentage that is stated in the shipping description. **(T-0)**.
163 Substances must satisfactorily pass Test Series 8 of the UN Manual of Tests and Criteria, Part I, Section 18 (IBR, see § 171.7 of this subchapter).
164 Substances must not be transported under this entry unless approved by the Associate Administrator on the basis of the results of appropriate tests according to Part I of the UN Manual of Tests and Criteria (IBR, see § 171.7 of this subchapter). The material must be packaged so that the percentage of diluent does not fall below that stated in the approval at any time during transportation.
165 These substances are susceptible to exothermic decomposition at elevated temperatures. Decomposition can be initiated by heat, moisture or by impurities (e.g., powdered metals (iron, manganese, cobalt, magnesium)). During the course of transportation, these substances must be shaded from direct sunlight and all sources of heat and be placed in adequately ventilated areas. **(T-0).**
166 When transported in non-friable tablet form, calcium hypochlorite, dry, may be transported as a Packing Group III material.
167 These storage systems must always be considered as containing hydrogen. **(T-0).** A metal hydride storage system installed in or intended to be installed in a vehicle or equipment or in vehicle or equipment components must be approved for transport by the Associate Administrator. **(T-0).** A copy of the approval must accompany each shipment. **(T-0).**
168 For lighters containing a Division 2.1 gas (*see* § 171.8 of this subchapter), representative samples of each new lighter design must be examined and successfully tested as specified in § 173.308(b)(3). For criteria in determining what is a new lighter design, *see* § 173.308(b)(1). For transportation of new lighter design samples for examination and testing, *see* § 173.308(b)(2). The examination and testing of each lighter design must be performed by a person authorized by the Associate Administrator under the provisions of subpart E of part 107 of this chapter, as specified in § 173.308(a)(4). For continued use of approvals dated prior to January 1, 2012, *see* § 173.308(b)(5). For non-pressurized lighters containing a Class 3 (flammable liquid) material, its design, description, and packaging must be approved by the Associate Administrator prior to being

offered for transportation or transported in commerce. In addition, a lighter design intended to contain a non-pressurized Class 3 material is excepted from the examination and testing criteria specified in § 173.308(b)(3). An unused lighter or a lighter that is cleaned of residue and purged of vapors is not subject to the requirements of this subchapter.
169 This entry applies to lighter refills (*see* § 171.8 of this subchapter) that contain a Division 2.1 (flammable) gas but do not contain an ignition device. Lighter refills offered for transportation under this entry may not exceed 4 fluid ounces capacity (7.22 cubic inches) or contain more than 65 grams of fuel. A lighter refill exceeding 4 fluid ounces capacity (7.22 cubic inches) or containing more than 65 grams of fuel must be classed as a Division 2.1 material, described with the proper shipping name appropriate for the material, and packaged in the packaging specified in part 173 of this subchapter for the flammable gas contained therein. In addition, a container exceeding 4 fluid ounces volumetric capacity (7.22 cubic inches) or containing more than 65 grams of fuel may not be connected or manifolded to a lighter or similar device and must also be described and packaged according to the fuel contained therein. For transportation by passenger-carrying aircraft, the net mass of lighter refills may not exceed 1 kg per package, and, for cargo-only aircraft, the net mass of lighter refills may not exceed 15 kg per package. See § 173.306(h) of this subchapter.
170 Air must be eliminated from the vapor space by nitrogen or other means.
171 This entry may only be used when the material is transported in non-friable tablet form or for granular or powered mixtures that have been shown to meet the PG III criteria in § 173.127.
172 This entry includes alcohol mixtures containing up to 5% petroleum products.
173 For adhesives, printing inks, printing ink-related materials, paints, paint-related materials, and resin solutions which are assigned to UN3082, and do not meet the definition of another hazard class, metal or plastic packaging for substances of packing groups II and III in quantities of 5 L (1.3 gallons) or less per packaging are not required to meet the UN performance package testing when transported: a. Except for transportation by aircraft, in palletized loads, a pallet box or unit load device (*e.g.* individual packaging placed or stacked and secured by strapping, shrink or stretch-wrapping or other suitable means to a pallet). For vessel transport, the palletized loads, pallet boxes or unit load devices must be firmly packed and secured in closed cargo transport units; or b. Except for transportation by aircraft, as an inner packaging of a combination packaging with a maximum net mass of 40 kg (88 pounds). For transportation by aircraft, as an inner packaging of a combination packaging with a maximum gross mass of 30 kg when packaged as a limited quantity in accordance with § 173.27(f).
175 This substance must be stabilized when in concentrations of not more than 99%.
176 This entry must be used for formaldehyde solutions containing methanol as a stabilizer. Formaldehyde solutions not containing methanol and not meeting the Class 3 flammable liquid criteria must be described using a different proper shipping name.
177 Gasoline, or, ethanol and gasoline mixtures, for use in internal combustion engines (e.g., in automobiles, stationary engines and other engines) must be assigned to Packing Group II regardless of variations in volatility. **(T-0).**

181 When a package contains a combination of lithium batteries contained in equipment and lithium batteries packed with equipment, the following requirements apply: a. The shipper must ensure that all applicable requirements of § 173.185 of this subchapter are met. The total mass of lithium batteries contained in any package must not exceed the quantity limits in columns (9A) and (9B) for passenger aircraft or cargo aircraft, as applicable; b. Except as provided in § 173.185(c)(3) of this subchapter, the package must be marked "UN 3091 Lithium metal batteries packed with equipment", or "UN 3481 Lithium ion batteries packed with equipment," as appropriate. If a package contains both lithium metal batteries and lithium ion batteries packed with and contained in equipment, the package must be marked as required for both battery types. However, button cell batteries installed in equipment (including circuit boards) need not be considered; and c. The shipping paper must indicate "UN 3091 Lithium metal batteries packed with equipment" or "UN 3481 Lithium ion batteries packed with equipment," as appropriate. If a package contains both lithium metal batteries and lithium ion batteries packed with and contained in equipment, then the shipping paper must indicate both "UN 3091 Lithium metal batteries packed with equipment" and "UN 3481 Lithium ion batteries packed with equipment."
182 Equipment containing only lithium batteries must be classified as either UN3091 or UN3481. **(T-0).**
196 The nitrocellulose must meet the criteria of the Bergmann-Junk test or methyl violet paper test in the UN Manual of Tests and Criteria, Appendix 10 (IBR, *see* § 171.7 of this subchapter). Test of type 3(c) is not required.
197 The nitrocellulose must meet the criteria of the Bergmann-Junk test or methyl violet paper test in the UN Manual of Tests and Criteria, Appendix 10 (IBR, *see* § 171.7 of this subchapter).
198 Nitrocellulose solutions containing not more than 20% nitrocellulose may be transported as paint or printing ink, perfumery products, as applicable, provided the nitrocellulose contains no more 12.6% nitrogen (by dry mass). See UN1210, UN1263, UN3066, UN3469, and UN3470.
200 Division 1.4G consumer fireworks may be certified for transportation by a DOT-approved Fireworks Certification Agency in accordance with the provisions of § 173.65 of this subchapter.
237 This entry may only be used for the transport of non-activated batteries that contain dry potassium hydroxide and that are intended to be activated prior to use by the addition of an appropriate amount of water to the individual cells.

238 Neutron radiation detectors: Neutron radiation detectors containing non-pressurized boron trifluoride gas in excess of 1 gram (0.035 ounces) and radiation detection systems containing such neutron radiation detectors as components may be transported by highway, rail, vessel, or cargo aircraft in accordance with the following: a. Each radiation detector must meet the following conditions: (1) The pressure in each neutron radiation detector must not exceed 105 kPa absolute at 20 °C (68 °F); (2) The amount of gas must not exceed 13 grams (0.45 ounces) per detector; and (3) Each neutron radiation detector must be of welded metal construction with brazed metal to ceramic feed through assemblies. These detectors must have a minimum burst pressure of 1800 kPa as demonstrated by design type qualification testing; and (4) Each detector must be tested to a 1×10^{-10} cm^3/s leaktightness standard before filling. b. Radiation detectors transported as individual components must be transported as follows: (1) They must be packed in a sealed intermediate plastic liner with sufficient absorbent or adsorbent material to absorb or adsorb the entire gas contents. (2) They must be packed in strong outer packagings and the completed package must be capable of withstanding a 1.8 meter (5.9 feet) drop without leakage of gas contents from detectors. (3) The total amount of gas from all detectors per outer packaging must not exceed 52 grams (1.83 ounces). c. Completed neutron radiation detection systems containing detectors meeting the conditions of paragraph a of this special provision must be transported as follows: (1) The detectors must be contained in a strong sealed outer casing; (2) The casing must contain include sufficient absorbent or adsorbent material to absorb or adsorb the entire gas contents; (3) The completed system must be packed in strong outer packagings capable of withstanding a 1.8 meter (5.9 feet) drop test without leakage unless a system's outer casing affords equivalent protection. d. Except for transportation by aircraft, neutron radiation detectors and radiation detection systems containing such detectors transported in accordance with paragraph a of this special provision are not subject to the labeling and placarding requirements of part 172 of this subchapter. e. When transported by highway, rail, vessel, or as cargo on an aircraft, neutron radiation detectors containing not more than 1 gram of boron trifluoride, including those with solder glass joints are not subject to any other requirements of this subchapter provided they meet the requirements in paragraph a of this special provision and are packed in accordance with paragraph b of this special provision. Radiation detection systems containing such detectors are not subject to any other requirements of this subchapter provided they are packed in accordance with paragraph c of this special provision.
325 In the case of non-fissile or fissile-excepted uranium hexafluoride, the material must be classified under UN 2978.
328 When lithium metal or lithium ion batteries are contained in the fuel cell system, the item must be described under this entry and the appropriate entries for “Lithium metal batteries contained in equipment” or “Lithium ion batteries contained in equipment”. **(T-0).**
332 “Magnesium nitrate hexahydrate” is not subject to the requirements of this manual.

335 Mixtures of solids that are not subject to this subchapter and environmentally hazardous liquids or solids may be classified as "Environmentally hazardous substances, solid, n.o.s," UN3077 and may be transported under this entry, provided there is no free liquid visible at the time the material is loaded or at the time the packaging or transport unit is closed. Each transport unit must be leakproof when used as bulk packaging.
336 The use of UN1H1 drums, UN3H1 jerricans, and UN6HA1 composite packagings which meet the requirements of part 178 of the HMR at the Packing Group I or II performance level. These packagings are not required to: (1.) meet the venting requirements in § 173.24(g) or (2.) be marked with the hydrostatic pressure test marking specified in § 173.24a(b)(4). Shipment of packages under this special provision must be made by private or contract motor carrier. Transportation of these packages also requires the door of each van trailer to be marked with "Warning trailer may contain chemical vapor. Do not enter until vapors have dissipated." The driver of the transport vehicle and the consignee(s) must be trained not to enter the transport vehicle until the ammonia vapors have dissipated, and the emergency response information on the shipping paper must indicate that the vehicle contains ammonia vapors. This training must be documented in training records required by § 172.704(d). Transport vehicles must be vented to prevent accumulation of vapors at a poisonous or flammable concentration.
337 Authorizes the use of regulated waste containers manufactured prior to October 1, 2006 to be marked with the alternative shipping name of Regulated medical waste, UN3291 and arrows that deviate as prescribed in § 172.312(a)(2) in that they may be black or white.
338 n Life Saving appliances, self-inflating transported by motor vehicle only between an U.S. Coast Guard approved inflatable life raft servicing facility and a vessel are only subject to the following requirements: a. Prior to repacking into the life-saving appliance, an installed inflation cylinder must successfully meet and pass all inspection and test criteria and standards of the raft manufacturer and the vessel Flag State requirements for cylinders installed as part of life-saving appliances, self-inflating (UN2990) used on marine vessels. Additionally, each cylinder must be visually inspected in accordance with CGA pamphlet, CGA C–6 (incorporated by reference, see § 171.7). A current copy of CGA pamphlet, CGA C–6 must be available at the facility servicing the life-saving appliance. b. An installed inflation cylinder that requires recharging must be filled in accordance with § 173.301(l). c. Every installed inflation cylinder, as associated equipment of the life-saving appliance, must be packed within the protective packaging of the life raft and the life raft itself must otherwise be in compliance with § 173.219. d. The serial number for each cylinder must be recorded as part of the life-saving appliance service record by the U.S. Coast Guard-approved servicing facility.
340 This entry only applies to Vessel Transport of Nickel-metal hydride as cargo. Batteries subject to this special provision are subject only to the following requirements: (1)The batteries must be prepared and packaged for transport in a manner to prevent a dangerous evolution of heat, short circuits, and damage to terminals; (2) Subject to the incident reporting in accordance with this AFMAN 24-604 and 49 CFR Section 171.16 if a fire, violent rupture, expolosion or dangerous evolution of heat (i.e. damage to any part of packaging, melting, charring, scorching, of packing material or other evidence) occurs as a direct result of a nickel-metal hydride battery. Any other transport mode see special provision 130. (T-0)

342 Glass inner packagings (such as ampoules or capsules) intended only for use in sterilization devices, when containing less than 30 mL of ethylene oxide per inner packaging with not more than 300 mL per outer packaging, may be transported in accordance with § 173.4a of this subchapter, irrespective of the restriction of § 173.4a(b) and the indication of "forbidden" in columns (9A) and (9B) of the § 172.101 table provided that: a. After filling, each glass inner packaging must be determined to be leak-tight by placing the glass inner packaging in a hot water bath at a temperature and for a period of time sufficient to ensure that an internal pressure equal to the vapor pressure of ethylene oxide at 55 °C is achieved. Any glass inner packaging showing evidence of leakage, distortion or other defect under this test must not be transported under the terms of this special provision; b. In addition to the packaging required in § 173.4a, each glass inner packaging must be placed in a sealed plastic bag compatible with ethylene oxide and capable of containing the contents in the event of breakage or leakage of the glass inner packaging; and c. Each glass inner packaging is protected by a means of preventing puncture of the plastic bag (*e.g.,* sleeves or cushioning) in the event of damage to the packaging (*e.g.,* by crushing).
343 A bulk packaging that emits hydrogen sulfide in sufficient concentration that vapors evolved from the sour crude oil can present an inhalation hazard must be marked as specified in § 172.327.
345 "Nitrogen, refrigerated liquid (*cryogenic liquid*), UN1977" transported in open cryogenic receptacles with a maximum capacity of 1 L are not subject to the requirements of this subchapter. The receptacles must be constructed with glass double walls having the space between the walls vacuum insulated and each receptacle must be transported in an outer packaging with sufficient cushioning and absorbent materials to protect the receptacle from damage.
346 "Nitrogen, refrigerated liquid (*cryogenic liquid*), UN1977" transported in accordance with the requirements for open cryogenic receptacles in 49 CFR Section 173.320 and this special provision are not subject to any other requirements of this manual. The receptacle must contain no hazardous materials other than the liquid nitrogen which must be fully absorbed in a porous material in the receptacle. **(T-0).**
347 Substances and articles assigned to these PSNs must pass Test series 6(d) of Part I of the UN Manual of Tests and Criteria, be shipped under an appropriate CAA/DOT-SP, or must be reclassified as other than 1.4S. **(T-0).**
349 Mixtures of hypochlorite with an ammonium salt are forbidden for transport. A hypochlorite solution, UN1791, is a Class 8 corrosive material.
350 Ammonium bromate, ammonium bromate aqueous solutions, and mixtures of a bromate with an ammonium salt are forbidden for transport.
351 Ammonium chlorate, ammonium chlorate aqueous solutions, and mixtures of a chlorate with an ammonium salt are forbidden for transport.
352 Ammonium chlorite, ammonium chlorite aqueous solutions, and mixtures of a chlorite with an ammonium salt are forbidden for transport.
353 Ammonium permanganate, ammonium permanganate aqueous solutions, and mixtures of a permanganate with an ammonium salt are forbidden for transport.
357 A bulk packaging that emits hydrogen sulfide in sufficient concentration that vapors evolved from the crude oil can present an inhalation hazard must be marked as specified in § 172.327 of this part.

360 Vehicles powered only by lithium batteries must be described using "UN3171, Battery-powered vehicle." Lithium batteries installed in a cargo transport unit, designed only to provide power external to the transport unit, must be described using "UN3536, Lithium batteries installed in a cargo transport unit."

361 Capacitors with an energy storage capacity of 0.3 Wh or less are not subject to the requirements of this manual. Energy storage capacity means the energy held by a capacitor, as calculated using the nominal voltage and capacitance. This entry does not apply to capacitors that by design maintain a terminal voltage (e.g., asymmetrical capacitors.)

362 This entry applies to liquids, pastes or powders, pressurized with a propellant that meets the definition of a gas in 49 CFR Section 173.115. A chemical under pressure packaged in an aerosol dispenser must be transported under UN1950. **(T-0).** The chemical under pressure must be classed based on the hazard characteristics of the components in the propellant; the liquid; or the solid. **(T-0).** The following provisions also apply:

(1) If one of the components, which can be a pure substance or a mixture, is classed as flammable, the chemical under pressure must be classed as flammable in Division 2.1. **(T-0).** Flammable components are flammable liquids and liquid mixtures, flammable solids and solid mixtures or flammable gases and gas mixtures meeting the following criteria:

(a) A flammable liquid is a liquid having a flashpoint of not more than 93 °C (200 °F);

(b) A flammable solid is a solid that meets the criteria in 49 CFR Section 173.124; or

(c) A flammable gas is a gas that meets the criteria in 49 CFR Section 173.115.

(2) Gases of Division 2.3 and gases with a subsidiary hazard of 5.1 must not be used as a propellant in a chemical under pressure. **(T-0).**

(3) Where the liquid or solid components are classed as Division 6.1, packing groups II or III, or Class 8, packing groups II or III, the chemical under pressure must be assigned a subsidiary hazard of Division 6.1 or Class 8 and the appropriate identification number must be assigned. **(T-0).** Components classed as Division 6.1, packing group I, or Class 8, packing group I, must not be offered for transportation and transported under this description. **(T-0).**

(4) A chemical under pressure with components meeting the properties of : Class 1 (explosives); Class 3 (liquid desensitized explosives); Division 4.1 (self-reactive substances and solid desensitized explosives); Division 4.2 (substances liable to spontaneous combustion); Division 4.3 (substances which, in contact with water, emit flammable gases or toxic gases); Division 5.1 (oxidizing substances); Division 5.2 (organic peroxides); Division 6.2 (Infectious substances); or, Class 7 (Radioactive material), must not be offered for transportation under this description. **(T-0).**

(5) A description to which Special provision 170 or TP7 is assigned in Column 7 of the 172.101 Hazardous Materials Table, and therefore requires air to be eliminated from the package vapor space by nitrogen or other means, must not be offered for transportation under this description. **(T-0).**

365 For manufactured instruments and articles containing mercury, see UN3506.

367 For the purposes of documentation and package marking:

a. The proper shipping name "Paint related material" may be used for consignments of packages containing "Paint" and "Paint related material" in the same package;

b. The proper shipping name "Paint related material, corrosive, flammable" may be used for consignments of packages containing "Paint, corrosive, flammable" and "Paint related material, corrosive, flammable" in the same package;

c. The proper shipping name “Paint related material, flammable, corrosive” may be used for consignments of packages containing “Paint, flammable, corrosive” and “Paint related material, flammable, corrosive” in the same package; and d. The proper shipping name “Printing ink related material” may be used for consignments of packages containing “Printing ink” and “Printing ink related material” in the same package.
368 In the case of non-fissile or fissile-excepted uranium hexafluoride, the material must be classified under UN3507 or UN2978. **(T-0).**
369 This radioactive material in an excepted package possessing toxic and corrosive properties is classified in Division 6.1 with radioactivity and corrosive subsidiary risks.
370 This entry also applies to ammonium nitrate with not more than 0.2% combustible substances, including any organic substance calculated as carbon, to the exclusion of any added substance, that gives a positive result when tested in accordance with Test Series 2 of the UN Manual of Tests and Criteria, Part I (IBR; see § 171.7 of this subchapter). *See also* UN1942 in the § 172.101 Hazardous Materials Table. This entry may not be used for ammonium nitrate for which a proper shipping name already exists in the § 172.101 Hazardous Materials Table, including ammonium nitrate mixed with fuel oil or any other commercial grade of ammonium nitrate (*e.g.,* ammonium nitrate fertilizer).
371 a. This entry also applies to articles not conforming to the requirements of §§ 173.302, 173.304, or 173.306 of this subchapter, containing a small pressure receptacle with a release device. Such articles must comply with the following requirements: (1) The water capacity of the pressure receptacle must not exceed 0.5 L and the working pressure must not exceed 25 bar at 15 °C (59 °F); (2) The minimum burst pressure of the pressure receptacle must be at least four times the pressure of the gas at 15 °C (59 °F); (3) Each article must be manufactured in such a way that unintentional firing or release is avoided under normal conditions of handling, packing, transport and use. This may be fulfilled by an additional locking device linked to the activator; (4) Each article must be manufactured in such a way as to prevent hazardous projections of the pressure receptacle or parts of the pressure receptacle; (5) Each pressure receptacle must be manufactured from material which will not fragment upon rupture; (6) The design type of the article must be subjected to a fire test. For this test, the provisions of paragraphs 16.6.1.2 except letter g, 16.6.1.3.1 to 16.6.1.3.6, 16.6.1.3.7(b) and 16.6.1.3.8 of the UN Manual of Tests and Criteria must be applied. It must be demonstrated that the article relieves its pressure by means of a fire degradable seal or other pressure relief device, in such a way that the pressure receptacle will not fragment and that the article or fragments of the article do not rocket more than 10 meters; and (7) The design type of the article must be subjected to the following test. A stimulating mechanism must be used to initiate one article in the middle of the packaging. There must be no hazardous effects outside the package such as disruption of the package, metal fragments or a receptacle which passes through the packaging. b. The manufacturer must produce technical documentation of the design type, manufacture as well as the tests and their results. The manufacturer must apply procedures to ensure that articles produced in series are made of good quality, conform to the design type and are able to meet the requirements in (a). The manufacturer must provide such information to a representative of the Department upon request.

372 This entry applies to asymmetric capacitors with an energy storage capacity greater than 0.3 Wh. Capacitors with an energy storage capacity of 0.3 Wh or less are not subject to the requirements of this manual. Energy storage capacity means the energy stored in a capacitor, as calculated according to the following equation, Wh = 1/2CN(UR2−UL2) × (1/3600) Using the nominal capacitance (CN), rated voltage (UR) and the rated lower limit voltage (UL). Nickel-carbon asymmetric capacitors containing Class 8 alkaline electrolytes must be transported as UN2795, Batteries, wet, filled with alkali, electric storage. **(T-0).**
387 When chemical stabilization is employed, the person offering the material for transport ensures that the level of stabilization is sufficient to prevent the material as packaged from dangerous polymerization at 50 °C (122 °F). If chemical stabilization becomes ineffective at lower temperatures within the anticipated duration of transport, temperature control is required and is forbidden by aircraft.
388 Lithium batteries containing both primary lithium metal cells and rechargeable lithium ion cells that are not designed to be externally charged, must meet the following conditions: i. The rechargeable lithium ion cells can only be charged from the primary lithium metal cells; ii. Overcharge of the rechargeable lithium ion cells is precluded by design; iii. The battery has been tested as a primary lithium battery; and iv. Component cells of the battery must be of a type proved to meet the respective testing requirements of the Manual of Tests and Criteria, part III, subsection 38.3. These lithium batteries must be assigned to UN3090 or UN3091, as appropriate. When such batteries are transported in accordance with 49 CFR Paragraph 173.185(c), the total lithium content of all lithium metal cells contained in the battery must not exceed 1.5 g and the total capacity of all lithium ion cells contained in the battery must not exceed 10 Wh. **(T-0).**
389 This entry only applies to lithium ion batteries or lithium metal batteries installed in a cargo transport unit and designed only to provide power external to the cargo transport unit. The lithium batteries must meet the requirements paragraph A3.3.9.2. and contain the necessary systems to prevent overcharge and over discharge between the batteries. **(T-0).** The batteries must be securely attached to the interior structure of the cargo transport unit (e.g., by means of placement in racks, cabinets, etc.) in such a manner as to prevent short circuits, accidental operation, and significant movement relative to the cargo transport unit under the shocks, loadings, and vibrations normally incident to transport. **(T-0).** Hazardous materials necessary for the safe and proper operation of the cargo transport unit (e.g., fire extinguishing systems and air conditioning systems), must be properly secured to or installed in the cargo transport unit and are not otherwise subject certification by this manual. **(T-0).** Hazardous materials not necessary for the safe and proper operation of the cargo transport unit must not be transported within the cargo transport unit. **(T-0).** The batteries inside the cargo transport unit are not subject to marking or labelling requirements of this manual. Display the UN number in a manner in accordance with 49 CFR Section 172.332 and be marked on two opposite sides of the cargo transport unit. **(T-0).**
391 Articles containing hazardous materials of Division 2.3, Division 4.2, Division 4.3, Division 5.1, Division 5.2, or Division 6.1 (substances with a inhalation toxicity of Packing Group I) and articles containing more than one of the following hazards: (1) Gases of Class 2; (2) Liquid desensitized explosives of Class 3; or (3) Self-reactive substances and solid desensitized explosives of Division 4.1, may only be offered for transportation and transported under conditions approved by the DOT Associate Administrator.

422 When labelling is required, the label to be used must be the label shown in § 172.447. When a placard is displayed, the placard must be the placard shown in § 172.560.
430 This entry shall only be used for solid medical waste of Category A transported for disposal**.**
"A" Provisions. These special provisions are in addition to other requirements for military air shipment.
A1 Single packaging is not permitted on aircraft carrying passengers. P4 restrictions apply.
A2 Single packagings are not permitted.
A3 For combination packagings, if glass inner packagings (including ampoules) are used, they must be packed with absorbent material in tightly closed rigid and leakproof receptacles before packing in outer packagings. **(T-0).**
A4 Liquids having an inhalation toxicity of PG I and are identified as P1, P2, or P3 are not permitted on passenger aircraft. Deviations are not allowed.
A5 Solids having an inhalation toxicity of PG I and are identified as P1, P2, or P3, are not permitted on passenger aircraft and may not exceed a maximum net quantity per package of 15 kg (33 pounds) on cargo aircraft. See paragraph 2.2. for deviation authority.
A6 For combination packagings, if plastic inner packagings are used, pack in tightly closed metal receptacles before packing into outer packagings.
A7 Steel packagings must be corrosion-resistant or have protection against corrosion. **(T-0).**
A8 For combination packagings, if glass inner packagings (including ampoules) are used, they must be packed with cushioning material in tightly closed metal receptacles before packing in outer packagings. **(T-0).**
A9 For combination packages, if plastic bags are used, they must be packed in tightly closed metal receptacles before packing in outer packagings. **(T-0).**
A10 When aluminum or aluminum alloy construction materials are used, they must be resistant to corrosion. **(T-0).**
A11 For combination packagings, when metal inner packagings are permitted, only specification cylinders constructed of metals which are compatible with the hazardous material may be used.
A13 Bulk packagings are not authorized for transportation by aircraft.
A14 This material is not authorized to be transported as a limited quantity or consumer commodity in accordance with § 173.306 of this subchapter when transported aboard an aircraft.
A19 Combination packagings consisting of outer fiber drums or plywood drums, with inner plastic packagings, are not authorized.
A20 Plastic bags as inner receptacles of combination packagings are not authorized.
A29 Combination packagings consisting of outer expanded plastic boxes with inner plastic bags are not authorized.
A30 Ammonium permanganate is not authorized.
A34 Aerosols containing a corrosive liquid in Packing Group II charged with a gas are not permitted for transportation by aircraft.
A35 This includes material which is not covered by any other hazard class but has anesthetic, narcotic, noxious or other properties such that, in the event of spillage or leakage on the aircraft, extreme annoyance or discomfort could be caused to aircrew members so as to prevent correct performance of assigned duties. For material containing aromatic extract or flavoring, use

packaging paragraph A13.2**.** For all other material shipped under this PSN, use packaging paragraph A13.14.
A37 This entry applies only to a material meeting the definition in 49 CFR Section 171.8 for self-defense spray.
A51 For aircraft batteries, irrespective of the quantity limitations specified in Column (9A) of the § 172.101 Table or § 175.75(c), wet cell batteries, UN2794 or UN2795, up to a limit of 100 kg net mass per package may be transported aboard passenger aircraft. Transport in accordance with this special provision must be noted on the shipping paper.
A53 Refrigerating machines and refrigerating machine components are not subject to the requirements of this subchapter when containing less than 12 kg (26.4 pounds) of a non-flammable gas or when containing 12 L (3 gallons) or less of ammonia solution (UN2672) (see § 173.307 of this subchapter).
A54 Irrespective of the quantity limits in Column 9B of the § 172.101 table, a lithium battery, including a lithium battery packed with, or contained in, equipment that otherwise meets the applicable requirements of § 173.185, may have a mass exceeding 35 kg if approved by the Associate Administrator prior to shipment.
A56 Radioactive material with a subsidiary hazard of Division 4.2 Packing Group I must be transported in Type B packages when offered for transportation by aircraft. Radioactive material with a subsidiary hazard of Division 2.1 is forbidden from transport on passenger aircraft.
A60 Sterilization devices, when containing less than 30 mL per inner packaging with not more than 150 mL per outer packaging, may be transported in accordance with the provisions in § 173.4a, irrespective of § 173.4a(b), provided such packagings were first subjected to comparative fire testing. Comparative fire testing between a package as prepared for transport (including the substance to be transported) and an identical package filled with water must show that the maximum temperature measured inside the packages during testing does not differ by more than 200 °C (392 °F). Packagings may include a vent to permit the slow escape of gas (*i.e.* not more than 0.1 mL/hour per 30 mL inner packaging at 20 °C (68 °F) produced from gradual decomposition. The requirements of §§ 173.24(g)(1) and 173.27(c) do not apply.
A61 When used for purposes such as sterilization, inner packagings of peroxyacetic acid, stabilized, classified as UN3107 Organic peroxide type E, liquid or UN3109 Organic peroxide type F, liquid may be fitted with a vent consisting of hydrophobic membrane, provided: (1) Each inner packaging contains not more than 70 mL; (2) The inner packaging is designed so that the vent is not immersed in liquid in any orientation; (3) Each inner packaging is enclosed in an intermediate rigid plastic packaging with a small opening to permit release of gas and contains a buffer that neutralizes the contents of the inner packaging in the event of leakage; (4) Intermediate packagings are packed in a fiberboard box (4G) outer packaging; (5) Each outer packaging contains not more than 1.4 L of liquid; and (6) The rate of oxygen release from the outer packaging does not exceed 15 mL per hour. Such packages must be transported on cargo aircraft only. **(T-0).**
A82 The quantity limits do not apply to human or animal body parts, whole organs or whole bodies known to contain or suspected of containing an infectious substance.

A101 In addition to the applicable requirements of § 173.185, the quantity of lithium metal in the batteries contained in any piece of equipment must not exceed 12 g per cell and 500 g per battery.
A105 a. This entry applies to machinery or apparatus containing hazardous materials as a residue or as an integral element of the machinery or apparatus. It must not be used for machinery or apparatus for which a proper shipping name already exists in the § 172.101 Table. b. Where the quantity of hazardous materials contained as an integral element in machinery or apparatus exceeds the limits permitted by § 173.222(c)(2), and the hazardous materials meet the provisions of § 173.222(c), the machinery or apparatus may be transported by aircraft only with the prior approval of the Associate Administrator.
A112 Notwithstanding the quantity limits shown in Column (9A) and (9B) for this entry, the following IBCs are authorized for transportation aboard passenger and cargo-only aircraft. Each IBC may not exceed a maximum net quantity of 1,000 kg: a. Metal: 11A, 11B, 11N, 21A, 21B and 21N b. Rigid plastics: 11H1, 11H2, 21H1 and 21H2 c. Composite with plastic inner receptacle: 11HZ1, 11HZ2, 21HZ1 and 21HZ2 d. Fiberboard: 11G e. Wooden: 11C, 11D and 11F (with inner liners) f. Flexible: 13H2, 13H3, 13H4, 13H5, 13L2, 13L3, 13L4, 13M1 and 13M2 (flexible IBCs must be sift-proof and water resistant or must be fitted with a sift-proof and water resistant liner).
A117 Wastes containing Category A infectious substances may be assigned to UN2814, UN2900, or UN3549. **(T-0)** Solid Medical or Clinical Waste containing Category A infectious substances must use UN3549**.** Wastes transported under UN3291 are routine regulated medical waste. UN3373 is only for Category B material as they are reasonably believed to have a low probability of containing infectious substances. Decontaminated wastes are not subject to these Regulations unless the criteria of another Class or Division apply.
A189 Except where the defining criteria of another class or division are met, concentrations of formaldehyde solution: a. With less than 25 percent but not less than 10 percent formaldehyde, must be described as UN3334, Aviation regulated liquid, n.o.s.; and b. With less than 10 percent formaldehyde, are not subject to this subchapter.
A191 Notwithstanding the Division 6.1 subsidiary hazard for this description, the toxic subsidiary hazard label and the requirement to indicate the subsidiary hazard on the shipping paper are not required for manufactured articles containing less than 5 kg (11 pounds) of mercury.
A200 These articles must be transported as cargo and may not be carried aboard an aircraft by passengers or crewmembers in carry-on baggage, checked baggage, or on their person unless specifically authorized in § 175.10.
A210 This substance is forbidden for transport by air. It may be transported on cargo aircraft only with the prior approval of the Associate Administrator.
A212 "UN 2031, Nitric acid*, other than red fuming, with more than 20% and less than 65% nitric acid"* intended for use in sterilization devices only, may be transported on passenger aircraft irrespective of the indication of "forbidden" in columns (9A) of the § 172.101 table provided that: a. Each inner packaging contains not more than 30 mL;

b. Each inner packaging is contained in a sealed leak-proof intermediate packaging with sufficient absorbent material capable of containing the contents of the inner packaging; c. Intermediate packagings are securely packed in an outer packaging of a type permitted by § 173.158(g) of this subchapter which meet the requirements of part 178 of this subchapter at the Packing Group I performance level; d. The maximum quantity of nitric acid in the package does not exceed 300 mL; and e. Transport in accordance with this special provision must be noted on the shipping paper.
A218 This entry must only be used for solid medical waste of category A transported for disposal.
A500 P2 Code applies if rocket motor contains hypergolic liquids.
A501 P3 does not apply to unit maintenance and support personnel traveling on Special Assignment Airlift Missions.
A502 With approval of Shipper's HAZMAT service focal point (see paragraph 1.2.2.), may be shipped as P2.
A503 Only Class 2 (non-toxic aerosols only), Class 3 (Packing Group II or III only) and Division 6.1 (Packing Group III only) provided such substances do not have a subsidiary hazard may be shipped to an international (non-domestic) location as a Class 9.
A504 Deleted
A506 Inner receptacles of a combination package and a single package must be capable of meeting the internal air gauge pressure requirements for a PG III liquid. **(T-0).**
A507 Determine passenger eligibility ("P" Coded special provisions) for radioactive materials as follows: (1) Radioactive materials requiring a Category III-Yellow label are transported under the provisions of P3. Deviations not authorized unless radioactive material intended for use in, or incident to, research, medical diagnosis, or treatment. Also see A22.1.7.2. (2) Radioactive materials requiring a Category II-Yellow label are transported under the provisions of P4. Deviations not authorized unless radioactive material intended for use in, or incident to, research, medical diagnosis, or treatment, and the total TI of all of the packages is 50 TI or less. Also see A22.1.7.2. (3) Radioactive materials requiring a Category I-White or no label are transported under the provisions of P5. Also see A3.3.7.5.4.
A508 Diagnostic, Patient, or Clinical Specimens not containing a Category A or B infectious substances are not regulated by this manual.
A509 Magnesium alloys with 50% or less magnesium in pellets, turning or ribbons are not regulated.
A510 Emergency power units (EPU) for F-16 aircraft are packaged, marked and labeled in accordance with a DOT-SP, CAA or COE.
A511 See A15.4.2.1. for acceptable labeling of UN1072 Oxygen, Compressed and UN1073 Oxygen, Refrigerated Liquid.
A520 (IATA2) "UN1327 BHUSA" May be transported if article or substance is on cargo aircraft only with prior approval of the appropriate authority of the State of origin and the State of the operator under the written conditions established by those authorities. Transportaton under this special provision must be noted on the Shipper's Decleration. Other States that are transited, overflight and destinations must all so be considered for approval before transporting.

A521 (IATA41) (49 CFR 173.175) Permeation devices that contain hazardous materials and that are used for calibrating air quality monitoring devices are not subject to the requirements of this subchapter provided the following requirements are met:

(a) Each device must be constructed of a material compatible with the hazardous materials it contains;

(b) The total contents of hazardous materials in each device is limited to 2 ml (0.07 ounces) and the device must not be liquid full at 55 °C (131 °F);

(c) Each permeation device must be placed in a sealed, high impact resistant, tubular inner packaging of plastic or equivalent material. Sufficient absorbent material must be contained in the inner packaging to completely absorb the contents of the device. The closure of the inner packaging must be securely held in place with wire, tape or other positive means;

(d) Each inner packaging must be contained in a secondary packaging constructed of metal, or plastic having a minimum thickness of 1.5 mm (0.06 inches). The secondary packaging must be hermetically sealed;

(e) The secondary packaging must be securely packed in strong outer packaging. The completed package must be capable of withstanding, without breakage or leakage of any inner packaging and without significant reduction in effectiveness:

(1) The following free drops onto a rigid, non resilient, flat and horizontal surface from a height of 1.8 m (5.9 feet):

(i) One drop flat on the bottom;

(ii) One drop flat on the top;

(iii) One drop flat on the long side;

(iv) One drop flat on the short side;

(v) One drop on a corner at the junction of three intersecting edges; and

(2) A force applied to the top surface for a duration of 24 hours, equivalent to the total weight of identical packages if stacked to a height of 3 m (10 feet) (including the test sample).

(3) Each of the above tests may be performed on different but identical packages.

(f) The gross mass of the completed package must not exceed 30 kg.

(g) For transportation by aircraft, permeation devices must be transported as cargo and may not be carried onboard an aircraft by passengers or crewmembers in carry-on baggage, checked baggage, or on their person unless specifically excepted by § 175.10.

A522 (IATA59) Tyre assemblies are not subject to these regulationsprovided that:

(a) Unserviceable or damaged tyre assemblies, the tyre is deflated to a guage pressuere of less than 200 kpa at 20 degrees C or,

(b) Serviceable tyre assemblies, the tyre is not inflated to a guage pressure exceeding the maximum rated pressure for that tyre. However, such tyres (including valve assemblies) must be protected from damage during transport, which may require the use or a protective cover.

A523 (IA103) Flammable liquified gases must be contained within refrigerating machine components. These components must be designed and tested to at least three times the working pressure of the machinery. The refrigerating machines must be designed and constructed to contain the liquified gas and preclude the risk of bursting or cracking of the pressure retaining components during normal conditions of transport. Refrigerating machines and refrigerating machine components are considered not subject to these Regulations if containing less than 100 g. of flammable, non-toxic, liquified gas."

A524 (IATA198) Hay, straw and BHUSA, when not wet, damp or contaminated with oil are not subject to HMR
A525 (IATA200) This entry applies to packaging that contain residues of dangerous goods and which no longer meet the provisions of section 6. These packageings are forbidden for transport by air. Such packagings or parts therof must be transported in accordance with 5.0.2.13.5.1 of IATA Regulations
"N" Provisions.
N3 Glass inner packagings are permitted in combination or composite packagings only if the hazardous material is free from hydrofluoric acid.
N4 For combination or composite packagings, glass inner packagings, other than ampoules, are not permitted.
N5 Glass materials of construction are not authorized for any part of the packaging which is normally in contact with the hazardous material.
N6 Battery fluid packaged with electric storage batteries, wet or dry, must conform to the packaging provisions of A12.4.4.
N7 The hazard class or division number of the material must be marked on the package according to 49 CFR Section 172.302. **(T-0).** However, the hazard label corresponding to the hazard class or division may be substituted for the marking.
N8 Nitroglycerin solution in alcohol may be transported under this entry only when the solution is packed in metal cans of not more than 1 L capacity each, overpacked in a wooden box containing not more than 5 L. Completely surround metal cans with absorbent material. Completely line wooden boxes with a suitable material impervious to water and nitroglycerin.
N11 This material is excepted for the specification packaging requirements of this subchapter if the material is packaged in strong, tight non-bulk packaging meeting the requirements of subparts A and B of part 173 of this subchapter.
N12 Plastic packagings are not authorized.
N20 A 5M1 multi-wall paper bag is authorized if transported in a closed transport vehicle.
N25 Steel single packagings are not authorized.
N32 Aluminum materials of construction are not authorized for single packagings.
N33 Aluminum drums are not authorized.
N34 Aluminum construction materials are not authorized for any part of a packaging which is normally in contact with the hazardous materials.
N36 Aluminum or aluminum alloy construction materials are permitted only for halogenated hydrocarbons that will not react with aluminum.
N37 This material may be shipped in an integrally-lined fiber drum (1G) which meets the general packaging requirements of Attachment 3, the UN performance tests required based on the PG assigned to the material and to any other special provisions of column 7 of Table A4.1.
N40 This material is not authorized in the following packagings: (1) A combination packaging consisting of a 4G fiberboard box with inner receptacles of glass or earthenware. (2) A single packaging of a 4C2 sift-proof, natural wood box. (3) A composite packaging 6PG2 (glass, porcelain, or stoneware receptacles within a fiberboard box).

N41 Metal construction materials are not authorized for any part of a packaging that is normally in contact with the hazardous material.
N42 1A1 drums made of carbon steel with thickness of body and heads of not less than 1.3 mm (0.050 inch) and with a corrosion-resistant phenolic lining are authorized for stabilized benzyl chloride if tested and certified to the Packing Group I performance level at a specific gravity of not less than 1.8.
N43 Metal drums are permitted as single packagings only if constructed of nickel or Monel.
N45 For combination packagings, copper cartridges are permitted as inner packagings when the hazardous material is not in dispersion.
N65 Outage must be sufficient to prevent cylinders or spheres from becoming liquid full at 55 degrees C (130 degrees F). **(T-0).** The vacant space (outage) may be charged with a nonflammable, nonliquefied compressed gas if the pressure in the cylinder or sphere at 55 degrees C (130 degrees F) does not exceed 125 percent of the marked service pressure.
N73 Packagings consisting of outer wooden or fiberboard boxes with inner glass, metal, or other strong containers; metal or fiber drums; kegs or barrels; or strong metal cans are authorized and need not conform to the UN test requirements for domestic shipment.
N74 Packages consisting of tightly closed inner containers of glass, earthenware, metal or polyethylene, capacity not over 0.5 kg (1.1 pounds) securely cushioned and packed in outer wooden barrels or wooden or fiberboard boxes, not over 15 kg (33 pounds) net weight, are authorized and need not conform to the UN test requirements for domestic shipment.
N75 Packages consisting of tightly closed inner packagings of glass, earthenware, or metal, securely cushioned and packed in outer wooden barrels, or wooden or fiberboard boxes, capacity not over 2.5 kg (5.5 pounds) net weight, are authorized and need not conform to the UN test requirements for domestic shipment.
N76 For materials of not more than 25 percent active ingredient by weight, packages consisting of inner metal packagings not greater than 250 ml (8 ounces) capacity each, packed in strong outer packagings together with sufficient absorbent material to completely absorb the liquid contents are authorized and need not conform to the UN test requirements for domestic shipment.
N77 For materials of not more than two percent active ingredients by weight and the liquid contents are absorbed in an inert material, the packagings need not conform to the UN test requirements for domestic shipment.
N78 Packages consisting of inner glass, earthenware, polyethylene, or other nonfragile plastic bottles or jars not over 0.5 kg (1.1 pounds) capacity each, or metal cans not over 5 pounds capacity each, packed in outer wooden boxes, barrels, kegs, or fiberboard boxes, are authorized and need not conform to the UN test requirements for domestic shipments. Net weight of contents in fiberboard boxes may not exceed 29 kg (64 pounds). Net weight of contents in wooden boxes, barrels, or kegs may not exceed 45 kg (99 pounds).
N79 Packages consisting of tightly closed metal inner packagings not over 0.5 kg (1.1 pounds) capacity each, packed in outer wooden or fiberboard boxes, or wooden barrels, are authorized and need not conform to UN test requirements for domestic shipment. Net weight of contents may not exceed 15 kg (33 pounds).
N80 Packages consisting of one inner metal can, not over 2.5 kg (5.5 pounds) capacity, packed in an outer wooden or fiberboard box, or a wooden barrel, are authorized and need not conform to the requirements of part 178 of this subchapter.

N82 See § 173.115 of this subchapter for classification criteria for flammable aerosols.
N83 This material may not be transported in quantities of more than 11.5 kg (25.4 lbs) per package.
N84 The maximum quantity per package is 500 g (1.1 lbs.).
N85 Packagings certified at the Packing Group I performance level may not be used.
N86 UN pressure receptacles made of aluminum alloy are not authorized.
N87 The use of copper valves on UN pressure receptacles is prohibited.
N88 Any metal part of a UN pressure receptacle in contact with the contents may not contain more than 65% copper, with a tolerance of 1%.
N89 When steel UN pressure receptacles are used, only those bearing the "H" mark are authorized.
N90 Metal packagings are not authorized.
N91 The use of a non specification sift-proof, non-bulk, metal can with or without lid, or a non specification sift-proof, non-bulk fiber drum, with or without lid is authorized when transporting coal tar pitch compounds by motor vehicle or rail freight. The fiber drum must to be fabricated with a three ply wall, as a minimum. The coal tar pitch compound must be in a solid mass during
N92 Notwithstanding the provisions of § 173.24(g) of this subchapter, packagings shall be designed and constructed to permit the release of gas or vapor to prevent a build-up of pressure that could rupture the packagings in the event of loss of stabilization.
N95 UN1075, Liquefied petroleum gas and UN1978, Propane authorized for transport in DOT 4BA240 cylinders is not subject to the UN identification number and proper shipping name marking or the label requirements of this part subject to the following conditions: a. The cylinder must be transported in a closed motor vehicle displaying FLAMMABLE GAS placards in accordance with subpart F of part 172 of this subchapter. b. Shipping papers at all times must reflect a correct current accounting of all cylinders both full and expended. c. The cylinders are collected and transported by a private or a contract carrier for reconditioning, reuse or disposal.

Table A4.3. Hazardous Substance and Reportable Quantities.

Table A4.3 Hazardous substance	Reportable Quantity (RQ) pounds (kilograms)
A2213	5000 (2270)
Acenaphthene	100 (45.4)
Acenaphthylene	5000 (2270)
Acetaldehyde	1000 (454)
Acetaldehyde, chloro-	1000 (454)
Acetaldehyde, trichloro-	5000 (2270)
Acetamide	100 (45.4)

Table A4.3 Hazardous substance	Reportable Quantity (RQ) pounds (kilograms)
Acetamide, N-(aminothioxomethyl)-	1000 (454)
Acetamide, N-(4-ethoxyphenyl)-	100 (45.4)
Acetamide, N-9H-fluoren-2-yl-	1 (0.454)
Acetamide, 2-fluoro-	100 (45.4)
Acetic acid	5000 (2270)
Acetic acid, (2,4-dichlorophenoxy)-, salts & esters	100 (45.4)