



Riforma Mono LL TT Bold

Font Format: Opentype TrueType (Opentype TTF)
Designer: NORM (Dimitri Bruni, Manuel Krebs, Ludovic
Varone) (2021-2023)


A large, bold, black capital letter 'R' is centered on a solid red rectangular background. The 'R' is rendered in a clean, modern, sans-serif style, consistent with the 'Riforma Mono LL TT Bold' font.

Glyph Map

All 1210 glyphs of Rifirma Mono LL TT Bold in physical order.

[illegible]

[illegible]



Encoded Characters

All encoded characters should be accessible with every unicode capable application. For details about Unicode Blocks visit the [Unicode Website](#).

Basic Latin

Block from 0000 to 007F

0000	000D	0020	0021	0022	0023	0024	0025	0026	0027	0028	0029	002A	002B	002C	002D	002E	002F	0030	0031
			!	"	#	\$	%	&	'	(	)	*	+	,	-	.	/	0	1
0032	0033	0034	0035	0036	0037	0038	0039	003A	003B	003C	003D	003E	003F	0040	0041	0042	0043	0044	0045
2	3	4	5	6	7	8	9	:	;	<	=	>	?	@	A	B	C	D	E
0046	0047	0048	0049	004A	004B	004C	004D	004E	004F	0050	0051	0052	0053	0054	0055	0056	0057	0058	0059
F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y
005A	005B	005C	005D	005E	005F	0060	0061	0062	0063	0064	0065	0066	0067	0068	0069	006A	006B	006C	006D
Z	[	\	]	^	_	`	a	b	c	d	e	f	g	h	i	j	k	l	m
006E	006F	0070	0071	0072	0073	0074	0075	0076	0077	0078	0079	007A	007B	007C	007D	007E			
n	o	p	q	r	s	t	u	v	w	x	y	z	{		}	~			

Latin-1 Supplement

Block from 0080 to 00FF

00A0	00A1	00A2	00A3	00A4	00A5	00A6	00A7	00A8	00A9	00AA	00AB	00AC	00AD	00AE	00AF	00B0	00B1	00B2	00B3
	ı	¢	£	¤	¥	¦	§	¨	©	ª	«	¬		®	¯	°	±	²	³
00B4	00B5	00B6	00B7	00B8	00B9	00BA	00BB	00BC	00BD	00BE	00BF	00C0	00C1	00C2	00C3	00C4	00C5	00C6	00C7
´	µ	¶	·	¸	¹	º	»	¼	½	¾	¿	À	Á	Â	Ã	Ä	Å	Æ	Ç
00C8	00C9	00CA	00CB	00CC	00CD	00CE	00CF	00D0	00D1	00D2	00D3	00D4	00D5	00D6	00D7	00D8	00D9	00DA	00DB
È	É	Ê	Ë	Ì	Í	Î	Ï	Ð	Ñ	Ò	Ó	Ô	Õ	Ö	×	Ø	Ù	Ú	Û
00DC	00DD	00DE	00DF	00E0	00E1	00E2	00E3	00E4	00E5	00E6	00E7	00E8	00E9	00EA	00EB	00EC	00ED	00EE	00EF
Ü	Ý	Þ	ß	à	á	â	ã	ä	å	æ	ç	è	é	ê	ë	ì	í	î	ï
00F0	00F1	00F2	00F3	00F4	00F5	00F6	00F7	00F8	00F9	00FA	00FB	00FC	00FD	00FE	00FF				
ð	ñ	ò	ó	ô	õ	ö	÷	ø	ù	ú	û	ü	ý	þ	ÿ				

Latin Extended-A

Block from 0100 to 017F

0100	0101	0102	0103	0104	0105	0106	0107	0108	0109	010A	010B	010C	010D	010E	010F	0110	0111	0112	0113
Ā	ā	Ă	ă	Ą	ą	Ć	ć	Ĉ	ĉ	Ċ	ċ	Č	č	Ď	ď	Đ	đ	Ē	ē
0114	0115	0116	0117	0118	0119	011A	011B	011C	011D	011E	011F	0120	0121	0122	0123	0124	0125	0126	0127
Ě	ě	Ė	ė	Ę	ę	Ě	ě	Ĝ	ĝ	Ğ	ğ	Ġ	ġ	Ģ	ģ	Ĥ	ĥ	Ħ	ħ
0128	0129	012A	012B	012C	012D	012E	012F	0130	0131	0132	0133	0134	0135	0136	0137	0138	0139	013A	013B
Ĩ	ĩ	Ī	ī	Ĭ	ĭ	Į	į	İ	ı	Ĵ	ĵ	Ķ	ķ	κ	Ĺ	ĺ	Ł		
013C	013D	013E	013F	0140	0141	0142	0143	0144	0145	0146	0147	0148	0149	014A	014B	014C	014D	014E	014F
ŀ	ł	Ł	ł	Ł	ł	Ł	ł	Ń	ń	Ņ	ņ	Ň	ň	ŋ	ŋ	Ō	ō	Ŏ	ŏ

0150	0151	0152	0153	0154	0155	0156	0157	0158	0159	015A	015B	015C	015D	015E	015F	0160	0161	0162	0163
Ŏ	ŏ	Œ	œ	Ŕ	ŕ	Ŗ	ŗ	Ř	ř	Ś	ś	Ŝ	ŝ	Ş	ş	Š	š	Ț	ț
0164	0165	0166	0167	0168	0169	016A	016B	016C	016D	016E	016F	0170	0171	0172	0173	0174	0175	0176	0177
Ţ	ţ	Ț	ț	Ũ	ũ	Ū	ū	Ŭ	ŭ	Ů	ů	Ȳ	ȳ	Ẁ	ẁ	Ẃ	ẃ	Ẅ	ẅ
0178	0179	017A	017B	017C	017D	017E	017F												
Ỳ	ỳ	Ỵ	ỵ	Ỷ	ỷ	Ỹ	ỹ												

Latin Extended-B

Block from 0180 to 024F

018F	0190	0192	0194	0197	019D	01B5	01B6	01CD	01CE	01CF	01D0	01D1	01D2	01D3	01D4	01E6	01E7	01E8	01E9
Ə	Ɛ	ƒ	ɣ	Ǝ	Ɔ	ƹ	ƺ	Ǻ	ǻ	Ǽ	ǽ	Ǿ	ǿ	Ǚ	ǚ	ǘ	Ǚ	ǚ	ǘ
01EA	01EB	01F8	01F9	01FA	01FB	01FC	01FD	01FE	01FF	0218	0219	021A	021B	021E	021F	022E	022F	0232	0233
Ɔ	ƹ	Ǝ	Ɔ	Ǻ	ǻ	Ǽ	ǽ	Ǿ	ǿ	Ǚ	ǚ	ǘ	Ǚ	ǚ	ǘ	Ǚ	ǚ	ǘ	Ǚ
0237	0244																		
Ɔ	ƹ																		

IPA Extensions

Block from 0250 to 02AF

0259	025B	0263	0268	0272	0289
ə	ɛ	ɣ	ɿ	ɲ	ɥ

Spacing Modifier Letters

Block from 02B0 to 02FF

02C6	02C7	02D8	02D9	02DA	02DB	02DC	02DD
ˆ	˜	˘	˙	˚	˛	˜	˝

Combining Diacritical Marks

Block from 0300 to 036F

0300	0301	0302	0303	0304	0306	0307	0308	030A	030B	030C	0312	0313	0323	0326	0327	0328	032E	0331
˘	˙	˚	˛	˜	˝	˞	˟	ˠ	ˡ	ˢ	ˣ	ˤ	˥	˦	˧	˨	˩	˪

Greek and Coptic

Block from 0370 to 03FF

0387	0394	03A9	03BC	03C0
ˆ	Δ	Ω	μ	π

Thai

Block from 0E00 to 0E7F

0E3F
฿

Latin Extended Additional

Block from 1E00 to 1EFF

1E02	1E03	1E0A	1E0B	1E0C	1E0D	1E0E	1E0F	1E10	1E11	1E1E	1E1F	1E20	1E21	1E22	1E23	1E24	1E25	1E2A	1E2B
Ā ā	Ē ē	Ī ī	Ĭ ĭ	Ĵ ĵ	Š š	Ŝ ŝ	Ẁ ẁ	Ẃ ẃ	Ẅ ẅ	Ẇ ẇ	Ẹ ẹ	Ɔ ɔ	Ɛ ɛ	Ɔ ɔ	Ɛ ɛ	Ɔ ɔ	Ɛ ɛ	Ɔ ɔ	Ɛ ɛ
1E36	1E37	1E38	1E39	1E3A	1E3B	1E3E	1E3F	1E40	1E41	1E42	1E43	1E44	1E45	1E46	1E47	1E48	1E49	1E56	1E57
Ł ł	ł	Ł	ł	Ł	ł	Ł	ł	Ł	ł	Ł	ł	Ł	ł	Ł	ł	Ł	ł	Ł	ł
1E5A	1E5B	1E5C	1E5D	1E5E	1E5F	1E60	1E61	1E62	1E63	1E6A	1E6B	1E6C	1E6D	1E6E	1E6F	1E7C	1E7D	1E80	1E81
Ŕ ŕ	Ŗ ŗ	Ŗ ŗ	Ŗ ŗ	Ŗ ŗ	Ŗ ŗ	Ŗ ŗ	Ŗ ŗ	Ŗ ŗ	Ŗ ŗ	Ŗ ŗ	Ŗ ŗ	Ŗ ŗ	Ŗ ŗ	Ŗ ŗ	Ŗ ŗ	Ŗ ŗ	Ŗ ŗ	Ŗ ŗ	Ŗ ŗ
1E82	1E83	1E84	1E85	1E8A	1E8B	1E92	1E93	1E97	1E9E	1EA0	1EA1	1EB8	1EB9	1EBC	1EBD	1ECA	1ECB	1ECC	1ECD
Ŵ ŵ	Ŷ ŷ	Ŷ ŷ	Ŷ ŷ	Ŷ ŷ	Ŷ ŷ	Ŷ ŷ	Ŷ ŷ	Ŷ ŷ	Ŷ ŷ	Ŷ ŷ	Ŷ ŷ	Ŷ ŷ	Ŷ ŷ	Ŷ ŷ	Ŷ ŷ	Ŷ ŷ	Ŷ ŷ	Ŷ ŷ	Ŷ ŷ
1EE4	1EE5	1EF2	1EF3	1EF8	1EF9														
Ʊ ƴ	Ʊ ƴ	Ʊ ƴ	Ʊ ƴ	Ʊ ƴ	Ʊ ƴ														

General Punctuation

Block from 2000 to 206F

2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	200A	200B	2010	2011	2012	2013	2014	2015	2018	2019
												–	–	–	–	–	–	‘	’
201A	201B	201C	201D	201E	201F	2020	2021	2022	2026	2030	2032	2033	2039	203A	203D	2044			
,	‘	“	”	„	“	†	‡	•	…	‰	’	”	<	>	?	/			

Superscripts and Subscripts

Block from 2070 to 209F

2070	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089
⁰	⁴	⁵	⁶	⁷	⁸	⁹	₀	₁	₂	₃	₄	₅	₆	₇	₈	₉

Currency Symbols

Block from 20A0 to 20CF

20A1	20A6	20A7	20A9	20AA	20AB	20AC	20B1	20B2	20B4	20B5	20B9	20BA	20BD	20BF
₡	₣	₤	₦	₯	₱	₳	₴	₵	₶	₷	₸	₹	₺	₻

Letterlike Symbols

Block from 2100 to 214F

2113	2116	2117	2122	2126	212E
ℓ	№	©	™	Ω	ℯ

Number Forms

Block from 2150 to 218F

2150	2151	2152	2153	2154	2155	2156	2157	2158	2159	215A	215B	215C	215D	215E	215F	2160	2161	2162	2163
$\frac{1}{7}$	$\frac{1}{9}$	$\frac{1}{10}$	$\frac{1}{3}$	$\frac{2}{3}$	$\frac{1}{5}$	$\frac{2}{5}$	$\frac{3}{5}$	$\frac{4}{5}$	$\frac{1}{6}$	$\frac{5}{6}$	$\frac{1}{8}$	$\frac{3}{8}$	$\frac{5}{8}$	$\frac{7}{8}$	$\frac{1}{2}$	I	II	III	IV
2164	2165	2166	2167	2168	2169	216A	216B	216C	216D	216E	216F	2189							
V	VI	VII	VIII	IX	X	XI	XII	L	C	D	M	$\frac{0}{3}$							

Arrows

Block from 2190 to 21FF

2190	2191	2192	2193	2196	2197	2198	2199	21A5
←	↑	→	↓	↖	↗	↘	↙	↕

Mathematical Operators

Block from 2200 to 22FF

2202	2206	220F	2211	2212	2215	2219	221A	221E	222B	2248	2260	2261	2264	2265	2295	2296	2297	2298	22A0
∂	Δ	Π	Σ	-	/	•	$\sqrt{}$	∞	$\int$	$\approx$	$\neq$	$\equiv$	$\leq$	$\geq$	$\oplus$	$\ominus$	$\otimes$	$\oslash$	$\boxtimes$

Miscellaneous Technical

Block from 2300 to 23FF

2300	2316	23CF	23E9	23EA	23EB	23EC	23ED	23EE	23F8	23F9	23FA
∅	⊕	⚡	⏩	⏪	⏴	⏵	⏶	⏷	⏸	■	●

Enclosed Alphanumerics

Block from 2460 to 24FF

2460	2461	2462	2463	2464	2465	2466	2467	2468
①	②	③	④	⑤	⑥	⑦	⑧	⑨

Box Drawing

Block from 2500 to 257F

2500	2501	2502	2503	2504	2505	2506	2507	2508	2509	250A	250B	250C	250D	250E	250F	2510	2511	2512	2513
—	▬	┃	┃	⋯	⋯	┃	┃	⋯	⋯	┃	┃	┃	┃	┃	┃	┃	┃	┃	┃
2514	2515	2516	2517	2518	2519	251A	251B	251C	251D	251E	251F	2520	2521	2522	2523	2524	2525	2526	2527
┃	┃	┃	┃	┃	┃	┃	┃	┃	┃	┃	┃	┃	┃	┃	┃	┃	┃	┃	┃
2528	2529	252A	252B	252C	252D	252E	252F	2530	2531	2532	2533	2534	2535	2536	2537	2538	2539	253A	253B
┃	┃	┃	┃	┃	┃	┃	┃	┃	┃	┃	┃	┃	┃	┃	┃	┃	┃	┃	┃
253C	253D	253E	253F	2540	2541	2542	2543	2544	2545	2546	2547	2548	2549	254A	254B	254C	254D	254E	254F
┃	┃	┃	┃	┃	┃	┃	┃	┃	┃	┃	┃	┃	┃	┃	┃	┃	┃	┃	┃
2550	2551	2552	2553	2554	2555	2556	2557	2558	2559	255A	255B	255C	255D	255E	255F	2560	2561	2562	2563
=		F	π	ℱ	₯	₧	₨	₩	₪	€	₭	₮	₯	₰	₱	₲	₳	₴	₵



2564	2565	2566	2567	2568	2569	256A	256B	256C	256D	256E	256F	2570	2571	2572	2573	2574	2575	2576	2577
2578	2579	257A	257B	257C	257D	257E	257F												

Block Elements

Block from 2580 to 259F

2580	2581	2582	2583	2584	2585	2586	2587	2588	2589	258A	258B	258C	258D	258E	258F	2590	2591	2592	2593
2594	2595	2596	2597	2598	2599	259A	259B	259C	259D	259E	259F								

Geometric Shapes

Block from 25A0 to 25FF

25A0	25A1	25AF	25B2	25B3	25B6	25B7	25BC	25BD	25C0	25C1	25C6	25C7	25CA	25CB	25CC	25CF	25D0	25D1	25D2
25D3	25D4	25D5	25E7	25E8	25E9	25EA													

Miscellaneous Symbols

Block from 2600 to 26FF

2610	2611	2612	2630	2631	2632	2633	2634	2635	2636	2637	2665	2690	2691

Dingbats

Block from 2700 to 27BF

2713	2733	274F	2750	2751	2752	2776	2777	2778	2779	277A	277B	277C	277D	277E	2780	2781	2782	2783	2784
2785	2786	2787	2788	278A	278B	278C	278D	278E	278F	2790	2791	2792							

Supplemental Arrows-B

Block from 2900 to 297F

2913



Miscellaneous Mathematical Symbols-B

Block from 2980 to 29FF

29B6	29B8	29BF
⓪	Ⓛ	⦿

Miscellaneous Symbols and Arrows

Block from 2B00 to 2BFF

2B12	2B13	2B14	2B15	2B16	2B17	2B18	2B19	2B1A
◼	◻	◼	◻	◀	▶	◀	▶	◻

Alphabetic Presentation Forms

Block from FB00 to FB4F

FB00	FB01	FB02	FB03	FB04
ff	fi	fl	ffi	ffl

Arabic Presentation Forms-B

Block from FE70 to FEFF

FEFF

Miscellaneous Symbols and Pictographs

Block from 1F300 to 1F5FF

1F310
🌐

OpenType Layout Features

For details about OpenType Layout Features see the [OpenType Layout tag registry](#).

Substitution Features

	Access All Alternates This feature makes all variations of a selected character accessible.		Contextual Alternates In specified situations, replaces default glyphs with alternate forms which provide better joining behavior.
	Standard Ligatures Replaces a sequence of glyphs with a single glyph which is preferred for typographic purposes. This feature covers the ligatures which the designer/manufacturer judges should be used in normal conditions.		Discretionary Ligatures Replaces a sequence of glyphs with a single glyph which is preferred for typographic purposes. This feature covers those ligatures which may be used for special effect, at the user's preference.
	Slashed Zero Some fonts contain both a default form of zero, and an alternative form which uses a diagonal slash through the counter. This feature allows the user to change from the default 0 to a slashed form.		Numerators Replaces selected figures which precede a slash with numerator figures, and replaces the typographic slash with the fraction slash.
	Denominators Replaces selected figures which follow a slash with denominator figures.		Fractions Replaces figures separated by a slash with 'common' (diagonal) fractions.
	Superscript Replaces lining or oldstyle figures with superior figures (primarily for footnote indication), and may replace lowercase letters with superior letters (primarily for abbreviated French titles).		Subscript The "subs" feature may replace a default glyph with a subscript glyph.
	Ordinals Replaces default alphabetic glyphs with the corresponding ordinal forms for use after figures.		Case-Sensitive Forms Shifts various punctuation marks up to a position that works better with all-capital sequences or sets of lining figures; also changes oldstyle figures to lining figures.
	Localized Forms This feature enables localized forms of glyphs to be substituted for default forms.		Stylistic Alternates Many fonts contain alternate glyph designs for a purely esthetic effect; these don't always fit into a clear category like swash or historical. This feature replaces the default forms with the stylistic alternates.
	Stylistic Set 1 (Diagonal Endings) Glyphs in stylistic sets may be designed to harmonise visually, interact in particular ways, or otherwise work together.		Stylistic Set 2 (Titling f i j t)
	Stylistic Set 3 (Stacked Fractions)		Stylistic Set 17 (Swiss Franc)


[18]

Stylistic Set 18
(Box Drawings Double Arc)

[19]

Stylistic Set 19
(Box Drawings Heavy Arc)

[20]

Stylistic Set 20
(Multiply)

Glyph Composition / Decomposition
To minimize the number of glyph alternates, it is sometimes desired to decompose a character into two glyphs. Additionally, it may be preferable to compose two characters into a single glyph for better glyph processing. This feature permits such composition/decomposition.

1•①

Alternate Annotation Forms
Replaces default glyphs with various notational forms (e.g. glyphs placed in open or solid circles, squares, parentheses, diamonds or rounded boxes).

Ornaments
This feature gives the user access to ornament glyphs (e.g. fleurons, dingbats and border elements) in the font.

Positioning Features

Mark Positioning
Positions mark glyphs with respect to base glyphs.

Mark to Mark Positioning
Positions marks with respect to other marks.
Required in various non-Latin scripts like Arabic.



All alternates are accessible with OpenType layout feature capable applications. If not specified, the feature is registered for all language systems.

All Alternates



Contextual Alternates

-	-	-
---	---	---



Standard Ligatures

ff	ffi	ffii	ffl	fl
----	-----	------	-----	----



Discretionary Ligatures

tt



Slashed Zero

0



Numerators

0	1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---	---



Denominators

0	1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---	---



Fractions

/	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6
7	8	9															

x²

Superscript

2	3	1	0	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---	---

x₂

Subscript

0	1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---	---

1st

Ordinals

a	o
---	---

(G)

Case-Sensitive Forms

	<	>	•	•	◄	►	(	)	-	@	[	]	_	{		}	!
¢	!	«	▪	»	¿	`	'	^	~	-	˘	˙	˚	˛	˜	˝	ˆ
.	,	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ
↙	↗	⊕	⊖	⊗	⊘	⊙	⊚	⊛	⊜	⊝	⊞	⊟	⊠	⊡	⊢	⊣	⊤
■	□	▲	△	▶	▷	▼	▽	◀	◁	◆	◇	○	◊	●	◐	◑	◒
◓	◔	◕	◖	◗	◘	◙	◚	◛	◜	◝	◞	◟	◠	◡	◢	◣	◤
*	↓	⊖	⊗	⊙	⊚	⊛	⊜	⊝	⊞	⊟	⊠	⊡	⊢	⊣	⊤	⊥	⊦

§§

Localized Forms

Latin, Azeri

İ

Latin, Catalan

L	l
---	---

Latin, Crimean Tatar

İ

Latin, Kazakh

і

Latin, Moldavian

Ș ș Ț ț

Latin, Romanian

Ș ș Ț ț

Latin, Tatar

İ

Latin, Turkish

İ

GG Stylistic Alternates

5	G	J	f	ff	ffi	ffl	fi	f1	j	r	t	tt	y	{	}	£	ß
ý	ÿ	Ĝ	Ğ	Ġ	Ģ	IJ	ij	Ĵ	ĵ	Ŋ	ŋ	ŕ	ŗ	ř	ț	ţ	т
ŷ	ƒ	f	Ŧ	Ǧ	ț	ȳ	ȵ	ƚ	ƒ	Ġ	ŕ	ŗ	ŕ	ț	ţ	т	т
ß	ÿ	ÿ	5	5	Q	1/5	2/5	3/5	4/5	5/6	5/8	Q	Q	ff	fi	f1	ffi
ffi	5	5	{	}													

[1] Stylistic Set 1 (Diagonal Endings)

5	G	J	f	ff	ffi	ffl	fi	f1	j	r	t	tt	y	{	}	£	ß
ý	ÿ	Ĝ	Ğ	Ġ	Ģ	IJ	ij	Ĵ	ĵ	Ŋ	ŋ	ŕ	ŗ	ř	ț	ţ	т
ŷ	ƒ	f	Ŧ	Ǧ	ț	ȳ	ȵ	ƚ	ƒ	Ġ	ŕ	ŗ	ŕ	ț	ţ	т	т
ß	ÿ	ÿ	5	5	Q	1/5	2/5	3/5	4/5	5/6	5/8	Q	Q	ff	fi	f1	ffi

ffi	⁵	₅	{	}
-----	--------------	--------------	---	---

[2] Stylistic Set 2 (Titling f i j t)

f	ff	ffi	fffi	ffl	i	j	t	tt	ì	í	î	ï	ĩ	ī	ĭ	ı	
ı	ij	ĵ	ı̇	ı̈	ı̉	ı̊	ı̋	ı̌	ı̍	ı̎	ı̏	ı̐	ı̑	ı̒	ı̓	ff	
fi	fl	ffi	fffi	i	'	f	ff	ffi	fffi	fi	fl	j	t	tt	ij	ĵ	ı̇
ı̈	ı̉	ı̊	ı̋	ı̌	ı̍	ı̎	ı̏	ı̐	ı̑	ı̒	ı̓	ı̔	ı̕	ı̖	ı̗	ı̘	ı̙

[3] Stylistic Set 3 (Stacked Fractions)

$\frac{1}{4}$	$\frac{1}{2}$	$\frac{3}{4}$	$\frac{1}{7}$	$\frac{1}{9}$	$\frac{1}{10}$	$\frac{1}{3}$	$\frac{2}{3}$	$\frac{1}{5}$	$\frac{2}{5}$	$\frac{3}{5}$	$\frac{4}{5}$	$\frac{1}{6}$	$\frac{5}{6}$	$\frac{1}{8}$	$\frac{3}{8}$	$\frac{5}{8}$	$\frac{7}{8}$
$\frac{1}{y}$	$\frac{0}{3}$																

[17] Stylistic Set 17 (Swiss Franc)

₣

[18] Stylistic Set 18 (Box Drawings Double Arc)

⌒	⌓	⌔	⌕
---	---	---	---

[19] Stylistic Set 19 (Box Drawings Heavy Arc)

⌒	⌓	⌔	⌕
---	---	---	---

[20] Stylistic Set 20 (Multiply)

×



Glyph Composition / Decomposition

f	i	l	1	j	`	´	^	~	-	˘	˙	¨	°	”	˘	‘	.
,	;	€	˘	-													



Alternate Annotation Forms

I	II	III	IV	V	VI	VII	VIII	IX	①	②	③	④	⑤	⑥	⑦	⑧	⑨
①	②	③	④	⑤	⑥	⑦	⑧	⑨									



Ornaments

	<	>	•	•	◄	►	N	↗	↘
--	---	---	---	---	---	---	---	---	---



Languages

Information about languages is mainly based on the Unicode Common Locale Data Repository. For details visit the [Unicode CLDR Project](#).

Latin

Afrikaans	German	Makhuwa-Meetto	Serbian
Albanian	Gusii	Makonde	Shambala
Asturian	Hungarian	Malagasy	Shona
Asu	Icelandic	Maltese	Slovak
Basque	Igbo	Manx	Slovenian
Bemba	Inari Sami	Meru	Soga
Bena	Indonesian	Morisyen	Somali
Breton	Irish	North Ndebele	Spanish
Catalan	Italian	Northern Sami	Swahili
Chiga	Jola-Fonyi	Norwegian Bokmål	Swedish
Colognian	Kabuverdianu	Norwegian Nynorsk	Swiss German
Cornish	Kabyle	Nyankole	Tachelhit
Croatian	Kalaallisut	Oromo	Taita
Czech	Kalenjin	Polish	Tasawaq
Danish	Kamba	Portuguese	Teso
Dutch	Kikuyu	Prussian	Turkish
Embu	Kinyarwanda	Quechua	Upper Sorbian
English	Koyra Chiini	Romanian	Uzbek
Esperanto	Koyraboro Senni	Romansh	Volapük
Estonian	Langi	Rombo	Vunjo
Faroese	Latvian	Rundi	Walser
Filipino	Lithuanian	Rwa	Welsh
Finnish	Lower Sorbian	Samburu	Western Frisian
French	Luo	Sango	Yoruba
Friulian	Luxembourgish	Sangu	Zarma
Galician	Luyia	Scottish Gaelic	Zulu
Ganda	Machame	Sena	



Character Set

Adobe

Adobe Latin-1

Apple Macintosh

MacOS Central European Latin
MacOS Croatian
MacOS Icelandic
MacOS Roman (Standard Latin)
MacOS Romanian
MacOS Turkish

ISO 8859

8859-1 Latin-1 Western European
8859-10 Latin-6 Nordic
8859-13 Latin-7 Baltic Rim
8859-14 Latin-8 Celtic
8859-15 Latin-9
8859-16 Latin-10 South-Eastern European
8859-2 Latin-2 Central European
8859-3 Latin-3 South European
8859-4 Latin-4 North European
8859-9 Latin-5 Turkish

Microsoft DOS

MS DOS 775 Baltic
MS DOS 852 Latin 2
MS DOS 857 Turkish

Microsoft Windows

MS Windows 1250 Central European Latin
MS Windows 1252 Western (Standard Latin)
MS Windows 1254 Turkish Latin
MS Windows 1257 Baltic Latin



Technical Data

Identification

Table	Description	Value
-	File name	RiformaMonoLLTT-Bold.ttf
-	File size	166212 bytes
-	MD5 checksum	E2C0C5B197D4FD5721CB11C2A879D400
head	created	Tue Sep 12 16:08:57 2023
head	modified	Mon Nov 20 17:10:09 2023
name	Unique font identifier	Lineto: Riforma Mono LL TT -Bold: 2023
name	Version string	Version 5.000; build 0012
glyf	Outline format	TrueType

Names

ID	Description	Value
1	Family name	Riforma Mono LL TT
2	Subfamily name	Bold
4	Full font name	Riforma Mono LL TT Bold
6	Postscript name	RiformaMonoLLTT-Bold

Classification & Style

Table	Description	Value
OS/2	Width class	5 - Medium (normal)
OS/2	Weight class	700 - Bold
post	Italic angle	0.0°
OS/2	fsSelection style bits	Bold
head	macStyle bits	Bold
OS/2	PANOSE Family Kind	2 - Latin Text
OS/2	PANOSE Weight	8 - Bold
OS/2	PANOSE Proportion	4 - Even Width
OS/2	PANOSE x-height	4 - Constant/Large



Legal Information

ID	Description	Value
0	Copyright	© 2023, Copyright by Lineto. All rights reserved.
7	Trademark	Riforma is a trademark of Lineto
8	Manufacturer	Lineto
9	Designer	NORM (Dimitri Bruni, Manuel Krebs, Ludovic Varone) (2021-2023)
10	Font Description	LL Riforma Mono is designed by NORM, first released by Lineto in 2023. Font engineering and mastering by Alphabet Type GmbH
11	Vendor URL	https://www.lineto.com
12	Designer URL	https://www.lineto.com/The+Designers
13	License Description	No use of this font is allowed without Lineto's consent and without the user's compliance with the Lineto EULA and the SUL. Lawful use of the fonts or the data contained within the font files excludes modifying, reassembling, renaming, storing on publicly available servers, redistributing and selling. Lineto fonts or any of the data contained within them, including but not limited to rasterized glyph outlines, metrical data, kerning and hinting information, to create new fonts or font-based services using artificial neural networks, machine learning algorithms, or any other generative processes is strictly prohibited. This includes any automated processes, deep learning models, or any other AI-based methods to generate or modify fonts based on the data contained in the original Font Software. Any unlawful use of this typographic software will be prosecuted. For additional information see https://lineto.com/licensing .
14	License Info URL	https://lineto.com/licensing

Vertical Metric




	Table	Description	Value
	head	Units perEM	1000
A	head	y Max	990
B	head	y Min	-255
C	post	Underline Position	-80
	post	Underline Size	40
D	OS/2	Strikeout Position	300
	OS/2	Strikeout Size	50
E	OS/2	Caps Height	700
F	OS/2	x Height	520
G	OS/2	Typo Ascender	950
H	OS/2	Typo Descender	-250
	OS/2	Typo Linegap	0
I	OS/2	Win Ascender	950
J	OS/2	Win Descender	250
K	hhea	Ascender	950
L	hhea	Descender	-250
	hhea	Linegap	0