Towards Enshrined Proposer-Builder Separation



mike neuder – ethereum foundation eth cc – july 17, 2023

Outline

- What is Proposer-Builder Separation?
- mev-boost, out-of-protocol PBS
- Enshrining PBS
 - Reasons to enshrine
 - Two-slot PBS
 - Payload-Timeliness committee
- Optimistic relaying
 - Current block submission
 - Optimistic v1
 - Optimistic v2
 - Endgame

Etymology

Proposer/block builder separation-friendly fee market designs



vbuterin

Jun '21

Etymology

Proposer/block builder separation-friendly fee market designs



Jun '21

 Proposers = validators selected to propose a block during a slot (unsophisticated)

Etymology

Proposer/block builder separation-friendly fee market designs



vbuterin

Jun '21

- Proposers = validators selected to propose a block during a slot (unsophisticated)
- Builders = participants capable of constructing high-value blocks (sophisticated)

Etymology


Proposer/block builder separation-friendly fee market designs




vbuterin


Jun '21

- Proposers = validators selected to propose a block during a slot (unsophisticated)
- Builders = participants capable of constructing high-value blocks (sophisticated)
- Decouple these two roles to avoid centralization pressures






Relay serves as a mutually trusted auctioneer



- Relay serves as a mutually trusted auctioneer
- Validators run sidecar software to interact with relays



- Relay serves as a mutually trusted auctioneer
- Validators run sidecar software to interact with relays
- Massive adoption: 95% of blocks are built using mev-boost

Reasons to enshrine


- Relays erode Ethereum's values
 - Decentralization
 - Censorship resistance
 - Trustlessness

Reasons to enshrine

- Relays erode Ethereum's values
 - Decentralization
 - Censorship resistance
 - Trustlessness
- Out-of-protocol software is brittle
 - Low-Carb Crusader attack
 - Shapella bug
 - Coordination costs

Reasons to enshrine

- Relays erode Ethereum's values
 - Decentralization
 - Censorship resistance
 - Trustlessness
- Out-of-protocol software is brittle
 - Low-Carb Crusader attack
 - Shapella bug
 - Coordination costs
- Relays are expensive
 - ► No clear funding model
 - Heavily-used public goods infrastructure




Two-slot PBS


Two-slot proposer/builder separation



Two-slot PBS




Two-slot PBS




 Gives the builder block attestation weight by partitioning the attesting committee

Two-slot PBS




- Gives the builder block attestation weight by partitioning the attesting committee
- Weakens the security properties of the consensus layer


Payload-Timeliness Committee




o Consensus-layer block is produced without any transactions




- Consensus-layer block is produced without any transactions
- Consensus-layer attestations remain the same



- Consensus-layer block is produced without any transactions
- o Consensus-layer attestations remain the same
- Builder reveals the payload (list of transactions)




- Consensus-layer block is produced without any transactions
- Consensus-layer attestations remain the same
- Builder reveals the payload (list of transactions)
- Payload-Timeliness Committee votes on if the payload was published




- Consensus-layer block is produced without any transactions
- o Consensus-layer attestations remain the same
- Builder reveals the payload (list of transactions)
- Payload-Timeliness Committee votes on if the payload was published
- Limits the impact on the fork-choice rule

Current block submission




Current block submission




Lots of latency in the block submission flow

Current block submission




- Lots of latency in the block submission flow
- How can we make this look more like ePBS?


Current block submission




- Lots of latency in the block submission flow
- How can we make this look more like ePBS?
- Work from the bottom-up, removing relay responsibilities!




Optimistic v1




Skip the block simulation




- Skip the block simulation
- o Immediately saves $\approx 100-200$ ms of latency




- Skip the block simulation
- o Immediately saves $\approx 100-200$ ms of latency
- Collateralize builders to protect proposers



Optimistic v2




Don't wait for block download




- Don't wait for block download
- \circ Saves an additional pprox 50 100 ms of latency

Endgame




Endgame



Relay just observes the timeliness of events

Endgame



- Relay just observes the timeliness of events
- Sounds a lot like ... Payload-Timeliness Committee

 $\circ\,$ We are extremely dependent on mev-boost relays

- We are extremely dependent on mev-boost relays
 - ▶ Relays are trusted, centralized, and increase censorship surface area

- We are extremely dependent on mev-boost relays
 - ▶ Relays are trusted, centralized, and increase censorship surface area
- ePBS eliminates that dependency

- We are extremely dependent on mev-boost relays
 - Relays are trusted, centralized, and increase censorship surface area
- ePBS eliminates that dependency
 - ▶ Iterating on "top-down" approaches (Payload-Timeliness Committee)

- We are extremely dependent on mev-boost relays
 - Relays are trusted, centralized, and increase censorship surface area
- ePBS eliminates that dependency
 - ▶ Iterating on "top-down" approaches (Payload-Timeliness Committee)
 - Concurrently working on the "bottom-up" optimistic relay roadmap

- We are extremely dependent on mev-boost relays
 - Relays are trusted, centralized, and increase censorship surface area
- ePBS eliminates that dependency
 - ▶ Iterating on "top-down" approaches (Payload-Timeliness Committee)
 - Concurrently working on the "bottom-up" optimistic relay roadmap

Thanks!