

AUA CS108, Statistics, Fall 2020

Lecture 20

Michael Poghosyan

12 Oct 2020

Contents

- ▶ Convergence Types of R.V. Sequences

Convergence in Probability

Definition: We will say that $X_n \rightarrow X$ **in Probability**, and we will write $X_n \xrightarrow{\mathbb{P}} X$, if

for any $\varepsilon > 0$, $\mathbb{P}(|X_n - X| \geq \varepsilon) \rightarrow 0$, when $n \rightarrow \infty$.

Convergence in Probability

Definition: We will say that $X_n \rightarrow X$ **in Probability**, and we will write $X_n \xrightarrow{\mathbb{P}} X$, if

for any $\varepsilon > 0$, $\mathbb{P}(|X_n - X| \geq \varepsilon) \rightarrow 0$, when $n \rightarrow \infty$.

Equivalently, we can write

$X_n \xrightarrow{\mathbb{P}} X$ iff $\mathbb{P}(|X_n - X| < \varepsilon) \rightarrow 1$ for any $\varepsilon > 0$.

Convergence in the Mean Square Sence

Definition: We will say that $X_n \rightarrow X$ in the **Quadratic Mean Sense or in L^2 (or in the Mean Square Sense)**, and we will write $X_n \xrightarrow{L^2} X$ or $X_n \xrightarrow{qm} X$, if

$$MSE(X_n, X) = \mathbb{E}\left((X_n - X)^2\right) \rightarrow 0, \quad \text{when } n \rightarrow \infty.$$

Convergence in the Mean Square Sence

Definition: We will say that $X_n \rightarrow X$ in the **Quadratic Mean Sense or in L^2 (or in the Mean Square Sense)**, and we will write $X_n \xrightarrow{L^2} X$ or $X_n \xrightarrow{qm} X$, if

$$MSE(X_n, X) = \mathbb{E}\left((X_n - X)^2\right) \rightarrow 0, \quad \text{when } n \rightarrow \infty.$$

Here $MSE(X_n, X)$ is the *Mean Square Error* (of the approximation of X by X_n).

Convergence in Distributions

Now we assume that X_n and X are arbitrary r.v.'s, not necessarily defined on the same probability space, and $F_{X_n}(x)$ and $F_X(x)$ are their CDF's, respectively.

Convergence in Distributions

Now we assume that X_n and X are arbitrary r.v.'s, not necessarily defined on the same probability space, and $F_{X_n}(x)$ and $F_X(x)$ are their CDF's, respectively.

Definition: We will say that $X_n \rightarrow X$ **in Distribution (or in Law)**, and we will write $X_n \xrightarrow{D} X$, if

$F_{X_n}(x) \rightarrow F_X(x)$ as $n \rightarrow \infty$ at any point of continuity x of $F_X(x)$.

Convergence in Distributions

Now we assume that X_n and X are arbitrary r.v.'s, not necessarily defined on the same probability space, and $F_{X_n}(x)$ and $F_X(x)$ are their CDF's, respectively.

Definition: We will say that $X_n \rightarrow X$ **in Distribution (or in Law)**, and we will write $X_n \xrightarrow{D} X$, if

$F_{X_n}(x) \rightarrow F_X(x)$ as $n \rightarrow \infty$ at any point of continuity x of $F_X(x)$.

Remark: This is equivalent to saying that for (almost) any subsets $A \subset \mathbb{R}$

$$\mathbb{P}(X_n \in A) \rightarrow \mathbb{P}(X \in A).$$

Convergence in Distributions

Remark on the notation: Usually, in the case of the Convergence in Distribution, we write the Distribution as the limit, e.g., we write

$$X_n \xrightarrow{D} \mathcal{N}(0, 1)$$

instead of writing $X_n \xrightarrow{D} X$, $X \in \mathcal{N}(0, 1)$.

Cauchy Principle for a.e, \mathbb{P} and L^2 Convergence

Now, for checking the convergence of a sequence of r.v. X_n , we can use the following Theorem (Cauchy Principle):

Theorem:

- ▶ If $X_n - X_m \rightarrow 0$ a.e. when $m, n \rightarrow +\infty$, then there exists a r.v. X such that $X_n \rightarrow X$ a.e.;

Cauchy Principle for a.e. \mathbb{P} and L^2 Convergence

Now, for checking the convergence of a sequence of r.v. X_n , we can use the following Theorem (Cauchy Principle):

Theorem:

- ▶ If $X_n - X_m \rightarrow 0$ a.e. when $m, n \rightarrow +\infty$, then there exists a r.v. X such that $X_n \rightarrow X$ a.e.;
- ▶ If for any $\varepsilon > 0$, $\mathbb{P}(|X_n - X_m| \geq \varepsilon) \rightarrow 0$ when $m, n \rightarrow +\infty$, then there exists a r.v. X such that $X_n \xrightarrow{\mathbb{P}} X$;

Cauchy Principle for a.e. \mathbb{P} and L^2 Convergence

Now, for checking the convergence of a sequence of r.v. X_n , we can use the following Theorem (Cauchy Principle):

Theorem:

- ▶ If $X_n - X_m \rightarrow 0$ a.e. when $m, n \rightarrow +\infty$, then there exists a r.v. X such that $X_n \rightarrow X$ a.e.;
- ▶ If for any $\varepsilon > 0$, $\mathbb{P}(|X_n - X_m| \geq \varepsilon) \rightarrow 0$ when $m, n \rightarrow +\infty$, then there exists a r.v. X such that $X_n \xrightarrow{\mathbb{P}} X$;
- ▶ If $\mathbb{E}\left((X_n - X_m)^2\right) \rightarrow 0$ when $m, n \rightarrow +\infty$, then there exists a r.v. X such that $X_n \xrightarrow{L^2} X$.

Example

Example: We have a sequence of infinitely many (independent) tosses of a fair coin, and let X_n be the result of the n -th trial (*Head* = 1, *Tail* = 0). So the Distribution of X_n is

$$X_n \sim$$

Example

Example: We have a sequence of infinitely many (independent) tosses of a fair coin, and let X_n be the result of the n -th trial ($Head = 1$, $Tail = 0$). So the Distribution of X_n is

$$X_n \sim \text{Bernoulli}(0.5).$$

Example

Example: We have a sequence of infinitely many (independent) tosses of a fair coin, and let X_n be the result of the n -th trial ($Head = 1$, $Tail = 0$). So the Distribution of X_n is

$$X_n \sim \text{Bernoulli}(0.5).$$

- Is X_n convergent in the sense of Distributions ?

Example

Example: We have a sequence of infinitely many (independent) tosses of a fair coin, and let X_n be the result of the n -th trial ($Head = 1$, $Tail = 0$). So the Distribution of X_n is

$$X_n \sim \text{Bernoulli}(0.5).$$

- ▶ Is X_n convergent in the sense of Distributions ?
- ▶ Is X_n convergent in the Probability sense ?

Example

Example: We have a sequence of infinitely many (independent) tosses of a fair coin, and let X_n be the result of the n -th trial ($Head = 1$, $Tail = 0$). So the Distribution of X_n is

$$X_n \sim \text{Bernoulli}(0.5).$$

- ▶ Is X_n convergent in the sense of Distributions ?
- ▶ Is X_n convergent in the Probability sense ?
- ▶ Is X_n convergent in the MS sense ?

Example

Example: We have a sequence of infinitely many (independent) tosses of a fair coin, and let X_n be the result of the n -th trial ($Head = 1$, $Tail = 0$). So the Distribution of X_n is

$$X_n \sim \text{Bernoulli}(0.5).$$

- ▶ Is X_n convergent in the sense of Distributions ?
- ▶ Is X_n convergent in the Probability sense ?
- ▶ Is X_n convergent in the MS sense ?
- ▶ Is X_n convergent in the a.s. sense?